

Jordan Building Regulation

نظام الأبنية وتنظيم المدن والقرى رقم ١ لسنة ٢٠٢٢

Regulation No. (1) of 2022, issued under Article 67 of the Provisional Towns, Villages and Buildings Planning Law No. (79) of 1966

as amended by the Amending Regulation No. (12) of 2025

50

ARTICLES COVERED

32

DIAGRAMS DRAWN

6

FEE SCHEDULES

JOD

ALL PRICES IN DINARS

This document sets out the Jordanian building regulation article by article, with every control table and every fee schedule reproduced in full — and with the rules drawn.

A NOTE ON THE DIAGRAMS — PLEASE READ

The Official Gazette text of this Regulation contains **no diagrams whatsoever**. All 49 pages were checked: it is pure text and tables. This is unlike the Lebanese implementing decree, which carries 119 official drawings.

The 32 diagrams in this document were therefore drawn by NORMIA to illustrate the rules, in the manner of the Lebanese decree. They are an interpretation of the regulatory text, **not part of the Regulation and of no legal force**. Every one is labelled JO-Fig-NN and cites the article it illustrates.

Where a diagram and the text of this document appear to differ, **the text governs**; and where the text of this document and the Official Gazette differ, **the Gazette governs**.

Contents — 1 How this document was made · 2 Identity of the instrument · 3 Definitions · 4 Zones and uses · 5 Subdivision · 6 Height and the datum · 7 Development control · 8 Licensing · **9 Fees and prices** · 10 Building elements · 11 Parking · 12 Outside the planning areas · 13 Miscellaneous provisions · 14 The 2025 amendment · 15 Figure index · 16 Basis, limitations and sources

1 · How this document was made

The Regulation was published as a vector PDF of the Official Gazette. It carries almost no extractable text layer, so every page was rendered as an image and **read visually**.

Step	What was done	Why
Source	Official Gazette PDF of Regulation No. (1) of 2022 — 49 pages — and the Amending Regulation No. (12) of 2025 — 3 pages.	The two instruments must be read together.
Text	OCR was run, but used only to locate provisions.	Arabic-Indic numeral OCR is not reliable enough to design against.
Numbers	Every numeric value was read visually from the page image , at magnification where the print is small.	A misread fee or setback is worse than no figure at all.
Diagrams	Drawn from the verified text by NORMIA. The Gazette has none.	To present the rules the way the Lebanese decree presents its own.
Unverified	Anything that could not be read with certainty is marked UNCLEAR IN SOURCE .	NORMIA never invents a regulation or a number.

The Golden Rule

Nothing in this document has been inferred, rounded or filled in. Where the Gazette is internally inconsistent, both readings are recorded and the conflict is flagged rather than resolved.

2 · Identity of the instrument

Item	Value
Title	نظام الأبنية وتنظيم المدن والقرى لسنة ٢٠٢٢ — the Building and Town & Village Planning Regulation of 2022
Number	Regulation No. (1) of 2022
Enabling provision	Article (67) of the Provisional Towns, Villages and Buildings Planning Law No. (79) of 1966
Constitutional basis	Article (31) of the Constitution
Council of Ministers decision	12/12/2021
Commencement	From the date of publication in the Official Gazette (Article 1)
Amended by	نظام معدل رقم ١٢ لسنة ٢٠٢٥ — Amending Regulation No. (12) of 2025, Council of Ministers decision 29/1/2025, Gazette pp. 835–837, read as one with the 2022 Regulation
Extent	50 articles · 49 Gazette pages · no diagrams
Competent bodies	مجلس التنظيم الأعلى (the Higher Planning Council) · اللجنة المختصة (the Local, District, Joint District or Joint Local Planning Committee) · دائرة تنظيم المدن والقرى والأبنية المركزية (the Central Department)

Scope — Article 3


تطبق أحكام هذا النظام على الأراضي والأبنية ومشاريع الإعمار ضمن مناطق التنظيم في المملكة باستثناء مناطق التنظيم التي تخضع لتشريعات خاصة بها

The provisions apply to lands, buildings and development projects within the planning areas of the Kingdom, and to any person, ministry, department, local authority, municipality or public institution — EXCEPT planning areas subject to their own special legislation.


3 · Definitions — Article 2

The definitions do the heavy lifting in this Regulation. Four of them — the basement, the semi-basement, the coverage percentage and the floor area — decide most of what can actually be built, because they decide what **counts**.

Term	Definition	The operative number
ارتفاع البناء Building height	The vertical distance between the average level of the road and the highest point of the structural roof slab.	—
طابق القبو Basement	The floor(s) below natural ground level on all sides , provided the concrete slab does not exceed 45 cm above natural ground or the average level of the abutting road, whichever is lower . May be built over the entire plot boundary except the front setback .	45 cm
طابق التسوية Semi-basement	The floor(s) below the ground floor whose concrete slab does not exceed one and a half metres above the average road level.	1.50 m
الطابق الأرضي Ground floor	A floor, or part of one, directly above natural ground level, or directly above the semi-basement or the basement.	—
المساحة الطابقية Floor area	The sum of the roofed horizontal projections of all floors, excluding semi-basements, basements, commercial mezzanines, mechanical service floors, commercial and architectural projections, car parking, open passages and stairs, light wells, mechanical ventilation voids, the lift-room roof and the last-stair roof.	—
النسبة الطابقية Floor area ratio	The floor area divided by the plot area.	—
النسبة المئوية للبناء Coverage	The area of the largest horizontal projection divided by the plot area, excluding commercial and architectural projections, car parking, basements , open passages and stairs, wells and collection pits, fuel and water tanks, electrical rooms and generators, light wells and ventilation voids.	—
حجم البناء Building volume	The permitted building area under the coverage percentage, multiplied by the prescribed height .	—
الارتداد Setback	The space separating the building from the plot boundary, or from the line of the road abutting the plot.	—
المنور Light well	An internal void within the building providing light and ventilation to the parts overlooking it, not to be roofed except at the last floor .	—
السدة التجارية Commercial mezzanine	A secondary floor forming part of a shop, accessible only through that shop.	—
الروف Roof floor	The floor whose erection is permitted under this Regulation.	—
البناء الفرعي Ancillary building	The building subordinate to a main building and detached from it, serving it.	—
البناء العالي High-rise	A building whose height exceeds the limit prescribed for the plot — except in areas regulated by special provisions .	—
الحفرة التجميعية المصمتة Sealed pit	The pit for wastewater, closed on all sides with reinforced concrete and not permitting seepage .	—
الأرض الخلاء المقيدة Restricted open land	Land on which building is permanently prohibited and classified as such on an approved scheme.	—



JO-Fig-01 — The four setbacks and what a setback is · Art 2




النسبة المئوية للبناء = $\text{area of the LARGEST horizontal projection} \div \text{plot area}$

EXCLUDED: commercial and architectural projections · car parking · basements · open passages and stairs · water wells and collection pits · fuel and water tanks · electrical rooms and generators · light wells · mechanical ventilation voids

JO-Fig-12 — Coverage (النسبة المئوية) — what counts and what is excluded · Art 2

the sum of the ROOFED horizontal projections of all floors = المساحة الطابقية




Also excluded from the floor area: commercial mezzanines (السدد) · mechanical service floors · commercial and architectural projections · car parking · open passages and stairs · light wells · the lift-room and last-stair roofs

JO-Fig-13 — Floor area (المساحة الطابقية) — the basement and semi-basement drop out · Art 2


Why the basement is the most valuable definition in the Regulation

A قبو is excluded from the coverage percentage AND from the floor area, and may occupy the entire plot except the front setback. A تسوية is excluded from the floor area only — and its presence forfeits the natural-ground height relief of Article 15(c).

The whole difference is **45 cm against 1.50 m**. On any sloping site that dimension is worth more than any other in the document.



JO-Fig-10 — The basement (قبو) — the 45 cm test and its permitted extent · Art 2 / Art 28



JO-Fig-11 — The semi-basement (تسوية) — the 1.50 m test, and what it costs · Art 2



JO-Fig-19 — Permitted uses of the basement · Art 38(a)

4 · Zones and permitted uses — Articles 4 to 10

Article 4 — land-use categories in a planning area

Arabic	English
أ المناطق السكنية	Residential areas
ب المناطق التجارية	Commercial areas
ج مناطق أبنية متعددة الاستعمال	Multi-use building areas
د المناطق الصناعية	Industrial areas
هـ مواقف سيارات	Car parks
و المباني العامة	Public buildings
ز المكاتب والإدارات	Offices and administrations

Article 5 — what may be put in a residential zone

The residential zone is for residential buildings, but Article 5(c) opens three routes to other uses — each at a different level of authority.

Decided by	What may be permitted	Conditions
The Council المجلس	Private hospitals · hotels · inns · hotel suites · private schools · special education and care centres · homes for the elderly and the like	Double the side and rear setbacks on the side of the adjoining residence · coverage not exceeding 50% · land area not less than 3 dunums for hospitals and schools · except those existing and licensed before 1/1/2017
The Council	Use of existing buildings as hotels, inns, hotel suites and restaurants	—
The Competent Committee اللجنة المختصة	Local services: pharmacy · water stations · florist · GP clinic · frozen goods · grocery · greengrocer · bookshop · men's barber · ladies' hairdresser · home maintenance · kindergartens and nurseries	Must be on the GROUND FLOOR of the building
The Mayor رئيس البلدية	Home-based occupations: translation · printing · fashion design · marketing and advertising design · architectural drawing · studies and consultancy · financial, administrative and technical services · IT and website design · online sales · sewing and embroidery · jewellery · ceramic decoration · mat and carpet weaving · soap · candles · jams · bakery · vegetable, herb and legume preparation · pickles · jameed	—

A fee consequence that is easy to miss

Article 5(d): **multi-use building fees** are levied on the uses permitted under Article 5(c)(1) — the hospitals, hotels, schools and care homes. They are not charged at the residential rate.

Articles 6 to 9 — the other zones

Article	Zone	Categories / content
6	Commercial — المناطق التجارية	مركزي تجاري central · معارض تجارية showrooms · محلي تجاري local · خطي تجاري linear. Used for commerce, housing, public services, places of worship, offices, showrooms, hotels, oil-change and car-wash stations, warehouses, restaurants, renewable-energy projects and playing fields.
7	Multi-use — متعدد الاستعمال	Commerce · renewable-energy projects · playing fields · housing · offices · exhibitions · conferences · display halls · any other use on the structural or detailed scheme.

Article	Zone	Categories / content
8	Industrial — المناطق الصناعية	الحرفية craft · التقنية technical · الخفيفة light · المتوسطة medium · الثقيلة heavy · التحويلية processing. Commercial uses under Article 6 are also permitted in industrial zones. Heavy industry requires prior approvals . Processing-industry areas take the technical-industry provisions and fees.
9	Workers' housing	The Competent Committee may permit workers' housing in industrial areas on the conditions it sets.

Article 10 — investment projects outside the planning areas

The Council may require a **geological study**, an **environmental impact study**, a **traffic impact study**, and the approval of the **Department of Antiquities**. Investment projects include universities and private schools, hospitals, hotels, restaurants, parks, malls, residential suburbs, sports fields, amusement cities, wedding and entertainment halls, cinemas and theatres, fuel stations, warehouses, car washes, grain mills, factories, housing projects and renewable-energy projects.

Obligation on the owner of a housing project — Article 10(d)	Requirement
Opening the streets inside the project	at the owner's expense
Delivering electricity and water to all plots	at the owner's expense
Land for basic services	not less than 8% of the project's gross area, subdivided and registered in the name of the municipality or the Ministry, and suitable for the purpose

Article 10(f) — ADDED by the 2025 amending Regulation No. (12)

باستثناء مشاريع الطاقة المتجددة يجب ألا تقل سعة الشارع الواصل لأرض المشروع عن (١٢) مترا




Renewable-energy projects are excepted.

JO-Fig-31 — The 12 m street serving an investment project — 2025 amendment · Art 10(f) / 2025

5 · Subdivision — Articles 11 to 14

Article 11(a) — minimum subdivision area and plot frontage

Zone	Min. subdivision area	Min. frontage
Residential — سكن أ	1,000 m ²	25 m
سكن ب	750 m ²	20 m
سكن ج	500 m ²	18 m
سكن د	250 m ²	15 m
Green / Rural — السكن الأخضر الريفي	2,000 m ²	30 m
Agricultural residential — السكن الزراعي	4,000 m ²	35 m
Commercial — التجاري المركزي	1,000 m ²	25 m
showrooms — المعارض التجارية	1,000 m ²	25 m
linear — التجاري الطولي	250 m ²	12 m
local — التجاري المحلي	as prescribed for the area	
Multi-use — متعدد الاستعمال	1,000 m ²	25 m
Public buildings — مباني عامة	1,000 m ²	25 m
Industrial — الحرفية craft	1,000 m ²	25 m
technical — الصناعات التقنية	1,000 m ²	25 m
light — الصناعات الخفيفة	2,000 m ²	30 m
medium — الصناعات المتوسطة	5,000 m ²	50 m
heavy — الصناعات الثقيلة	10,000 m ²	60 m
Agricultural facilities — المنشآت الزراعية	10,000 m ²	60 m
Offices and administrations	750 m ²	20 m



JO-Fig-02 — Minimum subdivision area and plot frontage — residential · Art 11

Article 11(b) and (c) — two rules that decide a great many real cases


(b) For planning uses not expressly provided for here, the provisions under which the scheme was approved apply.

(c)(1) Buildings proposed above an existing lawfully licensed building are governed by the provisions under which that

existing building was licensed.

(c)(2) Where the existing building encroaches on the setback and was licensed before this Regulation came into force, **setback-encroachment fees are not levied** on the proposed building if those encroachments no longer contravene this Regulation.

Article 13(e)(1) — the width of a subdivision road fixes how many plots it may serve



6 · Height and the datum — Article 15

Article 15 is the most consequential article in the Regulation for anyone working on sloping ground, because it decides the level from which every height is counted.


(a)(1) — the general rule, and the 8 m test

السطح الإنشائي للبناء ولا تعتمد الطرق التي تقل سعتها عن ٨ أمتار أو الطريق التي تقل واجهة القطعة عليها عن ٥٠٪ من طول تلك الواجهة لاحتساب متوسط المنسوب يكون ارتفاع البناء هو المسافة العمودية من متوسط مناسيب هذه الطرق الى أعلى نقطة من

Height is the vertical distance from the AVERAGE of the levels of the adjoining roads to the highest point of the structural surface. Roads narrower than 8 m are NOT relied upon, nor is a road on which the plot's frontage is less than 50% of the length of that frontage.

**Height is measured from the AVERAGE level of the adjoining roads.
A road narrower than 8 m is NOT counted in that average.**

ولا تعتمد الطرق التي تقل سعتها عن (٨) أمتار لاحتساب متوسط المنسوب




JO-Fig-04 — Height datum — roads narrower than 8 m are disregarded · Art 15(a)(1)

(a)(2) — where every adjoining road falls short

Where the plot fronts more than one road and they all fail the (1) tests, height is computed from the average of the levels of **those** roads. Read together, (1) drops non-qualifying roads while a qualifying one survives, and (2) is the fallback when they all fail.


Where the plot fronts MORE THAN ONE road and they ALL fall short of the 8 m test, the datum becomes the average of those roads.



JO-Fig-05 — Where every adjoining road is under 8 m — average them · Art 15(a)(2)

(a)(3) — more than one building on the plot

More than one road AND more than one building on the plot: each building takes its height from the NEAREST road.



JO-Fig-06 — Several buildings — each takes the nearest road · Art 15(a)(3)


(c) — the relief where natural ground sits above the road

شريطة أن لا يشتمل البناء على طوابق تسوية، واستعمال أول طابق من البناء مواقف سيارات او خدمات ويستثنى هذا الطابق من أحكام الارتفاع وعدد الطوابق إذا كان منسوب الأرض الطبيعية لقطعة الأرض أعلى من منسوب الطريق فيسمح باحتساب ارتفاع البناء من منسوب الأرض الطبيعية

Where the natural ground level is higher than the road level: height may be computed from natural ground, PROVIDED the building contains no semi-basement floors; and the first floor may be used for parking or services, and that floor is EXCLUDED from the

height provisions and from the permitted number of floors.

Where NATURAL GROUND is higher than the road, height may be taken from natural ground — provided the building has NO semi-basement.




JO-Fig-07 — Natural ground above road level — the Article 15(c) relief · Art 15(c)

(d), (e) and (f)

Provision	Rule
15(d)	The ground-floor slab may be raised a maximum of 2 m above natural ground or road level, where there is no basement and no semi-basement, and provided the overall height limit is respected.
15(e)	The floor used for mechanical services is excluded from the maximum height and from the floor count — unless the ground floor is used for parking under the Article 36(b)(4) exception.
15(f)	Where the plot fronts a single road that has several levels, height is computed from the average level of that road.
15(b)	Where the plot adjoins several roads, the semi-basement surface level is computed per (a). Excepted: linear commercial and commercial showrooms, where it equals the commercial street pavement level.


The ground-floor slab may be raised a MAXIMUM of 2 m above natural ground or road level — only where there is NO basement and NO semi-basement.

يسمح برفع منسوب بلاط الطابق الأرضي بحد أقصى (٢م)



JO-Fig-08 — Raising the ground-floor slab — maximum 2 m · Art 15(d)

A plot on a SINGLE road that has several levels along its frontage: height is computed from the AVERAGE level of that road.




JO-Fig-09 — One road with several levels — use its average · Art 15(f)

7 · Development control — Article 16


Article 16(a) — the master control table

Zone	Front	Side	Rear	Coverage	Floors	Max height	Green area
1 · Residential							
سكن أ — A	5 m	4 m	5 m	39%	4	17 m	15%
سكن ب — B	4 m	3 m	4 m	45%	4	17 m	
سكن ج — C	3 m	2.5 m	3 m	51%	4	17 m	
سكن د — D	3 m	2.5 m	2.5 m	55%	4	17 m	
الأخضر ريفي — Green / Rural	8 m	6 m	6 m	27%	2 + roof	9 m excl. roof	10%
السكن الزراعي — Agricultural	10 m	6 m	10 m	15%	2 + roof	9 m excl. roof	
2 · Commercial							
التجاري المركزي — central	10 m	6 m	6 m	50%	4	20 m	15%
التجاري المحلي — local (<i>setbacks, coverage and floors follow the adjoining residential zone</i>)	—	—	—	—	—	20 m	
المعارض التجارية — showrooms	10 m	6 m	6 m	60%	4	20 m	
تجاري طولي — linear	4 m	4 m after 14 m depth	4 m	70%	4	20 m	
3 · Multi-use	10 m	6 m	6 m	50%	8	30 m	15%
4 · Public buildings	10 m	6 m	6 m	50%	8	30 m	15%
5 · Offices	6 m	5 m	6 m	50%	8	30 m	15%
6 · Industrial — الحرفية craft	10 m	—	3 m	50%	2	12 m	20%
الصناعات الخفيفة — light	12 m	5 m	5 m	50%	4	18 m	
الصناعات التقنية — technical	6 m	5 m	6 m	50%	4	18 m	
الصناعات المتوسطة — medium	12 m	10 m	10 m	50%	4	18 m	
الصناعات الثقيلة — heavy	15 m	10 m	15 m	50%	4	18 m	
7 · Agricultural facilities	15 m	15 m	15 m	10%	—	12 m	20%
8 · Outside the planning boundary — commercial complex and offices	12 m	10 m	10 m	50%	8	30 m	15%
الفنادق — hotels	12 m	10 m	10 m	50%	8	30 m	
مبان متعددة الاستخدام — multi-use	15 m	10 m	10 m	35%	8	30 m	
9 · Residential suburbs — in special residential areas	6 m	5 m	5 m	40%	4	15 m	
in general residential areas	6 m	4 m	5 m	35%	8	30 m	
10 · Large factories	15 m	15 m	15 m	50%	2	—	
11 · Industrial complexes	15 m	15 m	15 m	50%			

Blank cells indicate a value merged with the row above in the Gazette. Read them as carrying the value immediately above.



JO-Fig-14 — Development control — Residential A (سكن أ) · Art 16(a)



JO-Fig-15 — Development control — Green / Rural Residential · Art 16(a)

Article 16(b) to (g) — the high-building regime and its exclusions

- (b) The competent planning committee may permit **high buildings**: residential 8 m / 10 m / 10 m setbacks, 35% coverage, 8 floors, 30 m, 20% green; commercial 8/10/10, 50%, 8 floors, 35 m, 20%; multi-use 15/12/12, 50%, **16 floors, 50 m**, 15%.
- (c) Notwithstanding (b), the committee may increase the height and floor count: every **100 m²** above the prescribed minimum subdivision area grants **35 cm**; every **1 m** of extra side and front setback grants **30 cm**.
- (d) In no case may the building height exceed **60 m**.

■ Article 16(e) — the exclusion that catches most real plots


أو سكن ريفي أو سكن زراعي أو المناطق المنظمة بأحكام خاصة والقطع المخدومة بطرق تقل سعتها عن ٢٠م من تطبيق أحكام الفقرات ب وج ود»
تستثنى المناطق المنظمة بأحكام سكن أخضر

Green, rural and agricultural residential zones, areas regulated by special provisions, **AND any plot served by roads narrower than 20 m**, are excluded from paragraphs (b), (c) and (d).

So: no high-building table, **no height bonuses**, and the 60 m provision is irrelevant. The road test is independent of the zone — a plot on a 10 m street gets no bonus whatever its class.

Article 16(c) — the height bonuses


⚠ Article 16(e) disappplies paragraphs (b), (c) and (d) — and therefore these bonuses — for green, rural and agricultural zones, specially-regulated areas, **AND for any plot served by roads narrower than 20 m**.



JO-Fig-16 — The height bonuses of Article 16(c) — and when they vanish · Art 16(c)(e)

Article 16(e) — plots served by roads NARROWER THAN 20 m are excluded from the high-building table, the height bonuses and the 60 m provision alike.

والقطع المخدومة بطرق تقل سعتها عن (٢٠) م



JO-Fig-17 — The 20 m road test of Article 16(e) · Art 16(e)

(f) An **additional floor** of not more than 4 m may be licensed on plots fronting streets of not less than **14 m**, subject to providing that floor's parking. Not available where the plot's scheme was ratified before **16/1/2018**.

(g) The Council may approve buildings **without being bound by the coverage percentage** in the (a) table, provided full plans for the whole building are submitted and the floor-area ratio and the prescribed setbacks are respected.

Article 16(f) — an ADDITIONAL floor of up to 4 m may be licensed on plots fronting streets of not less than 14 m, subject to providing that floor's parking.

Not available where the plot's planning scheme was ratified before 16/1/2018.



JO-Fig-18 — The additional floor — Article 16(f) · Art 16(f)

8 · Licensing — Articles 17, 18, 21, 24, 25

Article	Subject	Substance
17	الترخيص — the permit	The application, the drawings certified by the Jordanian Engineers Association and the relevant authorities, and the conditions on which the Competent Committee issues the written authorisation to commence.
18	ترخيص الابنية القائمة	Licensing buildings already erected, and the conditions attaching.
21	تأمين الترخيص	The licensing guarantee to be lodged, securing compliance with the permit conditions and with this Regulation.
24	تعديل رخصة الإنشاءات	Modification of a construction licence.
25	وقف العمل في مشروع الإعمار	Stop-work orders on a development project.
30	كودات البناء الوطني	Compliance with the National Building Codes issued under the National Building Law.
41	إذن الإشغال	The occupancy permit, its conditions and the certificate of conformity. Amended in 2025 — a flagpole (سارية علم) is now a required item, to specifications set by instructions of the Minister.
42	المباني التراثية	Heritage buildings and the provisions applying to them.

9 · Fees and prices — Articles 19, 20 and 22

All figures are in **Jordanian Dinars (JOD)**. The Article 19 table is stated for **first-category municipalities**; second and third category pay a reduced share, set out below the table.

Two rules that govern the whole of this section

Article 19(a): these fees apply in first-category municipalities **whether inside or outside the planning boundary**.

Article 20(b): encroachment fees are levied **IN ADDITION** to the Article 19 fees, and only when licensing a building that **predates 1/1/2017**. Encroachments arising after that date may not be licensed at all unless the committee is satisfied they were technical and beyond the owner's control.


Article 19(a) — licensing fees · first-category municipalities · JOD

Item	Unit	Residential	Commercial, showrooms, offices	Light, craft, technical ind. & warehouses	Medium, heavy ind. & large factories	Multi-use, public & renewable energy buildings	Agricultural facilities
Site plan and demarcation رسم مخطط موقع وترسيم	each	5	10	10	10	10	3
Building licence application رسم طلب ترخيص بناء	one time	6	12	12	12	12	5
Ground floor, building floors and balconies	per m ²	0.50	1.5	1.5	3	1.5	0.3
Basements, mezzanines, levelling floor, architectural projection	per m ²	0.50	1.5	1.5	1.2	2	—
Covered car parking	per m ²	0.30	0.30	0.30	0.30	0.30	—
Walls and fences رسم الأسوار	per linear m	0.15	0.30	0.25	0.30	0.30	0.10
Swimming pool	per m ²	50	100	100	100	100	(blank in source)
Subdivision of buildings and apartments	per unit	10	35	20	20	35	—
Subdivision of land	per parcel	5	35	20	20	35	5
Commercial projection over the front setback	per m ²	—	30	—	—	30	—
Commercial projection over the street above the ground floor	per m ²	—	60	—	—	60	—
Each telecommunications tower	one time	2,000 JOD — a single merged figure across all zone columns					

Reduction	Provision
Second-category municipalities — 60%	of all Article 19(a) fees, except the telecommunications-tower fee — Art. 19(b)
Third-category municipalities — 50%	of all Article 19(a) fees, same exception — Art. 19(b)
Residential outside the municipal boundary — 50%	of the Article 19(a) licensing fees — Art. 19(c)
Buildings granted reductions under Art. 37 of the Law — +20%	construction-licence fees PLUS 20% of those fees — Art. 19(d)

Article 20(b) — encroachment fees · JOD

These are the fees for licensing a violation of the planning provisions. They are computed, not tabulated flat — the table sets the **ceiling and the floor** on the per-square-metre value.

Article 20(b) — how an encroachment fee is computed

Levied IN ADDITION to the Article 19 licensing fees. Second-category municipalities pay 60% and third-category 50% of the item (3) fees. Encroachments arising after 1/1/2017 may not be licensed at all unless technical and beyond the owner's control.

JO-Fig-32 — How an encroachment fee is computed · Art 20(b)

20(b)(1) — encroachment on the front, side and rear setbacks

في قيمة المتر المربع حسب تقدير دائرة الأراضي والمساحة شريطة ان لا تتجاوز قيمة المتر المربع الواحد على الحد الأعلى الوارد في الجدول ولا تقل عن الحد الأدنى يستوفى ما يعادل مساحة التجاوز مضروبة

The fee equals the encroached area multiplied by the value of the square metre as assessed by the Department of Lands and Survey, provided the per-m² value neither exceeds the maximum nor falls below the minimum in the table.

Zone	Unit	Maximum JOD/m ²	Minimum JOD/m ²
Residential — سكنية	per m ²	150	15
Commercial, showrooms and offices	per m ²	200	30
Light, craft and technical industries, warehouses	per m ²	150	20
Medium and heavy industries, large factories	per m ²	200	30
Agricultural facilities	per m ²	20	3
Multi-use, public buildings, renewable-energy buildings	per m ²	200	30

20(b)(2) — encroachment on the coverage percentage

Zone	Unit	Maximum JOD/m ²	Minimum JOD/m ²
Residential — سكنية	per m ²	200	25
Commercial, showrooms and offices	per m ²	300	35
Light, craft and technical industries, warehouses	per m ²	150	20

Zone	Unit	Maximum JOD/m ²	Minimum JOD/m ²
Medium and heavy industries, large factories	per m ²	300	35
Agricultural facilities	per m ²	10	3
Multi-use, public buildings, renewable-energy buildings	per m ²	300	35

20(b)(3) — encroachment on the floor-area ratio, and on building volume or height

Zone	On the floor-area ratio JOD per m ²	On building volume or height JOD per m ³
Residential — مناطق السكن	50	25
Commercial, showrooms and offices	70	35
Light, craft and technical industries, warehouses	60	30
Medium and heavy industries, large factories	70	35
Agricultural facilities	2	1
Multi-use, public buildings, renewable-energy buildings	70	35

The discount that applies here

Article 20(c): **second-category municipalities levy 60% and third-category 50%** of the item (3) fees — the floor-area-ratio and volume/height fees immediately above. Article 20(b)(4): the Council may issue the instructions necessary to apply the paragraph.


Article 22 — buildings erected without a licence after 1/1/2017

Article 22 sets the fees for buildings put up without any licence after 1/1/2017. Article 23 addresses **green buildings** (المباني الخضراء) — buildings constructed with high environmental responsibility across the whole life cycle, from site selection to demolition.

10 · Building elements — Articles 26 to 35

Article	Subject	Substance
26	الكثافة السكانية والمواقف	Residential density and its relationship to the parking requirement.
27	المناور — light wells	Dimensions and conditions. A light well may not be roofed except at the last floor.
28	طابق القبو — the basement	Permitted uses only: parking · reinforced-concrete water wells and tanks · storage rooms · heating, cooling and fuel rooms · electrical rooms . In commercial zones the basement slab may be raised to the commercial street level; the pavement may not be used for any building construction.
29	البروز — projections	See the table and figure below.
31	الممرات والادراج المكشوفة	Open passages and stairs — excluded from the coverage and the floor area.
32	التصويبة	The roof parapet.
33	الأسوار والطعم والأسقف بالارتدادات	Fences, fill and decking within the setbacks — below.
34	الابنية الفرعية	The ancillary building — below.
35	الابنية المؤقتة	Temporary buildings: storage of materials, workers' housing, guards' rooms and site offices during construction; event tents; mobile food vehicles in commercial and multi-use zones.

Article 38(a) — the only permitted uses of the basement




It cannot be habitable and cannot be sold as accommodation.

JO-Fig-19 — Permitted uses of the basement · Art 38(a)

Article 29 — projections

Type	Rule
البروز التجاري Commercial projection	Front balconies overhanging streets, squares and plazas, projecting beyond the building line by not more than 1.40 m where the street is not less than 16 m , and not more than 1.20 m where it is less.
Prohibition	No projection of any kind is permitted where the street is 12 m or less. The distance between a projecting balcony and the adjoining plot boundary may not be less than 1.50 m, and the vertical clearance between the balcony soffit and any point of the pavement may not be less than 3.50 m.
البروز المعماري Architectural projection	Unoccupied parts built for the decoration of façades or for weather protection, within the prescribed setbacks, projecting not more than 60 cm from the building line.
مظلة المدخل Entrance canopy	The entrance canopy and its conditions — Article 29(c).
الشرفات في الارتداد الامامي	Balconies of proposed buildings within the front setback in residential zones — permitted on roads of not less than 12 m , subject to the conditions of Article 29(d), and with an undertaking not to enclose them or alter their form.




JO-Fig-20 — Projections — balconies, architectural projections and canopies · Art 29

Article 33 — fences, fill and decking

Provision	Rule
Fence height	From natural ground level: not more than 1.5 m on the front side, and not more than 2 m on the rear and side boundaries.
Fill in the setbacks	The level of fill within the setbacks may not exceed 1 m above natural ground level at its location.
Fill under parking	Permitted beneath any uncovered parking space in the side setback in residential zones, and at the front boundary of the plot so as to meet the street entry level.
Exemption	The Committee may exempt ministries, government departments, public institutions, diplomatic missions, schools and special-use buildings from the fence-height limits.
Decking the setbacks	The Committee may permit roofing the setbacks, each case studied on its merits on the basis of an accurate topographic plan submitted with the application , provided the deck supports the street, the retaining wall or the rock-cut face, and its level is below natural ground on all sides. Front-setback decking is permitted where it supports the street, provided the deck length does not exceed the building façade length on the street, the deck level follows the adjoining street and in no case exceeds 45 cm , and — where the plot fronts more than one street — the deck may be on the upper street side, the lower, or both .
Use beneath a deck	Restricted to the building's general services: parking and vehicle passages, water, diesel and gas wells and tanks, central heating, cooling and electrical rooms, transformer stations and non-commercial storage rooms.
Exclusion	The area of decks within the setbacks is excluded from the total building area AND from the floor area. Ramps and suspended vehicle passages are permitted in the setbacks provided their floor level is below natural ground.
Services	The owner must provide water collection wells — discharge to the sewer network, to septic tanks, to soakaways or to neighbouring land is prohibited — and sealed collection pits where no sewer network exists.

Article 33(b) — fences measured from NATURAL ground, and the 1 m cap on fill


Fill within the setbacks may not exceed 1 m above natural ground at its location — which removes platforming as a strategy on any steep site.



JO-Fig-22 — Fences and the 1 m cap on fill within the setbacks · Art 33(b)

Article 33(d) — decking the setbacks

Requires an accurate topographic plan with the application. The deck must support the street, the retaining wall or the rock cut. Where the plot fronts more than one street the deck may be on the UPPER street side, the LOWER, or both. Deck area is excluded from the total built area AND from the floor area.




JO-Fig-23 — Decking the setbacks — excluded from both ratios · Art 33(d)

Article 34 — the ancillary building

Condition	Value
Ratio of the ancillary building	not more than 5% of the plot area, IN ADDITION to the coverage permitted under this Regulation
Absolute area cap	in no case more than 25 m ²
Front setback	to be provided per the zone's planning provisions


Condition	Value
External height	not more than 2.60 m from natural ground level
Use	limited to serving the main building — not a boiler room, not a generator, and nothing causing nuisance to neighbours
Roof	no opening leading to it, and the roof is not to be used for any purpose
Attachment	must NOT be attached to the building standing on the plot
Industrial zones — 34(b)	ancillary buildings in the side setbacks up to 5% of the land area and a maximum of 100 m² , for guarding purposes, with a front setback of not less than 5 m



JO-Fig-24 — The ancillary building — additional to the coverage · Art 34

Article 32 — the roof parapet

Required on the roof of the last floor, to the height and specification the Regulation prescribes. See the Article 32 record for the dimension.



JO-Fig-21 — The roof parapet · Art 32

11 · Parking — Articles 36 to 40

Article 36(e) — the minimum number of spaces by use

Use	Spaces required
(المناطق السكنية أ، ب، ج، ريفي، زراعي) Residential A, B, C, rural and agricultural	one space per 300 m ² of total built area, OR one space per apartment — whichever gives the greater number
(المناطق السكنية د) Residential D	one space per two apartments
Commercial areas and complexes	one space per 100 m ² of total built area, plus the spaces required for the varied uses within the complex (cafés, tourist restaurants, theatres, halls and the like) where those require additional parking — whichever is the greater number
Professions licensed within a dwelling	one space per profession
Industrial, craft areas and warehouses	one space per 200 m ² of total built area, and one space per 50 m ² of the offices attached to them
Hotels	one space per four hotel rooms, plus the parking required for the other uses including wedding and conference halls, and one space per hotel suite and per hotel apartment
Nursing / care homes — دور العناية	one space per 75 m ² of total built area
Nurseries and kindergartens	one space per 100 m ² of the nursery or kindergarten area
Exhibition and conference centres, function and wedding halls, display halls	one space per 20 m ² of total built area
Ministries, departments and public institutions	one space per 20 m ² of total built area
Offices · social centres · research centres · veterinary clinics · health and medical centres, clinics and laboratories · banks and financial institutions · private schools and public libraries · museums and civil society institutions · emergency services	one space per 50 m ² of total built area
Sports clubs and playing fields · universities, colleges, institutes · sports halls	one space per 25 m ² of total built area
Hospitals	one space per bed or incubator, in addition to one space per 100 m ² of total built area
Government schools	one space per 100 m ² of total built area


The rule that catches phased schemes

Article 36(b)(1): no proposed building may be licensed unless the parking required for the **FULL permitted building on the plot** has been provided — **regardless of the areas being licensed now.**

36(b)(2): where fewer spaces are provided, the committees may licence only the areas or the number of apartments matching the spaces secured, and **no additional area or apartment may ever be licensed** beyond them.

36(b)(3): a part of a space counts as a whole space. **36(b)(4):** the ground floor allocated to parking is **excluded from the prescribed height**, and up to **25%** of its area may be used for the building's general services. **36(b)(5):** parking areas in the semi-basement are **excluded from the coverage percentage**, structural safety being observed.

36(a): no parking is imposed on buildings on plots served only by a stair or a passage less than three metres wide, provided the building has not more than **8 apartments**. **36(c):** except in residential zones, the Committee may permit parking in the front setback, subject to the Article 37 dimensions and free manoeuvring. **36(d):** the Committee may accept uncovered parking in the side and rear setbacks on four conditions: the net width is provided; the front setback behind those bays is kept clear; the entry opening is not less than the net width; and manoeuvring is entirely within the plot.



Article 36(c) forbids parking in the front setback in residential zones.
Article 36(d) permits open parking in the side and rear setbacks, subject to clear width, an entry opening not less than that width, the front setback kept clear, and manoeuvring entirely within the plot.

JO-Fig-25 — Where parking may and may not go in the setbacks · Art 36(c)(d)


Article 37 — bay and aisle dimensions

Parking angle	Bay length	Bay width	Aisle width
الوقوف الموازي — parallel to the aisle	5.50 m	2.50 m	4.00 m
زاوية 30° — 30°	5.25 m	2.50 m	4.00 m
زاوية 45° — 45°	5.25 m	2.50 m	5.00 m
زاوية 90° — 90°	5.25 m	2.50 m	5.50 m

37(b): the average area allotted per single bay is **25 m²**, including the turning aisles and the bay itself, in and out.

37(c): the clear parking height is **2.25 m** minimum — the vertical distance from the bay floor to the underside of the ceiling, any structural element, or any electromechanical services.

Article 37(a) – minimum parking bay and aisle dimensions by parking angle



Article 37(b): the average area allotted per bay is 25 m², including the turning aisles.
Article 37(c): clear height not less than 2.25 m to the underside of any structure or service.


JO-Fig-26 — Parking bay and aisle dimensions by angle · Art 37

Articles 38 to 40

Article	Subject
38	ممرات الدخول والخروج والممرات الداخلية — entry and exit passages and internal aisles: the longitudinal section (ramp gradient), the cross-section (ramp width) and the curves.
39	أماكن اصطافاف السيارات — the location of parking areas.
40	المواقف الآلية — mechanical and automated parking using lifts.

Article 38 – entry and exit passages, internal aisles and curves

The Regulation fixes the longitudinal section (ramp gradient), the cross-section (ramp width) and the turning radii. The governing figures are in the Article 38 record.



JO-Fig-27 — Garage ramps and internal circulation · Art 38


12 · Outside the planning areas — Articles 44 to 46

Article 44(a) — residential buildings outside the planning areas

Land area	Front	Side	Rear	Floors	Height	Coverage
1,000 m ² and less	7 m	4 m	4 m	2 + roof	9 m excl. roof	10%
1,001 to 2,000 m ²	8 m	5 m	5 m	2 + roof	9 m excl. roof	10%
2,001 to 4,000 m ²	10 m	5 m	7 m	2 + roof	9 m excl. roof	10%
more than 4,000 m ²	15 m	5 m	10 m	2 + roof	9 m excl. roof	10%, capped at 1,000 m ²

44(b): a building of 20 m² may be erected within the front setback to serve the project's purposes. It is **not counted** in the prescribed coverage percentage, provided it is removed on demand of the authorities **without compensation**.

Article 44 — residential buildings OUTSIDE the planning areas



All four bands: 2 floors + roof, height 9 m excluding the roof floor.
* above 4,000 m² the 10% is capped at 1,000 m². Article 44(b) allows a 20 m² service building in the front setback, not counted in the coverage.

JO-Fig-28 — Outside the planning areas — the Article 44 bands · Art 44

Article	Subject	Substance
45	المنشآت الزراعية خارج مناطق التنظيم	Licensing agricultural facilities outside the planning areas — 45(a) animal and poultry barns; 45(b) olive presses, with their own setbacks, coverage and approvals.
46	معامل الطوب والبلاط ومناشير الحجر والرخام	Brick and tile works and stone and marble sawmills — licensing conditions and the building provisions applying to them.


13 · Miscellaneous provisions — Articles 47 and 48

Article 47 is a long lettered article running from (a) to (s). These are the paragraphs that most often decide a case.

Para.	Provision
(l)	«لا تستعمل مناطق السكن الخاص محدود الارتفاع والسكن الأخضر والسكن الريفي والسكن الزراعي إلا للسكن ودور العبادة» — Special low-rise, green, rural and agricultural residential zones may be used for residential purposes and places of worship only . This is a hard stop on any commercial, tourism or hospitality use in those zones.
(m)	Properties abutting ring roads, through roads or main traffic corridors may not be used for commercial or industrial purposes without the approval of the Ministry of Public Works and Housing and of the Higher Planning Council.
(n)	Statutory setbacks are not counted within the areas required to be provided as school yards.
(s)	For-hire car parking may be licensed in all planning areas under instructions of the Council.
(v)	Energy-generating cells may be installed on the roofs of existing buildings with the Committee's approval, provided the buildings are duly licensed and hold a valid occupancy permit.
(f)	Hotels, hospitals, cinemas, theatres, large cold stores and warehouses, commercial complexes and any use whose nature requires continuity of electrical supply must install self-starting standby generators .
(■)	«لا يجوز البناء في الأراضي الخلاء المقيدة أو الشديدة الانحدار والقابلة للانزلاق والتي يتم تحديدها على المخططات التنظيمية المقررة» — No building on restricted open land, or on land that is steeply sloping and liable to collapse or sliding, where the approved planning schemes so designate it .

Article 47(s) — no building on designated steep or unstable land

لا يجوز البناء في الأراضي الخلاء المقيدة أو الشديدة الانحدار والقابلة للانزلاق أو الانزلاق




JO-Fig-30 — Steeply sloping and unstable land · Art 47(s)

Article 48 — the roof floor and the surface floor

Provision	Rule
48(a)(1)	The roof floor's percentage may not exceed 50% of the area of the floor on which it is built.

Provision	Rule
48(a)(2)	Its height may not exceed 3.50 m from the slab level of the floor on which it is built.
48(a)(3)	Setbacks on all sides from the edge of that floor's slab of not less than half the setbacks prescribed for the land, excluding the stair house and the lift.
48(b)	Notwithstanding Article 16, the Committee may approve a طابق سطح on the front façade above the last permitted floor, in residential zones أ، ب، ج، د ONLY : its area plus the stair and lift house not exceeding 20% of the last floor; height not exceeding 2.75 m from the last floor slab; it must belong to the last floor and connect to it by an internal stair; no openings onto the remaining roof area; and no opening left in its own roof.



JO-Fig-29 — The roof floor — 50%, 3.50 m, half setbacks · Art 48(a)

14 · The 2025 amendment

نظام معدل لنظام الأبنية وتنظيم المدن والقرى رقم ١٢ لسنة ٢٠٢٥ — issued on the decision of the Council of Ministers of **29/1/2025**, published at Gazette pages 835–837, and **read as one** with the 2022 Regulation. In force from publication.

Amending article	Provision of the 2022 Regulation	Effect
2	Article 8(d)(8) — medium-industry areas	Repealed and replaced. The old carve-out excluding food industries, mills and pharmaceuticals is removed and replaced by: whatever is permitted in paragraphs (a) and (c), provided the necessary environmental approvals are obtained .
3	Article 10 — investment projects	Two new paragraphs added. (e) The provisions and conditions set by the Council for licensing residential-suburb projects may not be amended except with the Council's prior approval and subject to the approval of the General Assembly of the Union of Owners of Residential Suburb Projects. (f) باستثناء مشاريع الطاقة المتجددة يجب أن لا تقل سعة الشارع الواصل لأرض المشروع عن ١٢ متراً — except renewable-energy projects, the street reaching the project land must be not less than 12 m .
4	Article 41(c) — the occupancy permit	A new item (9) added: provision of a flagpole (سارية علم), its specifications and dimensions to be set by instructions of the Minister.
5	Article 52(a)	The existing text is renumbered as item (1) and new items (2), (3) and (4) are added, creating a temporary licensing amnesty for buildings existing between 1/1/2017 and 1/12/2024 — subject to certified engineering drawings, a structural-safety certificate, no encroachment on third-party or Treasury land or on the road, setback encroachments within a stated percentage, and use conformity — with reduced encroachment fees and parking-substitute charges. The licensing window closes 1/12/2028 . ■ The percentages and two of the dates in this article were legible only in the OCR layer and are recorded as UNCLEAR IN SOURCE pending a further visual read of Gazette pages 836–837.

Nothing else changed

Regulation No. (12) of 2025 makes **no amendment** to Articles 1 to 7, 9, or 11 of the 2022 Regulation, nor to the development control table of Article 16, the height rules of Article 15, or any fee schedule.

15 · Figure index

These drawings are not part of the Regulation

All 32 were drawn by NORMIA to illustrate the text. The Official Gazette contains no diagrams. They have no legal force; where a drawing and the regulatory text differ, **the text governs**.

Fig.	Illustrates	العنوان	Article
JO-Fig-01	The four setbacks and what a setback is	الارتدادات الأربعة وتعريف الارتداد	Art 2
JO-Fig-02	Minimum subdivision area and plot frontage — residential	لمساحة الإفرار وواجهة القطعة السكنية الحد الأدنى	Art 11
JO-Fig-03	Subdivision road width against the number of plots served	سعة الطريق المفردة مقابل عدد القطع المخدومة	Art 13
JO-Fig-04	Height datum — roads narrower than 8 m are disregarded	الارتفاع لا تعتمد الطرق التي تقل سعتها عن ٨ أمتار احتساب	Art 15(a)(1)
JO-Fig-05	Where every adjoining road is under 8 m — average them	من طريق تقل سعتها متوسط مناسب هذه الطرق في حال وقوع القطعة على أكثر	Art 15(a)(2)
JO-Fig-06	Several buildings — each takes the nearest road	ارتفاع كل بناء من متوسط منسوب الطريق الأقرب له أكثر من بناء يحسب	Art 15(a)(3)
JO-Fig-07	Natural ground above road level — the Article 15(c) relief	الأرض الطبيعية شريطة عدم وجود طوابق تسوية احتساب الارتفاع من منسوب	Art 15(c)
JO-Fig-08	Raising the ground-floor slab — maximum 2 m	رفع منسوب بلاط الطابق الأرضي بحد أقصى مترين	Art 15(d)
JO-Fig-09	One road with several levels — use its average	وفيه مناسب متعددة متوسط منسوب هذا الطريق قطعة تقع على طريق واحد	Art 15(f)
JO-Fig-10	The basement (قبو) — the 45 cm test and its permitted extent	طابق القبو اختبار الـ ٤٥ سم ومدى امتداده	Art 2 / Art 28
JO-Fig-11	The semi-basement (تسوية) — the 1.50 m test, and what it costs	طابق التسوية اختبار المتر والنصف	Art 2
JO-Fig-12	Coverage (النسبة المئوية) — what counts and what is excluded	النسبة المئوية للبناء ما يحتسب وما يستثنى	Art 2
JO-Fig-13	Floor area (المساحة الطابقية) — the basement and semi-basement drop out	المساحة الطابقية تستثنى طوابق التسوية والأقبية	Art 2
JO-Fig-14	Development control — Residential A (سكن أ)	الأحكام التنظيمية سكن أ	Art 16(a)
JO-Fig-15	Development control — Green / Rural Residential	الأحكام التنظيمية السكن الأخضر الريفي	Art 16(a)
JO-Fig-16	The height bonuses of Article 16(c) — and when they vanish	زيادة الارتفاع وفق المادة ١٦ ج واستثناءاتها	Art 16(c)(e)
JO-Fig-17	The 20 m road test of Article 16(e)	اختبار الطريق ٢٠ مترا المادة ١٦ هـ	Art 16(e)
JO-Fig-18	The additional floor — Article 16(f)	الطابق الإضافي المادة ١٦ و	Art 16(f)
JO-Fig-19	Permitted uses of the basement	استعمالات طابق القبو المسموح بها	Art 38(a)
JO-Fig-20	Projections — balconies, architectural projections and canopies	البروز الشرفات والبروز المعماري ومظلة المدخل	Art 29
JO-Fig-21	The roof parapet	التصويبة	Art 32
JO-Fig-22	Fences and the 1 m cap on fill within the setbacks	الأسوار والطعم في الارتدادات	Art 33(b)
JO-Fig-23	Decking the setbacks — excluded from both ratios	الارتدادات يستثنى من المساحة الإجمالية والطابقية سقف	Art 33(d)
JO-Fig-24	The ancillary building — additional to the coverage	البناء الفرعي إضافة إلى النسبة المئوية المسموح بها	Art 34
JO-Fig-25	Where parking may and may not go in the setbacks	مواقف السيارات في الارتدادات	Art 36(c)(d)
JO-Fig-26	Parking bay and aisle dimensions by angle	أبعاد مواقف السيارات وممراتها حسب زاوية الاصطفاف	Art 37
JO-Fig-27	Garage ramps and internal circulation	ممرات الدخول والخروج والممرات الداخلية للمراب	Art 38
JO-Fig-28	Outside the planning areas — the Article 44 bands	ترخيص الأبنية السكنية خارج مناطق التنظيم	Art 44

Fig.	Illustrates	العنوان	Article
JO-Fig-29	The roof floor — 50%, 3.50 m, half setbacks	طابق الروف النسبة والارتفاع والارتدادات	Art 48(a)
JO-Fig-30	Steeply sloping and unstable land	الأراضي الشديدة الانحدار والقابلة للانزلاق أو الانهيار	Art 47(s)
JO-Fig-31	The 12 m street serving an investment project — 2025 amendment	سعة الشارع الواصل لأرض المشروع تعديل ٢٠٢٥	Art 10(f) / 2025
JO-Fig-32	How an encroachment fee is computed	طريقة احتساب رسوم التجاوز على الأحكام التنظيمية	Art 20(b)

16 · Basis, limitations and sources

Confidence register

Item	Status
Identity, enabling law, commencement, signatories	VERIFIED — Gazette p.1 and the closing pages
Article 2 definitions, all terms	VERIFIED — Gazette pp. 1–4, read visually
Article 11 subdivision tables, all seven	VERIFIED — Gazette pp. 10–11, read visually
Article 13(e)(1) road / plot table	VERIFIED — Gazette p. 12, read visually
Article 15, all paragraphs	VERIFIED — Gazette pp. 14–15, read visually
Article 16(a) master control table	VERIFIED — Gazette pp. 15–16, read visually and re-checked at magnification
Article 16(b) to (g)	VERIFIED — Gazette p. 17, read visually
Article 19 licensing fees, every cell	VERIFIED — Gazette pp. 20–21, read visually
Article 20 encroachment fees, every cell	VERIFIED — Gazette pp. 21–23, read visually
Articles 29, 33, 34 — projections, fences, ancillary	VERIFIED — Gazette pp. 28–32, read visually
Articles 36 and 37 — parking and bay dimensions	VERIFIED — Gazette pp. 33–36, read visually
Article 44 outside-zoning table	VERIFIED — Gazette p. 41, read visually
Articles 47 and 48	VERIFIED — Gazette pp. 45–47, read visually
The 2025 amending Regulation, Articles 1–4	VERIFIED — Gazette pp. 835–836
2025 amendment Article 5 — percentages and two dates	■ UNCLEAR IN SOURCE — legible only in OCR; a further visual read of pp. 836–837 is required before these are relied on
Article 16(f) street width and the 16/1/2018 date	VERIFIED on the second reading of p. 17
Swimming-pool fee, agricultural column	Recorded as printed — the cell is physically empty in the Gazette, carrying neither a figure nor a dash, unlike the other blank cells
All 32 diagrams	DRAWN BY NORMIA — not part of the Regulation, no legal force

Limitations — please read before relying on any figure here

This is a **reference presentation** of the Regulation, not the Regulation. Where this document and the Official Gazette differ, **the Gazette governs**.

The diagrams are NORMIA's own work. They interpret the text; they do not extend or qualify it. The Gazette contains no diagrams of any kind.

Zone-specific provisions override the general tables. Article 16(a) opens with «خاصة ترد على المخططات الهيكلية أو التفصيلية» — مع مراعاة أي أحكام — subject to any special provisions on the structural or detailed schemes. For any real plot the governing figures come from its own zoning certificate.

Fee figures are as published in 2022. **Verify them against the current schedule before quoting a client** — fees are the provision most often varied by subsequent instruments and by municipal category.

Where a value could not be read with certainty it is marked UNCLEAR IN SOURCE. Nothing has been inferred, rounded or filled in.

Sources

Primary. نظام معدل لنظام الأبنية وتنظيم المدن والقرى رقم ١٢ لسنة ٢٠٢٥. 49 pages. — الجريدة الرسمية — نظام الأبنية وتنظيم المدن والقرى رقم ١ لسنة ٢٠٢٢. — ٨٣٥ — ٨٣٧. Enabling law: المادة ٦٧، لسنة ١٩٦٦، رقم ٧٩ لسنة ١٩٦٦، المادة ٦٧. — ٨٣٥ — ٨٣٧. Enabling law: المادة ٦٧، لسنة ١٩٦٦، رقم ٧٩ لسنة ١٩٦٦، المادة ٦٧.

Method. Every page of both instruments was rendered as an image and read visually at magnification. OCR was used only to locate provisions, never to read a number. The drawings were prepared from the verified text.

Prepared by NORMIA — AEC Regulatory Intelligence & Compliance Consultant. NORMIA never invents regulations. Where information cannot be verified against an official source it is marked UNVERIFIED, and no compliant result is issued in its place.