



Deep Learning on SpiNNaker

MASTER THESIS

Jonas Fassbender

jonas@fassbender.dev

In the course of studies
HIGH PERFORMANCE COMPUTING WITH DATA SCIENCE

For the degree of
MASTER OF SCIENCE

The University of Edinburgh

First supervisor: Caoimhín Laoide-Kemp
EPCC

Second supervisor: Dr Kevin Stratford
EPCC

Third supervisor: Dr Alan Stokes
University of Manchester

Edinburgh, August 2020

Declaration

I declare that this dissertation was composed by myself, that the work contained herein is my own except where explicitly stated otherwise in the text, and that this work has not been submitted for any other degree or professional qualification except as specified.

Jonas Fassbender
August 2020

Abstract

Contents

1	Introduction	1
2	Background	1
2.1	An Introduction to Deep Learning	1
2.2	Computer Vision: ImageNet and the ILSVRC	1
2.3	Benchmarking Deep Learning Systems: The MLPerf Benchmark	1
2.4	SpiNNaker as a Neuromorphic Computer Architecture	1
2.5	Related Work	1
3	Deep Learning on SpiNNaker: SpiDNN	1
4	Benchmark	1
5	Discussion	1
6	Conclusion	1
	References	2

1. Introduction

Deep learning is revolutionizing the world. It has become part of our daily lives as consumers, powering major software products—from recommendation systems over translation tools to web search (LeCun et al., 2015). Major breakthroughs in fields like computer vision or natural language processing were achieved through the use of deep learning (Krizhevsky et al., 2012; Hinton et al., 2012). It has emerged as a driving force behind discoveries in numerous domains like particle physics, drug discovery, genomics or gaming (Ciodaro et al., 2012; Ma et al., 2015; Leung et al., 2014; Silver et al., 2016).

Deep learning has become so ubiquitous that we are changing the way we build modern hardware to account for its computational demands. From the way edge devices like mobile phones or embedded systems are designed over modern CPUs to specialized hardware for deep learning models (?). Whole supercomputers are build solely for deep learning (?).

Another field besides deep learning has high computational demands for specific algorithms: neuroscience.

2. Background

2.1 An Introduction to Deep Learning

2.2 Computer Vision: ImageNet and the ILSVRC

2.3 Benchmarking Deep Learning Systems: The MLPerf Benchmark

2.4 SpiNNaker as a Neuromorphic Computer Architecture

2.5 Related Work

3. Deep Learning on SpiNNaker: SpiDNN

4. Benchmark

5. Discussion

6. Conclusion

References

- T Ciodaro, D Deva, Joao Seixas, and Denis Oliveira Damazio. Online particle detection with neural networks based on topological calorimetry information. *Journal of Physics: Conference Series*, 368, 06 2012. doi: 10.1088/1742-6596/368/1/012030.
- G. Hinton, L. Deng, D. Yu, G. E. Dahl, A. Mohamed, N. Jaitly, A. Senior, V. Vanhoucke, P. Nguyen, T. N. Sainath, and B. Kingsbury. Deep neural networks for acoustic modeling in speech recognition: The shared views of four research groups. *IEEE Signal Processing Magazine*, 29(6):82–97, 2012.
- Alex Krizhevsky, Ilya Sutskever, and Geoffrey E. Hinton. Imagenet classification with deep convolutional neural networks. In *NIPS*, 2012.

- Yann LeCun, Y. Bengio, and Geoffrey Hinton. Deep learning. *Nature*, 521:436–44, 05 2015. doi: 10.1038/nature14539.
- Michael Leung, Hui Xiong, Leo Lee, and Brendan Frey. Deep learning of the tissue-regulated splicing code. *Bioinformatics (Oxford, England)*, 30:i121–i129, 06 2014. doi: 10.1093/bioinformatics/btu277.
- Junshui Ma, Robert Sheridan, Andy Liaw, George Dahl, and Vladimir Svetnik. Deep neural nets as a method for quantitative structure–activity relationships. *Journal of chemical information and modeling*, 55, 01 2015. doi: 10.1021/ci500747n.
- David Silver, Aja Huang, Christopher Maddison, Arthur Guez, Laurent Sifre, George Driessche, Julian Schrittwieser, Ioannis Antonoglou, Veda Panneershelvam, Marc Lanctot, Sander Dieleman, Dominik Grewe, John Nham, Nal Kalchbrenner, Ilya Sutskever, Timothy Lillicrap, Madeleine Leach, Koray Kavukcuoglu, Thore Graepel, and Demis Hassabis. Mastering the game of go with deep neural networks and tree search. *Nature*, 529:484–489, 01 2016. doi: 10.1038/nature16961.