#### A tensorflow backend to SpiNNaker More precise: a keras backend to SpiNNaker

Jonas Faßbender

Supervisors:

Alan Stokes, Kevin Stratford, Caoimhín Laoide-Kemp

# What is SpiNNaker?

## What is SpiNNaker?

#### The project's website [Spi20] states:

► [SpiNNaker is] a platform for high-performance massively parallel processing appropriate for the simulation of large-scale [spiking] neural networks in real-time, as a research tool for neuroscientists, computer scientists and roboticists

# What is SpiNNaker?

#### The project's website [Spi20] states:

- [SpiNNaker is] a platform for high-performance massively parallel processing appropriate for the simulation of large-scale [spiking] neural networks in real-time, as a research tool for neuroscientists, computer scientists and roboticists
- ▶ [SpiNNaker is] an aid in the investigation of new computer architectures, which break the rules of conventional supercomputing, but which we hope will lead to fundamentally new and advantageous principles for energy-efficient massively-parallel computing

► I don't like to wait days for training my NN to finish (and it will probably still suck afterwards)

- I don't like to wait days for training my NN to finish (and it will probably still suck afterwards)
- ► Amount of computation in training deep NNs increases exponentially (double every 3.4 months) [Dar19]

- I don't like to wait days for training my NN to finish (and it will probably still suck afterwards)
- ► Amount of computation in training deep NNs increases exponentially (double every 3.4 months) [Dar19]
- ▶ We'll run out of available computation (and energy) eventually

- I don't like to wait days for training my NN to finish (and it will probably still suck afterwards)
- ► Amount of computation in training deep NNs increases exponentially (double every 3.4 months) [Dar19]
- ▶ We'll run out of available computation (and energy) eventually
- Massively parallel, energy efficient and scalable systems are optimal for training NNs

► TensorFlow: Large-Scale Machine Learning on Heterogeneous Distributed Systems [Mar15]

- ► TensorFlow: Large-Scale Machine Learning on Heterogeneous Distributed Systems [Mar15]
- Represents computation as a graph

- ► TensorFlow: Large-Scale Machine Learning on Heterogeneous Distributed Systems [Mar15]
- Represents computation as a graph
- Basically: abstraction over various hardware and software libraries and APIs (CPUs, GPUs, TPUs, Eigen, MPI, CUDA, OpenCL, ...)

- ► TensorFlow: Large-Scale Machine Learning on Heterogeneous Distributed Systems [Mar15]
- Represents computation as a graph
- Basically: abstraction over various hardware and software libraries and APIs (CPUs, GPUs, TPUs, Eigen, MPI, CUDA, OpenCL, ...)
- But: no abstraction over any runtime (like SpiNNaker)

- ► TensorFlow: Large-Scale Machine Learning on Heterogeneous Distributed Systems [Mar15]
- Represents computation as a graph
- Basically: abstraction over various hardware and software libraries and APIs (CPUs, GPUs, TPUs, Eigen, MPI, CUDA, OpenCL, ...)
- But: no abstraction over any runtime (like SpiNNaker)
- "Easiest" way to add new tensorflow backend? XLA (https://www.tensorflow.org/xla)

- ► TensorFlow: Large-Scale Machine Learning on Heterogeneous Distributed Systems [Mar15]
- Represents computation as a graph
- Basically: abstraction over various hardware and software libraries and APIs (CPUs, GPUs, TPUs, Eigen, MPI, CUDA, OpenCL, ...)
- But: no abstraction over any runtime (like SpiNNaker)
- "Easiest" way to add new tensorflow backend? XLA (https://www.tensorflow.org/xla)
- Instead: backend for keras (https://keras.io)

- ► TensorFlow: Large-Scale Machine Learning on Heterogeneous Distributed Systems [Mar15]
- Represents computation as a graph
- Basically: abstraction over various hardware and software libraries and APIs (CPUs, GPUs, TPUs, Eigen, MPI, CUDA, OpenCL, ...)
- But: no abstraction over any runtime (like SpiNNaker)
- "Easiest" way to add new tensorflow backend? XLA (https://www.tensorflow.org/xla)
- Instead: backend for keras (https://keras.io)
- Using high level conceptual graph (the actual layers of the NN) instead of low level computational graph of tensorflow

Writing scientific programs is hard

- Writing scientific programs is hard
- ▶ Writing programs for embedded hardware is hard

- Writing scientific programs is hard
- Writing programs for embedded hardware is hard
- ▶ Both together? ...

# Overcoming them

### Overcoming them

► Is there a linear algebra library for an embedded environment like SpiNNaker? (LAPACKE, CBLAS, ...?)

### Overcoming them

- ▶ Is there a linear algebra library for an embedded environment like SpiNNaker? (LAPACKE, CBLAS, ...?)
- ▶ Don't sleep

#### References



Dario Amodei, Danny Hernandez, Girish Sastry, Jack Clark, Greg Brockman, Ilya Sutskever.

Al and Compute.

https://openai.com/blog/ai-and-compute/, 2019.



Martin Abadi et al.

Tensorflow: Large-Scale Machine Learning on Heterogenous Distributed Systems.

http://download.tensorflow.org/paper/ whitepaper2015.pdf, 2015.



SpiNNaker Team.

SpiNNaker Project.

http://apt.cs.manchester.ac.uk/projects/SpiNNaker/ project/, 2020.