BIODIVERSITY RESEARCH INSTITUTE innovative wildlife science	**Client:**	Wildlife Management Institute
	Client Contact:	Meghan Gilbart
	Project Name:	Maine NABAT
	Project Code:	MAMM-NG26-007
	Project Manager:	Joshua Guilbert

Project Information

Name of Permitted Biologist:	Bri Frankina
Federal Permit Number:	TE63633A
Personnel*:	BRF, ECG
Habitat Assessment Dates:	7/8/2026
First Deployment Date:	7/8/2026
Target Recovery	
Final Recovery/Last Service:	8/5/2026
Servicing Dates:	None
Survey Type	Summer - Acoustic
Site Type:	Inland
Landowner Information:	Seven Islands
Site:	105059-NW3
Site Label:	105059-NW3
County:	Oxford
State:	Maine
Site Coordinates:	44.782195, -70.883353

Detector Info:

Deployment Date:	7/8/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U17643
Microphone	
Make, Model & Serial #:	Wildlife Acoustics, U2, MU220468
Height:	3 m
Direction(degrees):	9
Vertical Orientation:	45
Distance to Water:	None present
Distance to Clutter:	3 m
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Status Check: Settings†:	Yes
Status Check: Hardware ‡:	Yes
Survey Schedule	Continuous -30min Dusk to +30min Dawn

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;
† Timezone, date, time and recording window all correct.
‡ Microphone reading connected, SD cards formatted & ready

Servicing Events

Date	Staff*	Action	Notes
None			

Recovery Date:	8/5/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U17643
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Microphone Make, Model & Serial#:	Wildlife Acoustics, U2, MU220468
Microphone Height:	3 m
Microphone Direction (degrees):	9
Microphone Vertical Orientation:	45
Survey Schedule	Continuous -30min Dusk to +30min Dawn
Notes	

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;

Habitat Assessment:

Assessment date:	7/8/2026
Habitat Assessment Area:	20m x 20m plot with Microphone at the center
Basic Overall Site Description:	Small clearing along mixed forest targeting edge habitat
Targeted Feature for Deployment:	Forest Edge
Bat Roost Habitat:	None
Water Resources:	No water resources present at site
Type of Nearest Water:	standing or ponded freshwater
Tree Species Dominant	Sugar Maple
Tree Species All Present	Sugar Maple, Poplar, White Birch, Yellow Birch
Understory Species Dominant	Birch, Cherry
Understory Species All Present	Birch, Cherry, Maple
DBH of Surrounding Stand:	5-15cm present
Stand Age:	Young/even aged
Understory Clutter	Semi-cluttered (cluttered but gaps present)
Land Cover:	Trees present but fragmented

ARU Photos

Figure 1: 105059-NW3 deployment setup (Left) and microphone view (Right).

Figure 2: 105059-NW3 view for North (Left) and East (Right)

Figure 3: 105059-NW3 view for South (Left) and West (Right)



Figure 4: Microphone height and orientation in relation to understory clutter and canopy clutter at 105059-NW3. The vertical angle of the microphone is indicated by the drawing at the top of the bar (a). Understory clutter (b) and canopy cover (c) were measured in each of the four 10x10m quadrants (Northeast, Southeast, Southwest and Northwest), surrounding the microphone using the following categories 0, 1-25,25-50,50-75,76-95, 95-100%. The site average for both was calculated using the mean of all four quadrants and is indicated by the red dashed lines. The compass direction of the microphone is indicated by the black arrow.



Figure 5: Number of successful monitoring minutes for the SM4BAT deployed at 105059-NW3 from 7/8/2026 through 8/5/2026 calculated in 15min intervals.

BIODIVERSITY RESEARCH INSTITUTE innovative wildlife science	**Client:**	Wildlife Management Institute
	Client Contact:	Meghan Gilbart
	Project Name:	Maine NABAT
	Project Code:	MAMM-NG26-007
	Project Manager:	Joshua Guilbert

Project Information

Name of Permitted Biologist:	Bri Frankina
Federal Permit Number:	TE63633A
Personnel*:	BRF, ECG
Habitat Assessment Dates:	7/8/2026
First Deployment Date:	7/8/2026
Target Recovery	
Final Recovery/Last Service:	8/6/2026
Servicing Dates:	None
Survey Type	Summer - Acoustic
Site Type:	Inland
Landowner Information:	Seven Islands
Site:	105059-SE3
Site Label:	105059-SE3
County:	Oxford
State:	Maine
Site Coordinates:	44.743860, -70.835666

Detector Info:

Deployment Date:	7/8/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U17642
Microphone	
Make, Model & Serial #:	Wildlife Acoustics, U2, MU220559
Height:	4 m
Direction(degrees):	184
Vertical Orientation:	0
Distance to Water:	1 m
Distance to Clutter:	2 m
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Status Check: Settings†:	Yes
Status Check: Hardware ‡:	Yes
Survey Schedule	Continuous -30min Dusk to +30min Dawn

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;
† Timezone, date, time and recording window all correct.
‡ Microphone reading connected, SD cards formatted & ready

Servicing Events

Date	Staff*	Action	Notes
None			

Recovery Date:	8/6/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U17642
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Microphone Make, Model & Serial#:	Wildlife Acoustics, U2, MU220559
Microphone Height:	4 m
Microphone Direction (degrees):	184
Microphone Vertical Orientation:	0
Survey Schedule	Continuous -30min Dusk to +30min Dawn
Notes	

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;

Habitat Assessment:

Assessment date:	7/8/2026
Habitat Assessment Area:	20m x 20m plot with Microphone at the center
Basic Overall Site Description:	Along edge where wetland meets forest next to pond.
Targeted Feature for Deployment:	Pond
Bat Roost Habitat:	Snags & damaged live trees
Water Resources:	Water present but not optimal
Type of Nearest Water:	freshwater wetland
Tree Species Dominant	Balsam Fir
Tree Species All Present	Balsam Fir, White Pine, Spruce, Birch
Understory Species Dominant	Birch, Balsam Fir
Understory Species All Present	Birch, Balsam Fir, Spruce, Alder
DBH of Surrounding Stand:	5-15cm present
Stand Age:	Young/even aged
Understory Clutter	Semi-cluttered (cluttered but gaps present)
Land Cover:	Trees present but fragmented

ARU Photos

Figure 1: 105059-SE3 deployment setup (Left) and microphone view (Right).

Figure 2: 105059-SE3 view for North (Left) and East (Right)

Figure 3: 105059-SE3 view for South (Left) and West (Right)



Figure 4: Microphone height and orientation in relation to understory clutter and canopy clutter at 105059-SE3. The vertical angle of the microphone is indicated by the drawing at the top of the bar (a). Understory clutter (b) and canopy cover (c) were measured in each of the four 10x10m quadrants (Northeast, Southeast, Southwest and Northwest), surrounding the microphone using the following categories 0, 1-25,25-50,50-75,76-95, 95-100%. The site average for both was calculated using the mean of all four quadrants and is indicated by the red dashed lines. The compass direction of the microphone is indicated by the black arrow.



Figure 5: Number of successful monitoring minutes for the SM4BAT deployed at 105059-SE3 from 7/8/2026 through 8/6/2026 calculated in 15min intervals.

BIODIVERSITY RESEARCH INSTITUTE innovative wildlife science	**Client:**	Wildlife Management Institute
	Client Contact:	Meghan Gilbart
	Project Name:	Maine NABAT
	Project Code:	MAMM-NG26-007
	Project Manager:	Joshua Guilbert

Project Information

Name of Permitted Biologist:	Bri Frankina
Federal Permit Number:	TE63633A
Personnel*:	BRF, ECG
Habitat Assessment Dates:	7/7/2026
First Deployment Date:	7/7/2026
Target Recovery	
Final Recovery/Last Service:	8/6/2026
Servicing Dates:	None
Survey Type	Summer - Acoustic
Site Type:	Inland
Landowner Information:	Seven Islands
Site:	105059-SW3
Site Label:	105059-SW3
County:	Oxford
State:	Maine
Site Coordinates:	44.737016, -70.915936

Detector Info:

Deployment Date:	7/7/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U19379
Microphone	
Make, Model & Serial #:	Wildlife Acoustics, U2, MU220482
Height:	3 m
Direction(degrees):	280
Vertical Orientation:	45
Distance to Water:	None present
Distance to Clutter:	3 m
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Status Check: Settings†:	Yes
Status Check: Hardware ‡:	Yes
Survey Schedule	Continuous -30min Dusk to +30min Dawn

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;
† Timezone, date, time and recording window all correct.
‡ Microphone reading connected, SD cards formatted & ready

Servicing Events

Date	Staff*	Action	Notes
None			

Recovery Date:	8/6/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U19379
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Microphone Make, Model & Serial#:	Wildlife Acoustics, U2, MU220482
Microphone Height:	3 m
Microphone Direction (degrees):	280
Microphone Vertical Orientation:	45
Survey Schedule	Continuous -30min Dusk to +30min Dawn
Notes	

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;

Habitat Assessment:

Assessment date:	7/7/2026
Habitat Assessment Area:	20m x 20m plot with Microphone at the center
Basic Overall Site Description:	Forest edge along intersection of old forested logging roads
Targeted Feature for Deployment:	Forest Edge
Bat Roost Habitat:	Snags & damaged live trees
Water Resources:	No water resources present at site
Type of Nearest Water:	freshwater wetland
Tree Species Dominant	Spruce
Tree Species All Present	Spruce, Pine, Sugar Maple, Striped Maple, Balsam Fir
Understory Species Dominant	Balsam Fir, Maple, Red Spruce, Striped Maple
Understory Species All Present	Balsam Fir, Maple, Red Spruce, Striped Maple
DBH of Surrounding Stand:	Majority <5cm
Stand Age:	Young/even aged
Understory Clutter	Minimal clutter (open understory facilitates flight)
Land Cover:	Trees present but fragmented

ARU Photos

Figure 1: 105059-SW3 deployment setup (Left) and microphone view (Right).

Figure 2: 105059-SW3 view for North (Left) and East (Right)

Figure 3: 105059-SW3 view for South (Left) and West (Right)



Figure 4: Microphone height and orientation in relation to understory clutter and canopy clutter at 105059-SW3. The vertical angle of the microphone is indicated by the drawing at the top of the bar (a). Understory clutter (b) and canopy cover (c) were measured in each of the four 10x10m quadrants (Northeast, Southeast, Southwest and Northwest), surrounding the microphone using the following categories 0, 1-25,25-50,50-75,76-95, 95-100%. The site average for both was calculated using the mean of all four quadrants and is indicated by the red dashed lines. The compass direction of the microphone is indicated by the black arrow.



Figure 5: Number of successful monitoring minutes for the SM4BAT deployed at 105059-SW3 from 7/7/2026 through 8/6/2026 calculated in 15min intervals.

BIODIVERSITY RESEARCH INSTITUTE innovative wildlife science	**Client:**	Wildlife Management Institute
	Client Contact:	Meghan Gilbart
	Project Name:	Maine NABAT
	Project Code:	MAMM-NG26-007
	Project Manager:	Joshua Guilbert

Project Information

Name of Permitted Biologist:	Bri Frankina
Federal Permit Number:	TE63633A
Personnel*:	BRF, ECG
Habitat Assessment Dates:	7/8/2026
First Deployment Date:	7/8/2026
Target Recovery	
Final Recovery/Last Service:	
Servicing Dates:	None
Survey Type	Summer - Acoustic
Site Type:	Inland
Landowner Information:	Seven Islands
Site:	107802-NW1
Site Label:	107802-NW1
County:	Oxford
State:	Maine
Site Coordinates:	44.713498, -70.876353

Detector Info:

Deployment Date:	7/8/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U17671
Microphone	
Make, Model & Serial #:	Wildlife Acoustics, U2, MU220465
Height:	4 m
Direction(degrees):	302
Vertical Orientation:	0
Distance to Water:	None present
Distance to Clutter:	3 m
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Status Check: Settings†:	Yes
Status Check: Hardware ‡:	Yes
Survey Schedule	Continuous -30min Dusk to +30min Dawn

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;
† Timezone, date, time and recording window all correct.
‡ Microphone reading connected, SD cards formatted & ready

Servicing Events

Date	Staff*	Action	Notes
None			

Recovery Date: No retrieval visit recorded
ARU Make, Model & Serial #:
Power Make, Model & Serial #:
Microphone Make, Model & Serial#:
Microphone Height:
Microphone Direction (degrees):
Microphone Vertical Orientation:
Survey Schedule
Notes

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;

Habitat Assessment:

Assessment date:	7/8/2026
Habitat Assessment Area:	20m x 20m plot with Microphone at the center
Basic Overall Site Description:	Forest edge in small clearing targeting flyways to the pond
Targeted Feature for Deployment:	Pond and Forest Edge
Bat Roost Habitat:	None
Water Resources:	No water resources present at site
Type of Nearest Water:	standing or ponded freshwater
Tree Species Dominant	Maple
Tree Species All Present	Maple, Oak, Spruce
Understory Species Dominant	Maple, Spruce, White Birch
Understory Species All Present	Maple, Spruce, White Birch, Birch, Striped Maple, Willow
DBH of Surrounding Stand:	5-15cm present
Stand Age:	Young/even aged
Understory Clutter	Minimal clutter (open understory facilitates flight)
Land Cover:	Trees present but fragmented

ARU Photos

Figure 1: 107802-NW1 deployment setup (Left) and microphone view (Right).

Figure 2: 107802-NW1 view for North (Left) and East (Right)

Figure 3: 107802-NW1 view for South (Left) and West (Right)



Figure 4: Microphone height and orientation in relation to understory clutter and canopy clutter at 107802-NW1. The vertical angle of the microphone is indicated by the drawing at the top of the bar (a). Understory clutter (b) and canopy cover (c) were measured in each of the four 10x10m quadrants (Northeast, Southeast, Southwest and Northwest), surrounding the microphone using the following categories 0, 1-25,25-50,50-75,76-95, 95-100%. The site average for both was calculated using the mean of all four quadrants and is indicated by the red dashed lines. The compass direction of the microphone is indicated by the black arrow.



Figure 5: Number of successful monitoring minutes for the SM4BAT deployed at 107802-NW1 from 7/8/2026 through calculated in 15min intervals.

BIODIVERSITY RESEARCH INSTITUTE innovative wildlife science	**Client:**	Wildlife Management Institute
	Client Contact:	Meghan Gilbart
	Project Name:	Maine NABAT
	Project Code:	MAMM-NG26-007
	Project Manager:	Joshua Guilbert

Project Information

Name of Permitted Biologist:	Bri Frankina
Federal Permit Number:	TE63633A
Personnel*:	BRF, ECG
Habitat Assessment Dates:	7/7/2026
First Deployment Date:	7/7/2026
Target Recovery	
Final Recovery/Last Service:	
Servicing Dates:	None
Survey Type	Summer - Acoustic
Site Type:	Inland
Landowner Information:	Seven Islands
Site:	107802-NW3
Site Label:	107802-NW3
County:	Oxford
State:	Maine
Site Coordinates:	44.697996, -70.904884

Detector Info:

Deployment Date:	7/7/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U19410
Microphone	
Make, Model & Serial #:	Wildlife Acoustics, U2, MU220601
Height:	4 m
Direction(degrees):	91
Vertical Orientation:	0
Distance to Water:	15 m
Distance to Clutter:	4 m
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Status Check: Settings†:	Yes
Status Check: Hardware ‡:	Yes
Survey Schedule	Continuous -30min Dusk to +30min Dawn

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;
† Timezone, date, time and recording window all correct.
‡ Microphone reading connected, SD cards formatted & ready

Servicing Events

Date	Staff*	Action	Notes
None			

Recovery Date: No retrieval visit recorded
ARU Make, Model & Serial #:
Power Make, Model & Serial #:
Microphone Make, Model & Serial#:
Microphone Height:
Microphone Direction (degrees):
Microphone Vertical Orientation:
Survey Schedule
Notes

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;

Habitat Assessment:

Assessment date:	7/7/2026
Habitat Assessment Area:	20m x 20m plot with Microphone at the center
Basic Overall Site Description:	Gap in forest alongside brook
Targeted Feature for Deployment:	Brook
Bat Roost Habitat:	Snags & damaged live trees, Rock
Water Resources:	Water present but not optimal
Type of Nearest Water:	flowing freshwater
Tree Species Dominant	Balsam Fir
Tree Species All Present	Balsam Fir, Pine, Maple, Spruce, Striped Maple
Understory Species Dominant	Sugar Maple, Striped Maple, Spruce, Fir, White Birch
Understory Species All Present	Sugar Maple, Striped Maple, Spruce, Fir, White Birch, Balsam Fir, Ash, Beech, Red Spruce
DBH of Surrounding Stand:	5-15cm present
Stand Age:	Some diversity in stand
Understory Clutter	Semi-cluttered (cluttered but gaps present)
Land Cover:	Mostly Forested

ARU Photos

Figure 1: 107802-NW3 deployment setup (Left) and microphone view (Right).

Figure 2: 107802-NW3 view for North (Left) and East (Right)

Figure 3: 107802-NW3 view for South (Left) and West (Right)



Figure 4: Microphone height and orientation in relation to understory clutter and canopy clutter at 107802-NW3. The vertical angle of the microphone is indicated by the drawing at the top of the bar (a). Understory clutter (b) and canopy cover (c) were measured in each of the four 10x10m quadrants (Northeast, Southeast, Southwest and Northwest), surrounding the microphone using the following categories 0, 1-25,25-50,50-75,76-95, 95-100%. The site average for both was calculated using the mean of all four quadrants and is indicated by the red dashed lines. The compass direction of the microphone is indicated by the black arrow.



Figure 5: Number of successful monitoring minutes for the SM4BAT deployed at 107802-NW3 from 7/7/2026 through calculated in 15min intervals.

BIODIVERSITY RESEARCH INSTITUTE innovative wildlife science	**Client:**	Wildlife Management Institute
	Client Contact:	Meghan Gilbart
	Project Name:	Maine NABAT
	Project Code:	MAMM-NG26-007
	Project Manager:	Joshua Guilbert

Project Information

Name of Permitted Biologist:	Bri Frankina
Federal Permit Number:	TE63633A
Personnel*:	BRF, ECG
Habitat Assessment Dates:	7/7/2026
First Deployment Date:	7/7/2026
Target Recovery	
Final Recovery/Last Service:	
Servicing Dates:	None
Survey Type	Summer - Acoustic
Site Type:	Inland
Landowner Information:	Seven Islands
Site:	107802-SW1
Site Label:	107802-SW1
County:	Oxford
State:	Maine
Site Coordinates:	44.671910, -70.921087

Detector Info:

Deployment Date:	7/7/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U17657
Microphone	
Make, Model & Serial #:	Wildlife Acoustics, U2, MU220161
Height:	3 m
Direction(degrees):	7
Vertical Orientation:	45
Distance to Water:	20 m
Distance to Clutter:	3 m
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Status Check: Settings†:	Yes
Status Check: Hardware ‡:	Yes
Survey Schedule	Continuous -30min Dusk to +30min Dawn

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;
† Timezone, date, time and recording window all correct.
‡ Microphone reading connected, SD cards formatted & ready

Servicing Events

Date	Staff*	Action	Notes
None			

Recovery Date: No retrieval visit recorded
ARU Make, Model & Serial #:
Power Make, Model & Serial #:
Microphone Make, Model & Serial#:
Microphone Height:
Microphone Direction (degrees):
Microphone Vertical Orientation:
Survey Schedule
Notes

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;

Habitat Assessment:

Assessment date:	7/7/2026
Habitat Assessment Area:	20m x 20m plot with Microphone at the center
Basic Overall Site Description:	Small wetland clearing in forest edge next 20m from roadway
Targeted Feature for Deployment:	Wetland
Bat Roost Habitat:	Snags & damaged live trees
Water Resources:	Water present but not optimal
Type of Nearest Water:	flowing freshwater
Tree Species Dominant	Maple
Tree Species All Present	Maple, White Birch, Balsam Fir, Birch, Hickory
Understory Species Dominant	Beech, Balsam Fir, Maple, Striped Maple
Understory Species All Present	Beech, Balsam Fir, Maple, Striped Maple, Ash
DBH of Surrounding Stand:	5-15cm present
Stand Age:	Some diversity in stand
Understory Clutter	Semi-cluttered (cluttered but gaps present)
Land Cover:	Mostly Forested

ARU Photos

Figure 1: 107802-SW1 deployment setup (Left) and microphone view (Right).

Figure 2: 107802-SW1 view for North (Left) and East (Right)



Figure 3: 107802-SW1 view for South (Left) and West (Right)



Figure 4: Microphone height and orientation in relation to understory clutter and canopy clutter at 107802-SW1. The vertical angle of the microphone is indicated by the drawing at the top of the bar (a). Understory clutter (b) and canopy cover (c) were measured in each of the four 10x10m quadrants (Northeast, Southeast, Southwest and Northwest), surrounding the microphone using the following categories 0, 1-25,25-50,50-75,76-95, 95-100%. The site average for both was calculated using the mean of all four quadrants and is indicated by the red dashed lines. The compass direction of the microphone is indicated by the black arrow.



Figure 5: Number of successful monitoring minutes for the SM4BAT deployed at 107802-SW1 from 7/7/2026 through calculated in 15min intervals.

BIODIVERSITY RESEARCH INSTITUTE innovative wildlife science	**Client:**	Wildlife Management Institute
	Client Contact:	Meghan Gilbart
	Project Name:	Maine NABAT
	Project Code:	MAMM-NG26-007
	Project Manager:	Joshua Guilbert

Project Information

Name of Permitted Biologist:	Bri Frankina
Federal Permit Number:	TE63633A
Personnel*:	BRF, ECG
Habitat Assessment Dates:	7/17/2026
First Deployment Date:	7/17/2026
Target Recovery	
Final Recovery/Last Service:	8/17/2026
Servicing Dates:	7/30/2026
Survey Type	Summer - Acoustic
Site Type:	Inland
Landowner Information:	Seven Islands
Site:	1079-NE1
Site Label:	1079-NE1
County:	Aroostook
State:	Maine
Site Coordinates:	46.796416, -68.801822

Detector Info:

Deployment Date:	7/17/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U28586
Microphone	
Make, Model & Serial #:	Wildlife Acoustics, U2, MU236551
Height:	3 m
Direction(degrees):	62
Vertical Orientation:	45
Distance to Water:	None present
Distance to Clutter:	4 m
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Status Check: Settings†:	Yes
Status Check: Hardware ‡:	Yes
Survey Schedule	Continuous -30min Dusk to +30min Dawn

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;
† Timezone, date, time and recording window all correct.
‡ Microphone reading connected, SD cards formatted & ready

Servicing Events

Date	Staff*	Action	Notes
7/30/2026	BRF	SD cards swapped	5.5 battery, 6 GB on Card A

Recovery Date:	8/17/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U28586
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Microphone Make, Model & Serial#:	Wildlife Acoustics, U2, MU236551
Microphone Height:	3 m
Microphone Direction (degrees):	62
Microphone Vertical Orientation:	45
Survey Schedule	Continuous -30min Dusk to +30min Dawn
Notes	9 GB Card A, 5V battery

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;

Habitat Assessment:

Assessment date:	7/17/2026
Habitat Assessment Area:	20m x 20m plot with Microphone at the center
Basic Overall Site Description:	Small roadside clearing
Targeted Feature for Deployment:	Forest Edge
Bat Roost Habitat:	None
Water Resources:	No water resources present at site
Type of Nearest Water:	flowing freshwater
Tree Species Dominant	
Tree Species All Present	Cedar, Quaking Aspen, Birch
Understory Species Dominant	Balsam Fir, Maple
Understory Species All Present	Balsam Fir, Maple, Balsam Poplar
DBH of Surrounding Stand:	5-15cm present
Stand Age:	Young/even aged
Understory Clutter	Semi-cluttered (cluttered but gaps present)
Land Cover:	Trees present but fragmented

ARU Photos

Figure 1: 1079-NE1 deployment setup (Left) and microphone view (Right).

Figure 2: 1079-NE1 view for North (Left) and East (Right)

Figure 3: 1079-NE1 view for South (Left) and West (Right)



Figure 4: Microphone height and orientation in relation to understory clutter and canopy clutter at 1079-NE1. The vertical angle of the microphone is indicated by the drawing at the top of the bar (a). Understory clutter (b) and canopy cover (c) were measured in each of the four 10x10m quadrants (Northeast, Southeast, Southwest and Northwest), surrounding the microphone using the following categories 0, 1-25,25-50,50-75,76-95, 95-100%. The site average for both was calculated using the mean of all four quadrants and is indicated by the red dashed lines. The compass direction of the microphone is indicated by the black arrow.



Figure 5: Number of successful monitoring minutes for the SM4BAT deployed at 1079-NE1 from 7/17/2026 through 8/17/2026 calculated in 15min intervals.

BIODIVERSITY RESEARCH INSTITUTE innovative wildlife science	**Client:**	Wildlife Management Institute
	Client Contact:	Meghan Gilbart
	Project Name:	Maine NABAT
	Project Code:	MAMM-NG26-007
	Project Manager:	Joshua Guilbert

Project Information

Name of Permitted Biologist:	Bri Frankina
Federal Permit Number:	TE63633A
Personnel*:	BRF, ECG
Habitat Assessment Dates:	7/17/2026
First Deployment Date:	7/17/2026
Target Recovery	
Final Recovery/Last Service:	7/30/2026
Servicing Dates:	7/30/2026
Survey Type	Summer - Acoustic
Site Type:	Inland
Landowner Information:	Seven Islands
Site:	1079-NE2
Site Label:	1079-NE2
County:	Aroostook
State:	Maine
Site Coordinates:	46.827154, -68.791395

Detector Info:

Deployment Date:	7/17/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U28485
Microphone	
Make, Model & Serial #:	Wildlife Acoustics, U2, MU236345
Height:	4 m
Direction(degrees):	70
Vertical Orientation:	45
Distance to Water:	None present
Distance to Clutter:	4 m
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Status Check: Settings†:	Yes
Status Check: Hardware ‡:	Yes
Survey Schedule	Continuous -30min Dusk to +30min Dawn

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;
† Timezone, date, time and recording window all correct.
‡ Microphone reading connected, SD cards formatted & ready

Servicing Events

Date	Staff*	Action	Notes
7/30/2026	BRF	SD cards swapped, Location Moved	Unit moved due to vandalism. Mic pole down upon arrival and mic disconnected. Paracord untied and moved. Battery 5.7 and 1 GB on Card A

Recovery Date: No retrieval visit recorded
ARU Make, Model & Serial #:
Power Make, Model & Serial #:
Microphone Make, Model & Serial#:
Microphone Height:
Microphone Direction (degrees):
Microphone Vertical Orientation:
Survey Schedule
Notes

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;

Habitat Assessment:

Assessment date:	7/17/2026
Habitat Assessment Area:	20m x 20m plot with Microphone at the center
Basic Overall Site Description:	Small clearing along roadside at the convergence of several corridors leading to the water
Targeted Feature for Deployment:	Forest Edge and Pond
Bat Roost Habitat:	None
Water Resources:	No water resources present at site
Type of Nearest Water:	standing or ponded freshwater
Tree Species Dominant	
Tree Species All Present	Maple. Spruce, Cherry, Hemlock, Ash/Hickory, Balsam Fir, Maple
Understory Species Dominant	White Birch, Balsam Fir, Maple
Understory Species All Present	White Birch, Balsam Fir, Maple, Willow
DBH of Surrounding Stand:	5-15cm present
Stand Age:	Young/even aged
Understory Clutter	Semi-cluttered (cluttered but gaps present)
Land Cover:	Trees present but fragmented

ARU Photos

Figure 1: 1079-NE2 deployment setup (Left) and microphone view (Right).

Figure 2: 1079-NE2 view for North (Left) and East (Right)

Figure 3: 1079-NE2 view for South (Left) and West (Right)



Figure 4: Microphone height and orientation in relation to understory clutter and canopy clutter at 1079-NE2. The vertical angle of the microphone is indicated by the drawing at the top of the bar (a). Understory clutter (b) and canopy cover (c) were measured in each of the four 10x10m quadrants (Northeast, Southeast, Southwest and Northwest), surrounding the microphone using the following categories 0, 1-25,25-50,50-75,76-95, 95-100%. The site average for both was calculated using the mean of all four quadrants and is indicated by the red dashed lines. The compass direction of the microphone is indicated by the black arrow.



Figure 5: Number of successful monitoring minutes for the SM4BAT deployed at 1079-NE2 from 7/17/2026 through 7/30/2026 calculated in 15min intervals.

BIODIVERSITY RESEARCH INSTITUTE innovative wildlife science	**Client:**	Wildlife Management Institute
	Client Contact:	Meghan Gilbart
	Project Name:	Maine NABAT
	Project Code:	MAMM-NG26-007
	Project Manager:	Joshua Guilbert

Project Information

Name of Permitted Biologist:	Bri Frankina
Federal Permit Number:	TE63633A
Personnel*:	BRF, JMG
Habitat Assessment Dates:	7/30/2026
First Deployment Date:	7/30/2026
Target Recovery	
Final Recovery/Last Service:	8/17/2026
Servicing Dates:	None
Survey Type	Summer - Acoustic
Site Type:	Inland
Landowner Information:	Seven Islands
Site:	1079-NE2-2
Site Label:	1079-NE2-2
County:	Aroostook
State:	Maine
Site Coordinates:	46.814195, -68.792795

Detector Info:

Deployment Date:	7/30/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U28485
Microphone	
Make, Model & Serial #:	Wildlife Acoustics, U2, MU236345
Height:	4 m
Direction(degrees):	323
Vertical Orientation:	45
Distance to Water:	None present
Distance to Clutter:	3 m
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Status Check: Settings†:	Yes
Status Check: Hardware ‡:	Yes
Survey Schedule	Continuous -30min Dusk to +30min Dawn

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;
† Timezone, date, time and recording window all correct.
‡ Microphone reading connected, SD cards formatted & ready

Servicing Events

Date	Staff*	Action	Notes
None			

Recovery Date:	8/17/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U28485
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Microphone Make, Model & Serial#:	Wildlife Acoustics, U2, MU236345
Microphone Height:	4 m
Microphone Direction (degrees):	323
Microphone Vertical Orientation:	45
Survey Schedule	Continuous -30min Dusk to +30min Dawn
Notes	

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;

Habitat Assessment:

Assessment date:	7/30/2026
Habitat Assessment Area:	20m x 20m plot with Microphone at the center
Basic Overall Site Description:	Small clearing adjacent to forested roadway
Targeted Feature for Deployment:	Forest Edge and Pond
Bat Roost Habitat:	None
Water Resources:	No water resources present at site
Type of Nearest Water:	standing or ponded freshwater
Tree Species Dominant	Aspen
Tree Species All Present	Aspen, Maple, Cedar, Spruce, Quaking Aspen, Ash, White Birch
Understory Species Dominant	Birch, Maple, Balsam Fir
Understory Species All Present	Birch, Maple, Balsam Fir
DBH of Surrounding Stand:	Majority <5cm
Stand Age:	Young/even aged
Understory Clutter	Semi-cluttered (cluttered but gaps present)
Land Cover:	Trees present but fragmented

ARU Photos

Figure 1: 1079-NE2-2 deployment setup (Left) and microphone view (Right).

Figure 2: 1079-NE2-2 view for North (Left) and East (Right)

Figure 3: 1079-NE2-2 view for South (Left) and West (Right)



Figure 4: Microphone height and orientation in relation to understory clutter and canopy clutter at 1079-NE2-2. The vertical angle of the microphone is indicated by the drawing at the top of the bar (a). Understory clutter (b) and canopy cover (c) were measured in each of the four 10x10m quadrants (Northeast, Southeast, Southwest and Northwest), surrounding the microphone using the following categories 0, 1-25,25-50,50-75,76-95, 95-100%. The site average for both was calculated using the mean of all four quadrants and is indicated by the red dashed lines. The compass direction of the microphone is indicated by the black arrow.



Figure 5: Number of successful monitoring minutes for the SM4BAT deployed at 1079-NE2-2 from 7/30/2026 through 8/17/2026 calculated in 15min intervals.

BIODIVERSITY RESEARCH INSTITUTE innovative wildlife science	**Client:**	Wildlife Management Institute
	Client Contact:	Meghan Gilbart
	Project Name:	Maine NABAT
	Project Code:	MAMM-NG26-007
	Project Manager:	Joshua Guilbert

Project Information

Name of Permitted Biologist:	Bri Frankina
Federal Permit Number:	TE63633A
Personnel*:	BRF, ECG
Habitat Assessment Dates:	7/17/2026
First Deployment Date:	7/17/2026
Target Recovery	
Final Recovery/Last Service:	8/17/2026
Servicing Dates:	7/30/2026
Survey Type	Summer - Acoustic
Site Type:	Inland
Landowner Information:	Seven Islands
Site:	1079-SE1
Site Label:	1079-SE1
County:	Aroostook
State:	Maine
Site Coordinates:	46.793546, -68.816757

Detector Info:

Deployment Date:	7/17/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U28613
Microphone	
Make, Model & Serial #:	Wildlife Acoustics, U2, MU236552
Height:	4 m
Direction(degrees):	166
Vertical Orientation:	45
Distance to Water:	10 m
Distance to Clutter:	3 m
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Status Check: Settings†:	Yes
Status Check: Hardware ‡:	Yes
Survey Schedule	Continuous -30min Dusk to +30min Dawn

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;
† Timezone, date, time and recording window all correct.
‡ Microphone reading connected, SD cards formatted & ready

Servicing Events

Date	Staff*	Action	Notes
7/30/2026	BRF	SD cards swapped	Battery at 5.5, 15GB on card A

Recovery Date:	8/17/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U28613
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Microphone Make, Model & Serial#:	Wildlife Acoustics, U2, MU236552
Microphone Height:	4 m
Microphone Direction (degrees):	166
Microphone Vertical Orientation:	45
Survey Schedule	Continuous -30min Dusk to +30min Dawn
Notes	

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;

Habitat Assessment:

Assessment date:	7/17/2026
Habitat Assessment Area:	20m x 20m plot with Microphone at the center
Basic Overall Site Description:	Clearing next to roadway and bridge in small outlet of wetland
Targeted Feature for Deployment:	Brook
Bat Roost Habitat:	Rock, Bridge
Water Resources:	Good water source present
Type of Nearest Water:	flowing freshwater
Tree Species Dominant	Balsam Fir, Spruce
Tree Species All Present	Balsam Fir, Spruce, Maple, Striped Maple. Sugar Maple, Elm, Alder
Understory Species Dominant	White Birch
Understory Species All Present	White Birch, Alder, Hazelnut/Alder, Spruce
DBH of Surrounding Stand:	5-15cm present
Stand Age:	Young/even aged
Understory Clutter	Semi-cluttered (cluttered but gaps present)
Land Cover:	Mostly Forested

ARU Photos

Figure 1: 1079-SE1 deployment setup (Left) and microphone view (Right).

Figure 2: 1079-SE1 view for North (Left) and East (Right)

Figure 3: 1079-SE1 view for South (Left) and West (Right)



Figure 4: Microphone height and orientation in relation to understory clutter and canopy clutter at 1079-SE1. The vertical angle of the microphone is indicated by the drawing at the top of the bar (a). Understory clutter (b) and canopy cover (c) were measured in each of the four 10x10m quadrants (Northeast, Southeast, Southwest and Northwest), surrounding the microphone using the following categories 0, 1-25,25-50,50-75,76-95, 95-100%. The site average for both was calculated using the mean of all four quadrants and is indicated by the red dashed lines. The compass direction of the microphone is indicated by the black arrow.



Figure 5: Number of successful monitoring minutes for the SM4BAT deployed at 1079-SE1 from 7/17/2026 through 8/17/2026 calculated in 15min intervals.

BIODIVERSITY RESEARCH INSTITUTE innovative wildlife science	**Client:**	Wildlife Management Institute
	Client Contact:	Meghan Gilbart
	Project Name:	Maine NABAT
	Project Code:	MAMM-NG26-007
	Project Manager:	Joshua Guilbert

Project Information

Name of Permitted Biologist:	Josh Guilbert
Federal Permit Number:	TE63633A
Personnel*:	JMG
Habitat Assessment Dates:	7/8/2026
First Deployment Date:	7/8/2026
Target Recovery	
Final Recovery/Last Service:	8/6/2026
Servicing Dates:	None
Survey Type	Summer - Acoustic
Site Type:	Inland
Landowner Information:	Seven Islands
Site:	108325-1
Site Label:	108325-1
County:	Oxford
State:	Maine
Site Coordinates:	45.110416, -70.864249

Detector Info:

Deployment Date:	7/8/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U19367
Microphone	
Make, Model & Serial #:	Wildlife Acoustics, U2, MU228366
Height:	3 m
Direction(degrees):	309
Vertical Orientation:	45
Distance to Water:	None present
Distance to Clutter:	5 m
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Status Check: Settings†:	Yes
Status Check: Hardware ‡:	Yes
Survey Schedule	Continuous -30min Dusk to +30min Dawn

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;
† Timezone, date, time and recording window all correct.
‡ Microphone reading connected, SD cards formatted & ready

Servicing Events

Date	Staff*	Action	Notes
None			

Recovery Date:	8/6/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U19367
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Microphone Make, Model & Serial#:	Wildlife Acoustics, U2, MU228366
Microphone Height:	3 m
Microphone Direction (degrees):	309
Microphone Vertical Orientation:	45
Survey Schedule	Continuous -30min Dusk to +30min Dawn
Notes	

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;

Habitat Assessment:

Assessment date:	7/8/2026
Habitat Assessment Area:	20m x 20m plot with Microphone at the center
Basic Overall Site Description:	Pine forest edge 10m from road
Targeted Feature for Deployment:	Forest Edge
Bat Roost Habitat:	Rock, Snags & damaged live trees
Water Resources:	No water resources present at site
Type of Nearest Water:	flowing freshwater
Tree Species Dominant	Red Spruce
Tree Species All Present	Red Spruce
Understory Species Dominant	Spruce, Balsam Fir, Cherry
Understory Species All Present	Spruce, Balsam Fir, Cherry
DBH of Surrounding Stand:	Majority <5cm
Stand Age:	Young/even aged
Understory Clutter	Minimal clutter (open understory facilitates flight)
Land Cover:	Mostly Forested

ARU Photos



Figure 1: 108325-1 deployment setup (Left) and microphone view (Right).

Figure 2: 108325-1 view for North (Left) and East (Right)

Figure 3: 108325-1 view for South (Left) and West (Right)

No quadrant cover data for this site

Figure 4: Microphone height and orientation in relation to understory clutter and canopy clutter at 108325-1. The vertical angle of the microphone is indicated by the drawing at the top of the bar (a). Understory clutter (b) and canopy cover (c) were measured in each of the four 10x10m quadrants (Northeast, Southeast, Southwest and Northwest), surrounding the microphone using the following categories 0, 1-25,25-50,50-75,76-95, 95-100%. The site average for both was calculated using the mean of all four quadrants and is indicated by the red dashed lines. The compass direction of the microphone is indicated by the black arrow.



Figure 5: Number of successful monitoring minutes for the SM4BAT deployed at 108325-1 from 7/8/2026 through 8/6/2026 calculated in 15min intervals.

BIODIVERSITY RESEARCH INSTITUTE innovative wildlife science	**Client:**	Wildlife Management Institute
	Client Contact:	Meghan Gilbart
	Project Name:	Maine NABAT
	Project Code:	MAMM-NG26-007
	Project Manager:	Joshua Guilbert

Project Information

Name of Permitted Biologist:	Josh Guilbert
Federal Permit Number:	TE63633A
Personnel*:	JMG
Habitat Assessment Dates:	7/8/2026
First Deployment Date:	7/8/2026
Target Recovery	
Final Recovery/Last Service:	8/6/2026
Servicing Dates:	None
Survey Type	Summer - Acoustic
Site Type:	Inland
Landowner Information:	Seven Islands
Site:	108325-2NE
Site Label:	108325-2NE
County:	Oxford
State:	Maine
Site Coordinates:	45.157577, -70.825223

Detector Info:

Deployment Date:	7/8/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U17685
Microphone	
Make, Model & Serial #:	Wildlife Acoustics, U2, MU228465
Height:	3 m
Direction(degrees):	195
Vertical Orientation:	45
Distance to Water:	4 m
Distance to Clutter:	3 m
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Status Check: Settings†:	Yes
Status Check: Hardware ‡:	Yes
Survey Schedule	Continuous -30min Dusk to +30min Dawn

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;
† Timezone, date, time and recording window all correct.
‡ Microphone reading connected, SD cards formatted & ready

Servicing Events

Date	Staff*	Action	Notes
None			

Recovery Date:	8/6/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U17685
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Microphone Make, Model & Serial#:	Wildlife Acoustics, U2, MU228465
Microphone Height:	3 m
Microphone Direction (degrees):	195
Microphone Vertical Orientation:	45
Survey Schedule	Continuous -30min Dusk to +30min Dawn
Notes	

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;

Habitat Assessment:

Assessment date:	7/8/2026
Habitat Assessment Area:	20m x 20m plot with Microphone at the center
Basic Overall Site Description:	Forest edge next to clear cut and wetland
Targeted Feature for Deployment:	Forest Edge
Bat Roost Habitat:	Snags & damaged live trees
Water Resources:	Water present but not optimal
Type of Nearest Water:	freshwater wetland
Tree Species Dominant	Balsam Fir
Tree Species All Present	Balsam Fir, White Birch
Understory Species Dominant	Balsam Fir
Understory Species All Present	Balsam Fir
DBH of Surrounding Stand:	5-15cm present
Stand Age:	Young/even aged
Understory Clutter	Semi-cluttered (cluttered but gaps present)
Land Cover:	Mostly Forested

ARU Photos

Figure 1: 108325-2NE deployment setup (Left) and microphone view (Right).

Figure 2: 108325-2NE view for North (Left) and East (Right)

Figure 3: 108325-2NE view for South (Left) and West (Right)



Figure 4: Microphone height and orientation in relation to understory clutter and canopy clutter at 108325-2NE. The vertical angle of the microphone is indicated by the drawing at the top of the bar (a). Understory clutter (b) and canopy cover (c) were measured in each of the four 10x10m quadrants (Northeast, Southeast, Southwest and Northwest), surrounding the microphone using the following categories 0, 1-25,25-50,50-75,76-95, 95-100%. The site average for both was calculated using the mean of all four quadrants and is indicated by the red dashed lines. The compass direction of the microphone is indicated by the black arrow.



Figure 5: Number of successful monitoring minutes for the SM4BAT deployed at 108325-2NE from 7/8/2026 through 8/6/2026 calculated in 15min intervals.

BIODIVERSITY RESEARCH INSTITUTE innovative wildlife science	**Client:**	Wildlife Management Institute
	Client Contact:	Meghan Gilbart
	Project Name:	Maine NABAT
	Project Code:	MAMM-NG26-007
	Project Manager:	Joshua Guilbert

Project Information

Name of Permitted Biologist:	Josh Guilbert
Federal Permit Number:	TE63633A
Personnel*:	JMG
Habitat Assessment Dates:	7/8/2026
First Deployment Date:	7/8/2026
Target Recovery	
Final Recovery/Last Service:	8/6/2026
Servicing Dates:	None
Survey Type	Summer - Acoustic
Site Type:	Inland
Landowner Information:	Seven Islands
Site:	108325-3NW
Site Label:	108325-3NW
County:	Oxford
State:	Maine
Site Coordinates:	45.180234, -70.882787

Detector Info:

Deployment Date:	7/8/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U19388
Microphone	
Make, Model & Serial #:	Wildlife Acoustics, U2, MU230724
Height:	3 m
Direction(degrees):	333
Vertical Orientation:	45
Distance to Water:	10 m
Distance to Clutter:	3 m
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Status Check: Settings†:	Yes
Status Check: Hardware ‡:	Yes
Survey Schedule	Continuous -30min Dusk to +30min Dawn

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;
† Timezone, date, time and recording window all correct.
‡ Microphone reading connected, SD cards formatted & ready

Servicing Events

Date	Staff*	Action	Notes
None			

Recovery Date:	8/6/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U19388
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Microphone Make, Model & Serial#:	Wildlife Acoustics, U2, MU230724
Microphone Height:	3 m
Microphone Direction (degrees):	333
Microphone Vertical Orientation:	45
Survey Schedule	Continuous -30min Dusk to +30min Dawn
Notes	

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;

Habitat Assessment:

Assessment date:	7/8/2026
Habitat Assessment Area:	20m x 20m plot with Microphone at the center
Basic Overall Site Description:	Forest edge near stream
Targeted Feature for Deployment:	Forest and Brook
Bat Roost Habitat:	Rock, Snags & damaged live trees
Water Resources:	Good water source present
Type of Nearest Water:	flowing freshwater
Tree Species Dominant	Red Spruce
Tree Species All Present	Red Spruce, Balsam Fir
Understory Species Dominant	White Birch, Black Cherry
Understory Species All Present	White Birch, Black Cherry
DBH of Surrounding Stand:	>15cm present
Stand Age:	Some diversity in stand
Understory Clutter	Semi-cluttered (cluttered but gaps present)
Land Cover:	Mostly Forested

ARU Photos

Figure 1: 108325-3NW deployment setup (Left) and microphone view (Right).

Figure 2: 108325-3NW view for North (Left) and East (Right)

Figure 3: 108325-3NW view for South (Left) and West (Right)

No quadrant cover data for this site

Figure 4: Microphone height and orientation in relation to understory clutter and canopy clutter at 108325-3NW. The vertical angle of the microphone is indicated by the drawing at the top of the bar (a). Understory clutter (b) and canopy cover (c) were measured in each of the four 10x10m quadrants (Northeast, Southeast, Southwest and Northwest), surrounding the microphone using the following categories 0, 1-25,25-50,50-75,76-95, 95-100%. The site average for both was calculated using the mean of all four quadrants and is indicated by the red dashed lines. The compass direction of the microphone is indicated by the black arrow.



Figure 5: Number of successful monitoring minutes for the SM4BAT deployed at 108325-3NW from 7/8/2026 through 8/6/2026 calculated in 15min intervals.

BIODIVERSITY RESEARCH INSTITUTE innovative wildlife science	**Client:**	Wildlife Management Institute
	Client Contact:	Meghan Gilbart
	Project Name:	Maine NABAT
	Project Code:	MAMM-NG26-007
	Project Manager:	Joshua Guilbert

Project Information

Name of Permitted Biologist:	Bri Frankina
Federal Permit Number:	TE63633A
Personnel*:	BRF, ECG
Habitat Assessment Dates:	7/19/2026
First Deployment Date:	7/19/2026
Target Recovery	
Final Recovery/Last Service:	8/18/2026
Servicing Dates:	None
Survey Type	Summer - Acoustic
Site Type:	Inland
Landowner Information:	Seven Islands
Site:	5175-NW1
Site Label:	5175-NW1
County:	Piscataquis
State:	Maine
Site Coordinates:	46.536318, -68.888660

Detector Info:

Deployment Date:	7/19/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U28483
Microphone	
Make, Model & Serial #:	Wildlife Acoustics, U2, MU236350
Height:	4 m
Direction(degrees):	223
Vertical Orientation:	45
Distance to Water:	30 m
Distance to Clutter:	4 m
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Status Check: Settings†:	Yes
Status Check: Hardware ‡:	Yes
Survey Schedule	Continuous -30min Dusk to +30min Dawn

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;
† Timezone, date, time and recording window all correct.
‡ Microphone reading connected, SD cards formatted & ready

Servicing Events

Date	Staff*	Action	Notes
None			

Recovery Date:	8/18/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U28483
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Microphone Make, Model & Serial#:	Wildlife Acoustics, U2, MU236350
Microphone Height:	4 m
Microphone Direction (degrees):	223
Microphone Vertical Orientation:	45
Survey Schedule	Continuous -30min Dusk to +30min Dawn
Notes	5.1V, 8 GB Card A

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;

Habitat Assessment:

Assessment date:	7/19/2026
Habitat Assessment Area:	20m x 20m plot with Microphone at the center
Basic Overall Site Description:	Corridor leading to stream in post-logged area
Targeted Feature for Deployment:	Brook
Bat Roost Habitat:	Snags & damaged live trees
Water Resources:	Good water source present
Type of Nearest Water:	flowing freshwater
Tree Species Dominant	Pine
Tree Species All Present	Pine, White Birch, Yellow Birch, Cedar, Maple. Spruce, Fir, Quaking Aspen, White Pine
Understory Species Dominant	Beech, Balsam Fir, Birch
Understory Species All Present	Beech, Balsam Fir, Birch, Fir, Cedar
DBH of Surrounding Stand:	5-15cm present
Stand Age:	Young/even aged
Understory Clutter	Semi-cluttered (cluttered but gaps present)
Land Cover:	Trees present but fragmented

ARU Photos



Figure 1: 5175-NW1 deployment setup (Left) and microphone view (Right).



Figure 2: 5175-NW1 view for North (Left) and East (Right)



Figure 3: 5175-NW1 view for South (Left) and West (Right)



Figure 4: Microphone height and orientation in relation to understory clutter and canopy clutter at 5175-NW1. The vertical angle of the microphone is indicated by the drawing at the top of the bar (a). Understory clutter (b) and canopy cover (c) were measured in each of the four 10x10m quadrants (Northeast, Southeast, Southwest and Northwest), surrounding the microphone using the following categories 0, 1-25,25-50,50-75,76-95, 95-100%. The site average for both was calculated using the mean of all four quadrants and is indicated by the red dashed lines. The compass direction of the microphone is indicated by the black arrow.

No SM4 log data for this site

Figure 5: Number of successful monitoring minutes for the SM4BAT deployed at 5175-NW1 from 7/19/2026 through 8/18/2026 calculated in 15min intervals.

BIODIVERSITY RESEARCH INSTITUTE innovative wildlife science	**Client:**	Wildlife Management Institute
	Client Contact:	Meghan Gilbart
	Project Name:	Maine NABAT
	Project Code:	MAMM-NG26-007
	Project Manager:	Joshua Guilbert

Project Information

Name of Permitted Biologist:	Bri Frankina
Federal Permit Number:	TE63633A
Personnel*:	BRF, ECG
Habitat Assessment Dates:	7/19/2026
First Deployment Date:	7/19/2026
Target Recovery	
Final Recovery/Last Service:	8/18/2026
Servicing Dates:	7/31/2026
Survey Type	Summer - Acoustic
Site Type:	Inland
Landowner Information:	Seven Islands
Site:	5175-SE1
Site Label:	5175-SE1
County:	Piscataquis
State:	Maine
Site Coordinates:	46.485362, -68.832656

Detector Info:

Deployment Date:	7/19/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U28628
Microphone	
Make, Model & Serial #:	Wildlife Acoustics, U2, MU236535
Height:	3 m
Direction(degrees):	56
Vertical Orientation:	45
Distance to Water:	None present
Distance to Clutter:	4 m
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Status Check: Settings†:	Yes
Status Check: Hardware ‡:	Yes
Survey Schedule	Continuous -30min Dusk to +30min Dawn

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;
† Timezone, date, time and recording window all correct.
‡ Microphone reading connected, SD cards formatted & ready

Servicing Events

Date	Staff*	Action	Notes
7/31/2026	BRF, JMG	SD cards swapped, Location Moved	Mic down upon arrival, likely moose walked through cord.Moved 10 ft out of wildlife trail

Recovery Date:	8/18/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U28628
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Microphone Make, Model & Serial#:	Wildlife Acoustics, U2, MU236535
Microphone Height:	3 m
Microphone Direction (degrees):	56
Microphone Vertical Orientation:	45
Survey Schedule	Continuous -30min Dusk to +30min Dawn
Notes	5.1V, 11 GB Card A

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;

Habitat Assessment:

Assessment date:	7/19/2026
Habitat Assessment Area:	20m x 20m plot with Microphone at the center
Basic Overall Site Description:	Roadside clearing at junction of road and old forested access roads
Targeted Feature for Deployment:	Forest Edge
Bat Roost Habitat:	Snags & damaged live trees
Water Resources:	No water resources present at site
Type of Nearest Water:	
Tree Species Dominant	Aspen, Maple
Tree Species All Present	Aspen, Maple, Quaking Aspen, Bigtooth Aspen, Cedar, Sugar Maple, Poplar
Understory Species Dominant	Aspen, Maple, Spruce
Understory Species All Present	Aspen, Maple, Spruce, Quaking Aspen, Cedar
DBH of Surrounding Stand:	5-15cm present
Stand Age:	Young/even aged
Understory Clutter	Minimal clutter (open understory facilitates flight)
Land Cover:	Trees present but fragmented

ARU Photos

Figure 1: 5175-SE1 deployment setup (Left) and microphone view (Right).

Figure 2: 5175-SE1 view for North (Left) and East (Right)

Figure 3: 5175-SE1 view for South (Left) and West (Right)



Figure 4: Microphone height and orientation in relation to understory clutter and canopy clutter at 5175-SE1. The vertical angle of the microphone is indicated by the drawing at the top of the bar (a). Understory clutter (b) and canopy cover (c) were measured in each of the four 10x10m quadrants (Northeast, Southeast, Southwest and Northwest), surrounding the microphone using the following categories 0, 1-25,25-50,50-75,76-95, 95-100%. The site average for both was calculated using the mean of all four quadrants and is indicated by the red dashed lines. The compass direction of the microphone is indicated by the black arrow.

No SM4 log data for this site

Figure 5: Number of successful monitoring minutes for the SM4BAT deployed at 5175-SE1 from 7/19/2026 through 8/18/2026 calculated in 15min intervals.

BIODIVERSITY RESEARCH INSTITUTE innovative wildlife science	**Client:**	Wildlife Management Institute
	Client Contact:	Meghan Gilbart
	Project Name:	Maine NABAT
	Project Code:	MAMM-NG26-007
	Project Manager:	Joshua Guilbert

Project Information

Name of Permitted Biologist:	Bri Frankina
Federal Permit Number:	TE63633A
Personnel*:	BRF, ECG
Habitat Assessment Dates:	7/19/2026
First Deployment Date:	7/19/2026
Target Recovery	
Final Recovery/Last Service:	8/18/2026
Servicing Dates:	7/31/2026
Survey Type	Summer - Acoustic
Site Type:	Inland
Landowner Information:	Seven Islands
Site:	5175-SW3
Site Label:	5175-SW3
County:	Piscataquis
State:	Maine
Site Coordinates:	46.493806, -68.899817

Detector Info:

Deployment Date:	7/19/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U28491
Microphone	
Make, Model & Serial #:	Wildlife Acoustics, U2, MU236534
Height:	3 m
Direction(degrees):	303
Vertical Orientation:	45
Distance to Water:	
Distance to Clutter:	3 m
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Status Check: Settings†:	Yes
Status Check: Hardware ‡:	Yes
Survey Schedule	Continuous -30min Dusk to +30min Dawn

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;
† Timezone, date, time and recording window all correct.
‡ Microphone reading connected, SD cards formatted & ready

Servicing Events

Date	Staff*	Action	Notes
7/31/2026	BRF, JMG	SD cards swapped	Battery 5.7, 5 GB on Card A

Recovery Date:	8/18/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U28491
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Microphone Make, Model & Serial#:	Wildlife Acoustics, U2, MU236534
Microphone Height:	3 m
Microphone Direction (degrees):	303
Microphone Vertical Orientation:	45
Survey Schedule	Continuous -30min Dusk to +30min Dawn
Notes	5.2V, 5GB Card A

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;

Habitat Assessment:

Assessment date:	7/19/2026
Habitat Assessment Area:	20m x 20m plot with Microphone at the center
Basic Overall Site Description:	Clearing at junction of forested roads along edge habitat
Targeted Feature for Deployment:	Forest Edge
Bat Roost Habitat:	Snags & damaged live trees
Water Resources:	Water present but not optimal
Type of Nearest Water:	freshwater wetland
Tree Species Dominant	Spruce
Tree Species All Present	Spruce, Balsam Fir, Maple. White Pine, Ash, Red Spruce, Cherry, Sugar Maple, Birch
Understory Species Dominant	Poplar, Quaking Aspen, Spruce
Understory Species All Present	Poplar, Quaking Aspen, Spruce, White Spruce, Ash, Maple, Balsam Fir
DBH of Surrounding Stand:	5-15cm present
Stand Age:	Young/even aged
Understory Clutter	Semi-cluttered (cluttered but gaps present)
Land Cover:	Trees present but fragmented

ARU Photos

Figure 1: 5175-SW3 deployment setup (Left) and microphone view (Right).

Figure 2: 5175-SW3 view for North (Left) and East (Right)

Figure 3: 5175-SW3 view for South (Left) and West (Right)



Figure 4: Microphone height and orientation in relation to understory clutter and canopy clutter at 5175-SW3. The vertical angle of the microphone is indicated by the drawing at the top of the bar (a). Understory clutter (b) and canopy cover (c) were measured in each of the four 10x10m quadrants (Northeast, Southeast, Southwest and Northwest), surrounding the microphone using the following categories 0, 1-25,25-50,50-75,76-95, 95-100%. The site average for both was calculated using the mean of all four quadrants and is indicated by the red dashed lines. The compass direction of the microphone is indicated by the black arrow.



Figure 5: Number of successful monitoring minutes for the SM4BAT deployed at 5175-SW3 from 7/19/2026 through 8/18/2026 calculated in 15min intervals.

BIODIVERSITY RESEARCH INSTITUTE innovative wildlife science	**Client:**	Wildlife Management Institute
	Client Contact:	Meghan Gilbart
	Project Name:	Maine NABAT
	Project Code:	MAMM-NG26-007
	Project Manager:	Joshua Guilbert

Project Information

Name of Permitted Biologist:	Josh Guilbert
Federal Permit Number:	TE63633A
Personnel*:	JMG
Habitat Assessment Dates:	7/19/2026
First Deployment Date:	7/19/2026
Target Recovery	
Final Recovery/Last Service:	7/31/2026
Servicing Dates:	7/31/2026
Survey Type	Summer - Acoustic
Site Type:	Inland
Landowner Information:	Seven Islands
Site:	55-NW1
Site Label:	55-NW1
County:	Piscataquis
State:	Maine
Site Coordinates:	46.386122, -68.950718

Detector Info:

Deployment Date:	7/19/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U28287
Microphone	
Make, Model & Serial #:	Wildlife Acoustics, U2, MU221021
Height:	3 m
Direction(degrees):	180
Vertical Orientation:	45
Distance to Water:	5 m
Distance to Clutter:	1 m
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Status Check: Settings†:	Yes
Status Check: Hardware ‡:	Yes
Survey Schedule	Continuous -30min Dusk to +30min Dawn

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;
† Timezone, date, time and recording window all correct.
‡ Microphone reading connected, SD cards formatted & ready

Servicing Events

Date	Staff*	Action	Notes
7/31/2026	BRF, JMG	SD cards swapped, Location Moved	Mic too close to clutter

Recovery Date: No retrieval visit recorded
ARU Make, Model & Serial #:
Power Make, Model & Serial #:
Microphone Make, Model & Serial#:
Microphone Height:
Microphone Direction (degrees):
Microphone Vertical Orientation:
Survey Schedule
Notes

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;

Habitat Assessment:

Assessment date:	7/19/2026
Habitat Assessment Area:	20m x 20m plot with Microphone at the center
Basic Overall Site Description:	Edge of clearing along roadside
Targeted Feature for Deployment:	Forest Edge
Bat Roost Habitat:	Snags & damaged live trees
Water Resources:	Water present but not optimal
Type of Nearest Water:	standing or ponded freshwater
Tree Species Dominant	Maple
Tree Species All Present	Maple, Spruce, Red Maple, Quaking Aspen, Yellow Birch, Balsam Fir, Cedar, Poplar
Understory Species Dominant	Maple, Birch
Understory Species All Present	Maple, Birch, Ash/Hickory, Spruce, Sugar Maple, Balsam Fir, White Pine
DBH of Surrounding Stand:	5-15cm present
Stand Age:	Young/even aged
Understory Clutter	Semi-cluttered (cluttered but gaps present)
Land Cover:	Mostly unforested

ARU Photos



Figure 1: 55-NW1 deployment setup (Left) and microphone view (Right).



Figure 2: 55-NW1 view for North (Left) and East (Right)

Figure 3: 55-NW1 view for South (Left) and West (Right)



Figure 4: Microphone height and orientation in relation to understory clutter and canopy clutter at 55-NW1. The vertical angle of the microphone is indicated by the drawing at the top of the bar (a). Understory clutter (b) and canopy cover (c) were measured in each of the four 10x10m quadrants (Northeast, Southeast, Southwest and Northwest), surrounding the microphone using the following categories 0, 1-25,25-50,50-75,76-95, 95-100%. The site average for both was calculated using the mean of all four quadrants and is indicated by the red dashed lines. The compass direction of the microphone is indicated by the black arrow.



Figure 5: Number of successful monitoring minutes for the SM4BAT deployed at 55-NW1 from 7/19/2026 through 7/31/2026 calculated in 15min intervals.

BIODIVERSITY RESEARCH INSTITUTE innovative wildlife science	**Client:**	Wildlife Management Institute
	Client Contact:	Meghan Gilbart
	Project Name:	Maine NABAT
	Project Code:	MAMM-NG26-007
	Project Manager:	Joshua Guilbert

Project Information

Name of Permitted Biologist:	Josh Guilbert
Federal Permit Number:	TE63633A
Personnel*:	JMG
Habitat Assessment Dates:	7/19/2026
First Deployment Date:	7/19/2026
Target Recovery	
Final Recovery/Last Service:	8/18/2026
Servicing Dates:	7/31/2026
Survey Type	Summer - Acoustic
Site Type:	Inland
Landowner Information:	Seven islamss
Site:	55-NW3
Site Label:	55-NW3
County:	Piscataquis
State:	Maine
Site Coordinates:	46.360392, -68.955346

Detector Info:

Deployment Date:	7/19/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U28473
Microphone	
Make, Model & Serial #:	Wildlife Acoustics, U2, MU236532
Height:	3 m
Direction(degrees):	60
Vertical Orientation:	45
Distance to Water:	2 m
Distance to Clutter:	2 m
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Status Check: Settings†:	Yes
Status Check: Hardware ‡:	Yes
Survey Schedule	Continuous -30min Dusk to +30min Dawn

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;
† Timezone, date, time and recording window all correct.
‡ Microphone reading connected, SD cards formatted & ready

Servicing Events

Date	Staff*	Action	Notes
7/31/2026	BRF, JMG	SD cards swapped	Battery 5.6, 3 GB card A.

Recovery Date:	8/18/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U28473
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Microphone Make, Model & Serial#:	Wildlife Acoustics, U2, MU236532
Microphone Height:	3 m
Microphone Direction (degrees):	60
Microphone Vertical Orientation:	45
Survey Schedule	Continuous -30min Dusk to +30min Dawn
Notes	5V, 25 GB on Card A

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;

Habitat Assessment:

Assessment date:	7/19/2026
Habitat Assessment Area:	20m x 20m plot with Microphone at the center
Basic Overall Site Description:	Edge of clearing along roadside
Targeted Feature for Deployment:	Forest Edge
Bat Roost Habitat:	Snags & damaged live trees
Water Resources:	No water resources present at site
Type of Nearest Water:	
Tree Species Dominant	Quaking Aspen, Spruce
Tree Species All Present	Quaking Aspen, Spruce, Yellow Birch, Red Maple, Cedar, Balsam Fir
Understory Species Dominant	Maple, Aspen
Understory Species All Present	Maple, Aspen, Ash
DBH of Surrounding Stand:	5-15cm present
Stand Age:	Some diversity in stand
Understory Clutter	Minimal clutter (open understory facilitates flight)
Land Cover:	Mostly unforested

ARU Photos

Figure 1: 55-NW3 deployment setup (Left) and microphone view (Right).

Figure 2: 55-NW3 view for North (Left) and East (Right)

Figure 3: 55-NW3 view for South (Left) and West (Right)



Figure 4: Microphone height and orientation in relation to understory clutter and canopy clutter at 55-NW3. The vertical angle of the microphone is indicated by the drawing at the top of the bar (a). Understory clutter (b) and canopy cover (c) were measured in each of the four 10x10m quadrants (Northeast, Southeast, Southwest and Northwest), surrounding the microphone using the following categories 0, 1-25,25-50,50-75,76-95, 95-100%. The site average for both was calculated using the mean of all four quadrants and is indicated by the red dashed lines. The compass direction of the microphone is indicated by the black arrow.



Figure 5: Number of successful monitoring minutes for the SM4BAT deployed at 55-NW3 from 7/19/2026 through 8/18/2026 calculated in 15min intervals.

BIODIVERSITY RESEARCH INSTITUTE innovative wildlife science	**Client:**	Wildlife Management Institute
	Client Contact:	Meghan Gilbart
	Project Name:	Maine NABAT
	Project Code:	MAMM-NG26-007
	Project Manager:	Joshua Guilbert

Project Information

Name of Permitted Biologist:	Josh Guilbert
Federal Permit Number:	TE63633A
Personnel*:	JMG
Habitat Assessment Dates:	7/19/2026
First Deployment Date:	7/19/2026
Target Recovery	
Final Recovery/Last Service:	8/18/2026
Servicing Dates:	7/31/2026
Survey Type	Summer - Acoustic
Site Type:	Inland
Landowner Information:	Seven Islands
Site:	55-SW1
Site Label:	55-SW1
County:	Piscataquis
State:	Maine
Site Coordinates:	46.321142, -68.967661

Detector Info:

Deployment Date:	7/19/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U28289
Microphone	
Make, Model & Serial #:	MU236246
Height:	3 m
Direction(degrees):	60
Vertical Orientation:	45
Distance to Water:	200 m
Distance to Clutter:	5 m
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Status Check: Settings†:	Yes
Status Check: Hardware ‡:	Yes
Survey Schedule	Continuous -30min Dusk to +30min Dawn

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;
† Timezone, date, time and recording window all correct.
‡ Microphone reading connected, SD cards formatted & ready

Servicing Events

Date	Staff*	Action	Notes
7/31/2026	BRF, JMG	SD cards swapped	Battery 5.7, 4 GB on Card A.

Recovery Date:	8/18/2026
ARU Make, Model & Serial #:	Wildlife Acoustics, SM4BatFS, S4U28289
Power Make, Model & Serial #:	Internal power, 4 x D Batteries
Microphone Make, Model & Serial#:	Wildlife Acoustics, U2, MU236346
Microphone Height:	3 m
Microphone Direction (degrees):	60
Microphone Vertical Orientation:	45
Survey Schedule	Continuous -30min Dusk to +30min Dawn
Notes	5.1 V, 6GB Card A

* BRF, Bri Frankina, ECG, Ethan Gilardi, JMG, Josh Guilbert; NAF, Nate Fuller, Client;

Habitat Assessment:

Assessment date:	7/19/2026
Habitat Assessment Area:	20m x 20m plot with Microphone at the center
Basic Overall Site Description:	Forest logging road
Targeted Feature for Deployment:	Forest Edge
Bat Roost Habitat:	Snags & damaged live trees
Water Resources:	No water resources present at site
Type of Nearest Water:	freshwater wetland
Tree Species Dominant	Spruce
Tree Species All Present	Spruce, Red Maple, White Pine, Quaking Aspen, White Birch, Balsam Fir, Yellow Birch, Striped Maple, Red Spruce
Understory Species Dominant	Spruce, Maple, Cedar
Understory Species All Present	Spruce, Maple, Cedar, Red Spruce
DBH of Surrounding Stand:	5-15cm present
Stand Age:	Some diversity in stand
Understory Clutter	Semi-cluttered (cluttered but gaps present)
Land Cover:	Mostly Forested

ARU Photos

Figure 1: 55-SW1 deployment setup (Left) and microphone view (Right).

Figure 2: 55-SW1 view for North (Left) and East (Right)

Figure 3: 55-SW1 view for South (Left) and West (Right)



Figure 4: Microphone height and orientation in relation to understory clutter and canopy clutter at 55-SW1. The vertical angle of the microphone is indicated by the drawing at the top of the bar (a). Understory clutter (b) and canopy cover (c) were measured in each of the four 10x10m quadrants (Northeast, Southeast, Southwest and Northwest), surrounding the microphone using the following categories 0, 1-25,25-50,50-75,76-95, 95-100%. The site average for both was calculated using the mean of all four quadrants and is indicated by the red dashed lines. The compass direction of the microphone is indicated by the black arrow.



Figure 5: Number of successful monitoring minutes for the SM4BAT deployed at 55-SW1 from 7/19/2026 through 8/18/2026 calculated in 15min intervals.