

Computer Science

Johan Häger

Your Title

Your Title

Johan Häger

This report is submitted in partial fulfillment of the requirements for the Bachelor's degree in Computer Science. All material in this report which is not my own work has been identified and no material is included for which a degree has previously been conferred.

Johan Häger

Approved, Date of defense

Advisor: Donald F. Ross

Examiner: NN

Abstract

Put the text of your abstract here

Contents

1	Intr	oducti	ion	1			
2	Bac	Background					
	2.1	2.1 What is Google Glass?					
		2.1.1	Head Mounted Display (HMD)	3			
		2.1.2	Heads-Up Display (HUD)	3			
		2.1.3	Virtual Reality	4			
		2.1.4	Augmented Reality	4			
	2.2	Simila	r Products	4			
	2.3	User I	nterface	5			
	2.4	Comp	ared to Smartphones	7			
	2.5	Limita	ations with Google Glass	8			
	2.6	Inform	nation and Ways of Presenting Information	8			
		2.6.1	Text	9			
		2.6.2	Images	9			
		2.6.3	Video	9			
		2.6.4	Audio	9			
	2.7	Summ	ary	10			
3	Des	•		11			
	3.1	Preser	nting Information on Google Glass	11			
	3.2	Summ	ary	11			
4	Imp	lemen	tation	12			
	4.1		nary	12			
5	Res	ult / F	Evaluation	13			

6	Conclusion	14
7	Future Work	15
8	Abbrevations	16
\mathbf{R}_{0}	eferences	17

List of Figures

2.1	Google Glass is a small head mounted display equipped with a touchpad, a	
	camera and a microphone.[4]	3
2.2	The virtual reality device "Oculus Rift" is a HMD that completely covers	
	the user's eyes.[11]	4
2.3	A visual representation of the Google Glass GUI as the GUI is perceived by	
	the user. In reality only one card can be displayed at a time.[4]	5
2.4	Cards can either display basic applications, such as a clock, or represent	
	more in-depth applications (immersions), such as an application that lets	
	the user look at a map of stars	6
3.1	Google provide developers with strict guidelines as to how they should use	
	the limited space that Google Glass can present information on.[9]	11

List of Tables

1 Introduction

o Project goal and motivation o Project summary and overview - the "red thread" o Project results (brief summary) o Dissertation Layout

2 Background

On April 4th, 2012, Google announced "Project Glass".[1] Google Glass, as the device is now known, was under development for several years at Google's research and development department, Google X. As part of the announcement Google stated: "We think technology should work for you—to be there when you need it and get out of your way when you dont.".[3] Serge Brin, one of the founders of Google, gave a Ted Talk in February 2013[5] where he talked about why Google decided to produce the device. His argument was that users stayed on their smartphones for too long. Brin also argued that when users were using their smartphones they were looking down on a screen and were not aware of their surroundings. Instead Google wanted to create a device that would give the user notifications that could quickly be dealt and done with.

Thad Starner, technical lead/manager on Google Glass, claimed that Google Glass is supposed to be an extension of the self.[12] He compared Google Glass to a watch. Not in terms of where the user keeps his or her focus (with a watch you must look down, similar to a smartphone), but rather in terms of how a watch is easy to access and that the access is instant. Starner said that with Google Glass, Google wanted to minimise the time between intention and action.

2.1 What is Google Glass?

Google Glass, or simply "Glass" as the device is known within Google, is a head mounted display (HMD) that can be seen as an augmented reality device¹ designed to bring notifications to the user more easily than a smartphone does. Google Glass can be seen in Figure 2.1. According to Google "Glass is designed to be there when the user needs it and to stay out of the way when the user does not".[10] Google Glass is meant to give the user

¹See section 2.1.4

relevant information at relevant times.



(a) The user can control Google Glass with the touchpad.



(b) The display sits slightly above the users line of sight, on the right hand side.

Figure 2.1: Google Glass is a small head mounted display equipped with a touchpad, a camera and a microphone.[4]

Google Glass is partially controlled with a touchpad, but can also be controlled with voice command. The touchpad sits on the right hand side of the user's glass frame and runs from the temple to the ear (see in Figure 2.1 (a)). When the user touches anywhere on the touchpad Google Glass "wakes up" from stand by and displays the start screen (which consists of a clock). The display is mounted above the user's line of sight, on the right hand side (see Figure 2.1 (b)). The display can be slightly adjusted so that the user can see everything that is currently being displayed.

2.1.1 Head Mounted Display (HMD)

[TODO add definition]

2.1.2 Heads-Up Display (HUD)

[TODO add definition]

2.1.3 Virtual Reality

A virtual reality is a simulated environment It replaces the actual reality with a computer generated (or otherwise simulated) reality.



Figure 2.2: The virtual reality device "Oculus Rift" is a HMD that completely covers the user's eyes.[11]

2.1.4 Augmented Reality

Augmented reality works on top of the actual reality and gives relevant information that enhanceces the reality. Augmented reality augments reality.

2.2 Similar Products

• Microsoft Hololens (Hologram)

- Recon Jet (HUD for sports)
- GlassUp (Sued by Google)
- Penny (Vsters)

2.3 User Interface

Google Glass' graphical user interface (GUI) is called a timeline (see Figure 2.3).[4] The timeline consists of a row of cards. Cards are basic applications such as a clock (see Figure 2.4 (a)) or information about the weather. Cards can also represent more in-depth applications, on Google Glass called "Immersions" (see Figure 2.4 (b) and (c)). Immersions handles activities such as browsing an image gallery or playing a game.




Figure 2.3: A visual representation of the Google Glass GUI as the GUI is perceived by the user. In reality only one card can be displayed at a time.[4]

The first screen the user sees when starting up Google Glass is the home screen. The home screen displays a clock and also shows the text "ok glass", as seen in Figure 2.4 (a). The home screen is a part of the timeline and acts as the center point. Cards to the left


of the home screen are upcoming activities such as an event in the user's calendar or an upcoming flight. Cards to the right of the home screen are from the past. Cards from the past will for instance show text messages or photos.







(b) The card "Explore stars" represents an immersion.



(c) The immersion "Explore stars" allows the user to look around at stars using the built-in head motion tracker.

Figure 2.4: Cards can either display basic applications, such as a clock, or represent more in-depth applications (immersions), such as an application that lets the user look at a map of stars.

In order to move left on the timeline (forward in time) the user must swipe a finger backwards on the touchpad. In order to move right on the timeline (backward in time) the user must swipe a finger forward on the touchpad. The fact that the user must swipe backwards when stepping forward in time might not seem especially intuitive. In western culture a timeline is normally represented as going from left to right. One example of

that are books. However, one might think of this action as swiping cards behind the back. Swiping forward when stepping backwards in time would then in turn mean bringing cards placed behind the back into focus. Cards in the past are behind the user while cards in the future are in front of the user.

When the user wants to turn off Google Glass the user swipes down on the touchpad. Swiping down on the touchpad will put Google Glass in stand by. If the user wants to turn off Google Glass entirely, in other words power down the device, there is a power button on the opposite side of the touchpad. Holding down the power button for a few seconds will turn off Google Glass. For a better visual understanding of how Google Glass works see Figure 2.3 as well as the video referenced in the caption.

2.4 Compared to Smartphones

Despite being two very different devices, the mobile phone and Glass, Google's design recommendations are not all that different for the two. Google ask developers who are designing for smartphones to think of simplicity and clarity. Google put much emphasis on making applications easy to use.

There are some differences however. For smartphones Google also recommend that developers keep track of what the users have done in the past. Google ask developers to remember the user's input history and customisation, all to make it easier for the user when they (hopefully) come back to the application.[8]

Google differ in how they want developers to design applications for smartphones and Google Glass respectively. Google are much more open to developers using their own ideas when designing for smartphones. Google encourage freedom and give more subtle hints of how to design. For instance Google want developers to make applications fun and easy to

use. They recommend consistency and a rewarding application.

Designing for Google Glass comes with a few more restrictions.

[TODO expand and elaborate with more examples]

2.5 Limitations with Google Glass

An early concern with Google Glass came from people who wore regular glasses every day as Google Glass seemed to require their own separate frames. Isabelle Olsson at Google responded on the issue on April 12th 2012 with the following: "We ideally want Project Glass to work for everyone, and we're experimenting with designs that are meant to be extendable to different types of frames.".[2]

Today many eyecare providers have been trained for Google Glass and Glass frames. These trained eyecare providers are however mostly located in the United States,[6] but Google points out that many eyecare providers should be able to help replace the lenses on Google Glass' frame[7].

[TODO add text about eye pain]

[TODO add text about how HMD might be too distracting if the user is not used to the device]

2.6 Information (and Ways of Presenting Information)

[TODO what is information]

Information can be displayed in a number of different ways.

2.6.1 Text

Text is one of the oldest forms of presenting information [***TODO REFERENCE***]. Text is also a simple presenting form to use that does not require much high end hardware. Other forms of presenting information require more memory, more computational power and more graphical power. Text also has the advatage that the user can read through text at their own speed. Text does not have any perception of time.

Text does however have the disadvantage of requiring attention. The person reading the text must keep the attention on the text throughout and can not look away in order to receive all the information being presented. Text is also bounded to the language the text has been written in. In order to globalise an information presentation several texts must be written so that users from different nation can read the text. [TODO look up biggest language (for instance how big is english?)]

2.6.2 Images

Photos and graphics

- + can show what to do can be seen at personal speed
- require attention

2.6.3 Video

- + can show in detal how to do
 - does not stop have a set speed require attention

2.6.4 Audio

- + eyes can be focused on something else
 - does not stop, have a set speed

2.7 Summary

- o Introduce problem area / give relevant background info
- o Introduction Explain WHY you are doing this study
- o Information Background / your study in the wider context
- o Similar work (projects, systems etc.)
- o Summary for this chapter

3 Design

3.1 Presenting Information on Google Glass




Figure 3.1: Google provide developers with strict guidelines as to how they should use the limited space that Google Glass can present information on.[9]

3.2 Summary

o Design - Present your project design in general o Information - Give details here (possibly several sub-sections)

4 Implementation

4.1 Summary

o Implementation - Present your project implemetion in general o Information - Give details here (possibly several sub-sections) o Summary - for this chapter

5 Result / Evaluation

o Introduction - Summarise your main results o Give details of the results o Best presentation? (text, tables, diagrams?) o Implementation Evaluation - your results against your expectations o Summary - for this chapter

6 Conclusion

o Conclusion o Project Evaluation o Problems - How would you do this the next time? o Future work

7 Future Work

8 Abbrevations

 ${\bf GUI}$ Graphical User Interface

HMD Head Mounted Display

HUD Heads-Up Display

References

- [1] Google (2012). Project Glass: One day... [Online video]. http://youtu.be/9c6W4CCU9M4 [2015-02-16].
- [2] Olsson, Isabelle (2012). Google Glass Frames. https://plus.google.com/ 110625673290805573805/posts/Nmc8LuwFw5M [2015-02-16].
- [3] Parviz, Babak. Lee, Steve. Thrun, Sebastian. (2012). Google Glass. https://plus.google.com/u/0/wm/4/+GoogleGlass/posts/aKymsANgWBD [2015-02-16].
- [4] Google (2013). Google Glass How-to: Getting Started [Online video]. http://youtu.be/4EvNxWhskf8 [2015-02-07].
- [5] Sergey Brin (2013). Why Google Glass? Long Beach, United States of America. http://www.ted.com/talks/sergey_brin_why_google_glass [2015-02-02].
- [6] Google (2014). Find a Preferred Provider. http://www.google.com/glass/help/frames/providers/[2015-02-02].
- [7] Google (2014). Frames. http://www.google.com/glass/help/frames/ [2015-02-02].
- [8] Google (2015). Android Design Principles. https://developer.android.com/design/get-started/principles.html [2015-02-16].
- [9] Google (2015). Card Regions. https://developers.google.com/glass/design/style [2015-02-16].
- [10] Google (2015). Principles. https://developers.google.com/glass/design/principles [2015-02-02].
- [11] Oculus (2015). Low Latency 360° Head Tracking. https://www.oculus.com/rift/[2015-02-09].
- [12] Thad Starner. Project glass: An extension of the self. *Pervasive Computing, IEEE*, 12(2):14–16, 2013.
- [13] Laramee, Robert S. Ware, Colin. Rivalry and interference with a head-mounted display. *ACM Trans. Comput.-Hum. Interact.*, 9(3):238–251, sep 2002.