

Práctica Guiada Docker

Objetivo

Aprender a usar comandos básicos de Docker: descargar imágenes, ejecutar contenedores, ver logs y limpiar recursos.

Parte 1: Descargar imágenes

Paso 1: Descargar Ubuntu

```
docker pull ubuntu
```

```
docker images
```

```
PS C:\Users\josem> docker pull ubuntu
Using default tag: latest
latest: Pulling from library/ubuntu
b40150c1c271: Pull complete
92842f25412d: Download complete
Digest: sha256:c4a8d5503dfb2a3eb8ab5f807da5bc69a85730fb49b5cfca2330194ebcc41c7b
Status: Downloaded newer image for ubuntu:latest
docker.io/library/ubuntu:latest

What's next:
  View a summary of image vulnerabilities and recommendations → docker scout quickview ubuntu
PS C:\Users\josem> docker images
```

IMAGE	ID	DISK USAGE	CONTENT SIZE	EXTRA
app:latest	3388af227ebe	176MB	43.9MB	
hello-world:latest	f9078146db2e	25.9kB	9.49kB	U
mysql:8.0	d0304ed9fdb6	1.1GB	249MB	
mysql:latest	c9e48b0c008f	1.3GB	290MB	U
nginx:latest	7f0adca1fc6c	240MB	65.8MB	U
node-app:latest	bfe9f97f6d5ed	1.59GB	398MB	U
node:latest	c69f4e0640e5	1.64GB	424MB	
ubuntu:latest	c4a8d5503dfb	119MB	31.7MB	

```
PS C:\Users\josem>
```

Paso 2: Descargar Postgres

```
docker pull postgres
```

```
docker images
```

```
PS C:\Users\josem> docker pull postgres:latest
latest: Pulling from library/postgres
3531af2bc2a9: Pull complete
85f6ddcd85b0: Pull complete
e57497b6cf23: Pull complete
6fadfe1078a3: Pull complete
2428a49310a9: Pull complete
4e2103318c3c: Pull complete
56b9e522a2ac: Pull complete
c3f159f3b349: Pull complete
c43308a19dbe: Pull complete
13f7f91984c8: Pull complete
b7036600a44b: Pull complete
ce10992ea794: Pull complete
e9cad8a9e695: Pull complete
6e695e05adc6: Download complete
631e25198ba2: Download complete
Digest: sha256:78481659c47e86233461ccdaf7c369c986b3046da9857112f3b309114a65fb4
Status: Downloaded newer image for postgres:latest
docker.io/library/postgres:latest

What's next:
  View a summary of image vulnerabilities and recommendations → docker scout quickview postgres:latest
PS C:\Users\josem> docker images
```

IMAGE	ID	DISK USAGE	CONTENT SIZE	EXTRA
app:latest	3388af227ebe	176MB	43.9MB	
hello-world:latest	f9078146db2e	25.9kB	9.49kB	U
mysql:8.0	d0304ed9fdb6	1.1GB	249MB	
mysql:latest	c9e48b0c008f	1.3GB	290MB	U
nginx:latest	7f0adca1fc6c	240MB	65.8MB	U
node-app:latest	bfe9f97f6d5ed	1.59GB	398MB	U
node:latest	c69f4e0640e5	1.64GB	424MB	
postgres:latest	78481659c47e	649MB	168MB	
ubuntu:latest	c4a8d5503dfb	119MB	31.7MB	

```
PS C:\Users\josem>
```

Parte 2: Ejecutar contenedores

Paso 3: Ejecutar Ubuntu en modo interactivo

```
docker run -it ubuntu
exit
```

```
PS C:\Users\josem> docker run -it ubuntu
root@13ddf268ec1f:/# exit
exit
PS C:\Users\josem>
```

Paso 4: Ejecutar en segundo plano

```
docker run -d postgres
```

```
docker ps
```

```
PS C:\Users\josem> docker run -d postgres
305177a8fdd071bbe7a13f6de7edd9640059bc7177f0f2ce52ce9e20fb2448e
PS C:\Users\josem> docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS   NAMES
PS C:\Users\josem> docker pl
docker: unknown command: docker pl

Run 'docker --help' for more information
PS C:\Users\josem> docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS   NAMES
PS C:\Users\josem> docker ps -a
CONTAINER ID   IMAGE     COMMAND   CREATED          STATUS          PORTS          NAMES
305177a8fdd0   postgres  "docker-entrypoint.s..."  About a minute ago  Exited (1) About a minute ago          confident_drisco
13ddf268ec1f   ubuntu   "/bin/bash"  2 minutes ago    Exited (0) 2 minutes ago          sharp_lalande
a6ca17d17446   mysql:latest  "docker-entrypoint.s..."  8 days ago       Exited (137) 8 days ago          sharp_panini
95232114a12b   mysql:latest  "docker-entrypoint.s..."  8 days ago       Created                                friendly_visvesv
araya         40f40cc71155  node-app    "docker-entrypoint.s..."  8 days ago       Created                                eager_heyrovsky
fac21bcfc672   nginx:latest  "/docker-entrypoint.s..."  2 weeks ago      Exited (0) 2 weeks ago          nervous_curran
d19df27d5462   nginx:latest  "/docker-entrypoint.s..."  2 weeks ago      Created                                thirsty_taussig
4e57b3858e80   hello-world  "/hello"     2 weeks ago      Exited (0) 2 weeks ago          compassionate_ne
umann         2cffbbb30f49  hello-world  "/hello"     2 weeks ago      Exited (0) 2 weeks ago          kind_mendel
PS C:\Users\josem>
```

Parte 3: Nombrar contenedores

Paso 5: Crear contenedor con nombre

```
docker run --name mi_contenedor ubuntu
```

```
docker ps
```

Paso 6: Filtrar contenedor

```
docker ps -f "name=mi_contenedor"
```

```
PS C:\Users\josem> docker run --name mi_contenedor_u -d ubuntu sleep infinity
ea6eaa0f1c7f1cb849f76af6415e4e3a186eee6e8b3ab29205a685dc47517dc8
PS C:\Users\josem> docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS   NAMES
ea6eaa0f1c7f   ubuntu   "sleep infinity"  7 seconds ago  Up 6 seconds          mi_contenedor_u
PS C:\Users\josem> docker ps -f "name=mi_contenedor_u"
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS   NAMES
ea6eaa0f1c7f   ubuntu   "sleep infinity"  59 seconds ago  Up 58 seconds          mi_contenedor_u
PS C:\Users\josem> docker run --name mi_postgres -e POSTGRES_PASSWORD=pass1234 -d postgres
0c0b1d45422d04161711c19adc61d8d3a9ee440fbad68fdc2baebb78fda82f4
PS C:\Users\josem> docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS          NAMES
0c0b1d45422d   postgres  "docker-entrypoint.s..."  7 seconds ago  Up 7 seconds          5432/tcp        mi_postgres
ea6eaa0f1c7f   ubuntu   "sleep infinity"  4 minutes ago  Up 4 minutes          mi_contenedor_u
PS C:\Users\josem> docker ps -f "name=mi_contenedor_u"
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS   NAMES
ea6eaa0f1c7f   ubuntu   "sleep infinity"  5 minutes ago  Up 5 minutes          mi_contenedor_u
PS C:\Users\josem>
```

Parte 4: Logs

Paso 7: Ver logs

docker logs <container-id>

```
PS C:\Users\josem> docker logs nl-postgres
The files belonging to this database system will be owned by user "postgres".
This user must also own the server process.

The database cluster will be initialized with locale "en_US.utf8".
The default database encoding has accordingly been set to "UTF8".
The default text search configuration will be set to "english".

Data page checksums are enabled.

fixing permissions on existing directory /var/lib/postgresql/18/docker ... ok
creating subdirectories ... ok
selecting dynamic shared memory implementation ... posix
selecting default "max_connections" ... 100
selecting default "shared_buffers" ... 128MB
selecting default time zone ... Etc/UTC
creating configuration files ... ok
running bootstrap script ... ok
performing post-bootstrap initialization ... ok
syncing data to disk ... ok

Success. You can now start the database server using:

    pg_ctl -D /var/lib/postgresql/18/docker -l logfile start

initdb: warning: enabling "trust" authentication for local connections
initdb: hint: You can change this by editing pg_hba.conf or using the option -A, or --auth-local and --auth-host, the next time you run initdb.
waiting for server to start...2026-05-04 16:49:48.372 UTC [54] LOG: starting PostgreSQL 18.3 (Debian 18.3-1.pgdg13+1) on x86_64-pc-linux-gnu, compiled by gcc (Debian 14.2.0-19) 14.2.0, 64-bit
2026-05-04 16:49:48.376 UTC [54] LOG: listening on Unix socket "/var/run/postgresql/.s.PGSQL.5432"
2026-05-04 16:49:48.397 UTC [60] LOG: database system was shut down at 2026-05-04 16:49:48 UTC
2026-05-04 16:49:48.404 UTC [54] LOG: database system is ready to accept connections
done
server started

/usr/local/bin/docker-entrypoint.sh: ignoring /docker-entrypoint-initdb.d/*

waiting for server to shut down...2026-05-04 16:49:48.613 UTC [54] LOG: received fast shutdown request
2026-05-04 16:49:48.617 UTC [54] LOG: aborting any active transactions
2026-05-04 16:49:48.621 UTC [54] LOG: background worker "logical replication launcher" (PID 63) exited with exit code 1
2026-05-04 16:49:48.621 UTC [58] LOG: shutting down
2026-05-04 16:49:48.626 UTC [58] LOG: checkpoint starting: shutdown immediate
2026-05-04 16:49:48.642 UTC [58] LOG: checkpoint complete: wrote 0 buffers (0.0%), wrote 3 SLRU buffers; 0 WAL file(s) added, 0 removed, 0 recycled; write=0.007 s, sync=0.003 s, total=0.021 s; sync files=2,
longest=0.002 s, average=0.002 s; distance=0 kB, estimate=0 kB; lsn=0/175F8E9, redo lsn=0/175F8E9
2026-05-04 16:49:48.658 UTC [54] LOG: database system is shut down
done
server stopped

PostgreSQL init process complete; ready for start up.

2026-05-04 16:49:48.773 UTC [1] LOG: starting PostgreSQL 18.3 (Debian 18.3-1.pgdg13+1) on x86_64-pc-linux-gnu, compiled by gcc (Debian 14.2.0-19) 14.2.0, 64-bit
2026-05-04 16:49:48.777 UTC [1] LOG: listening on IPv4 address "0.0.0.0", port 5432
2026-05-04 16:49:48.778 UTC [1] LOG: listening on IPv6 address "::", port 5432
2026-05-04 16:49:48.785 UTC [1] LOG: listening on Unix socket "/var/run/postgresql/.s.PGSQL.5432"
2026-05-04 16:49:48.799 UTC [70] LOG: database system was shut down at 2026-05-04 16:49:48 UTC
2026-05-04 16:49:48.805 UTC [1] LOG: database system is ready to accept connections
PS C:\Users\josem>
```

Paso 8: Logs en vivo

docker logs -f <container-id>

CTRL + C

```
PS C:\Users\josem> docker logs -f nl-postgres
The files belonging to this database system will be owned by user "postgres".
This user must also own the server process.

The database cluster will be initialized with locale "en_US.utf8".
The default database encoding has accordingly been set to "UTF8".
The default text search configuration will be set to "english".

Data page checksums are enabled.

fixing permissions on existing directory /var/lib/postgresql/18/docker ... ok
creating subdirectories ... ok
selecting dynamic shared memory implementation ... posix
selecting default "max_connections" ... 100
selecting default "shared_buffers" ... 128MB
selecting default time zone ... Etc/UTC
creating configuration files ... ok
running bootstrap script ... ok
performing post-bootstrap initialization ... ok
syncing data to disk ... ok

Success. You can now start the database server using:

    pg_ctl -D /var/lib/postgresql/18/docker -l logfile start

initdb: warning: enabling "trust" authentication for local connections
initdb: hint: You can change this by editing pg_hba.conf or using the option -A, or --auth-local and --auth-host, the next time you run initdb.
waiting for server to start...2026-05-04 16:49:48.372 UTC [54] LOG: starting PostgreSQL 18.3 (Debian 18.3-1.pgdg13+1) on x86_64-pc-linux-gnu, compiled by gcc (Debian 14.2.0-19) 14.2.0, 64-bit
2026-05-04 16:49:48.376 UTC [54] LOG: listening on Unix socket "/var/run/postgresql/.s.PGSQL.5432"
2026-05-04 16:49:48.397 UTC [60] LOG: database system was shut down at 2026-05-04 16:49:48 UTC
2026-05-04 16:49:48.404 UTC [54] LOG: database system is ready to accept connections
done
server started

/usr/local/bin/docker-entrypoint.sh: ignoring /docker-entrypoint-initdb.d/*

waiting for server to shut down...2026-05-04 16:49:48.613 UTC [54] LOG: received fast shutdown request
2026-05-04 16:49:48.617 UTC [54] LOG: aborting any active transactions
2026-05-04 16:49:48.621 UTC [54] LOG: background worker "logical replication launcher" (PID 63) exited with exit code 1
2026-05-04 16:49:48.621 UTC [58] LOG: shutting down
2026-05-04 16:49:48.626 UTC [58] LOG: checkpoint starting: shutdown immediate
2026-05-04 16:49:48.642 UTC [58] LOG: checkpoint complete: wrote 0 buffers (0.0%), wrote 3 SLRU buffers; 0 WAL file(s) added, 0 removed, 0 recycled; write=0.007 s, sync=0.003 s, total=0.021 s; sync files=2, longest=0.002 s, average=0.002 s; distance=0 kB, estimate=0 kB; lsn=0/175F8E9, redo lsn=0/175F8E9
2026-05-04 16:49:48.658 UTC [54] LOG: database system is shut down
done
server stopped

PostgreSQL init process complete; ready for start up.

2026-05-04 16:49:48.773 UTC [1] LOG: starting PostgreSQL 18.3 (Debian 18.3-1.pgdg13+1) on x86_64-pc-linux-gnu, compiled by gcc (Debian 14.2.0-19) 14.2.0, 64-bit
2026-05-04 16:49:48.777 UTC [1] LOG: listening on IPv4 address "0.0.0.0", port 5432
2026-05-04 16:49:48.778 UTC [1] LOG: listening on IPv6 address "::", port 5432
2026-05-04 16:49:48.785 UTC [1] LOG: listening on Unix socket "/var/run/postgresql/.s.PGSQL.5432"
2026-05-04 16:49:48.799 UTC [70] LOG: database system was shut down at 2026-05-04 16:49:48 UTC
2026-05-04 16:49:48.805 UTC [1] LOG: database system is ready to accept connections
2026-05-04 16:49:48.819 UTC [72] LOG: checkpoint starting: time
2026-05-04 16:49:48.950 UTC [72] LOG: checkpoint complete: wrote 42 buffers (0.3%), wrote 3 SLRU buffers; 0 WAL file(s) added, 0 removed, 0 recycled; write=0.577 s, sync=0.016 s, total=0.649 s; sync files=11, longest=0.007 s, average=0.002 s; distance=317 kB, estimate=317 kB; lsn=0/17AF000, redo lsn=0/17AF000
|
```


Parte 5: Detener y eliminar

Paso 9: Detener contenedor

```
docker stop <container-id>
```

```
docker ps
```

```
PS C:\Users\josem> docker ps
CONTAINER ID   IMAGE      COMMAND                  CREATED        STATUS        PORTS        NAMES
0c0b1d45422d   postgres  "docker-entrypoint.s..." 6 minutes ago  Up 6 minutes  5432/tcp     mi_postgres
ea6eaa0f1c7f   ubuntu    "sleep infinity"         11 minutes ago Up 11 minutes                mi_contenedor_u

PS C:\Users\josem> docker stop mi_contenedor_u
mi_contenedor_u
PS C:\Users\josem> docker ps
CONTAINER ID   IMAGE      COMMAND                  CREATED        STATUS        PORTS        NAMES
0c0b1d45422d   postgres  "docker-entrypoint.s..." 6 minutes ago  Up 6 minutes  5432/tcp     mi_postgres

PS C:\Users\josem> docker ps -a
CONTAINER ID   IMAGE      COMMAND                  CREATED        STATUS        PORTS        NAMES
0c0b1d45422d   postgres  "docker-entrypoint.s..." 6 minutes ago  Up 6 minutes  5432/tcp     mi_postgres
ea6eaa0f1c7f   ubuntu    "sleep infinity"         11 minutes ago Exited (137) 10 seconds ago  mi_contenedor_u
a1813156e3d8   ubuntu    "/bin/bash"              16 minutes ago Exited (0) 15 minutes ago  mi_contenedor
305177a8fdd0   postgres  "docker-entrypoint.s..." 18 minutes ago Exited (1) 18 minutes ago  confident_driscoll
13ddf268ec1f   ubuntu    "/bin/bash"              20 minutes ago Exited (0) 20 minutes ago  sharp_lalande
a6ca17d17446   mysql:latest "docker-entrypoint.s..." 8 days ago    Exited (137) 8 days ago    sharp_panini
95232114a12b   mysql:latest "docker-entrypoint.s..." 8 days ago    Created                                friendly_visvesvaraya
40f40cc71155   node-app    "docker-entrypoint.s..." 8 days ago    Created                                eager_heyrovsky
fac21bcfc672   nginx:latest "/docker-entrypoint.s..." 2 weeks ago   Exited (0) 2 weeks ago    nervous_curran
d19df27d5462   nginx:latest "/docker-entrypoint.s..." 2 weeks ago   Created                                thirsty_taussig
4e57b3858e80   hello-world "/hello"              2 weeks ago   Exited (0) 2 weeks ago    compassionate_neumann
2cffbbb30f49   hello-world "/hello"              2 weeks ago   Exited (0) 2 weeks ago    kind_mendel

PS C:\Users\josem>
```

Paso 10: Eliminar contenedor

```
docker container rm <container-id>
```

```
PS C:\Users\josem> docker rm mi_contenedor_u
mi_contenedor_u
PS C:\Users\josem> docker ps
CONTAINER ID   IMAGE      COMMAND                  CREATED        STATUS        PORTS        NAMES
0c0b1d45422d   postgres  "docker-entrypoint.s..." 8 minutes ago  Up 8 minutes  5432/tcp     mi_postgres

PS C:\Users\josem> docker ps -a
CONTAINER ID   IMAGE      COMMAND                  CREATED        STATUS        PORTS        NAMES
0c0b1d45422d   postgres  "docker-entrypoint.s..." 9 minutes ago  Up 9 minutes  5432/tcp     mi_postgres
a1813156e3d8   ubuntu    "/bin/bash"              18 minutes ago Exited (0) 18 minutes ago  mi_contenedor
305177a8fdd0   postgres  "docker-entrypoint.s..." 21 minutes ago Exited (1) 21 minutes ago  confident_driscoll
13ddf268ec1f   ubuntu    "/bin/bash"              22 minutes ago Exited (0) 22 minutes ago  sharp_lalande
a6ca17d17446   mysql:latest "docker-entrypoint.s..." 8 days ago    Exited (137) 8 days ago    sharp_panini
95232114a12b   mysql:latest "docker-entrypoint.s..." 8 days ago    Created                                friendly_visvesvaraya
40f40cc71155   node-app    "docker-entrypoint.s..." 8 days ago    Created                                eager_heyrovsky
fac21bcfc672   nginx:latest "/docker-entrypoint.s..." 2 weeks ago   Exited (0) 2 weeks ago    nervous_curran
d19df27d5462   nginx:latest "/docker-entrypoint.s..." 2 weeks ago   Created                                thirsty_taussig
4e57b3858e80   hello-world "/hello"              2 weeks ago   Exited (0) 2 weeks ago    compassionate_neumann
2cffbbb30f49   hello-world "/hello"              2 weeks ago   Exited (0) 2 weeks ago    kind_mendel

PS C:\Users\josem>
```

Paso 11: Limpiar contenedores

```
docker container prune
```

```
PS C:\Users\josem> docker container prune
WARNING! This will remove all stopped containers.
Are you sure you want to continue? [y/N] y
Deleted Containers:
a1813156e3d82c44095b57182085f7db49e1aace6390ec248ba2550d7a5f24173
305177a8fdd0071bbe7a13f6de7edd9640059bc7177f0f2ce52ce9e20fb2448e
13ddf268ec1ff6b7489c086acfd510739ab2cddbace537b6292076b1a8f5b0fee
a6ca17d174469c86055de38539e7e1a14c3d8445919ba0b58f096f88acaf9c75
95232114a12bb172e52ae01576b2195f3ac59c1f726a7c15ba2e7ee2eacae965
40f40cc71155553a38dfb55a8cce9777a8f2884b2c59874c159e5311da8d2a79
fac21bcfc67290b658cce293c1e58d98c907571a32247d5a6ca9a27a7334947e
d19df27d5462ea9983e6068a7ccaa5f7d00fb629a6b01093af912d143844bcf
4e57b3858e80cc1f20748122a7c6f9de1cfa86ba6fea37b79bc15e7ab4206671
2cffbbb30f496d459aa5640f41a361155fca203025852c08c76aaf6ba0c290bb

Total reclaimed space: 155.6kB
PS C:\Users\josem> docker ps
CONTAINER ID   IMAGE      COMMAND                  CREATED        STATUS        PORTS        NAMES
0c0b1d45422d   postgres  "docker-entrypoint.s..." 11 minutes ago  Up 11 minutes  5432/tcp     mi_postgres

PS C:\Users\josem> docker ps -a
CONTAINER ID   IMAGE      COMMAND                  CREATED        STATUS        PORTS        NAMES
0c0b1d45422d   postgres  "docker-entrypoint.s..." 11 minutes ago  Up 11 minutes  5432/tcp     mi_postgres

PS C:\Users\josem>
```

Parte 6: Imágenes

Paso 12: Listar imágenes

`docker images`

```
PS C:\Users\josem> docker images
```

IMAGE	ID	DISK USAGE	CONTENT SIZE	EXTRA
app:latest	3388af227ebe	176MB	43.9MB	
hello-world:latest	f9078146db2e	25.9kB	9.49kB	
mysql:8.0	d0304ed9fdb6	1.1GB	249MB	
mysql:latest	c9e48b0c008f	1.3GB	290MB	
nginx:latest	7f0adca1fc6c	240MB	65.8MB	
node-app:latest	bfef97f6d5ed	1.59GB	398MB	
node:latest	c69f4e0640e5	1.64GB	424MB	
postgres:latest	78481659c47e	649MB	168MB	U
ubuntu:latest	c4a8d5503dfb	119MB	31.7MB	

```
PS C:\Users\josem>
```

Paso 13: Eliminar imagen

`docker image rm Ubuntu`

```
PS C:\Users\josem> docker image rm ubuntu
```

```
Untagged: ubuntu:latest
```

```
Deleted: sha256:c4a8d5503dfb2a3eb8ab5f807da5bc69a85730fb49b5cfca2330194ebcc41c7b
```

```
PS C:\Users\josem> docker images
```

IMAGE	ID	DISK USAGE	CONTENT SIZE	EXTRA
app:latest	3388af227ebe	176MB	43.9MB	
hello-world:latest	f9078146db2e	25.9kB	9.49kB	
mysql:8.0	d0304ed9fdb6	1.1GB	249MB	
mysql:latest	c9e48b0c008f	1.3GB	290MB	
nginx:latest	7f0adca1fc6c	240MB	65.8MB	
node-app:latest	bfef97f6d5ed	1.59GB	398MB	
node:latest	c69f4e0640e5	1.64GB	424MB	
postgres:latest	78481659c47e	649MB	168MB	U

```
PS C:\Users\josem>
```

Reto Final

1. Descargar una imagen 2. Ejecutar contenedor en segundo plano 3. Nombrarlo 4. Verificar 5. Detener 6. Eliminar

```
PS C:\Users\josem> docker pull nginx:latest
```

```
latest: Pulling from library/nginx
```

```
85c66128325a: Pull complete
```

```
677c63196868: Pull complete
```

```
ce776bbcdad: Pull complete
```

```
801a1ad15b4e: Pull complete
```

```
4677c2a9a3d4: Pull complete
```

```
ff048f1f2159: Pull complete
```

```
54c38c75806e: Download complete
```

```
69989ccd189b: Download complete
```

```
Digest: sha256:6e23479198b998e5e25921dff8455837c7636a67111a04a635cf1bb363d199dc
```

```
Status: Downloaded newer image for nginx:latest
```

```
docker.io/library/nginx:latest
```

```
What's next:
```

```
View a summary of image vulnerabilities and recommendations → docker scout quickview nginx:latest
```

```
PS C:\Users\josem>
```

```
PS C:\Users\josem> docker run --name contenedor-reto -d nginx
9e6bcb20a8176f4127bb8c06a6dbbc8a9041c442229bf59c1dd892a3b5948922
PS C:\Users\josem> docker ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
9e6bcb20a817	nginx	"/docker-entrypoint.s..."	3 seconds ago	Up 3 seconds	80/tcp	contenedor-reto
0c0b1d45422d	postgres	"docker-entrypoint.s..."	16 minutes ago	Up 16 minutes	5432/tcp	mi_postgres

```
PS C:\Users\josem>
```

```
PS C:\Users\josem> docker stop contenedor-reto
contenedor-reto
PS C:\Users\josem> docker rm contenedor-reto
contenedor-reto
PS C:\Users\josem> docker ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
0c0b1d45422d	postgres	"docker-entrypoint.s..."	18 minutes ago	Up 18 minutes	5432/tcp	mi_postgres

```
PS C:\Users\josem> docker ps -a
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
0c0b1d45422d	postgres	"docker-entrypoint.s..."	18 minutes ago	Up 18 minutes	5432/tcp	mi_postgres

```
PS C:\Users\josem>
```