

GRAVEATLAS

Phase 11 — Global Platform, Institutional Integration & Preservation Network

GRAVEATLAS – PHASE 11
GLOBAL PLATFORM, INSTITUTIONAL INTEGRATION & PRESERVATION NETWORK

PHASE 1 THROUGH PHASE 10 MUST ALREADY BE COMPLETE.

Continue from the existing GraveAtlas project.

CORE RULES

- Do NOT rebuild Phases 1-10.
- Do NOT start Phase 12.
- Reuse existing architecture, security, provenance, moderation, audit, APIs, datasets and release systems.
- No paid services or external integrations without explicit approval.
- Prefer existing/free infrastructure.
- Never expose secrets, credentials, tokens or private data.
- Never fabricate historical facts, institutions, records, users, analytics, coverage, performance or test results.
- Preserve source attribution and provenance.
- Do not silently alter authoritative historical records.
- Do not perform destructive or mass operations without authorization.
- Complete Phase 11 only, then stop.

=====

PART 1 – PHASE 10 BASELINE

=====

Read the actual Phase 10 implementation and final report.

Identify:

- completed capabilities
- remaining blockers
- actual limitations
- real scalability needs
- security/privacy constraints
- API status
- AI status
- institutional-readiness gaps

Use evidence only.

=====

PART 2 – INSTITUTIONAL PARTNERSHIP MODEL

=====

Design support for legitimate organizations such as:

- cemeteries
- archives
- libraries
- historical societies
- universities
- genealogy organizations

Do not claim institutional partnerships exist unless actually established.

=====

PART 3 – ORGANIZATION ACCOUNTS

=====

Where justified, support organization accounts with:

- organization identity
- verified administrators
- roles
- permissions
- audit history

Do not treat an unverified organization as verified.

=====

PART 4 – INSTITUTIONAL DATA WORKFLOW

=====

Support controlled institutional data processes:

IMPORT

- VALIDATION
- SOURCE/PROVENANCE CHECK
- DUPLICATE CHECK
- REVIEW
- APPROVAL
- PUBLICATION

Never automatically overwrite authoritative records.

=====

PART 5 – DATA STEWARDSHIP

=====

Define responsibility for:

- dataset ownership
- source attribution
- corrections
- verification
- maintenance
- publication
- archival status

Preserve contributor and source history.

=====

PART 6 – INSTITUTIONAL VERIFICATION

=====

If verification is implemented, distinguish:

- VERIFIED
- UNVERIFIED
- PENDING
- EXPIRED

Verification must be evidence-based and auditable.

=====

PART 7 – GLOBAL REGIONAL NETWORK

=====

Prepare for:

- country datasets
- regional datasets
- regional moderators
- local administrators
- multilingual workflows
- regional cemetery structures

Do not assume one country's legal, cultural or cemetery model applies globally.

=====

PART 8 – REGIONAL MODERATION

=====

Where justified, allow regional moderation while preserving:

- central security controls
- permissions
- audit logging
- provenance
- escalation paths

No moderator should receive unnecessary access to private information.

=====

PART 9 – DIGITAL PRESERVATION NETWORK

=====

Strengthen long-term preservation of:

- datasets
- source references
- provenance
- snapshots
- schemas
- release history
- migration information

Preserved versions must remain traceable.

=====

PART 10 – ARCHIVAL SNAPSHOTS

=====

Support versioned snapshots where justified.

Each snapshot should identify:

- dataset version
- schema version
- creation date
- source/provenance state
- validation state
- release status

Never fabricate archival snapshots.

PART 11 – DISASTER RECOVERY

Review:

- backup strategy
- recovery procedures
- dataset restoration
- application restoration
- API recovery
- configuration recovery
- GitHub recovery

Test recovery safely where possible.

Never claim recovery capability without testing or documented evidence.

PART 12 – RESEARCH COLLABORATION

Where justified support:

- shared research projects
- institutional collections
- expert review
- collaborative corrections
- citation management

Protect private research information.

PART 13 – ADVANCED PROVENANCE

Improve evidence relationships between:

- record
- source
- contributor
- institution
- correction
- verification
- publication

Every authoritative claim should remain traceable to evidence.

PART 14 – SOURCE CHAINS

Where practical represent:

SOURCE
→ TRANSCRIPTION
→ INTERPRETATION
→ REVIEW
→ PUBLICATION

Clearly distinguish source facts from interpretations.

PART 15 – INSTITUTIONAL ATTESTATION

If institutional attestations are introduced:

- identify the institution
- identify the authorized reviewer
- record timestamp/version
- preserve audit history
- distinguish attestation from absolute historical truth

PART 16 – PROFESSIONAL API ECOSYSTEM

If justified by evidence, support institutional API access.

Consider:

- authentication
- authorization
- scoped permissions
- rate limits
- API versioning
- documentation
- monitoring
- abuse prevention
- privacy
- licensing

Do not expose restricted data.

=====
PART 17 – DATA LICENSING
=====

Document:

- public data rights
- institutional data rights
- source restrictions
- attribution requirements
- contributor rights
- third-party restrictions
- API usage terms

Never assume an external dataset is freely redistributable.

=====
PART 18 – ADVANCED PRIVACY
=====

Review privacy for:

- organization accounts
- institutional users
- collaboration
- private research
- API access
- exports
- sensitive records

Apply data minimization and least privilege.

=====
PART 19 – ACCESS CONTROL
=====

Review roles such as:

- platform administrator
- organization administrator
- institutional reviewer
- regional moderator
- contributor
- researcher
- public user

Grant only required permissions.

=====
PART 20 – AUDIT & ACCOUNTABILITY
=====

Important institutional actions must be auditable.

Track where appropriate:

- who
- what
- when
- previous state
- new state
- authorization context

Never expose sensitive audit information publicly.

=====
PART 21 – LARGE-SCALE RELIABILITY
=====

Evaluate:

- regional scaling
- dataset partitioning
- API load
- search scaling
- map scaling
- storage growth
- backup growth
- recovery time

Use non-production testing where possible.

Do not perform uncontrolled production stress testing.

=====
PART 22 – MIGRATION & PORTABILITY
=====

Ensure GraveAtlas can migrate:

- datasets
- schemas
- provenance
- configuration
- documentation

Avoid unnecessary vendor lock-in.

=====
PART 23 – LONG-TERM ARCHIVE PORTABILITY
=====

Create an archival strategy that future maintainers can understand.

Document:

- formats
- schemas
- identifiers
- provenance
- dependencies
- migration procedures

=====
PART 24 – GOVERNANCE
=====

Define rules for:

- institutional verification
- organization access
- dataset stewardship
- corrections
- disputes
- provenance
- public/private information
- API access
- licensing

=====
PART 25 – DISPUTE RESOLUTION
=====

Create a traceable process for legitimate disputes over:

- record accuracy
- cemetery information
- source interpretation
- institutional claims
- corrections

Do not silently erase disputed historical information.

=====
PART 26 – SUSTAINABILITY
=====

Evaluate long-term operational sustainability.

Consider:

- maintenance
- preservation
- institutional cooperation
- funding options
- infrastructure independence

Do not implement monetization automatically.

=====
PART 27 – DOCUMENTATION
=====

Create/update as applicable:

docs/INSTITUTIONAL-PARTNERSHIPS.md
docs/ORGANIZATION-ACCOUNTS.md
docs/INSTITUTIONAL-DATA-WORKFLOW.md
docs/DATA-STEWARDSHIP.md
docs/GLOBAL-NETWORK.md
docs/DIGITAL-PRESERVATION.md
docs/DISASTER-RECOVERY.md
docs/RESEARCH-COLLABORATION.md
docs/ADVANCED-PROVENANCE.md
docs/INSTITUTIONAL-API.md
docs/DATA-LICENSING.md
docs/PRIVACY.md
docs/ACCESS-CONTROL.md
docs/AUDIT.md
docs/MIGRATION-PORTABILITY.md

docs/GOVERNANCE.md
docs/DISPUTE-RESOLUTION.md
docs/PHASE-11-ROADMAP.md

Document actual implementation only.

=====

PHASE 11 ACCEPTANCE GATE

=====

- [] Phase 10 baseline reviewed
- [] Institutional partnership model
- [] Organization accounts
- [] Institutional data workflow
- [] Data stewardship
- [] Institutional verification
- [] Global/regional network
- [] Regional moderation
- [] Digital preservation
- [] Archival snapshots
- [] Disaster recovery
- [] Research collaboration
- [] Advanced provenance
- [] Source chains
- [] Institutional attestation
- [] Professional API evaluation
- [] Data licensing
- [] Privacy
- [] Access control
- [] Audit/accountability
- [] Large-scale reliability
- [] Migration/portability
- [] Long-term archive portability
- [] Governance
- [] Dispute resolution
- [] Sustainability
- [] Documentation

=====

FINAL REPORT

=====

PHASE 11 STATUS: READY / NOT READY

For every implemented capability report:

- what was built
- evidence
- tests performed
- limitations
- security considerations
- privacy considerations
- provenance considerations
- operational impact

Use actual metrics only.

=====

BLOCKERS

=====

List every issue preventing Phase 11 from being READY.

For each:

- severity
- component
- issue
- evidence
- impact
- remediation
- status

Never include secrets.

=====

ROADMAP

=====

NOW:
[items]

NEXT:
[items]

LATER:
[items]

DO NOT BUILD YET:

[items]

=====
STOP CONDITION
=====

Do NOT start Phase 12.

Do NOT add paid services without explicit approval.

Do NOT expose secrets.

Do NOT fabricate institutional partnerships.

Do NOT fabricate historical information.

Do NOT silently modify authoritative data.

Do NOT perform destructive bulk operations.

Do NOT perform uncontrolled production load testing.

Do NOT expose private institutional or research information.

STOP after the Phase 11 final report.

WAIT FOR EXPLICIT INSTRUCTIONS FOR PHASE 12.