

GRAVEATLAS

Phase 8 — Production Release, Store Readiness, Documentation & Launch Governance

Full copy-paste implementation prompt for the Base44 agent.

COPY-PASTE MASTER PROMPT

GRAVEATLAS — PHASE 8

PRODUCTION RELEASE, STORE READINESS, DOCUMENTATION & LAUNCH GOVERNANCE

PHASE 1 THROUGH PHASE 7 MUST ALREADY BE COMPLETE.

Continue from the existing GraveAtlas implementation.

IMPORTANT:

- Do NOT rebuild Phases 1-7.
- Reuse the existing Android app, backend/API, Cloudflare infrastructure, GitHub App, public data repository, schemas, search,
- Do NOT start Phase 9.
- Do NOT add paid services without explicit approval.
- Do NOT expose secrets, private keys, tokens or private user data.
- Do NOT fabricate test results, store approval, crash rates, backups, uptime or compliance status.
- Do NOT perform irreversible production actions without explicit approval.
- Do NOT publish the app or submit it to an app store automatically unless explicitly authorized.
- Do NOT delete legitimate cemetery or historical data.
- Complete only Phase 8, then stop.

=====

PART 1 — RELEASE SCOPE

=====

Establish the exact Phase 8 release scope.

Identify:

- Android application version
- backend/API release
- public dataset version
- schema version
- GitHub repository state
- release branch/tag if used

Do not invent version numbers.

=====

PART 2 — RELEASE CANDIDATE

=====

Create or verify a release-candidate workflow.

The release candidate must use:

- production-like configuration
- validated data
- release build settings
- approved dependencies
- Phase 6 security controls
- Phase 7 operational controls

Do not use development credentials.

=====

PART 3 — VERSIONING

=====

Review versioning across:

- Android versionName
- Android versionCode
- backend version
- dataset version
- schema version

Keep these concepts separate.

Document actual conventions.

=====

PART 4 – RELEASE CONFIGURATION

Verify:

- production API endpoint
- environment configuration
- feature flags
- logging level
- debug mode
- analytics configuration if applicable
- map configuration
- authentication configuration

Ensure debug settings are disabled for release builds.

PART 5 – SECRETS & SIGNING

Verify release secrets are protected.

Review:

- Android signing key
- GitHub credentials
- backend secrets
- API keys
- Cloudflare secrets

Never place secret values in source code or the APK.

Do NOT print secret values in the final report.

PART 6 – ANDROID RELEASE BUILD

Create/verify the production Android build.

Check:

- release variant
- application ID
- versioning
- signing
- min/target SDK
- supported architectures
- permissions
- manifest
- resources

Do not claim the APK/AAB is release-ready until it has actually built successfully.

PART 7 – APK/AAB VERIFICATION

Inspect the release artifact.

Verify:

- correct package/application ID
- release signing
- no debug configuration
- no test endpoints
- no embedded secrets
- correct version
- expected permissions
- reasonable artifact size

Record actual results.

PART 8 – INSTALLATION TEST

Test the release artifact on a supported Android environment where available.

Verify:

- installation
- first launch

- startup
- permissions
- authentication
- search
- cemetery browsing
- record browsing
- map
- contribution workflow
- offline behavior

Do not fabricate device test results.

=====

PART 9 – UPGRADE TEST

=====

If an earlier install exists:

test upgrade from the previous supported version.

Verify:

- user data preservation
- local bookmarks/history where applicable
- authentication state behavior
- database/local storage migration
- app startup

Do not claim upgrade compatibility without testing.

=====

PART 10 – CLEAN INSTALL TEST

=====

Verify clean installation behavior.

Test:

- fresh install
- first launch
- onboarding if applicable
- permissions
- public browsing
- login
- contribution

=====

PART 11 – BACKWARD COMPATIBILITY

=====

Review compatibility with:

- existing public API
- existing public dataset
- existing users
- previous app version where supported

Do not break old clients without an explicit migration strategy.

=====

PART 12 – STORE METADATA

=====

Prepare store metadata where applicable:

- app name
- short description
- full description
- category
- contact/support information
- privacy policy reference
- screenshots
- icon
- feature graphic where required
- content declarations

Do not claim any store field has been accepted by a platform unless actually submitted and accepted.

=====

PART 13 – APP ICON & BRANDING

=====

Verify production branding.

Check:

- launcher icon
- adaptive icon
- splash screen
- application name
- branding consistency

Do not introduce placeholder assets into the release.

=====

PART 14 – SCREENSHOTS

=====

Prepare accurate screenshots from the actual release candidate.

Screenshots must represent real functionality.

Do not create misleading screenshots showing features that do not exist.

=====

PART 15 – PRIVACY POLICY

=====

Verify the privacy policy accurately describes:

- account data
- contribution data
- location use
- analytics if any
- logs where relevant
- data retention
- public historical information
- correction mechanisms
- contact method

Do not make unsupported privacy claims.

=====

PART 16 – TERMS / COMMUNITY RULES

=====

Where appropriate, prepare:

- terms of use
- contribution rules
- correction policy
- community standards
- prohibited content rules

Keep them consistent with actual moderation behavior.

=====

PART 17 – CONTENT POLICY

=====

Define rules for public contributions.

Address:

- false information
- harassment
- inappropriate content
- privacy violations
- impersonation
- spam
- malicious uploads
- unsupported historical claims

Do not automatically remove legitimate historical information without an appropriate process.

=====

PART 18 – DATA GOVERNANCE

=====

Document how GraveAtlas handles:

- source attribution
- corrections
- provenance
- moderation
- publication
- dataset versions

- audit history

Make the public data lifecycle understandable.

=====

PART 19 – USER SUPPORT

=====

Create a practical support path.

Users should be able to report:

- incorrect record
- incorrect cemetery information
- broken map location
- app problem
- inappropriate contribution
- privacy concern

Do not expose internal moderation information.

=====

PART 20 – REPORTING WORKFLOW

=====

Verify report/correction submissions enter the Phase 3 moderation workflow.

Do not create a second disconnected reporting system.

=====

PART 21 – RELEASE TEST MATRIX

=====

Create a release test matrix covering:

FUNCTIONAL
SECURITY
PERFORMANCE
ACCESSIBILITY
PRIVACY
DATA QUALITY
NETWORK
OFFLINE
AUTHENTICATION
CONTRIBUTIONS
MODERATION
PUBLICATION
MAP
SEARCH
UPGRADE

Record actual pass/fail results.

=====

PART 22 – REGRESSION TESTING

=====

Run regression tests for all major features from Phases 1-7.

At minimum:

- public data
- search
- map
- record detail
- authentication
- contributions
- moderation
- corrections
- GitHub publication
- caching
- offline
- security boundaries
- health checks
- CI/CD

Do not skip a previous phase merely because Phase 8 focuses on release.

=====

PART 23 – PERFORMANCE CHECK

=====

Review release performance.

Measure actual results where tooling exists:

- startup
- search
- map
- API latency
- memory
- network use

Do not invent benchmarks.

=====

PART 24 – ACCESSIBILITY CHECK

=====

Verify release accessibility.

Check:

- text scaling
- contrast
- content descriptions
- touch targets
- screen-reader behavior
- navigation
- error messaging

Record actual results.

=====

PART 25 – SECURITY RELEASE GATE

=====

Re-run the critical security checks from Phase 6.

At minimum:

- secret scan
- authorization
- IDOR
- input validation
- API exposure
- debug configuration
- release signing
- dependency risks

Any unresolved CRITICAL security issue blocks release.

=====

PART 26 – DATA RELEASE GATE

=====

Before public data release verify:

- schema
- provenance
- duplicate protection
- unexpected mass changes
- source integrity
- validation
- publication status

Do not publish unapproved data.

=====

PART 27 – PRODUCTION DEPLOYMENT GATE

=====

Before backend deployment verify:

- release candidate tested
- migrations reviewed
- secrets verified
- backup available where applicable
- rollback available
- monitoring active
- health checks active

Do not deploy if a critical release gate fails.

=====

PART 28 – ROLLBACK READINESS

=====

Verify actual rollback procedures for:

- backend
- Android release where applicable
- public data publication
- configuration

Do not claim rollback is tested unless actually tested.

=====
PART 29 – RELEASE NOTES
=====

Create release notes containing:

- new features
- improvements
- bug fixes
- data changes where appropriate
- known limitations

Do not expose internal security details or private user information.

=====
PART 30 – CHANGELOG
=====

Update project changelog.

Keep it consistent with:

- Git history
- release version
- dataset version
- actual changes

Do not fabricate changes.

=====
PART 31 – DOCUMENTATION FREEZE
=====

Before release, ensure documentation matches the actual product.

Review:

- README
- API docs
- contribution docs
- moderation docs
- security docs
- privacy docs
- operations docs
- release docs

Remove obsolete instructions.

=====
PART 32 – LAUNCH CHECKLIST
=====

Create a final launch checklist:

- [] Code frozen
- [] Tests complete
- [] Security gate passed
- [] Data gate passed
- [] Release build passed
- [] Signing verified
- [] Secrets verified
- [] Privacy documentation ready
- [] Store metadata ready
- [] Screenshots ready
- [] Support path ready
- [] Monitoring ready
- [] Backup/recovery ready
- [] Rollback ready
- [] Release notes ready
- [] Documentation updated

=====
PART 33 – GO / NO-GO DECISION
=====

Produce a formal:

GO
or
NO-GO

decision.

GO is allowed only when all blocking release gates pass.

If NO-GO:

list the blockers and do not perform the release.

=====
PART 34 – RELEASE EXECUTION
=====

Only if explicitly authorized by the user AND GO criteria are satisfied:

prepare the exact release steps.

Do not automatically submit to Google Play or another store.

Do not perform irreversible publication without explicit approval.

=====
PART 35 – POST-RELEASE MONITORING PLAN
=====

Prepare a monitoring plan for after release.

Track:

- crashes
- API errors
- authentication failures
- search failures
- map failures
- contribution failures
- publication failures
- unusual traffic

Use existing/free infrastructure where possible.

=====
PART 36 – DOCUMENTATION
=====

Create/update:

docs/RELEASE-CHECKLIST.md
docs/RELEASE-PROCESS.md
docs/STORE-READINESS.md
docs/PRIVACY-POLICY-REVIEW.md
docs/COMMUNITY-RULES.md
docs/SUPPORT.md
docs/RELEASE-NOTES.md
docs/POST-RELEASE-MONITORING.md

Document actual implementation only.

=====
PHASE 8 ACCEPTANCE GATE
=====

Verify:

- [] Release scope
- [] Release candidate
- [] Versioning
- [] Release configuration
- [] Secrets/signing
- [] Android release build
- [] APK/AAB verification
- [] Installation test
- [] Upgrade test
- [] Clean install test
- [] Backward compatibility
- [] Store metadata
- [] Branding
- [] Screenshots
- [] Privacy policy

[] Terms/community rules
[] Content policy
[] Data governance
[] User support
[] Reporting workflow
[] Release test matrix
[] Regression testing
[] Performance
[] Accessibility
[] Security release gate
[] Data release gate
[] Production deployment gate
[] Rollback readiness
[] Release notes
[] Changelog
[] Documentation freeze
[] Launch checklist
[] GO/NO-GO decision
[] Post-release monitoring
[] Documentation

=====

FINAL REPORT

=====

Return:

PHASE 8 STATUS:
READY / NOT READY

RELEASE CANDIDATE:
PASS / FAIL

ANDROID BUILD:
PASS / FAIL

ARTIFACT VERIFICATION:
PASS / FAIL

INSTALLATION:
PASS / FAIL / NOT TESTED

UPGRADE:
PASS / FAIL / NOT TESTED

FUNCTIONAL REGRESSION:
PASS / FAIL

SECURITY GATE:
PASS / FAIL

DATA GATE:
PASS / FAIL

PRIVACY:
PASS / FAIL

ACCESSIBILITY:
PASS / FAIL

PERFORMANCE:
PASS / FAIL

STORE READINESS:
PASS / FAIL

DOCUMENTATION:
PASS / FAIL

ROLLBACK:
PASS / FAIL / NOT TESTED

MONITORING:
PASS / FAIL

GO / NO-GO:
GO / NO-GO

=====

ACTUAL TEST RESULTS

=====

Report actual results only.

Build:
[actual result]

APK/AAB verification:
[actual result]

Installation:
[actual result]

Upgrade:
[actual result]

Functional regression:
[actual result]

Security:
[actual result]

Data validation:
[actual result]

Privacy:
[actual result]

Accessibility:
[actual result]

Performance:
[actual result]

Rollback:
[actual result]

Do NOT invent results.

=====
BLOCKERS
=====

List every issue preventing:

PHASE 8 = READY

For each:
- severity
- component
- problem
- impact
- remediation
- status

=====
NON-BLOCKING ISSUES
=====

List remaining improvements.

=====
RELEASE DECISION
=====

If any blocking issue exists:

NO-GO

If all blocking gates pass:

GO

Do not submit or publish to an app store automatically.

=====
STOP CONDITION
=====

Do NOT start Phase 9.

Do NOT submit the app to Google Play or another store without explicit authorization.

Do NOT perform irreversible production release actions without explicit approval.

Do NOT add paid services without explicit approval.

Do NOT expose secrets.

Do NOT fabricate test results.

Do NOT delete legitimate cemetery or historical data.

STOP after the final Phase 8 report.

WAIT FOR EXPLICIT INSTRUCTIONS FOR PHASE 9.