Started on	Tuesday, 25 August 2026, 10:54 PM
State	Finished
Completed on	Tuesday, 25 August 2026, 10:57 PM
Time taken	2 mins 58 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using the counter method.

```
void function (int n)
{
    int i= 1;
```

```
    int s =1;
```

```
    while(s <= n)
    {
         i++;
         s += i;
     }
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

For example:

Input	Result
9	12

Answer: (penalty regime: 0 %)

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.

```
#include <stdio.h>

int main()
{
    int n;
    scanf("%d", &n);

    int i = 1;
    int s = 1;
    int count = 0;

    // Count initializations
    count += 2;  // i=1, s=1

    while(s <= n)
    {
        count++;  // condition check
        i++;
```

	Input	Expected	Got	
✔	9	12	12	✔

	Input	Expected	Got	
✔	4	9	9	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course

Started on	Tuesday, 25 August 2026, 10:58 PM
State	Finished
Completed on	Tuesday, 25 August 2026, 11:05 PM
Time taken	7 mins 12 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using the counter method.

```
void func(int n)
{
    if(n==1)
    {
      printf("*");
    }
    else
    {
     for(int i=1; i<=n; i++)
     {
       for(int j=1; j<=n; j++)
       {
          printf("*");
          printf("*");
          break;
       }
     }
   }
 }
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer: (penalty regime: 0 %)

```
#include <stdio.h>

void func(int n)
{
    int count = 0;

    if (n == 1)
    {
        printf("*");
        count++;
    }
    else
    {
        count++;  // initialization of i

        for (int i = 1; i <= n; i++)
        {
            count++;  // condition i <= n

            for (int j = 1; j <= n; j++)
            {
                count++;  // condition j <= n


                count++;


                count++;

                break;
            }

            count++;  // i++
```

```
34          }
35
36          count++;  // final failed i <= n
37      }
38
39      printf("%d", count);
40  }
41
42  int main()
43  {
44      int n;
45      scanf("%d", &n);
46
47      func(n);
48
49      return 0;
50  }
```

	Input	Expected	Got	
✔	2	12	12	✔
✔	1000	5002	5002	✔
✔	143	717	717	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course

Started on	Tuesday, 25 August 2026, 11:05 PM
State	Finished
Completed on	Tuesday, 25 August 2026, 11:06 PM
Time taken	51 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using counter method.

```
Factor(num) {
{
   for (i = 1; i <= num;++i)
   {
    if (num % i== 0)
       {
         printf("%d ", i);
       }
    }
 }
```

Note: No need of counter increment for declarations and scanf() and counter variable printf() statement.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer:

```c
#include <stdio.h>

int main()
{
    int num, count = 0;
    scanf("%d", &num);

    for (int i = 1; i <= num; ++i)
    {
        count++;  // i <= num

        if (num % i == 0)
        {
            count++;  // printf("%d ", i)
        }

        count++;  // ++i
    }

    count++;  // final i <= num check

    printf("%d", count);

    return 0;
}
```

	Input	Expected	Got	
✔	12	31	31	✔
✔	25	54	54	✔
✔	4	12	12	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course

Started on	Tuesday, 25 August 2026, 11:06 PM
State	Finished
Completed on	Tuesday, 25 August 2026, 11:07 PM
Time taken	40 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time

complexity using counter method.

```
void function(int n)
{
    int c= 0;
    for(int i=n/2; i<n; i++)
        for(int j=1; j<n; j = 2 * j)
            for(int k=1; k<n; k = k * 2)
                c++;
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer:

```
#include <stdio.h>

void function(int n)
{
    int c = 0;
    int i = n / 2;

    c++;  // i = n/2

    while (i < n)
    {
        c++;  // i < n

        int j = 1;

        while (j < n)
        {
            c++;  // j < n

            int k = 1;

            while (k < n)
            {
                c++;  // k < n
                c++;  // c++

                k = k * 2;
            }

            c++;      // final k < n check
            j = 2 * j;
        }

        c++;          // final j < n check
        i++;
    }

    c++;              // final i < n check

    printf("%d", c);
}

int main()
```

```
{
    int n;
    scanf("%d", &n);

    function(n);

    return 0;
}
```

	Input	Expected	Got	
✔	4	30	30	✔
✔	10	212	212	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course

Started on	Tuesday, 25 August 2026, 11:07 PM
State	Finished
Completed on	Tuesday, 25 August 2026, 11:07 PM
Time taken	41 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using counter method.

```
void reverse(int n)
{
   int rev = 0, remainder;
   while (n != 0)
    {
        remainder = n % 10;
        rev = rev * 10 + remainder;
        n/= 10;

    }
print(rev);
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer:

```c
#include <stdio.h>

int main()
{
    int n, rev = 0, remainder;
    int count = 0;

    scanf("%d", &n);

    count++;  // rev = 0
    count++;  // initial while condition

    while (n != 0)
    {
        remainder = n % 10;
        count++;

        rev = rev * 10 + remainder;
        count++;

        n /= 10;
        count++;

        count++;  // while condition for next iteration
    }

    count++;  // final print/rev operation

    printf("%d", count);

    return 0;
}
```

	Input	Expected	Got	
✔	12	11	11	✔
✔	1234	19	19	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course