

A Machine-Checkable Operational Standard for Systemic Tau τ_s and the Discrete Extramental Clock (RECD)

Lean 4 formalization, laboratory constructions,
and open scrutiny program (v0.1.10)

Johel Padilla-Villanueva

University of Puerto Rico, Medical Sciences Campus

ORCID: [0000-0002-5797-6931](https://orcid.org/0000-0002-5797-6931)

<https://github.com/johelpadilla/systemic-tau-formal>

Preprint DOI: [10.5281/zenodo.21537484](https://doi.org/10.5281/zenodo.21537484)

Software version DOI: [10.5281/zenodo.21537465](https://doi.org/10.5281/zenodo.21537465)

Software concept DOI: [10.5281/zenodo.21516059](https://doi.org/10.5281/zenodo.21516059)

Software: v0.1.10 · **Preprint:** 0.1.10-r1 · **Date:** 2026-07-24

Abstract

We present `systemic-tau-formal` v0.1.10, an open monorepository that states the operational core of the Systemic Tau (τ_s) paradigm and the Discrete Extramental Clock (RECD) in a form accepted by a formal verifier. The Lean 4 + Mathlib package encodes regime bands, the gate function $g(\tau_s)$, partition and monotonicity lemmas, and a laboratory construction package that links the operational criterion to period-doubling cascade ideas and Feigenbaum's constant δ . The artifact is accompanied by a Python reference core, golden rational bridges, continuous integration, and a citable Zenodo deposit.

What is offered is not a closed narrative of dynamical universality, but a verifiable operational standard: an explicit decision rule, a machine checker that accepts it, and an open door to public scrutiny. Laboratory maps and scale identifications are presented as named, cited constructions, not as field theorems.

Keywords: systemic tau; RECD; early warning signals; Lean 4; Mathlib; formalization; complex systems; Feigenbaum; open science.

Contents

1	Introduction	3
2	What is offered to the community	3
3	Operational definitions	4
3.1	Systemic Tau	4

3.2	Regime bands	4
3.3	Operational Feigenbaum constant	5
4	The RECD gate	6
5	Feigenbaum laboratory package	7
5.1	Reduction and return maps	7
5.2	Analytic cascade and topology	8
5.3	Logistic scale identification	8
5.4	Termwise superstable roots and hybrid cascade	8
5.5	Quadratic tip and Schwarzian	8
5.6	Module inventory	9
5.7	Formal status summary	9
6	Python reference core and open science	10
7	How verification is reproduced	11
8	Scrutiny program	11
9	Discussion	12
9.1	The value of a small, hard criterion	12
9.2	Laboratory constructions as a public language	12
9.3	Related work and positioning	12
9.4	Open science as part of the claim	12
9.5	Layers of discourse	12
10	Conclusion	13
A	Release note relative to v0.1.9	13
B	Expanded module map	14

1 Introduction

Frameworks that speak of synchrony, regime, and warning in complex systems are often communicated as intuition, diagram, or black-box software. That weakens three requirements of open science: knowing exactly what is asserted; allowing a third party to repeat the judgment without relying on the author’s authority; and separating the decision criterion from the empirical and ontological readings that surround it.

The Systemic Tau paradigm reads multivariate coherence through an index τ_s —the mean of windowed Kendall-type rank correlations—and a Discrete Extramental Clock (RECD) whose gate $g(\tau_s)$ translates that index into a regime signal. This preprint records an *operational standard* together with a *laboratory construction package*. It is not a proof of classical Feigenbaum universality. It is not a derivation of field τ_s dynamics from first principles of a physical continuum.

The methodological thesis is simple: the operational core must be writable in a form that a formal verifier accepts. The monorepository `systemic-tau-formal` realizes that thesis. It exposes definitions, lemmas, and constructions in Lean 4; aligns a Python reference core; and deposits citable versions with DOIs. Version 0.1.10 under `SystemicTau/` builds with no sorry holes and no author-added research axioms. That is how the paradigm presents itself: as an auditable criterion.

Relative to v0.1.9, this release adds termwise superstable logistic roots (modules `FeigenbaumSuperstable`, `FeigenbaumCascade`): unique period-1 and strict period-2 parameters; existence of a cascade-window period-4 superstable; a secondary residual zero near 3.96 showing full-interval uniqueness is false; a hybrid cascade with geometric Feigenbaum tail and δ -limit; and conditional window uniqueness under residual monotonicity. The inverse-scale threshold bridge from v0.1.9 is retained. Formal Rolle mono discharge, termwise superstable roots for all n , and free- c without Kendall pin remain open.

2 What is offered to the community

The repository conveys a concrete message:

1. **There is an explicit decision criterion.** Regime bands and the gate law g are written down; they do not remain only in prose.
2. **That criterion is accepted by a formal checker.** Anyone with the Lean toolchain can clone the repository, run `lake build`, and obtain the same acceptance verdict as the author.
3. **The bridge to period-doubling dynamics is materialized as formal objects.** Named laboratory constructions—maps, strong-unimodality packages, quadratic tip, Schwarzian, scale identification with a geometric cascade—are accepted by the checker.
4. **The work is presented as open infrastructure.** Code, continuous integration, versioned releases, and DOIs make the artifact citable and reproducible.
5. **The paradigm invites scrutiny.** A challenge board, an experimental protocol, and a stress-test invitation provide routes for attacking the standard by layers.

In one sentence: the paradigm is no longer only a discourse; it is offered as shared, inspectable infrastructure.




Figure 1: Architecture of the monorepository: formal core, reference implementation, documentation and scrutiny surfaces, continuous integration, and citable deposit.




Figure 2: Discourse layers. The checker verdict on the operational core and laboratory package is kept distinct from field validation and ontological discussion.

3 Operational definitions

3.1 Systemic Tau

Consider a multivariate series and a sliding window of length W (default $W = 13$ in the reference core). On each window, Kendall-type rank correlations [8] are computed between variable pairs; τ_s denotes the mean over those pairs. In Lean, the interface fixes rational types and an opaque symbol `kendallTau` for the combinatorial implementation. The remainder of the formalization reasons about $\tau \in \mathbb{Q}$ without depending on a particular numerical backend.

3.2 Regime bands

The standard fixes two rational thresholds:

$$\tau_{st} = \frac{1}{2}, \tag{1}$$

$$\tau_{ch} = \frac{41}{100}. \tag{2}$$

Regime classification on $\tau \in \mathbb{Q}$ is summarized in Table 1 and Figure 3:

$$\text{stable} \quad \text{if } \tau \geq \tau_{\text{st}}, \quad (3)$$

$$\text{chaotic} \quad \text{if } -\tau_{\text{ch}} < \tau < \tau_{\text{ch}}, \quad (4)$$

$$\text{antiSync} \quad \text{if } \tau \leq -\tau_{\text{ch}}, \quad (5)$$

$$\text{intermediate} \quad \text{otherwise.} \quad (6)$$

Table 1: Operational regime bands (exact rationals), matching Lean `classify`.

Regime	Condition on τ	Notes
stable	$\tau \geq \tau_{\text{st}}$	$\tau_{\text{st}} = 1/2$
intermediate	$\tau_{\text{ch}} \leq \tau < \tau_{\text{st}}$	$\tau_{\text{ch}} = 41/100$; residual of the cases below
chaotic	$-\tau_{\text{ch}} < \tau < \tau_{\text{ch}}$	open interval
antiSync	$\tau \leq -\tau_{\text{ch}}$	left-closed ray

On the nonnegative ray, an exhaustive trichotomy is proved: every $\tau \geq 0$ falls into chaotic, intermediate, or stable, mutually exclusively under these definitions. The inequality $\tau_{\text{ch}} < \tau_{\text{st}}$ is also established.

3.3 Operational Feigenbaum constant

A laboratory rational approximation

$$\delta_{\text{op}} = \frac{46692016091}{10000000000} \approx 4.6692016091$$

is introduced. Explicitly: δ_{op} is a *fixed* rational approximation to classical δ , obtained by truncating the tabulated expansion to ten decimal places ($4.6692016091 \dots \mapsto 46692016091/10^{10}$), following high-precision values in the period-doubling literature [1, 2]. The numerator and denominator are encoded as naturals in Lean (`feigenbaumDeltaNum/feigenbaumDeltaDen`); the package does not claim that this rational is the unique “best” approximant, only that it is the operational pin used throughout. The gate prefactor is

$$p = \frac{\delta_{\text{op}} - 1}{\delta_{\text{op}}}.$$

Lean checks $0 < p < 1$. The proximity quantity $2/\delta_{\text{op}}$ satisfies

$$2/\delta_{\text{op}} > \tau_{\text{ch}},$$

with an explicit positive rational gap $2/\delta_{\text{op}} - \tau_{\text{ch}}$ (order 10^{-2}). That proximity motivates the chaotic band without imposing a closed identity $\tau_{\text{ch}} = f(\delta)$.

4 The RECD gate

The reference gate law $g : \mathbb{Q} \rightarrow \mathbb{Q}$ is defined piecewise by

$$g(\tau) = \begin{cases} +1, & \text{if } \tau \geq \tau_{\text{st}}, \\ p \cdot \frac{\tau_{\text{ch}} - |\tau|}{\tau_{\text{ch}}}, & \text{if } |\tau| < \tau_{\text{ch}}, \\ -1, & \text{if } \tau \leq -\tau_{\text{ch}}, \\ 0, & \text{otherwise.} \end{cases} \quad (7)$$




Figure 3: Schematic of operational bands on the τ -axis and the piecewise gate $g(\tau)$ from Equation (7). The narrow hatched strip is the positive intermediate band where $g = 0$. Note the asymmetric treatment of the anti-synchronous ray ($g = -1$) relative to that strip.

Formal properties included in the core (and accepted by Lean) include:

- **Closed form on $[0, \tau_{\text{ch}})$.** Equation (7) reduces to $g(\tau) = p(\tau_{\text{ch}} - \tau)/\tau_{\text{ch}}$.
- **Antitonicity (non-increasing on the positive chaotic ray).** If $0 \leq a \leq b < \tau_{\text{ch}}$, then $g(b) \leq g(a)$. As τ grows toward the band edge, the nonnegative gate value does not increase. Since $g \geq 0$ on that ray, the same holds for $|g|$: magnitude is non-increasing in τ .
- **Boundedness.** From the piecewise law: $|g(\tau)| \leq 1$ for every regime. Stable and antiSync saturate at ± 1 ; the chaotic piece is $p \in (0, 1)$ times a factor in $(0, 1]$, hence strictly below 1 except at the origin, where $g(0) = p$.
- **Exact zero on the positive intermediate band.** $\tau_{\text{ch}} \leq \tau < \tau_{\text{st}}$ implies $g(\tau) = 0$.
- **Edge samples and regime links.** $g(3/4) = 1$, $g(-3/4) = -1$, $g(45/100) = 0$, $g(0) = p$; $g(\tau) = 1$ for all $\tau \geq \tau_{\text{st}}$; $g(\tau) = -1$ for all $\tau \leq -\tau_{\text{ch}}$. Local evenness holds inside the open chaotic band ($g(-\tau) = g(\tau)$ when $|\tau| < \tau_{\text{ch}}$), but the law is *not* globally even: the anti-synchronous ray opens at -1 while the positive intermediate band stays closed at 0.

The scientific claim at this layer is modest: the bridge exists as citable, verified constructions—not as informal narrative.

5.2 Analytic cascade and topology

Once return maps are available, the package freezes a geometric parameter cascade whose exact ratio is δ_{op} . Scaling ratios of that cascade are proved equal to δ_{op} . Within the formalism, the classical ε – N notion of cascade limit is shown equivalent to a Tendsto-style convergence statement, so topological language and sequential bookkeeping stay aligned. Honesty blocks include toy cascades that do *not* approach δ_{op} ; the checker therefore distinguishes models that satisfy the scaling ratio from those that do not.

5.3 Logistic scale identification

The logistic chart is the usual first contact for readers of one-dimensional dynamics. A dedicated module anchors a parameter sequence at landmarks $r_0 = 2$, $r_1 = 3$ and proves that this sequence shares scale (ratios) with the geometric cascade above. It is a laboratory scale identification between two parameter charts, expressed in Lean: not a claim that field τ_s is logistic, but a shared ruler for later comparison.

5.4 Termwise superstable roots and hybrid cascade

Version 0.1.10 makes the logistic superstable track explicit. Period-1 superstable is uniquely $r = 2$ on $(0, 4)$. Strict period-2 superstable is uniquely $r = 1 + \sqrt{5}$ on $(2, 4)$; the onset landmark $r = 3$ is proved *not* superstable of period 2. For period 4, the residual $f_r^{\circ 4}(1/2) - 1/2$ admits a zero in the cascade isolating window $[3.498, 3.499]$ (intermediate-value theorem on an exact rational residual), yielding a strict superstable parameter there. A second residual zero in $[3.960, 3.961]$ shows that uniqueness on the full interval past period 2 is false—cascade language must name its isolating window. Uniqueness *inside* that window is proved conditionally on strict monotonicity of the residual (the classical Rolle/ $Q' > 0$ input); a Horner lower-bound certificate for the classical derivative bound is recorded, while full formal discharge of residual mono remains an analysis residual. A hybrid cascade uses true strict superstable parameters for $n \leq 2$ and Feigenbaum geometric steps for $n \geq 3$; tail ratios equal δ_{op} and therefore tend to δ_{op} . The geometric tail is construction, not a termwise theorem that every hybrid term is a logistic superstable root.

5.5 Quadratic tip and Schwarzian

Classical route-to-chaos arguments rely on tip geometry and Schwarzian control [5]. On the logistic map, the package formalizes derivatives, a quadratic tip with $f'' \neq 0$ at the critical point, the Schwarzian inequality off the critical point, and a FeigenbaumUniversalC2 assembly of operational band and tip. The point for a non-Lean reader is simple: C^2 /Schwarzian vocabulary lives inside the accepted artifact, ready for attack or extension, without being smuggled into the operational core of Equation (7).

5.6 Module inventory

Table 3: Lean modules under SystemicTau/ (v0.1.10).

Module	Lines	Status	Content
Basic	~50	Core	Types, δ_{op} , window, regimes
Thresholds	~240	Core	Bands, trichotomy, simple $f(\delta)$ non-IDs
ThresholdFromDelta	~500	Core	Unique inverse-scale $f(\delta) = c/\delta$
RECD	~240	Core	Gate g , antitonicity, samples
FeigenbaumReduction	~1050	Lab	Returns, composite package
FeigenbaumAnalytic	~440	Lab	Geometric cascade, ε - N
FeigenbaumTendsto	~280	Lab	Equivalence with Tendsto
FeigenbaumLogistic	~250	Lab	Logistic scale identification
FeigenbaumSuperstable	~490	Lab	Termwise SS roots $n = 0, 1$; period-4 residual
FeigenbaumCascade	~540	Lab	Window $\exists$; hybrid R_n ; free- c pack
FeigenbaumSchwarzian	~200	Lab	Quadratic tip, Schwarzian
Ontology	~70	Spec	L0–L3 levels; stratified claims

The SystemicTau/ directory of version 0.1.10 builds end to end in Lean 4.14 with Mathlib v4.14.0 [6, 7].

5.7 Formal status summary

Table 4 states, in one place, what the checker has accepted, what is packaged as named laboratory construction, and what remains an open research obligation. This table is part of the scientific claim of the release.

Table 4: Formal status of the v0.1.10 package under SystemicTau/.

Proved (core)	Band ordering $\tau_{\text{ch}} < \tau_{\text{st}}$; nonnegative trichotomy of <code>classify</code> ; gate formula on $[0, \tau_{\text{ch}})$; antitonicity of g on that half-band; positive intermediate closure $g = 0$; canonical samples; gate prefactor bounds $0 < p < 1$; gap $2/\delta_{\text{op}} > \tau_{\text{ch}}$; finite simple closed forms $\neq \tau_{\text{ch}}$ (ten rational candidates); unique inverse-scale bridge $f(\delta) = c/\delta$ with $f(\delta_{\text{op}}) = \tau_{\text{ch}}$ and $\tau_{\text{st}} = 1/2$ (class-conditional uniqueness).
Proved (lab lemmas)	Geometric cascade ratios equal to δ_{op} ; $\varepsilon-N \Leftrightarrow \text{Tendsto}$ bookkeeping; logistic scale identification with the geometric chart; unique period-1 superstable $r = 2$; unique strict period-2 superstable $1 + \sqrt{5}$; period-4 residual characterization and lower-stage exclusion; existence of a cascade-window period-4 strict superstable (IVT); secondary residual zero near 3.96 (full-interval uniqueness false); conditional uniqueness in the cascade window under residual mono; hybrid cascade tail ratios $\rightarrow \delta_{\text{op}}$; Schwarzian ≤ 0 off the critical point (formal derivatives); quadratic tip package; zero sorry and zero author research axiom under SystemicTau/.
Laboratory constructions (named, accepted)	ac- lookupTent realizers; tent continuum return; non-tent continuum return tauReturnFour; refined FeigenbaumUniversal / FeigenbaumUniversalC2; hybrid cascade R_n (true SS for $n \leq 2$, geometric Feigenbaum tail for $n \geq 3$); composite laboratory packages built from the above.
Explicitly open	Formal discharge of residual mono on the cascade window (Rolle/ Q'); true termwise superstable R_n for all n (not hybrid geometric tail); Mathlib C^2 -open renormalization / fixed-point universality [4]; field-derived continuum return of τ_s (not a cited lab map); classical free- c derivation of τ_{ch} without Kendall pin (naive $f = 2/\delta$ fails machine-checked; operational inverse-scale uniqueness closed); multi-site empirical P1/P4 discharge.

6 Python reference core and open science

The monorepository is not limited to the proof assistant. It includes a Python core with golden rationals aligned to Lean (`python/core/golden.py`) and `pytest` tests; synthetic fixtures, noise and anti-synchrony protocols, and a first-return twin for numerical exploration; data paths and notebooks for field series (e.g., *Aedes*) and synthetic cross-domain kits; continuous integration (`lake build + pytest`) on GitHub Actions; and release v0.1.10 with version DOI [10.5281/zenodo.21537465](https://doi.org/10.5281/zenodo.21537465) and concept DOI [10.5281/zenodo.21516059](https://doi.org/10.5281/zenodo.21516059), under MIT license with citation metadata (`CITATION.cff`).

The Lean–Python combination is deliberate. Lean certifies the criterion; Python makes it operable in data-analysis workflows. Companion materials include a broader narrative synthesis of the paradigm [13] and the production package `systemictau` on PyPI.

7 How verification is reproduced

In an environment with `elan` and Lean 4.14:

```
git clone https://github.com/johelpadilla/systemic-tau-formal.git
cd systemic-tau-formal/lean
lake exe cache get    # recommended
lake build
cd ../python
pip install -e ".[dev]"
pytest -q
```

A successful `SystemicTau` build constitutes the public checker verdict on the formal core described here. Generated `.olean` artifacts document, in the sense of formal proof engineering, that the package was accepted by the kernel.

8 Scrutiny program

The standard is accompanied by an open critique program documented in the repository:

- **Falsifiable predictions and experimental protocol** for early-warning style claims in the τ_s /RECD setting [9, 10, 11].
- **Challenge C1** — systematic false early warnings: stress the gate under controlled noise and anti-synchrony (P3/P4 style attacks).
- **Challenge C2** — new mathematical relations: propose and formalize relations beyond the finite non-identities already recorded for τ_{ch} versus simple functions of δ .
- **Challenge C3** — domain transfer: carry the operational criterion to licensed field series outside the synthetic kits (finance, EEG, grid, or other domains).
- **Stress-Test 2026** — an open invitation to host structured attacks on the criterion and its laboratory bridges.
- **Level architecture** — ontological specification kept in module `Ontology`, so that philosophical conversation is not confused with the checker’s acceptance of g and the bands.

Attack metrics already instrumented in the reference code include agreement under additive noise at fixed ρ (P3), anti-synchrony response (P4), and a P1 endpoint scorer scaffold awaiting pre-registered observation times. The message to the community is invitation: the paradigm can be inspected, cloned, and attacked under written rules.

9 Discussion

9.1 The value of a small, hard criterion

In complex systems it is tempting to multiply indicators. This work inverts the priority: a small object—rational bands and a piecewise gate—receives the treatment of a formal standard. The strength of the approach is auditability. A reviewer can point to the exact line of a definition or lemma.

9.2 Laboratory constructions as a public language

Laboratory constructions are not decorative illustrations of a prose story. They are the *shared vocabulary* in which the paradigm can speak to dynamics without smuggling field claims into the operational core. Each construction is named, cited from Lean identifiers, and accepted by the same checker as the gate. A critic can therefore accept the operational standard while rejecting a particular laboratory map—or the reverse—without collapsing the whole package. That separability is what makes the laboratory language public rather than private metaphor.

9.3 Related work and positioning

Period-doubling universality has a mature analytic literature [1, 2, 3, 4, 5]. Formal mathematics ecosystems (Lean/Mathlib, Isabelle, Coq) increasingly host dynamical and analysis libraries [6, 7], though full machine-checked proofs of classical Feigenbaum universality remain an open frontier rather than a commodity theorem. Early-warning research provides both positive methods [9, 10] and critical caution about pattern-to-prediction overclaim [11, 12]. The present artifact sits between these literatures: it does not re-prove classical universality, and it does not market τ_s as an automatic field detector. It freezes a small operational core that a checker accepts, and it packages laboratory maps as named, attackable objects. Prior narrative synthesis of the broader paradigm appears in [13]; the formal monorepository is the citable operational pin [14].

9.4 Open science as part of the claim

DOIs, continuous integration, and the public repository are not administrative annexes. They form part of what the paradigm says of itself: that it aspires to be shared infrastructure. A standard that cannot be cloned is not a standard; it is an announcement.

9.5 Layers of discourse

The monorepository organizes work into layers that are read differently (Figure 2). The operational core and laboratory constructions are the object of this preprint. Field empirical validation and ontological readings live in the same ecosystem under their own obligations. That separation is itself a thesis: not to conflate the checker’s verdict with the verdict of data or of metaphysics.

This preprint does not claim to settle the classical Feigenbaum universality theorem, nor to derive τ_s dynamics from first principles of a physical field. It offers a checkable operational core and a laboratory

language in which such questions can be attacked.

10 Conclusion

We have presented `systemic-tau-formal` v0.1.10 as a Lean-accepted operational standard for Systemic Tau and RECD, together with a laboratory construction package and an open scrutiny program. The repository offers:

1. rational definitions of τ_{st} , τ_{ch} , and $g(\tau_s)$;
2. classification, trichotomy, and gate-behavior lemmas;
3. a Feigenbaum-line laboratory construction package accepted by Lean;
4. an aligned Python core, continuous integration, and a citable deposit.

To others, the artifact says that this paradigm can already be inspected from outside: there is a written criterion, a checker that accepts it, and an open door to scrutiny. That is the contribution recorded here.

Data and code availability

Source code and releases: <https://github.com/johelpadilla/systemic-tau-formal>.

Software version associated with this text: v0.1.10.

Preprint document version: 0.1.10-r1 (2026-07-24).

Preprint DOI: [10.5281/zenodo.21537484](https://doi.org/10.5281/zenodo.21537484).

Software version DOI: [10.5281/zenodo.21537465](https://doi.org/10.5281/zenodo.21537465).

Software concept DOI: [10.5281/zenodo.21516059](https://doi.org/10.5281/zenodo.21516059).

Related production package on PyPI: `systemictau`.

Minimal verification:

```
cd lean && lake build && cd ../python && pytest -q
```

Acknowledgments

The author acknowledges the Lean and Mathlib communities for the formal verification infrastructure that makes standards of this kind possible, and those who will take part in open scrutiny of the repository.

A Release note relative to v0.1.9

Version 0.1.10 is a formal-track pin of the superstable/cascade honesty pack on top of the v0.1.9 threshold-bridge release:

- Modules `FeigenbaumSuperstable` and `FeigenbaumCascade`.

- Unique period-1 / strict period-2 superstable roots; period-4 cascade-window existence.
- Secondary residual zero ~ 3.96 ; conditional window uniqueness under mono.
- Hybrid R_n with geometric tail and $\delta_n \rightarrow \delta_{\text{op}}$; free- c operational pack retained.
- Still zero sorry and zero author research axiom.
- Retained from v0.1.9: inverse-scale $f(\delta)$, ontology L0–L3, non-tent return, Schwarzian pack.

B Expanded module map

Table 5 expands the inventory of Section 5 for readers who want a denser map of the Lean surface. Line counts are approximate at the v0.1.10 pin.

Table 5: Expanded SystemicTau/ module map (v0.1.10).

Module	Status	Primary surface
Basic	Core	Rational types; δ_{op} numerator/denominator; window default; regime enum; gate prefactor p .
Thresholds	Core	$\tau_{\text{st}}, \tau_{\text{ch}}$; <code>classify</code> ; nonnegative trichotomy; band ordering; proximity gap $2/\delta_{\text{op}} > \tau_{\text{ch}}$; extended simple-form non-identities.
ThresholdFromDelta	Core	Inverse-scale class; unique c_* ; antitonicity of f ; pair recovery at δ_{op} ; gate/partition compatibility; honesty block for pure $2/\delta$.
RECD	Core	<code>gate</code> ; chaos closed form; antitonicity; intermediate zero; stable/antiSync saturations; samples; local evenness on the open chaotic band; tick units.
FeigenbaumReduction	Lab	Tent realizers; continuum returns; <code>tauReturnFour</code> ; uni-modal/hump lemmas; composite <code>FeigenbaumUniversal</code> .
FeigenbaumAnalytic	Lab	Geometric cascade with ratio δ_{op} ; scaling-ratio theorems; honesty (non- δ) blocks.
FeigenbaumTendsto	Lab	ε - $N \Leftrightarrow$ <code>Tendsto</code> bookkeeping; real casts of cascade quantities.
FeigenbaumLogistic	Lab	Landmarks $r_0 = 2, r_1 = 3$; scale identification with the geometric chart.
FeigenbaumSuperstable	Lab	Termwise SS: unique $r = 2$; unique strict $1 + \sqrt{5}$; honesty $3 \neq \text{SS}_2$; period-4 residual characterization and lower-stage exclusion.
FeigenbaumCascade	Lab	Cascade-window period-4 existence; secondary residual ~ 3.96 ; conditional mono uniqueness; hybrid R_n ; free- c operational pack.
FeigenbaumSchwarzian	Lab	Formal derivatives; quadratic tip; Schwarzian ≤ 0 off critical point; <code>FeigenbaumUniversalC2</code> .
Ontology	Spec	L0–L3 levels; well-sited claims; <code>stratifiedFour</code> (discourse layer; not an operational theorem).

References

- [1] M. J. Feigenbaum. Quantitative universality for a class of nonlinear transformations. *Journal of Statistical Physics*, 19(1):25–52, 1978.
- [2] K. Briggs. A precise calculation of the Feigenbaum constants. *Mathematics of Computation*, 57(195):435–439, 1991.
- [3] W. de Melo and S. van Strien. *One-Dimensional Dynamics*. Springer, 1993.
- [4] M. Lyubich. Feigenbaum–Coullet–Tresser universality and Milnor’s hairiness conjecture. *Annals of Mathematics*, 149(2):319–420, 1999.
- [5] D. Singer. Stable orbits and bifurcation of maps of the interval. *SIAM Journal on Applied Mathematics*, 35(2):260–267, 1978.
- [6] L. de Moura and S. Ullrich. The Lean 4 theorem prover and programming language. In *Automated Deduction – CADE 28*, pages 625–630. Springer, 2021.
- [7] The mathlib Community. The Lean mathematical library. In *Proceedings of the 9th ACM SIGPLAN International Conference on Certified Programs and Proofs (CPP)*, pages 367–381, 2020.
- [8] M. G. Kendall. A new measure of rank correlation. *Biometrika*, 30(1/2):81–93, 1938.
- [9] M. Scheffer et al. Early-warning signals for critical transitions. *Nature*, 461:53–59, 2009.
- [10] V. Dakos et al. Methods for detecting early warnings of critical transitions in time series illustrated using simulated ecological data. *PLOS ONE*, 7(7):e41010, 2012.
- [11] C. Boettiger and A. Hastings. Tipping points: From patterns to predictions. *Nature*, 493:157–158, 2013.
- [12] C. Boettiger and A. Hastings. Early warning signals and the prosecutor’s fallacy. *Proceedings of the Royal Society B*, 279:4734–4739, 2012.
- [13] J. Padilla-Villanueva. Síntesis Magna del Tau Sistémico. Zenodo, 2026. doi:10.5281/zenodo.20576241.
- [14] J. Padilla-Villanueva. systemic-tau-formal: Machine-verifiable Systemic Tau (τ_s) and RECD (v0.1.10). Zenodo, 2026. doi:10.5281/zenodo.21537465.
- [15] J. Padilla-Villanueva. A machine-checkable operational standard for Systemic Tau τ_s and the Discrete Extramental Clock (RECD) (preprint 0.1.10-r1). Zenodo, 2026. doi:10.5281/zenodo.21537484.