



**“SIRAS”
(Sistema Integral de Redes y Almacenamiento y
Servidores).**

**Dirección General de Desarrollo de Sistemas
Infraestructura Comunicaciones**

Responsables:

Ingeniero Cristhian Set

Luna Aragón Ricardo

Herrada Santos Benny Jonathan

García Bote Juan Manuel



- I. Introducción**
- II. Objetivo de la metodología**
- III. Alcance**
- IV. Roles y Responsabilidades**
- V. Product Backlog**
- VI. Entidad relación**
- VII. Planeación de Sprints**
- VIII. Base de datos**
- IX. API's**
- X. Instalación**
- XI. Uso del sistema**
- XII. Seguridad**
- XIII. KPI's / Indicadores**
- XIV. Conclusión**
- XV. Anexos**



Introducción

Como parte del fortalecimiento de los procesos internos en la Sener, se plantea la implementación de un programa de uso institucional, disponible en entorno web y dispositivos móviles, enfocado principalmente en la gestión y control del inventario de medios físicos destinados al resguardo de información clasificada.

La correcta administración de estos recursos es fundamental para asegurar su disponibilidad, ubicación y seguimiento dentro de la operación diaria. En este sentido, la propuesta busca establecer un sistema que permita centralizar la información, facilitar su consulta y mejorar el control de los movimientos asociados a cada elemento del inventario.

Si bien la función principal del sistema se centra en la gestión de inventario, se contempla su evolución hacia una plataforma más robusta, integrando funcionalidades adicionales que fortalezcan su alcance operativo y su capacidad de adaptación a las necesidades de la institución.

La implementación de esta solución permitirá contar con un entorno más ordenado, accesible y confiable, contribuyendo a mejorar la supervisión de los recursos, optimizar los tiempos de consulta y reforzar las prácticas institucionales en el manejo de información de carácter sensible.



Objetivo de la metodología.

La presente metodología establece un proceso estructurado para el desarrollo e implementación de una solución digital orientada a la gestión de inventario de medios físicos de almacenamiento. Su enfoque se basa en la obtención de resultados concretos, asegurando la correcta organización de la información, la disponibilidad de los datos y la operatividad del sistema en entornos web y dispositivos móviles dentro de la red institucional. Secuencia del proceso para tener una estructura o base para dicho desarrollo:

1. Análisis y definición de requerimientos operativos

Se realiza la identificación detallada de las necesidades funcionales y operativas asociadas a la gestión del inventario. Esta fase contempla el análisis de los procesos actuales, los flujos de información, los puntos críticos de control y las condiciones de acceso al sistema.

Se definen los lineamientos para el registro de los elementos, la consulta de información, los niveles de acceso de los usuarios y los criterios de seguridad necesarios para la administración de datos sensibles. Asimismo, se consideran los requerimientos específicos para garantizar la correcta visualización y uso del sistema tanto en entorno web como en dispositivos móviles.

Resultado: Documento de requerimientos funcionales y operativos alineado a las necesidades institucionales.

2. Estructuración, depuración y normalización de la información

Se lleva a cabo la recopilación de la información existente relacionada con el inventario, la cual es sometida a un proceso de validación, depuración y organización. Se establecen criterios uniformes para el registro de datos, asegurando consistencia en los campos, formatos y nomenclaturas.

Esta etapa permite consolidar una base de datos estructurada que facilite la integración con la plataforma digital, evitando duplicidades, inconsistencias o registros incompletos. Se define la arquitectura de la información considerando su uso eficiente para consulta, monitoreo y seguimiento.

Resultado: Base de datos organizada, validada y preparada para su integración en el sistema.



3. Desarrollo e integración de la plataforma digital

Se procede al desarrollo de la solución tecnológica, considerando una arquitectura que permita su acceso mediante navegador web y dispositivos móviles dentro del entorno institucional. La plataforma integra los módulos esenciales para la operación del sistema, incluyendo:

- Registro de inventario
- Consulta y búsqueda de elementos
- Control de movimientos (entradas, salidas y cambios de ubicación)
- Gestión de usuarios y niveles de acceso

Se asegura que la interfaz sea funcional, intuitiva y orientada a facilitar la interacción del usuario, manteniendo un equilibrio entre simplicidad operativa y control de la información.

Resultado: Plataforma digital funcional con acceso web y compatibilidad móvil.

4. Implementación de herramientas de visualización y monitoreo

Se integran mecanismos de visualización que permitan representar la información de manera clara y comprensible. A través de un dashboard, se facilita el seguimiento del estado del inventario, la ubicación de los recursos y los movimientos registrados.

Esta etapa contribuye a mejorar la supervisión operativa, permitiendo a los responsables tomar decisiones informadas con base en datos actualizados y de fácil interpretación.

Resultado: Sistema con capacidades de monitoreo y visualización de información en tiempo real.

5. Validación funcional y ajuste operativo

Se ejecutan pruebas controladas en escenarios reales de operación con el objetivo de verificar el desempeño del sistema, la integridad de la información y la correcta ejecución de los procesos definidos.



Durante esta fase se identifican posibles áreas de mejora, realizando los ajustes necesarios para garantizar la estabilidad, confiabilidad y usabilidad del sistema. Se valida también la correcta interacción entre los módulos y la experiencia del usuario final.


Resultado: Sistema validado, estable y alineado a los procesos operativos institucionales.

6. Implementación institucional y puesta en operación


Se realiza el despliegue del sistema en la infraestructura tecnológica de la institución, habilitando su acceso a través de la red interna mediante web y dispositivos móviles. Se establecen los lineamientos de uso, administración y mantenimiento del sistema.

Esta etapa marca la transición del sistema hacia su operación formal, permitiendo su adopción como herramienta principal para la gestión del inventario.

Resultado: Plataforma implementada y en operación dentro del entorno institucional.



Proceso estructurado para gestión de inventario en entornos web y móviles.





Proceso estructurado para implementar una solución digital de gestión de inventario en entornos web y móviles.



Enfoque Integral de la Metodología



Organización
de la Información



Acceso
Web y Móvil



Control y
Trazabilidad



Monitoreo
Continuo



Adaptabilidad
del Sistema



Alcance

I. Objetivo del alcance.

Definir, desarrollar e implementar un sistema web/móvil para la gestión de inventario de medios físicos de almacenamiento, mediante iteraciones incrementales (Sprints), garantizando entregables funcionales, medibles y alineados a los requerimientos institucionales.

II. Estructura del proyecto.

Product Owner (PO):
Responsable de definir y priorizar el *Product Backlog* alineado a objetivos institucionales.

- Scrum Master:

Facilita la metodología, elimina bloqueos y asegura el cumplimiento de Scrum.

- Development Team:
Equipo técnico encargado del desarrollo:
- Backend (PHP)
- Frontend (HTML, CSS, JavaScript)
- Base de datos (MySQL o SQL)

Team:

III. Alcance funcional.

Se contemplan los siguientes módulos funcionales medibles:

1. Gestión de Usuarios y Roles

Funciones:

- Registro, autenticación y control de acceso.
- Asignación de roles:
 - Administrador
 - Usuario estándar
 - Usuario temporal (con expiración automática)

Criterios medibles:

- Tiempo de autenticación ≤ 2 segundos.



- Gestión de sesiones activas.
- Expiración automática de usuarios temporales configurable.

2. Gestión de Inventario

Funciones:

- Alta, baja y modificación de activos.
- Clasificación por tipo, ubicación y estado.
- Generación de identificadores únicos (ID o código QR opcional).

Criterios medibles:

- Registro de elemento ≤ 3 segundos.
- Validación obligatoria de campos (100% consistencia).
- Capacidad mínima: 10,000 registros sin degradación.

3. Control de Movimientos

Funciones:

- Registro de entradas, salidas y cambios de ubicación.
- Bitácora histórica (log de auditoría).

Criterios medibles:

- Trazabilidad del 100% de movimientos.
- Consulta histórica.

4. Consulta y Búsqueda

Funciones:

- Búsqueda avanzada por filtros:
 - Nombre
 - Tipo
 - Usuario asignado
 - Ubicación



Criterios medibles:

- Resultados en ≤ 10 segundos.
- Precisión de búsqueda $\geq 95\%$.

5. Dashboard y Monitoreo

Funciones:

- Visualización de:
 - Estado del inventario
 - Movimientos recientes
 - Alertas (bajo stock, inconsistencias)

Criterios medibles:

- Actualización en tiempo real o ≤ 5 segundos.
- Visualización responsiva (web/móvil).

6. Accesibilidad Web y Móvil

Funciones:

- Interfaz responsive (HTML + CSS + JS).
- Compatibilidad con navegadores modernos.

Criterios medibles:

- Adaptabilidad $\geq 95\%$ de dispositivos.
- Tiempo de carga ≤ 3 segundos.

IV. Arquitectura Tecnológica

Backend (logística del servidor)

- PHP (Laravel o PHP nativo estructurado)
- API REST para comunicación con frontend



Frontend (parte visual del usuario)

- HTML5 + CSS3
- JavaScript (Vanilla o framework ligero como Vue.js)

Data Bases (base de datos)

- MySQL / SQL
- Normalización (3FN)

Seguridad

- Hash de contraseñas (bcrypt)
- Control de sesiones
- Protección contra:
 - SQL Injection
 - XSS
 - CSRF

V. Planeación por sprint

Sprint 1 (2 semanas)

Entregables:

- Autenticación y roles
- Estructura base de BD

Indicadores:

- Login funcional
- CRUD básico de usuarios

Sprint 2 (2 semanas)

Entregables:

- Módulo de inventario

Indicadores:

- Registro y edición de activos



- Validación de datos

Sprint 3 (2 semanas)

Entregables:

- Control de movimientos

Indicadores:

- Registro de entradas/salidas
- Bitácora funcional

Sprint 4 (2 semanas)

Entregables:

- Dashboard y consultas avanzadas

Indicadores:

- Visualización de datos
- Búsquedas optimizadas

Sprint 5 (2 semanas)

Entregables:

- Optimización móvil
- Seguridad y pruebas

Indicadores:

- Responsive completo
- Pruebas QA superadas $\geq 90\%$

VI. Métricas de éxito

Disponibilidad del sistema $\geq 99\%$

Tiempo de respuesta promedio ≤ 3 segundos

Reducción de errores en inventario $\geq 80\%$

Trazabilidad completa (100%)

Satisfacción del usuario $\geq 90\%$



VII. Definición de “Done” (DoD)

Un incremento se considera terminado cuando:

- Cumple con criterios funcionales definidos.
- Está probado (QA).
- Documentado.
- Integrado en el sistema.
- Validado por el Product Owner.

VIII. Alcance final del proyecto

El sistema entregado permitirá:

- Control total del inventario en tiempo real.
- Gestión segura de usuarios con diferentes niveles de acceso.
- Acceso desde web y dispositivos móviles.
- Trazabilidad completa de activos.
- Escalabilidad para futuras funcionalidades.

IX. Escalabilidad (iteraciones a futuro)

- Integración con códigos QR
- Generación de reportes en hojas de calculo
- Integración con APIs externas
- Notificaciones automáticas (WhatsApp / Telegram)



Roles y responsabilidades

1.- Product Owner (PO)

Responsabilidad estratégica y de valor del producto

El Product Owner es el responsable de maximizar el valor del producto mediante la correcta gestión del Product Backlog, asegurando su alineación con los objetivos del sistema.

*Funciones clave

- Definir, estructurar y priorizar los requerimientos funcionales y no funcionales del sistema
- Traducir necesidades del negocio en **historias de usuario** claras, medibles y orientadas a resultados.
- Validar que cada incremento entregue valor tangible (funcionalidad operativa).
- Establecer criterios de aceptación alineados a indicadores de desempeño (KPIs).
- Gestionar la evolución del sistema en función de necesidades emergentes (iteración continua).

*Responsabilidades operativas por módulo

- Traducir necesidades del negocio en **historias de usuario** claras, medibles y orientadas a resultados.
- Validar que cada incremento entregue valor tangible (funcionalidad operativa).
- Establecer criterios de aceptación alineados a indicadores de desempeño (KPIs).
- Gestionar la evolución del sistema en función de necesidades emergentes (iteración continua).



*Entregables

- Product Backlog priorizado
- Historias de usuario documentadas
- Criterios de aceptación definidos
- Validación funcional de cada Sprint

2.- Scrum Master

Responsabilidad metodológica y de optimización del proceso

El Scrum Master actúa como facilitador del marco ágil, garantizando la correcta implementación de Scrum, la eliminación de impedimentos y la eficiencia del equipo de desarrollo.

*Funciones clave

- Coordinar ceremonias Scrum:
 - Sprint Planning / evento colaborativo donde se definen entregas de trabajo
 - Daily Scrum / reunión diaria de 15 min. para ajuste del plan
 - Sprint Review / reunión de inspección y adaptación al final de cada Scrum
 - Sprint Retrospective / reunión crucial en marcos ágiles, que se realiza al final de sprint
- Identificar y remover bloqueos operativos o técnicos.
- Asegurar la correcta adopción de prácticas ágiles.
- Monitorear métricas de desempeño del equipo (velocidad, cumplimiento de Sprint).

*.- Responsabilidades operativas

- Supervisar la correcta ejecución de los Sprints definidos.
- Garantizar la comunicación efectiva entre PO y Development Team.
- Asegurar que los entregables cumplan con la **Definition of Done (DoD)**.
- Promover la mejora continua del proceso.



*.- Entregables

- Reportes de avance por Sprint
- Indicadores de rendimiento del equipo
- Documentación de retrospectivas
- Gestión de riesgos e impedimentos

3.-Development Team

Responsabilidad técnica y de construcción del producto

Equipo multidisciplinario encargado de diseñar, desarrollar, integrar y validar la solución tecnológica bajo estándares de calidad, seguridad y rendimiento.

- Backend Developer (PHP) Responsabilidad: implementación de la lógica de negocio y servicio del sistema.

Funciones:

- Desarrollo de API REST en PHP (Laravel o arquitectura modular).
- Implementación de lógica para:
 - Autenticación y autorización (roles y sesiones)
 - Gestión de inventario (CRUD)
 - Control de movimientos (bitácoras y logs)
 - Integración con base de datos (MySQL).
 - Implementación de mecanismos de seguridad:
 - Hash de contraseñas (bcrypt)
 - Protección contra SQL Injection

Entregables:



- Endpoints funcionales
- Servicios API documentados
- Lógica de negocio validada
- Frontend developer (HTML, CSS, JavaScript) Responsabilidad: Construcción de la interfaz de usuarios y experiencia de interacción

Funciones.

- Desarrollo de interfaces responsivas (HTML5, CSS3).
- Implementación de lógica de interacción con JavaScript.
- Integración con API REST (consumo de servicios).
- Desarrollo de módulos:

Formularios de registro

Panel de consulta y búsqueda

Dashboard interactivo

Entregables.

- Interfaces funcionales y responsivas
- Experiencia de usuario optimizada (UX/UI)
- Integración completa con backend
- Data Base Administrador
Responsabilidad: Diseño, optimización y gestión de la base de datos

Funciones.

- Modelado de base de datos bajo normalización (3FN).
- Definición de tablas:
Usuarios
Inventario
Movimientos
- Optimización de consultas (índices, performance).



- Garantizar integridad y consistencia de datos.

Entregables.

- Esquema de base de datos estructurado
- Scripts de creación y mantenimiento
- Optimización de rendimiento
- QA / Testing

Responsabilidad: Aseguramiento de la calidad del sistema

Funciones.

- Diseño y ejecución de pruebas:
Funcionales
De rendimiento
De seguridad
- Validación de criterios de aceptación.
- Identificación de defectos y seguimiento.

Entregables.

- Reportes de pruebas
- Evidencia de cumplimiento $\geq 90\%$
- Validación de estabilidad del sistema

4.- Responsabilidad transversal por módulos.

Modulo	Responsable Principal	Soporte
Usuario y roles	Backend	Frontend / QA
Inventario	Backend / DBA	Frontend
Movimientos	Backend	QA
Dashboard	Frontend	Backend



Seguridad	Backend	Scrum Master
Performance	DBA	Backend

5.- Responsabilidad por métricas (KPIs)

- PO: Define objetivos de negocio (valor del sistema)
- Scrum Master: Monitorea eficiencia del proceso
- Development Team: Cumple métricas técnicas:

Tiempo de respuesta $\leq 3s$

Disponibilidad $\geq 99\%$

Precisión $\geq 95\%$

6.- Responsabilidad sobre definition of done (DoD) / Definición de Hecho

Todos los roles participan en garantizar que cada incremento:

- Cumpla requisitos funcionales (PO)
- Sea técnicamente correcto (Dev Team)
- Esté probado y validado (QA)
- Sea entregado sin impedimentos (Scrum Master)

7.- Enfoque ejecutivo del modelo.

La estructura de roles no permite:

- Gobernanza clara del producto (PO)
- Eficiencia operativa del proceso (Scrum Master)
- Ejecución técnica especializada (Development Team)

Generando un sistema:

- Escalable
- Seguro
- Medible
- Alineado a objetivos institucionales



Estructura_roles_responsabilidades						
Proceso Actividad	PO	SM	BE	FE	DBA	QA
Definición de requerimientos	A	C	I	I	I	I
Priorización del Product Backlog	A	C	I	I	I	I
Planeación de Sprints	A	R	C	C	C	C
Gestión de usuarios y roles	A	I	R	C	C	C
Desarrollo módulo inventario	C	I	R	C	R	C
Control de movimientos	C	I	R	C	C	C
Desarrollo de interfaz (UI/UX)	C	I	C	R	I	C
Diseño y gestión de base de datos	C	I	C	I	R	C
Implementación de seguridad	A	C	R	C	C	C
Integración de sistemas (API)	C	I	R	R	C	C



Pruebas funcionales	C	I	C	C	C	R
Validación criterios (QA)	de A	I	I	I	I	R
Monitoreo dashboard	y A	I	C	R	C	C
Control calidad sistema	de del C	C	C	C	C	R
Gestión incidencias	de I	R	C	C	C	C
Evaluación desempeño (KPIs)	de A	R	C	C	C	C
Aprobación entregables	de A	C	I	I	I	C
Despliegue producción	a A	R	R	R	C	C

Definición de niveles de responsabilidad:

R: Responsable de ejecutar la actividad.

A: Aprobador final.

C: Consultado.

I: Informado.



Producto Backlog

1.- Propósito del Product Backlog

El presente Product Backlog constituye el instrumento central de planificación dentro del marco metodológico Scrum, consolidando de manera estructurada los requerimientos funcionales, técnicos y operativos del Sistema de Gestión de Inventario.

Su finalidad es garantizar una gestión eficiente del desarrollo mediante la priorización estratégica de funcionalidades, permitiendo la entrega incremental de valor a lo largo de los ciclos de desarrollo (Sprints).

Este backlog se orienta a:

- Maximizar el valor del producto mediante la entrega continua de funcionalidades críticas
- Asegurar la generación de incrementos funcionales verificables en cada iteración
- Mantener trazabilidad entre los requerimientos definidos y los componentes desarrollados
- Facilitar la toma de decisiones basada en prioridades de negocio y necesidades operativas

2.- Estructura del Product Backlog

Cada elemento del backlog (Product Backlog Item – PBI) se encuentra definido bajo una estructura estandarizada que permite su adecuada gestión, evaluación y seguimiento dentro del ciclo Scrum.

Componentes de cada PBI:



- Identificador (ID): Código único de referencia
- Épica: Agrupación funcional de alto nivel
- Historia de Usuario: Necesidad expresada desde la perspectiva del usuario
- Descripción Funcional: Detalle técnico-operativo del requerimiento
- Criterios de Aceptación: Condiciones verificables para validar su cumplimiento
- Prioridad: Nivel de criticidad (Alta, Media, Baja)
- Valor de Negocio: Impacto en la operación institucional
- Dependencias: Relación con otros PBIs o componentes
- Sprint Sugerido: Iteración en la que se recomienda su implementación

3.- Product Backlog detallado.

- ★ Épica: Análisis y gestión de requerimientos.

PBI-01: Definición de requerimientos funcionales.

- Historia de Usuario:

Como administrador institucional, necesito definir los requerimientos funcionales del sistema para asegurar la cobertura de las necesidades operativas.

- Descripción Funcional:
Levantamiento integral de procesos actuales, identificación de flujos de información, análisis de puntos críticos y documentación formal de requerimientos.
- Criterios de Aceptación:
 - Documento validado por stakeholders
 - Identificación de actores, roles y permisos
- Definición de casos de uso y escenarios operativos
- Prioridad: Alta
- Valor de Negocio: Alto
- Dependencias: Ninguna
- Sprint Sugerido: 1

PBI-02: Definición de roles y control de accesos.



- Historia de Usuario:

Como usuario del sistema, necesito contar con niveles de acceso definidos para garantizar la seguridad de la información.

- Descripción Funcional:

Diseño de matriz de roles y permisos, considerando perfiles operativos y administrativos.

- Criterios de Aceptación:

- Matriz de roles implementada
- Restricciones de acceso configuradas
- Validación de permisos por tipo de usuario
- Prioridad: Alta
- Valor de Negocio: Alto
- Dependencias: PBI-01
- Sprint Sugerido: 1

★ Épica 2: Gestión y normalización de datos.

PBI-03 Depuración y validación de datos

- Historia de Usuario:

Como sistema, necesito contar con datos depurados para evitar inconsistencias en el inventario.

- Descripción Funcional:

Procesamiento de limpieza de datos, eliminación de duplicidades, validación de integridad y estandarización de formatos.

- Criterios de Aceptación:

Eliminación de registros duplicados
Validación de formatos normalizados
Integridad referencial garantizada

- Prioridad: Alta
- Valor de Negocio: Alto
- Dependencias: PBI-01



- Sprint Sugerido: 2

PBI-04 Diseño e implementación de base de datos

- Historia de Usuario:
Como administrador, necesito una base de datos estructurada para facilitar la gestión eficiente del inventario.
- Descripción Funcional:
Diseño del modelo entidad-relación, definición de tablas, relaciones y estructura lógica de almacenamiento.
- Criterios de Aceptación:
Modelo de datos documentado
Base de datos implementada
Validación de integridad y rendimiento
- Prioridad: Alta
- Valor de Negocio: Alto
- Dependencias: PBI-03
- Sprint Sugerido: 2

★ Épica 3: Desarrollo de plataforma

PBI-05 Modulo de registro de inventario

- Historia de Usuario:
Como usuario, necesito registrar elementos del inventario para mantener actualizado el sistema.



- Descripción Funcional:
Desarrollo de interfaz de captura de datos con validaciones y persistencia en base de datos.
- Criterios de Aceptación:
Formulario funcional y validado
Registro exitoso en base de datos
Control de errores de captura
- Prioridad: Alta
- Valor de Negocio: Alto
- Dependencias: PBI-04
- Sprint Sugerido: 3

PBI-06 Modulo de consulta y búsqueda

- Historia de Usuario:
Como usuario, necesito buscar elementos del inventario para acceder de manera eficiente a la información.
- Descripción Funcional:
Implementación de motor de búsqueda con filtros dinámicos y respuesta en tiempo real.
- Criterios de Aceptación:
Filtros funcionales por atributos

Resultados precisos y rápidos
Interfaz intuitiva
- Prioridad: Alta
- Valor de Negocio: Alto
- Dependencias: PBI-05
- Sprint Sugerido: 3

PBI-07 Control de movimientos de inventario.



- Historia de Usuario:
Como operador, necesito registrar movimientos del inventario para mantener trazabilidad.
- Descripción Funcional:
Implementación de módulo de entradas, salidas y cambios de ubicación con historial auditable.
- Criterios de Aceptación:
Registro histórico completo
Auditoría de cambios
Integridad de datos
- Prioridad: Alta
- Valor de Negocio: Alto
- Dependencias: PBI-05
- Sprint Sugerido: 4

PBI-08 Gestión de usuarios.

- Historia de Usuario:
Como administrador, necesito gestionar usuarios para controlar el acceso al sistema.
- Descripción Funcional:
Módulo para administración de usuarios y asignación de roles.
- Criterios de Aceptación:
CRUD de usuarios
Asignación de roles
Validación de accesos
- Prioridad: Media
- Valor de Negocio: Medio
- Dependencias: PBI-02
- Sprint Sugerido: 4

★ Épica 4: Visualización y monitoreo



PBI-09 Dashboard de monitoreo.

- Historia de Usuario:
Como responsable, necesito visualizar el estado del inventario para tomar decisiones informadas.
- Descripción Funcional:
Desarrollo de panel de control con indicadores clave (KPIs) y visualización gráfica.
- Criterios de Aceptación:
Gráficos dinámicos
Datos actualizados en tiempo real
Visualización clara
- Prioridad: Media
- Valor de Negocio: Medio
- Dependencias: PBI-06, PBI-07
- Sprint Sugerido: 5

PBI-10 Visualización de ubicación de activos.

- Historia de Usuario:
Como usuario, necesito visualizar la ubicación de activos para facilitar su localización.
- Descripción Funcional:
Módulo de representación de ubicaciones físicas o lógicas de los activos.
- Criterios de Aceptación:
Ubicación visible y accesible
Integración con datos del inventario
- Prioridad: Media
- Valor de Negocio: Medio
- Dependencias: PBI-07



- Sprint Sugerido: 5

★ Épica 5. Validación y control de calidad.

PBI-11 Pruebas funcionales del sistema.

- Historia de Usuario:
Como equipo técnico, necesito validar el sistema para garantizar su correcto funcionamiento.
- Descripción Funcional:
Ejecución de pruebas, documentación de resultados y control de incidencias.
- Criterios de Aceptación:
Casos de prueba ejecutados
Registro de errores
Validación funcional
- Prioridad: Alta
- Valor de Negocio: Alto
- Dependencias: Todos los PBIs anteriores
- Sprint Sugerido: 6

PBI-12 Optimización del sistema

- Historia de Usuario:
Como usuario final, necesito un sistema estable para operar sin interrupciones.
- Descripción Funcional:
Corrección de errores, mejora de rendimiento y optimización general del sistema.
- Criterios de Aceptación:
Reducción de incidencias
Mejora en tiempos de respuesta
- Prioridad: Alta
- Valor de Negocio: Alto
- Dependencias: PBI-11
- Sprint Sugerido: 6



★ Épica 6. Implementación y despliegue

PBI-13 Despliegue del sistema

- Historia de Usuario:
Como institución, necesito implementar el sistema para iniciar su operación formal.
- Descripción Funcional:
Configuración y despliegue en infraestructura institucional.
- Criterios de Aceptación:
Sistema accesible
Configuración correcta
- Prioridad: Alta
- Valor de Negocio: Alto
- Dependencias: PBI-12
- Sprint Sugerido: 7

PBI-14 Capacitación y documentación.

- Historia de Usuario:
Como usuario, necesito capacitación para utilizar el sistema correctamente.
- Descripción Funcional:
Elaboración de manuales y ejecución de sesiones de capacitación.
- Criterios de Aceptación:
Manual de usuario disponible
Capacitación completada
- Prioridad: Media
- Valor de Negocio: Medio
- Dependencias: PBI-13
- Sprint Sugerido: 7



4.- Priorización estratégica.

- Alta prioridad: Funcionalidades núcleo del sistema (registro, control, seguridad, datos)
- Media prioridad: Visualización, experiencia de usuario y optimización operativa
- Baja prioridad: Evoluciones futuras (automatización, integraciones externas)

5.- Consideraciones estratégicas del backlog

El product backlog se gestiona bajo un enfoque dinámico e incremental, permitiendo:

- Refinamiento continuo de requerimientos
- Adaptación a cambios del entorno institucional
- Validación temprana de funcionalidades
- Escalabilidad progresiva del sistema


6.- Resultado esperado.

La correcta ejecución del Product Backlog permitirá la entrega de un sistema que garantice:

- Control y trazabilidad integral de activos
- Gestión segura y estructurada de la información
- Acceso eficiente desde entornos web y móviles
- Soporte analítico para la toma de decisiones



Entidad relación






- Relación inventario cintas

```
CREATE TABLE sede (  
    sede_id INT PRIMARY KEY,  
    nombre VARCHAR(20) NOT NULL UNIQUE,  
    CONSTRAINT chk_sede_nombre CHECK (nombre IN ('patriotismo', 'toluca'))  
);  
  
CREATE TABLE anaquel (  
    anaquel_id INT PRIMARY KEY,  
    numero INT NOT NULL UNIQUE,  
    CONSTRAINT chk_anaquel_numero CHECK (numero BETWEEN 1 AND 11)  
);  
  
CREATE TABLE nivel (  
    nivel_id INT PRIMARY KEY,  
    numero INT NOT NULL UNIQUE,  
    CONSTRAINT chk_nivel_numero CHECK (numero BETWEEN 1 AND 3)  
);  
  
CREATE TABLE posicion (  
    posicion_id INT PRIMARY KEY,  
    codigo VARCHAR(5) NOT NULL UNIQUE,  
    CONSTRAINT chk_posicion_codigo CHECK (codigo REGEXP '^c00[0-9][0-9]$')  
);  
  
CREATE TABLE inventory_location (  
    id_codigo INT PRIMARY KEY,  
    sede_id INT NOT NULL,  
    caja_resguardo INT NOT NULL,  
    anaquel_id INT NOT NULL,  
    nivel_id INT NOT NULL,  
    posicion_id INT NOT NULL,  
    repetidos BOOLEAN NOT NULL DEFAULT FALSE,  
    CONSTRAINT fk_inventory_sede FOREIGN KEY (sede_id) REFERENCES sede(sede_id),  
    CONSTRAINT fk_inventory_anaquel FOREIGN KEY (anaquel_id) REFERENCES  
anaquel(anaquel_id),  
    CONSTRAINT fk_inventory_nivel FOREIGN KEY (nivel_id) REFERENCES  
nivel(nivel_id),  
    CONSTRAINT fk_inventory_posicion FOREIGN KEY (posicion_id) REFERENCES  
posicion(posicion_id)  
);
```

ERD de Gestión de Usuarios



- Tabla usuarios

```

CREATE TABLE usuario (
    usuario_id INT PRIMARY KEY,
    nombre VARCHAR(100) NOT NULL,
    password VARCHAR(255) NOT NULL
);

CREATE TABLE rol (
    rol_id INT PRIMARY KEY,
    nombre VARCHAR(50) NOT NULL UNIQUE
);

CREATE TABLE usuario_rol (
    usuario_rol_id INT PRIMARY KEY,
    usuario_id INT NOT NULL,
    rol_id INT NOT NULL,
    CONSTRAINT fk_usuario_rol_usuario
        FOREIGN KEY (usuario_id) REFERENCES usuario(usuario_id)
        ON DELETE CASCADE
        ON UPDATE CASCADE,
    CONSTRAINT fk_usuario_rol_rol
        FOREIGN KEY (rol_id) REFERENCES rol(rol_id)
        ON DELETE CASCADE
        ON UPDATE CASCADE,
    CONSTRAINT uq_usuario_rol UNIQUE (usuario_id, rol_id)
);


CREATE TABLE privilegio (
    privilegio_id INT PRIMARY KEY,
    nombre VARCHAR(100) NOT NULL UNIQUE
);
    
```



```
CREATE TABLE rol_privilegio (  
  rol_privilegio_id INT PRIMARY KEY,  
  rol_id INT NOT NULL,  
  privilegio_id INT NOT NULL,  
  CONSTRAINT fk_rol_privilegio_rol  
    FOREIGN KEY (rol_id) REFERENCES rol(rol_id)  
    ON DELETE CASCADE  
    ON UPDATE CASCADE,  
  CONSTRAINT fk_rol_privilegio_privilegio  
    FOREIGN KEY (privilegio_id) REFERENCES privilegio(privilegio_id)  
    ON DELETE CASCADE  
    ON UPDATE CASCADE,  
  CONSTRAINT uq_rol_privilegio UNIQUE (rol_id, privilegio_id)  
);  
  
INSERT INTO rol (rol_id, nombre) VALUES  
  (1, 'admin'),  
  (2, 'user'),  
  (3, 'user_temporal');  
  
INSERT INTO privilegio (privilegio_id, nombre) VALUES  
  (1, 'add_user'),  
  (2, 'delete_user'),  
  (3, 'edit'),  
  (4, 'add_information'),  
  (5, 'solicitar_prestamo'),  
  (6, 'edit_information'),  
  (7, 'download_reporte');  
  
INSERT INTO rol_privilegio (rol_privilegio_id, rol_id, privilegio_id) VALUES  
  -- admin  
  (1, 1, 1),  
  (2, 1, 2),  
  (3, 1, 3),  
  (4, 1, 4),  
  (5, 1, 5),  
  
  -- user  
  (6, 2, 5),  
  (7, 2, 6),  
  
  -- user_temporal  
  (8, 3, 5),  
  (9, 3, 7);  
  
INSERT INTO usuario (usuario_id, nombre, password) VALUES  
  (1, 'Administrador General', 'admin123'),  
  (2, 'Usuario Base', 'user123'),  
  (3, 'Usuario Temporal 1', 'temp123'),  
  (4, 'Usuario Base 2', 'user456'),  
  (5, 'Usuario Temporal 2', 'temp456');
```





```
INSERT INTO usuario_rol (usuario_rol_id, usuario_id, rol_id) VALUES
(1, 1, 1),
(2, 2, 2),
(3, 3, 3),
(4, 4, 2),
(5, 5, 3);
```





ERD de Ubicaciones de Inventario



- tabla_prestamos

```
CREATE DATABASE IF NOT EXISTS gestion_cintas
  CHARACTER SET utf8mb4
  COLLATE utf8mb4_unicode_ci;
USE gestion_cintas;

SET NAMES utf8mb4;

CREATE TABLE sede (
  sede_id INT UNSIGNED NOT NULL AUTO_INCREMENT,
  nombre ENUM('patriotismo', 'toluca') NOT NULL,
  created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,
  updated_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE
  CURRENT_TIMESTAMP,
  PRIMARY KEY (sede_id),
  UNIQUE KEY uk_sede_nombre (nombre)
) ENGINE=InnoDB;

CREATE TABLE anaquel (
  anaquel_id INT UNSIGNED NOT NULL AUTO_INCREMENT,
  numero TINYINT UNSIGNED NOT NULL,
  created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,
```



```
    updated_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE
CURRENT_TIMESTAMP,
    PRIMARY KEY (anaquel_id),
    UNIQUE KEY uk_anaquel_numero (numero),
    CONSTRAINT chk_anaquel_numero CHECK (numero BETWEEN 1 AND 11)
) ENGINE=InnoDB;

CREATE TABLE nivel (
    nivel_id INT UNSIGNED NOT NULL AUTO_INCREMENT,
    numero TINYINT UNSIGNED NOT NULL,
    created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,
    updated_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE
CURRENT_TIMESTAMP,
    PRIMARY KEY (nivel_id),
    UNIQUE KEY uk_nivel_numero (numero),
    CONSTRAINT chk_nivel_numero CHECK (numero BETWEEN 1 AND 3)
) ENGINE=InnoDB;

CREATE TABLE posicion (
    posicion_id INT UNSIGNED NOT NULL AUTO_INCREMENT,
    codigo VARCHAR(5) NOT NULL,
    created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,

    updated_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE
CURRENT_TIMESTAMP,
    PRIMARY KEY (posicion_id),
    UNIQUE KEY uk_posicion_codigo (codigo),
    CONSTRAINT chk_posicion_codigo CHECK (codigo REGEXP '^c[0-9]{4}$')
) ENGINE=InnoDB;

CREATE TABLE inventory_location (
    id_codigo BIGINT UNSIGNED NOT NULL AUTO_INCREMENT,
    sede_id INT UNSIGNED NOT NULL,
    caja_resguardo INT UNSIGNED NOT NULL,
    anaquel_id INT UNSIGNED NOT NULL,
    nivel_id INT UNSIGNED NOT NULL,
    posicion_id INT UNSIGNED NOT NULL,
    repetidos BOOLEAN NOT NULL DEFAULT FALSE,
    created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,
    updated_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE
CURRENT_TIMESTAMP,
    PRIMARY KEY (id_codigo),
    UNIQUE KEY uk_inventory_ubicacion (sede_id, anaquel_id, nivel_id,
posicion_id, caja_resguardo),
    KEY idx_inventory_sede (sede_id),
    KEY idx_inventory_anaquel (anaquel_id),
    KEY idx_inventory_nivel (nivel_id),
    KEY idx_inventory_posicion (posicion_id),
    KEY idx_inventory_repetidos (repetidos),
    CONSTRAINT fk_inventory_sede FOREIGN KEY (sede_id)
    REFERENCES sede(sede_id)
    ON UPDATE CASCADE
```



```
    ON DELETE RESTRICT,
CONSTRAINT fk_inventory_anaquel FOREIGN KEY (anaquel_id)
    REFERENCES anaquel(anaquel_id)
    ON UPDATE CASCADE
    ON DELETE RESTRICT,
CONSTRAINT fk_inventory_nivel FOREIGN KEY (nivel_id)
    REFERENCES nivel(nivel_id)
    ON UPDATE CASCADE
    ON DELETE RESTRICT,
CONSTRAINT fk_inventory_posicion FOREIGN KEY (posicion_id)
    REFERENCES posicion(posicion_id)
    ON UPDATE CASCADE
    ON DELETE RESTRICT,
CONSTRAINT chk_caja_resguardo CHECK (caja_resguardo > 0)

) ENGINE=InnoDB;

CREATE TABLE usuario (
    usuario_id INT UNSIGNED NOT NULL AUTO_INCREMENT,
    nombre VARCHAR(150) NOT NULL,
    password VARCHAR(255) NOT NULL,
    edit_information BOOLEAN NOT NULL DEFAULT FALSE,
    solicitar_prestamo BOOLEAN NOT NULL DEFAULT FALSE,
    created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,
    updated_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE
CURRENT_TIMESTAMP,
    PRIMARY KEY (usuario_id),
    KEY idx_usuario_nombre (nombre)
) ENGINE=InnoDB;

CREATE TABLE usuario_temporal (
    temporal_id INT UNSIGNED NOT NULL AUTO_INCREMENT,
    usuario_id INT UNSIGNED NOT NULL,
    solicitar_prestamo BOOLEAN NOT NULL DEFAULT FALSE,
    download_reporte BOOLEAN NOT NULL DEFAULT FALSE,
    created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,
    updated_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE
CURRENT_TIMESTAMP,
    PRIMARY KEY (temporal_id),
    KEY idx_usuario_temporal_usuario (usuario_id),
    CONSTRAINT fk_usuario_temporal_usuario FOREIGN KEY (usuario_id)
    REFERENCES usuario(usuario_id)
    ON UPDATE CASCADE
    ON DELETE CASCADE
) ENGINE=InnoDB;

CREATE TABLE admin (
    admin_id INT UNSIGNED NOT NULL AUTO_INCREMENT,
    usuario_id INT UNSIGNED NOT NULL,
    add_user BOOLEAN NOT NULL DEFAULT FALSE,
    delete_user BOOLEAN NOT NULL DEFAULT FALSE,
    edit BOOLEAN NOT NULL DEFAULT FALSE,
```



```
add_information BOOLEAN NOT NULL DEFAULT FALSE,
solicitar_prestamo BOOLEAN NOT NULL DEFAULT FALSE,
created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,
updated_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE
CURRENT_TIMESTAMP,
PRIMARY KEY (admin_id),

UNIQUE KEY uk_admin_usuario (usuario_id),
CONSTRAINT fk_admin_usuario FOREIGN KEY (usuario_id)
REFERENCES usuario(usuario_id)
ON UPDATE CASCADE
ON DELETE CASCADE
) ENGINE=InnoDB;


CREATE TABLE data_cintas (
cinta_id INT UNSIGNED NOT NULL AUTO_INCREMENT,
codigo VARCHAR(100) NOT NULL,
descripcion TEXT NULL,
estado VARCHAR(50) NOT NULL,
created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,
updated_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE
CURRENT_TIMESTAMP,
PRIMARY KEY (cinta_id),
UNIQUE KEY uk_data_cintas_codigo (codigo),
KEY idx_data_cintas_estado (estado)
) ENGINE=InnoDB;

CREATE TABLE prestamos_cinta (
num_prestamo BIGINT UNSIGNED NOT NULL AUTO_INCREMENT,
id_user INT UNSIGNED NOT NULL,
fecha DATE NOT NULL,
hora TIME NOT NULL,
name_user VARCHAR(150) NOT NULL,
created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,
updated_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE
CURRENT_TIMESTAMP,
PRIMARY KEY (num_prestamo),
KEY idx_prestamos_usuario (id_user),
KEY idx_prestamos_fecha (fecha),
KEY idx_prestamos_fecha_usuario (fecha, id_user),
CONSTRAINT fk_prestamo_usuario FOREIGN KEY (id_user)
REFERENCES usuario(usuario_id)
ON UPDATE CASCADE
ON DELETE RESTRICT
) ENGINE=InnoDB;

CREATE TABLE prestamo_cinta_detalle (
detalle_id BIGINT UNSIGNED NOT NULL AUTO_INCREMENT,
num_prestamo BIGINT UNSIGNED NOT NULL,
cinta_id INT UNSIGNED NOT NULL,
```



```
created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,  
PRIMARY KEY (detalle_id),  
UNIQUE KEY uk_prestamo_cinta (num_prestamo, cinta_id),  
KEY idx_detalle_prestamo (num_prestamo),  
KEY idx_detalle_cinta (cinta_id),  
CONSTRAINT fk_detalle_prestamo FOREIGN KEY (num_prestamo)  
REFERENCES prestamos_cinta(num_prestamo)  
ON UPDATE CASCADE  
ON DELETE CASCADE,  
CONSTRAINT fk_detalle_cinta FOREIGN KEY (cinta_id)  
REFERENCES data_cintas(cinta_id)  
ON UPDATE CASCADE  
ON DELETE RESTRICT  
) ENGINE=InnoDB;
```





- Tabla entrega_cinta

```
CREATE DATABASE IF NOT EXISTS gestion_cintas
  CHARACTER SET utf8mb4
  COLLATE utf8mb4_unicode_ci;
USE gestion_cintas;

SET NAMES utf8mb4;
/Catálogos de ubicación/

CREATE TABLE sede (
  sede_id INT UNSIGNED NOT NULL AUTO_INCREMENT,
  nombre ENUM('patriotismo', 'toluca') NOT NULL,
  created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,
  updated_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE
CURRENT_TIMESTAMP,
  PRIMARY KEY (sede_id),
  UNIQUE KEY uk_sede_nombre (nombre)
) ENGINE=InnoDB;

CREATE TABLE anaquel (
  anaquel_id INT UNSIGNED NOT NULL AUTO_INCREMENT,
  numero TINYINT UNSIGNED NOT NULL,
  created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,
  updated_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE
CURRENT_TIMESTAMP,
  PRIMARY KEY (anaquel_id),
  UNIQUE KEY uk_anaquel_numero (numero),
  CONSTRAINT chk_anaquel_numero CHECK (numero BETWEEN 1 AND 11)
) ENGINE=InnoDB;

CREATE TABLE nivel (
  nivel_id INT UNSIGNED NOT NULL AUTO_INCREMENT,

  numero TINYINT UNSIGNED NOT NULL,
  created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,
  updated_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE
CURRENT_TIMESTAMP,
  PRIMARY KEY (nivel_id),
  UNIQUE KEY uk_nivel_numero (numero),
  CONSTRAINT chk_nivel_numero CHECK (numero BETWEEN 1 AND 3)
) ENGINE=InnoDB;

CREATE TABLE posicion (
  posicion_id INT UNSIGNED NOT NULL AUTO_INCREMENT,
  codigo VARCHAR(5) NOT NULL,
  created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,
  updated_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE
CURRENT_TIMESTAMP,
  PRIMARY KEY (posicion_id),
  UNIQUE KEY uk_posicion_codigo (codigo),
  CONSTRAINT chk_posicion_codigo CHECK (codigo REGEXP '^c[0-9]{4}$')
```



```
) ENGINE=InnoDB;
```

```
/Usuarios/
```

```
CREATE TABLE usuario (  
    usuario_id INT UNSIGNED NOT NULL AUTO_INCREMENT,  
  
    nombre VARCHAR(150) NOT NULL,  
    password VARCHAR(255) NOT NULL,  
    edit_information BOOLEAN NOT NULL DEFAULT FALSE,  
    solicitar_prestamo BOOLEAN NOT NULL DEFAULT FALSE,  
    created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,  
    updated_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE  
CURRENT_TIMESTAMP,  
    PRIMARY KEY (usuario_id),  
    KEY idx_usuario_nombre (nombre)  
) ENGINE=InnoDB;
```

```
CREATE TABLE admin (  
    admin_id INT UNSIGNED NOT NULL AUTO_INCREMENT,  
    usuario_id INT UNSIGNED NOT NULL,  
    add_user BOOLEAN NOT NULL DEFAULT FALSE,  
    delete_user BOOLEAN NOT NULL DEFAULT FALSE,  
    edit BOOLEAN NOT NULL DEFAULT FALSE,  
    add_information BOOLEAN NOT NULL DEFAULT FALSE,  
    solicitar_prestamo BOOLEAN NOT NULL DEFAULT FALSE,  
    created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,  
    updated_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE  
CURRENT_TIMESTAMP,  
    PRIMARY KEY (admin_id),  
  
    UNIQUE KEY uk_admin_usuario (usuario_id),  
    CONSTRAINT fk_admin_usuario FOREIGN KEY (usuario_id)  
        REFERENCES usuario(usuario_id)  
        ON UPDATE CASCADE  
        ON DELETE CASCADE  
) ENGINE=InnoDB;
```

```
/Cintas/
```

```
CREATE TABLE cinta (  
    cinta_id INT UNSIGNED NOT NULL AUTO_INCREMENT,  
    codigo VARCHAR(100) NOT NULL,  
    descripcion TEXT NULL,  
    estado ENUM('disponible','prestada','en_transito','mantenimiento','baja') NOT  
NULL DEFAULT 'disponible',  
    created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,  
    updated_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE  
CURRENT_TIMESTAMP,  
    PRIMARY KEY (cinta_id),  
    UNIQUE KEY uk_cinta_codigo (codigo),  
    KEY idx_cinta_estado (estado)  
) ENGINE=InnoDB;
```




/INVENTARIO AJUSTADO A LA CINTA INTEGRADA/

-- Una cinta queda asociada a una ubicación física--

```
CREATE TABLE inventario_cinta (  
  inventario_id BIGINT UNSIGNED NOT NULL AUTO_INCREMENT,  
  cinta_id INT UNSIGNED NOT NULL,  
  sede_id INT UNSIGNED NOT NULL,  
  caja_resguardo INT UNSIGNED NOT NULL,  
  anaquel_id INT UNSIGNED NOT NULL,  
  nivel_id INT UNSIGNED NOT NULL,  
  posicion_id INT UNSIGNED NOT NULL,  
  repetidos BOOLEAN NOT NULL DEFAULT FALSE,  
  activo BOOLEAN NOT NULL DEFAULT TRUE,  
  fecha_integracion DATETIME NOT NULL DEFAULT CURRENT_TIMESTAMP,  
  created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,  
  updated_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE  
CURRENT_TIMESTAMP,  
  PRIMARY KEY (inventario_id),  
  UNIQUE KEY uk_cinta_activa (cinta_id, activo),  
  UNIQUE KEY uk_ubicacion_activa (sede_id, anaquel_id, nivel_id, posicion_id,  
caja_resguardo, activo),  
  KEY idx_inventario_cinta (cinta_id),  
  KEY idx_inventario_sede (sede_id),  
  KEY idx_inventario_anaquel (anaquel_id),  
  KEY idx_inventario_nivel (nivel_id),  
  
  KEY idx_inventario_posicion (posicion_id),  
  CONSTRAINT fk_inventario_cinta FOREIGN KEY (cinta_id)  
    REFERENCES cinta(cinta_id)  
    ON UPDATE CASCADE  
    ON DELETE RESTRICT,  
  CONSTRAINT fk_inventario_sede FOREIGN KEY (sede_id)  
    REFERENCES sede(sede_id)  
    ON UPDATE CASCADE  
    ON DELETE RESTRICT,  
  CONSTRAINT fk_inventario_anaquel FOREIGN KEY (anaquel_id)  
    REFERENCES anaquel(anaquel_id)  
    ON UPDATE CASCADE  
    ON DELETE RESTRICT,  
  CONSTRAINT fk_inventario_nivel FOREIGN KEY (nivel_id)  
    REFERENCES nivel(nivel_id)  
    ON UPDATE CASCADE  
    ON DELETE RESTRICT,  
  CONSTRAINT fk_inventario_posicion FOREIGN KEY (posicion_id)  
    REFERENCES posicion(posicion_id)  
    ON UPDATE CASCADE  
    ON DELETE RESTRICT,  
  CONSTRAINT chk_caja_resguardo CHECK (caja_resguardo > 0)  
  
) ENGINE=InnoDB;
```

/ENTREGA DE CINTA/

-- Encabezado de la entrega / integración al inventario--



```
CREATE TABLE entrega_cinta (
  entrega_id BIGINT UNSIGNED NOT NULL AUTO_INCREMENT,
  cinta_id INT UNSIGNED NOT NULL,
  usuario_id INT UNSIGNED NOT NULL,
  sede_id INT UNSIGNED NOT NULL,
  caja_resguardo INT UNSIGNED NOT NULL,
  anaquel_id INT UNSIGNED NOT NULL,
  nivel_id INT UNSIGNED NOT NULL,
  posicion_id INT UNSIGNED NOT NULL,
  observaciones VARCHAR(255) NULL,
  fecha_entrega DATETIME NOT NULL DEFAULT CURRENT_TIMESTAMP,
  created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,
  updated_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE
CURRENT_TIMESTAMP,
  PRIMARY KEY (entrega_id),
  KEY idx_entrega_cinta (cinta_id),
  KEY idx_entrega_usuario (usuario_id),
  KEY idx_entrega_fecha (fecha_entrega),

  CONSTRAINT fk_entrega_cinta FOREIGN KEY (cinta_id)
  REFERENCES cinta(cinta_id)
  ON UPDATE CASCADE
  ON DELETE RESTRICT,
  CONSTRAINT fk_entrega_usuario FOREIGN KEY (usuario_id)
  REFERENCES usuario(usuario_id)
  ON UPDATE CASCADE
  ON DELETE RESTRICT,
  CONSTRAINT fk_entrega_sede FOREIGN KEY (sede_id)
  REFERENCES sede(sede_id)
  ON UPDATE CASCADE
  ON DELETE RESTRICT,
  CONSTRAINT fk_entrega_anaquel FOREIGN KEY (anaquel_id)
  REFERENCES anaquel(anaquel_id)
  ON UPDATE CASCADE
  ON DELETE RESTRICT,
  CONSTRAINT fk_entrega_nivel FOREIGN KEY (nivel_id)
  REFERENCES nivel(nivel_id)
  ON UPDATE CASCADE
  ON DELETE RESTRICT,
  CONSTRAINT fk_entrega_posicion FOREIGN KEY (posicion_id)
  REFERENCES posicion(posicion_id)
  ON UPDATE CASCADE
  ON DELETE RESTRICT
) ENGINE=InnoDB;

/TRIGGER: al entregar una cinta, actualizar inventario/
DELIMITER $$

CREATE TRIGGER trg_entrega_cinta_after_insert
AFTER INSERT ON entrega_cinta
FOR EACH ROW
BEGIN
```



```
UPDATE inventario_cinta
  SET activo = FALSE,
      updated_at = CURRENT_TIMESTAMP
WHERE cinta_id = NEW.cinta_id
  AND activo = TRUE;

INSERT INTO inventario_cinta (
  cinta_id,
  sede_id,
  caja_resguardo,
  anaquel_id,

  nivel_id,
  posicion_id,
  repetidos,
  activo,
  fecha_integracion
) VALUES (
  NEW.cinta_id,
  NEW.sede_id,
  NEW.caja_resguardo,
  NEW.anaquel_id,
  NEW.nivel_id,
  NEW.posicion_id,
  FALSE,
  TRUE,
  NEW.fecha_entrega
);

UPDATE cinta
  SET estado = 'disponible',
      updated_at = CURRENT_TIMESTAMP
WHERE cinta_id = NEW.cinta_id;
END$$

DELIMITER ;

/PROCEDIMIENTO: registrar entrega de cinta/
-- Integra cinta + ubicación en un solo proceso--
DELIMITER $$

CREATE PROCEDURE sp_registrar_entrega_cinta (
  IN p_cinta_id INT UNSIGNED,
  IN p_usuario_id INT UNSIGNED,
  IN p_sede_id INT UNSIGNED,
  IN p_caja_resguardo INT UNSIGNED,
  IN p_anaquel_id INT UNSIGNED,
  IN p_nivel_id INT UNSIGNED,
  IN p_posicion_id INT UNSIGNED,
  IN p_observaciones VARCHAR(255)
)
BEGIN
```



```
DECLARE v_existe_cinta INT DEFAULT 0;

DECLARE v_existe_usuario INT DEFAULT 0;

SELECT COUNT(*) INTO v_existe_cinta
FROM cinta
WHERE cinta_id = p_cinta_id;

SELECT COUNT(*) INTO v_existe_usuario
FROM usuario
WHERE usuario_id = p_usuario_id;

IF v_existe_cinta = 0 THEN
    SIGNAL SQLSTATE '45000'
    SET MESSAGE_TEXT = 'La cinta no existe';
END IF;

IF v_existe_usuario = 0 THEN
    SIGNAL SQLSTATE '45000'
    SET MESSAGE_TEXT = 'El usuario no existe';
END IF;

INSERT INTO entrega_cinta (
    cinta_id,
    usuario_id,
    sede_id,
    caja_resguardo,
    anaquel_id,
    nivel_id,
    posicion_id,
    observaciones,
    fecha_entrega
) VALUES (
    p_cinta_id,
    p_usuario_id,
    p_sede_id,
    p_caja_resguardo,
    p_anaquel_id,
    p_nivel_id,
    p_posicion_id,
    p_observaciones,
    CURRENT_TIMESTAMP
);
END$$

DELIMITER ;

/ VISTA: ubicación actual de cada cinta/
CREATE OR REPLACE VIEW vw_cinta_ubicacion_actual AS
SELECT
    c.cinta_id,
    c.codigo,
```




```
c.descripcion,
c.estado,
s.nombre AS sede,
ic.caja_resguardo,
a.numero AS anaquel,

n.numero AS nivel,
p.codigo AS posicion,
ic.fecha_integracion,
ic.activo
FROM cinta c
JOIN inventario_cinta ic ON c.cinta_id = ic.cinta_id AND ic.activo = TRUE
JOIN sede s ON ic.sede_id = s.sede_id
JOIN anaquel a ON ic.anaquel_id = a.anaquel_id
JOIN nivel n ON ic.nivel_id = n.nivel_id
JOIN posicion p ON ic.posicion_id = p.posicion_id;

/VISTA: historial de entregas/
CREATE OR REPLACE VIEW vw_historial_entrega_cinta AS
SELECT
    ec.entrega_id,
    c.codigo AS codigo_cinta,
    u.nombre AS usuario,

    s.nombre AS sede,
    ec.caja_resguardo,
    a.numero AS anaquel,
    n.numero AS nivel,
    p.codigo AS posicion,
    ec.observaciones,
    ec.fecha_entrega
FROM entrega_cinta ec
JOIN cinta c ON ec.cinta_id = c.cinta_id
JOIN usuario u ON ec.usuario_id = u.usuario_id
JOIN sede s ON ec.sede_id = s.sede_id
JOIN anaquel a ON ec.anaquel_id = a.anaquel_id
JOIN nivel n ON ec.nivel_id = n.nivel_id
JOIN posicion p ON ec.posicion_id = p.posicion_id;

/CONSULTAS DE PRUEBA/
SELECT * FROM vw_cinta_ubicacion_actual;
SELECT * FROM vw_historial_entrega_cinta;
```



- Cintas_repetidas

```
CREATE TABLE IF NOT EXISTS cintas_repetidas (  
  repetida_id BIGINT UNSIGNED NOT NULL AUTO_INCREMENT,  
  cinta_id INT UNSIGNED NOT NULL,  
  sede_id INT UNSIGNED NOT NULL,  
  
  caja_resguardo INT UNSIGNED NOT NULL,  
  anaquel_id INT UNSIGNED NOT NULL,  
  nivel_id INT UNSIGNED NOT NULL,  
  posicion_id INT UNSIGNED NOT NULL,  
  motivo_rechazo VARCHAR(255) NOT NULL,  
  fecha_validacion DATETIME NOT NULL DEFAULT CURRENT_TIMESTAMP,  
  usuario_validador VARCHAR(150) NULL,  
  created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,  
  PRIMARY KEY (repetida_id),
```



```
KEY idx_repetida_cinta (cinta_id),
KEY idx_repetida_sede (sede_id),
KEY idx_repetida_anaquel (anaquel_id),
KEY idx_repetida_nivel (nivel_id),
KEY idx_repetida_posicion (posicion_id),
CONSTRAINT fk_repetida_cinta FOREIGN KEY (cinta_id)
    REFERENCES cinta(cinta_id)
    ON UPDATE CASCADE
    ON DELETE RESTRICT,

CONSTRAINT fk_repetida_sede FOREIGN KEY (sede_id)
    REFERENCES sede(sede_id)
    ON UPDATE CASCADE
    ON DELETE RESTRICT,
CONSTRAINT fk_repetida_anaquel FOREIGN KEY (anaquel_id)
    REFERENCES anaquel(anaquel_id)
    ON UPDATE CASCADE
    ON DELETE RESTRICT,
CONSTRAINT fk_repetida_nivel FOREIGN KEY (nivel_id)
    REFERENCES nivel(nivel_id)
    ON UPDATE CASCADE
    ON DELETE RESTRICT,
CONSTRAINT fk_repetida_posicion FOREIGN KEY (posicion_id)
    REFERENCES posicion(posicion_id)
    ON UPDATE CASCADE
    ON DELETE RESTRICT,
CONSTRAINT chk_repetida_caja CHECK (caja_resguardo > 0)
) ENGINE=InnoDB;

/ÍNDICES / RESTRICCIONES PARA BLOQUEAR DUPLICADOS EN INVENTARIO/
ALTER TABLE inventario_cinta
    ADD UNIQUE KEY uk_inventario_cinta_activa (cinta_id, activo),
    ADD UNIQUE KEY uk_inventario_ubicacion_activa (sede_id, caja_resguardo,
anaquel_id, nivel_id, posicion_id, activo);

DELIMITER $$

CREATE PROCEDURE sp_registrar_entrega_cinta_validada (
    IN p_cinta_id INT UNSIGNED,
    IN p_usuario_id INT UNSIGNED,
    IN p_sede_id INT UNSIGNED,
    IN p_caja_resguardo INT UNSIGNED,
    IN p_anaquel_id INT UNSIGNED,
    IN p_nivel_id INT UNSIGNED,
    IN p_posicion_id INT UNSIGNED,
    IN p_observaciones VARCHAR(255),
    IN p_usuario_validador VARCHAR(150)
)
BEGIN
    DECLARE v_existe_cinta INT DEFAULT 0;
    DECLARE v_existe_usuario INT DEFAULT 0;
    DECLARE v_dup_cinta_activa INT DEFAULT 0;
```



```
DECLARE v_dup_ubicacion_activa INT DEFAULT 0;
DECLARE v_motivo VARCHAR(255);

SELECT COUNT(*) INTO v_existe_cinta
FROM cinta
WHERE cinta_id = p_cinta_id;

IF v_existe_cinta = 0 THEN
    SIGNAL SQLSTATE '45000'
    SET MESSAGE_TEXT = 'La cinta no existe';
END IF;

SELECT COUNT(*) INTO v_existe_usuario
FROM usuario

WHERE usuario_id = p_usuario_id;

IF v_existe_usuario = 0 THEN
    SIGNAL SQLSTATE '45000'
    SET MESSAGE_TEXT = 'El usuario no existe';
END IF;

SELECT COUNT(*) INTO v_dup_cinta_activa
FROM inventario_cinta
WHERE cinta_id = p_cinta_id
    AND activo = TRUE;

SELECT COUNT(*) INTO v_dup_ubicacion_activa
FROM inventario_cinta
WHERE sede_id = p_sede_id
    AND caja_resguardo = p_caja_resguardo
    AND anaquel_id = p_anaquel_id
    AND nivel_id = p_nivel_id

    AND posicion_id = p_posicion_id
    AND activo = TRUE;

IF v_dup_cinta_activa > 0 THEN
    SET v_motivo = 'Registro rechazado: la cinta ya tiene una ubicación activa
en inventario';

    INSERT INTO cintas_repetidas (
        cinta_id,
        sede_id,
        caja_resguardo,
        anaquel_id,
        nivel_id,
        posicion_id,
        motivo_rechazo,
        fecha_validacion,
        usuario_validador
    ) VALUES (
        p_cinta_id,
```




```
p_sede_id,  
p_caja_resguardo,  
p_anaquel_id,  
p_nivel_id,  
p_posicion_id,  
v_motivo,  
CURRENT_TIMESTAMP,  
p_usuario_validador  
);  
  
SIGNAL SQLSTATE '45000'  
SET MESSAGE_TEXT = 'No se puede registrar: la cinta ya tiene una  
ubicación activa';  
END IF;  
  
IF v_dup_ubicacion_activa > 0 THEN  
SET v_motivo = 'Registro rechazado: la ubicación física ya está ocupada por  
otra cinta activa';  
  
INSERT INTO cintas_repetidas (  
cinta_id,  
sede_id,  
caja_resguardo,  
anaquel_id,  
nivel_id,  
posicion_id,  
motivo_rechazo,  
fecha_validacion,  
usuario_validador  
) VALUES (  
p_cinta_id,  
p_sede_id,  
p_caja_resguardo,  
p_anaquel_id,  
p_nivel_id,  
p_posicion_id,  
v_motivo,  
CURRENT_TIMESTAMP,  
p_usuario_validador  
);  
  
SIGNAL SQLSTATE '45000'  
SET MESSAGE_TEXT = 'No se puede registrar: la ubicación física ya está  
ocupada';  
END IF;  
  
INSERT INTO entrega_cinta (  
cinta_id,  
usuario_id,  
sede_id,  
caja_resguardo,  
anaquel_id,
```



```
nivel_id,
posicion_id,
observaciones,
fecha_entrega
) VALUES (
p_cinta_id,
p_usuario_id,
p_sede_id,
p_caja_resguardo,
p_anaquel_id,
p_nivel_id,
p_posicion_id,
p_observaciones,
CURRENT_TIMESTAMP
);
END$$

DELIMITER ;

/TRIGGER OPCIONAL:
-- marca como repetido en inventario cuando se detecten intentos previos--
DELIMITER $$

CREATE TRIGGER trg_marcar_repetidos_en_cinta
AFTER INSERT ON cintas_repetidas
FOR EACH ROW
BEGIN
    UPDATE cinta
        SET estado = 'en_transito',
            updated_at = CURRENT_TIMESTAMP
        WHERE cinta_id = NEW.cinta_id;
END$$

DELIMITER ;
/ VISTA DE CONTROL DE RECHAZOS/
CREATE OR REPLACE VIEW vw_cintas_repetidas AS
SELECT
    cr.repetida_id,
    c.codigo AS codigo_cinta,
    c.descripcion,
    s.nombre AS sede,
    cr.caja_resguardo,
    a.numero AS anaquel,
    n.numero AS nivel,
    p.codigo AS posicion,
    cr.motivo_rechazo,
    cr.fecha_validacion,
    cr.usuario_validador
FROM cintas_repetidas cr
JOIN cinta c ON cr.cinta_id = c.cinta_id
JOIN sede s ON cr.sede_id = s.sede_id
JOIN anaquel a ON cr.anaquel_id = a.anaquel_id
JOIN nivel n ON cr.nivel_id = n.nivel_id
```



```
JOIN posicion p ON cr.posicion_id = p.posicion_id;
```



Planeación de Sprints

Basándonos en una estructura de recursos en personal y gestión de lo robusto que se empezó a implementar la idea inicial se realiza una grafica de la planeación basado en lo que se fue realizando, quizás no de la manera mas ordenada pero ciertamente ajustando todos los puntos clave que se fueron solicitando.

Métricas Globales.

Panel de 6 indicadores clave (KPIs) que da una foto instantánea del proyecto: cuántas historias hay, cuántas están listas, cuántas retrasadas y a qué velocidad avanza el equipo.

KPIs & GESTIÓN DE RIESGOS				
Avance Global	Velocity Prom	Días Retraso Máx	HUs en Riesgo	Sprint Actual
90%	18 SP	12 días	5	Sprint 6
Meta: 90%	SP/Sprint realizados	Sprint 4 – HU-DOC-05	Sprints 4, 5 y 6	07 May – 13 May 2026

Estado por Sprint



Tabla cronológica de los 6 sprints. Permite ver de un vistazo cuándo el proyecto iba bien (Sprints 1–3 al 100%) y dónde empezó a descarrilarse (Sprint 4 en adelante).

CONTROL POR SPRINT									
Sprint	Período	HUs Planif.	HUs Complet.	HUs Retraso	Story Points	% Complet.	Vel. Real (SP/sprint)	Estado Sprint	Días Retraso Máx
1	26/Feb – 11/Mar	4	4	0	23	100%	23	✅ Completado	0
2	12/Mar – 25/Mar	4	4	0	26	100%	26	✅ Completado	0
3	26/Mar – 08/Abr	3	3	0	21	100%	21	✅ Completado	0
4	09/Abr – 22/Abr	6	0	3	34	40%	14	⚠️ En Riesgo	12
5	23/Abr – 06/May	5	0	2	34	48%	18	⚠️ En Riesgo	9
6	07/May – 13/May	2	0	0	8	0%	0	🔄 En Curso	0



AVANCE

Sprint	HUs Completadas	HUs Retrasadas	% Completado
Sprint 1	4	0	100%
Sprint 2	4	0	100%
Sprint 3	3	0	100%
Sprint 4	0	3	40%
Sprint 5	0	2	48%
Sprint 6	0	0	0%





Historias de Usuarios

El corazón del reporte. Dividida en dos bloques: las HUs ya entregadas y las que están en riesgo, mostrando días de retraso y qué las está bloqueando técnicamente.

En Progreso / Retrasadas (Sprint 4 – 6)

ID	Historia	Sprint	SP	Avance	Retraso	Bloqueo
<u>HU-DOC-04</u>	Flujo Gestionar (cancelar/extender)	Sprint 4	8	75%	28d	<u>Extension en revision de negocio</u>
<u>HU-DOC-04</u>	Flujo Entregar/Devolver	Sprint 4	5	65%	28d	<u>Validacion usuario pendiente</u>
<u>HU-DOC-05</u>	Usuario Temporal – Acceso <u>efimero 24h</u>	Sprint 4	8	45%	12d	<u>Token TTL no implementado</u>
<u>HU-DOC-05</u>	Usuario Temporal – <u>Restriccion endpoints</u>	Sprint 4	5	30%	8d	<u>Middleware de roles pendiente</u>
<u>HU-DOC-06</u>	Dashboard Lineas <u>Telefonicas</u>	Sprint 4	8	35%	9d	<u>API integracion pendiente</u>
<u>HU-DOC-05</u>	Usuario Temporal – Log auditoria	Sprint 5	5	50%	14d	Estructura log definida
<u>HU-DOC-05</u>	Usuario Temporal – <u>Expiracion automatica</u>	Sprint 5	8	40%	8d	<u>Job scheduler pendiente</u>
<u>HU-DOC-06</u>	Dashboard IDFs – Mapa/Lista + <u>Thresholds</u>	Sprint 5	8	55%	8d	<u>Thresholds en diseno</u>
<u>HU-DOC-06</u>	Dashboard Red – Ancho banda, latencia	Sprint 5	8	50%	8d	<u>Integracion SNMP pendiente</u>
<u>HU-DOC-06</u>	Dashboard Permisos – Roles y acceso	Sprint 5	5	40%	8d	<u>RBAC en desarrollo</u>
<u>HU-DOC-06</u>	Dashboard – <u>WebSocket tiempo real</u>	Sprint 6	5	0%	1d	No iniciado
<u>HU-DOC-06</u>	Dashboard – <u>Mockups</u> aprobados PO	Sprint 6	3	0%	1d	Pendiente <u>revision PO</u>



Matriz de riesgo

Inventario de los 6 riesgos activos con su probabilidad, nivel de impacto y el plan concreto para mitigarlos. Ayuda al equipo a priorizar qué apagar primero.

Matriz de Riesgos

ID	HU Afectada	Riesgo	Prob.	Impacto	Nivel	Mitigación	Estado
R-01	HU-DOC-05	Token TTL 24h no implementado	Alta	Critico	CRITICO	Sprint dedicado + QA paralelo	Activo
R-02	HU-DOC-06	API monitoreo SNMP pendiente	Alta	Alto	CRITICO	Mock/stub + contrato API	Activo
R-03	HU-DOC-04	Regla extension prestamo sin validar	Media	Medio	MEDIO	Workshop urgente con PO	En revisión
R-04	HU-DOC-06	WebSocket tiempo real no iniciado	Alta	Critico	CRITICO	POC inmediato + plan B polling	Activo
R-05	HU-DOC-05	Middleware RBAC pendiente	Media	Alto	MEDIO	Reutilizar guard existente	En revisión
R-06	HU-DOC-06	Mockups sin aprobacion PO	Baja	Bajo	BAJO	Agendar revision esta semana	Pendiente

Alertas criticas

Alertas Criticas Activas

ID	Historia	Sprint	Responsable	Retraso	Accion Requerida
HU-DOC-05	Usuario Temporal – Acceso efimero 24h	Sprint 4	Dev Auth	12 dias	Escalar a SM – Reasignar recursos
HU-DOC-06	Dashboard Lineas Telefonicas – UI & Datos	Sprint 4	Frontend Dev	9 dias	Revisar bloqueos – API stub necesaria
HU-DOC-05	Usuario Temporal – Restriccion endpoints	Sprint 4	Backend Dev	8 dias	Completar middleware RBAC esta semana

Lista de las 10 tareas e historias planificadas para Sprint 1, con responsable, épica y estado actual. Es la hoja de ruta inicial del proyecto.

A	B	C	D	E	F
planeación de sprint					
ID	Tipo	Historia / Tarea	Asignado (Rol)	Story Points	Estado
DOC-01	Tarea	Crear matriz de permisos: Desarrollador, Admin, Usuario normal, Usuario temporal	PO / Arquitecto	3	To Do
DOC-02	Tarea	Documentar arquitectura general (diagrama componentes + stack)	Arquitecto	5	En Progreso
DOC-03	Tarea	Especificar red de programación (repos, branching, APIs, estructura capas)	Desarrollador líder	5	To Do
DOC-04	HU	Flujo de préstamo de cinta (solicitar, gestionar, entregar)	Analista funcional	3	En Progreso
DOC-05	HU	Usuario temporal – solo archivos, expiración 24h	Analista funcional	3	En Revisión
DOC-06	Tarea	Definir atributos del inventario de cintas	PO	2	To Do
DOC-07	Tarea	Documentar gestión de usuarios	Analista funcional	3	To Do
DOC-08	Tarea	Diseño de dashboards	Arquitecto + UX	5	To Do
DOC-09	Tarea	Especificar métricas KPIs para cada dashboard	PO	3	To Do
DOC-10	Tarea	Crear glosario y reglas de negocio consolidadas	Todos	2	To Do



API's / Layout

app.blade.php

Plantilla del proyecto SIRAS, función es definir la estructura de HTML común que comparten todas las paginas de la aplicación.

```
<!DOCTYPE html>
<html lang="es">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link href="https://fonts.googleapis.com/css2?
family=Golos+Text:wght@400..900&display=swap" rel="stylesheet">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.5.1/css/all.min.css">
    <link rel="stylesheet" href="{{asset('css/app.css')}}">
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
sRIl4kxILFvY47J16cr9ZwB07vP4J8+LH7qKQnuqkuIAvNWLzeN8tE5YBuJZqJLB"
crossorigin="anonymous">
        @stack('styles')
    <title>@yield('title')</title>
</head>
<body>

    @yield('content')
    <script
src="https://cdn.jsdelivr.net/gh/librespeed/speedtest@latest/speedtest.js"></
script>
    <script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.min.js"
integrity="sha384-FKyoEForCGlyvwX9Hj09JcYn3nv7wiPVlz7YYwJrWVcXK/BmnVDxM+D2scQbITxI"
crossorigin="anonymous"></script>
        @stack('scripts')
    </body>
</html>
```



guest.blade.php / plantilla base Laravel

Estructura visual base para las paginas de autenticación de usuarios no registrados (invitados/guest). Su función es servir como plantilla contenedora para las plantillas de acceso publico donde los usuarios pueden registrarse o autenticarse (login, register, forgot-password, reset-password, verify-email, confirm-password).

```
<title>{{ config('app.name', 'Laravel') }}</title>

<!-- Fonts -->
<link rel="preconnect" href="https://fonts.bunny.net">
<link href="https://fonts.bunny.net/css?
family=figtree:400,500,600&display=swap" rel="stylesheet" />

<!-- Scripts -->
@vite(['resources/css/app.css', 'resources/js/app.js'])
</head>
<body class="font-sans text-gray-900 antialiased">
  <div class="min-h-screen flex flex-col sm:justify-center items-center pt-6
sm:pt-0 bg-gray-100">
    <div>
      <a href="/">
        <x-application-logo class="w-20 h-20 fill-current text-gray-500" />
      </a>
    </div>

    <div class="w-full sm:max-w-md mt-6 px-6 py-4 bg-white shadow-md overflow-
hidden sm:rounded-lg">
      {{ $slot }}
    </div>
  </div>
</body>
```



navigation.blade.php / barra de navegación Laravel

Proporciona una interfaz de navegación responsive que permite al usuario autenticado moverse entre las secciones de la aplicación y gestionar su cuenta, mostrando logo y nombre de la aplicación, enlaces de la aplicación principal, dropdown, menú responsive.

```
<nav x-data="{ open: false }" class="bg-white border-b border-gray-100">
  <!-- Primary Navigation Menu -->
  <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div class="flex justify-between h-16">
      <div class="flex">
        <!-- Logo -->
        <div class="shrink-0 flex items-center">
          <a href="{{ route('dashboard') }}">
            <x-application-logo class="block h-9 w-auto fill-current
text-gray-800" />
          </a>
        </div>

        <!-- Navigation Links -->
        <div class="hidden space-x-8 sm:-my-px sm:ms-10 sm:flex">
          <x-nav-link :href="route('dashboard')" :active="request()-
>routeIs('dashboard')">
            {{ __('Dashboard') }}
          </x-nav-link>
        </div>
      </div>

      <!-- Settings Dropdown -->
      <div class="hidden sm:flex sm:items-center sm:ms-6">
        <x-dropdown align="right" width="48">
          <x-slot name="trigger">
            <button class="inline-flex items-center px-3 py-2 border
border-transparent text-sm leading-4 font-medium rounded-md text-gray-500 bg-white
hover:text-gray-700 focus:outline-none transition ease-in-out duration-150">
              <div>{{ Auth::user()->name }}</div>

              <div class="ms-1">
                <svg class="fill-current h-4 w-4"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 20 20">
                  <path fill-rule="evenodd" d="M5.293 7.293a1 1 0
0 11.414 0L10 10.586l3.293-3.293a1 1 0 111.414 1.414l-4 4a1 1 0 01-1.414 0l-4-4a1 1
0 010-1.414z" clip-rule="evenodd" />
                </svg>
              </div>
            </button>
          </x-slot>
        </div>
    </div>
  </div>
```



```
<x-slot name="content">
  <x-dropdown-link :href="route('profile.edit')">
    {{ __('Profile') }}
  </x-dropdown-link>

  <!-- Authentication -->
  <form method="POST" action="{{ route('logout') }}">
    @csrf

    <x-dropdown-link :href="route('logout')"
      onclick="event.preventDefault();
        this.closest('form').submit();">
      {{ __('Log Out') }}
    </x-dropdown-link>
  </form>
</x-slot>
</x-dropdown>
</div>

<!-- Hamburger -->
<div class="-me-2 flex items-center sm:hidden">
  <button @click="open = ! open" class="inline-flex items-center
justify-center p-2 rounded-md text-gray-400 hover:text-gray-500 hover:bg-gray-100
focus:outline-none focus:bg-gray-100 focus:text-gray-500 transition duration-150
ease-in-out">
    <svg class="h-6 w-6" stroke="currentColor" fill="none"
viewBox="0 0 24 24">
      <path :class="{ 'hidden': open, 'inline-flex': ! open }"
class="inline-flex" stroke-linecap="round" stroke-linejoin="round" stroke-width="2"
d="M4 6h16M4 12h16M4 18h16" />
      <path :class="{ 'hidden': ! open, 'inline-flex': open }"
class="hidden" stroke-linecap="round" stroke-linejoin="round" stroke-width="2"
d="M6 18L18 6M6 6L12 12" />
    </svg>
  </button>
</div>
</div>
</div>

<!-- Responsive Navigation Menu -->
<div :class="{ 'block': open, 'hidden': ! open}" class="hidden sm:hidden">
  <div class="pt-2 pb-3 space-y-1">
    <x-responsive-nav-link :href="route('dashboard')" :active="request()-
>routeIs('dashboard')">
      {{ __('Dashboard') }}
    </x-responsive-nav-link>
  </div>

  <!-- Responsive Settings Options -->
  <div class="pt-4 pb-1 border-t border-gray-200">
    <div class="px-4">
      <div class="font-medium text-base text-gray-800">{{ Auth::user()-
>name }}</div>
      <div class="font-medium text-sm text-gray-500">{{ Auth::user()-
>email }}</div>
```



```
</div>

<div class="mt-3 space-y-1">
  <x-responsive-nav-link :href="route('profile.edit')">
    {{ __('Profile') }}
  </x-responsive-nav-link>

  <!-- Authentication -->
  <form method="POST" action="{{ route('logout') }}">
    @csrf

    <x-responsive-nav-link :href="route('logout')"
      onclick="event.preventDefault();
        this.closest('form').submit();">
      {{ __('Log Out') }}
    </x-responsive-nav-link>
  </form>
</div>
</div>
</div>
</nav>
```



Instalación

.env / variables del entorno (BD, app, mail)

Entorno de la aplicación Laravel, contiene todas las configuraciones sensibles y específicas del entorno donde corre la aplicación. Configurando el comportamiento de la aplicación según el entorno donde se ejecuta.

```
APP_NAME=Laravel APP_ENV=local APP_KEY=base64:8kI2BaZRTB9DFisewzSS3UIdcRl4jcxqiB4yhYuisWc= APP_DEBUG=true APP_URL=http://siras.test:8080
APP_LOCALE=en APP_FALLBACK_LOCALE=en APP_FAKER_LOCALE=en_US
APP_MAINTENANCE_DRIVER=file
APP_MAINTENANCE_STORE=database
PHP_CLI_SERVER_WORKERS=4
BCRYPT_ROUNDS=12
LOG_CHANNEL=stack LOG_STACK=single LOG_DEPRECATED_CHANNEL=null LOG_LEVEL=debug
DB_CONNECTION=mysql DB_HOST=127.0.0.1 DB_PORT=3306 DB_DATABASE=admin_cintas DB_USER=
NAME=root DB_PASSWORD=
SESSION_DRIVER=file SESSION_LIFETIME=120 SESSION_ENCRYPT=false SESSION_PATH=/ SESSI
ON_DOMAIN=null SESSION_SECURE_COOKIE=false SESSION_SAME_SITE=lax
BROADCAST_CONNECTION=log FILESYSTEM_DISK=local QUEUE_CONNECTION=database
CACHE_STORE=database
CACHE_PREFIX=
MEMCACHED_HOST=127.0.0.1
REDIS_CLIENT=phpredis REDIS_HOST=127.0.0.1 REDIS_PASSWORD=null REDIS_PORT=6379
MAIL_MAILER=log MAIL_SCHEME=null MAIL_HOST=127.0.0.1 MAIL_PORT=2525 MAIL_USERNAME=n
ull MAIL_PASSWORD=null MAIL_FROM_ADDRESS="hello@example.com" MAIL_FROM_NAME="$
{APP_NAME}"
AWS_ACCESS_KEY_ID= AWS_SECRET_ACCESS_KEY= AWS_DEFAULT_REGION=us-east-1 AWS_BUCKET=
AWS_USE_PATH_STYLE_ENDPOINT=false
VITE_APP_NAME="${APP_NAME}"
```

.editorconfig / estilo de codificación

Se utiliza para mantener el estilo de codificación consistentes entre diferentes editores y entornos diferentes de desarrollo, definiendo las reglas de formato automáticamente que aplican para guardar o editar archivos del programa.

```
root = true
[*] charset = utf-8 end_of_line = lf indent_size = 4 indent_style =
space insert_final_newline = true trim_trailing_whitespace = true
[*.{md}] trim_trailing_whitespace = false
[*.{yaml,yaml}] indent_size = 2
[compose.yaml] indent_size = 4
```



.env.example / entorno (Laravel)

Framework de PHP, su función principal es configurar el comportamiento de la aplicación mediante variables de entorno.

```
APP_NAME=Laravel APP_ENV=local APP_KEY= APP_DEBUG=true APP_URL=http://localhost
APP_LOCALE=en APP_FALLBACK_LOCALE=en APP_FAKER_LOCALE=en_US
APP_MAINTENANCE_DRIVER=file
APP_MAINTENANCE_STORE=database
PHP_CLI_SERVER_WORKERS=4
BCRYPT_ROUNDS=12
LOG_CHANNEL=stack LOG_STACK=single LOG_DEPRECATIONS_CHANNEL=null LOG_LEVEL=debug
DB_CONNECTION=sqlite
DB_HOST=127.0.0.1
DB_PORT=3306
DB_DATABASE=laravel
DB_USERNAME=root
DB_PASSWORD=
SESSION_DRIVER=database SESSION_LIFETIME=120 SESSION_ENCRYPT=false SESSION_PATH=/ S
SESSION_DOMAIN=null
BROADCAST_CONNECTION=log FILESYSTEM_DISK=local QUEUE_CONNECTION=database
CACHE_STORE=database
CACHE_PREFIX=
MEMCACHED_HOST=127.0.0.1
REDIS_CLIENT=phpredis REDIS_HOST=127.0.0.1 REDIS_PASSWORD=null REDIS_PORT=6379
MAIL_MAILER=log MAIL_SCHEME=null MAIL_HOST=127.0.0.1 MAIL_PORT=2525 MAIL_USERNAME=n
ull MAIL_PASSWORD=null MAIL_FROM_ADDRESS="hello@example.com" MAIL_FROM_NAME="$
{APP_NAME}"
AWS_ACCESS_KEY_ID= AWS_SECRET_ACCESS_KEY= AWS_DEFAULT_REGION=us-east-1 AWS_BUCKET=
AWS_USE_PATH_STYLE_ENDPOINT=false
VITE_APP_NAME="${APP_NAME}"
```

.gitattributes

Controla el comportamiento del git con diferentes archivos en el repositorio.

```
* text=auto eol=lf

*.blade.php diff=html
*.css diff=css
*.html diff=html
*.md diff=markdown
*.php diff=php

/.github export-ignore
CHANGELOG.md export-ignore
.styleci.yml export-ignore
```



.gitignore / lista de patrones a ignorar

Su función es evitar que ciertos archivos o directorios sean rastreados por el control de versiones.

```
*.log
.DS_Store
.env
.env.backup
.env.production
.phpactor.json
.phpunit.result.cache
/.fleet
/.idea
/.nova
/.phpunit.cache
/.vscode
/.zed
/auth.json
/node_modules
/public/build
/public/hot
/public/storage
/storage/*.key
/storage/pail
/vendor
Homestead.json
Homestead.yaml
Thumbs.db
```

artisan / Script principal de Laravel

Su función es iniciar la aplicación Laravel y ejecutar comandos de consola (migración, cache:clear, make:model...).

```
#!/usr/bin/env php
<?php

use Illuminate\Foundation\Application;
use Symfony\Component\Console\Input\ArgvInput;

define('LARAVEL_START', microtime(true));
// Register the Composer autoloader... require DIR.'/vendor/autoload.php';
// Bootstrap Laravel and handle the command... /** @var Application $app */ $app =
require_once DIR.'/bootstrap/app.php';
$status = $app->handleCommand(new ArgvInput);
```




```
exit($status);
```

composer.json / Dependencias PHP (Laravel, Spatie...)

Define y gestiona todas las dependencias PHP del proyecto, así como configurar al autoloading, scripts automatizados y metadatos del proyectos.

```
{
  "$schema": "https://getcomposer.org/schema.json",
  "name": "laravel/laravel",
  "type": "project",
  "description": "The skeleton application for the Laravel framework.",
  "keywords": ["laravel", "framework"],
  "license": "MIT",
  "require": {
    "php": "^8.2",
    "laravel/framework": "^12.0",
    "laravel/tinker": "^2.10.1",
    "livewire/livewire": "*",
    "spatie/laravel-permission": "^6.25"
  },
  "require-dev": {
    "fakerphp/faker": "^1.23",
    "laravel/breeze": "^2.4",
    "laravel/pail": "^1.2.2",
    "laravel/pint": "^1.24",
    "laravel/sail": "^1.41",
    "mockery/mockery": "^1.6",
    "nunomaduro/collision": "^8.6",
    "phpunit/phpunit": "^11.5.50"
  },
  "autoload": {
    "psr-4": {
      "App\\": "app/",
      "Database\\Factories\\": "database/factories/",
      "Database\\Seeders\\": "database/seeders/"
    }
  },
  "autoload-dev": {
    "psr-4": {
      "Tests\\": "tests/"
    }
  },
  "scripts": {
    "setup": [
      "composer install",
      "@php -r \"file_exists('.env') || copy('.env.example', '.env');\"",
      "@php artisan key:generate",
      "@php artisan migrate --force",
      "npm install",
      "npm run build"
    ],
    "dev": [
```



Energía

Secretaría de Energía

```
"Composer\\Config::disableProcessTimeout",
"npx concurrently -c \"#93c5fd,#c4b5fd,#fb7185,#fdb74\" \"php artisan
serve\" \"php artisan queue:listen --tries=1 --timeout=0\" \"php artisan pail --
timeout=0\" \"npm run dev\" --names=server,queue,logs,vite --kill-others"
],
"test": [
"@php artisan config:clear --ansi",
"@php artisan test"
],
"post-autoload-dump": [
"Illuminate\\Foundation\\ComposerScripts::postAutoloadDump",
"@php artisan package:discover --ansi"
],
"post-update-cmd": [
"@php artisan vendor:publish --tag=laravel-assets --ansi --force"
],
"post-root-package-install": [
"@php -r \"file_exists('.env') || copy('.env.example', '.env');\""
],
"post-create-project-cmd": [
"@php artisan key:generate --ansi",
"@php -r \"file_exists('database/database.sqlite') ||
touch('database/database.sqlite');\"",
"@php artisan migrate --graceful --ansi"
],
"pre-package-uninstall": [
"Illuminate\\Foundation\\ComposerScripts::prePackageUninstall"
]
},
"extra": {
"laravel": {
"dont-discover": []
}
},
"config": {
"optimize-autoloader": true,
"preferred-install": "dist",
"sort-packages": true,
"allow-plugins": {
"pestphp/pest-plugin": true,
"php-http/discovery": true
}
},
"minimum-stability": "stable",
"prefer-stable": true
}
```



composer.lock

Registra las versiones exactas de todas las dependencias instaladas en el proyecto para garantizar de todos los entornos (desarrollo, producción, otros desarrolladores) usen la misma versión.

```
{
  "_readme": [
    "This file locks the dependencies of your project to a known state",
    "Read more about it at https://getcomposer.org/doc/01-basic-usage.md#installing-dependencies",
    "This file is @generated automatically"
  ],
  "content-hash": "18f982db64ae706d32f4a29a2f662217",
  "packages": [
    {
      "name": "brick/math",
      "version": "0.14.8",
      "source": {
        "type": "git",
        "url": "https://github.com/brick/math.git",
        "reference": "63422359a44b7f06cae63c3b429b59e8efcc0629"
      },
      "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/brick/math/zipball/63422359a44b7f06cae63c3b429b59e8efcc0629",
        "reference": "63422359a44b7f06cae63c3b429b59e8efcc0629",
        "shasum": ""
      },
      "require": {
        "php": "^8.2"
      },
      "require-dev": {
        "php-coveralls/php-coveralls": "^2.2",
        "phpstan/phpstan": "2.1.22",
        "phpunit/phpunit": "^11.5"
      },
      "type": "library",
      "autoload": {
        "psr-4": {
          "Brick\\Math\\": "src/"
        }
      },
      "notification-url": "https://packagist.org/downloads/",
      "license": [
        "MIT"
      ],
      "description": "Arbitrary-precision arithmetic library",
      "keywords": [
        "Arbitrary-precision",

```



```
        "BigInteger",
        "BigRational",
        "arithmetic",
        "bigdecimal",
        "bignum",
        "bignumber",
        "brick",
        "decimal",
        "integer",
        "math",
        "mathematics",
        "rational"
    ],
    "support": {
        "issues": "https://github.com/brick/math/issues",
        "source": "https://github.com/brick/math/tree/0.14.8"
    },
    "funding": [
        {
            "url": "https://github.com/BenMorel",
            "type": "github"
        }
    ],
    "time": "2026-02-10T14:33:43+00:00"
},
{
    "name": "carbonphp/carbon-doctrine-types",
    "version": "3.2.0",
    "source": {
        "type": "git",
        "url": "https://github.com/CarbonPHP/carbon-doctrine-types.git",
        "reference": "18ba5ddfec8976260ead6e866180bd5d2f71aa1d"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/CarbonPHP/carbon-doctrine-
types/zipball/18ba5ddfec8976260ead6e866180bd5d2f71aa1d",
        "reference": "18ba5ddfec8976260ead6e866180bd5d2f71aa1d",
        "shasum": ""
    },
    "require": {
        "php": "^8.1"
    },
    "conflict": {
        "doctrine/dbal": "<4.0.0 || >=5.0.0"
    },
    "require-dev": {
        "doctrine/dbal": "^4.0.0",
        "nesbot/carbon": "^2.71.0 || ^3.0.0",
        "phpunit/phpunit": "^10.3"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "Carbon\\Doctrine\\": "src/Carbon/Doctrine/"
        }
    }
}
```



```
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "KyleKatarn",
            "email": "kylekatarnls@gmail.com"
        }
    ],
    "description": "Types to use Carbon in Doctrine",
    "keywords": [
        "carbon",
        "date",
        "datetime",
        "doctrine",
        "time"
    ],
    "support": {
        "issues":
"https://github.com/CarbonPHP/carbon-doctrine-types/issues",
        "source":
"https://github.com/CarbonPHP/carbon-doctrine-types/tree/3.2.0"
    },
    "funding": [
        {
            "url": "https://github.com/kylekatarnls",
            "type": "github"
        },
        {
            "url": "https://opencollective.com/Carbon",
            "type": "open_collective"
        },
        {
            "url":
"https://tidelift.com/funding/github/packagist/nesbot/carbon",
            "type": "tidelift"
        }
    ],
    "time": "2024-02-09T16:56:22+00:00"
},
{
    "name": "dflydev/dot-access-data",
    "version": "v3.0.3",
    "source": {
        "type": "git",
        "url": "https://github.com/dflydev/dflydev-dot-access-data.git",
        "reference": "a23a2bf4f31d3518f3ecb38660c95715dfead60f"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/dflydev/dflydev-dot-access-
data/zipball/a23a2bf4f31d3518f3ecb38660c95715dfead60f",
```



```
    "reference": "a23a2bf4f31d3518f3ecb38660c95715dfead60f",
    "shasum": ""
  },
  "require": {
    "php": "^7.1 || ^8.0"
  },
  "require-dev": {
    "phpstan/phpstan": "^0.12.42",
    "phpunit/phpunit": "^7.5 || ^8.5 || ^9.3",
    "scrutinizer/ocular": "1.6.0",
    "squizlabs/php_codesniffer": "^3.5",
    "vimeo/psalm": "^4.0.0"
  },
  "type": "library",
  "extra": {
    "branch-alias": {
      "dev-main": "3.x-dev"
    }
  },
  "autoload": {
    "psr-4": {
      "Dflydev\\DotAccessData\\": "src/"
    }
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "MIT"
  ],
  "authors": [
    {
      "name": "Dragonfly Development Inc.",
      "email": "info@dflydev.com",
      "homepage": "http://dflydev.com"
    },
    {
      "name": "Beau Simensen",
      "email": "beau@dflydev.com",
      "homepage": "http://beausimensen.com"
    },
    {
      "name": "Carlos Frutos",
      "email": "carlos@kiwing.it",
      "homepage": "https://github.com/cfrutos"
    },
    {
      "name": "Colin O'Dell",
      "email": "colinode@l@gmail.com",
      "homepage": "https://www.colinode.l.com"
    }
  ],
  "description": "Given a deep data structure, access data by dot notation.",
  "homepage": "https://github.com/dflydev/dflydev-dot-access-data",
  "keywords": [
    "access",
```



```
        "data",
        "dot",
        "notation"
    ],
    "support": {
        "issues":
"https://github.com/dflydev/dflydev-dot-access-data/issues",
        "source":
"https://github.com/dflydev/dflydev-dot-access-data/tree/v3.0.3"
    },
    "time": "2024-07-08T12:26:09+00:00"
},
{
    "name": "doctrine/inflector",
    "version": "2.1.0",
    "source": {
        "type": "git",
        "url": "https://github.com/doctrine/inflector.git",
        "reference": "6d6c96277ea252fc1304627204c3d5e6e15faa3b"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/doctrine/inflector/zipball/6d6c96277ea252fc1304627204c3d5e6e15faa3b",
        "reference": "6d6c96277ea252fc1304627204c3d5e6e15faa3b",
        "shasum": ""
    },
    "require": {
        "php": "^7.2 || ^8.0"
    },
    "require-dev": {
        "doctrine/coding-standard": "^12.0 || ^13.0",
        "phpstan/phpstan": "^1.12 || ^2.0",
        "phpstan/phpstan-phpunit": "^1.4 || ^2.0",
        "phpstan/phpstan-strict-rules": "^1.6 || ^2.0",
        "phpunit/phpunit": "^8.5 || ^12.2"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "Doctrine\\Inflector\\": "src"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Guilherme Blanco",
            "email": "guilhermeblanco@gmail.com"
        },
        {
            "name": "Roman Borschel",
```



```
        "email": "roman@code-factory.org"
    },
    {
        "name": "Benjamin Eberlei",
        "email": "kontakt@beberlei.de"
    },
    {
        "name": "Jonathan Wage",
        "email": "jonwage@gmail.com"
    },
    {
        "name": "Johannes Schmitt",
        "email": "schmittjoh@gmail.com"
    }
],
"description": "PHP Doctrine Inflector is a small library that can
perform string manipulations with regard to upper/lowercase and singular/plural
forms of words.",
"homepage": "https://www.doctrine-project.org/projects/inflector.html",
"keywords": [
    "inflection",
    "inflector",
    "lowercase",
    "manipulation",
    "php",
    "plural",
    "singular",
    "strings",
    "uppercase",
    "words"
],
"support": {
    "issues": "https://github.com/doctrine/inflector/issues",
    "source": "https://github.com/doctrine/inflector/tree/2.1.0"
},
"funding": [
    {
        "url": "https://www.doctrine-project.org/sponsorship.html",
        "type": "custom"
    },
    {
        "url": "https://www.patreon.com/phpdoctrine",
        "type": "patreon"
    },
    {
        "url":
"https://tidelift.com/funding/github/packagist/doctrine%2Finflector",
        "type": "tidelift"
    }
],
"time": "2025-08-10T19:31:58+00:00"
},
{
    "name": "doctrine/lexer",
    "version": "3.0.1",
```




```
"source": {
  "type": "git",
  "url": "https://github.com/doctrine/lexer.git",
  "reference": "31ad66abc0fc9e1a1f2d9bc6a42668d2fbbcd6dd"
},
"dist": {
  "type": "zip",
  "url":
"https://api.github.com/repos/doctrine/lexer/zipball/31ad66abc0fc9e1a1f2d9bc6a42668d2fbbcd6dd",
  "reference": "31ad66abc0fc9e1a1f2d9bc6a42668d2fbbcd6dd",
  "shasum": ""
},
"require": {
  "php": "^8.1"
},
"require-dev": {
  "doctrine/coding-standard": "^12",
  "phpstan/phpstan": "^1.10",
  "phpunit/phpunit": "^10.5",
  "psalm/plugin-phpunit": "^0.18.3",
  "vimeo/psalm": "^5.21"
},
"type": "library",
"autoload": {
  "psr-4": {
    "Doctrine\\Common\\Lexer\\": "src"
  }
},
"notification-url": "https://packagist.org/downloads/",
"license": [
  "MIT"
],
"authors": [
  {
    "name": "Guilherme Blanco",
    "email": "guilhermeblanco@gmail.com"
  },
  {
    "name": "Roman Borschel",
    "email": "roman@code-factory.org"
  },
  {
    "name": "Johannes Schmitt",
    "email": "schmittjoh@gmail.com"
  }
],
"description": "PHP Doctrine Lexer parser library that can be used in
Top-Down, Recursive Descent Parsers.",
"homepage": "https://www.doctrine-project.org/projects/lexer.html",
"keywords": [
  "annotations",
  "docblock",
  "lexer",
  "parser",
```



```
    "php"
  ],
  "support": {
    "issues": "https://github.com/doctrine/lexer/issues",
    "source": "https://github.com/doctrine/lexer/tree/3.0.1"
  },
  "funding": [
    {
      "url": "https://www.doctrine-project.org/sponsorship.html",
      "type": "custom"
    },
    {
      "url": "https://www.patreon.com/phpdoctrine",
      "type": "patreon"
    },
    {
      "url":
"https://tidelift.com/funding/github/packagist/doctrine%2Flexer",
      "type": "tidelift"
    }
  ],
  "time": "2024-02-05T11:56:58+00:00"
},
{
  "name": "dragonmantank/cron-expression",
  "version": "v3.6.0",
  "source": {
    "type": "git",
    "url": "https://github.com/dragonmantank/cron-expression.git",
    "reference": "d61a8a9604ec1f8c3d150d09db6ce98b32675013"
  },
  "dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/dragonmantank/cron-
expression/zipball/d61a8a9604ec1f8c3d150d09db6ce98b32675013",
    "reference": "d61a8a9604ec1f8c3d150d09db6ce98b32675013",
    "shasum": ""
  },
  "require": {
    "php": "^8.2|^8.3|^8.4|^8.5"
  },
  "replace": {
    "mtdowling/cron-expression": "^1.0"
  },
  "require-dev": {
    "phpstan/extension-installer": "^1.4.3",
    "phpstan/phpstan": "^1.12.32|^2.1.31",
    "phpunit/phpunit": "^8.5.48|^9.0"
  },
  "type": "library",
  "extra": {
    "branch-alias": {
      "dev-master": "3.x-dev"
    }
  },
}
```



```
"autoload": {
    "psr-4": {
        "Cron\\": "src/Cron/"
    }
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "MIT"
],
"authors": [
    {
        "name": "Chris Tankersley",
        "email": "chris@ctankersley.com",
        "homepage": "https://github.com/dragonmantank"
    }
],
"description": "CRON for PHP: Calculate the next or previous run date
and determine if a CRON expression is due",
"keywords": [
    "cron",
    "schedule"
],
"support": {
    "issues":
"https://github.com/dragonmantank/cron-expression/issues",
    "source":
"https://github.com/dragonmantank/cron-expression/tree/v3.6.0"
},
"funding": [
    {
        "url": "https://github.com/dragonmantank",
        "type": "github"
    }
],
"time": "2025-10-31T18:51:33+00:00"
},
{
    "name": "egulias/email-validator",
    "version": "4.0.4",
    "source": {
        "type": "git",
        "url": "https://github.com/egulias/EmailValidator.git",
        "reference": "d42c8731f0624ad6bdc8d3e5e9a4524f68801cfa"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/egulias/EmailValidator/zipball/d42c8731f0624ad6bdc8d3e5e9a4524f68801cfa",
        "reference": "d42c8731f0624ad6bdc8d3e5e9a4524f68801cfa",
        "shasum": ""
    },
    "require": {
        "doctrine/lexer": "^2.0 || ^3.0",
        "php": ">=8.1",
```



```
        "symfony/polyfill-intl-idn": "^1.26"
    },
    "require-dev": {
        "phpunit/phpunit": "^10.2",
        "vimeo/psalm": "^5.12"
    },
    "suggest": {
        "ext-intl": "PHP Internationalization Libraries are required to use
the SpoofChecking validation"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "4.0.x-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "Egulias\\EmailValidator\\": "src"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Eduardo Gulias Davis"
        }
    ],
    "description": "A library for validating emails against several RFCs",
    "homepage": "https://github.com/egulias/EmailValidator",
    "keywords": [
        "email",
        "emailvalidation",
        "emailvalidator",
        "validation",
        "validator"
    ],
    "support": {
        "issues": "https://github.com/egulias/EmailValidator/issues",
        "source": "https://github.com/egulias/EmailValidator/tree/4.0.4"
    },
    "funding": [
        {
            "url": "https://github.com/egulias",
            "type": "github"
        }
    ],
    "time": "2025-03-06T22:45:56+00:00"
},
{
    "name": "fruitcake/php-cors",
    "version": "v1.4.0",
    "source": {
```



```
        "type": "git",
        "url": "https://github.com/fruitcake/php-cors.git",
        "reference": "38aaa6c3fd4c157ffe2a4d10aa8b9b16ba8de379"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/fruitcake/php-cors/zipball/38aaa6c3fd4c157ffe2a4d10aa8b9b16ba8de379",
        "reference": "38aaa6c3fd4c157ffe2a4d10aa8b9b16ba8de379",
        "shasum": ""
    },
    "require": {
        "php": "^8.1",
        "symfony/http-foundation": "^5.4|^6.4|^7.3|^8"
    },
    "require-dev": {
        "phpstan/phpstan": "^2",
        "phpunit/phpunit": "^9",
        "squizlabs/php_codesniffer": "^4"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "1.3-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "Fruitcake\\Cors\\": "src/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Fruitcake",
            "homepage": "https://fruitcake.nl"
        },
        {
            "name": "Barryvdh",
            "email": "barryvdh@gmail.com"
        }
    ],
    "description": "Cross-origin resource sharing library for the Symfony
HttpFoundation",
    "homepage": "https://github.com/fruitcake/php-cors",
    "keywords": [
        "cors",
        "laravel",
        "symfony"
    ],
    "support": {
```



```
    "issues": "https://github.com/fruitcake/php-cors/issues",
    "source": "https://github.com/fruitcake/php-cors/tree/v1.4.0"
  },
  "funding": [
    {
      "url": "https://fruitcake.nl",
      "type": "custom"
    },
    {
      "url": "https://github.com/barryvdh",
      "type": "github"
    }
  ],
  "time": "2025-12-03T09:33:47+00:00"
},
{
  "name": "graham-campbell/result-type",
  "version": "v1.1.4",
  "source": {
    "type": "git",
    "url": "https://github.com/GrahamCampbell/Result-Type.git",
    "reference": "e01f4a821471308ba86aa202fed6698b6b695e3b"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/GrahamCampbell/Result-Type/zipball/e01f4a821471308ba86aa202fed6698b6b695e3b",
    "reference": "e01f4a821471308ba86aa202fed6698b6b695e3b",
    "shasum": ""
  },
  "require": {
    "php": "^7.2.5 || ^8.0",
    "phpoption/phpoption": "^1.9.5"
  },
  "require-dev": {
    "phpunit/phpunit": "^8.5.41 || ^9.6.22 || ^10.5.45 || ^11.5.7"
  },
  "type": "library",
  "autoload": {
    "psr-4": {
      "GrahamCampbell\\ResultType\\": "src/"
    }
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "MIT"
  ],
  "authors": [
    {
      "name": "Graham Campbell",
      "email": "hello@gjcampbell.co.uk",
      "homepage": "https://github.com/GrahamCampbell"
    }
  ],
}
```



```
"description": "An Implementation Of The Result Type",
"keywords": [
  "Graham Campbell",
  "GrahamCampbell",
  "Result Type",
  "Result-Type",
  "result"
],
"support": {
  "issues": "https://github.com/GrahamCampbell/Result-Type/issues",
  "source":
"https://github.com/GrahamCampbell/Result-Type/tree/v1.1.4"
},
"funding": [
  {
    "url": "https://github.com/GrahamCampbell",
    "type": "github"
  },
  {
    "url": "https://tidelift.com/funding/github/packagist/graham-
campbell/result-type",
    "type": "tidelift"
  }
],
"time": "2025-12-27T19:43:20+00:00"
},
{
  "name": "guzzlehttp/guzzle",
  "version": "7.10.0",
  "source": {
    "type": "git",
    "url": "https://github.com/guzzle/guzzle.git",
    "reference": "b51ac707cfa420b7bfd4e4d5e510ba8008e822b4"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/guzzle/guzzle/zipball/b51ac707cfa420b7bfd4e4d5e510ba8
008e822b4",
    "reference": "b51ac707cfa420b7bfd4e4d5e510ba8008e822b4",
    "shasum": ""
  },
  "require": {
    "ext-json": "*",
    "guzzlehttp/promises": "^2.3",
    "guzzlehttp/psr7": "^2.8",
    "php": "^7.2.5 || ^8.0",
    "psr/http-client": "^1.0",
    "symfony/deprecation-contracts": "^2.2 || ^3.0"
  },
  "provide": {
    "psr/http-client-implementation": "1.0"
  },
  "require-dev": {
    "bamarni/composer-bin-plugin": "^1.8.2",
```



```
    "ext-curl": "*",
    "guzzle/client-integration-tests": "3.0.2",
    "php-http/message-factory": "^1.1",
    "phpunit/phpunit": "^8.5.39 || ^9.6.20",
    "psr/log": "^1.1 || ^2.0 || ^3.0"
  },
  "suggest": {
    "ext-curl": "Required for CURL handler support",
    "ext-intl": "Required for Internationalized Domain Name (IDN)
support",
    "psr/log": "Required for using the Log middleware"
  },
  "type": "library",
  "extra": {
    "bamarni-bin": {
      "bin-links": true,
      "forward-command": false
    }
  },
  "autoload": {
    "files": [
      "src/functions_include.php"
    ],
    "psr-4": {
      "GuzzleHttp\\": "src/"
    }
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "MIT"
  ],
  "authors": [
    {
      "name": "Graham Campbell",
      "email": "hello@gjcampbell.co.uk",
      "homepage": "https://github.com/GrahamCampbell"
    },
    {
      "name": "Michael Dowling",
      "email": "mtdowling@gmail.com",
      "homepage": "https://github.com/mtdowling"
    },
    {
      "name": "Jeremy Lindblom",
      "email": "jeremeamia@gmail.com",
      "homepage": "https://github.com/jeremeamia"
    },
    {
      "name": "George Mponos",
      "email": "gmponos@gmail.com",
      "homepage": "https://github.com/gmponos"
    },
    {
      "name": "Tobias Nyholm",
      "email": "tobias.nyholm@gmail.com",

```




```
        "homepage": "https://github.com/Nyholm"
      },
      {
        "name": "Márk Sági-Kazár",
        "email": "mark.sagikazar@gmail.com",
        "homepage": "https://github.com/sagikazarmark"
      },
      {
        "name": "Tobias Schultze",
        "email": "webmaster@tubo-world.de",
        "homepage": "https://github.com/Tobion"
      }
    ],
    "description": "Guzzle is a PHP HTTP client library",
    "keywords": [
      "client",
      "curl",
      "framework",
      "http",
      "http client",
      "psr-18",
      "psr-7",
      "rest",
      "web service"
    ],
    "support": {
      "issues": "https://github.com/guzzle/guzzle/issues",
      "source": "https://github.com/guzzle/guzzle/tree/7.10.0"
    },
    "funding": [
      {
        "url": "https://github.com/GrahamCampbell",
        "type": "github"
      },
      {
        "url": "https://github.com/Nyholm",
        "type": "github"
      },
      {
        "url":
"https://tidelift.com/funding/github/packagist/guzzlehttp/guzzle",
        "type": "tidelift"
      }
    ],
    "time": "2025-08-23T22:36:01+00:00"
  },
  {
    "name": "guzzlehttp/promises",
    "version": "2.3.0",
    "source": {
      "type": "git",
      "url": "https://github.com/guzzle/promises.git",
      "reference": "481557b130ef3790cf82b713667b43030dc9c957"
    },
    "dist": {
```



```
    "type": "zip",
    "url":
"https://api.github.com/repos/guzzle/promises/zipball/481557b130ef3790cf82b713667b4
3030dc9c957",
    "reference": "481557b130ef3790cf82b713667b43030dc9c957",
    "shasum": ""
  },
  "require": {
    "php": "^7.2.5 || ^8.0"
  },
  "require-dev": {
    "bamarni/composer-bin-plugin": "^1.8.2",
    "phpunit/phpunit": "^8.5.44 || ^9.6.25"
  },
  "type": "library",
  "extra": {
    "bamarni-bin": {
      "bin-links": true,
      "forward-command": false
    }
  },
  "autoload": {
    "psr-4": {
      "GuzzleHttp\\Promise\\": "src/"
    }
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "MIT"
  ],
  "authors": [
    {
      "name": "Graham Campbell",
      "email": "hello@gjcampbell.co.uk",
      "homepage": "https://github.com/GrahamCampbell"
    },
    {
      "name": "Michael Dowling",
      "email": "mtdowling@gmail.com",
      "homepage": "https://github.com/mtdowling"
    },
    {
      "name": "Tobias Nyholm",
      "email": "tobias.nyholm@gmail.com",
      "homepage": "https://github.com/Nyholm"
    },
    {
      "name": "Tobias Schultze",
      "email": "webmaster@tubo-world.de",
      "homepage": "https://github.com/Tobion"
    }
  ],
  "description": "Guzzle promises library",
  "keywords": [
    "promise"
  ]
}
```



```
],
"support": {
  "issues": "https://github.com/guzzle/promises/issues",
  "source": "https://github.com/guzzle/promises/tree/2.3.0"
},
"funding": [
  {
    "url": "https://github.com/GrahamCampbell",
    "type": "github"
  },
  {
    "url": "https://github.com/Nyholm",
    "type": "github"
  },
  {
    "url":
"https://tidelift.com/funding/github/packagist/guzzlehttp/promises",
    "type": "tidelift"
  }
],
"time": "2025-08-22T14:34:08+00:00"
},
{
  "name": "guzzlehttp/psr7",
  "version": "2.9.0",
  "source": {
    "type": "git",
    "url": "https://github.com/guzzle/psr7.git",
    "reference": "7d0ed42f28e42d61352a7a79de682e5e67fec884"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/guzzle/psr7/zipball/7d0ed42f28e42d61352a7a79de682e5e67fec884",
    "reference": "7d0ed42f28e42d61352a7a79de682e5e67fec884",
    "shasum": ""
  },
  "require": {
    "php": "^7.2.5 || ^8.0",
    "psr/http-factory": "^1.0",
    "psr/http-message": "^1.1 || ^2.0",
    "ralouphie/getallheaders": "^3.0"
  },
  "provide": {
    "psr/http-factory-implementation": "1.0",
    "psr/http-message-implementation": "1.0"
  },
  "require-dev": {
    "bamarni/composer-bin-plugin": "^1.8.2",
    "http-interop/http-factory-tests": "0.9.0",
    "jshttp/mime-db": "1.54.0.1",
    "phpunit/phpunit": "^8.5.44 || ^9.6.25"
  },
  "suggest": {
```



```
"laminas/laminas-http handlerrunner": "Emit PSR-7 responses"
},
"type": "library",
"extra": {
  "bamarni-bin": {
    "bin-links": true,
    "forward-command": false
  }
},
"autoload": {
  "psr-4": {
    "GuzzleHttp\\Psr7\\": "src/"
  }
},
"notification-url": "https://packagist.org/downloads/",
"license": [
  "MIT"
],
"authors": [
  {
    "name": "Graham Campbell",
    "email": "hello@gjcampbell.co.uk",
    "homepage": "https://github.com/GrahamCampbell"
  },
  {
    "name": "Michael Dowling",
    "email": "mtdowling@gmail.com",
    "homepage": "https://github.com/mtdowling"
  },
  {
    "name": "George Mponos",
    "email": "gmponos@gmail.com",
    "homepage": "https://github.com/gmponos"
  },
  {
    "name": "Tobias Nyholm",
    "email": "tobias.nyholm@gmail.com",
    "homepage": "https://github.com/Nyholm"
  },
  {
    "name": "Márk Sági-Kazár",
    "email": "mark.sagikazar@gmail.com",
    "homepage": "https://github.com/sagikazarmark"
  },
  {
    "name": "Tobias Schultze",
    "email": "webmaster@tubo-world.de",
    "homepage": "https://github.com/Tobion"
  },
  {
    "name": "Márk Sági-Kazár",
    "email": "mark.sagikazar@gmail.com",
    "homepage": "https://sagikazarmark.hu"
  }
],
```



```
"description": "PSR-7 message implementation that also provides common
utility methods",
"keywords": [
    "http",
    "message",
    "psr-7",
    "request",
    "response",
    "stream",
    "uri",
    "url"
],
"support": {
    "issues": "https://github.com/guzzle/psr7/issues",
    "source": "https://github.com/guzzle/psr7/tree/2.9.0"
},
"funding": [
    {
        "url": "https://github.com/GrahamCampbell",
        "type": "github"
    },
    {
        "url": "https://github.com/Nyholm",
        "type": "github"
    },
    {
        "url":
"https://tidelift.com/funding/github/packagist/guzzlehttp/psr7",
        "type": "tidelift"
    }
],
"time": "2026-03-10T16:41:02+00:00"
},
{
    "name": "guzzlehttp/uri-template",
    "version": "v1.0.5",
    "source": {
        "type": "git",
        "url": "https://github.com/guzzle/uri-template.git",
        "reference": "4f4bbd4e7172148801e76e3decc1e559bdee34e1"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/guzzle/uri-template/zipball/4f4bbd4e7172148801e76e3de
cc1e559bdee34e1",
        "reference": "4f4bbd4e7172148801e76e3decc1e559bdee34e1",
        "shasum": ""
    },
    "require": {
        "php": "^7.2.5 || ^8.0",
        "symfony/polyfill-php80": "^1.24"
    },
    "require-dev": {
        "bamarni/composer-bin-plugin": "^1.8.2",
```



```
"phpunit/phpunit": "^8.5.44 || ^9.6.25",
"uri-template/tests": "1.0.0"
},
"type": "library",
"extra": {
  "bamarni-bin": {
    "bin-links": true,
    "forward-command": false
  }
},
"autoload": {
  "psr-4": {
    "GuzzleHttp\\UriTemplate\\": "src"
  }
},
"notification-url": "https://packagist.org/downloads/",
"license": [
  "MIT"
],
"authors": [
  {
    "name": "Graham Campbell",
    "email": "hello@gjcampbell.co.uk",
    "homepage": "https://github.com/GrahamCampbell"
  },
  {
    "name": "Michael Dowling",
    "email": "mtdowling@gmail.com",
    "homepage": "https://github.com/mtdowling"
  },
  {
    "name": "George Mponos",
    "email": "gmponos@gmail.com",
    "homepage": "https://github.com/gmponos"
  },
  {
    "name": "Tobias Nyholm",
    "email": "tobias.nyholm@gmail.com",
    "homepage": "https://github.com/Nyholm"
  }
],
"description": "A polyfill class for uri_template of PHP",
"keywords": [
  "guzzlehttp",
  "uri-template"
],
"support": {
  "issues": "https://github.com/guzzle/uri-template/issues",
  "source": "https://github.com/guzzle/uri-template/tree/v1.0.5"
},
"funding": [
  {
    "url": "https://github.com/GrahamCampbell",
    "type": "github"
  }
],
```



```
{
  "url": "https://github.com/Nyholm",
  "type": "github"
},
{
  "url":
"https://tidelift.com/funding/github/packagist/guzzlehttp/uri-template",
  "type": "tidelift"
}
],
"time": "2025-08-22T14:27:06+00:00"
},
{
  "name": "laravel/framework",
  "version": "v12.57.0",
  "source": {
    "type": "git",
    "url": "https://github.com/laravel/framework.git",
    "reference": "63a6ced3db46582b3276e2d03770a6317a94d6e2"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/laravel/framework/zipball/63a6ced3db46582b3276e2d0377
0a6317a94d6e2",
    "reference": "63a6ced3db46582b3276e2d03770a6317a94d6e2",
    "shasum": ""
  },
  "require": {
    "brick/math": "^0.11|^0.12|^0.13|^0.14",
    "composer-runtime-api": "^2.2",
    "doctrine/inflector": "^2.0.5",
    "dragonmantank/cron-expression": "^3.4",
    "egulias/email-validator": "^3.2.1|^4.0",
    "ext-ctype": "*",
    "ext-filter": "*",
    "ext-hash": "*",
    "ext-mbstring": "*",
    "ext-openssl": "*",
    "ext-session": "*",
    "ext-tokenizer": "*",
    "fruitcake/php-cors": "^1.3",
    "guzzlehttp/guzzle": "^7.8.2",
    "guzzlehttp/uri-template": "^1.0",
    "laravel/prompts": "^0.3.0",
    "laravel/serializable-closure": "^1.3|^2.0",
    "league/commonmark": "^2.8.1",
    "league/flysystem": "^3.25.1",
    "league/flysystem-local": "^3.25.1",
    "league/uri": "^7.5.1",
    "monolog/monolog": "^3.0",
    "nesbot/carbon": "^3.8.4",
    "nunomaduro/termwind": "^2.0",
    "php": "^8.2",
    "psr/container": "^1.1.1|^2.0.1",
```



```
"psr/log": "^1.0|^2.0|^3.0",
"psr/simple-cache": "^1.0|^2.0|^3.0",
"ramsey/uuid": "^4.7",
"symfony/console": "^7.2.0",
"symfony/error-handler": "^7.2.0",
"symfony/finder": "^7.2.0",
"symfony/http-foundation": "^7.2.0",
"symfony/http-kernel": "^7.2.0",
"symfony/mailer": "^7.2.0",
"symfony/mime": "^7.2.0",
"symfony/polyfill-php83": "^1.33",
"symfony/polyfill-php84": "^1.34",
"symfony/polyfill-php85": "^1.34",
"symfony/process": "^7.2.0",
"symfony/routing": "^7.2.0",
"symfony/uid": "^7.2.0",
"symfony/var-dumper": "^7.2.0",
"tijsverkoyen/css-to-inline-styles": "^2.2.5",
"vlucas/phpdotenv": "^5.6.1",
"voku/portable-ascii": "^2.0.2"
},
"conflict": {
    "tightenco/collect": "<5.5.33"
},
"provide": {
    "psr/container-implementation": "1.1|2.0",
    "psr/log-implementation": "1.0|2.0|3.0",
    "psr/simple-cache-implementation": "1.0|2.0|3.0"
},
"replace": {
    "illuminate/auth": "self.version",
    "illuminate/broadcasting": "self.version",
    "illuminate/bus": "self.version",
    "illuminate/cache": "self.version",
    "illuminate/collections": "self.version",
    "illuminate/concurrency": "self.version",
    "illuminate/conditionable": "self.version",
    "illuminate/config": "self.version",
    "illuminate/console": "self.version",
    "illuminate/container": "self.version",
    "illuminate/contracts": "self.version",
    "illuminate/cookie": "self.version",
    "illuminate/database": "self.version",
    "illuminate/encryption": "self.version",
    "illuminate/events": "self.version",
    "illuminate/filesystem": "self.version",
    "illuminate/hashing": "self.version",
    "illuminate/http": "self.version",
    "illuminate/json-schema": "self.version",
    "illuminate/log": "self.version",
    "illuminate/macroable": "self.version",
    "illuminate/mail": "self.version",
    "illuminate/notifications": "self.version",
    "illuminate/pagination": "self.version",
    "illuminate/pipeline": "self.version",

```




```
"illuminate/process": "self.version",
"illuminate/queue": "self.version",
"illuminate/redis": "self.version",
"illuminate/reflection": "self.version",
"illuminate/routing": "self.version",
"illuminate/session": "self.version",
"illuminate/support": "self.version",
"illuminate/testing": "self.version",
"illuminate/translation": "self.version",
"illuminate/validation": "self.version",
"illuminate/view": "self.version",
"spatie/once": "*"
},
"require-dev": {
    "ably/ably-php": "^1.0",
    "aws/aws-sdk-php": "^3.322.9",
    "ext-gmp": "*",
    "fakerphp/faker": "^1.24",
    "guzzlehttp/promises": "^2.0.3",
    "guzzlehttp/psr7": "^2.4",
    "laravel/pint": "^1.18",
    "league/flysystem-aws-s3-v3": "^3.25.1",
    "league/flysystem-ftp": "^3.25.1",
    "league/flysystem-path-prefixing": "^3.25.1",
    "league/flysystem-read-only": "^3.25.1",
    "league/flysystem-sftp-v3": "^3.25.1",
    "mockery/mockery": "^1.6.10",
    "opis/json-schema": "^2.4.1",
    "orchestra/testbench-core": "^10.9.0",
    "pda/pheanstalk": "^5.0.6|^7.0.0",
    "php-http/discovery": "^1.15",
    "phpstan/phpstan": "^2.1.41",
    "phpunit/phpunit": "^10.5.35|^11.5.3|^12.0.1",
    "predis/predis": "^2.3|^3.0",
    "resend/resend-php": "^0.10.0|^1.0",
    "symfony/cache": "^7.2.0",
    "symfony/http-client": "^7.2.0",
    "symfony/psr-http-message-bridge": "^7.2.0",
    "symfony/translation": "^7.2.0"
},
"suggest": {
    "ably/ably-php": "Required to use the Ably broadcast driver
(^1.0).",
    "aws/aws-sdk-php": "Required to use the SQS queue driver, DynamoDb
failed job storage, and SES mail driver (^3.322.9).",
    "brianium/paratest": "Required to run tests in parallel (^7.0|
^8.0).",
    "ext-apcu": "Required to use the APC cache driver.",
    "ext-fileinfo": "Required to use the Filesystem class.",
    "ext-ftp": "Required to use the Flysystem FTP driver.",
    "ext-gd": "Required to use Illuminate\\Http\\Testing\\
\\FileFactory::image().",
    "ext-memcached": "Required to use the memcache cache driver.",
    "ext-pcntl": "Required to use all features of the queue worker and
console signal trapping.",
```



```
        "ext-pdo": "Required to use all database features.",
        "ext-posix": "Required to use all features of the queue worker.",
        "ext-redis": "Required to use the Redis cache and queue drivers
(^4.0|^5.0|^6.0).",
        "fakerphp/faker": "Required to generate fake data using the fake()
helper (^1.23).",
        "filp/whoops": "Required for friendly error pages in development
(^2.14.3).",
        "laravel/tinker": "Required to use the tinker console command
(^2.0).",
        "league/flysystem-aws-s3-v3": "Required to use the Flysystem S3
driver (^3.25.1).",
        "league/flysystem-ftp": "Required to use the Flysystem FTP driver
(^3.25.1).",
        "league/flysystem-path-prefixing": "Required to use the scoped
driver (^3.25.1).",
        "league/flysystem-read-only": "Required to use read-only disks
(^3.25.1)",
        "league/flysystem-sftp-v3": "Required to use the Flysystem SFTP
driver (^3.25.1).",
        "mockery/mockery": "Required to use mocking (^1.6).",
        "pda/pheanstalk": "Required to use the beanstalk queue driver
(^5.0).",
        "php-http/discovery": "Required to use PSR-7 bridging features
(^1.15).",
        "phpunit/phpunit": "Required to use assertions and run tests
(^10.5.35|^11.5.3|^12.0.1).",
        "predis/predis": "Required to use the predis connector (^2.3|
^3.0).",
        "psr/http-message": "Required to allow Storage::put to accept a
StreamInterface (^1.0).",
        "pusher/pusher-php-server": "Required to use the Pusher broadcast
driver (^6.0|^7.0).",
        "resend/resend-php": "Required to enable support for the Resend
mail transport (^0.10.0|^1.0).",
        "symfony/cache": "Required to PSR-6 cache bridge (^7.2).",
        "symfony/filesystem": "Required to enable support for relative
symbolic links (^7.2).",
        "symfony/http-client": "Required to enable support for the Symfony
API mail transports (^7.2).",
        "symfony/mailgun-mailer": "Required to enable support for the
Mailgun mail transport (^7.2).",
        "symfony/postmark-mailer": "Required to enable support for the
Postmark mail transport (^7.2).",
        "symfony/psr-http-message-bridge": "Required to use PSR-7 bridging
features (^7.2).",
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "12.x-dev"
        }
    }
},
"autoload": {
    "files": [
```



```
        "src/Illuminate/Collections/functions.php",
        "src/Illuminate/Collections/helpers.php",
        "src/Illuminate/Events/functions.php",
        "src/Illuminate/Filesystem/functions.php",
        "src/Illuminate/Foundation/helpers.php",
        "src/Illuminate/Log/functions.php",
        "src/Illuminate/Reflection/helpers.php",
        "src/Illuminate/Support/functions.php",
        "src/Illuminate/Support/helpers.php"
    ],
    "psr-4": {
        "Illuminate\\": "src/Illuminate/",
        "Illuminate\\Support\\": [
            "src/Illuminate/Macroable/",
            "src/Illuminate/Collections/",
            "src/Illuminate/Conditionable/",
            "src/Illuminate/Reflection/"
        ]
    }
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "MIT"
],
"authors": [
    {
        "name": "Taylor Otwell",
        "email": "taylor@laravel.com"
    }
],
"description": "The Laravel Framework.",
"homepage": "https://laravel.com",
"keywords": [
    "framework",
    "laravel"
],
"support": {
    "issues": "https://github.com/laravel/framework/issues",
    "source": "https://github.com/laravel/framework"
},
"time": "2026-04-22T13:21:29+00:00"
},
{
    "name": "laravel/prompts",
    "version": "v0.3.17",
    "source": {
        "type": "git",
        "url": "https://github.com/laravel/prompts.git",
        "reference": "6a82ac19a28b916ae0885828795dbd4c59d9a818"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/laravel/prompts/zipball/6a82ac19a28b916ae0885828795dbd4c59d9a818",
```



```
        "reference": "6a82ac19a28b916ae0885828795dbd4c59d9a818",
        "shasum": ""
    },
    "require": {
        "composer-runtime-api": "^2.2",
        "ext-mbstring": "*",
        "php": "^8.1",
        "symfony/console": "^6.2|^7.0|^8.0"
    },
    "conflict": {
        "illuminate/console": ">=10.17.0 <10.25.0",
        "laravel/framework": ">=10.17.0 <10.25.0"
    },
    "require-dev": {
        "illuminate/collections": "^10.0|^11.0|^12.0|^13.0",
        "mockery/mockery": "^1.5",
        "pestphp/pest": "^2.3|^3.4|^4.0",
        "phpstan/phpstan": "^1.12.28",
        "phpstan/phpstan-mockery": "^1.1.3"
    },
    "suggest": {
        "ext-pcntl": "Required for the spinner to be animated."
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "0.3.x-dev"
        }
    },
    "autoload": {
        "files": [
            "src/helpers.php"
        ],
        "psr-4": {
            "Laravel\\Prompts\\": "src/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "description": "Add beautiful and user-friendly forms to your command-line applications.",
    "support": {
        "issues": "https://github.com/laravel/prompts/issues",
        "source": "https://github.com/laravel/prompts/tree/v0.3.17"
    },
    "time": "2026-04-20T16:07:33+00:00"
},
{
    "name": "laravel/serializable-closure",
    "version": "v2.0.12",
    "source": {
        "type": "git",
        "url": "https://github.com/laravel/serializable-closure.git",
```



```
    "reference": "a6abb4e54f6fcd3138120b9ad497f0bd146f9919"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/laravel/serializable-closure/zipball/
a6abb4e54f6fcd3138120b9ad497f0bd146f9919",
    "reference": "a6abb4e54f6fcd3138120b9ad497f0bd146f9919",
    "shasum": ""
  },
  "require": {
    "php": "^8.1"
  },
  "require-dev": {
    "illuminate/support": "^10.0|^11.0|^12.0|^13.0",
    "nesbot/carbon": "^2.67|^3.0",
    "pestphp/pest": "^2.36|^3.0|^4.0",
    "phpstan/phpstan": "^2.0",
    "symfony/var-dumper": "^6.2.0|^7.0.0|^8.0.0"
  },
  "type": "library",
  "extra": {
    "branch-alias": {
      "dev-master": "2.x-dev"
    }
  },
  "autoload": {
    "psr-4": {
      "Laravel\\SerializableClosure\\": "src/"
    }
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "MIT"
  ],
  "authors": [
    {
      "name": "Taylor Otwell",
      "email": "taylor@laravel.com"
    },
    {
      "name": "Nuno Maduro",
      "email": "nuno@laravel.com"
    }
  ],
  "description": "Laravel Serializable Closure provides an easy and
secure way to serialize closures in PHP.",
  "keywords": [
    "closure",
    "laravel",
    "serializable"
  ],
  "support": {
    "issues": "https://github.com/laravel/serializable-closure/issues",
    "source": "https://github.com/laravel/serializable-closure"
```



Energía

Secretaría de Energía

```
    },
    "time": "2026-04-14T13:33:34+00:00"
  },
  {
    "name": "laravel/tinker",
    "version": "v2.11.1",
    "source": {
      "type": "git",
      "url": "https://github.com/laravel/tinker.git",
      "reference": "c9f80cc835649b5c1842898fb043f8cc098dd741"
    },
    "dist": {
      "type": "zip",
      "url":
"https://api.github.com/repos/laravel/tinker/zipball/c9f80cc835649b5c1842898fb043f8cc098dd741",
      "reference": "c9f80cc835649b5c1842898fb043f8cc098dd741",
      "shasum": ""
    },
    "require": {
      "illuminate/console": "^6.0|^7.0|^8.0|^9.0|^10.0|^11.0|^12.0",
      "illuminate/contracts": "^6.0|^7.0|^8.0|^9.0|^10.0|^11.0|^12.0",
      "illuminate/support": "^6.0|^7.0|^8.0|^9.0|^10.0|^11.0|^12.0",
      "php": "^7.2.5|^8.0",
      "psy/psysh": "^0.11.1|^0.12.0",
      "symfony/var-dumper": "^4.3.4|^5.0|^6.0|^7.0|^8.0"
    },
    "require-dev": {
      "mockery/mockery": "~1.3.3|^1.4.2",
      "phpstan/phpstan": "^1.10",
      "phpunit/phpunit": "^8.5.8|^9.3.3|^10.0"
    },
    "suggest": {
      "illuminate/database": "The Illuminate Database package (^6.0|^7.0|^8.0|^9.0|^10.0|^11.0|^12.0)."
    },
    "type": "library",
    "extra": {
      "laravel": {
        "providers": [
          "Laravel\\Tinker\\TinkerServiceProvider"
        ]
      }
    },
    "autoload": {
      "psr-4": {
        "Laravel\\Tinker\\": "src/"
      }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
      "MIT"
    ],
    "authors": [
      {
```



```
        "name": "Taylor Otwell",
        "email": "taylor@laravel.com"
    },
    ],
    "description": "Powerful REPL for the Laravel framework.",
    "keywords": [
        "REPL",
        "Tinker",
        "laravel",
        "psysh"
    ],
    "support": {
        "issues": "https://github.com/laravel/tinker/issues",
        "source": "https://github.com/laravel/tinker/tree/v2.11.1"
    },
    "time": "2026-02-06T14:12:35+00:00"
},
{
    "name": "league/commonmark",
    "version": "2.8.2",
    "source": {
        "type": "git",
        "url": "https://github.com/thephpleague/commonmark.git",
        "reference": "59fb075d2101740c337c7216e3f32b36c204218b"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/thephpleague/commonmark/zipball/59fb075d2101740c337c7216e3f32b36c204218b",
        "reference": "59fb075d2101740c337c7216e3f32b36c204218b",
        "shasum": ""
    },
    "require": {
        "ext-mbstring": "*",
        "league/config": "^1.1.1",
        "php": "^7.4 || ^8.0",
        "psr/event-dispatcher": "^1.0",
        "symfony/deprecation-contracts": "^2.1 || ^3.0",
        "symfony/polyfill-php80": "^1.16"
    },
    "require-dev": {
        "cebe/markdown": "^1.0",
        "commonmark/cmark": "0.31.1",
        "commonmark/commonmark.js": "0.31.1",
        "composer/package-versions-deprecated": "^1.8",
        "embed/embed": "^4.4",
        "erusev/parsedown": "^1.0",
        "ext-json": "*",
        "github/gfm": "0.29.0",
        "michelf/php-markdown": "^1.4 || ^2.0",
        "nyholm/psr7": "^1.5",
        "phpstan/phpstan": "^1.8.2",
        "phpunit/phpunit": "^9.5.21 || ^10.5.9 || ^11.0.0",
        "scrutinizer/ocular": "^1.8.1",
```



```
        "symfony/finder": "^5.3 | ^6.0 | ^7.0 || ^8.0",
        "symfony/process": "^5.4 | ^6.0 | ^7.0 || ^8.0",
        "symfony/yaml": "^2.3 | ^3.0 | ^4.0 | ^5.0 | ^6.0 | ^7.0 || ^8.0",
        "unleashedtech/php-coding-standard": "^3.1.1",
        "vimeo/psalm": "^4.24.0 || ^5.0.0 || ^6.0.0"
    },
    "suggest": {
        "symfony/yaml": "v2.3+ required if using the Front Matter
extension"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "2.9-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "League\\CommonMark\\": "src"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Colin O'Dell",
            "email": "colinodell@gmail.com",
            "homepage": "https://www.colinodell.com",
            "role": "Lead Developer"
        }
    ],
    "description": "Highly-extensible PHP Markdown parser which fully
supports the CommonMark spec and GitHub-Flavored Markdown (GFM)",
    "homepage": "https://commonmark.thephpleague.com",
    "keywords": [
        "commonmark",
        "flavored",
        "gfm",
        "github",
        "github-flavored",
        "markdown",
        "md",
        "parser"
    ],
    "support": {
        "docs": "https://commonmark.thephpleague.com/",
        "forum": "https://github.com/thephpleague/commonmark/discussions",
        "issues": "https://github.com/thephpleague/commonmark/issues",
        "rss": "https://github.com/thephpleague/commonmark/releases.atom",
        "source": "https://github.com/thephpleague/commonmark"
    },
    "funding": [
        {
```




```
        "url": "https://www.colinodell.com/sponsor",
        "type": "custom"
    },
    {
        "url": "https://www.paypal.me/colinpodell/10.00",
        "type": "custom"
    },
    {
        "url": "https://github.com/colinodell",
        "type": "github"
    },
    {
        "url":
"https://tidelift.com/funding/github/packagist/league/commonmark",
        "type": "tidelift"
    }
],
"time": "2026-03-19T13:16:38+00:00"
},
{
    "name": "league/config",
    "version": "v1.2.0",
    "source": {
        "type": "git",
        "url": "https://github.com/thephpleague/config.git",
        "reference": "754b3604fb2984c71f4af4a9cbe7b57f346ec1f3"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/thephpleague/config/zipball/754b3604fb2984c71f4af4a9c
be7b57f346ec1f3",
        "reference": "754b3604fb2984c71f4af4a9cbe7b57f346ec1f3",
        "shasum": ""
    },
    "require": {
        "dflydev/dot-access-data": "^3.0.1",
        "nette/schema": "^1.2",
        "php": "^7.4 || ^8.0"
    },
    "require-dev": {
        "phpstan/phpstan": "^1.8.2",
        "phpunit/phpunit": "^9.5.5",
        "scrutinizer/ocular": "^1.8.1",
        "unleashedtech/php-coding-standard": "^3.1",
        "vimeo/psalm": "^4.7.3"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "1.2-dev"
        }
    },
    "autoload": {
        "psr-4": {
```



```
        "League\\Config\\": "src"
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Colin O'Dell",
            "email": "colinodell@gmail.com",
            "homepage": "https://www.colinodell.com",
            "role": "Lead Developer"
        }
    ],
    "description": "Define configuration arrays with strict schemas and
access values with dot notation",
    "homepage": "https://config.thephpleague.com",
    "keywords": [
        "array",
        "config",
        "configuration",
        "dot",
        "dot-access",
        "nested",
        "schema"
    ],
    "support": {
        "docs": "https://config.thephpleague.com/",
        "issues": "https://github.com/thephpleague/config/issues",
        "rss": "https://github.com/thephpleague/config/releases.atom",
        "source": "https://github.com/thephpleague/config"
    },
    "funding": [
        {
            "url": "https://www.colinodell.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://www.paypal.me/colinodell/10.00",
            "type": "custom"
        },
        {
            "url": "https://github.com/colinodell",
            "type": "github"
        }
    ],
    "time": "2022-12-11T20:36:23+00:00"
},
{
    "name": "league/flysystem",
    "version": "3.33.0",
    "source": {
        "type": "git",
        "url": "https://github.com/thephpleague/flysystem.git",
```



```
        "reference": "570b8871e0ce693764434b29154c54b434905350"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/thephpleague/flysystem/zipball/570b8871e0ce693764434b29154c54b434905350",
        "reference": "570b8871e0ce693764434b29154c54b434905350",
        "shasum": ""
    },
    "require": {
        "league/flysystem-local": "^3.0.0",
        "league/mime-type-detection": "^1.0.0",
        "php": "^8.0.2"
    },
    "conflict": {
        "async-aws/core": "<1.19.0",
        "async-aws/s3": "<1.14.0",
        "aws/aws-sdk-php": "3.209.31 || 3.210.0",
        "guzzlehttp/guzzle": "<7.0",
        "guzzlehttp/ringphp": "<1.1.1",
        "phpseclib/phpseclib": "3.0.15",
        "symfony/http-client": "<5.2"
    },
    "require-dev": {
        "async-aws/s3": "^1.5 || ^2.0",
        "async-aws/simple-s3": "^1.1 || ^2.0",
        "aws/aws-sdk-php": "^3.295.10",
        "composer/semver": "^3.0",
        "ext-fileinfo": "*",
        "ext-ftp": "*",
        "ext-mongodb": "^1.3|^2",
        "ext-zip": "*",
        "friendsofphp/php-cs-fixer": "^3.5",
        "google/cloud-storage": "^1.23",
        "guzzlehttp/psr7": "^2.6",
        "microsoft/azure-storage-blob": "^1.1",
        "mongodb/mongodb": "^1.2|^2",
        "phpseclib/phpseclib": "^3.0.36",
        "phpstan/phpstan": "^1.10",
        "phpunit/phpunit": "^9.5.11|^10.0",
        "sabre/dav": "^4.6.0"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "League\\Flysystem\\": "src"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
```



```
        "name": "Frank de Jonge",
        "email": "info@frankdejonge.nl"
    },
    ],
    "description": "File storage abstraction for PHP",
    "keywords": [
        "WebDAV",
        "aws",
        "cloud",
        "file",
        "files",
        "filesystem",
        "filesystems",
        "ftp",
        "s3",
        "sftp",
        "storage"
    ],
    "support": {
        "issues": "https://github.com/thephpleague/flysystem/issues",
        "source": "https://github.com/thephpleague/flysystem/tree/3.33.0"
    },
    "time": "2026-03-25T07:59:30+00:00"
},
{
    "name": "league/flysystem-local",
    "version": "3.31.0",
    "source": {
        "type": "git",
        "url": "https://github.com/thephpleague/flysystem-local.git",
        "reference": "2f669db18a4c20c755c2bb7d3a7b0b2340488079"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/thephpleague/flysystem-local/zipball/
2f669db18a4c20c755c2bb7d3a7b0b2340488079",
        "reference": "2f669db18a4c20c755c2bb7d3a7b0b2340488079",
        "shasum": ""
    },
    "require": {
        "ext-fileinfo": "*",
        "league/flysystem": "^3.0.0",
        "league/mime-type-detection": "^1.0.0",
        "php": "^8.0.2"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "League\\Flysystem\\Local\\": ""
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ]
}
```



```
],
"authors": [
  {
    "name": "Frank de Jonge",
    "email": "info@frankdejonge.nl"
  }
],
"description": "Local filesystem adapter for Flysystem.",
"keywords": [
  "Flysystem",
  "file",
  "files",
  "filesystem",
  "local"
],
"support": {
  "source":
    "https://github.com/thephpleague/flysystem-local/tree/3.31.0"
},
"time": "2026-01-23T15:30:45+00:00"
},
{
  "name": "league/mime-type-detection",
  "version": "1.16.0",
  "source": {
    "type": "git",
    "url": "https://github.com/thephpleague/mime-type-detection.git",
    "reference": "2d6702ff215bf922936ccc1ad31007edc76451b9"
  },
  "dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/thephpleague/mime-type-detection/zipball/2d6702ff215bf922936ccc1ad31007edc76451b9",
    "reference": "2d6702ff215bf922936ccc1ad31007edc76451b9",
    "shasum": ""
  },
  "require": {
    "ext-fileinfo": "*",
    "php": "^7.4 || ^8.0"
  },
  "require-dev": {
    "friendsofphp/php-cs-fixer": "^3.2",
    "phpstan/phpstan": "^0.12.68",
    "phpunit/phpunit": "^8.5.8 || ^9.3 || ^10.0"
  },
  "type": "library",
  "autoload": {
    "psr-4": {
      "League\\MimeTypeDetection\\": "src"
    }
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "MIT"
  ],
}
```



```
"authors": [
  {
    "name": "Frank de Jonge",
    "email": "info@frankdejonge.nl"
  }
],
"description": "Mime-type detection for Flysystem",
"support": {
  "issues":
"https://github.com/thephpleague/mime-type-detection/issues",
  "source":
"https://github.com/thephpleague/mime-type-detection/tree/1.16.0"
},
"funding": [
  {
    "url": "https://github.com/frankdejonge",
    "type": "github"
  },
  {
    "url":
"https://tidelift.com/funding/github/packagist/league/flysystem",
    "type": "tidelift"
  }
],
"time": "2024-09-21T08:32:55+00:00"
},
{
  "name": "league/uri",
  "version": "7.8.1",
  "source": {
    "type": "git",
    "url": "https://github.com/thephpleague/uri.git",
    "reference": "08cf38e3924d4f56238125547b5720496fac8fd4"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/thephpleague/uri/zipball/08cf38e3924d4f56238125547b5720496fac8fd4",
    "reference": "08cf38e3924d4f56238125547b5720496fac8fd4",
    "shasum": ""
  },
  "require": {
    "league/uri-interfaces": "^7.8.1",
    "php": "^8.1",
    "psr/http-factory": "^1"
  },
  "conflict": {
    "league/uri-schemes": "^1.0"
  },
  "suggest": {
    "ext-bcmath": "to improve IPV4 host parsing",
    "ext-dom": "to convert the URI into an HTML anchor tag",
    "ext-fileinfo": "to create Data URI from file contennts",
    "ext-gmp": "to improve IPV4 host parsing",
```



```
        "ext-intl": "to handle IDN host with the best performance",
        "ext-uri": "to use the PHP native URI class",
        "jeremykendall/php-domain-parser": "to further parse the URI host
and resolve its Public Suffix and Top Level Domain",
        "league/uri-components": "to provide additional tools to manipulate
URI objects components",
        "league/uri-polyfill": "to backport the PHP URI extension for older
versions of PHP",
        "php-64bit": "to improve IPV4 host parsing",
        "rowbot/url": "to handle URLs using the WHATWG URL Living Standard
specification",
        "symfony/polyfill-intl-idn": "to handle IDN host via the Symfony
polyfill if ext-intl is not present"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "7.x-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "League\\Uri\\": ""
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Ignace Nyamagana Butera",
            "email": "nyamsprod@gmail.com",
            "homepage": "https://nyamsprod.com"
        }
    ],
    "description": "URI manipulation library",
    "homepage": "https://uri.thephpleague.com",
    "keywords": [
        "URN",
        "data-uri",
        "file-uri",
        "ftp",
        "hostname",
        "http",
        "https",
        "middleware",
        "parse_str",
        "parse_url",
        "psr-7",
        "query-string",
        "querystring",
        "rfc2141",
        "rfc3986",
        "rfc3987",
```



```
        "rfc6570",
        "rfc8141",
        "uri",
        "uri-template",
        "url",
        "ws"
    ],
    "support": {
        "docs": "https://uri.thephpleague.com",
        "forum": "https://thephpleague.slack.com",
        "issues": "https://github.com/thephpleague/uri-src/issues",
        "source": "https://github.com/thephpleague/uri/tree/7.8.1"
    },
    "funding": [
        {
            "url": "https://github.com/sponsors/nyamprod",
            "type": "github"
        }
    ],
    "time": "2026-03-15T20:22:25+00:00"
},
{
    "name": "league/uri-interfaces",
    "version": "7.8.1",
    "source": {
        "type": "git",
        "url": "https://github.com/thephpleague/uri-interfaces.git",
        "reference": "85d5c77c5d6d3af6c54db4a78246364908f3c928"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/thephpleague/uri-interfaces/zipball/
85d5c77c5d6d3af6c54db4a78246364908f3c928",
        "reference": "85d5c77c5d6d3af6c54db4a78246364908f3c928",
        "shasum": ""
    },
    "require": {
        "ext-filter": "*",
        "php": "^8.1",
        "psr/http-message": "^1.1 || ^2.0"
    },
    "suggest": {
        "ext-bcmath": "to improve IPV4 host parsing",
        "ext-gmp": "to improve IPV4 host parsing",
        "ext-intl": "to handle IDN host with the best performance",
        "php-64bit": "to improve IPV4 host parsing",
        "rowbot/url": "to handle URLs using the WHATWG URL Living Standard
specification",
        "symfony/polyfill-intl-idn": "to handle IDN host via the Symfony
polyfill if ext-intl is not present"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
```




```
        "dev-master": "7.x-dev"
    },
    "autoload": {
        "psr-4": {
            "League\\Uri\\": ""
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Ignace Nyamagana Butera",
            "email": "nyamsprod@gmail.com",
            "homepage": "https://nyamsprod.com"
        }
    ],
    "description": "Common tools for parsing and resolving RFC3987/RFC3986
URI",
    "homepage": "https://uri.thephpleague.com",
    "keywords": [
        "data-uri",
        "file-uri",
        "ftp",
        "hostname",
        "http",
        "https",
        "parse_str",
        "parse_url",
        "psr-7",
        "query-string",
        "querystring",
        "rfc3986",
        "rfc3987",
        "rfc6570",
        "uri",
        "url",
        "ws"
    ],
    "support": {
        "docs": "https://uri.thephpleague.com",
        "forum": "https://thephpleague.slack.com",
        "issues": "https://github.com/thephpleague/uri-src/issues",
        "source":
"https://github.com/thephpleague/uri-interfaces/tree/7.8.1"
    },
    "funding": [
        {
            "url": "https://github.com/sponsors/nyamsprod",
            "type": "github"
        }
    ],
    "time": "2026-03-08T20:05:35+00:00"
```



```
},
{
  "name": "livewire/livewire",
  "version": "v4.2.4",
  "source": {
    "type": "git",
    "url": "https://github.com/livewire/livewire.git",
    "reference": "7d0bfa46269b1ec186b8cdd38baffee5cc647d10"
  },
  "dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/livewire/livewire/zipball/7d0bfa46269b1ec186b8cdd38baffee5cc647d10",
    "reference": "7d0bfa46269b1ec186b8cdd38baffee5cc647d10",
    "shasum": ""
  },
  "require": {
    "illuminate/database": "^10.0|^11.0|^12.0|^13.0",
    "illuminate/routing": "^10.0|^11.0|^12.0|^13.0",
    "illuminate/support": "^10.0|^11.0|^12.0|^13.0",
    "illuminate/validation": "^10.0|^11.0|^12.0|^13.0",
    "laravel/prompts": "^0.1.24|^0.2|^0.3",
    "league/mime-type-detection": "^1.9",
    "php": "^8.1",
    "symfony/console": "^6.0|^7.0|^8.0",
    "symfony/http-kernel": "^6.2|^7.0|^8.0"
  },
  "require-dev": {
    "calebporzio/sushi": "^2.1",
    "laravel/framework": "^10.15.0|^11.0|^12.0|^13.0",
    "mockery/mockery": "^1.3.1",
    "orchestra/testbench": "^8.21.0|^9.0|^10.0|^11.0",
    "orchestra/testbench-dusk": "^8.24|^9.1|^10.0|^11.0",
    "phpunit/phpunit": "^10.4|^11.5|^12.5",
    "psy/psysh": "^0.11.22|^0.12"
  },
  "type": "library",
  "extra": {
    "laravel": {
      "aliases": {
        "Livewire": "Livewire\\Livewire"
      },
      "providers": [
        "Livewire\\LivewireServiceProvider"
      ]
    }
  },
  "autoload": {
    "files": [
      "src/helpers.php"
    ],
    "psr-4": {
      "Livewire\\": "src/"
    }
  }
}
```



```
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Caleb Porzio",
            "email": "calebporzio@gmail.com"
        }
    ],
    "description": "A front-end framework for Laravel.",
    "support": {
        "issues": "https://github.com/livewire/livewire/issues",
        "source": "https://github.com/livewire/livewire/tree/v4.2.4"
    },
    "funding": [
        {
            "url": "https://github.com/livewire",
            "type": "github"
        }
    ],
    "time": "2026-04-02T20:48:35+00:00"
},
{
    "name": "monolog/monolog",
    "version": "3.10.0",
    "source": {
        "type": "git",
        "url": "https://github.com/Seldaek/monolog.git",
        "reference": "b321dd6749f0bf7189444158a3ce785cc16d69b0"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/Seldaek/monolog/zipball/b321dd6749f0bf7189444158a3ce785cc16d69b0",
        "reference": "b321dd6749f0bf7189444158a3ce785cc16d69b0",
        "shasum": ""
    },
    "require": {
        "php": ">=8.1",
        "psr/log": "^2.0 || ^3.0"
    },
    "provide": {
        "psr/log-implementation": "3.0.0"
    },
    "require-dev": {
        "aws/aws-sdk-php": "^3.0",
        "doctrine/couchdb": "~1.0@dev",
        "elasticsearch/elasticsearch": "^7 || ^8",
        "ext-json": "*",
        "graylog2/gelf-php": "^1.4.2 || ^2.0",
        "guzzlehttp/guzzle": "^7.4.5",
        "guzzlehttp/psr7": "^2.2",
    },
}
```



```
"mongodb/mongodb": "^1.8 || ^2.0",
"php-amqplib/php-amqplib": "~2.4 || ^3",
"php-console/php-console": "^3.1.8",
"phpstan/phpstan": "^2",
"phpstan/phpstan-deprecation-rules": "^2",
"phpstan/phpstan-strict-rules": "^2",
"phpunit/phpunit": "^10.5.17 || ^11.0.7",
"predis/predis": "^1.1 || ^2",
"rollbar/rollbar": "^4.0",
"ruflin/elastica": "^7 || ^8",
"symfony/mailer": "^5.4 || ^6",
"symfony/mime": "^5.4 || ^6"
},
"suggest": {
  "aws/aws-sdk-php": "Allow sending log messages to AWS services like
DynamoDB",
  "doctrine/couchdb": "Allow sending log messages to a CouchDB
server",
  "elasticsearch/elasticsearch": "Allow sending log messages to an
Elasticsearch server via official client",
  "ext-amqp": "Allow sending log messages to an AMQP server (1.0+
required)",
  "ext-curl": "Required to send log messages using the IFTTTHandler,
the LogglyHandler, the SendGridHandler, the SlackWebhookHandler or the
TelegramBotHandler",
  "ext-mbstring": "Allow to work properly with unicode symbols",
  "ext-mongodb": "Allow sending log messages to a MongoDB server (via
driver)",
  "ext-openssl": "Required to send log messages using SSL",
  "ext-sockets": "Allow sending log messages to a Syslog server (via
UDP driver)",
  "graylog2/gelf-php": "Allow sending log messages to a GrayLog2
server",
  "mongodb/mongodb": "Allow sending log messages to a MongoDB server
(via library)",
  "php-amqplib/php-amqplib": "Allow sending log messages to an AMQP
server using php-amqplib",
  "rollbar/rollbar": "Allow sending log messages to Rollbar",
  "ruflin/elastica": "Allow sending log messages to an Elastic Search
server"
},
"type": "library",
"extra": {
  "branch-alias": {
    "dev-main": "3.x-dev"
  }
},
"autoload": {
  "psr-4": {
    "Monolog\\": "src/Monolog"
  }
},
"notification-url": "https://packagist.org/downloads/",
"license": [
  "MIT"
```



```
    ],
    "authors": [
      {
        "name": "Jordi Boggiano",
        "email": "j.boggiano@seld.be",
        "homepage": "https://seld.be"
      }
    ],
    "description": "Sends your logs to files, sockets, inboxes, databases
and various web services",
    "homepage": "https://github.com/Seldaek/monolog",
    "keywords": [
      "log",
      "logging",
      "psr-3"
    ],
    "support": {
      "issues": "https://github.com/Seldaek/monolog/issues",
      "source": "https://github.com/Seldaek/monolog/tree/3.10.0"
    },
    "funding": [
      {
        "url": "https://github.com/Seldaek",
        "type": "github"
      },
      {
        "url":
"https://tidelift.com/funding/github/packagist/monolog/monolog",
        "type": "tidelift"
      }
    ],
    "time": "2026-01-02T08:56:05+00:00"
  },
  {
    "name": "nesbot/carbon",
    "version": "3.11.4",
    "source": {
      "type": "git",
      "url": "https://github.com/CarbonPHP/carbon.git",
      "reference": "e890471a3494740f7d9326d72ce6a8c559ffee60"
    },
    "dist": {
      "type": "zip",
      "url":
"https://api.github.com/repos/CarbonPHP/carbon/zipball/e890471a3494740f7d9326d72ce6a8c559ffee60",
      "reference": "e890471a3494740f7d9326d72ce6a8c559ffee60",
      "shasum": ""
    },
    "require": {
      "carbonphp/carbon-doctrine-types": "<100.0",
      "ext-json": "*",
      "php": "^8.1",
      "psr/clock": "^1.0",
      "symfony/clock": "^6.3.12 || ^7.0 || ^8.0",

```



```
"symfony/polyfill-mbstring": "^1.0",
"symfony/translation": "^4.4.18 || ^5.2.1 || ^6.0 || ^7.0 || ^8.0"
},
"provide": {
    "psr/clock-implementation": "1.0"
},
"require-dev": {
    "doctrine/dbal": "^3.6.3 || ^4.0",
    "doctrine/orm": "^2.15.2 || ^3.0",
    "friendsofphp/php-cs-fixer": "^v3.87.1",
    "kylekatarnls/multi-tester": "^2.5.3",
    "phpmd/phpmd": "^2.15.0",
    "phpstan/extension-installer": "^1.4.3",
    "phpstan/phpstan": "^2.1.22",
    "phpunit/phpunit": "^10.5.53",
    "squizlabs/php_codesniffer": "^3.13.4 || ^4.0.0"
},
"bin": [
    "bin/carbon"
],
"type": "library",
"extra": {
    "laravel": {
        "providers": [
            "Carbon\\Laravel\\ServiceProvider"
        ]
    },
    "phpstan": {
        "includes": [
            "extension.neon"
        ]
    },
    "branch-alias": {
        "dev-2.x": "2.x-dev",
        "dev-master": "3.x-dev"
    }
},
"autoload": {
    "psr-4": {
        "Carbon\\": "src/Carbon/"
    }
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "MIT"
],
"authors": [
    {
        "name": "Brian Nesbitt",
        "email": "brian@nesbot.com",
        "homepage": "https://markido.com"
    },
    {
        "name": "kylekatarnls",
        "homepage": "https://github.com/kylekatarnls"
    }
]
```



```
    },
    ],
    "description": "An API extension for DateTime that supports 281
different languages.",
    "homepage": "https://carbonphp.github.io/carbon/",
    "keywords": [
        "date",
        "datetime",
        "time"
    ],
    "support": {
        "docs":
"https://carbonphp.github.io/carbon/guide/getting-started/introduction.html",
        "issues": "https://github.com/CarbonPHP/carbon/issues",
        "source": "https://github.com/CarbonPHP/carbon"
    },
    "funding": [
        {
            "url": "https://github.com/sponsors/kylekatarnls",
            "type": "github"
        },
        {
            "url": "https://opencollective.com/Carbon#sponsor",
            "type": "opencollective"
        },
        {
            "url": "https://tidelift.com/subscription/pkg/packagist-nesbot-
carbon?utm_source=packagist-nesbot-carbon&utm_medium=referral&utm_campaign=readme",
            "type": "tidelift"
        }
    ],
    "time": "2026-04-07T09:57:54+00:00"
},
{
    "name": "nette/schema",
    "version": "v1.3.5",
    "source": {
        "type": "git",
        "url": "https://github.com/nette/schema.git",
        "reference": "f0ab1a3cda782dbc5da270d28545236aa80c4002"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/nette/schema/zipball/f0ab1a3cda782dbc5da270d28545236a
a80c4002",
        "reference": "f0ab1a3cda782dbc5da270d28545236aa80c4002",
        "shasum": ""
    },
    "require": {
        "nette/utils": "^4.0",
        "php": "8.1 - 8.5"
    },
    "require-dev": {
        "nette/phpstan-rules": "^1.0",
```



```
        "nette/tester": "^2.6",
        "phpstan/extension-installer": "^1.4@stable",
        "phpstan/phpstan": "^2.1.39@stable",
        "tracy/tracy": "^2.8"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "1.3-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "Nette\\"": "src"
        },
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause",
        "GPL-2.0-only",
        "GPL-3.0-only"
    ],
    "authors": [
        {
            "name": "David Grudl",
            "homepage": "https://davidgrudl.com"
        },
        {
            "name": "Nette Community",
            "homepage": "https://nette.org/contributors"
        }
    ],
    "description": "🚧 Nette Schema: validating data structures against a given Schema.",
    "homepage": "https://nette.org",
    "keywords": [
        "config",
        "nette"
    ],
    "support": {
        "issues": "https://github.com/nette/schema/issues",
        "source": "https://github.com/nette/schema/tree/v1.3.5"
    },
    "time": "2026-02-23T03:47:12+00:00"
},
{
    "name": "nette/utils",
    "version": "v4.1.3",
    "source": {
        "type": "git",
        "url": "https://github.com/nette/utils.git",
        "reference": "bb3ea637e3d131d72acc033cfc2746ee893349fe"
    }
}
```




```
    },
    "dist": {
      "type": "zip",
      "url":
"https://api.github.com/repos/nette/Utils/zipball/bb3ea637e3d131d72acc033cfc2746ee893349fe",
      "reference": "bb3ea637e3d131d72acc033cfc2746ee893349fe",
      "shasum": ""
    },
    "require": {
      "php": "8.2 - 8.5"
    },
    "conflict": {
      "nette/finder": "<3",
      "nette/schema": "<1.2.2"
    },
    "require-dev": {
      "jetbrains/phpstorm-attributes": "^1.2",
      "nette/phpstan-rules": "^1.0",
      "nette/tester": "^2.5",
      "phpstan/extension-installer": "^1.4@stable",
      "phpstan/phpstan": "^2.1@stable",
      "tracy/tracy": "^2.9"
    },
    "suggest": {
      "ext-gd": "to use Image",
      "ext-iconv": "to use Strings::webalize(), toAscii(), chr() and
reverse()",
      "ext-intl": "to use Strings::webalize(), toAscii(), normalize() and
compare()",
      "ext-json": "to use Nette\\Utils\\Json",
      "ext-mbstring": "to use Strings::lower() etc...",
      "ext-tokenizer": "to use Nette\\Utils\\
\\Reflection::getUseStatements()"
    },
    "type": "library",
    "extra": {
      "branch-alias": {
        "dev-master": "4.1-dev"
      }
    },
    "autoload": {
      "psr-4": {
        "Nette\\" : "src"
      },
      "classmap": [
        "src/"
      ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
      "BSD-3-Clause",
      "GPL-2.0-only",
      "GPL-3.0-only"
    ],
  },
}
```



```
"authors": [
  {
    "name": "David Grudl",
    "homepage": "https://davidgrudl.com"
  },
  {
    "name": "Nette Community",
    "homepage": "https://nette.org/contributors"
  }
],
"description": "🔧 Nette Utils: lightweight utilities for string &
array manipulation, image handling, safe JSON encoding/decoding, validation, slug
or strong password generating etc.",
"homepage": "https://nette.org",
"keywords": [
  "array",
  "core",
  "datetime",
  "images",
  "json",
  "nette",
  "paginator",
  "password",
  "slugify",
  "string",
  "unicode",
  "utf-8",
  "utility",
  "validation"
],
"support": {
  "issues": "https://github.com/nette/utils/issues",
  "source": "https://github.com/nette/utils/tree/v4.1.3"
},
"time": "2026-02-13T03:05:33+00:00"
},
{
  "name": "nikic/php-parser",
  "version": "v5.7.0",
  "source": {
    "type": "git",
    "url": "https://github.com/nikic/PHP-Parser.git",
    "reference": "dca41cd15c2ac9d055ad70dbfd011130757d1f82"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/nikic/PHP-Parser/zipball/dca41cd15c2ac9d055ad70dbfd011130757d1f82",
    "reference": "dca41cd15c2ac9d055ad70dbfd011130757d1f82",
    "shasum": ""
  },
  "require": {
    "ext-ctype": "*",
    "ext-json": "*",

```



```
        "ext-tokenizer": "*",
        "php": ">=7.4"
    },
    "require-dev": {
        "ircmaxell/php-yacc": "^0.0.7",
        "phpunit/phpunit": "^9.0"
    },
    "bin": [
        "bin/php-parse"
    ],
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "5.x-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "PhpParser\\": "lib/PhpParser"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Nikita Popov"
        }
    ],
    "description": "A PHP parser written in PHP",
    "keywords": [
        "parser",
        "php"
    ],
    "support": {
        "issues": "https://github.com/nikic/PHP-Parser/issues",
        "source": "https://github.com/nikic/PHP-Parser/tree/v5.7.0"
    },
    "time": "2025-12-06T11:56:16+00:00"
},
{
    "name": "nunomaduro/termwind",
    "version": "v2.4.0",
    "source": {
        "type": "git",
        "url": "https://github.com/nunomaduro/termwind.git",
        "reference": "712a31b768f5daea284c2169a7d227031001b9a8"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/nunomaduro/termwind/zipball/712a31b768f5daea284c2169a7d227031001b9a8",
        "reference": "712a31b768f5daea284c2169a7d227031001b9a8",
    }
}
```



```
    "shasum": ""
  },
  "require": {
    "ext-mbstring": "*",
    "php": "^8.2",
    "symfony/console": "^7.4.4 || ^8.0.4"
  },
  "require-dev": {
    "illuminate/console": "^11.47.0",
    "laravel/pint": "^1.27.1",
    "mockery/mockery": "^1.6.12",
    "pestphp/pest": "^2.36.0 || ^3.8.4 || ^4.3.2",
    "phpstan/phpstan": "^1.12.32",
    "phpstan/phpstan-strict-rules": "^1.6.2",
    "symfony/var-dumper": "^7.3.5 || ^8.0.4",
    "thecodingmachine/phpstan-strict-rules": "^1.0.0"
  },
  "type": "library",
  "extra": {
    "laravel": {
      "providers": [
        "Termwind\\Laravel\\TermwindServiceProvider"
      ]
    },
    "branch-alias": {
      "dev-2.x": "2.x-dev"
    }
  },
  "autoload": {
    "files": [
      "src/Functions.php"
    ],
    "psr-4": {
      "Termwind\\": "src/"
    }
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "MIT"
  ],
  "authors": [
    {
      "name": "Nuno Maduro",
      "email": "enunomaduro@gmail.com"
    }
  ],
  "description": "It's like Tailwind CSS, but for the console.",
  "keywords": [
    "cli",
    "console",
    "css",
    "package",
    "php",
    "style"
  ],
}
```



```
"support": {
  "issues": "https://github.com/nunomaduro/termwind/issues",
  "source": "https://github.com/nunomaduro/termwind/tree/v2.4.0"
},
"funding": [
  {
    "url": "https://www.paypal.com/paypalme/enunomaduro",
    "type": "custom"
  },
  {
    "url": "https://github.com/nunomaduro",
    "type": "github"
  },
  {
    "url": "https://github.com/xiC02k",
    "type": "github"
  }
],
"time": "2026-02-16T23:10:27+00:00"
},
{
  "name": "phpooption/phpooption",
  "version": "1.9.5",
  "source": {
    "type": "git",
    "url": "https://github.com/schmittjoh/php-option.git",
    "reference": "75365b91986c2405cf5e1e012c5595cd487a98be"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/schmittjoh/php-option/zipball/75365b91986c2405cf5e1e012c5595cd487a98be",
    "reference": "75365b91986c2405cf5e1e012c5595cd487a98be",
    "shasum": ""
  },
  "require": {
    "php": "^7.2.5 || ^8.0"
  },
  "require-dev": {
    "bamarni/composer-bin-plugin": "^1.8.2",
    "phpunit/phpunit": "^8.5.44 || ^9.6.25 || ^10.5.53 || ^11.5.34"
  },
  "type": "library",
  "extra": {
    "bamarni-bin": {
      "bin-links": true,
      "forward-command": false
    },
    "branch-alias": {
      "dev-master": "1.9-dev"
    }
  },
  "autoload": {
    "psr-4": {
```



```
        "PhpOption\\": "src/PhpOption/"
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "Apache-2.0"
    ],
    "authors": [
        {
            "name": "Johannes M. Schmitt",
            "email": "schmittjoh@gmail.com",
            "homepage": "https://github.com/schmittjoh"
        },
        {
            "name": "Graham Campbell",
            "email": "hello@gjcampbell.co.uk",
            "homepage": "https://github.com/GrahamCampbell"
        }
    ],
    "description": "Option Type for PHP",
    "keywords": [
        "language",
        "option",
        "php",
        "type"
    ],
    "support": {
        "issues": "https://github.com/schmittjoh/php-option/issues",
        "source": "https://github.com/schmittjoh/php-option/tree/1.9.5"
    },
    "funding": [
        {
            "url": "https://github.com/GrahamCampbell",
            "type": "github"
        },
        {
            "url":
"https://tidelift.com/funding/github/packagist/phpoption/phpooption",
            "type": "tidelift"
        }
    ],
    "time": "2025-12-27T19:41:33+00:00"
},
{
    "name": "psr/clock",
    "version": "1.0.0",
    "source": {
        "type": "git",
        "url": "https://github.com/php-fig/clock.git",
        "reference": "e41a24703d4560fd0acb709162f73b8adfc3aa0d"
    },
    "dist": {
        "type": "zip",
```



```
        "url":  
        "https://api.github.com/repos/php-fig/clock/zipball/e41a24703d4560fd0acb709162f73b8adfc3aa0d",  
        "reference": "e41a24703d4560fd0acb709162f73b8adfc3aa0d",  
        "shasum": ""  
    },  
    "require": {  
        "php": "^7.0 || ^8.0"  
    },  
    "type": "library",  
    "autoload": {  
        "psr-4": {  
            "Psr\\Clock\\": "src/"  
        }  
    },  
    "notification-url": "https://packagist.org/downloads/",  
    "license": [  
        "MIT"  
    ],  
    "authors": [  
        {  
            "name": "PHP-FIG",  
            "homepage": "https://www.php-fig.org/"  
        }  
    ],  
    "description": "Common interface for reading the clock.",  
    "homepage": "https://github.com/php-fig/clock",  
    "keywords": [  
        "clock",  
        "now",  
        "psr",  
        "psr-20",  
        "time"  
    ],  
    "support": {  
        "issues": "https://github.com/php-fig/clock/issues",  
        "source": "https://github.com/php-fig/clock/tree/1.0.0"  
    },  
    "time": "2022-11-25T14:36:26+00:00"  
},  
{  
    "name": "psr/container",  
    "version": "2.0.2",  
    "source": {  
        "type": "git",  
        "url": "https://github.com/php-fig/container.git",  
        "reference": "c71ecc56dfe541dbd90c5360474fbc405f8d5963"  
    },  
    "dist": {  
        "type": "zip",  
        "url":  
        "https://api.github.com/repos/php-fig/container/zipball/c71ecc56dfe541dbd90c5360474fbc405f8d5963",  
        "reference": "c71ecc56dfe541dbd90c5360474fbc405f8d5963",  
        "shasum": ""  
    }
```



```
    },
    "require": {
        "php": ">=7.4.0"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "2.0.x-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "Psr\\Container\\": "src/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "PHP-FIG",
            "homepage": "https://www.php-fig.org/"
        }
    ],
    "description": "Common Container Interface (PHP FIG PSR-11)",
    "homepage": "https://github.com/php-fig/container",
    "keywords": [
        "PSR-11",
        "container",
        "container-interface",
        "container-interop",
        "psr"
    ],
    "support": {
        "issues": "https://github.com/php-fig/container/issues",
        "source": "https://github.com/php-fig/container/tree/2.0.2"
    },
    "time": "2021-11-05T16:47:00+00:00"
},
{
    "name": "psr/event-dispatcher",
    "version": "1.0.0",
    "source": {
        "type": "git",
        "url": "https://github.com/php-fig/event-dispatcher.git",
        "reference": "dbefd12671e8a14ec7f180cab83036ed26714bb0"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/php-fig/event-dispatcher/zipball/dbefd12671e8a14ec7f180cab83036ed26714bb0",
        "reference": "dbefd12671e8a14ec7f180cab83036ed26714bb0",
        "shasum": ""
    }
}
```




```
},
"require": {
    "php": ">=7.2.0"
},
"type": "library",
"extra": {
    "branch-alias": {
        "dev-master": "1.0.x-dev"
    }
},
"autoload": {
    "psr-4": {
        "Psr\\EventDispatcher\\": "src/"
    }
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "MIT"
],
"authors": [
    {
        "name": "PHP-FIG",
        "homepage": "http://www.php-fig.org/"
    }
],
"description": "Standard interfaces for event handling.",
"keywords": [
    "events",
    "psr",
    "psr-14"
],
"support": {
    "issues": "https://github.com/php-fig/event-dispatcher/issues",
    "source": "https://github.com/php-fig/event-dispatcher/tree/1.0.0"
},
"time": "2019-01-08T18:20:26+00:00"
},
{
    "name": "psr/http-client",
    "version": "1.0.3",
    "source": {
        "type": "git",
        "url": "https://github.com/php-fig/http-client.git",
        "reference": "bb5906edc1c324c9a05aa0873d40117941e5fa90"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/php-fig/http-client/zipball/bb5906edc1c324c9a05aa0873d40117941e5fa90",
        "reference": "bb5906edc1c324c9a05aa0873d40117941e5fa90",
        "shasum": ""
    },
    "require": {
        "php": "^7.0 || ^8.0",

```



```
        "psr/http-message": "^1.0 || ^2.0"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "1.0.x-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "Psr\\Http\\Client\\": "src/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "PHP-FIG",
            "homepage": "https://www.php-fig.org/"
        }
    ],
    "description": "Common interface for HTTP clients",
    "homepage": "https://github.com/php-fig/http-client",
    "keywords": [
        "http",
        "http-client",
        "psr",
        "psr-18"
    ],
    "support": {
        "source": "https://github.com/php-fig/http-client"
    },
    "time": "2023-09-23T14:17:50+00:00"
},
{
    "name": "psr/http-factory",
    "version": "1.1.0",
    "source": {
        "type": "git",
        "url": "https://github.com/php-fig/http-factory.git",
        "reference": "2b4765fddfe3b508ac62f829e852b1501d3f6e8a"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/php-fig/http-factory/zipball/2b4765fddfe3b508ac62f829e852b1501d3f6e8a",
        "reference": "2b4765fddfe3b508ac62f829e852b1501d3f6e8a",
        "shasum": ""
    },
    "require": {
        "php": ">=7.1",
        "psr/http-message": "^1.0 || ^2.0"
    }
}
```



```
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "1.0.x-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "Psr\\Http\\Message\\": "src/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "PHP-FIG",
            "homepage": "https://www.php-fig.org/"
        }
    ],
    "description": "PSR-17: Common interfaces for PSR-7 HTTP message
factories",
    "keywords": [
        "factory",
        "http",
        "message",
        "psr",
        "psr-17",
        "psr-7",
        "request",
        "response"
    ],
    "support": {
        "source": "https://github.com/php-fig/http-factory"
    },
    "time": "2024-04-15T12:06:14+00:00"
},
{
    "name": "psr/http-message",
    "version": "2.0",
    "source": {
        "type": "git",
        "url": "https://github.com/php-fig/http-message.git",
        "reference": "402d35bcb92c70c026d1a6a9883f06b2ead23d71"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/php-fig/http-message/zipball/402d35bcb92c70c026d1a6a9
883f06b2ead23d71",
        "reference": "402d35bcb92c70c026d1a6a9883f06b2ead23d71",
        "shasum": ""
    },
}
```



```
"require": {
    "php": "^7.2 || ^8.0"
},
"type": "library",
"extra": {
    "branch-alias": {
        "dev-master": "2.0.x-dev"
    }
},
"autoload": {
    "psr-4": {
        "Psr\\Http\\Message\\": "src/"
    }
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "MIT"
],
"authors": [
    {
        "name": "PHP-FIG",
        "homepage": "https://www.php-fig.org/"
    }
],
"description": "Common interface for HTTP messages",
"homepage": "https://github.com/php-fig/http-message",
"keywords": [
    "http",
    "http-message",
    "psr",
    "psr-7",
    "request",
    "response"
],
"support": {
    "source": "https://github.com/php-fig/http-message/tree/2.0"
},
"time": "2023-04-04T09:54:51+00:00"
},
{
    "name": "psr/log",
    "version": "3.0.2",
    "source": {
        "type": "git",
        "url": "https://github.com/php-fig/log.git",
        "reference": "f16e1d5863e37f8d8c2a01719f5b34baa2b714d3"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/php-fig/log/zipball/f16e1d5863e37f8d8c2a01719f5b34baa2b714d3",
        "reference": "f16e1d5863e37f8d8c2a01719f5b34baa2b714d3",
        "shasum": ""
    },
}
```



```
"require": {
  "php": ">=8.0.0"
},
"type": "library",
"extra": {
  "branch-alias": {
    "dev-master": "3.x-dev"
  }
},
"autoload": {
  "psr-4": {
    "Psr\\Log\\": "src"
  }
},
"notification-url": "https://packagist.org/downloads/",
"license": [
  "MIT"
],
"authors": [
  {
    "name": "PHP-FIG",
    "homepage": "https://www.php-fig.org/"
  }
],
"description": "Common interface for logging libraries",
"homepage": "https://github.com/php-fig/log",
"keywords": [
  "log",
  "psr",
  "psr-3"
],
"support": {
  "source": "https://github.com/php-fig/log/tree/3.0.2"
},
"time": "2024-09-11T13:17:53+00:00"
},
{
  "name": "psr/simple-cache",
  "version": "3.0.0",
  "source": {
    "type": "git",
    "url": "https://github.com/php-fig/simple-cache.git",
    "reference": "764e0b3939f5ca87cb904f570ef9be2d78a07865"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/php-fig/simple-cache/zipball/764e0b3939f5ca87cb904f570ef9be2d78a07865",
    "reference": "764e0b3939f5ca87cb904f570ef9be2d78a07865",
    "shasum": ""
  },
  "require": {
    "php": ">=8.0.0"
  },
}
```



```
"type": "library",
"extra": {
  "branch-alias": {
    "dev-master": "3.0.x-dev"
  }
},
"autoload": {
  "psr-4": {
    "Psr\\SimpleCache\\": "src/"
  }
},
"notification-url": "https://packagist.org/downloads/",
"license": [
  "MIT"
],
"authors": [
  {
    "name": "PHP-FIG",
    "homepage": "https://www.php-fig.org/"
  }
],
"description": "Common interfaces for simple caching",
"keywords": [
  "cache",
  "caching",
  "psr",
  "psr-16",
  "simple-cache"
],
"support": {
  "source": "https://github.com/php-fig/simple-cache/tree/3.0.0"
},
"time": "2021-10-29T13:26:27+00:00"
},
{
  "name": "psy/psysh",
  "version": "v0.12.22",
  "source": {
    "type": "git",
    "url": "https://github.com/bobthecow/psysh.git",
    "reference": "3be75d5b9244936dd4ac62ade2bfb004d13acf0f"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/bobthecow/psysh/zipball/3be75d5b9244936dd4ac62ade2bfb004d13acf0f",
    "reference": "3be75d5b9244936dd4ac62ade2bfb004d13acf0f",
    "shasum": ""
  },
  "require": {
    "ext-json": "*",
    "ext-tokenizer": "*",
    "nikic/php-parser": "^5.0 || ^4.0",
    "php": "^8.0 || ^7.4",
```



```
"symfony/console": "^8.0 || ^7.0 || ^6.0 || ^5.0 || ^4.0 || ^3.4",
"symfony/var-dumper": "^8.0 || ^7.0 || ^6.0 || ^5.0 || ^4.0 ||
^3.4"
},
"conflict": {
  "symfony/console": "4.4.37 || 5.3.14 || 5.3.15 || 5.4.3 || 5.4.4 ||
6.0.3 || 6.0.4"
},
"require-dev": {
  "bamarni/composer-bin-plugin": "^1.2",
  "composer/class-map-generator": "^1.6"
},
"suggest": {
  "composer/class-map-generator": "Improved tab completion
performance with better class discovery.",
  "ext-pcntl": "Enabling the PCNTL extension makes PsySH a lot
happier :)",
  "ext-posix": "If you have PCNTL, you'll want the POSIX extension as
well."
},
"bin": [
  "bin/psysh"
],
"type": "library",
"extra": {
  "bamarni-bin": {
    "bin-links": false,
    "forward-command": false
  },
  "branch-alias": {
    "dev-main": "0.12.x-dev"
  }
},
"autoload": {
  "files": [
    "src/functions.php"
  ],
  "psr-4": {
    "Psy\\": "src/"
  }
},
"notification-url": "https://packagist.org/downloads/",
"license": [
  "MIT"
],
"authors": [
  {
    "name": "Justin Hileman",
    "email": "justin@justinhileman.info"
  }
],
"description": "An interactive shell for modern PHP.",
"homepage": "https://psysh.org",
"keywords": [
  "REPL",
```



```
        "console",
        "interactive",
        "shell"
    ],
    "support": {
        "issues": "https://github.com/bobthecow/psysh/issues",
        "source": "https://github.com/bobthecow/psysh/tree/v0.12.22"
    },
    "time": "2026-03-22T23:03:24+00:00"
},
{
    "name": "ralouphie/getallheaders",
    "version": "3.0.3",
    "source": {
        "type": "git",
        "url": "https://github.com/ralouphie/getallheaders.git",
        "reference": "120b605dfef996808c31b6477290a714d356e822"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/ralouphie/getallheaders/zipball/120b605dfef996808c31b6477290a714d356e822",
        "reference": "120b605dfef996808c31b6477290a714d356e822",
        "shasum": ""
    },
    "require": {
        "php": ">=5.6"
    },
    "require-dev": {
        "php-coveralls/php-coveralls": "^2.1",
        "phpunit/phpunit": "^5 || ^6.5"
    },
    "type": "library",
    "autoload": {
        "files": [
            "src/getallheaders.php"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Ralph Khattar",
            "email": "ralph.khattar@gmail.com"
        }
    ],
    "description": "A polyfill for getallheaders.",
    "support": {
        "issues": "https://github.com/ralouphie/getallheaders/issues",
        "source": "https://github.com/ralouphie/getallheaders/tree/develop"
    },
    "time": "2019-03-08T08:55:37+00:00"
}
```




```
},
{
  "name": "ramsey/collection",
  "version": "2.1.1",
  "source": {
    "type": "git",
    "url": "https://github.com/ramsey/collection.git",
    "reference": "344572933ad0181accbf4ba763e85a0306a8c5e2"
  },
  "dist": {
    "type": "zip",
    "url":
      "https://api.github.com/repos/ramsey/collection/zipball/344572933ad0181accbf4ba763e85a0306a8c5e2",
    "reference": "344572933ad0181accbf4ba763e85a0306a8c5e2",
    "shasum": ""
  },
  "require": {
    "php": "^8.1"
  },
  "require-dev": {
    "captainhook/plugin-composer": "^5.3",
    "ergebnis/composer-normalize": "^2.45",
    "fakerphp/faker": "^1.24",
    "hamcrest/hamcrest-php": "^2.0",
    "jangregor/phpstan-prophecy": "^2.1",
    "mockery/mockery": "^1.6",
    "php-parallel-lint/php-console-highlighter": "^1.0",
    "php-parallel-lint/php-parallel-lint": "^1.4",
    "phpspec/prophecy-phpunit": "^2.3",
    "phpstan/extension-installer": "^1.4",
    "phpstan/phpstan": "^2.1",
    "phpstan/phpstan-mockery": "^2.0",
    "phpstan/phpstan-phpunit": "^2.0",
    "phpunit/phpunit": "^10.5",
    "ramsey/coding-standard": "^2.3",
    "ramsey/conventional-commits": "^1.6",
    "roave/security-advisories": "dev-latest"
  },
  "type": "library",
  "extra": {
    "captainhook": {
      "force-install": true
    },
    "ramsey/conventional-commits": {
      "configFile": "conventional-commits.json"
    }
  },
  "autoload": {
    "psr-4": {
      "Ramsey\\Collection\\": "src/"
    }
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
```



```
    "MIT"
  ],
  "authors": [
    {
      "name": "Ben Ramsey",
      "email": "ben@benramsey.com",
      "homepage": "https://benramsey.com"
    }
  ],
  "description": "A PHP library for representing and manipulating
collections.",
  "keywords": [
    "array",
    "collection",
    "hash",
    "map",
    "queue",
    "set"
  ],
  "support": {
    "issues": "https://github.com/ramsey/collection/issues",
    "source": "https://github.com/ramsey/collection/tree/2.1.1"
  },
  "time": "2025-03-22T05:38:12+00:00"
},
{
  "name": "ramsey/uuid",
  "version": "4.9.2",
  "source": {
    "type": "git",
    "url": "https://github.com/ramsey/uuid.git",
    "reference": "8429c78ca35a09f27565311b98101e2826affde0"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/ramsey/uuid/zipball/8429c78ca35a09f27565311b98101e282
6affde0",
    "reference": "8429c78ca35a09f27565311b98101e2826affde0",
    "shasum": ""
  },
  "require": {
    "brick/math": "^0.8.16 || ^0.9 || ^0.10 || ^0.11 || ^0.12 || ^0.13
|| ^0.14",
    "php": "^8.0",
    "ramsey/collection": "^1.2 || ^2.0"
  },
  "replace": {
    "rhumsaa/uuid": "self.version"
  },
  "require-dev": {
    "captainhook/captainhook": "^5.25",
    "captainhook/plugin-composer": "^5.3",
    "dealerdirect/phpcodesniffer-composer-installer": "^1.0",
    "ergebnis/composer-normalize": "^2.47",
```



```
        "mockery/mockery": "^1.6",
        "paragonie/random-lib": "^2",
        "php-mock/php-mock": "^2.6",
        "php-mock/php-mock-mockery": "^1.5",
        "php-parallel-lint/php-parallel-lint": "^1.4.0",
        "phpbench/phpbench": "^1.2.14",
        "phpstan/extension-installer": "^1.4",
        "phpstan/phpstan": "^2.1",
        "phpstan/phpstan-mockery": "^2.0",
        "phpstan/phpstan-phpunit": "^2.0",
        "phpunit/phpunit": "^9.6",
        "slevomat/coding-standard": "^8.18",
        "squizlabs/php_codesniffer": "^3.13"
    },
    "suggest": {
        "ext-bcmath": "Enables faster math with arbitrary-precision
integers using BCMath.",
        "ext-gmp": "Enables faster math with arbitrary-precision integers
using GMP.",
        "ext-uuid": "Enables the use of PclUuidTimeGenerator and
PclUuidRandomGenerator.",
        "paragonie/random-lib": "Provides RandomLib for use with the
RandomLibAdapter",
        "ramsey/uuid-doctrine": "Allows the use of Ramsey\\Uuid\\Uuid as
Doctrine field type."
    },
    "type": "library",
    "extra": {
        "captainhook": {
            "force-install": true
        }
    },
    "autoload": {
        "files": [
            "src/functions.php"
        ],
        "psr-4": {
            "Ramsey\\Uuid\\": "src/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "description": "A PHP library for generating and working with
universally unique identifiers (UUIDs).",
    "keywords": [
        "guid",
        "identififier",
        "uuid"
    ],
    "support": {
        "issues": "https://github.com/ramsey/uuid/issues",
        "source": "https://github.com/ramsey/uuid/tree/4.9.2"
    },
}
```



```
"time": "2025-12-14T04:43:48+00:00"
},
{
  "name": "spatie/laravel-permission",
  "version": "6.25.0",
  "source": {
    "type": "git",
    "url": "https://github.com/spatie/laravel-permission.git",
    "reference": "d7d4cb0d58616722f1afc90e0484e4825155b9b3"
  },
  "dist": {
    "type": "zip",
    "url":
      "https://api.github.com/repos/spatie/laravel-permission/zipball/d7d4cb0d58616722f1a
      fc90e0484e4825155b9b3",
    "reference": "d7d4cb0d58616722f1afc90e0484e4825155b9b3",
    "shasum": ""
  },
  "require": {
    "illuminate/auth": "^8.12|^9.0|^10.0|^11.0|^12.0|^13.0",
    "illuminate/container": "^8.12|^9.0|^10.0|^11.0|^12.0|^13.0",
    "illuminate/contracts": "^8.12|^9.0|^10.0|^11.0|^12.0|^13.0",
    "illuminate/database": "^8.12|^9.0|^10.0|^11.0|^12.0|^13.0",
    "php": "^8.0"
  },
  "require-dev": {
    "laravel/passport": "^11.0|^12.0|^13.0",
    "laravel/pint": "^1.0",
    "orchestra/testbench": "^6.23|^7.0|^8.0|^9.0|^10.0|^11.0",
    "pestphp/pest": "^2.0|^3.0|^4.0",
    "pestphp/pest-plugin-laravel": "^2.0|^3.0|^4.0"
  },
  "type": "library",
  "extra": {
    "laravel": {
      "providers": [
        "Spatie\\Permission\\PermissionServiceProvider"
      ]
    },
    "branch-alias": {
      "dev-main": "6.x-dev",
      "dev-master": "6.x-dev"
    }
  },
  "autoload": {
    "files": [
      "src/helpers.php"
    ],
    "psr-4": {
      "Spatie\\Permission\\": "src"
    }
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "MIT"
  ]
}
```



```
],
"authors": [
  {
    "name": "Freek Van der Herten",
    "email": "freek@spatie.be",
    "homepage": "https://spatie.be",
    "role": "Developer"
  }
],
"description": "Permission handling for Laravel 8.0 and up",
"homepage": "https://github.com/spatie/laravel-permission",
"keywords": [
  "acl",
  "laravel",
  "permission",
  "permissions",
  "rbac",
  "roles",
  "security",
  "spatie"
],
"support": {
  "issues": "https://github.com/spatie/laravel-permission/issues",
  "source":
"https://github.com/spatie/laravel-permission/tree/6.25.0"
},
"funding": [
  {
    "url": "https://github.com/spatie",
    "type": "github"
  }
],
"time": "2026-03-17T22:46:46+00:00"
},
{
  "name": "symfony/clock",
  "version": "v7.4.8",
  "source": {
    "type": "git",
    "url": "https://github.com/symfony/clock.git",
    "reference": "674fa3b98e21531dd040e613479f5f6fa8f32111"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/symfony/clock/zipball/674fa3b98e21531dd040e613479f5f6fa8f32111",
    "reference": "674fa3b98e21531dd040e613479f5f6fa8f32111",
    "shasum": ""
  },
  "require": {
    "php": ">=8.2",
    "psr/clock": "^1.0",
    "symfony/polyfill-php83": "^1.28"
  },
}
```



```
"provide": {
    "psr/clock-implementation": "1.0"
},
"type": "library",
"autoload": {
    "files": [
        "Resources/now.php"
    ],
    "psr-4": {
        "Symfony\\Component\\Clock\\": ""
    },
    "exclude-from-classmap": [
        "/Tests/"
    ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "MIT"
],
"authors": [
    {
        "name": "Nicolas Grekas",
        "email": "p@tchwork.com"
    },
    {
        "name": "Symfony Community",
        "homepage": "https://symfony.com/contributors"
    }
],
"description": "Decouples applications from the system clock",
"homepage": "https://symfony.com",
"keywords": [
    "clock",
    "psr20",
    "time"
],
"support": {
    "source": "https://github.com/symfony/clock/tree/v7.4.8"
},
"funding": [
    {
        "url": "https://symfony.com/sponsor",
        "type": "custom"
    },
    {
        "url": "https://github.com/fabpot",
        "type": "github"
    },
    {
        "url": "https://github.com/nicolas-grekas",
        "type": "github"
    },
    {
        "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
```



```
        "type": "tidelift"
    },
    "time": "2026-03-24T13:12:05+00:00"
},
{
    "name": "symfony/console",
    "version": "v7.4.8",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/console.git",
        "reference": "1e92e39c51f95b88e3d66fa2d9f06d1fb45dd707"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/symfony/console/zipball/1e92e39c51f95b88e3d66fa2d9f06d1fb45dd707",
        "reference": "1e92e39c51f95b88e3d66fa2d9f06d1fb45dd707",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2",
        "symfony/deprecation-contracts": "^2.5|^3",
        "symfony/polyfill-mbstring": "~1.0",
        "symfony/service-contracts": "^2.5|^3",
        "symfony/string": "^7.2|^8.0"
    },
    "conflict": {
        "symfony/dependency-injection": "<6.4",
        "symfony/dotenv": "<6.4",
        "symfony/event-dispatcher": "<6.4",
        "symfony/lock": "<6.4",
        "symfony/process": "<6.4"
    },
    "provide": {
        "psr/log-implementation": "1.0|2.0|3.0"
    },
    "require-dev": {
        "psr/log": "^1|^2|^3",
        "symfony/config": "^6.4|^7.0|^8.0",
        "symfony/dependency-injection": "^6.4|^7.0|^8.0",
        "symfony/event-dispatcher": "^6.4|^7.0|^8.0",
        "symfony/http-foundation": "^6.4|^7.0|^8.0",
        "symfony/http-kernel": "^6.4|^7.0|^8.0",
        "symfony/lock": "^6.4|^7.0|^8.0",
        "symfony/messenger": "^6.4|^7.0|^8.0",
        "symfony/process": "^6.4|^7.0|^8.0",
        "symfony/stopwatch": "^6.4|^7.0|^8.0",
        "symfony/var-dumper": "^6.4|^7.0|^8.0"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "Symfony\\Component\\Console\\": ""
        }
    }
}
```



```
    },
    "exclude-from-classmap": [
        "/Tests/"
    ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "MIT"
],
"authors": [
    {
        "name": "Fabien Potencier",
        "email": "fabien@symfony.com"
    },
    {
        "name": "Symfony Community",
        "homepage": "https://symfony.com/contributors"
    }
],
"description": "Eases the creation of beautiful and testable command
line interfaces",
"homepage": "https://symfony.com",
"keywords": [
    "cli",
    "command-line",
    "console",
    "terminal"
],
"support": {
    "source": "https://github.com/symfony/console/tree/v7.4.8"
},
"funding": [
    {
        "url": "https://symfony.com/sponsor",
        "type": "custom"
    },
    {
        "url": "https://github.com/fabpot",
        "type": "github"
    },
    {
        "url": "https://github.com/nicolas-grekas",
        "type": "github"
    },
    {
        "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
    }
],
"time": "2026-03-30T13:54:39+00:00"
},
{
    "name": "symfony/css-selector",
    "version": "v7.4.8",
```




```
"source": {
  "type": "git",
  "url": "https://github.com/symfony/css-selector.git",
  "reference": "b055f228a4178a1d6774909903905e3475f3eac8"
},
"dist": {
  "type": "zip",
  "url":
"https://api.github.com/repos/symfony/css-selector/zipball/b055f228a4178a1d67749099
03905e3475f3eac8",
  "reference": "b055f228a4178a1d6774909903905e3475f3eac8",
  "shasum": ""
},
"require": {
  "php": ">=8.2"
},
"type": "library",
"autoload": {
  "psr-4": {
    "Symfony\\Component\\CssSelector\\": ""
  },
  "exclude-from-classmap": [
    "/Tests/"
  ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
  "MIT"
],
"authors": [
  {
    "name": "Fabien Potencier",
    "email": "fabien@symfony.com"
  },
  {
    "name": "Jean-François Simon",
    "email": "jeanfrancois.simon@sensiolabs.com"
  },
  {
    "name": "Symfony Community",
    "homepage": "https://symfony.com/contributors"
  }
],
"description": "Converts CSS selectors to XPath expressions",
"homepage": "https://symfony.com",
"support": {
  "source": "https://github.com/symfony/css-selector/tree/v7.4.8"
},
"funding": [
  {
    "url": "https://symfony.com/sponsor",
    "type": "custom"
  },
  {
    "url": "https://github.com/fabpot",
```



```
        "type": "github"
      },
      {
        "url": "https://github.com/nicolas-grekas",
        "type": "github"
      },
      {
        "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
      }
    ],
    "time": "2026-03-24T13:12:05+00:00"
  },
  {
    "name": "symfony/deprecation-contracts",
    "version": "v3.6.0",
    "source": {
      "type": "git",
      "url": "https://github.com/symfony/deprecation-contracts.git",
      "reference": "63afe740e99a13ba87ec199bb07bbdee937a5b62"
    },
    "dist": {
      "type": "zip",
      "url": "https://api.github.com/repos/symfony/deprecation-
contracts/zipball/63afe740e99a13ba87ec199bb07bbdee937a5b62",
      "reference": "63afe740e99a13ba87ec199bb07bbdee937a5b62",
      "shasum": ""
    },
    "require": {
      "php": ">=8.1"
    },
    "type": "library",
    "extra": {
      "thanks": {
        "url": "https://github.com/symfony/contracts",
        "name": "symfony/contracts"
      },
      "branch-alias": {
        "dev-main": "3.6-dev"
      }
    },
    "autoload": {
      "files": [
        "function.php"
      ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
      "MIT"
    ],
    "authors": [
      {
        "name": "Nicolas Grekas",
        "email": "p@tchwork.com"
```



```
    },
    {
      "name": "Symfony Community",
      "homepage": "https://symfony.com/contributors"
    }
  ],
  "description": "A generic function and convention to trigger
deprecation notices",
  "homepage": "https://symfony.com",
  "support": {
    "source":
"https://github.com/symfony/deprecation-contracts/tree/v3.6.0"
  },
  "funding": [
    {
      "url": "https://symfony.com/sponsor",
      "type": "custom"
    },
    {
      "url": "https://github.com/fabpot",
      "type": "github"
    },
    {
      "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
      "type": "tidelift"
    }
  ],
  "time": "2024-09-25T14:21:43+00:00"
},
{
  "name": "symfony/error-handler",
  "version": "v7.4.8",
  "source": {
    "type": "git",
    "url": "https://github.com/symfony/error-handler.git",
    "reference": "8dd79d8af777ee6cba2fd4d98da6ffb839f3c0fa"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/symfony/error-handler/zipball/8dd79d8af777ee6cba2fd4d98da6ffb839f3c0fa",
    "reference": "8dd79d8af777ee6cba2fd4d98da6ffb839f3c0fa",
    "shasum": ""
  },
  "require": {
    "php": ">=8.2",
    "psr/log": "^1|^2|^3",
    "symfony/polyfill-php85": "^1.32",
    "symfony/var-dumper": "^6.4|^7.0|^8.0"
  },
  "conflict": {
    "symfony/deprecation-contracts": "<2.5",
    "symfony/http-kernel": "<6.4"
  }
}
```



```
},
"require-dev": {
    "symfony/console": "^6.4|^7.0|^8.0",
    "symfony/deprecation-contracts": "^2.5|^3",
    "symfony/http-kernel": "^6.4|^7.0|^8.0",
    "symfony/serializer": "^6.4|^7.0|^8.0",
    "symfony/webpack-encore-bundle": "^1.0|^2.0"
},
"bin": [
    "Resources/bin/patch-type-declarations"
],
"type": "library",
"autoload": {
    "psr-4": {
        "Symfony\\Component\\ErrorHandler\\": ""
    },
    "exclude-from-classmap": [
        "/Tests/"
    ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "MIT"
],
"authors": [
    {
        "name": "Fabien Potencier",
        "email": "fabien@symfony.com"
    },
    {
        "name": "Symfony Community",
        "homepage": "https://symfony.com/contributors"
    }
],
"description": "Provides tools to manage errors and ease debugging PHP
code",
"homepage": "https://symfony.com",
"support": {
    "source": "https://github.com/symfony/error-handler/tree/v7.4.8"
},
"funding": [
    {
        "url": "https://symfony.com/sponsor",
        "type": "custom"
    },
    {
        "url": "https://github.com/fabpot",
        "type": "github"
    },
    {
        "url": "https://github.com/nicolas-grekas",
        "type": "github"
    },
    {

```



```
        "url":  
        "https://tidelift.com/funding/github/packagist/symfony/symfony",  
        "type": "tidelift"  
    },  
    ],  
    "time": "2026-03-24T13:12:05+00:00"  
},  
{  
    "name": "symfony/event-dispatcher",  
    "version": "v7.4.8",  
    "source": {  
        "type": "git",  
        "url": "https://github.com/symfony/event-dispatcher.git",  
        "reference": "f57b899fa736fd71121168ef268f23c206083f0a"  
    },  
    "dist": {  
        "type": "zip",  
        "url":  
        "https://api.github.com/repos/symfony/event-dispatcher/zipball/f57b899fa736fd71121168ef268f23c206083f0a",  
        "reference": "f57b899fa736fd71121168ef268f23c206083f0a",  
        "shasum": ""  
    },  
    "require": {  
        "php": ">=8.2",  
        "symfony/event-dispatcher-contracts": "^2.5|^3"  
    },  
    "conflict": {  
        "symfony/dependency-injection": "<6.4",  
        "symfony/service-contracts": "<2.5"  
    },  
    "provide": {  
        "psr/event-dispatcher-implementation": "1.0",  
        "symfony/event-dispatcher-implementation": "2.0|3.0"  
    },  
    "require-dev": {  
        "psr/log": "^1|^2|^3",  
        "symfony/config": "^6.4|^7.0|^8.0",  
        "symfony/dependency-injection": "^6.4|^7.0|^8.0",  
        "symfony/error-handler": "^6.4|^7.0|^8.0",  
        "symfony/expressions-language": "^6.4|^7.0|^8.0",  
        "symfony/framework-bundle": "^6.4|^7.0|^8.0",  
        "symfony/http-foundation": "^6.4|^7.0|^8.0",  
        "symfony/service-contracts": "^2.5|^3",  
        "symfony/stopwatch": "^6.4|^7.0|^8.0"  
    },  
    "type": "library",  
    "autoload": {  
        "psr-4": {  
            "Symfony\\Component\\EventDispatcher\\": ""  
        },  
        "exclude-from-classmap": [  
            "/Tests/"  
        ]  
    },  
}
```



```
"notification-url": "https://packagist.org/downloads/",
"license": [
  "MIT"
],
"authors": [
  {
    "name": "Fabien Potencier",
    "email": "fabien@symfony.com"
  },
  {
    "name": "Symfony Community",
    "homepage": "https://symfony.com/contributors"
  }
],
"description": "Provides tools that allow your application components
to communicate with each other by dispatching events and listening to them",
"homepage": "https://symfony.com",
"support": {
  "source": "https://github.com/symfony/event-dispatcher/tree/v7.4.8"
},
"funding": [
  {
    "url": "https://symfony.com/sponsor",
    "type": "custom"
  },
  {
    "url": "https://github.com/fabpot",
    "type": "github"
  },
  {
    "url": "https://github.com/nicolas-grekas",
    "type": "github"
  },
  {
    "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
    "type": "tidelift"
  }
],
"time": "2026-03-30T13:54:39+00:00"
},
{
  "name": "symfony/event-dispatcher-contracts",
  "version": "v3.6.0",
  "source": {
    "type": "git",
    "url": "https://github.com/symfony/event-dispatcher-contracts.git",
    "reference": "59eb412e93815df44f05f342958efa9f46b1e586"
  },
  "dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/symfony/event-dispatcher-
contracts/zipball/59eb412e93815df44f05f342958efa9f46b1e586",
    "reference": "59eb412e93815df44f05f342958efa9f46b1e586",
    "shasum": ""
  }
}
```



```
},
"require": {
    "php": ">=8.1",
    "psr/event-dispatcher": "^1"
},
"type": "library",
"extra": {
    "thanks": {
        "url": "https://github.com/symfony/contracts",
        "name": "symfony/contracts"
    },
    "branch-alias": {
        "dev-main": "3.6-dev"
    }
},
"autoload": {
    "psr-4": {
        "Symfony\\Contracts\\EventDispatcher\\": ""
    }
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "MIT"
],
"authors": [
    {
        "name": "Nicolas Grekas",
        "email": "p@tchwork.com"
    },
    {
        "name": "Symfony Community",
        "homepage": "https://symfony.com/contributors"
    }
],
"description": "Generic abstractions related to dispatching event",
"homepage": "https://symfony.com",
"keywords": [
    "abstractions",
    "contracts",
    "decoupling",
    "interfaces",
    "interoperability",
    "standards"
],
"support": {
    "source":
"https://github.com/symfony/event-dispatcher-contracts/tree/v3.6.0"
},
"funding": [
    {
        "url": "https://symfony.com/sponsor",
        "type": "custom"
    },
    {
        "url": "https://github.com/fabpot",
```



```
        "type": "github"
      },
      {
        "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
      }
    ],
    "time": "2024-09-25T14:21:43+00:00"
  },
  {
    "name": "symfony/finder",
    "version": "v7.4.8",
    "source": {
      "type": "git",
      "url": "https://github.com/symfony/finder.git",
      "reference": "e0be088d22278583a82da281886e8c3592fbf149"
    },
    "dist": {
      "type": "zip",
      "url":
"https://api.github.com/repos/symfony/finder/zipball/e0be088d22278583a82da281886e8c3592fbf149",
      "reference": "e0be088d22278583a82da281886e8c3592fbf149",
      "shasum": ""
    },
    "require": {
      "php": ">=8.2"
    },
    "require-dev": {
      "symfony/filesystem": "^6.4|^7.0|^8.0"
    },
    "type": "library",
    "autoload": {
      "psr-4": {
        "Symfony\\Component\\Finder\\": ""
      },
      "exclude-from-classmap": [
        "/Tests/"
      ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
      "MIT"
    ],
    "authors": [
      {
        "name": "Fabien Potencier",
        "email": "fabien@symfony.com"
      },
      {
        "name": "Symfony Community",
        "homepage": "https://symfony.com/contributors"
      }
    ]
  },
],
```




```
interface",
  "description": "Finds files and directories via an intuitive fluent
interface",
  "homepage": "https://symfony.com",
  "support": {
    "source": "https://github.com/symfony/finder/tree/v7.4.8"
  },
  "funding": [
    {
      "url": "https://symfony.com/sponsor",
      "type": "custom"
    },
    {
      "url": "https://github.com/fabpot",
      "type": "github"
    },
    {
      "url": "https://github.com/nicolas-grekas",
      "type": "github"
    },
    {
      "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
      "type": "tidelift"
    }
  ],
  "time": "2026-03-24T13:12:05+00:00"
},
{
  "name": "symfony/http-foundation",
  "version": "v7.4.8",
  "source": {
    "type": "git",
    "url": "https://github.com/symfony/http-foundation.git",
    "reference": "9381209597ec66c25be154cbf2289076e64d1eab"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/symfony/http-foundation/zipball/9381209597ec66c25be154cbf2289076e64d1eab",
    "reference": "9381209597ec66c25be154cbf2289076e64d1eab",
    "shasum": ""
  },
  "require": {
    "php": ">=8.2",
    "symfony/deprecation-contracts": "^2.5|^3",
    "symfony/polyfill-mbstring": "^1.1"
  },
  "conflict": {
    "doctrine/dbal": "<3.6",
    "symfony/cache": "<6.4.12|>=7.0,<7.1.5"
  },
  "require-dev": {
    "doctrine/dbal": "^3.6|^4",
    "predis/predis": "^1.1|^2.0",
```



```
"symfony/cache": "^6.4.12|^7.1.5|^8.0",
"symfony/clock": "^6.4|^7.0|^8.0",
"symfony/dependency-injection": "^6.4|^7.0|^8.0",
"symfony/expression-language": "^6.4|^7.0|^8.0",
"symfony/http-kernel": "^6.4|^7.0|^8.0",
"symfony/mime": "^6.4|^7.0|^8.0",
"symfony/rate-limiter": "^6.4|^7.0|^8.0"
},
"type": "library",
"autoload": {
    "psr-4": {
        "Symfony\\Component\\HttpFoundation\\": ""
    },
    "exclude-from-classmap": [
        "/Tests/"
    ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "MIT"
],
"authors": [
    {
        "name": "Fabien Potencier",
        "email": "fabien@symfony.com"
    },
    {
        "name": "Symfony Community",
        "homepage": "https://symfony.com/contributors"
    }
],
specification",
"description": "Defines an object-oriented layer for the HTTP",
"homepage": "https://symfony.com",
"support": {
    "source": "https://github.com/symfony/http-foundation/tree/v7.4.8"
},
"funding": [
    {
        "url": "https://symfony.com/sponsor",
        "type": "custom"
    },
    {
        "url": "https://github.com/fabpot",
        "type": "github"
    },
    {
        "url": "https://github.com/nicolas-grekas",
        "type": "github"
    },
    {
        "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
    }
]
```



```
    ],
    "time": "2026-03-24T13:12:05+00:00"
  },
  {
    "name": "symfony/http-kernel",
    "version": "v7.4.8",
    "source": {
      "type": "git",
      "url": "https://github.com/symfony/http-kernel.git",
      "reference": "017e76ad089bac281553389269e259e155935e1a"
    },
    "dist": {
      "type": "zip",
      "url":
"https://api.github.com/repos/symfony/http-kernel/zipball/017e76ad089bac281553389269e259e155935e1a",
      "reference": "017e76ad089bac281553389269e259e155935e1a",
      "shasum": ""
    },
    "require": {
      "php": ">=8.2",
      "psr/log": "^1|^2|^3",
      "symfony/deprecation-contracts": "^2.5|^3",
      "symfony/error-handler": "^6.4|^7.0|^8.0",
      "symfony/event-dispatcher": "^7.3|^8.0",
      "symfony/http-foundation": "^7.4|^8.0",
      "symfony/polyfill-ctype": "^1.8"
    },
    "conflict": {
      "symfony/browser-kit": "<6.4",
      "symfony/cache": "<6.4",
      "symfony/config": "<6.4",
      "symfony/console": "<6.4",
      "symfony/dependency-injection": "<6.4",
      "symfony/doctrine-bridge": "<6.4",
      "symfony/flex": "<2.10",
      "symfony/form": "<6.4",
      "symfony/http-client": "<6.4",
      "symfony/http-client-contracts": "<2.5",
      "symfony/mailer": "<6.4",
      "symfony/messenger": "<6.4",
      "symfony/translation": "<6.4",
      "symfony/translation-contracts": "<2.5",
      "symfony/twig-bridge": "<6.4",
      "symfony/validator": "<6.4",
      "symfony/var-dumper": "<6.4",
      "twig/twig": "<3.12"
    },
    "provide": {
      "psr/log-implementation": "1.0|2.0|3.0"
    },
    "require-dev": {
      "psr/cache": "^1.0|^2.0|^3.0",
      "symfony/browser-kit": "^6.4|^7.0|^8.0",
      "symfony/clock": "^6.4|^7.0|^8.0",

```



```
"symfony/config": "^6.4|^7.0|^8.0",
"symfony/console": "^6.4|^7.0|^8.0",
"symfony/css-selector": "^6.4|^7.0|^8.0",
"symfony/dependency-injection": "^6.4.1|^7.0.1|^8.0",
"symfony/dom-crawler": "^6.4|^7.0|^8.0",
"symfony/expression-language": "^6.4|^7.0|^8.0",
"symfony/finder": "^6.4|^7.0|^8.0",
"symfony/http-client-contracts": "^2.5|^3",
"symfony/process": "^6.4|^7.0|^8.0",
"symfony/property-access": "^7.1|^8.0",
"symfony/routing": "^6.4|^7.0|^8.0",
"symfony/serializer": "^7.1|^8.0",
"symfony/stopwatch": "^6.4|^7.0|^8.0",
"symfony/translation": "^6.4|^7.0|^8.0",
"symfony/translation-contracts": "^2.5|^3",
"symfony/uid": "^6.4|^7.0|^8.0",
"symfony/validator": "^6.4|^7.0|^8.0",
"symfony/var-dumper": "^6.4|^7.0|^8.0",
"symfony/var-exporter": "^6.4|^7.0|^8.0",
"twig/twig": "^3.12"
},
"type": "library",
"autoload": {
    "psr-4": {
        "Symfony\\Component\\HttpKernel\\": ""
    },
    "exclude-from-classmap": [
        "/Tests/"
    ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "MIT"
],
"authors": [
    {
        "name": "Fabien Potencier",
        "email": "fabien@symfony.com"
    },
    {
        "name": "Symfony Community",
        "homepage": "https://symfony.com/contributors"
    }
],
"description": "Provides a structured process for converting a Request
into a Response",
"homepage": "https://symfony.com",
"support": {
    "source": "https://github.com/symfony/http-kernel/tree/v7.4.8"
},
"funding": [
    {
        "url": "https://symfony.com/sponsor",
        "type": "custom"
    }
],
```



```
{
  "url": "https://github.com/fabpot",
  "type": "github"
},
{
  "url": "https://github.com/nicolas-grekas",
  "type": "github"
},
{
  "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
  "type": "tidelift"
}
],
"time": "2026-03-31T20:57:01+00:00"
},
{
  "name": "symfony/mailer",
  "version": "v7.4.8",
  "source": {
    "type": "git",
    "url": "https://github.com/symfony/mailer.git",
    "reference": "f6ea532250b476bfc1b56699b388a1bdbf168f62"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/symfony/mailer/zipball/f6ea532250b476bfc1b56699b388a1bdbf168f62",
    "reference": "f6ea532250b476bfc1b56699b388a1bdbf168f62",
    "shasum": ""
  },
  "require": {
    "egulias/email-validator": "^2.1.10|^3|^4",
    "php": ">=8.2",
    "psr/event-dispatcher": "^1",
    "psr/log": "^1|^2|^3",
    "symfony/event-dispatcher": "^6.4|^7.0|^8.0",
    "symfony/mime": "^7.2|^8.0",
    "symfony/service-contracts": "^2.5|^3"
  },
  "conflict": {
    "symfony/http-client-contracts": "<2.5",
    "symfony/http-kernel": "<6.4",
    "symfony/messenger": "<6.4",
    "symfony/mime": "<6.4",
    "symfony/twig-bridge": "<6.4"
  },
  "require-dev": {
    "symfony/console": "^6.4|^7.0|^8.0",
    "symfony/http-client": "^6.4|^7.0|^8.0",
    "symfony/messenger": "^6.4|^7.0|^8.0",
    "symfony/twig-bridge": "^6.4|^7.0|^8.0"
  },
  "type": "library",
```



```
"autoload": {
    "psr-4": {
        "Symfony\\Component\\Mailer\\": ""
    },
    "exclude-from-classmap": [
        "/Tests/"
    ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "MIT"
],
"authors": [
    {
        "name": "Fabien Potencier",
        "email": "fabien@symfony.com"
    },
    {
        "name": "Symfony Community",
        "homepage": "https://symfony.com/contributors"
    }
],
"description": "Helps sending emails",
"homepage": "https://symfony.com",
"support": {
    "source": "https://github.com/symfony/mailer/tree/v7.4.8"
},
"funding": [
    {
        "url": "https://symfony.com/sponsor",
        "type": "custom"
    },
    {
        "url": "https://github.com/fabpot",
        "type": "github"
    },
    {
        "url": "https://github.com/nicolas-grekas",
        "type": "github"
    },
    {
        "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
    }
],
"time": "2026-03-24T13:12:05+00:00"
},
{
    "name": "symfony/mime",
    "version": "v7.4.8",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/mime.git",
        "reference": "6df02f99998081032da3407a8d6c4e1dcb5d4379"
```



```
    },
    "dist": {
      "type": "zip",
      "url":
"https://api.github.com/repos/symfony/mime/zipball/6df02f99998081032da3407a8d6c4e1dcb5d4379",
      "reference": "6df02f99998081032da3407a8d6c4e1dcb5d4379",
      "shasum": ""
    },
    "require": {
      "php": ">=8.2",
      "symfony/deprecation-contracts": "^2.5|^3",
      "symfony/polyfill-intl-idn": "^1.10",
      "symfony/polyfill-mbstring": "^1.0"
    },
    "conflict": {
      "egulias/email-validator": "~3.0.0",
      "phpdocumentor/reflection-docblock": "<5.2|^7",
      "phpdocumentor/type-resolver": "<1.5.1",
      "symfony/mailer": "<6.4",
      "symfony/serializer": "<6.4.3|^7.0,<7.0.3"
    },
    "require-dev": {
      "egulias/email-validator": "^2.1.10|^3.1|^4",
      "league/html-to-markdown": "^5.0",
      "phpdocumentor/reflection-docblock": "^5.2|^6.0",
      "symfony/dependency-injection": "^6.4|^7.0|^8.0",
      "symfony/process": "^6.4|^7.0|^8.0",
      "symfony/property-access": "^6.4|^7.0|^8.0",
      "symfony/property-info": "^6.4|^7.0|^8.0",
      "symfony/serializer": "^6.4.3|^7.0.3|^8.0"
    },
    "type": "library",
    "autoload": {
      "psr-4": {
        "Symfony\\Component\\Mime\\": ""
      },
      "exclude-from-classmap": [
        "/Tests/"
      ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
      "MIT"
    ],
    "authors": [
      {
        "name": "Fabien Potencier",
        "email": "fabien@symfony.com"
      },
      {
        "name": "Symfony Community",
        "homepage": "https://symfony.com/contributors"
      }
    ],
  },
```



```
"description": "Allows manipulating MIME messages",
"homepage": "https://symfony.com",
"keywords": [
    "mime",
    "mime-type"
],
"support": {
    "source": "https://github.com/symfony/mime/tree/v7.4.8"
},
"funding": [
    {
        "url": "https://symfony.com/sponsor",
        "type": "custom"
    },
    {
        "url": "https://github.com/fabpot",
        "type": "github"
    },
    {
        "url": "https://github.com/nicolas-grekas",
        "type": "github"
    },
    {
        "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
    }
],
"time": "2026-03-30T14:11:46+00:00"
},
{
    "name": "symfony/polyfill-ctype",
    "version": "v1.36.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/polyfill-ctype.git",
        "reference": "141046a8f9477948ff284fa65be2095baafb94f2"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/symfony/polyfill-ctype/zipball/141046a8f9477948ff284f
a65be2095baafb94f2",
        "reference": "141046a8f9477948ff284fa65be2095baafb94f2",
        "shasum": ""
    },
    "require": {
        "php": ">=7.2"
    },
    "provide": {
        "ext-ctype": "*"
    },
    "suggest": {
        "ext-ctype": "For best performance"
    },
}
```




```
"type": "library",
"extra": {
  "thanks": {
    "url": "https://github.com/symfony/polyfill",
    "name": "symfony/polyfill"
  }
},
"autoload": {
  "files": [
    "bootstrap.php"
  ],
  "psr-4": {
    "Symfony\\Polyfill\\Ctype\\": ""
  }
},
"notification-url": "https://packagist.org/downloads/",
"license": [
  "MIT"
],
"authors": [
  {
    "name": "Gert de Pagter",
    "email": "BackEndTea@gmail.com"
  },
  {
    "name": "Symfony Community",
    "homepage": "https://symfony.com/contributors"
  }
],
"description": "Symfony polyfill for ctype functions",
"homepage": "https://symfony.com",
"keywords": [
  "compatibility",
  "ctype",
  "polyfill",
  "portable"
],
"support": {
  "source": "https://github.com/symfony/polyfill-ctype/tree/v1.36.0"
},
"funding": [
  {
    "url": "https://symfony.com/sponsor",
    "type": "custom"
  },
  {
    "url": "https://github.com/fabpot",
    "type": "github"
  },
  {
    "url": "https://github.com/nicolas-grekas",
    "type": "github"
  }
]
```



```
        "url":  
"https://tidelift.com/funding/github/packagist/symfony/symfony",  
        "type": "tidelift"  
    },  
    ],  
    "time": "2026-04-10T16:19:22+00:00"  
},  
{  
    "name": "symfony/polyfill-intl-grapheme",  
    "version": "v1.36.0",  
    "source": {  
        "type": "git",  
        "url": "https://github.com/symfony/polyfill-intl-grapheme.git",  
        "reference": "ad1b7b9092976d6c948b8a187cec9faaea9ec1df"  
    },  
    "dist": {  
        "type": "zip",  
        "url": "https://api.github.com/repos/symfony/polyfill-intl-grapheme/zipball/ad1b7b9092976d6c948b8a187cec9faaea9ec1df",  
        "reference": "ad1b7b9092976d6c948b8a187cec9faaea9ec1df",  
        "shasum": ""  
    },  
    "require": {  
        "php": ">=7.2"  
    },  
    "suggest": {  
        "ext-intl": "For best performance"  
    },  
    "type": "library",  
    "extra": {  
        "thanks": {  
            "url": "https://github.com/symfony/polyfill",  
            "name": "symfony/polyfill"  
        }  
    },  
    "autoload": {  
        "files": [  
            "bootstrap.php"  
        ],  
        "psr-4": {  
            "Symfony\\Polyfill\\Intl\\Grapheme\\": ""  
        }  
    },  
    "notification-url": "https://packagist.org/downloads/",  
    "license": [  
        "MIT"  
    ],  
    "authors": [  
        {  
            "name": "Nicolas Grekas",  
            "email": "p@tchwork.com"  
        },  
        {  
            "name": "Symfony Community",  
            "homepage": "https://symfony.com/contributors"
```



```
    },
    "description": "Symfony polyfill for intl's grapheme_* functions",
    "homepage": "https://symfony.com",
    "keywords": [
        "compatibility",
        "grapheme",
        "intl",
        "polyfill",
        "portable",
        "shim"
    ],
    "support": {
        "source":
"https://github.com/symfony/polyfill-intl-grapheme/tree/v1.36.0"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2026-04-10T16:19:22+00:00"
},
{
    "name": "symfony/polyfill-intl-idn",
    "version": "v1.36.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/polyfill-intl-idn.git",
        "reference": "9614ac4d8061dc257ecc64cba1b140873dce8ad3"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/symfony/polyfill-intl-idn/zipball/9614ac4d8061dc257ec
c64cba1b140873dce8ad3",
        "reference": "9614ac4d8061dc257ecc64cba1b140873dce8ad3",
        "shasum": ""
    },
    "require": {
        "php": ">=7.2",
```



```
    "symfony/polyfill-intl-normalizer": "^1.10"
  },
  "suggest": {
    "ext-intl": "For best performance"
  },
  "type": "library",
  "extra": {
    "thanks": {
      "url": "https://github.com/symfony/polyfill",
      "name": "symfony/polyfill"
    }
  },
  "autoload": {
    "files": [
      "bootstrap.php"
    ],
    "psr-4": {
      "Symfony\\Polyfill\\Intl\\Idn\\": ""
    }
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "MIT"
  ],
  "authors": [
    {
      "name": "Laurent Bassin",
      "email": "laurent@bassin.info"
    },
    {
      "name": "Trevor Rowbotham",
      "email": "trevor.rowbotham@pm.me"
    },
    {
      "name": "Symfony Community",
      "homepage": "https://symfony.com/contributors"
    }
  ],
  "description": "Symfony polyfill for intl's idn_to_ascii and
idn_to_utf8 functions",
  "homepage": "https://symfony.com",
  "keywords": [
    "compatibility",
    "idn",
    "intl",
    "polyfill",
    "portable",
    "shim"
  ],
  "support": {
    "source":
"https://github.com/symfony/polyfill-intl-idn/tree/v1.36.0"
  },
  "funding": [
    {
```



```
        "url": "https://symfony.com/sponsor",
        "type": "custom"
    },
    {
        "url": "https://github.com/fabpot",
        "type": "github"
    },
    {
        "url": "https://github.com/nicolas-grekas",
        "type": "github"
    },
    {
        "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
    }
],
"time": "2024-09-10T14:38:51+00:00"
},
{
    "name": "symfony/polyfill-intl-normalizer",
    "version": "v1.36.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/polyfill-intl-normalizer.git",
        "reference": "3833d7255cc303546435cb650316bff708a1c75c"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/polyfill-intl-normalizer/zipball/3833d7255cc303546435cb650316bff708a1c75c",
        "reference": "3833d7255cc303546435cb650316bff708a1c75c",
        "shasum": ""
    },
    "require": {
        "php": ">=7.2"
    },
    "suggest": {
        "ext-intl": "For best performance"
    },
    "type": "library",
    "extra": {
        "thanks": {
            "url": "https://github.com/symfony/polyfill",
            "name": "symfony/polyfill"
        }
    },
    "autoload": {
        "files": [
            "bootstrap.php"
        ],
        "psr-4": {
            "Symfony\\Polyfill\\Intl\\Normalizer\\": ""
        },
        "classmap": [
```



```
        "Resources/stubs"
      ],
      },
      "notification-url": "https://packagist.org/downloads/",
      "license": [
        "MIT"
      ],
      "authors": [
        {
          "name": "Nicolas Grekas",
          "email": "p@tchwork.com"
        },
        {
          "name": "Symfony Community",
          "homepage": "https://symfony.com/contributors"
        }
      ],
      "description": "Symfony polyfill for intl's Normalizer class and
related functions",
      "homepage": "https://symfony.com",
      "keywords": [
        "compatibility",
        "intl",
        "normalizer",
        "polyfill",
        "portable",
        "shim"
      ],
      "support": {
        "source":
"https://github.com/symfony/polyfill-intl-normalizer/tree/v1.36.0"
      },
      "funding": [
        {
          "url": "https://symfony.com/sponsor",
          "type": "custom"
        },
        {
          "url": "https://github.com/fabpot",
          "type": "github"
        },
        {
          "url": "https://github.com/nicolas-grekas",
          "type": "github"
        },
        {
          "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
          "type": "tidelift"
        }
      ],
      "time": "2024-09-09T11:45:10+00:00"
    },
    {
      "name": "symfony/polyfill-mbstring",
```



```
"version": "v1.36.0",
"source": {
  "type": "git",
  "url": "https://github.com/symfony/polyfill-mbstring.git",
  "reference": "6a21eb99c6973357967f6ce3708cd55a6bec6315"
},
"dist": {
  "type": "zip",
  "url":
"https://api.github.com/repos/symfony/polyfill-mbstring/zipball/6a21eb99c6973357967f6ce3708cd55a6bec6315",
  "reference": "6a21eb99c6973357967f6ce3708cd55a6bec6315",
  "shasum": ""
},
"require": {
  "ext-iconv": "*",
  "php": ">=7.2"
},
"provide": {
  "ext-mbstring": "*"
},
"suggest": {
  "ext-mbstring": "For best performance"
},
"type": "library",
"extra": {
  "thanks": {
    "url": "https://github.com/symfony/polyfill",
    "name": "symfony/polyfill"
  }
},
"autoload": {
  "files": [
    "bootstrap.php"
  ],
  "psr-4": {
    "Symfony\\Polyfill\\Mbstring\\": ""
  }
},
"notification-url": "https://packagist.org/downloads/",
"license": [
  "MIT"
],
"authors": [
  {
    "name": "Nicolas Grekas",
    "email": "p@tchwork.com"
  },
  {
    "name": "Symfony Community",
    "homepage": "https://symfony.com/contributors"
  }
],
"description": "Symfony polyfill for the Mbstring extension",
"homepage": "https://symfony.com",
```



```
"keywords": [
    "compatibility",
    "mbstring",
    "polyfill",
    "portable",
    "shim"
],
"support": {
    "source":
"https://github.com/symfony/polyfill-mbstring/tree/v1.36.0"
},
"funding": [
    {
        "url": "https://symfony.com/sponsor",
        "type": "custom"
    },
    {
        "url": "https://github.com/fabpot",
        "type": "github"
    },
    {
        "url": "https://github.com/nicolas-grekas",
        "type": "github"
    },
    {
        "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
    }
],
"time": "2026-04-10T17:25:58+00:00"
},
{
    "name": "symfony/polyfill-php80",
    "version": "v1.36.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/polyfill-php80.git",
        "reference": "dfb55726c3a76ea3b6459fcfda1ec2d80a682411"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/symfony/polyfill-php80/zipball/dfb55726c3a76ea3b6459f
cfda1ec2d80a682411",
        "reference": "dfb55726c3a76ea3b6459fcfda1ec2d80a682411",
        "shasum": ""
    },
    "require": {
        "php": ">=7.2"
    },
    "type": "library",
    "extra": {
        "thanks": {
            "url": "https://github.com/symfony/polyfill",
```




```
        "name": "symfony/polyfill"
    },
    "autoload": {
        "files": [
            "bootstrap.php"
        ],
        "psr-4": {
            "Symfony\\Polyfill\\Php80\\": ""
        },
        "classmap": [
            "Resources/stubs"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Ion Bazan",
            "email": "ion.bazan@gmail.com"
        },
        {
            "name": "Nicolas Grekas",
            "email": "p@tchwork.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Symfony polyfill backporting some PHP 8.0+ features to
lower PHP versions",
    "homepage": "https://symfony.com",
    "keywords": [
        "compatibility",
        "polyfill",
        "portable",
        "shim"
    ],
    "support": {
        "source": "https://github.com/symfony/polyfill-php80/tree/v1.36.0"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://github.com/nicolas-grekas",
```



```
        "type": "github"
      },
      {
        "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
      }
    ],
    "time": "2026-04-10T16:19:22+00:00"
  },
  {
    "name": "symfony/polyfill-php83",
    "version": "v1.36.0",
    "source": {
      "type": "git",
      "url": "https://github.com/symfony/polyfill-php83.git",
      "reference": "3600c2cb22399e25bb226e4a135ce91eeb2a6149"
    },
    "dist": {
      "type": "zip",
      "url":
"https://api.github.com/repos/symfony/polyfill-php83/zipball/3600c2cb22399e25bb226e4a135ce91eeb2a6149",
      "reference": "3600c2cb22399e25bb226e4a135ce91eeb2a6149",
      "shasum": ""
    },
    "require": {
      "php": ">=7.2"
    },
    "type": "library",
    "extra": {
      "thanks": {
        "url": "https://github.com/symfony/polyfill",
        "name": "symfony/polyfill"
      }
    },
    "autoload": {
      "files": [
        "bootstrap.php"
      ],
      "psr-4": {
        "Symfony\\Polyfill\\Php83\\": ""
      },
      "classmap": [
        "Resources/stubs"
      ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
      "MIT"
    ],
    "authors": [
      {
        "name": "Nicolas Grekas",
        "email": "p@tchwork.com"
```



```
    },
    {
      "name": "Symfony Community",
      "homepage": "https://symfony.com/contributors"
    }
  ],
  "description": "Symfony polyfill backporting some PHP 8.3+ features to
lower PHP versions",
  "homepage": "https://symfony.com",
  "keywords": [
    "compatibility",
    "polyfill",
    "portable",
    "shim"
  ],
  "support": {
    "source": "https://github.com/symfony/polyfill-php83/tree/v1.36.0"
  },
  "funding": [
    {
      "url": "https://symfony.com/sponsor",
      "type": "custom"
    },
    {
      "url": "https://github.com/fabpot",
      "type": "github"
    },
    {
      "url": "https://github.com/nicolas-grekas",
      "type": "github"
    },
    {
      "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
      "type": "tidelift"
    }
  ],
  "time": "2026-04-10T17:25:58+00:00"
},
{
  "name": "symfony/polyfill-php84",
  "version": "v1.36.0",
  "source": {
    "type": "git",
    "url": "https://github.com/symfony/polyfill-php84.git",
    "reference": "88486db2c389b290bf87ff1de7ebc1e13e42bb06"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/symfony/polyfill-php84/zipball/88486db2c389b290bf87ff1de7ebc1e13e42bb06",
    "reference": "88486db2c389b290bf87ff1de7ebc1e13e42bb06",
    "shasum": ""
  },
}
```



```
"require": {
  "php": ">=7.2"
},
"type": "library",
"extra": {
  "thanks": {
    "url": "https://github.com/symfony/polyfill",
    "name": "symfony/polyfill"
  }
},
"autoload": {
  "files": [
    "bootstrap.php"
  ],
  "psr-4": {
    "Symfony\\Polyfill\\Php84\\": ""
  },
  "classmap": [
    "Resources/stubs"
  ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
  "MIT"
],
"authors": [
  {
    "name": "Nicolas Grekas",
    "email": "p@tchwork.com"
  },
  {
    "name": "Symfony Community",
    "homepage": "https://symfony.com/contributors"
  }
],
"description": "Symfony polyfill backporting some PHP 8.4+ features to
lower PHP versions",
"homepage": "https://symfony.com",
"keywords": [
  "compatibility",
  "polyfill",
  "portable",
  "shim"
],
"support": {
  "source": "https://github.com/symfony/polyfill-php84/tree/v1.36.0"
},
"funding": [
  {
    "url": "https://symfony.com/sponsor",
    "type": "custom"
  },
  {
    "url": "https://github.com/fabpot",
    "type": "github"
  }
]
```



```
    },
    {
        "url": "https://github.com/nicolas-grekas",
        "type": "github"
    },
    {
        "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
    }
],
"time": "2026-04-10T18:47:49+00:00"
},
{
    "name": "symfony/polyfill-php85",
    "version": "v1.36.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/polyfill-php85.git",
        "reference": "2c408a6bb0313e6001a83628dc5506100474254e"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/symfony/polyfill-php85/zipball/2c408a6bb0313e6001a83628dc5506100474254e",
        "reference": "2c408a6bb0313e6001a83628dc5506100474254e",
        "shasum": ""
    },
    "require": {
        "php": ">=7.2"
    },
    "type": "library",
    "extra": {
        "thanks": {
            "url": "https://github.com/symfony/polyfill",
            "name": "symfony/polyfill"
        }
    },
    "autoload": {
        "files": [
            "bootstrap.php"
        ],
        "psr-4": {
            "Symfony\\Polyfill\\Php85\\": ""
        },
        "classmap": [
            "Resources/stubs"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
```



```
{
  {
    "name": "Nicolas Grekas",
    "email": "p@tchwork.com"
  },
  {
    "name": "Symfony Community",
    "homepage": "https://symfony.com/contributors"
  }
],
"description": "Symfony polyfill backporting some PHP 8.5+ features to
lower PHP versions",
"homepage": "https://symfony.com",
"keywords": [
  "compatibility",
  "polyfill",
  "portable",
  "shim"
],
"support": {
  "source": "https://github.com/symfony/polyfill-php85/tree/v1.36.0"
},
"funding": [
  {
    "url": "https://symfony.com/sponsor",
    "type": "custom"
  },
  {
    "url": "https://github.com/fabpot",
    "type": "github"
  },
  {
    "url": "https://github.com/nicolas-grekas",
    "type": "github"
  },
  {
    "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
    "type": "tidelift"
  }
],
"time": "2026-04-10T16:50:15+00:00"
},
{
  "name": "symfony/polyfill-uuid",
  "version": "v1.36.0",
  "source": {
    "type": "git",
    "url": "https://github.com/symfony/polyfill-uuid.git",
    "reference": "26dfec253c4cf3e51b541b52ddf7e42cb0908e94"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/symfony/polyfill-uuid/zipball/26dfec253c4cf3e51b541b5
2ddf7e42cb0908e94",
```



```
        "reference": "26dfec253c4cf3e51b541b52ddf7e42cb0908e94",
        "shasum": ""
    },
    "require": {
        "php": ">=7.2"
    },
    "provide": {
        "ext-uuid": "*"
    },
    "suggest": {
        "ext-uuid": "For best performance"
    },
    "type": "library",
    "extra": {
        "thanks": {
            "url": "https://github.com/symfony/polyfill",
            "name": "symfony/polyfill"
        }
    },
    "autoload": {
        "files": [
            "bootstrap.php"
        ],
        "psr-4": {
            "Symfony\\Polyfill\\Uuid\\": ""
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Grégoire Pineau",
            "email": "lyrixx@lyrixx.info"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Symfony polyfill for uuid functions",
    "homepage": "https://symfony.com",
    "keywords": [
        "compatibility",
        "polyfill",
        "portable",
        "uuid"
    ],
    "support": {
        "source": "https://github.com/symfony/polyfill-uuid/tree/v1.36.0"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
```



```
        "type": "custom"
      },
      {
        "url": "https://github.com/fabpot",
        "type": "github"
      },
      {
        "url": "https://github.com/nicolas-grekas",
        "type": "github"
      },
      {
        "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
      }
    ],
    "time": "2026-04-10T16:19:22+00:00"
  },
  {
    "name": "symfony/process",
    "version": "v7.4.8",
    "source": {
      "type": "git",
      "url": "https://github.com/symfony/process.git",
      "reference": "60f19cd3badc8de688421e21e4305eba50f8089a"
    },
    "dist": {
      "type": "zip",
      "url":
"https://api.github.com/repos/symfony/process/zipball/60f19cd3badc8de688421e21e4305eba50f8089a",
      "reference": "60f19cd3badc8de688421e21e4305eba50f8089a",
      "shasum": ""
    },
    "require": {
      "php": ">=8.2"
    },
    "type": "library",
    "autoload": {
      "psr-4": {
        "Symfony\\Component\\Process\\": ""
      },
      "exclude-from-classmap": [
        "/Tests/"
      ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
      "MIT"
    ],
    "authors": [
      {
        "name": "Fabien Potencier",
        "email": "fabien@symfony.com"
      },
    ],
  },
}
```




```
{
  "name": "Symfony Community",
  "homepage": "https://symfony.com/contributors"
},
],
"description": "Executes commands in sub-processes",
"homepage": "https://symfony.com",
"support": {
  "source": "https://github.com/symfony/process/tree/v7.4.8"
},
"funding": [
  {
    "url": "https://symfony.com/sponsor",
    "type": "custom"
  },
  {
    "url": "https://github.com/fabpot",
    "type": "github"
  },
  {
    "url": "https://github.com/nicolas-grekas",
    "type": "github"
  },
  {
    "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
    "type": "tidelift"
  }
],
"time": "2026-03-24T13:12:05+00:00"
},
{
  "name": "symfony/routing",
  "version": "v7.4.8",
  "source": {
    "type": "git",
    "url": "https://github.com/symfony/routing.git",
    "reference": "9608de9873ec86e754fb6c0a0fa7e5f1a960eb6b"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/symfony/routing/zipball/9608de9873ec86e754fb6c0a0fa7e5f1a960eb6b",
    "reference": "9608de9873ec86e754fb6c0a0fa7e5f1a960eb6b",
    "shasum": ""
  },
  "require": {
    "php": ">=8.2",
    "symfony/deprecation-contracts": "^2.5|^3"
  },
  "conflict": {
    "symfony/config": "<6.4",
    "symfony/dependency-injection": "<6.4",
    "symfony/yaml": "<6.4"
  }
}
```



```
},
"require-dev": {
    "psr/log": "^1|^2|^3",
    "symfony/config": "^6.4|^7.0|^8.0",
    "symfony/dependency-injection": "^6.4|^7.0|^8.0",
    "symfony/expression-language": "^6.4|^7.0|^8.0",
    "symfony/http-foundation": "^6.4|^7.0|^8.0",
    "symfony/yaml": "^6.4|^7.0|^8.0"
},
"type": "library",
"autoload": {
    "psr-4": {
        "Symfony\\Component\\Routing\\": ""
    },
    "exclude-from-classmap": [
        "/Tests/"
    ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "MIT"
],
"authors": [
    {
        "name": "Fabien Potencier",
        "email": "fabien@symfony.com"
    },
    {
        "name": "Symfony Community",
        "homepage": "https://symfony.com/contributors"
    }
],
variables",
"description": "Maps an HTTP request to a set of configuration
"homepage": "https://symfony.com",
"keywords": [
    "router",
    "routing",
    "uri",
    "url"
],
"support": {
    "source": "https://github.com/symfony/routing/tree/v7.4.8"
},
"funding": [
    {
        "url": "https://symfony.com/sponsor",
        "type": "custom"
    },
    {
        "url": "https://github.com/fabpot",
        "type": "github"
    },
    {
        "url": "https://github.com/nicolas-grekas",
```



```
        "type": "github"
      },
      {
        "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
      }
    ],
    "time": "2026-03-24T13:12:05+00:00"
  },
  {
    "name": "symfony/service-contracts",
    "version": "v3.6.1",
    "source": {
      "type": "git",
      "url": "https://github.com/symfony/service-contracts.git",
      "reference": "45112560a3ba2d715666a509a0bc9521d10b6c43"
    },
    "dist": {
      "type": "zip",
      "url":
"https://api.github.com/repos/symfony/service-contracts/zipball/45112560a3ba2d71566
6a509a0bc9521d10b6c43",
      "reference": "45112560a3ba2d715666a509a0bc9521d10b6c43",
      "shasum": ""
    },
    "require": {
      "php": ">=8.1",
      "psr/container": "^1.1|^2.0",
      "symfony/deprecation-contracts": "^2.5|^3"
    },
    "conflict": {
      "ext-psr": "<1.1|^2"
    },
    "type": "library",
    "extra": {
      "thanks": {
        "url": "https://github.com/symfony/contracts",
        "name": "symfony/contracts"
      },
      "branch-alias": {
        "dev-main": "3.6-dev"
      }
    },
    "autoload": {
      "psr-4": {
        "Symfony\\Contracts\\Service\\": ""
      },
      "exclude-from-classmap": [
        "/Test/"
      ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
      "MIT"
    ]
  }
}
```



```
],
"authors": [
  {
    "name": "Nicolas Grekas",
    "email": "p@tchwork.com"
  },
  {
    "name": "Symfony Community",
    "homepage": "https://symfony.com/contributors"
  }
],
"description": "Generic abstractions related to writing services",
"homepage": "https://symfony.com",
"keywords": [
  "abstractions",
  "contracts",
  "decoupling",
  "interfaces",
  "interoperability",
  "standards"
],
"support": {
  "source":
"https://github.com/symfony/service-contracts/tree/v3.6.1"
},
"funding": [
  {
    "url": "https://symfony.com/sponsor",
    "type": "custom"
  },
  {
    "url": "https://github.com/fabpot",
    "type": "github"
  },
  {
    "url": "https://github.com/nicolas-grekas",
    "type": "github"
  },
  {
    "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
    "type": "tidelift"
  }
],
"time": "2025-07-15T11:30:57+00:00"
},
{
  "name": "symfony/string",
  "version": "v7.4.8",
  "source": {
    "type": "git",
    "url": "https://github.com/symfony/string.git",
    "reference": "114ac57257d75df748eda23dd003878080b8e688"
  },
  "dist": {
```



```
    "type": "zip",
    "url":
"https://api.github.com/repos/symfony/string/zipball/114ac57257d75df748eda23dd00387
8080b8e688",
    "reference": "114ac57257d75df748eda23dd003878080b8e688",
    "shasum": ""
  },
  "require": {
    "php": ">=8.2",
    "symfony/deprecation-contracts": "^2.5|^3.0",
    "symfony/polyfill-ctype": "~1.8",
    "symfony/polyfill-intl-grapheme": "~1.33",
    "symfony/polyfill-intl-normalizer": "~1.0",
    "symfony/polyfill-mbstring": "~1.0"
  },
  "conflict": {
    "symfony/translation-contracts": "<2.5"
  },
  "require-dev": {
    "symfony/emoji": "^7.1|^8.0",
    "symfony/http-client": "^6.4|^7.0|^8.0",
    "symfony/intl": "^6.4|^7.0|^8.0",
    "symfony/translation-contracts": "^2.5|^3.0",
    "symfony/var-exporter": "^6.4|^7.0|^8.0"
  },
  "type": "library",
  "autoload": {
    "files": [
      "Resources/functions.php"
    ],
    "psr-4": {
      "Symfony\\Component\\String\\": ""
    },
    "exclude-from-classmap": [
      "/Tests/"
    ]
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "MIT"
  ],
  "authors": [
    {
      "name": "Nicolas Grekas",
      "email": "p@tchwork.com"
    },
    {
      "name": "Symfony Community",
      "homepage": "https://symfony.com/contributors"
    }
  ],
  "description": "Provides an object-oriented API to strings and deals
with bytes, UTF-8 code points and grapheme clusters in a unified way",
  "homepage": "https://symfony.com",
  "keywords": [
```



```
        "grapheme",
        "i18n",
        "string",
        "unicode",
        "utf-8",
        "utf8"
    ],
    "support": {
        "source": "https://github.com/symfony/string/tree/v7.4.8"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2026-03-24T13:12:05+00:00"
},
{
    "name": "symfony/translation",
    "version": "v7.4.8",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/translation.git",
        "reference": "33600f8489485425bfcddd0d983391038d3422e7"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/symfony/translation/zipball/33600f8489485425bfcddd0d983391038d3422e7",
        "reference": "33600f8489485425bfcddd0d983391038d3422e7",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2",
        "symfony/deprecation-contracts": "^2.5|^3",
        "symfony/polyfill-mbstring": "~1.0",
        "symfony/translation-contracts": "^2.5.3|^3.3"
    },
    "conflict": {
        "nikic/php-parser": "<5.0",
```



```
"symfony/config": "<6.4",
"symfony/console": "<6.4",
"symfony/dependency-injection": "<6.4",
"symfony/http-client-contracts": "<2.5",
"symfony/http-kernel": "<6.4",
"symfony/service-contracts": "<2.5",
"symfony/twig-bundle": "<6.4",
"symfony/yaml": "<6.4"
},
"provide": {
    "symfony/translation-implementation": "2.3|3.0"
},
"require-dev": {
    "nikic/php-parser": "^5.0",
    "psr/log": "^1|^2|^3",
    "symfony/config": "^6.4|^7.0|^8.0",
    "symfony/console": "^6.4|^7.0|^8.0",
    "symfony/dependency-injection": "^6.4|^7.0|^8.0",
    "symfony/finder": "^6.4|^7.0|^8.0",
    "symfony/http-client-contracts": "^2.5|^3.0",
    "symfony/http-kernel": "^6.4|^7.0|^8.0",
    "symfony/intl": "^6.4|^7.0|^8.0",
    "symfony/polyfill-intl-icu": "^1.21",
    "symfony/routing": "^6.4|^7.0|^8.0",
    "symfony/service-contracts": "^2.5|^3",
    "symfony/yaml": "^6.4|^7.0|^8.0"
},
"type": "library",
"autoload": {
    "files": [
        "Resources/functions.php"
    ],
    "psr-4": {
        "Symfony\\Component\\Translation\\": ""
    },
    "exclude-from-classmap": [
        "/Tests/"
    ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "MIT"
],
"authors": [
    {
        "name": "Fabien Potencier",
        "email": "fabien@symfony.com"
    },
    {
        "name": "Symfony Community",
        "homepage": "https://symfony.com/contributors"
    }
],
"description": "Provides tools to internationalize your application",
"homepage": "https://symfony.com",
```



```
"support": {
  "source": "https://github.com/symfony/translation/tree/v7.4.8"
},
"funding": [
  {
    "url": "https://symfony.com/sponsor",
    "type": "custom"
  },
  {
    "url": "https://github.com/fabpot",
    "type": "github"
  },
  {
    "url": "https://github.com/nicolas-grekas",
    "type": "github"
  },
  {
    "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
    "type": "tidelift"
  }
],
"time": "2026-03-24T13:12:05+00:00"
},
{
  "name": "symfony/translation-contracts",
  "version": "v3.6.1",
  "source": {
    "type": "git",
    "url": "https://github.com/symfony/translation-contracts.git",
    "reference": "65a8bc82080447fae78373aa10f8d13b38338977"
  },
  "dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/symfony/translation-
contracts/zipball/65a8bc82080447fae78373aa10f8d13b38338977",
    "reference": "65a8bc82080447fae78373aa10f8d13b38338977",
    "shasum": ""
  },
  "require": {
    "php": ">=8.1"
  },
  "type": "library",
  "extra": {
    "thanks": {
      "url": "https://github.com/symfony/contracts",
      "name": "symfony/contracts"
    },
    "branch-alias": {
      "dev-main": "3.6-dev"
    }
  },
  "autoload": {
    "psr-4": {
      "Symfony\\Contracts\\Translation\\": ""
    }
  }
}
```




```
    },
    "exclude-from-classmap": [
        "/Test/"
    ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "MIT"
],
"authors": [
    {
        "name": "Nicolas Grekas",
        "email": "p@tchwork.com"
    },
    {
        "name": "Symfony Community",
        "homepage": "https://symfony.com/contributors"
    }
],
"description": "Generic abstractions related to translation",
"homepage": "https://symfony.com",
"keywords": [
    "abstractions",
    "contracts",
    "decoupling",
    "interfaces",
    "interoperability",
    "standards"
],
"support": {
    "source":
"https://github.com/symfony/translation-contracts/tree/v3.6.1"
},
"funding": [
    {
        "url": "https://symfony.com/sponsor",
        "type": "custom"
    },
    {
        "url": "https://github.com/fabpot",
        "type": "github"
    },
    {
        "url": "https://github.com/nicolas-grekas",
        "type": "github"
    },
    {
        "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
    }
],
"time": "2025-07-15T13:41:35+00:00"
},
{
```



```
"name": "symfony/uid",
"version": "v7.4.8",
"source": {
  "type": "git",
  "url": "https://github.com/symfony/uid.git",
  "reference": "6883ebdf7bf6a12b37519dbc0df62b0222401b56"
},
"dist": {
  "type": "zip",
  "url": "https://api.github.com/repos/symfony/uid/zipball/6883ebdf7bf6a12b37519dbc0df62b0222401b56",
  "reference": "6883ebdf7bf6a12b37519dbc0df62b0222401b56",
  "shasum": ""
},
"require": {
  "php": ">=8.2",
  "symfony/polyfill-uuid": "^1.15"
},
"require-dev": {
  "symfony/console": "^6.4|^7.0|^8.0"
},
"type": "library",
"autoload": {
  "psr-4": {
    "Symfony\\Component\\Uid\\": ""
  },
  "exclude-from-classmap": [
    "/Tests/"
  ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
  "MIT"
],
"authors": [
  {
    "name": "Grégoire Pineau",
    "email": "lyrixx@lyrixx.info"
  },
  {
    "name": "Nicolas Grekas",
    "email": "p@tchwork.com"
  },
  {
    "name": "Symfony Community",
    "homepage": "https://symfony.com/contributors"
  }
],
"description": "Provides an object-oriented API to generate and represent UIDs",
"homepage": "https://symfony.com",
"keywords": [
  "UID",
  "ulid",
```



```
        "uuid":
      ],
      "support": {
        "source": "https://github.com/symfony/uid/tree/v7.4.8"
      },
      "funding": [
        {
          "url": "https://symfony.com/sponsor",
          "type": "custom"
        },
        {
          "url": "https://github.com/fabpot",
          "type": "github"
        },
        {
          "url": "https://github.com/nicolas-grekas",
          "type": "github"
        },
        {
          "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
          "type": "tidelift"
        }
      ],
      "time": "2026-03-24T13:12:05+00:00"
    },
    {
      "name": "symfony/var-dumper",
      "version": "v7.4.8",
      "source": {
        "type": "git",
        "url": "https://github.com/symfony/var-dumper.git",
        "reference": "9510c3966f749a1d1ff0059e1eabef6cc621e7fd"
      },
      "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/symfony/var-dumper/zipball/9510c3966f749a1d1ff0059e1eabef6cc621e7fd",
        "reference": "9510c3966f749a1d1ff0059e1eabef6cc621e7fd",
        "shasum": ""
      },
      "require": {
        "php": ">=8.2",
        "symfony/deprecation-contracts": "^2.5|^3",
        "symfony/polyfill-mbstring": "~1.0"
      },
      "conflict": {
        "symfony/console": "<6.4"
      },
      "require-dev": {
        "symfony/console": "^6.4|^7.0|^8.0",
        "symfony/http-kernel": "^6.4|^7.0|^8.0",
        "symfony/process": "^6.4|^7.0|^8.0",
        "symfony/uid": "^6.4|^7.0|^8.0",
```



```
    "twig/twig": "^3.12"
  },
  "bin": [
    "Resources/bin/var-dump-server"
  ],
  "type": "library",
  "autoload": {
    "files": [
      "Resources/functions/dump.php"
    ],
    "psr-4": {
      "Symfony\\Component\\VarDumper\\": ""
    },
    "exclude-from-classmap": [
      "/Tests/"
    ]
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "MIT"
  ],
  "authors": [
    {
      "name": "Nicolas Grekas",
      "email": "p@tchwork.com"
    },
    {
      "name": "Symfony Community",
      "homepage": "https://symfony.com/contributors"
    }
  ],
  "description": "Provides mechanisms for walking through any arbitrary
PHP variable",
  "homepage": "https://symfony.com",
  "keywords": [
    "debug",
    "dump"
  ],
  "support": {
    "source": "https://github.com/symfony/var-dumper/tree/v7.4.8"
  },
  "funding": [
    {
      "url": "https://symfony.com/sponsor",
      "type": "custom"
    },
    {
      "url": "https://github.com/fabpot",
      "type": "github"
    },
    {
      "url": "https://github.com/nicolas-grekas",
      "type": "github"
    }
  ]
}
```



```
        "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
    }
},
"time": "2026-03-30T13:44:50+00:00"
},
{
    "name": "tijsverkoyen/css-to-inline-styles",
    "version": "v2.4.0",
    "source": {
        "type": "git",
        "url": "https://github.com/tijsverkoyen/CssToInlineStyles.git",
        "reference": "f0292ccf0ec75843d65027214426b6b163b48b41"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/tijsverkoyen/CssToInlineStyles/zipball/
f0292ccf0ec75843d65027214426b6b163b48b41",
        "reference": "f0292ccf0ec75843d65027214426b6b163b48b41",
        "shasum": ""
    },
    "require": {
        "ext-dom": "*",
        "ext-libxml": "*",
        "php": "^7.4 || ^8.0",
        "symfony/css-selector": "^5.4 || ^6.0 || ^7.0 || ^8.0"
    },
    "require-dev": {
        "phpstan/phpstan": "^2.0",
        "phpstan/phpstan-phpunit": "^2.0",
        "phpunit/phpunit": "^8.5.21 || ^9.5.10"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "2.x-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "TijsVerkoyen\\CssToInlineStyles\\": "src"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Tijs Verkoyen",
            "email": "css_to_inline_styles@verkoyen.eu",
            "role": "Developer"
        }
    ]
}
```



```
    ],
    "description": "CssToInlineStyles is a class that enables you to
convert HTML-pages/files into HTML-pages/files with inline styles. This is very
useful when you're sending emails.",
    "homepage": "https://github.com/tijsverkoyen/CssToInlineStyles",
    "support": {
        "issues":
"https://github.com/tijsverkoyen/CssToInlineStyles/issues",
        "source":
"https://github.com/tijsverkoyen/CssToInlineStyles/tree/v2.4.0"
    },
    "time": "2025-12-02T11:56:42+00:00"
},
{
    "name": "vlucas/phpdotenv",
    "version": "v5.6.3",
    "source": {
        "type": "git",
        "url": "https://github.com/vlucas/phpdotenv.git",
        "reference": "955e7815d677a3eaa7075231212f2110983adecc"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/vlucas/phpdotenv/zipball/955e7815d677a3eaa7075231212f2110983adecc",
        "reference": "955e7815d677a3eaa7075231212f2110983adecc",
        "shasum": ""
    },
    "require": {
        "ext-pcre": "*",
        "graham-campbell/result-type": "^1.1.4",
        "php": "^7.2.5 || ^8.0",
        "phpoption/phpoption": "^1.9.5",
        "symfony/polyfill-ctype": "^1.26",
        "symfony/polyfill-mbstring": "^1.26",
        "symfony/polyfill-php80": "^1.26"
    },
    "require-dev": {
        "bamarni/composer-bin-plugin": "^1.8.2",
        "ext-filter": "*",
        "phpunit/phpunit": "^8.5.34 || ^9.6.13 || ^10.4.2"
    },
    "suggest": {
        "ext-filter": "Required to use the boolean validator."
    },
    "type": "library",
    "extra": {
        "bamarni-bin": {
            "bin-links": true,
            "forward-command": false
        },
        "branch-alias": {
            "dev-master": "5.6-dev"
        }
    }
}
```



```
},
"autoload": {
    "psr-4": {
        "Dotenv\\": "src/"
    }
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "BSD-3-Clause"
],
"authors": [
    {
        "name": "Graham Campbell",
        "email": "hello@gjcampbell.co.uk",
        "homepage": "https://github.com/GrahamCampbell"
    },
    {
        "name": "Vance Lucas",
        "email": "vance@vancelucas.com",
        "homepage": "https://github.com/vlucas"
    }
],
"description": "Loads environment variables from `.env` to `getenv()`,
`$_ENV` and `$_SERVER` automagically.",
"keywords": [
    "dotenv",
    "env",
    "environment"
],
"support": {
    "issues": "https://github.com/vlucas/phpdotenv/issues",
    "source": "https://github.com/vlucas/phpdotenv/tree/v5.6.3"
},
"funding": [
    {
        "url": "https://github.com/GrahamCampbell",
        "type": "github"
    },
    {
        "url":
"https://tidelift.com/funding/github/packagist/vlucas/phpdotenv",
        "type": "tidelift"
    }
],
"time": "2025-12-27T19:49:13+00:00"
},
{
    "name": "voku/portable-ascii",
    "version": "2.1.0",
    "source": {
        "type": "git",
        "url": "https://github.com/voku/portable-ascii.git",
        "reference": "d870a33f0f79d2b4579740b0620200221ee44aeb"
    },
    "dist": {
```



```
    "type": "zip",
    "url":
"https://api.github.com/repos/voku/portable-ascii/zipball/d870a33f0f79d2b4579740b06
20200221ee44aeb",
    "reference": "d870a33f0f79d2b4579740b0620200221ee44aeb",
    "shasum": ""
  },
  "require": {
    "php": ">=7.1.0"
  },
  "require-dev": {
    "phpunit/phpunit": "~8.5 || ~9.6 || ~10.5 || ~11.5"
  },
  "suggest": {
    "ext-intl": "Use Intl for transliterator_transliterate() support"
  },
  "type": "library",
  "autoload": {
    "psr-4": {
      "voku\\": "src/voku/"
    }
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "MIT"
  ],
  "authors": [
    {
      "name": "Lars Moelleken",
      "homepage": "https://www.moelleken.org/"
    }
  ],
  "description": "Portable ASCII library - performance optimized (ascii)
string functions for php.",
  "homepage": "https://github.com/voku/portable-ascii",
  "keywords": [
    "ascii",
    "clean",
    "php"
  ],
  "support": {
    "issues": "https://github.com/voku/portable-ascii/issues",
    "source": "https://github.com/voku/portable-ascii/tree/2.1.0"
  },
  "funding": [
    {
      "url": "https://www.paypal.me/moelleken",
      "type": "custom"
    },
    {
      "url": "https://github.com/voku",
      "type": "github"
    },
    {
      "url": "https://opencollective.com/portable-ascii",
```




```
        "type": "open_collective"
      },
      {
        "url": "https://www.patreon.com/voku",
        "type": "patreon"
      },
      {
        "url":
"https://tidelift.com/funding/github/packagist/voku/portable-ascii",
        "type": "tidelift"
      }
    ],
    "time": "2026-04-16T23:10:39+00:00"
  },
  "packages-dev": [
    {
      "name": "fakerphp/faker",
      "version": "v1.24.1",
      "source": {
        "type": "git",
        "url": "https://github.com/FakerPHP/Faker.git",
        "reference": "e0ee18eb1e6dc3cda3ce9fd97e5a0689a88a64b5"
      },
      "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/FakerPHP/Faker/zipball/e0ee18eb1e6dc3cda3ce9fd97e5a0689a88a64b5",
        "reference": "e0ee18eb1e6dc3cda3ce9fd97e5a0689a88a64b5",
        "shasum": ""
      },
      "require": {
        "php": "^7.4 || ^8.0",
        "psr/container": "^1.0 || ^2.0",
        "symfony/deprecation-contracts": "^2.2 || ^3.0"
      },
      "conflict": {
        "fzaninotto/faker": "*"
      },
      "require-dev": {
        "bamarni/composer-bin-plugin": "^1.4.1",
        "doctrine/persistence": "^1.3 || ^2.0",
        "ext-intl": "*",
        "phpunit/phpunit": "^9.5.26",
        "symfony/phpunit-bridge": "^5.4.16"
      },
      "suggest": {
        "doctrine/orm": "Required to use Faker\\ORM\\Doctrine",
        "ext-curl": "Required by Faker\\Provider\\Image to download
images.",
        "ext-dom": "Required by Faker\\Provider\\HtmlLorem for generating
random HTML.",
        "ext-iconv": "Required by Faker\\Provider\\ru_RU\\Text::realText()
for generating real Russian text.",
```



```
        "ext-mbstring": "Required for multibyte Unicode string
functionality.",
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "Faker\\": "src/Faker/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "François Zaninotto"
        }
    ],
    "description": "Faker is a PHP library that generates fake data for
you.",
    "keywords": [
        "data",
        "faker",
        "fixtures"
    ],
    "support": {
        "issues": "https://github.com/FakerPHP/Faker/issues",
        "source": "https://github.com/FakerPHP/Faker/tree/v1.24.1"
    },
    "time": "2024-11-21T13:46:39+00:00"
},
{
    "name": "filp/whoops",
    "version": "2.18.4",
    "source": {
        "type": "git",
        "url": "https://github.com/filp/whoops.git",
        "reference": "d2102955e48b9fd9ab24280a7ad12ed552752c4d"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/filp/whoops/zipball/d2102955e48b9fd9ab24280a7ad12ed55
2752c4d",
        "reference": "d2102955e48b9fd9ab24280a7ad12ed552752c4d",
        "shasum": ""
    },
    "require": {
        "php": "^7.1 || ^8.0",
        "psr/log": "^1.0.1 || ^2.0 || ^3.0"
    },
    "require-dev": {
        "mockery/mockery": "^1.0",
        "phpunit/phpunit": "^7.5.20 || ^8.5.8 || ^9.3.3",
        "symfony/var-dumper": "^4.0 || ^5.0"
    }
}
```



```
    },
    "suggest": {
      "symfony/var-dumper": "Pretty print complex values better with var-
dumper available",
      "whoops/soap": "Formats errors as SOAP responses"
    },
    "type": "library",
    "extra": {
      "branch-alias": {
        "dev-master": "2.7-dev"
      }
    },
    "autoload": {
      "psr-4": {
        "Whoops\\": "src/Whoops/"
      }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
      "MIT"
    ],
    "authors": [
      {
        "name": "Filipe Dobreira",
        "homepage": "https://github.com/filp",
        "role": "Developer"
      }
    ],
    "description": "php error handling for cool kids",
    "homepage": "https://filp.github.io/whoops/",
    "keywords": [
      "error",
      "exception",
      "handling",
      "library",
      "throwable",
      "whoops"
    ],
    "support": {
      "issues": "https://github.com/filp/whoops/issues",
      "source": "https://github.com/filp/whoops/tree/2.18.4"
    },
    "funding": [
      {
        "url": "https://github.com/denis-sokolov",
        "type": "github"
      }
    ],
    "time": "2025-08-08T12:00:00+00:00"
  },
  {
    "name": "hamcrest/hamcrest-php",
    "version": "v2.1.1",
    "source": {
      "type": "git",
```



Energía

Secretaría de Energía

```
        "url": "https://github.com/hamcrest/hamcrest-php.git",
        "reference": "f8b1c0173b22fa6ec77a81fe63e5b01eba7e6487"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/hamcrest/hamcrest-php/zipball/f8b1c0173b22fa6ec77a81f
e63e5b01eba7e6487",
        "reference": "f8b1c0173b22fa6ec77a81fe63e5b01eba7e6487",
        "shasum": ""
    },
    "require": {
        "php": "^7.4|^8.0"
    },
    "replace": {
        "cordoval/hamcrest-php": "*",
        "davedevelopment/hamcrest-php": "*",
        "kodova/hamcrest-php": "*"
    },
    "require-dev": {
        "phpunit/php-file-iterator": "^1.4 || ^2.0 || ^3.0",
        "phpunit/phpunit": "^4.8.36 || ^5.7 || ^6.5 || ^7.0 || ^8.0 ||
^9.0"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "2.1-dev"
        }
    },
    "autoload": {
        "classmap": [
            "hamcrest"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "description": "This is the PHP port of Hamcrest Matchers",
    "keywords": [
        "test"
    ],
    "support": {
        "issues": "https://github.com/hamcrest/hamcrest-php/issues",
        "source": "https://github.com/hamcrest/hamcrest-php/tree/v2.1.1"
    },
    "time": "2025-04-30T06:54:44+00:00"
},
{
    "name": "laravel/breeze",
    "version": "v2.4.1",
    "source": {
        "type": "git",
        "url": "https://github.com/laravel/breeze.git",
```



```
    "reference": "28cefeaf6af20177ddf5cc7b93e87e4ad79d533f"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/laravel/breeze/zipball/28cefeaf6af20177ddf5cc7b93e87e4ad79d533f",
    "reference": "28cefeaf6af20177ddf5cc7b93e87e4ad79d533f",
    "shasum": ""
  },
  "require": {
    "illuminate/console": "^11.0|^12.0|^13.0",
    "illuminate/filesystem": "^11.0|^12.0|^13.0",
    "illuminate/support": "^11.0|^12.0|^13.0",
    "illuminate/validation": "^11.0|^12.0|^13.0",
    "php": "^8.2.0",
    "symfony/console": "^7.0|^8.0"
  },
  "require-dev": {
    "laravel/framework": "^11.0|^12.0|^13.0",
    "orchestra/testbench-core": "^9.0|^10.0|^11.0",
    "phpstan/phpstan": "^2.0"
  },
  "type": "library",
  "extra": {
    "laravel": {
      "providers": [
        "Laravel\\Breeze\\BreezeServiceProvider"
      ]
    }
  },
  "autoload": {
    "psr-4": {
      "Laravel\\Breeze\\": "src/"
    }
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "MIT"
  ],
  "authors": [
    {
      "name": "Taylor Otwell",
      "email": "taylor@laravel.com"
    }
  ],
  "description": "Minimal Laravel authentication scaffolding with Blade and Tailwind.",
  "keywords": [
    "auth",
    "laravel"
  ],
  "support": {
    "issues": "https://github.com/laravel/breeze/issues",
    "source": "https://github.com/laravel/breeze"
  }
}
```



```
    },
    "time": "2026-03-10T19:59:01+00:00"
  },
  {
    "name": "laravel/pail",
    "version": "v1.2.6",
    "source": {
      "type": "git",
      "url": "https://github.com/laravel/pail.git",
      "reference": "aa71a01c309e7f66bc2ec4fb1a59291b82eb4abf"
    },
    "dist": {
      "type": "zip",
      "url":
"https://api.github.com/repos/laravel/pail/zipball/aa71a01c309e7f66bc2ec4fb1a59291b82eb4abf",
      "reference": "aa71a01c309e7f66bc2ec4fb1a59291b82eb4abf",
      "shasum": ""
    },
    "require": {
      "ext-mbstring": "*",
      "illuminate/console": "^10.24|^11.0|^12.0|^13.0",
      "illuminate/contracts": "^10.24|^11.0|^12.0|^13.0",
      "illuminate/log": "^10.24|^11.0|^12.0|^13.0",
      "illuminate/process": "^10.24|^11.0|^12.0|^13.0",
      "illuminate/support": "^10.24|^11.0|^12.0|^13.0",
      "nunomaduro/termwind": "^1.15|^2.0",
      "php": "^8.2",
      "symfony/console": "^6.0|^7.0|^8.0"
    },
    "require-dev": {
      "laravel/framework": "^10.24|^11.0|^12.0|^13.0",
      "laravel/pint": "^1.13",
      "orchestra/testbench-core": "^8.13|^9.17|^10.8|^11.0",
      "pestphp/pest": "^2.20|^3.0|^4.0",
      "pestphp/pest-plugin-type-coverage": "^2.3|^3.0|^4.0",
      "phpstan/phpstan": "^1.12.27",
      "symfony/var-dumper": "^6.3|^7.0|^8.0",
      "symfony/yaml": "^6.3|^7.0|^8.0"
    },
    "type": "library",
    "extra": {
      "laravel": {
        "providers": [
          "Laravel\\Pail\\PailServiceProvider"
        ]
      },
      "branch-alias": {
        "dev-main": "1.x-dev"
      }
    },
    "autoload": {
      "psr-4": {
        "Laravel\\Pail\\": "src/"
      }
    }
  }
}
```



```
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Taylor Otwell",
            "email": "taylor@laravel.com"
        },
        {
            "name": "Nuno Maduro",
            "email": "enunomaduro@gmail.com"
        }
    ],
    "description": "Easily delve into your Laravel application's log files directly from the command line.",
    "homepage": "https://github.com/laravel/pail",
    "keywords": [
        "dev",
        "laravel",
        "logs",
        "php",
        "tail"
    ],
    "support": {
        "issues": "https://github.com/laravel/pail/issues",
        "source": "https://github.com/laravel/pail"
    },
    "time": "2026-02-09T13:44:54+00:00"
},
{
    "name": "laravel/pint",
    "version": "v1.29.1",
    "source": {
        "type": "git",
        "url": "https://github.com/laravel/pint.git",
        "reference": "0770e9b7fafd50d4586881d456d6eb41c9247a80"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/laravel/pint/zipball/0770e9b7fafd50d4586881d456d6eb41c9247a80",
        "reference": "0770e9b7fafd50d4586881d456d6eb41c9247a80",
        "shasum": ""
    },
    "require": {
        "ext-json": "*",
        "ext-mbstring": "*",
        "ext-tokenizer": "*",
        "ext-xml": "*",
        "php": "^8.2.0"
    },
    "require-dev": {
```



```
"friendsofphp/php-cs-fixer": "^3.95.1",
"illuminate/view": "^12.56.0",
"larastan/larastan": "^3.9.6",
"laravel-zero/framework": "^12.1.0",
"mockery/mockery": "^1.6.12",
"nunomaduro/termwind": "^2.4.0",
"pestphp/pest": "^3.8.6",
"shipfastlabs/agent-detector": "^1.1.3"
},
"bin": [
    "builds/pint"
],
"type": "project",
"autoload": {
    "psr-4": {
        "App\\": "app/",
        "Database\\Seeders\\": "database/seeders/",
        "Database\\Factories\\": "database/factories/"
    }
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "MIT"
],
"authors": [
    {
        "name": "Nuno Maduro",
        "email": "enunomaduro@gmail.com"
    }
],
"description": "An opinionated code formatter for PHP.",
"homepage": "https://laravel.com",
"keywords": [
    "dev",
    "format",
    "formatter",
    "lint",
    "linter",
    "php"
],
"support": {
    "issues": "https://github.com/laravel/pint/issues",
    "source": "https://github.com/laravel/pint"
},
"time": "2026-04-20T15:26:14+00:00"
},
{
    "name": "laravel/sail",
    "version": "v1.57.0",
    "source": {
        "type": "git",
        "url": "https://github.com/laravel/sail.git",
        "reference": "fa8d057b6e9310380ccbc3a209ed7f927d54f648"
    },
    "dist": {
```




```
    "type": "zip",
    "url":
"https://api.github.com/repos/laravel/sail/zipball/fa8d057b6e9310380ccbc3a209ed7f927d54f648",
    "reference": "fa8d057b6e9310380ccbc3a209ed7f927d54f648",
    "shasum": ""
  },
  "require": {
    "illuminate/console": "^9.52.16|^10.0|^11.0|^12.0|^13.0",
    "illuminate/contracts": "^9.52.16|^10.0|^11.0|^12.0|^13.0",
    "illuminate/support": "^9.52.16|^10.0|^11.0|^12.0|^13.0",
    "php": "^8.0",
    "symfony/console": "^6.0|^7.0|^8.0",
    "symfony/yaml": "^6.0|^7.0|^8.0"
  },
  "require-dev": {
    "orchestra/testbench": "^7.0|^8.0|^9.0|^10.0|^11.0",
    "phpstan/phpstan": "^2.0"
  },
  "bin": [
    "bin/sail"
  ],
  "type": "library",
  "extra": {
    "laravel": {
      "providers": [
        "Laravel\\Sail\\SailServiceProvider"
      ]
    }
  },
  "autoload": {
    "psr-4": {
      "Laravel\\Sail\\": "src/"
    }
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "MIT"
  ],
  "authors": [
    {
      "name": "Taylor Otwell",
      "email": "taylor@laravel.com"
    }
  ],
  "description": "Docker files for running a basic Laravel application.",
  "keywords": [
    "docker",
    "laravel"
  ],
  "support": {
    "issues": "https://github.com/laravel/sail/issues",
    "source": "https://github.com/laravel/sail"
  },
  "time": "2026-04-14T13:32:04+00:00"
```



```
},
{
  "name": "mockery/mockery",
  "version": "1.6.12",
  "source": {
    "type": "git",
    "url": "https://github.com/mockery/mockery.git",
    "reference": "1f4efdd7d3beafe9807b08156dfcb176d18f1699"
  },
  "dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/mockery/mockery/zipball/1f4efdd7d3beafe9807b08156dfcb176d18f1699",
    "reference": "1f4efdd7d3beafe9807b08156dfcb176d18f1699",
    "shasum": ""
  },
  "require": {
    "hamcrest/hamcrest-php": "^2.0.1",
    "lib-pcre": ">=7.0",
    "php": ">=7.3"
  },
  "conflict": {
    "phpunit/phpunit": "<8.0"
  },
  "require-dev": {
    "phpunit/phpunit": "^8.5 || ^9.6.17",
    "symplify/easy-coding-standard": "^12.1.14"
  },
  "type": "library",
  "autoload": {
    "files": [
      "library/helpers.php",
      "library/Mockery.php"
    ],
    "psr-4": {
      "Mockery\\": "library/Mockery"
    }
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "BSD-3-Clause"
  ],
  "authors": [
    {
      "name": "Pádraic Brady",
      "email": "padraic.brady@gmail.com",
      "homepage": "https://github.com/padraic",
      "role": "Author"
    },
    {
      "name": "Dave Marshall",
      "email": "dave.marshall@atstsolutions.co.uk",
      "homepage": "https://davedevelopment.co.uk",
      "role": "Developer"
    }
  ]
}
```



```
    },
    {
      "name": "Nathanael Esayeeas",
      "email": "nathanael.esayeeas@protonmail.com",
      "homepage": "https://github.com/ghostwriter",
      "role": "Lead Developer"
    }
  ],
  "description": "Mockery is a simple yet flexible PHP mock object
framework",
  "homepage": "https://github.com/mockery/mockery",
  "keywords": [
    "BDD",
    "TDD",
    "library",
    "mock",
    "mock objects",
    "mockery",
    "stub",
    "test",
    "test double",
    "testing"
  ],
  "support": {
    "docs": "https://docs.mockery.io/",
    "issues": "https://github.com/mockery/mockery/issues",
    "rss": "https://github.com/mockery/mockery/releases.atom",
    "security":
"https://github.com/mockery/mockery/security/advisories",
    "source": "https://github.com/mockery/mockery"
  },
  "time": "2024-05-16T03:13:13+00:00"
},
{
  "name": "myclabs/deep-copy",
  "version": "1.13.4",
  "source": {
    "type": "git",
    "url": "https://github.com/myclabs/DeepCopy.git",
    "reference": "07d290f0c47959fd5eed98c95ee5602db07e0b6a"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/myclabs/DeepCopy/zipball/07d290f0c47959fd5eed98c95ee5
602db07e0b6a",
    "reference": "07d290f0c47959fd5eed98c95ee5602db07e0b6a",
    "shasum": ""
  },
  "require": {
    "php": "^7.1 || ^8.0"
  },
  "conflict": {
    "doctrine/collections": "<1.6.8",
    "doctrine/common": "<2.13.3 || >=3 <3.2.2"
  }
}
```



```
    },
    "require-dev": {
        "doctrine/collections": "^1.6.8",
        "doctrine/common": "^2.13.3 || ^3.2.2",
        "phpspec/prophecy": "^1.10",
        "phpunit/phpunit": "^7.5.20 || ^8.5.23 || ^9.5.13"
    },
    "type": "library",
    "autoload": {
        "files": [
            "src/DeepCopy/deep_copy.php"
        ],
        "psr-4": {
            "DeepCopy\\": "src/DeepCopy/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "description": "Create deep copies (clones) of your objects",
    "keywords": [
        "clone",
        "copy",
        "duplicate",
        "object",
        "object graph"
    ],
    "support": {
        "issues": "https://github.com/myclabs/DeepCopy/issues",
        "source": "https://github.com/myclabs/DeepCopy/tree/1.13.4"
    },
    "funding": [
        {
            "url":
"https://tidelift.com/funding/github/packagist/myclabs/deep-copy",
            "type": "tidelift"
        }
    ],
    "time": "2025-08-01T08:46:24+00:00"
},
{
    "name": "nunomaduro/collision",
    "version": "v8.9.4",
    "source": {
        "type": "git",
        "url": "https://github.com/nunomaduro/collision.git",
        "reference": "716af8f95a470e9094cfca09ed897b023be191a5"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/nunomaduro/collision/zipball/716af8f95a470e9094cfca09ed897b023be191a5",
        "reference": "716af8f95a470e9094cfca09ed897b023be191a5",
    }
}
```



```
    "shasum": ""
  },
  "require": {
    "filp/whoops": "^2.18.4",
    "nunomaduro/termwind": "^2.4.0",
    "php": "^8.2.0",
    "symfony/console": "^7.4.8 || ^8.0.8"
  },
  "conflict": {
    "laravel/framework": "<11.48.0 || >=14.0.0",
    "phpunit/phpunit": "<11.5.50 || >=14.0.0"
  },
  "require-dev": {
    "brianium/paratest": "^7.8.5",
    "larastan/larastan": "^3.9.6",
    "laravel/framework": "^11.48.0 || ^12.56.0 || ^13.5.0",
    "laravel/pint": "^1.29.1",
    "orchestra/testbench-core": "^9.12.0 || ^10.12.1 || ^11.2.1",
    "pestphp/pest": "^3.8.5 || ^4.4.3 || ^5.0.0",
    "sebastian/environment": "^7.2.1 || ^8.0.4 || ^9.3.0"
  },
  "type": "library",
  "extra": {
    "laravel": {
      "providers": [
        "NunoMaduro\\Collision\\Adapters\\Laravel\\
\\CollisionServiceProvider"
      ]
    },
    "branch-alias": {
      "dev-8.x": "8.x-dev"
    }
  },
  "autoload": {
    "files": [
      "./src/Adapters/Phpunit/Autoload.php"
    ],
    "psr-4": {
      "NunoMaduro\\Collision\\": "src/"
    }
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "MIT"
  ],
  "authors": [
    {
      "name": "Nuno Maduro",
      "email": "enunomaduro@gmail.com"
    }
  ],
  "description": "Cli error handling for console/command-line PHP
applications.",
  "keywords": [
    "artisan",
```



```
        "cli",
        "command-line",
        "console",
        "dev",
        "error",
        "handling",
        "laravel",
        "laravel-zero",
        "php",
        "symfony"
    ],
    "support": {
        "issues": "https://github.com/nunomaduro/collision/issues",
        "source": "https://github.com/nunomaduro/collision"
    },
    "funding": [
        {
            "url": "https://www.paypal.com/paypalme/enunomaduro",
            "type": "custom"
        },
        {
            "url": "https://github.com/nunomaduro",
            "type": "github"
        },
        {
            "url": "https://www.patreon.com/nunomaduro",
            "type": "patreon"
        }
    ],
    "time": "2026-04-21T14:04:20+00:00"
},
{
    "name": "phar-io/manifest",
    "version": "2.0.4",
    "source": {
        "type": "git",
        "url": "https://github.com/phar-io/manifest.git",
        "reference": "54750ef60c58e43759730615a392c31c80e23176"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/phar-io/manifest/zipball/54750ef60c58e43759730615a392c31c80e23176",
        "reference": "54750ef60c58e43759730615a392c31c80e23176",
        "shasum": ""
    },
    "require": {
        "ext-dom": "*",
        "ext-libxml": "*",
        "ext-phar": "*",
        "ext-xmlwriter": "*",
        "phar-io/version": "^3.0.1",
        "php": "^7.2 || ^8.0"
    },
}
```



```
"type": "library",
"extra": {
  "branch-alias": {
    "dev-master": "2.0.x-dev"
  }
},
"autoload": {
  "classmap": [
    "src/"
  ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
  "BSD-3-Clause"
],
"authors": [
  {
    "name": "Arne Blankerts",
    "email": "arne@blankerts.de",
    "role": "Developer"
  },
  {
    "name": "Sebastian Heuer",
    "email": "sebastian@phpeople.de",
    "role": "Developer"
  },
  {
    "name": "Sebastian Bergmann",
    "email": "sebastian@phpunit.de",
    "role": "Developer"
  }
],
"description": "Component for reading phar.io manifest information from
a PHP Archive (PHAR)",
"support": {
  "issues": "https://github.com/phar-io/manifest/issues",
  "source": "https://github.com/phar-io/manifest/tree/2.0.4"
},
"funding": [
  {
    "url": "https://github.com/theseer",
    "type": "github"
  }
],
"time": "2024-03-03T12:33:53+00:00"
},
{
  "name": "phar-io/version",
  "version": "3.2.1",
  "source": {
    "type": "git",
    "url": "https://github.com/phar-io/version.git",
    "reference": "4f7fd7836c6f332bb2933569e566a0d6c4cbcd74"
  },
  "dist": {
```



```
        "type": "zip",
        "url":
"https://api.github.com/repos/phar-io/version/zipball/4f7fd7836c6f332bb2933569e566a0d6c4cbed74",
        "reference": "4f7fd7836c6f332bb2933569e566a0d6c4cbed74",
        "shasum": ""
    },
    "require": {
        "php": "^7.2 || ^8.0"
    },
    "type": "library",
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Arne Blankerts",
            "email": "arne@blankerts.de",
            "role": "Developer"
        },
        {
            "name": "Sebastian Heuer",
            "email": "sebastian@phpeople.de",
            "role": "Developer"
        },
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de",
            "role": "Developer"
        }
    ],
    "description": "Library for handling version information and
constraints",
    "support": {
        "issues": "https://github.com/phar-io/version/issues",
        "source": "https://github.com/phar-io/version/tree/3.2.1"
    },
    "time": "2022-02-21T01:04:05+00:00"
},
{
    "name": "phpunit/php-code-coverage",
    "version": "11.0.12",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/php-code-coverage.git",
        "reference": "2c1ed04922802c15e1de5d7447b4856de949cf56"
    },
    "dist": {
```




```
    "type": "zip",
    "url": "https://api.github.com/repos/sebastianbergmann/php-code-coverage/zipball/2c1ed04922802c15e1de5d7447b4856de949cf56",
    "reference": "2c1ed04922802c15e1de5d7447b4856de949cf56",
    "shasum": ""
  },
  "require": {
    "ext-dom": "*",
    "ext-libxml": "*",
    "ext-xmlwriter": "*",
    "nikic/php-parser": "^5.7.0",
    "php": ">=8.2",
    "phpunit/php-file-iterator": "^5.1.0",
    "phpunit/php-text-template": "^4.0.1",
    "sebastian/code-unit-reverse-lookup": "^4.0.1",
    "sebastian/complexity": "^4.0.1",
    "sebastian/environment": "^7.2.1",
    "sebastian/lines-of-code": "^3.0.1",
    "sebastian/version": "^5.0.2",
    "theseer/tokenizer": "^1.3.1"
  },
  "require-dev": {
    "phpunit/phpunit": "^11.5.46"
  },
  "suggest": {
    "ext-pcov": "PHP extension that provides line coverage",
    "ext-xdebug": "PHP extension that provides line coverage as well as branch and path coverage"
  },
  "type": "library",
  "extra": {
    "branch-alias": {
      "dev-main": "11.0.x-dev"
    }
  },
  "autoload": {
    "classmap": [
      "src/"
    ]
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "BSD-3-Clause"
  ],
  "authors": [
    {
      "name": "Sebastian Bergmann",
      "email": "sebastian@phpunit.de",
      "role": "lead"
    }
  ],
  "description": "Library that provides collection, processing, and rendering functionality for PHP code coverage information.",
  "homepage": "https://github.com/sebastianbergmann/php-code-coverage",
  "keywords": [
```



```
        "coverage",
        "testing",
        "xunit"
    ],
    "support": {
        "issues":
"https://github.com/sebastianbergmann/php-code-coverage/issues",
        "security": "https://github.com/sebastianbergmann/php-code-coverage/security/policy",
        "source":
"https://github.com/sebastianbergmann/php-code-coverage/tree/11.0.12"
    },
    "funding": [
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        },
        {
            "url": "https://liberapay.com/sebastianbergmann",
            "type": "liberapay"
        },
        {
            "url": "https://thanks.dev/u/gh/sebastianbergmann",
            "type": "thanks_dev"
        },
        {
            "url":
"https://tidelift.com/funding/github/packagist/phpunit/php-code-coverage",
            "type": "tidelift"
        }
    ],
    "time": "2025-12-24T07:01:01+00:00"
},
{
    "name": "phpunit/php-file-iterator",
    "version": "5.1.1",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/php-file-iterator.git",
        "reference": "2f3a64888c814fc235386b7387dd5b5ed92ad903"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/sebastianbergmann/php-file-iterator/zipball/2f3a64888c814fc235386b7387dd5b5ed92ad903",
        "reference": "2f3a64888c814fc235386b7387dd5b5ed92ad903",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2"
    },
    "require-dev": {
        "phpunit/phpunit": "^11.3"
    },
}
```



```
"type": "library",
"extra": {
  "branch-alias": {
    "dev-main": "5.1-dev"
  }
},
"autoload": {
  "classmap": [
    "src/"
  ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
  "BSD-3-Clause"
],
"authors": [
  {
    "name": "Sebastian Bergmann",
    "email": "sebastian@phpunit.de",
    "role": "lead"
  }
],
"description": "FilterIterator implementation that filters files based
on a list of suffixes.",
"homepage": "https://github.com/sebastianbergmann/php-file-iterator/",
"keywords": [
  "filesystem",
  "iterator"
],
"support": {
  "issues":
"https://github.com/sebastianbergmann/php-file-iterator/issues",
  "security": "https://github.com/sebastianbergmann/php-file-
iterator/security/policy",
  "source":
"https://github.com/sebastianbergmann/php-file-iterator/tree/5.1.1"
},
"funding": [
  {
    "url": "https://github.com/sebastianbergmann",
    "type": "github"
  },
  {
    "url": "https://liberapay.com/sebastianbergmann",
    "type": "liberapay"
  },
  {
    "url": "https://thanks.dev/u/gh/sebastianbergmann",
    "type": "thanks_dev"
  },
  {
    "url":
"https://tidelift.com/funding/github/packagist/phpunit/php-file-iterator",
    "type": "tidelift"
  }
]
```



```
    ],
    "time": "2026-02-02T13:52:54+00:00"
  },
  {
    "name": "phpunit/php-invoker",
    "version": "5.0.1",
    "source": {
      "type": "git",
      "url": "https://github.com/sebastianbergmann/php-invoker.git",
      "reference": "c1ca3814734c07492b3d4c5f794f4b0995333da2"
    },
    "dist": {
      "type": "zip",
      "url": "https://api.github.com/repos/sebastianbergmann/php-invoker/zipball/c1ca3814734c07492b3d4c5f794f4b0995333da2",
      "reference": "c1ca3814734c07492b3d4c5f794f4b0995333da2",
      "shasum": ""
    },
    "require": {
      "php": ">=8.2"
    },
    "require-dev": {
      "ext-pcntl": "*",
      "phpunit/phpunit": "^11.0"
    },
    "suggest": {
      "ext-pcntl": "*"
    },
    "type": "library",
    "extra": {
      "branch-alias": {
        "dev-main": "5.0-dev"
      }
    },
    "autoload": {
      "classmap": [
        "src/"
      ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
      "BSD-3-Clause"
    ],
    "authors": [
      {
        "name": "Sebastian Bergmann",
        "email": "sebastian@phpunit.de",
        "role": "lead"
      }
    ],
    "description": "Invoke callables with a timeout",
    "homepage": "https://github.com/sebastianbergmann/php-invoker/",
    "keywords": [
      "process"
    ]
  },
]
```



```
    "support": {
      "issues":
"https://github.com/sebastianbergmann/php-invoker/issues",
      "security":
"https://github.com/sebastianbergmann/php-invoker/security/policy",
      "source":
"https://github.com/sebastianbergmann/php-invoker/tree/5.0.1"
    },
    "funding": [
      {
        "url": "https://github.com/sebastianbergmann",
        "type": "github"
      }
    ],
    "time": "2024-07-03T05:07:44+00:00"
  },
  {
    "name": "phpunit/php-text-template",
    "version": "4.0.1",
    "source": {
      "type": "git",
      "url": "https://github.com/sebastianbergmann/php-text-
template.git",
      "reference": "3e0404dc6b300e6bf56415467ebcb3fe4f33e964"
    },
    "dist": {
      "type": "zip",
      "url": "https://api.github.com/repos/sebastianbergmann/php-text-
template/zipball/3e0404dc6b300e6bf56415467ebcb3fe4f33e964",
      "reference": "3e0404dc6b300e6bf56415467ebcb3fe4f33e964",
      "shasum": ""
    },
    "require": {
      "php": ">=8.2"
    },
    "require-dev": {
      "phpunit/phpunit": "^11.0"
    },
    "type": "library",
    "extra": {
      "branch-alias": {
        "dev-main": "4.0-dev"
      }
    },
    "autoload": {
      "classmap": [
        "src/"
      ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
      "BSD-3-Clause"
    ],
    "authors": [
      {
```



```
        "name": "Sebastian Bergmann",
        "email": "sebastian@phpunit.de",
        "role": "lead"
    },
    ],
    "description": "Simple template engine.",
    "homepage": "https://github.com/sebastianbergmann/php-text-template/",
    "keywords": [
        "template"
    ],
    ],
    "support": {
        "issues":
"https://github.com/sebastianbergmann/php-text-template/issues",
        "security": "https://github.com/sebastianbergmann/php-text-
template/security/policy",
        "source":
"https://github.com/sebastianbergmann/php-text-template/tree/4.0.1"
    },
    "funding": [
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        }
    ],
    ],
    "time": "2024-07-03T05:08:43+00:00"
},
{
    "name": "phpunit/php-timer",
    "version": "7.0.1",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/php-timer.git",
        "reference": "3b415def83fbc41f991d9ebf16ae4ad8b7837b3"
    },
    ],
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/sebastianbergmann/php-timer/zipball/
3b415def83fbc41f991d9ebf16ae4ad8b7837b3",
        "reference": "3b415def83fbc41f991d9ebf16ae4ad8b7837b3",
        "shasum": ""
    },
    ],
    "require": {
        "php": ">=8.2"
    },
    ],
    "require-dev": {
        "phpunit/phpunit": "^11.0"
    },
    ],
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "7.0-dev"
        }
    },
    ],
    "autoload": {
```



```
        "classmap": [
            "src/"
        ],
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de",
            "role": "lead"
        }
    ],
    "description": "Utility class for timing",
    "homepage": "https://github.com/sebastianbergmann/php-timer/",
    "keywords": [
        "timer"
    ],
    "support": {
        "issues": "https://github.com/sebastianbergmann/php-timer/issues",
        "security":
"https://github.com/sebastianbergmann/php-timer/security/policy",
        "source":
"https://github.com/sebastianbergmann/php-timer/tree/7.0.1"
    },
    "funding": [
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        }
    ],
    "time": "2024-07-03T05:09:35+00:00"
},
{
    "name": "phpunit/phpunit",
    "version": "11.5.55",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/phpunit.git",
        "reference": "adc7262fccc12de2b30f12a8aa0b33775d814f00"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/sebastianbergmann/phpunit/zipball/adc7262fccc12de2b30f12a8aa0b33775d814f00",
        "reference": "adc7262fccc12de2b30f12a8aa0b33775d814f00",
        "shasum": ""
    },
    "require": {
        "ext-dom": "*",
        "ext-json": "*",
        "ext-libxml": "*",

```



```
"ext-mbstring": "*",
"ext-xml": "*",
"ext-xmlwriter": "*",
"myclabs/deep-copy": "^1.13.4",
"phar-io/manifest": "^2.0.4",
"phar-io/version": "^3.2.1",
"php": ">=8.2",
"phpunit/php-code-coverage": "^11.0.12",
"phpunit/php-file-iterator": "^5.1.1",
"phpunit/php-invoker": "^5.0.1",
"phpunit/php-text-template": "^4.0.1",
"phpunit/php-timer": "^7.0.1",
"sebastian/cli-parser": "^3.0.2",
"sebastian/code-unit": "^3.0.3",
"sebastian/comparator": "^6.3.3",
"sebastian/diff": "^6.0.2",
"sebastian/environment": "^7.2.1",
"sebastian/exporter": "^6.3.2",
"sebastian/global-state": "^7.0.2",
"sebastian/object-enumerator": "^6.0.1",
"sebastian/recursion-context": "^6.0.3",
"sebastian/type": "^5.1.3",
"sebastian/version": "^5.0.2",
"staabm/side-effects-detector": "^1.0.5"
},
"suggest": {
    "ext-soap": "To be able to generate mocks based on WSDL files"
},
"bin": [
    "phpunit"
],
"type": "library",
"extra": {
    "branch-alias": {
        "dev-main": "11.5-dev"
    }
},
"autoload": {
    "files": [
        "src/Framework/Assert/Functions.php"
    ],
    "classmap": [
        "src/"
    ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "BSD-3-Clause"
],
"authors": [
    {
        "name": "Sebastian Bergmann",
        "email": "sebastian@phpunit.de",
        "role": "lead"
    }
]
```




```
],
"description": "The PHP Unit Testing framework.",
"homepage": "https://phpunit.de/",
"keywords": [
  "phpunit",
  "testing",
  "xunit"
],
"support": {
  "issues": "https://github.com/sebastianbergmann/phpunit/issues",
  "security":
"https://github.com/sebastianbergmann/phpunit/security/policy",
  "source":
"https://github.com/sebastianbergmann/phpunit/tree/11.5.55"
},
"funding": [
  {
    "url": "https://phpunit.de/sponsors.html",
    "type": "custom"
  },
  {
    "url": "https://github.com/sebastianbergmann",
    "type": "github"
  },
  {
    "url": "https://liberapay.com/sebastianbergmann",
    "type": "liberapay"
  },
  {
    "url": "https://thanks.dev/u/gh/sebastianbergmann",
    "type": "thanks_dev"
  },
  {
    "url":
"https://tidelift.com/funding/github/packagist/phpunit/phpunit",
    "type": "tidelift"
  }
],
"time": "2026-02-18T12:37:06+00:00"
},
{
  "name": "sebastian/cli-parser",
  "version": "3.0.2",
  "source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/cli-parser.git",
    "reference": "15c5dd40dc4f38794d383bb95465193f5e0ae180"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/sebastianbergmann/cli-parser/zipball/
15c5dd40dc4f38794d383bb95465193f5e0ae180",
    "reference": "15c5dd40dc4f38794d383bb95465193f5e0ae180",
    "shasum": ""
  }
}
```



```
},
"require": {
    "php": ">=8.2"
},
"require-dev": {
    "phpunit/phpunit": "^11.0"
},
"type": "library",
"extra": {
    "branch-alias": {
        "dev-main": "3.0-dev"
    }
},
"autoload": {
    "classmap": [
        "src/"
    ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "BSD-3-Clause"
],
"authors": [
    {
        "name": "Sebastian Bergmann",
        "email": "sebastian@phpunit.de",
        "role": "lead"
    }
],
"description": "Library for parsing CLI options",
"homepage": "https://github.com/sebastianbergmann/cli-parser",
"support": {
    "issues": "https://github.com/sebastianbergmann/cli-parser/issues",
    "security":
"https://github.com/sebastianbergmann/cli-parser/security/policy",
    "source":
"https://github.com/sebastianbergmann/cli-parser/tree/3.0.2"
},
"funding": [
    {
        "url": "https://github.com/sebastianbergmann",
        "type": "github"
    }
],
"time": "2024-07-03T04:41:36+00:00"
},
{
    "name": "sebastian/code-unit",
    "version": "3.0.3",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/code-unit.git",
        "reference": "54391c61e4af8078e5b276ab082b6d3c54c9ad64"
    },
    "dist": {
```



```
        "type": "zip",
        "url":
"https://api.github.com/repos/sebastianbergmann/code-unit/zipball/
54391c61e4af8078e5b276ab082b6d3c54c9ad64",
        "reference": "54391c61e4af8078e5b276ab082b6d3c54c9ad64",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2"
    },
    "require-dev": {
        "phpunit/phpunit": "^11.5"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "3.0-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de",
            "role": "lead"
        }
    ],
    "description": "Collection of value objects that represent the PHP code
units",
    "homepage": "https://github.com/sebastianbergmann/code-unit",
    "support": {
        "issues": "https://github.com/sebastianbergmann/code-unit/issues",
        "security":
"https://github.com/sebastianbergmann/code-unit/security/policy",
        "source":
"https://github.com/sebastianbergmann/code-unit/tree/3.0.3"
    },
    "funding": [
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        }
    ],
    "time": "2025-03-19T07:56:08+00:00"
},
{
    "name": "sebastian/code-unit-reverse-lookup",
```



```
    "version": "4.0.1",
    "source": {
      "type": "git",
      "url": "https://github.com/sebastianbergmann/code-unit-reverse-lookup.git",
      "reference": "183a9b2632194febd219bb9246eee421dad8d45e"
    },
    "dist": {
      "type": "zip",
      "url": "https://api.github.com/repos/sebastianbergmann/code-unit-reverse-lookup/zipball/183a9b2632194febd219bb9246eee421dad8d45e",
      "reference": "183a9b2632194febd219bb9246eee421dad8d45e",
      "shasum": ""
    },
    "require": {
      "php": ">=8.2"
    },
    "require-dev": {
      "phpunit/phpunit": "^11.0"
    },
    "type": "library",
    "extra": {
      "branch-alias": {
        "dev-main": "4.0-dev"
      }
    },
    "autoload": {
      "classmap": [
        "src/"
      ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
      "BSD-3-Clause"
    ],
    "authors": [
      {
        "name": "Sebastian Bergmann",
        "email": "sebastian@phpunit.de"
      }
    ],
    "description": "Looks up which function or method a line of code belongs to",
    "homepage": "https://github.com/sebastianbergmann/code-unit-reverse-lookup/",
    "support": {
      "issues": "https://github.com/sebastianbergmann/code-unit-reverse-lookup/issues",
      "security": "https://github.com/sebastianbergmann/code-unit-reverse-lookup/security/policy",
      "source": "https://github.com/sebastianbergmann/code-unit-reverse-lookup/tree/4.0.1"
    },
    "funding": [
      {
```



```
        "url": "https://github.com/sebastianbergmann",
        "type": "github"
    },
    ],
    "time": "2024-07-03T04:45:54+00:00"
},
{
    "name": "sebastian/comparator",
    "version": "6.3.3",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/comparator.git",
        "reference": "2c95e1e86cb8dd41beb8d502057d1081ccc8eca9"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/sebastianbergmann/comparator/zipball/
2c95e1e86cb8dd41beb8d502057d1081ccc8eca9",
        "reference": "2c95e1e86cb8dd41beb8d502057d1081ccc8eca9",
        "shasum": ""
    },
    "require": {
        "ext-dom": "*",
        "ext-mbstring": "*",
        "php": ">=8.2",
        "sebastian/diff": "^6.0",
        "sebastian/exporter": "^6.0"
    },
    "require-dev": {
        "phpunit/phpunit": "^11.4"
    },
    "suggest": {
        "ext-bcmath": "For comparing BcMath\\Number objects"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "6.3-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de"
        }
    ],
}
```



```
{
  "name": "Jeff Welch",
  "email": "whatthejeff@gmail.com"
},
{
  "name": "Volker Dusch",
  "email": "github@wallbash.com"
},
{
  "name": "Bernhard Schussek",
  "email": "bschussek@2bepublished.at"
}
],
"description": "Provides the functionality to compare PHP values for
equality",
"homepage": "https://github.com/sebastianbergmann/comparator",
"keywords": [
  "comparator",
  "compare",
  "equality"
],
"support": {
  "issues": "https://github.com/sebastianbergmann/comparator/issues",
  "security":
"https://github.com/sebastianbergmann/comparator/security/policy",
  "source":
"https://github.com/sebastianbergmann/comparator/tree/6.3.3"
},
"funding": [
  {
    "url": "https://github.com/sebastianbergmann",
    "type": "github"
  },
  {
    "url": "https://liberapay.com/sebastianbergmann",
    "type": "liberapay"
  },
  {
    "url": "https://thanks.dev/u/gh/sebastianbergmann",
    "type": "thanks_dev"
  },
  {
    "url":
"https://tidelift.com/funding/github/packagist/sebastian/comparator",
    "type": "tidelift"
  }
],
"time": "2026-01-24T09:26:40+00:00"
},
{
  "name": "sebastian/complexity",
  "version": "4.0.1",
  "source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/complexity.git",
```



```
        "reference": "ee41d384ab1906c68852636b6de493846e13e5a0"
      },
      "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/sebastianbergmann/complexity/zipball/
ee41d384ab1906c68852636b6de493846e13e5a0",
        "reference": "ee41d384ab1906c68852636b6de493846e13e5a0",
        "shasum": ""
      },
      "require": {
        "nikic/php-parser": "^5.0",
        "php": ">=8.2"
      },
      "require-dev": {
        "phpunit/phpunit": "^11.0"
      },
      "type": "library",
      "extra": {
        "branch-alias": {
          "dev-main": "4.0-dev"
        }
      },
      "autoload": {
        "classmap": [
          "src/"
        ]
      },
      "notification-url": "https://packagist.org/downloads/",
      "license": [
        "BSD-3-Clause"
      ],
      "authors": [
        {
          "name": "Sebastian Bergmann",
          "email": "sebastian@phpunit.de",
          "role": "lead"
        }
      ],
      "description": "Library for calculating the complexity of PHP code
units",
      "homepage": "https://github.com/sebastianbergmann/complexity",
      "support": {
        "issues": "https://github.com/sebastianbergmann/complexity/issues",
        "security":
"https://github.com/sebastianbergmann/complexity/security/policy",
        "source":
"https://github.com/sebastianbergmann/complexity/tree/4.0.1"
      },
      "funding": [
        {
          "url": "https://github.com/sebastianbergmann",
          "type": "github"
        }
      ],
    ],
```



```
    "time": "2024-07-03T04:49:50+00:00"
  },
  {
    "name": "sebastian/diff",
    "version": "6.0.2",
    "source": {
      "type": "git",
      "url": "https://github.com/sebastianbergmann/diff.git",
      "reference": "b4ccd857127db5d41a5b676f24b51371d76d8544"
    },
    "dist": {
      "type": "zip",
      "url": "https://api.github.com/repos/sebastianbergmann/diff/zipball/b4ccd857127db5d41a5b676f24b51371d76d8544",
      "reference": "b4ccd857127db5d41a5b676f24b51371d76d8544",
      "shasum": ""
    },
    "require": {
      "php": ">=8.2"
    },
    "require-dev": {
      "phpunit/phpunit": "^11.0",
      "symfony/process": "^4.2 || ^5"
    },
    "type": "library",
    "extra": {
      "branch-alias": {
        "dev-main": "6.0-dev"
      }
    },
    "autoload": {
      "classmap": [
        "src/"
      ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
      "BSD-3-Clause"
    ],
    "authors": [
      {
        "name": "Sebastian Bergmann",
        "email": "sebastian@phpunit.de"
      },
      {
        "name": "Kore Nordmann",
        "email": "mail@kore-nordmann.de"
      }
    ],
    "description": "Diff implementation",
    "homepage": "https://github.com/sebastianbergmann/diff",
    "keywords": [
      "diff",
      "udiff"
    ]
  }
]
```




```
        "unidiff",
        "unified diff"
    ],
    "support": {
        "issues": "https://github.com/sebastianbergmann/diff/issues",
        "security":
"https://github.com/sebastianbergmann/diff/security/policy",
        "source": "https://github.com/sebastianbergmann/diff/tree/6.0.2"
    },
    "funding": [
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        }
    ],
    "time": "2024-07-03T04:53:05+00:00"
},
{
    "name": "sebastian/environment",
    "version": "7.2.1",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/environment.git",
        "reference": "a5c75038693ad2e8d4b6c15ba2403532647830c4"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/sebastianbergmann/environment/zipball/
a5c75038693ad2e8d4b6c15ba2403532647830c4",
        "reference": "a5c75038693ad2e8d4b6c15ba2403532647830c4",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2"
    },
    "require-dev": {
        "phpunit/phpunit": "^11.3"
    },
    "suggest": {
        "ext-posix": "*"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "7.2-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
```



```
    "BSD-3-Clause"
  ],
  "authors": [
    {
      "name": "Sebastian Bergmann",
      "email": "sebastian@phpunit.de"
    }
  ],
  "description": "Provides functionality to handle HHVM/PHP
environments",
  "homepage": "https://github.com/sebastianbergmann/environment",
  "keywords": [
    "Xdebug",
    "environment",
    "hhvm"
  ],
  "support": {
    "issues":
"https://github.com/sebastianbergmann/environment/issues",
    "security":
"https://github.com/sebastianbergmann/environment/security/policy",
    "source":
"https://github.com/sebastianbergmann/environment/tree/7.2.1"
  },
  "funding": [
    {
      "url": "https://github.com/sebastianbergmann",
      "type": "github"
    },
    {
      "url": "https://liberapay.com/sebastianbergmann",
      "type": "liberapay"
    },
    {
      "url": "https://thanks.dev/u/gh/sebastianbergmann",
      "type": "thanks_dev"
    },
    {
      "url":
"https://tidelift.com/funding/github/package/sebastian/environment",
      "type": "tidelift"
    }
  ],
  "time": "2025-05-21T11:55:47+00:00"
},
{
  "name": "sebastian/exporter",
  "version": "6.3.2",
  "source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/exporter.git",
    "reference": "70a298763b40b213ec087c51c739efcaa90bcd74"
  },
  "dist": {
    "type": "zip",
```



```
    "url":
"https://api.github.com/repos/sebastianbergmann/exporter/zipball/70a298763b40b213ec
087c51c739efcaa90bcd74",
    "reference": "70a298763b40b213ec087c51c739efcaa90bcd74",
    "shasum": ""
},
"require": {
    "ext-mbstring": "*",
    "php": ">=8.2",
    "sebastian/recursion-context": "^6.0"
},
"require-dev": {
    "phpunit/phpunit": "^11.3"
},
"type": "library",
"extra": {
    "branch-alias": {
        "dev-main": "6.3-dev"
    }
},
"autoload": {
    "classmap": [
        "src/"
    ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "BSD-3-Clause"
],
"authors": [
    {
        "name": "Sebastian Bergmann",
        "email": "sebastian@phpunit.de"
    },
    {
        "name": "Jeff Welch",
        "email": "whatthejeff@gmail.com"
    },
    {
        "name": "Volker Dusch",
        "email": "github@wallbash.com"
    },
    {
        "name": "Adam Harvey",
        "email": "aharvey@php.net"
    },
    {
        "name": "Bernhard Schussek",
        "email": "bschussek@gmail.com"
    }
],
"description": "Provides the functionality to export PHP variables for
visualization",
"homepage": "https://www.github.com/sebastianbergmann/exporter",
"keywords": [
```



```
        "export",
        "exporter"
    ],
    "support": {
        "issues": "https://github.com/sebastianbergmann/exporter/issues",
        "security":
"https://github.com/sebastianbergmann/exporter/security/policy",
        "source":
"https://github.com/sebastianbergmann/exporter/tree/6.3.2"
    },
    "funding": [
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        },
        {
            "url": "https://liberapay.com/sebastianbergmann",
            "type": "liberapay"
        },
        {
            "url": "https://thanks.dev/u/gh/sebastianbergmann",
            "type": "thanks_dev"
        },
        {
            "url":
"https://tidelift.com/funding/github/packagist/sebastian/exporter",
            "type": "tidelift"
        }
    ],
    "time": "2025-09-24T06:12:51+00:00"
},
{
    "name": "sebastian/global-state",
    "version": "7.0.2",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/global-state.git",
        "reference": "3be331570a721f9a4b5917f4209773de17f747d7"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/sebastianbergmann/global-
state/zipball/3be331570a721f9a4b5917f4209773de17f747d7",
        "reference": "3be331570a721f9a4b5917f4209773de17f747d7",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2",
        "sebastian/object-reflector": "^4.0",
        "sebastian/recursion-context": "^6.0"
    },
    "require-dev": {
        "ext-dom": "*",
        "phpunit/phpunit": "^11.0"
    },
}
```



```
"type": "library",
"extra": {
  "branch-alias": {
    "dev-main": "7.0-dev"
  }
},
"autoload": {
  "classmap": [
    "src/"
  ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
  "BSD-3-Clause"
],
"authors": [
  {
    "name": "Sebastian Bergmann",
    "email": "sebastian@phpunit.de"
  }
],
"description": "Snapshotting of global state",
"homepage": "https://www.github.com/sebastianbergmann/global-state",
"keywords": [
  "global state"
],
"support": {
  "issues":
"https://github.com/sebastianbergmann/global-state/issues",
  "security":
"https://github.com/sebastianbergmann/global-state/security/policy",
  "source":
"https://github.com/sebastianbergmann/global-state/tree/7.0.2"
},
"funding": [
  {
    "url": "https://github.com/sebastianbergmann",
    "type": "github"
  }
],
"time": "2024-07-03T04:57:36+00:00"
},
{
  "name": "sebastian/lines-of-code",
  "version": "3.0.1",
  "source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/lines-of-code.git",
    "reference": "d36ad0d782e5756913e42ad87cb2890f4ffe467a"
  },
  "dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/sebastianbergmann/lines-of-code/zipball/d36ad0d782e5756913e42ad87cb2890f4ffe467a",
    "reference": "d36ad0d782e5756913e42ad87cb2890f4ffe467a",
```



```
        "shasum": ""
    },
    "require": {
        "nikic/php-parser": "^5.0",
        "php": ">=8.2"
    },
    "require-dev": {
        "phpunit/phpunit": "^11.0"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "3.0-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de",
            "role": "lead"
        }
    ],
    "description": "Library for counting the lines of code in PHP source
code",
    "homepage": "https://github.com/sebastianbergmann/lines-of-code",
    "support": {
        "issues":
"https://github.com/sebastianbergmann/lines-of-code/issues",
        "security":
"https://github.com/sebastianbergmann/lines-of-code/security/policy",
        "source":
"https://github.com/sebastianbergmann/lines-of-code/tree/3.0.1"
    },
    "funding": [
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        }
    ],
    "time": "2024-07-03T04:58:38+00:00"
},
{
    "name": "sebastian/object-enumerator",
    "version": "6.0.1",
    "source": {
        "type": "git",
```



```
"url": "https://github.com/sebastianbergmann/object-
enumerator.git",
"reference": "f5b498e631a74204185071eb41f33f38d64608aa"
},
"dist": {
  "type": "zip",
  "url": "https://api.github.com/repos/sebastianbergmann/object-
enumerator/zipball/f5b498e631a74204185071eb41f33f38d64608aa",
  "reference": "f5b498e631a74204185071eb41f33f38d64608aa",
  "shasum": ""
},
"require": {
  "php": ">=8.2",
  "sebastian/object-reflector": "^4.0",
  "sebastian/recursion-context": "^6.0"
},
"require-dev": {
  "phpunit/phpunit": "^11.0"
},
"type": "library",
"extra": {
  "branch-alias": {
    "dev-main": "6.0-dev"
  }
},
"autoload": {
  "classmap": [
    "src/"
  ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
  "BSD-3-Clause"
],
"authors": [
  {
    "name": "Sebastian Bergmann",
    "email": "sebastian@phpunit.de"
  }
],
"description": "Traverses array structures and object graphs to
enumerate all referenced objects",
"homepage": "https://github.com/sebastianbergmann/object-enumerator/",
"support": {
  "issues":
"https://github.com/sebastianbergmann/object-enumerator/issues",
  "security": "https://github.com/sebastianbergmann/object-
enumerator/security/policy",
  "source":
"https://github.com/sebastianbergmann/object-enumerator/tree/6.0.1"
},
"funding": [
  {
    "url": "https://github.com/sebastianbergmann",
    "type": "github"
```



```
    },
    "time": "2024-07-03T05:00:13+00:00"
  },
  {
    "name": "sebastian/object-reflector",
    "version": "4.0.1",
    "source": {
      "type": "git",
      "url": "https://github.com/sebastianbergmann/object-reflector.git",
      "reference": "6e1a43b411b2ad34146dee7524cb13a068bb35f9"
    },
    "dist": {
      "type": "zip",
      "url": "https://api.github.com/repos/sebastianbergmann/object-reflector/zipball/6e1a43b411b2ad34146dee7524cb13a068bb35f9",
      "reference": "6e1a43b411b2ad34146dee7524cb13a068bb35f9",
      "shasum": ""
    },
    "require": {
      "php": ">=8.2"
    },
    "require-dev": {
      "phpunit/phpunit": "^11.0"
    },
    "type": "library",
    "extra": {
      "branch-alias": {
        "dev-main": "4.0-dev"
      }
    },
    "autoload": {
      "classmap": [
        "src/"
      ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
      "BSD-3-Clause"
    ],
    "authors": [
      {
        "name": "Sebastian Bergmann",
        "email": "sebastian@phpunit.de"
      }
    ],
    "description": "Allows reflection of object attributes, including inherited and non-public ones",
    "homepage": "https://github.com/sebastianbergmann/object-reflector/",
    "support": {
      "issues": "https://github.com/sebastianbergmann/object-reflector/issues",
      "security": "https://github.com/sebastianbergmann/object-reflector/security/policy",
    }
  }
]
```




```
        "source":
"https://github.com/sebastianbergmann/object-reflector/tree/4.0.1"
    },
    "funding": [
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        }
    ],
    "time": "2024-07-03T05:01:32+00:00"
},
{
    "name": "sebastian/recursion-context",
    "version": "6.0.3",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/recursion-
context.git",
        "reference": "f6458abbf32a6c8174f8f26261475dc133b3d9dc"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/sebastianbergmann/recursion-
context/zipball/f6458abbf32a6c8174f8f26261475dc133b3d9dc",
        "reference": "f6458abbf32a6c8174f8f26261475dc133b3d9dc",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2"
    },
    "require-dev": {
        "phpunit/phpunit": "^11.3"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "6.0-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de"
        },
        {
            "name": "Jeff Welch",
```



```
        "email": "whatthejeff@gmail.com"
      },
      {
        "name": "Adam Harvey",
        "email": "aharvey@php.net"
      }
    ],
    "description": "Provides functionality to recursively process PHP
variables",
    "homepage": "https://github.com/sebastianbergmann/recursion-context",
    "support": {
      "issues":
"https://github.com/sebastianbergmann/recursion-context/issues",
      "security": "https://github.com/sebastianbergmann/recursion-
context/security/policy",
      "source":
"https://github.com/sebastianbergmann/recursion-context/tree/6.0.3"
    },
    "funding": [
      {
        "url": "https://github.com/sebastianbergmann",
        "type": "github"
      },
      {
        "url": "https://liberapay.com/sebastianbergmann",
        "type": "liberapay"
      },
      {
        "url": "https://thanks.dev/u/gh/sebastianbergmann",
        "type": "thanks_dev"
      },
      {
        "url":
"https://tidelift.com/funding/github/packagist/sebastian/recursion-context",
        "type": "tidelift"
      }
    ],
    "time": "2025-08-13T04:42:22+00:00"
  },
  {
    "name": "sebastian/type",
    "version": "5.1.3",
    "source": {
      "type": "git",
      "url": "https://github.com/sebastianbergmann/type.git",
      "reference": "f77d2d4e78738c98d9a68d2596fe5e8fa380f449"
    },
    "dist": {
      "type": "zip",
      "url":
"https://api.github.com/repos/sebastianbergmann/type/zipball/f77d2d4e78738c98d9a68d
2596fe5e8fa380f449",
      "reference": "f77d2d4e78738c98d9a68d2596fe5e8fa380f449",
      "shasum": ""
    }
  },
}
```



```
"require": {
  "php": ">=8.2"
},
"require-dev": {
  "phpunit/phpunit": "^11.3"
},
"type": "library",
"extra": {
  "branch-alias": {
    "dev-main": "5.1-dev"
  }
},
"autoload": {
  "classmap": [
    "src/"
  ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
  "BSD-3-Clause"
],
"authors": [
  {
    "name": "Sebastian Bergmann",
    "email": "sebastian@phpunit.de",
    "role": "lead"
  }
],
"description": "Collection of value objects that represent the types of
the PHP type system",
"homepage": "https://github.com/sebastianbergmann/type",
"support": {
  "issues": "https://github.com/sebastianbergmann/type/issues",
  "security":
"https://github.com/sebastianbergmann/type/security/policy",
  "source": "https://github.com/sebastianbergmann/type/tree/5.1.3"
},
"funding": [
  {
    "url": "https://github.com/sebastianbergmann",
    "type": "github"
  },
  {
    "url": "https://liberapay.com/sebastianbergmann",
    "type": "liberapay"
  },
  {
    "url": "https://thanks.dev/u/gh/sebastianbergmann",
    "type": "thanks_dev"
  },
  {
    "url":
"https://tidelift.com/funding/github/packagist/sebastian/type",
    "type": "tidelift"
  }
]
```



```
    ],
    "time": "2025-08-09T06:55:48+00:00"
  },
  {
    "name": "sebastian/version",
    "version": "5.0.2",
    "source": {
      "type": "git",
      "url": "https://github.com/sebastianbergmann/version.git",
      "reference": "c687e3387b99f5b03b6caa64c74b63e2936ff874"
    },
    "dist": {
      "type": "zip",
      "url":
"https://api.github.com/repos/sebastianbergmann/version/zipball/c687e3387b99f5b03b6
caa64c74b63e2936ff874",
      "reference": "c687e3387b99f5b03b6caa64c74b63e2936ff874",
      "shasum": ""
    },
    "require": {
      "php": ">=8.2"
    },
    "type": "library",
    "extra": {
      "branch-alias": {
        "dev-main": "5.0-dev"
      }
    },
    "autoload": {
      "classmap": [
        "src/"
      ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
      "BSD-3-Clause"
    ],
    "authors": [
      {
        "name": "Sebastian Bergmann",
        "email": "sebastian@phpunit.de",
        "role": "lead"
      }
    ],
    "description": "Library that helps with managing the version number of
Git-hosted PHP projects",
    "homepage": "https://github.com/sebastianbergmann/version",
    "support": {
      "issues": "https://github.com/sebastianbergmann/version/issues",
      "security":
"https://github.com/sebastianbergmann/version/security/policy",
      "source": "https://github.com/sebastianbergmann/version/tree/5.0.2"
    },
    "funding": [
      {
```



```
        "url": "https://github.com/sebastianbergmann",
        "type": "github"
    },
    ],
    "time": "2024-10-09T05:16:32+00:00"
},
{
    "name": "staabm/side-effects-detector",
    "version": "1.0.5",
    "source": {
        "type": "git",
        "url": "https://github.com/staabm/side-effects-detector.git",
        "reference": "d8334211a140ce329c13726d4a715adbddd0a163"
    },
    "dist": {
        "type": "zip",
        "url":
"https://api.github.com/repos/staabm/side-effects-detector/zipball/
d8334211a140ce329c13726d4a715adbddd0a163",
        "reference": "d8334211a140ce329c13726d4a715adbddd0a163",
        "shasum": ""
    },
    "require": {
        "ext-tokenizer": "*",
        "php": "^7.4 || ^8.0"
    },
    "require-dev": {
        "phpstan/extension-installer": "^1.4.3",
        "phpstan/phpstan": "^1.12.6",
        "phpunit/phpunit": "^9.6.21",
        "symfony/var-dumper": "^5.4.43",
        "tomasvotruba/type-coverage": "1.0.0",
        "tomasvotruba/unused-public": "1.0.0"
    },
    "type": "library",
    "autoload": {
        "classmap": [
            "lib/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "description": "A static analysis tool to detect side effects in PHP
code",
    "keywords": [
        "static analysis"
    ],
    "support": {
        "issues": "https://github.com/staabm/side-effects-detector/issues",
        "source":
"https://github.com/staabm/side-effects-detector/tree/1.0.5"
    },
    "funding": [
```



```
{
  "url": "https://github.com/staabm",
  "type": "github"
},
"time": "2024-10-20T05:08:20+00:00"
},
{
  "name": "symfony/yaml",
  "version": "v7.4.8",
  "source": {
    "type": "git",
    "url": "https://github.com/symfony/yaml.git",
    "reference": "c58fdf7b3d6c2995368264c49e4e8b05bcff2883"
  },
  "dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/symfony/yaml/zipball/c58fdf7b3d6c2995368264c49e4e8b05bcff2883",
    "reference": "c58fdf7b3d6c2995368264c49e4e8b05bcff2883",
    "shasum": ""
  },
  "require": {
    "php": ">=8.2",
    "symfony/deprecation-contracts": "^2.5|^3",
    "symfony/polyfill-ctype": "^1.8"
  },
  "conflict": {
    "symfony/console": "<6.4"
  },
  "require-dev": {
    "symfony/console": "^6.4|^7.0|^8.0"
  },
  "bin": [
    "Resources/bin/yaml-lint"
  ],
  "type": "library",
  "autoload": {
    "psr-4": {
      "Symfony\\Component\\Yaml\\": ""
    },
    "exclude-from-classmap": [
      "/Tests/"
    ]
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "MIT"
  ],
  "authors": [
    {
      "name": "Fabien Potencier",
      "email": "fabien@symfony.com"
    }
  ],
}
```



```
{
  "name": "Symfony Community",
  "homepage": "https://symfony.com/contributors"
},
],
"description": "Loads and dumps YAML files",
"homepage": "https://symfony.com",
"support": {
  "source": "https://github.com/symfony/yaml/tree/v7.4.8"
},
"funding": [
  {
    "url": "https://symfony.com/sponsor",
    "type": "custom"
  },
  {
    "url": "https://github.com/fabpot",
    "type": "github"
  },
  {
    "url": "https://github.com/nicolas-grekas",
    "type": "github"
  },
  {
    "url":
"https://tidelift.com/funding/github/packagist/symfony/symfony",
    "type": "tidelift"
  }
],
"time": "2026-03-24T13:12:05+00:00"
},
{
  "name": "theseer/tokenizer",
  "version": "1.3.1",
  "source": {
    "type": "git",
    "url": "https://github.com/theseer/tokenizer.git",
    "reference": "b7489ce515e168639d17feec34b8847c326b0b3c"
  },
  "dist": {
    "type": "zip",
    "url":
"https://api.github.com/repos/theseer/tokenizer/zipball/b7489ce515e168639d17feec34b8847c326b0b3c",
    "reference": "b7489ce515e168639d17feec34b8847c326b0b3c",
    "shasum": ""
  },
  "require": {
    "ext-dom": "*",
    "ext-tokenizer": "*",
    "ext-xmlwriter": "*",
    "php": "^7.2 || ^8.0"
  },
  "type": "library",
  "autoload": {
```



```
        "classmap": [
            "src/"
        ],
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Arne Blankerts",
            "email": "arne@blankerts.de",
            "role": "Developer"
        }
    ],
    "description": "A small library for converting tokenized PHP source
code into XML and potentially other formats",
    "support": {
        "issues": "https://github.com/theseer/tokenizer/issues",
        "source": "https://github.com/theseer/tokenizer/tree/1.3.1"
    },
    "funding": [
        {
            "url": "https://github.com/theseer",
            "type": "github"
        }
    ],
    "time": "2025-11-17T20:03:58+00:00"
}

],
"aliases": [],
"minimum-stability": "stable",
"stability-flags": {},
"prefer-stable": true,
"prefer-lowest": false,
"platform": {
    "php": "^8.2"
},
"platform-dev": {},
"plugin-api-version": "2.9.0"
}
```

package-lock.json / Dependencias JS (Bootstrap, vite)

Registra las versiones exactas de todas las dependencias Node.js/npm instaladas en el proyecto, garantizando que todos los entornos usen las mismas versiones. Componentes principales del frontend (Framework y core frontend).

```
{
  "name": "SIRASv3",
  "lockfileVersion": 3,
```




```
"requires": true,
"packages": {
  "": {
    "dependencies": {
      "bootstrap": "^5.3.8"
    },
    "devDependencies": {
      "@tailwindcss/forms": "^0.5.2",
      "@tailwindcss/vite": "^4.0.0",
      "alpinejs": "^3.4.2",
      "autoprefixer": "^10.4.2",
      "axios": "^1.11.0",
      "concurrently": "^9.0.1",
      "laravel-vite-plugin": "^2.0.0",
      "postcss": "^8.4.31",
      "tailwindcss": "^3.1.0",
      "vite": "^7.0.7"
    }
  },
  "node_modules/@alloc/quick-lru": {
    "version": "5.2.0",
    "resolved": "https://registry.npmjs.org/@alloc/quick-lru/-/quick-lru-5.2.0.tgz",
    "integrity": "sha512-UrcABB+4bUrFABWbluTIBErXwvbsU/V7TZWfmbgJfbkwiBuziS9gxd0DUyuiecfDGQ85jglMW6juS3+z5TsKLw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/@esbuild/aix-ppc64": {
    "version": "0.27.7",
    "resolved": "https://registry.npmjs.org/@esbuild/aix-ppc64/-/aix-ppc64-0.27.7.tgz",
    "integrity": "sha512-EKX3Qwmhz1eMdEJokhAlr0YiD0lhQNwDqkPYyPhiSwKrh7/4KRjQc04sZ8db+5DVVnZ1LmbNDI1uAMPEUBnQPg==",
    "cpu": [
      "ppc64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "aix"
    ],
    "engines": {
      "node": ">=18"
    }
  },
}
```



```
"node_modules/@esbuild/android-arm": {
  "version": "0.27.7",
  "resolved": "https://registry.npmjs.org/@esbuild/android-arm/-/android-arm-0.27.7.tgz",
  "integrity": "sha512-jbPXvB4Yj2yBV7HUfE2KHe4GJX51QpLCN1pGByjvsyCZbQmies29EoJbkEc+vYuU5o45AfQn37vZlyXy4YJ8RQ==",
  "cpu": [
    "arm"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "android"
  ],
  "engines": {
    "node": ">=18"
  }
},
"node_modules/@esbuild/android-arm64": {
  "version": "0.27.7",
  "resolved": "https://registry.npmjs.org/@esbuild/android-arm64/-/android-arm64-0.27.7.tgz",
  "integrity": "sha512-62dPZHPIXzvChfvfLJow3q5dDtiNMkwiRzPylSCfriLvZeq0a1bWChrGx/BbUbPwOrsWKMn8idSllklzBy+dgQ==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "android"
  ],
  "engines": {
    "node": ">=18"
  }
},
"node_modules/@esbuild/android-x64": {
  "version": "0.27.7",
  "resolved": "https://registry.npmjs.org/@esbuild/android-x64/-/android-x64-0.27.7.tgz",
  "integrity": "sha512-x5VpMODneVDb70PYV2VQ0mIUUiBtY3D3mPBG8NxVx5CogneYhkr7MmM3yR/uMdITLrC1mL/NV1rj4bmJuy9MCg==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "android"
  ]
}
```



```
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/darwin-arm64": {
    "version": "0.27.7",
    "resolved": "https://registry.npmjs.org/@esbuild/darwin-arm64/-/darwin-arm64-0.27.7.tgz",
    "integrity": "sha512-5lckdqeuBP1KUwvoCXIgI2D9/ABmPq3Rdp7IfL70393YgaAst7tbju3Ac+ePVi3KDH6N2RqePFHnXkaDtY9fkW==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/darwin-x64": {
    "version": "0.27.7",
    "resolved": "https://registry.npmjs.org/@esbuild/darwin-x64/-/darwin-x64-0.27.7.tgz",
    "integrity": "sha512-rYnXrKcXuT7Z+WL5K980jVFdvVKhCHhUwid+dDYQpH+qu+TefcomiMAJpIiC2EM3Rjtq@s03StMV/+3w3MyyqQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/freebsd-arm64": {
    "version": "0.27.7",
    "resolved": "https://registry.npmjs.org/@esbuild/freebsd-arm64/-/freebsd-arm64-0.27.7.tgz",
    "integrity": "sha512-B48PqeCsEgOtzME2GbNM2roU29AMTu0IN91dsM030t+Ydis3z/3Ngoj5hhnsOSSwNzS+6JppqWsuhTp6E82l2w==",
    "cpu": [
      "arm64"
    ],
```



```
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "freebsd"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/freebsd-x64": {
    "version": "0.27.7",
    "resolved": "https://registry.npmjs.org/@esbuild/freebsd-x64/-/freebsd-x64-0.27.7.tgz",
    "integrity":
    "sha512-j0BDK5XEjA4m5IJK3bpAQF9/Le1u/Z9ZcdhTRLf4caj1B+8VEhFFRjWgfy3M104r02GQ/
    b2dLwCUGpiF/eATNQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "freebsd"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/linux-arm": {
    "version": "0.27.7",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-arm/-/linux-arm-0.27.7.tgz",
    "integrity":
    "sha512-RkT/YXYBTSULo3+af8Ib0ykH8u2MBh57o7q/DAS3lTJlyVQkgQv1rPTnjIzzRPQyavxtPtfg0Eo
    pvDyIt0j1rA==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/linux-arm64": {
    "version": "0.27.7",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-arm64/-/linux-arm64-0.27.7.tgz",
```



```
"integrity": "sha512-
RZPHBoxXuNnPQ09rvjh5jdkRmVizktkT7TCDkDmQ0W2SwHInKCAV95GRuvdSvA7w4VMwFCjUiPwDi0Z06Nf
e9A==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">=18"
  }
},
"node_modules/@esbuild/linux-ia32": {
  "version": "0.27.7",
  "resolved": "https://registry.npmjs.org/@esbuild/linux-ia32/-/linux-
ia32-0.27.7.tgz",
  "integrity":
"sha512-GA48aKNkyQDbd3KtkpLYWT102C5sn/EZTY4XR0kx0NGruHPU72l+gW+FfF8tf2cFjeHaRbWp0Ya
/uRBz/Xq1Pg==",
  "cpu": [
    "ia32"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">=18"
  }
},
"node_modules/@esbuild/linux-loong64": {
  "version": "0.27.7",
  "resolved": "https://registry.npmjs.org/@esbuild/linux-loong64/-/linux-
loong64-0.27.7.tgz",
  "integrity": "sha512-
a4P0ruNM2oWsD4WKvBSEKGIiWQF8fZ0AsychOt6JBpZ+JN2n2JH9WAv56S0yu9X5IqAjqSIPTaJkqN8F7X0
Q5Q==",
  "cpu": [
    "loong64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">=18"
  }
}
```



```
    },
    "node_modules/@esbuild/linux-mips64el": {
      "version": "0.27.7",
      "resolved": "https://registry.npmjs.org/@esbuild/linux-mips64el/-/linux-mips64el-0.27.7.tgz",
      "integrity": "sha512-KabT5I6StirGfIz0FMgl1I+R1H73Gp0ofL9A3nG3i/cyFJzKHhouBV5VWK1CSgKvVaG4q1RNpCTR2LuTVB3fIw==",
      "cpu": [
        "mips64el"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/linux-ppc64": {
      "version": "0.27.7",
      "resolved": "https://registry.npmjs.org/@esbuild/linux-ppc64/-/linux-ppc64-0.27.7.tgz",
      "integrity": "sha512-gRSL4x6wsGHGRqhtI+ifpN/vp0FTQtnbsupUF5R5YTAgy/lKeLYR1hXbnBdzDjGbMYjvJLJTd2OFmMewAgwLQ==",
      "cpu": [
        "ppc64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/linux-riscv64": {
      "version": "0.27.7",
      "resolved": "https://registry.npmjs.org/@esbuild/linux-riscv64/-/linux-riscv64-0.27.7.tgz",
      "integrity": "sha512-hL25Lbx01Q0ngGzu2U5xeXtxXcW+/GvMN3ejANqXkxZ/opySAZMrc+9LY/WyjAan41unrR3YrmtTsUpwT66InQ==",
      "cpu": [
        "riscv64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
```



```
    "linux"
  ],
  "engines": {
    "node": ">=18"
  }
},
"node_modules/@esbuild/linux-s390x": {
  "version": "0.27.7",
  "resolved": "https://registry.npmjs.org/@esbuild/linux-s390x/-/linux-s390x-0.27.7.tgz",
  "integrity": "sha512-2k8go8Ycu1Kb46vEe1hu1vqEP+UeRVj2zY1pSuPdgvbd5ykAw82Lrro28vXUrRmzEsUV0NzCf54yARIK8r0fdw==",
  "cpu": [
    "s390x"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">=18"
  }
},
"node_modules/@esbuild/linux-x64": {
  "version": "0.27.7",
  "resolved": "https://registry.npmjs.org/@esbuild/linux-x64/-/linux-x64-0.27.7.tgz",
  "integrity": "sha512-hzznmADPt+OmsYZw1EE33ccA+HPdIqiCRq7cQeL1Jlq2gb1+OyWBkMcrYGBJ+sxVzve2ZJEEvePbLM2iEIZSxA==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">=18"
  }
},
"node_modules/@esbuild/netbsd-arm64": {
  "version": "0.27.7",
  "resolved": "https://registry.npmjs.org/@esbuild/netbsd-arm64/-/netbsd-arm64-0.27.7.tgz",
  "integrity": "sha512-b6pqtrQdigZBwZxAn1UpazEisvwaIDvdbMbmrlY7cDTMFnw/+3lVxxCTG0rkPVnsYIosJJXAsILG9XcQS+Yu6w==",
  "cpu": [
    "arm64"
  ]
}
```



```
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "netbsd"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/netbsd-x64": {
    "version": "0.27.7",
    "resolved": "https://registry.npmjs.org/@esbuild/netbsd-x64/-/netbsd-x64-0.27.7.tgz",
    "integrity": "sha512-0fatKLojr6U+WN5EDYuoQhtM+1xco+/6FSzJJnuWiUw5eVcicbyK3dq5EeV/QHT1uy6GoDhGbFpprUiHUYggrw==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "netbsd"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/openbsd-arm64": {
    "version": "0.27.7",
    "resolved": "https://registry.npmjs.org/@esbuild/openbsd-arm64/-/openbsd-arm64-0.27.7.tgz",
    "integrity": "sha512-AFuojMQTAz75Fo8idVcqoQWEHIXFRb0c1TrVcFSgCZtQfSdc1RXgB3tj0n/krRHENUB4j00bfGjyl2mJrU37A==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "openbsd"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/openbsd-x64": {
    "version": "0.27.7",
    "resolved": "https://registry.npmjs.org/@esbuild/openbsd-x64/-/openbsd-x64-0.27.7.tgz",
```




```
"integrity":
"sha512-+A1NJmFM8WNDv5CLVQYJ5PshuRm/4cI6WMZRg1by1GwPIQPCTs1GLEUHWiiQGT5zDdyLiRM/
l1G0Pv54gvtKIg==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "openbsd"
  ],
  "engines": {
    "node": ">=18"
  }
},
"node_modules/@esbuild/openharmony-arm64": {
  "version": "0.27.7",
  "resolved":
"https://registry.npmjs.org/@esbuild/openharmony-arm64/-/openharmony-arm64-
0.27.7.tgz",
  "integrity":
"sha512-+KrvYb/C8zA9CU/g0sR6w2RBw7IGc5J2BPnc3dYc5VJxHCSF1yNMxTV5LQ7GuKteQXZtspjFbiu
W5/d0j7H4Yw==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "openharmony"
  ],
  "engines": {
    "node": ">=18"
  }
},
"node_modules/@esbuild/sunos-x64": {
  "version": "0.27.7",
  "resolved": "https://registry.npmjs.org/@esbuild/sunos-x64/-/sunos-x64-
0.27.7.tgz",
  "integrity":
"sha512-ikktIhFBzQnt/QDyOL580ti9+5mL/YZeUPKU2ivGtGjdtYoqz6j0bj6n0MfhASps4GU4Q/
Clh1QtXWAvCYKamA==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "sunos"
  ],
  "engines": {
    "node": ">=18"
  }
}
```



```
    },
    "node_modules/@esbuild/win32-arm64": {
      "version": "0.27.7",
      "resolved": "https://registry.npmjs.org/@esbuild/win32-arm64/-/win32-arm64-0.27.7.tgz",
      "integrity": "sha512-7yRhbmVpQSpRUV7Q20VuDwbjW5kIMwTHpPtUzV+AA46kiPze5Z7qgt6CLCK3pWFrHeNfDd1VKgyP40+ng17CA==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "win32"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/win32-ia32": {
      "version": "0.27.7",
      "resolved": "https://registry.npmjs.org/@esbuild/win32-ia32/-/win32-ia32-0.27.7.tgz",
      "integrity": "sha512-SmwKXe6VHIyZYbBLJrh0oCJRB/Z1tckzmgtLfFY0fpMAx63BJEaL9ExI8x7v0oA03Zh6D/Oi1gVxEYr5oUCFhw==",
      "cpu": [
        "ia32"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "win32"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/win32-x64": {
      "version": "0.27.7",
      "resolved": "https://registry.npmjs.org/@esbuild/win32-x64/-/win32-x64-0.27.7.tgz",
      "integrity": "sha512-56hiAJPhwQ1R4i+21FVF7V8kSD5zZTdTdHcVuRFMW0hn753vVfQN8x1x4uOPT4xoGH0Z/oVATuR82AiQSTDipaHg==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
```



```
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@jridgewell/gen-mapping": {
    "version": "0.3.13",
    "resolved": "https://registry.npmjs.org/@jridgewell/gen-mapping/-/gen-mapping-0.3.13.tgz",
    "integrity":
"sha512-2kkt/7niJ6MgEPxF0bYdQ6etZaA+fQvDcLKckhy1yIQ0zaoKjBBjSj63/aLVjYE3qhRt5dvM+uUyfcg6UKCBbA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@jridgewell/sourcemap-codec": "^1.5.0",
      "@jridgewell/trace-mapping": "^0.3.24"
    }
  },
  "node_modules/@jridgewell/remapping": {
    "version": "2.3.5",
    "resolved":
"https://registry.npmjs.org/@jridgewell/remapping/-/remapping-2.3.5.tgz",
    "integrity":
"sha512-LI9u/+laYG4Ds1TDKSJW2YPrIlcVY0wi2fUC6xB43lueCjgxV4lff0CZCtYFiH6TN0X+tQKXx97T4IKHbhyHEQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@jridgewell/gen-mapping": "^0.3.5",
      "@jridgewell/trace-mapping": "^0.3.24"
    }
  },
  "node_modules/@jridgewell/resolve-uri": {
    "version": "3.1.2",
    "resolved":
"https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-uri-3.1.2.tgz",
    "integrity":
"sha512-bRISgCIjP20/tbWSPWMEi54QVPRZExkuD9lJL+UIxUKtwVJA8wW1Trb1jMs1RFXo1CBTNZ/5hpC9QvmKwdopKw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/@jridgewell/sourcemap-codec": {
    "version": "1.5.5",
    "resolved":
"https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-codec-1.5.5.tgz",
```



```
"integrity": "sha512-
cYQ9310grqxueWbl+WuIUaiUaDcj7W0q5fVhEljNVgRf0UhY9fy2zTvfoqWsnebh8SL70VScFbICvJnLKB
00g==",
  "dev": true,
  "license": "MIT"
},
"node_modules/@jridgewell/trace-mapping": {
  "version": "0.3.31",
  "resolved":
"https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-mapping-0.3.31.tgz",
  "integrity": "sha512-
zzNR+SdQSDJzc8joaeP8QQoCQr8NuYx2dIIytl1QeBEZHJ9uW6hebsrYgbz8hJwUQao3TWCmtmfV8Nu1twO
LAW==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@jridgewell/resolve-uri": "^3.1.0",
    "@jridgewell/sourcemap-codec": "^1.4.14"
  }
},
"node_modules/@node/lib/fs.scandir": {
  "version": "2.1.5",
  "resolved":
"https://registry.npmjs.org/@node/lib/fs.scandir/-/fs.scandir-2.1.5.tgz",
  "integrity": "sha512-
vq24Bq3ym5HEQm2NKCcr3yXDwjc7vTsEThrDnkp2DK9p1uqLR+DHurm/N0To0KG7HYHU7eppKZj3MyqYuMBF
62g==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@node/lib/fs.stat": "2.0.5",
    "run-parallel": "^1.1.9"
  },
  "engines": {
    "node": ">= 8"
  }
},
"node_modules/@node/lib/fs.stat": {
  "version": "2.0.5",
  "resolved":
"https://registry.npmjs.org/@node/lib/fs.stat/-/fs.stat-2.0.5.tgz",
  "integrity":
"sha512-RkhPPp2zrqDAQA/2jNhnztcPA1v64XdhIp7a7454A5ovI7Bukxgt7MX7udwAu3zg1DcpPU0rz3V
V1SeaqvY4+A==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 8"
  }
},
"node_modules/@node/lib/fs.walk": {
  "version": "1.2.8",
  "resolved":
"https://registry.npmjs.org/@node/lib/fs.walk/-/fs.walk-1.2.8.tgz",
```



```
"integrity": "sha512-
oGB+UxlgWcgQkgwo8GcEGwemoTft3FI09ababBmaGwXIobKZ+GTy0pP185beGg7Llih/
NSHSV2XAs1lnznocSg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@node/lib/fs.scandir": "2.1.5",
    "fastq": "^1.6.0"
  },
  "engines": {
    "node": ">= 8"
  }
},
"node_modules/@popperjs/core": {
  "version": "2.11.8",
  "resolved":
"https://registry.npmjs.org/@popperjs/core/-/core-2.11.8.tgz",
  "integrity": "sha512-
P1st0aksCrn9sGZhp8GMYwBnQsbvAWsZAX44oXNNvLHGqA0coVxmjZiohstwQ7SqKnBR47akdNi+uleWD8+
g6A==",
  "license": "MIT",
  "peer": true,
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/popperjs"
  }
},
"node_modules/@rollup/rollup-android-arm-eabi": {
  "version": "4.60.2",
  "resolved": "https://registry.npmjs.org/@rollup/rollup-android-arm-
eabi/-/rollup-android-arm-eabi-4.60.2.tgz",
  "integrity":
"sha512-dnlp69efPPg6Uaw2dVqzWRfAWRnYVb1XJ8CyyhIbZeaq4CA5/mLeZ1IEt9QqQxmbdvagjLIm2ZL
8BxXv5lH4Yw==",
  "cpu": [
    "arm"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "android"
  ]
},
"node_modules/@rollup/rollup-android-arm64": {
  "version": "4.60.2",
  "resolved": "https://registry.npmjs.org/@rollup/rollup-android-
arm64/-/rollup-android-arm64-4.60.2.tgz",
  "integrity":
"sha512-0qZTwDRDchGRHHm/hwLOL7uVPB9aUvI0am/eQuWMNyFHf5PSEQmyEeYYheA0EPPKU0/
l0uigCp+iaTj0LjVoHg==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
```



```
    "license": "MIT",
    "optional": true,
    "os": [
      "android"
    ]
  },
  "node_modules/@rollup/rollup-darwin-arm64": {
    "version": "4.60.2",
    "resolved":
"https://registry.npmjs.org/@rollup/rollup-darwin-arm64/-/rollup-darwin-arm64-
4.60.2.tgz",
    "integrity": "sha512-
UwRE7CGpvSVEQS8gUMBe1uADWjNnVgP3Iusyda1nSRwNDCsRjnGc7w6El6WLQsXmZTbLZX9cecegumcitNf
pmA==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ]
  },
  "node_modules/@rollup/rollup-darwin-x64": {
    "version": "4.60.2",
    "resolved":
"https://registry.npmjs.org/@rollup/rollup-darwin-x64/-/rollup-darwin-x64-
4.60.2.tgz",
    "integrity": "sha512-
gjEtURKLCC5Vxm1I+2i1u90hxFSKAQJKTvB8WvDAHf+oZlq0GTVF0lTl01q3AlCTE/
DF32c16ESvfgqR7343/g==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ]
  },
  "node_modules/@rollup/rollup-freebsd-arm64": {
    "version": "4.60.2",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-freebsd-
arm64/-/rollup-freebsd-arm64-4.60.2.tgz",
    "integrity":
"sha512-Bc16CYDeAgE70cqZaMoj0i/eK63h5Me97ZqAQoh77VPjMysA/40RQBRGo3rRy45x4MzVlU9uZxs
8Uwy7ZaKnBw==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
```



```
    "os": [
      "freebsd"
    ],
  },
  "node_modules/@rollup/rollup-freebsd-x64": {
    "version": "4.60.2",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-freebsd-x64/-/rollup-freebsd-x64-4.60.2.tgz",
    "integrity": "sha512-LU+TPda3mAE2QB0/Hp5VyeKJivpC6+t l0Xd1VMoXV/YFMvk/MNk5iXeBfB4MQGRWy0YVJ01625v jkr0Az980JQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "freebsd"
    ]
  },
  "node_modules/@rollup/rollup-linux-arm-gnueabihf": {
    "version": "4.60.2",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm-gnueabihf/-/rollup-linux-arm-gnueabihf-4.60.2.tgz",
    "integrity": "sha512-2QxQrM+KQ7DAW4o22j+XZ6RKdxjLD7BOWTP0Bv0tmjdYhXSsr2U1l0JDQqh9Zf5q0wTuTc7Ek83m0FaKnod Pjg==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "libc": [
      "glibc"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@rollup/rollup-linux-arm-musleabihf": {
    "version": "4.60.2",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm-musleabihf/-/rollup-linux-arm-musleabihf-4.60.2.tgz",
    "integrity": "sha512-TbziEu2DVsTEOPif2mKwKMeDMLoYjx95oESa9fkQQK7r/Orta0gnkcDpzwufEcA02BLBsD7mZkX GFqEdMRRwfw==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "libc": [
      "musl"
    ]
  }
}
```



```
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@rollup/rollup-linux-arm64-gnu": {
    "version": "4.60.2",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm64-gnu/-/rollup-linux-arm64-gnu-4.60.2.tgz",
    "integrity": "sha512-b0/rVDiDUuM2YfuCUwZ1t1cP+/yqjqz+Xf2Vtkdppefu0FS20SeAfgafaHNkFn0t02hEyXngZkxtGqXcXw08Rg==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "libc": [
      "glibc"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@rollup/rollup-linux-arm64-musl": {
    "version": "4.60.2",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm64-musl/-/rollup-linux-arm64-musl-4.60.2.tgz",
    "integrity": "sha512-hr26p7e93Rl0Za+JwW7EAnwAvKkeh12BU1Llm9Ykiibg4uIr2rbpxG9WCf56GuvidlTG9KiiQT/TXT1yAwXTA==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "libc": [
      "musl"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@rollup/rollup-linux-loong64-gnu": {
    "version": "4.60.2",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-loong64-gnu/-/rollup-linux-loong64-gnu-4.60.2.tgz",
    "integrity": "sha512-p0jB/uSIyDt+ow3k/RcLvUA0GpysT2phDn7TTUB3n75SlIgZzM6NKAqlErPhoFU+npgY3/n+2HYIQVbF70P9/A==",
    "cpu": [
```




```
      "loong64"
    ],
    "dev": true,
    "libc": [
      "glibc"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@rollup/rollup-linux-loong64-musl": {
    "version": "4.60.2",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-loong64-musl/-/rollup-linux-loong64-musl-4.60.2.tgz",
    "integrity": "sha512-2/w+q8jszv9Ww1c+6uJT30wqhdmGP2/4T17cu8WuwYUuuacDDJ20jdyYwZzCxx0GcsZBhzi3HmH+J5pZNXnd+Q==",
    "cpu": [
      "loong64"
    ],
    "dev": true,
    "libc": [
      "musl"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@rollup/rollup-linux-ppc64-gnu": {
    "version": "4.60.2",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-ppc64-gnu/-/rollup-linux-ppc64-gnu-4.60.2.tgz",
    "integrity": "sha512-11+aL5vKheYgczxtPVVRhdptAM2H7fcDR5Gw4/bTcteuZBLH4oP9f5s9zY09aGZvoGeBpqXI/9TZZihZ609wKw==",
    "cpu": [
      "ppc64"
    ],
    "dev": true,
    "libc": [
      "glibc"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@rollup/rollup-linux-ppc64-musl": {
    "version": "4.60.2",
```



```
"resolved": "https://registry.npmjs.org/@rollup/rollup-linux-ppc64-  
musl/-/rollup-linux-ppc64-musl-4.60.2.tgz",  
  "integrity": "sha512-  
i16fokAGK46IVZuV8LIiWMDtqhIn9hfYkCh8pf8iC3QU3LpwL+1FSFGej+07l3E/  
AoknL6DcLh2oTdnRMpTzFQ==",  
  "cpu": [  
    "ppc64"  
  ],  
  "dev": true,  
  "libc": [  
    "musl"  
  ],  
  "license": "MIT",  
  "optional": true,  
  "os": [  
    "linux"  
  ]  
},  
"node_modules/@rollup/rollup-linux-riscv64-gnu": {  
  "version": "4.60.2",  
  "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-riscv64-  
gnu/-/rollup-linux-riscv64-gnu-4.60.2.tgz",  
  "integrity": "  
"sha512-49FkKS6RGQoriDSK/6E2GkAsAuU5kETFCh7pG4yD/ylj9rKhTm03eIsnmBvRD4PgJPds5W2PkhC  
82aVwmUcJ7A==",  
  "cpu": [  
    "riscv64"  
  ],  
  "dev": true,  
  "libc": [  
    "glibc"  
  ],  
  "license": "MIT",  
  "optional": true,  
  "os": [  
    "linux"  
  ]  
},  
"node_modules/@rollup/rollup-linux-riscv64-musl": {  
  "version": "4.60.2",  
  "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-riscv64-  
musl/-/rollup-linux-riscv64-musl-4.60.2.tgz",  
  "integrity": "sha512-  
mjYNkHPfGpUR00DuM1ZZIgs64Hpf4bWcz9Z41+4Q+pgDx73UwWdAYyf6EG/  
lRFldmdHHZgrYyge5akFUW0D3mQ==",  
  "cpu": [  
    "riscv64"  
  ],  
  "dev": true,  
  "libc": [  
    "musl"  
  ],  
  "license": "MIT",  
  "optional": true,  
  "os": [  
    "linux"  
  ]
```



```
    "linux"
  ],
},
"node_modules/@rollup/rollup-linux-s390x-gnu": {
  "version": "4.60.2",
  "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-s390x-
gnu/-/rollup-linux-s390x-gnu-4.60.2.tgz",
  "integrity":
"sha512-AlyvJz965BQk8E9Al/JDKKDLH2kfKFLTGMlgkAbbyTzuJt9LU8DW3ZoDMctQpXAltZxwBHevXz5
u+gf0yA0YoA==",
  "cpu": [
    "s390x"
  ],
  "dev": true,
  "libc": [
    "glibc"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ]
},
"node_modules/@rollup/rollup-linux-x64-gnu": {
  "version": "4.60.2",
  "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-x64-
gnu/-/rollup-linux-x64-gnu-4.60.2.tgz",
  "integrity":
"sha512-UQjrkIdWrKI626Du8lCQ6MJp/6V1LAo2b0K90Tu4mSn8GGXIkPXk/Vsp4bLHCd9Z9Iz20TEaokU
E90VweJgIYQ==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "libc": [
    "glibc"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ]
},
"node_modules/@rollup/rollup-linux-x64-musl": {
  "version": "4.60.2",
  "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-x64-
musl/-/rollup-linux-x64-musl-4.60.2.tgz",
  "integrity":
"sha512-bTsRGj6VlSdn/XD4CGyzMnzaBs9bsRxy79eTqTCBsA8TMIEky7qg48aPkvJvFe1HyZQ5oMZdg7A
nVlWQSKLTnw==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "libc": [
```



```
    "musl"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ]
},
"node_modules/@rollup/rollup-openbsd-x64": {
  "version": "4.60.2",
  "resolved":
"https://registry.npmjs.org/@rollup/rollup-openbsd-x64/-/rollup-openbsd-x64-4.60.2.tgz",
  "integrity": "sha512-6d4Z3534xitaA1FcMWP7mQPq5zGwBmGbhpPhh2DwaA1aNIXUu3KT0fwrWpbwI4/Gr0uANo7NTtaykFy02hPuFLg==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "openbsd"
  ]
},
"node_modules/@rollup/rollup-openharmony-arm64": {
  "version": "4.60.2",
  "resolved": "https://registry.npmjs.org/@rollup/rollup-openharmony-arm64/-/rollup-openharmony-arm64-4.60.2.tgz",
  "integrity": "sha512-NetAg5i02uN7eB8zE5qrZ3CSil+7IJt4WDFLcC75Ymywq1VZVD6qJ6EvNLjZ3rEm6gB7XW5JdT60c6MN35Z85Q==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "openharmony"
  ]
},
"node_modules/@rollup/rollup-win32-arm64-msvc": {
  "version": "4.60.2",
  "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-arm64-msvc/-/rollup-win32-arm64-msvc-4.60.2.tgz",
  "integrity":
"sha512-NCYh0ootpgWZ5kdxCZsv6Iudx0wX8980Q/ow4pNfNiHPKsDbEA1zpkfxJGC0yugsUuyDZ7gL37dbzwhR0VI7pQ==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
```



```
    "optional": true,
    "os": [
      "win32"
    ]
  },
  "node_modules/@rollup/rollup-win32-ia32-msvc": {
    "version": "4.60.2",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-ia32-
msvc/-/rollup-win32-ia32-msvc-4.60.2.tgz",
    "integrity": "sha512-
RXsa0qXxfoUBQo0gvmijVxJnW2IGB0eoM07F8FAjaj0UTywU0/luSqimWBJn04WNgUkeNhh7fs7pESXajW
mkg==",
    "cpu": [
      "ia32"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ]
  },
  "node_modules/@rollup/rollup-win32-x64-gnu": {
    "version": "4.60.2",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-x64-
gnu/-/rollup-win32-x64-gnu-4.60.2.tgz",
    "integrity": "
sha512-qdAzEULD+/hz0bedtmV6iBpdL5TIbKVztGiK703/KYSf+HIzU257+MX1EXJcyIiDbMAqmbwauFc
YPvyRryeZtA==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ]
  },
  "node_modules/@rollup/rollup-win32-x64-msvc": {
    "version": "4.60.2",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-x64-
msvc/-/rollup-win32-x64-msvc-4.60.2.tgz",
    "integrity": "
sha512-Nd/SgG27WoA9e+/TdK74KnHz852TLA94ov0YySo/yMPuTmpckK/jIF2jSwS3g7ELSKXK13/
cVdmg1Z/DaCWKxA==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ]
  }
}
```



```
    },
    "node_modules/@tailwindcss/forms": {
      "version": "0.5.11",
      "resolved":
"https://registry.npmjs.org/@tailwindcss/forms/-/forms-0.5.11.tgz",
      "integrity":
"sha512-h9wegbZDPurxG22xZSoWtdzc41/0lNEUQERNqI/0f0wa2aVlWGu7C35E/x6LDyD3lgtztFSSjKZ
yuVM0hxhbgA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "mini-svg-data-uri": "^1.2.3"
      },
      "peerDependencies": {
        "tailwindcss": ">=3.0.0 || >= 3.0.0-alpha.1 || >= 4.0.0-alpha.20 ||
>= 4.0.0-beta.1"
      }
    },
    "node_modules/@tailwindcss/node": {
      "version": "4.2.4",
      "resolved":
"https://registry.npmjs.org/@tailwindcss/node/-/node-4.2.4.tgz",
      "integrity": "sha512-
Ai7+yQPxz3ddrDQzFfBKdHEVBg0w3Zl83jnjuwxnZ0snH9pGn93QHQtPU0p/
8rYWxvbFZHneni6p1BSLK4DkGA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@jridgewell/remapping": "^2.3.5",
        "enhanced-resolve": "^5.19.0",
        "jiti": "^2.6.1",
        "lightningcss": "1.32.0",
        "magic-string": "^0.30.21",
        "source-map-js": "^1.2.1",
        "tailwindcss": "4.2.4"
      }
    },
    "node_modules/@tailwindcss/node/node_modules/tailwindcss": {
      "version": "4.2.4",
      "resolved":
"https://registry.npmjs.org/tailwindcss/-/tailwindcss-4.2.4.tgz",
      "integrity":
"sha512-HhKppg081FQof5m6TEnuBWCZGgFRawbae0aGT00K0y/Pf/j6oUihdvBpA7ltCeAvZpFhw3j0PTc
lkxsd4IXYDA==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/@tailwindcss/oxide": {
      "version": "4.2.4",
      "resolved":
"https://registry.npmjs.org/@tailwindcss/oxide/-/oxide-4.2.4.tgz",
      "integrity":
"sha512-9EL/iI069DKDSXwTvB9J4Bwd05JhRr0WeGaK25taBAvBXyXqJAX+JqdvS8r8gKpsI/
1m0LeJLyQYtF/WLrBT1Q==",
      "dev": true,
```



```
"license": "MIT",
"engines": {
  "node": ">= 20"
},
"optionalDependencies": {
  "@tailwindcss/oxide-android-arm64": "4.2.4",
  "@tailwindcss/oxide-darwin-arm64": "4.2.4",
  "@tailwindcss/oxide-darwin-x64": "4.2.4",
  "@tailwindcss/oxide-freebsd-x64": "4.2.4",
  "@tailwindcss/oxide-linux-arm-gnueabi": "4.2.4",
  "@tailwindcss/oxide-linux-arm64-gnu": "4.2.4",
  "@tailwindcss/oxide-linux-arm64-musl": "4.2.4",
  "@tailwindcss/oxide-linux-x64-gnu": "4.2.4",
  "@tailwindcss/oxide-linux-x64-musl": "4.2.4",
  "@tailwindcss/oxide-wasm32-wasi": "4.2.4",
  "@tailwindcss/oxide-win32-arm64-msvc": "4.2.4",
  "@tailwindcss/oxide-win32-x64-msvc": "4.2.4"
},
"node_modules/@tailwindcss/oxide-android-arm64": {
  "version": "4.2.4",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-android-arm64/-/oxide-android-arm64-4.2.4.tgz",
  "integrity": "sha512-e7M0r1SAn9U8KLZzPi1ZXGZHeC5anY36qjNwmZv9pOJ8E4Q6jmD1vyEHkQFmN0IN7twGPEMXRHmitN4zCMN03g==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "android"
  ],
  "engines": {
    "node": ">= 20"
  }
},
"node_modules/@tailwindcss/oxide-darwin-arm64": {
  "version": "4.2.4",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-darwin-arm64/-/oxide-darwin-arm64-4.2.4.tgz",
  "integrity": "sha512-sha512-tSC/Kbqpz/5/o/C2sG7Qv0xAKqyd10bq+ypZNf+9Fi2TvbVbv1zNpcEptcsU7DPR0aSbVgUXmrzKhurFvo5eDg==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "darwin"
  ],
}
```



```
    "engines": {
      "node": ">= 20"
    }
  },
  "node_modules/@tailwindcss/oxide-darwin-x64": {
    "version": "4.2.4",
    "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-darwin-x64/-/oxide-darwin-x64-4.2.4.tgz",
    "integrity": "sha512-yPyUXn3y0/ufR6+Kzv0t4fCg2qNr90jxXc5QqBpjLPNd0NqyDXcmQb/6weunH/MEDXW5dhyEi+agTDiqa3WsGg==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">= 20"
    }
  },
  "node_modules/@tailwindcss/oxide-freebsd-x64": {
    "version": "4.2.4",
    "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-freebsd-x64/-/oxide-freebsd-x64-4.2.4.tgz",
    "integrity": "sha512-BoMIB4vMQtZsXdGLVc2z+P9DbETkiopogfWZKbwwM8b/1Vinbs4YcUwo+kM/KeLkX3Ygrf4/PsRndKaYhS8Eiw==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "freebsd"
    ],
    "engines": {
      "node": ">= 20"
    }
  },
  "node_modules/@tailwindcss/oxide-linux-arm-gnueabi": {
    "version": "4.2.4",
    "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm-gnueabi/-/oxide-linux-arm-gnueabi-4.2.4.tgz",
    "integrity": "sha512-7pIHBLTHYRALs7V22JNuTh33yLH4VElwKtB3bwchK/UaKUPpQ0LPQi0Wcbm4V3WP2I6fNIJ23vABIVoy2izdWA==",
    "cpu": [
      "arm"
    ],
    "dev": true,

```




```
"license": "MIT",
"optional": true,
"os": [
  "linux"
],
"engines": {
  "node": ">= 20"
}
},
"node_modules/@tailwindcss/oxide-linux-arm64-gnu": {
  "version": "4.2.4",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm64-gnu/-/oxide-linux-arm64-gnu-4.2.4.tgz",
  "integrity": "sha512-+E4wxJ0ZG0zSH325reXTWB48l42i93kQqMvDyz5gqfRzRZ7faNhnmlV4EPGJU3QJM/3Ab5jhJ5pCRUsKn60Qw==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "libc": [
    "glibc"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 20"
  }
},
"node_modules/@tailwindcss/oxide-linux-arm64-musl": {
  "version": "4.2.4",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm64-musl/-/oxide-linux-arm64-musl-4.2.4.tgz",
  "integrity": "sha512-bBADEGAbo4ASnppIziaQJelekCxdMaxisrk+fB7Thit72IBnALp9K6ffa2G4ruj90G9XRS2VQ6q2bCKbfFV82g==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "libc": [
    "musl"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 20"
  }
},
```



```
"node_modules/@tailwindcss/oxide-linux-x64-gnu": {
  "version": "4.2.4",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-x64-
gnu/-/oxide-linux-x64-gnu-4.2.4.tgz",
  "integrity": "sha512-
7Mx25E4Wtfnht0TVRTyC00j3i0M+EeFe7wguMDTLX4mRxafznw0CA8WJkFjWYH5BlgELd1kSjuU2JiPnNZb
JDA==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "libc": [
    "glibc"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 20"
  }
},
"node_modules/@tailwindcss/oxide-linux-x64-musl": {
  "version": "4.2.4",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-x64-
musl/-/oxide-linux-x64-musl-4.2.4.tgz",
  "integrity": "sha512-
2wwJRF7nyh0R0hhHoChc04xngV3iS+akccHTGtz965FwF0up4b2l0do6kI1EbDaEXKgvcvFBYcYQQ/
rrnWfVfA==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "libc": [
    "musl"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 20"
  }
},
"node_modules/@tailwindcss/oxide-wasm32-wasi": {
  "version": "4.2.4",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-wasm32-
wasi/-/oxide-wasm32-wasi-4.2.4.tgz",
  "integrity": "sha512-
FQsqApeor8Fo6gUEkLzmaa9994orJZZDBALQpK2Mq+DsLRKFJeD6AjHpBQ0kZfQohVr8o85PPH8e0y86VLS
Cmw==",
  "bundleDependencies": [
    "@napi-rs/wasm-runtime",
```



```
    "@emnapi/core",
    "@emnapi/runtime",
    "@tybys/wasm-util",
    "@emnapi/wasi-threads",
    "tslib"
  ],
  "cpu": [
    "wasm32"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "dependencies": {
    "@emnapi/core": "^1.8.1",
    "@emnapi/runtime": "^1.8.1",
    "@emnapi/wasi-threads": "^1.1.0",
    "@napi-rs/wasm-runtime": "^1.1.1",
    "@tybys/wasm-util": "^0.10.1",
    "tslib": "^2.8.1"
  },
  "engines": {
    "node": ">=14.0.0"
  }
},
"node_modules/@tailwindcss/oxide-win32-arm64-msvc": {
  "version": "4.2.4",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-win32-arm64-msvc/-/oxide-win32-arm64-msvc-4.2.4.tgz",
  "integrity": "sha512-L9BXqxC4ToVgwMFqj3pmZRqyHEztulpUJzCxUtLjobMCzTPsGt1Fa9enKb0pY2iIyVtaHNeNvAK8ERP/64sqGQ==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "win32"
  ],
  "engines": {
    "node": ">= 20"
  }
},
"node_modules/@tailwindcss/oxide-win32-x64-msvc": {
  "version": "4.2.4",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-win32-x64-msvc/-/oxide-win32-x64-msvc-4.2.4.tgz",
  "integrity": "sha512-ESlKG0EpVJQwRjXDDa9rLvHEAh0mhP1sF7sap9dNZT0yyL9SAG6T7gdP09EH0vIv0UNTlo6jPWyuJd6559fZvw==",
  "cpu": [
    "x64"
  ],
  "dev": true,
```



```
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">= 20"
    }
  },
  "node_modules/@tailwindcss/vite": {
    "version": "4.2.4",
    "resolved":
"https://registry.npmjs.org/@tailwindcss/vite/-/vite-4.2.4.tgz",
    "integrity": "sha512-
pCvohwOCspk3ZFn6eJzrrX3g4n2JY73H6MmYc87XfGPyTty4YsCjYTMARZm/
zOI8dIt3+EcrLHAFPe5A4bgTw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@tailwindcss/node": "4.2.4",
      "@tailwindcss/oxide": "4.2.4",
      "tailwindcss": "4.2.4"
    },
    "peerDependencies": {
      "vite": "^5.2.0 || ^6 || ^7 || ^8"
    }
  },
  "node_modules/@tailwindcss/vite/node_modules/tailwindcss": {
    "version": "4.2.4",
    "resolved":
"https://registry.npmjs.org/tailwindcss/-/tailwindcss-4.2.4.tgz",
    "integrity":
"sha512-HhkPpg081FQof5m6TEnuBWCZGgfRAWbae0aGT00K0y/Pf/j6oUihdvBpA7ltCeAvZpFhw3j0PTc
lkxsd4IXYDA==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/@types/estree": {
    "version": "1.0.8",
    "resolved":
"https://registry.npmjs.org/@types/estree/-/estree-1.0.8.tgz",
    "integrity":
"sha512-dWHzHa2WqEXI/01E90jrocMTKJl2mSrEoLh1Iomrv6U+JuNwaHXsXx9bLu5gG7BUWFIn0skIQJQ
/L1rIex4X6w==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/@vue/reactivity": {
    "version": "3.1.5",
    "resolved":
"https://registry.npmjs.org/@vue/reactivity/-/reactivity-3.1.5.tgz",
    "integrity":
"sha512-1tdfLmNjWG6t/CsPldh+foumYFo3cpyCHgBYQ34ylaMsJ+SNHQ1kApMIa8jN+i593zQuaw3AdWH
0nJTARzCFhg==",
    "dev": true,
```



```
    "license": "MIT",
    "dependencies": {
      "@vue/shared": "3.1.5"
    }
  },
  "node_modules/@vue/shared": {
    "version": "3.1.5",
    "resolved":
"https://registry.npmjs.org/@vue/shared/-/shared-3.1.5.tgz",
    "integrity": "sha512-
oJ4F3TnvpXaQwZJNF3ZK+kLPHKarDmJjJ6jyzVNDKH9md1dptjC7LWR//jrGuLdek/
U6iltWxqAnY0u8gCi0vA==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/alpinejs": {
    "version": "3.15.12",
    "resolved":
"https://registry.npmjs.org/alpinejs/-/alpinejs-3.15.12.tgz",
    "integrity":
"sha512-nJvPAQVNPdZZ0NrExJ/kzQco3ijR8LwvC0adQec1lESiqT4NyZ/57sN9V2Xyvh1BGAbm1KYgewZ
vYdKq99ij/Q==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@vue/reactivity": "~3.1.1"
    }
  },
  "node_modules/ansi-regex": {
    "version": "5.0.1",
    "resolved": "https://registry.npmjs.org/ansi-regex/-/ansi-
regex-5.0.1.tgz",
    "integrity": "sha512-
quJQXlTSUGL2LH9SUXo8VwsY4soanhgo6LNSm84E1LBcE8s300wpdiRzyR9z/
ZZJMLMwv37q00b9pdJLMUEKFQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/ansi-styles": {
    "version": "4.3.0",
    "resolved": "https://registry.npmjs.org/ansi-styles/-/ansi-
styles-4.3.0.tgz",
    "integrity": "sha512-
zbB9rCJAT1rbjiVDb2hqKFHNYLxgtk8NURxZ3IZwD3F6NtxbXZQCnnSi1Lkx+IDohdPLFp222wVALIheZJQ
SEg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "color-convert": "^2.0.1"
    },
    "engines": {
      "node": ">=8"
    }
  }
}
```



```
    },
    "funding": {
      "url": "https://github.com/chalk/ansi-styles?sponsor=1"
    }
  },
  "node_modules/any-promise": {
    "version": "1.3.0",
    "resolved": "https://registry.npmjs.org/any-promise/-/any-promise-1.3.0.tgz",
    "integrity": "sha512-7UvmKa1WRt1wgjL1RrGxoSJW/0QZFIegpeGvZG9kjp8vrRu55XTHbwnqq2GpXm9uLbcuhxm3IqX90B4MZR1b2A==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/anymatch": {
    "version": "3.1.3",
    "resolved": "https://registry.npmjs.org/anymatch/-/anymatch-3.1.3.tgz",
    "integrity": "sha512-KMReFur0B4t+D+0Bkjr3KYqvocp2XaSz055UcB6mgQMd3KbcE+mWTyvVV7D/zsdEbNnV6acZUutkiHQXvTr1Rw==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "normalize-path": "^3.0.0",
      "picomatch": "^2.0.4"
    }
  },
  "node_modules/anymatch/node_modules/picomatch": {
    "version": "2.3.2",
    "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-2.3.2.tgz",
    "integrity": "sha512-vQEJ06Z+c5tSye8S+nHUfI51xoXIXjHQ99cQtKUKQqq01k0/KCJUfZXuB47h/YBldhah2H3hdUGXn8ie0oA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8.6"
    }
  },
  "node_modules/anymatch/node_modules/picomatch/funding": {
    "url": "https://github.com/sponsors/jonschlinkert"
  },
  "node_modules/arg": {
    "version": "5.0.2",
    "resolved": "https://registry.npmjs.org/arg/-/arg-5.0.2.tgz",
    "integrity": "sha512-01ld7ge9H9UJFEhIPB1a7sW3z5Y5z+30SbRXK/pF+3wWhBs+3w7pQr75AKYdkp6/Ugh7ftB8K49G+LjGBDw==",
    "dev": true,
    "license": "MIT"
  }
```



```
    },
    "node_modules/async": {
      "version": "2.6.1",
      "resolved": "https://registry.npmjs.org/async/-/async-2.6.1.tgz",
      "integrity": "sha512-cYF7oKxYFbY1nUrhzK45qM5ue/7Hxj447b1qH8o886SYbq5JgXNHTmFic9k1Lz1hE8tG3q2pOQ+QZpARpQ==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/autoprefixer": {
      "version": "10.5.0",
      "resolved": "https://registry.npmjs.org/autoprefixer/-/autoprefixer-10.5.0.tgz",
      "integrity": "sha512-8X3pG4LXhD8D8WqBv0qOv2EJUHmDnQZ890IwKpoDm348w5Zv37Bb3k3GL9VzE98eDyYm2v48jPDTwvQ==",
      "dev": true,
      "funding": [
        {
          "type": "opencollective",
          "url": "https://opencollective.com/postcss/"
        },
        {
          "type": "tidelift",
          "url": "https://tidelift.com/funding/github/npm/autoprefixer"
        },
        {
          "type": "github",
          "url": "https://github.com/sponsors/ai"
        }
      ],
      "license": "MIT",
      "dependencies": {
        "browserslist": "^4.28.2",
        "caniuse-lite": "^1.0.30001787",
        "fraction.js": "^5.3.4",
        "picocolors": "^1.1.1",
        "postcss-value-parser": "^4.2.0"
      },
      "bin": {
        "autoprefixer": "bin/autoprefixer"
      },
      "engines": {
        "node": ">=10 || ^12 || >=14"
      },
      "peerDependencies": {
        "postcss": "^8.1.0"
      }
    },
    "node_modules/axios": {
      "version": "1.15.2",
      "resolved": "https://registry.npmjs.org/axios/-/axios-1.15.2.tgz",

```



```
    "integrity": "sha512-
wLrXxPtc rPTsNlJmKjkPnNPK2Ihe0hn0wGSaTEiHRP xwjvJwT3hKmXF4dpqxmP09SoNb2FsYXj/
xEo0gHN+D5A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "follow-redirects": "^1.15.11",
      "form-data": "^4.0.5",
      "proxy-from-env": "^2.1.0"
    }
  },
  "node_modules/baseline-browser-mapping": {
    "version": "2.10.25",
    "resolved":
"https://registry.npmjs.org/baseline-browser-mapping/-/baseline-browser-
mapping-2.10.25.tgz",
    "integrity":
"sha512-Q0/VHsXCQdnzADMfmkeOPvHdIAkoB7i0/rGjINPJEetLx75hNttVWGQ/jychUDP9zZ9rupbm60W
RxcwViB0MiA==",
    "dev": true,
    "license": "Apache-2.0",
    "bin": {
      "baseline-browser-mapping": "dist/cli.cjs"
    },
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/binary-extensions": {
    "version": "2.3.0",
    "resolved": "https://registry.npmjs.org/binary-extensions/-/binary-
extensions-2.3.0.tgz",
    "integrity": "sha512-Ceh+7ox5qe7LJuLHoY0feh3pHuUDHAcRUeyL2VYghZwfpkNIy/+80cg0a3UuSoYzavmylwuLWQOf3hl0jjm
MIw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/bootstrap": {
    "version": "5.3.8",
    "resolved":
"https://registry.npmjs.org/bootstrap/-/bootstrap-5.3.8.tgz",
    "integrity": "sha512-
HP1SZDqaLDPwsNiqRqi5NcP0SSXciX2s9E+RyqJIIqGo+vJeN5AJVM98CXmW/
Wux0nQ5L7jewUdpLCef0Ee+tg==",
    "funding": [
      {
        "type": "github",
        "url": "https://github.com/sponsors/twbs"
      }
    ]
  }
}
```




```
    },
    {
      "type": "opencollective",
      "url": "https://opencollective.com/bootstrap"
    }
  ],
  "license": "MIT",
  "peerDependencies": {
    "@popperjs/core": "^2.11.8"
  }
},
"node_modules/braces": {
  "version": "3.0.3",
  "resolved": "https://registry.npmjs.org/braces/-/braces-3.0.3.tgz",
  "integrity":
"sha512-yQbXg0/OSZVD2IsiLLro+7Hf6Q18EJrKSEsdoMzKePKXct3gvD8oLc0QdIzGupr5Fj+EDe8g0/
lxc1BzfMpxvA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "fill-range": "^7.1.1"
  },
  "engines": {
    "node": ">=8"
  }
},
"node_modules/browserslist": {
  "version": "4.28.2",
  "resolved":
"https://registry.npmjs.org/browserslist/-/browserslist-4.28.2.tgz",
  "integrity": "sha512-
48xSriZYYg+8qXna9kwqjIVzuQxi+KYWp2+5nCYnYKPTr0LvD89Jqk20r5ogxz0NUMfIjhh2LIUX/
LyX9B4oIg==",
  "dev": true,
  "funding": [
    {
      "type": "opencollective",
      "url": "https://opencollective.com/browserslist"
    },
    {
      "type": "tidelift",
      "url": "https://tidelift.com/funding/github/npm/browserslist"
    },
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "baseline-browser-mapping": "^2.10.12",
    "caniuse-lite": "^1.0.30001782",
    "electron-to-chromium": "^1.5.328",
    "node-releases": "^2.0.36",
    "update-browserslist-db": "^1.2.3"
  }
}
```



```
    },
    "bin": {
      "browserslist": "cli.js"
    },
    "engines": {
      "node": "^6 || ^7 || ^8 || ^9 || ^10 || ^11 || ^12 || >=13.7"
    }
  },
  "node_modules/call-bind-apply-helpers": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/call-bind-apply-helpers/-/call-bind-apply-helpers-1.0.2.tgz",
    "integrity": "sha512-Sp1ablJ0ivDkSzzjcaJdxEunN5/XvksFJ2sMBFfq6x0ryhQV/2b/KwFe21cMpmHtPOSij8K99/wSfoEuT0bmuMQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0",
      "function-bind": "^1.1.2"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/camelcase-css": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/camelcase-css/-/camelcase-css-2.0.1.tgz",
    "integrity": "sha512-Q0sSvvX+xqU2U/fO3OoF43a5Egib+uPmPdpUWHuKqLCu96VXUMTj8o1OT6BjZkf7q0Y+qYyz+dL3HcSqrw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/caniuse-lite": {
    "version": "1.0.30001791",
    "resolved": "https://registry.npmjs.org/caniuse-lite/-/caniuse-lite-1.0.30001791.tgz",
    "integrity": "sha512-yk0l/YSrOnFZk3UR0pDLQD9+kC1l4meK/wed583AXrzoarMGJcbRi2Q4RaUYbKxYAsZ8swmaSa/DsLmdBeI1vQ==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/browserslist"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/caniuse-lite"
      }
    ]
  },
```



```
{
  "type": "github",
  "url": "https://github.com/sponsors/ai"
},
{
  "license": "CC-BY-4.0"
},
{
  "node_modules/chalk": {
    "version": "4.1.2",
    "resolved": "https://registry.npmjs.org/chalk/-/chalk-4.1.2.tgz",
    "integrity":
"sha512-oKnbhFyRIXpUuez8iBMMyEa4nbj4I0Qyuhc/wy9kY7/WPcwI09VA668Pu8Rk07+0G76SLR0eyw
9CpQ061i4mA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ansi-styles": "^4.1.0",
      "supports-color": "^7.1.0"
    },
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/chalk/chalk?sponsor=1"
    }
  },
  "node_modules/chalk/node_modules/supports-color": {
    "version": "7.2.0",
    "resolved": "https://registry.npmjs.org/supports-color/-/supports-
color-7.2.0.tgz",
    "integrity":
"sha512-qpCAvRL9stuOHveKsn7HncJRvv501qIacKzQl0/+Lwxc9+0q2wLyv4Dfvt80/
DPn2pq0BsJdDiogXGR9+0vwRw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "has-flag": "^4.0.0"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/chokidar": {
    "version": "3.6.0",
    "resolved": "https://registry.npmjs.org/chokidar/-/chokidar-3.6.0.tgz",
    "integrity":
"sha512-7VT13fmjotKpGipCW9JEQAusEPE+Ei8n16/g4FBAmIm0G00LMua9NDDDo/DWp0ZAxCr3cPq5ZpBq
mPAQgDda2Pw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "anymatch": "~3.1.2",
      "braces": "~3.0.2",
      "glob-parent": "~5.1.2",
      "is-binary-path": "~2.1.0",

```



```
    "is-glob": "~4.0.1",
    "normalize-path": "~3.0.0",
    "readdirp": "~3.6.0"
  },
  "engines": {
    "node": ">= 8.10.0"
  },
  "funding": {
    "url": "https://paulmillr.com/funding/"
  },
  "optionalDependencies": {
    "fsevents": "~2.3.2"
  }
},
"node_modules/chokidar/node_modules/glob-parent": {
  "version": "5.1.2",
  "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-5.1.2.tgz",
  "integrity": "sha512-AOigSQCePiJYwP3ARnGx+5VnTu2HBYdzBGP45eLw1vr3zB3vZLeyed1sC9hnbc0c9/SrMyM5RPQrkGz4aS9Zow==",
  "dev": true,
  "license": "ISC",
  "dependencies": {
    "is-glob": "^4.0.1"
  },
  "engines": {
    "node": ">= 6"
  }
},
"node_modules/cliui": {
  "version": "8.0.1",
  "resolved": "https://registry.npmjs.org/cliui/-/cliui-8.0.1.tgz",
  "integrity": "sha512-BSeNnyus75C4//NQ9gQt1/csTXyo/8Sb+afLAKzAptFuMsod9HFokGNudZpi/oQV73hnVK+sR+5PVRMd+Dr7YQ==",
  "dev": true,
  "license": "ISC",
  "dependencies": {
    "string-width": "^4.2.0",
    "strip-ansi": "^6.0.1",
    "wrap-ansi": "^7.0.0"
  },
  "engines": {
    "node": ">=12"
  }
},
"node_modules/color-convert": {
  "version": "2.0.1",
  "resolved": "https://registry.npmjs.org/color-convert/-/color-convert-2.0.1.tgz",
  "integrity": "sha512-RRECPsj7iu/xb5oKYcsFHSppFNnsj/520VTRKb4zP5onXwVF3zVmmToNcOfGC+CRDpfK/U584fMg38ZHCaElKQ==",
  "dev": true,
```



```
    "license": "MIT",
    "dependencies": {
      "color-name": "~1.1.4"
    },
    "engines": {
      "node": ">=7.0.0"
    }
  },
  "node_modules/color-name": {
    "version": "1.1.4",
    "resolved": "https://registry.npmjs.org/color-name/-/color-
name-1.1.4.tgz",
    "integrity":
"sha512-d0Yy3a2wNbZHIuMZpTcgjGuLU/uBL/ubcZF90XbDo8ff408yVp5Bf0efS8uEoYo5q4Fx7dY
90gQGxGAsQA==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/combined-stream": {
    "version": "1.0.8",
    "resolved": "https://registry.npmjs.org/combined-stream/-/combined-
stream-1.0.8.tgz",
    "integrity": "sha512-FQN4MRfuJeHf7cBbBMJFXhKSDq+2kAArBlmRBvcvFE5BB1HZKXtSFASDhdlz9z0Ywxh8LDdnvmM0e/
+5cdoEdg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "delayed-stream": "~1.0.0"
    },
    "engines": {
      "node": ">= 0.8"
    }
  },
  "node_modules/commander": {
    "version": "4.1.1",
    "resolved":
"https://registry.npmjs.org/commander/-/commander-4.1.1.tgz",
    "integrity":
"sha512-NOKm8xhkzAjzFx8B2v50AHT+u5pRQc2UCa2Vq9jYL/31o2wi9mxBA7LIFs3sV5VSC49z6pEhfbM
ULvShKj26WA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/concurrently": {
    "version": "9.2.1",
    "resolved":
"https://registry.npmjs.org/concurrently/-/concurrently-9.2.1.tgz",
    "integrity":
"sha512-fsfr00MxV64Znoy8/l1vVIjjHa29SZyyqPgQBwhiDcaW8wJc2W3XWV0Gx4M3oJBnv/
zdUZIip1gDeS98GzP8Ng==",
    "dev": true,
```



```
"license": "MIT",
"dependencies": {
  "chalk": "4.1.2",
  "rxjs": "7.8.2",
  "shell-quote": "1.8.3",
  "supports-color": "8.1.1",
  "tree-kill": "1.2.2",
  "yargs": "17.7.2"
},
"bin": {
  "conc": "dist/bin/concurrently.js",
  "concurrently": "dist/bin/concurrently.js"
},
"engines": {
  "node": ">=18"
},
"funding": {
  "url": "https://github.com/open-cli-tools/concurrently?sponsor=1"
},
"node_modules/cssesc": {
  "version": "3.0.0",
  "resolved": "https://registry.npmjs.org/cssesc/-/cssesc-3.0.0.tgz",
  "integrity": "sha512-/Tb/Jcjk111nN5cGob5MNtsntNM1aCNUDipB/TkwZFhyDrrE47S0x/18wF2bbjgc3ZzCSKW1T5nt5EbFoAz/Vg==",
  "dev": true,
  "license": "MIT",
  "bin": {
    "cssesc": "bin/cssesc"
  },
  "engines": {
    "node": ">=4"
  }
},
"node_modules/delayed-stream": {
  "version": "1.0.0",
  "resolved": "https://registry.npmjs.org/delayed-stream/-/delayed-stream-1.0.0.tgz",
  "integrity": "sha512-ZySD7Nf91aLB0RxL4KGrKHBXl7Eds1DAMedcoVawXnLD7SDhpNgtuII2aAkg7a7QS41jxPSZ17p4VdGnMHk3MQ==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=0.4.0"
  }
},
"node_modules/detect-libc": {
  "version": "2.1.2",
  "resolved": "https://registry.npmjs.org/detect-libc/-/detect-libc-2.1.2.tgz",
  "integrity": "sha512-88t755cJ287zjI8jXGzH1EY018pYtD0e3D80a8VhE9U0i43743e4N73DEIa1D6383L4QqrvNE5gX4zq==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=10"
  }
}
```



```
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/didyoumean": {
    "version": "1.2.2",
    "resolved":
"https://registry.npmjs.org/didyoumean/-/didyoumean-1.2.2.tgz",
    "integrity":
"sha512-gxtyfjqMg7GKyhQmb056K7M3xszy/myH8w+B4RT+QXBQsvA0dc3XymqDDPHx1BgPgSDAA5SIifon
a89YtRATDzw==",
    "dev": true,
    "license": "Apache-2.0"
  },
  "node_modules/dlv": {
    "version": "1.1.3",
    "resolved": "https://registry.npmjs.org/dlv/-/dlv-1.1.3.tgz",
    "integrity": "sha512-+HlytyjlPKnIG8XuRG8WvmBP8xs8P71y+SKKS6ZXWoEgLuePxtDoUEiH7WkdePWrQ5JBpE6aoVqfZfJUQkj
XwA==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/dunder-proto": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/dunder-proto/-/dunder-
proto-1.0.1.tgz",
    "integrity":
"sha512-KIN/nDJBQRcXw0MLVhZE9iQHmG68qAVIBg9CqmUYjmQIhgij9U5MFvrqkUL5FbtyyzZu0e0t0zd
eRe4UY7ct+A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind-apply-helpers": "^1.0.1",
      "es-errors": "^1.3.0",
      "gopd": "^1.2.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/electron-to-chromium": {
    "version": "1.5.349",
    "resolved":
"https://registry.npmjs.org/electron-to-chromium/-/electron-to-
chromium-1.5.349.tgz",
    "integrity": "sha512-
QsWVGyRuY07Aqb234QytTfwd5d9AJlfNIQ5wIO1L+PZDzI9d9+Fn0FRale/QYlFxt/bUnB0/
nLd1jFPGxGK1A==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/emoji-regex": {
```



```
    "version": "8.0.0",
    "resolved": "https://registry.npmjs.org/emoji-regex/-/emoji-
regex-8.0.0.tgz",
    "integrity":
"sha512-MSjYzcwN0A0ewAHPz0MxpYFvwg6yjy1NG3xteoqz644VCo/RPgnr1/GGt+ic3iJTzQ8Eu3TdM14
SawnVUmGE6A==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/enhanced-resolve": {
    "version": "5.21.0",
    "resolved": "https://registry.npmjs.org/enhanced-resolve/-/enhanced-
resolve-5.21.0.tgz",
    "integrity":
"sha512-otxSQPw4lk0ZWkHpB3zaEQs6gWYEsMx4xQF68ELXC/TWvGxGMSG0voNbaLXm6/cS/
fSfHtsEdw90y20PCd+sCA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "graceful-fs": "^4.2.4",
      "tapable": "^2.3.3"
    },
    "engines": {
      "node": ">=10.13.0"
    }
  },
  "node_modules/es-define-property": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/es-define-property/-/es-define-
property-1.0.1.tgz",
    "integrity": "sha512-e3nRfgfUZ4rNGL232gUgX06QNyyez04KdjFrF+LTRo0Xmr0gFKDg4BCdsjW8EnT69eqdYGmRpJwiPVYNrCa
W3g==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/es-errors": {
    "version": "1.3.0",
    "resolved": "https://registry.npmjs.org/es-errors/-/es-
errors-1.3.0.tgz",
    "integrity": "sha512-Zf5H2Kxt2xjTvbJvP2ZWLEICxA6j+hAmMzIlpy4xcBg1vKVnx89Wy0GbS+kf5cwCVFFzdCFh2XSFCNULS6
cSW==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/es-object-atoms": {
    "version": "1.1.1",
```




```
"resolved": "https://registry.npmjs.org/es-object-atoms/-/es-object-atoms-1.1.1.tgz",
"integrity": "sha512-FGgH2h8zKNim9Ljj7dankFPcICIK9Cp5bm+c2gQSYePhpaG5+esrL0DihIorn+Pe6FGJzWhXQotPv73jTal
dXA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "es-errors": "^1.3.0"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/es-set-tostringtag": {
  "version": "2.1.0",
  "resolved": "https://registry.npmjs.org/es-set-tostringtag/-/es-set-tostringtag-2.1.0.tgz",
  "integrity":
"sha512-j6vWzfrGVfyXxge+00x5sh6cvxAog0a/4Rdd2K36zCMV5eJ+/+t0AngR08cODMNwbVRdVlmGZQL
2YS3yR8bIUA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "es-errors": "^1.3.0",
    "get-intrinsic": "^1.2.6",
    "has-tostringtag": "^1.0.2",
    "hasown": "^2.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/esbuild": {
  "version": "0.27.7",
  "resolved": "https://registry.npmjs.org/esbuild/-/esbuild-0.27.7.tgz",
  "integrity":
"sha512-IxpibTjyVnmrIQo5aqNpCgoACA/dTKLTlhMHihVHhdkxKyPO1uBBthumT0rdHmcsk9uMonIWS0m
4FljWzILh3w==",
  "dev": true,
  "hasInstallScript": true,
  "license": "MIT",
  "bin": {
    "esbuild": "bin/esbuild"
  },
  "engines": {
    "node": ">=18"
  },
  "optionalDependencies": {
    "@esbuild/aix-ppc64": "0.27.7",
    "@esbuild/android-arm": "0.27.7",
    "@esbuild/android-arm64": "0.27.7",
    "@esbuild/android-x64": "0.27.7",
    "@esbuild/darwin-arm64": "0.27.7",
    "@esbuild/darwin-x64": "0.27.7",

```



```
    "@esbuild/freebsd-arm64": "0.27.7",
    "@esbuild/freebsd-x64": "0.27.7",
    "@esbuild/linux-arm": "0.27.7",
    "@esbuild/linux-arm64": "0.27.7",
    "@esbuild/linux-ia32": "0.27.7",
    "@esbuild/linux-loong64": "0.27.7",
    "@esbuild/linux-mips64el": "0.27.7",
    "@esbuild/linux-ppc64": "0.27.7",
    "@esbuild/linux-riscv64": "0.27.7",
    "@esbuild/linux-s390x": "0.27.7",
    "@esbuild/linux-x64": "0.27.7",
    "@esbuild/netbsd-arm64": "0.27.7",
    "@esbuild/netbsd-x64": "0.27.7",
    "@esbuild/openbsd-arm64": "0.27.7",
    "@esbuild/openbsd-x64": "0.27.7",
    "@esbuild/openharmony-arm64": "0.27.7",
    "@esbuild/sunos-x64": "0.27.7",
    "@esbuild/win32-arm64": "0.27.7",
    "@esbuild/win32-ia32": "0.27.7",
    "@esbuild/win32-x64": "0.27.7"
  },
  },
  "node_modules/escalade": {
    "version": "3.2.0",
    "resolved": "https://registry.npmjs.org/escalade/-/escalade-3.2.0.tgz",
    "integrity": "sha512-WUj2qlxaQt04g6Pq5c29GTcWGdyd8itL8zTlipgECz3JesAii0Kotd8JU6otB3PACgG6xkJUyVhboMS+bje/jA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6"
    }
  },
  },
  "node_modules/fast-glob": {
    "version": "3.3.3",
    "resolved": "https://registry.npmjs.org/fast-glob/-/fast-glob-3.3.3.tgz",
    "integrity": "sha512-7VltZcWdEbkSnrJAbLlT7lLn0MtnT6UlnJcCjyutZQD9JmQDg6G08YbF7md1QGF3kR507O76Uso47i6P8w==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@node-lib/fs.stat": "^2.0.2",
      "@node-lib/fs.walk": "^1.2.3",
      "glob-parent": "^5.1.2",
      "merge2": "^1.3.0",
      "micromatch": "^4.0.8"
    },
    "engines": {
      "node": ">=8.6.0"
    }
  },
  },
  "node_modules/fast-glob/node_modules/glob-parent": {
```



```
    "version": "5.1.2",
    "resolved": "https://registry.npmjs.org/glob-parent/-/glob-
parent-5.1.2.tgz",
    "integrity": "sha512-A0IgSQCepiJYwP3ARnGx+5VnTu2HBYdzbGP45eLw1vr3zB3vZLeyed1sC9hnbc0c9/
SrMyM5RPQrkGz4aS9Zow==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "is-glob": "^4.0.1"
    },
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/fastq": {
    "version": "1.20.1",
    "resolved": "https://registry.npmjs.org/fastq/-/fastq-1.20.1.tgz",
    "integrity":
"sha512-GGTToxJ/w1x32s/D2EKND7kTil4n80Vv9k/9mycTc4VDza13l0vpUZTGX3mFSctV9ksdGBVzvsvyAVL
M6mHFThxXxw==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "reusify": "^1.0.4"
    }
  },
  "node_modules/fdir": {
    "version": "6.5.0",
    "resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
    "integrity": "sha512-tIbYtZbuc0s0BRGqPJkshJUyDL+SDH7dVM8ggjy+ERp3WAUjLEFJE+02kanyHtwjW0nwrKYBiwAmM0p4kLJA
nXg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=12.0.0"
    },
    "peerDependencies": {
      "picomatch": "^3 || ^4"
    },
    "peerDependenciesMeta": {
      "picomatch": {
        "optional": true
      }
    }
  },
  "node_modules/fill-range": {
    "version": "7.1.1",
    "resolved": "https://registry.npmjs.org/fill-range/-/fill-
range-7.1.1.tgz",
    "integrity":
"sha512-YsGpe3WHLK8ZYi4tWDg2Jy3ebRz2rXowDxnld4bkQB00cc/1Zw9AWnC0i9ztDJitvtQvaI9KaL
yKrc+hBW0yg==",
    "dev": true,
```



```
    "license": "MIT",
    "dependencies": {
      "to-regexp-range": "^5.0.1"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/follow-redirects": {
    "version": "1.16.0",
    "resolved": "https://registry.npmjs.org/follow-redirects/-/follow-redirects-1.16.0.tgz",
    "integrity": "sha512-y5rN/uOsadFT/JfYwhxRS5R7Qce+g3zG97+JrtFZLC9kLX/W5hD7iiLzScI4nZqUS7DNUdhPgW4xI8W2LuXUw==",
    "dev": true,
    "funding": [
      {
        "type": "individual",
        "url": "https://github.com/sponsors/RubenVerborgh"
      }
    ],
    "license": "MIT",
    "engines": {
      "node": ">=4.0"
    },
    "peerDependenciesMeta": {
      "debug": {
        "optional": true
      }
    }
  },
  "node_modules/form-data": {
    "version": "4.0.5",
    "resolved": "https://registry.npmjs.org/form-data/-/form-data-4.0.5.tgz",
    "integrity": "sha512-8RipRLol37bNs2bhoV67fiTEvdTrbMUYcFTiy3+wuuOnUog2QBHCZXDRijWQfAkhBj2Uf5UnVaiWwA5vdd82w==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "asynckit": "^0.4.0",
      "combined-stream": "^1.0.8",
      "es-set-tostringtag": "^2.1.0",
      "hasown": "^2.0.2",
      "mime-types": "^2.1.12"
    },
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/fraction.js": {
    "version": "5.3.4",
```



```
    "resolved":  
    "https://registry.npmjs.org/fraction.js/-/fraction.js-5.3.4.tgz",  
    "integrity":  
    "sha512-1X1NTtiJphryn/uLQz3whtY6jK3fTqoE3ohKs0tT+Ujr1W59oopxmoEh7Lu5p6vBaPbgoM0bzve  
    AW4Qi5RyWDQ==",  
    "dev": true,  
    "license": "MIT",  
    "engines": {  
      "node": "*"   
    },  
    "funding": {  
      "type": "github",  
      "url": "https://github.com/sponsors/rawify"  
    }  
  },  
  "node_modules/fsevents": {  
    "version": "2.3.3",  
    "resolved": "https://registry.npmjs.org/fsevents/-/fsevents-2.3.3.tgz",  
    "integrity":  
    "sha512-5xoDfX+fL7faATnagmWPpbFtwh/R77WmMMqHGS65C3vvB0YHrgF+B1YmZ3441tMj5n63k0212X  
    NoJwzlhffQw==",  
    "dev": true,  
    "hasInstallScript": true,  
    "license": "MIT",  
    "optional": true,  
    "os": [  
      "darwin"  
    ],  
    "engines": {  
      "node": "^8.16.0 || ^10.6.0 || >=11.0.0"  
    }  
  },  
  "node_modules/function-bind": {  
    "version": "1.1.2",  
    "resolved": "https://registry.npmjs.org/function-bind/-/function-  
bind-1.1.2.tgz",  
    "integrity":  
    "sha512-7XNz7MjzIvB+a8jHw4u7R7/XvBqWZ058qDQzo4qPQGaC1R9CsKj2kJ1H01Yum8VwQ7o8DvKpG  
    R82nJMFg2SA==",  
    "dev": true,  
    "license": "MIT",  
    "funding": {  
      "url": "https://github.com/sponsors/ljharb"  
    }  
  },  
  "node_modules/get-caller-file": {  
    "version": "2.0.5",  
    "resolved": "https://registry.npmjs.org/get-caller-file/-/get-caller-  
file-2.0.5.tgz",  
    "integrity":  
    "sha512-DyFP3BM/3YHTQCUL/w00ZHR0lpKeGrxotcHWcqNEdnltqFwXVfhEBQ94eIo34AfQpo0rGki4cy  
    IiftY06h2Fg==",  
    "dev": true,  
    "license": "ISC",  
    "engines": {
```



```
    "node": "6.* || 8.* || >= 10.*"
  },
  "node_modules/get-intrinsic": {
    "version": "1.3.0",
    "resolved": "https://registry.npmjs.org/get-intrinsic/-/get-
intrinsic-1.3.0.tgz",
    "integrity":
"sha512-9fSj3sKdO9qFaHcpD8vZiSF19qn4a5CgpnObizU3LHOtlvI4Y
Vg5mfjB98CQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind-apply-helpers": "^1.0.2",
      "es-define-property": "^1.0.1",
      "es-errors": "^1.3.0",
      "es-object-atoms": "^1.1.1",
      "function-bind": "^1.1.2",
      "get-proto": "^1.0.1",
      "gopd": "^1.2.0",
      "has-symbols": "^1.1.0",
      "hasown": "^2.0.2",
      "math-intrinsics": "^1.1.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/get-proto": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/get-proto/-/get-
proto-1.0.1.tgz",
    "integrity": "sha512-
sTSfBjOXBp89JvIKIefqw7U2CCebSc74kiY6awiGogKtoSGbgjYE/G/+l9sF3MWFpNc9Ico0C40DfKHfXfM
p0g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "dunder-proto": "^1.0.1",
      "es-object-atoms": "^1.0.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/glob-parent": {
    "version": "6.0.2",
    "resolved": "https://registry.npmjs.org/glob-parent/-/glob-
parent-6.0.2.tgz",
    "integrity": "sha512-
XxwI8E0hVQgWp6iDL+3b0r86f4d6AX6zSU55HfB4ydCEuXLXc5FcYe0u+nnGftS4TEju/
11rt4KJPTMgbfmv4A==",
```



```
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "is-glob": "^4.0.3"
    },
    "engines": {
      "node": ">=10.13.0"
    }
  },
  "node_modules/gopd": {
    "version": "1.2.0",
    "resolved": "https://registry.npmjs.org/gopd/-/gopd-1.2.0.tgz",
    "integrity": "sha512-FVU9JF5v4tIvYXQZjN1lN6P8uN4uJSbfR74WQS5TkjflpAiL6eHfX337J6VDuRO5NScZRpTGHq2Lx1t6i0Q==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/graceful-fs": {
    "version": "4.2.11",
    "resolved": "https://registry.npmjs.org/graceful-fs/-/graceful-fs-4.2.11.tgz",
    "integrity": "sha512-RjXw1ldvR7z8g65wzxaFVVbU99T7ZiS4bTxXeCw1EYFtQjTdN2HjWZS4hUoT7vI9hN1LWjBZU3xhhWU0w==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/has-flag": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/has-flag/-/has-flag-4.0.0.tgz",
    "integrity": "sha512-EykJT/Q1KjTWctppgIAgfSO0tKVuZUjhgMr17kqTumMl6Afv3EISleU7qZUzoXDFTAHTDC4N0oG/ZxU3EvlMPQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/has-symbols": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/has-symbols/-/has-symbols-1.1.0.tgz",
    "integrity": "sha512-1k8xR98g1c0JQeM/IY/SmBQ5dPwR9nUIZ/68g35JH44NtLZ8RZ7aXhz0nF0ZU0LRF8/2b/6uZDd1y4==",
    "dev": true,
    "license": "MIT",

```



```
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/has-tostringtag": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/has-tostringtag/-/has-tostringtag-1.0.2.tgz",
    "integrity": "sha512-NqADB8VjPFLM2V0VvHUewwwwsw0ZWBAIdgo+ieHtK3hasLz4qeCRjYcqfB6AQRBggRKppKF8L52/VqdVs047Dlw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "has-symbols": "^1.0.3"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/hasown": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/hasown/-/hasown-2.0.3.tgz",
    "integrity": "sha512-ej4AhfhfL2Q2zpMmLo7U1Uv9+PyhIZpgQLGT1F9miIGmiCJIocGSmczFdrc97mWT4kVY72KA+WnnhJ5pghSvSg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "function-bind": "^1.1.2"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/is-binary-path": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/is-binary-path/-/is-binary-path-2.1.0.tgz",
    "integrity": "sha512-ZdyqIPyykkt1mHlSisCwDZuikKsjTu4T6LW1WPNulZu3VtGLxZJBDZey5aNs90c342YrLfy4hdryMa43sSkdw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "binary-extensions": "^2.0.0"
    },
    "engines": {
      "node": ">=8"
    }
  }
}
```




```
    },
    "node_modules/is-core-module": {
      "version": "2.16.1",
      "resolved": "https://registry.npmjs.org/is-core-module/-/is-core-
module-2.16.1.tgz",
      "integrity": "sha512-UfoeMA6fIJ8wTYFEUjelnAGI67v6+N7qXJEvQuIGa99l4xsCruSY0VSQ0uPANn4dAzm8lkYPaKLrrijLq7x
23w==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "hasown": "^2.0.2"
      },
      "engines": {
        "node": ">= 0.4"
      },
      "funding": {
        "url": "https://github.com/sponsors/ljharb"
      }
    },
    "node_modules/is-extglob": {
      "version": "2.1.1",
      "resolved": "https://registry.npmjs.org/is-extglob/-/is-
extglob-2.1.1.tgz",
      "integrity": "sha512-SbKbBANKn603Vi4jEZv49LeVJMn4yGwsbzZworEoyEiutsN3nJYdb036zfHGGJ6QEDp0ZIFkDtnq5JRxmvl3j
soQ==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=0.10.0"
      }
    },
    "node_modules/is-fullwidth-code-point": {
      "version": "3.0.0",
      "resolved": "https://registry.npmjs.org/is-fullwidth-code-point/-/is-
fullwidth-code-point-3.0.0.tgz",
      "integrity": "sha512-zymm5+u+sCsSWyD9qNaejV3DFvhCKcLkDizYaJUuHA83RLjb7nSuGnddCHGv0hk+KY7BMAlsWeK4Ueg6EV6
XQg==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=8"
      }
    },
    "node_modules/is-glob": {
      "version": "4.0.3",
      "resolved": "https://registry.npmjs.org/is-glob/-/is-glob-4.0.3.tgz",
      "integrity": "sha512-xelSayHH36ZgE7ZWhLi7pw34hNbNl80jv5KVMkJD4hBdD3th8Tfk9vYasLM+mXW0ZhFkgZfxhLSnrwRr4eL
SSg==",
      "dev": true,
      "license": "MIT",

```



```
    "dependencies": {
      "is-extglob": "^2.1.1"
    },
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/is-number": {
    "version": "7.0.0",
    "resolved": "https://registry.npmjs.org/is-number/-/is-number-7.0.0.tgz",
    "integrity": "sha512-41Cifkg6e8TylSpdtTpeLVMqvSBEVzTtttHvERD741+pnZ8ANv0004MRL43QKPD1K9cGvNp6NZWZUBlbGXYx
xng==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.12.0"
    }
  },
  "node_modules/jiti": {
    "version": "2.6.1",
    "resolved": "https://registry.npmjs.org/jiti/-/jiti-2.6.1.tgz",
    "integrity": "sha512-ekilCSN1jwRvIbgeg/57YFh8qQDNbwDb9xT/qu2DAHbFFZUicIl4ygVaAvzveMhMvr3LnpSKTNn
wt8PoOfmKhQ==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "jiti": "lib/jiti-cli.mjs"
    }
  },
  "node_modules/laravel-vite-plugin": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/laravel-vite-plugin/-/laravel-vite-plugin-2.1.0.tgz",
    "integrity": "sha512-z+ck2BSV6KwtYcoIzk9Y5+p4NEjqM+Y4i8/H+VZRLq00gNjW2DqyADquwYu5j8qRvaXwzNmFCWl
1KrMLV1zpsg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "picocolors": "^1.0.0",
      "vite-plugin-full-reload": "^1.1.0"
    },
    "bin": {
      "clean-orphaned-assets": "bin/clean.js"
    },
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    },
    "peerDependencies": {
      "vite": "^7.0.0"
    }
  },
}
```



```
"node_modules/lightningcss": {
  "version": "1.32.0",
  "resolved":
"https://registry.npmjs.org/lightningcss/-/lightningcss-1.32.0.tgz",
  "integrity":
"sha512-NXYBzinNrblfraPGyrbPoD19C1h9lfI/1mzgWYvXUTE414Gz/X1FD2XBZSZM7rRTrMA8JL30tAa
GifrIKhQ5yQ==",
  "dev": true,
  "license": "MPL-2.0",
  "dependencies": {
    "detect-libc": "^2.0.3"
  },
  "engines": {
    "node": ">= 12.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  },
  "optionalDependencies": {
    "lightningcss-android-arm64": "1.32.0",
    "lightningcss-darwin-arm64": "1.32.0",
    "lightningcss-darwin-x64": "1.32.0",
    "lightningcss-freebsd-x64": "1.32.0",
    "lightningcss-linux-arm-gnueabihf": "1.32.0",
    "lightningcss-linux-arm64-gnu": "1.32.0",
    "lightningcss-linux-arm64-musl": "1.32.0",
    "lightningcss-linux-x64-gnu": "1.32.0",
    "lightningcss-linux-x64-musl": "1.32.0",
    "lightningcss-win32-arm64-msvc": "1.32.0",
    "lightningcss-win32-x64-msvc": "1.32.0"
  }
},
"node_modules/lightningcss-android-arm64": {
  "version": "1.32.0",
  "resolved":
"https://registry.npmjs.org/lightningcss-android-arm64/-/lightningcss-android-
arm64-1.32.0.tgz",
  "integrity":
"sha512-YK7/CltT4kAK0vo6w3X+Pnm0D2cf2vPHbh0XdoNti1Ga0a1P4TBZhwjATvjNwLEBCnKvjJc2jQ
gHXH0NEwLAG==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MPL-2.0",
  "optional": true,
  "os": [
    "android"
  ],
  "engines": {
    "node": ">= 12.0.0"
  },
  "funding": {
    "type": "opencollective",
```



```
      "url": "https://opencollective.com/parcel"
    },
    "node_modules/lightningcss-darwin-arm64": {
      "version": "1.32.0",
      "resolved":
"https://registry.npmjs.org/lightningcss-darwin-arm64/-/lightningcss-darwin-arm64-
1.32.0.tgz",
      "integrity":
"sha512-RzeG9Ju5bag2Bv1/lwLVJvBE3q6TtXskdZLLCyfg5pt+HLz9BqLIC07LZM7VHNTTn/
5PRhHFBSjk5lc4cmScPQ==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MPL-2.0",
      "optional": true,
      "os": [
        "darwin"
      ],
      "engines": {
        "node": ">= 12.0.0"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/parcel"
      }
    },
    "node_modules/lightningcss-darwin-x64": {
      "version": "1.32.0",
      "resolved":
"https://registry.npmjs.org/lightningcss-darwin-x64/-/lightningcss-darwin-x64-
1.32.0.tgz",
      "integrity":
"sha512-U+QsBp2m/s2wqpUYT/6wnlagdZbtZdndSmut/NJqLCcMLTwp5muCrID+K5UJ6jqD2BFshejCYXn
iPDbNh73V8w==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MPL-2.0",
      "optional": true,
      "os": [
        "darwin"
      ],
      "engines": {
        "node": ">= 12.0.0"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/parcel"
      }
    },
    "node_modules/lightningcss-freebsd-x64": {
      "version": "1.32.0",
```



```
    "resolved":  
    "https://registry.npmjs.org/lightningcss-freebsd-x64/-/lightningcss-freebsd-x64-  
1.32.0.tgz",  
    "integrity": "sha512-  
JCTigedEksZk3tHTTthnMdVfGf61Fky8Ji2E4YjUTEQX14xiy/LTzXnu1vwiZe3bYe0q+SpsSH/  
CTeDXK6WHig==",  
    "cpu": [  
      "x64"  
    ],  
    "dev": true,  
    "license": "MPL-2.0",  
    "optional": true,  
    "os": [  
      "freebsd"  
    ],  
    "engines": {  
      "node": ">= 12.0.0"  
    },  
    "funding": {  
      "type": "opencollective",  
      "url": "https://opencollective.com/parcel"  
    }  
  },  
  "node_modules/lightningcss-linux-arm-gnueabihf": {  
    "version": "1.32.0",  
    "resolved": "https://registry.npmjs.org/lightningcss-linux-arm-  
gnueabihf/-/lightningcss-linux-arm-gnueabihf-1.32.0.tgz",  
    "integrity": "sha512-  
x6rnnpRa2GL0zQ0kt6rts3YDPzduLpWvWAF6EMhXFVZXD4tPrBKEFqzGowzCsIWsPjqSK+tyNEODUBXeeVH  
Skw==",  
    "cpu": [  
      "arm"  
    ],  
    "dev": true,  
    "license": "MPL-2.0",  
    "optional": true,  
    "os": [  
      "linux"  
    ],  
    "engines": {  
      "node": ">= 12.0.0"  
    },  
    "funding": {  
      "type": "opencollective",  
      "url": "https://opencollective.com/parcel"  
    }  
  },  
  "node_modules/lightningcss-linux-arm64-gnu": {  
    "version": "1.32.0",  
    "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-  
gnu/-/lightningcss-linux-arm64-gnu-1.32.0.tgz",  
    "integrity":  
"sha512-0nnMyoyOLRJXfbM0ilaSRcLH3Jw5z9HDNGfT/gwCPgaDjnx0i8w7vBzFLFR1f6CMLKF8gVbebmK  
UN3fa/kQJpQ==",  
    "cpu": [  

```



```
      "arm64"
    ],
    "dev": true,
    "libc": [
      "glibc"
    ],
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-linux-arm64-musl": {
    "version": "1.32.0",
    "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-musl/-/lightningcss-linux-arm64-musl-1.32.0.tgz",
    "integrity": "sha512-UpQkoenr4UJEzgvIYpI80lDFvRmPVg6oqboNHfoH4CQIfNA+H0rZ7Mo7KZP02dC6LjghPQJeBsvXhJod/wnIBg==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "libc": [
      "musl"
    ],
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-linux-x64-gnu": {
    "version": "1.32.0",
    "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-gnu/-/lightningcss-linux-x64-gnu-1.32.0.tgz",
    "integrity": "sha512-V7Qr52IhZmdKPvR+Vtw8o+WLSQJYCTd8loIfpDaMRWGUZfBOYEJeyJIkqGIDMZPwPx24pUMfwSxxI8phr/Mb0A==",
    "cpu": [
```



```
      "x64"
    ],
    "dev": true,
    "libc": [
      "glibc"
    ],
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-linux-x64-musl": {
    "version": "1.32.0",
    "resolved":
"https://registry.npmjs.org/lightningcss-linux-x64-musl/-/lightningcss-linux-x64-
musl-1.32.0.tgz",
    "integrity":
"sha512-bYcLp+Vb0awsixG/80uCREzCYHNg1/l3mt0gzHnWV9XP1W5sKa5/TCdGwaR/zBM2PeF/HbsQv/
j2URN0iVuxWg==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "libc": [
      "musl"
    ],
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-win32-arm64-msvc": {
    "version": "1.32.0",
    "resolved": "https://registry.npmjs.org/lightningcss-win32-arm64-
msvc/-/lightningcss-win32-arm64-msvc-1.32.0.tgz",
    "integrity": "sha512-
8SbC8BR40pS6baCM8sbtYDSwEVQd4JlFT0laD3gWGHfThTcABnNDBda6eTZeqbofa1IJhFx0qKzgHJmcPTn
Gdw==",
    "cpu": [
```



```
    "arm64"
  ],
  "dev": true,
  "license": "MPL-2.0",
  "optional": true,
  "os": [
    "win32"
  ],
  "engines": {
    "node": ">= 12.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
"node_modules/lightningcss-win32-x64-msvc": {
  "version": "1.32.0",
  "resolved":
"https://registry.npmjs.org/lightningcss-win32-x64-msvc/-/lightningcss-win32-x64-
msvc-1.32.0.tgz",
  "integrity":
"sha512-Amq9B/SoZYdDi1kFrojnoqPLxYhQ4Wo5XiL8EVJrVsB8ARoC1PWW6VGtT0WKCemjy8aC+louJnj
S7U18x3b06Q==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MPL-2.0",
  "optional": true,
  "os": [
    "win32"
  ],
  "engines": {
    "node": ">= 12.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
"node_modules/lilconfig": {
  "version": "3.1.3",
  "resolved":
"https://registry.npmjs.org/lilconfig/-/lilconfig-3.1.3.tgz",
  "integrity":
"sha512-vIrkFj9Ibn9K/avtj6wJQw/2SiOGaJNtXJAZb/9kJvQ18WZKGz/coUqyQzjyBosw32tZj24wQzXJ3/0g==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=14"
  },
  "funding": {
    "url": "https://github.com/sponsors/antonk52"
  }
}
```




```
    },
    "node_modules/lines-and-columns": {
      "version": "1.2.4",
      "resolved": "https://registry.npmjs.org/lines-and-columns/-/lines-and-columns-1.2.4.tgz",
      "integrity":
"sha512-7ylylesZQ/PV29jhEDl3Ufjo6ZX7gCqJr5F7PKrqc93v7fzSymt1BpwEU8nAUXs8qzzvqhbjhK5
QZg6Mt/HkBg==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/magic-string": {
      "version": "0.30.21",
      "resolved": "https://registry.npmjs.org/magic-string/-/magic-string-0.30.21.tgz",
      "integrity": "sha512-
vd2F4YUyEXKGcLHoq+TEyCjxueSeHnFxyyJNp80yg0XV4vUhnDer/lvvlqM/
arB5bXQN5K2/3oinyCRyx8T2CQ==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@jridgewell/sourcemap-codec": "^1.5.5"
      }
    },
    "node_modules/math-intrinsics": {
      "version": "1.1.0",
      "resolved": "https://registry.npmjs.org/math-intrinsics/-/math-intrinsics-1.1.0.tgz",
      "integrity":
"sha512-/IXtbwEk5HTPyEwyKX6hGkYXxM9nbj64B+ilVJnC/R6B0pH5G4V3b0pVbL7DBj4tkhBAppbQUlf
6F6Xl9LHu1g==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">= 0.4"
      }
    },
    "node_modules/merge2": {
      "version": "1.4.1",
      "resolved": "https://registry.npmjs.org/merge2/-/merge2-1.4.1.tgz",
      "integrity":
"sha512-8q7VEgMJW4J8tcfVPy8g09NcQwZdbwFEqhe/WZkoIzjn/3TGDwtOCYtXGxA308tPzpczCCDgv+P
2P5y00ZJ00g==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">= 8"
      }
    },
    "node_modules/micromatch": {
      "version": "4.0.8",
      "resolved":
"https://registry.npmjs.org/micromatch/-/micromatch-4.0.8.tgz",
```



```
    "integrity": "sha512-
PXwfBhYu0hBCPw8Dn0E+WDYb7af3dSLVWki3HGv84IdF4TyFoC0ysxFd0Goxw7nSv4T/
PzEJQxsYsEiFCKo2BA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "braces": "^3.0.3",
      "picomatch": "^2.3.1"
    },
    "engines": {
      "node": ">=8.6"
    }
  },
  "node_modules/micromatch/node_modules/picomatch": {
    "version": "2.3.2",
    "resolved":
"https://registry.npmjs.org/picomatch/-/picomatch-2.3.2.tgz",
    "integrity": "sha512-
V7+vQeJ06Z+c5tSye8S+nHUfI51xoXIXjHQ99cQtKUKqq01k0/KCJUfZXuB47h/
YBlDhah2H3hdUGXn8ie0oA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8.6"
    },
    "funding": {
      "url": "https://github.com/sponsors/jonschlinkert"
    }
  },
  "node_modules/mime-db": {
    "version": "1.52.0",
    "resolved": "https://registry.npmjs.org/mime-db/-/mime-db-1.52.0.tgz",
    "integrity": "sha512-
sPU4uV7dYlvtWJxwwxHD0PuihVNiE7TyAbQ5SwxDCB9mUYv0groQ0wYQQ0KPJ8CIbE+1ETVl0oK1UC2nU3g
Yvg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.6"
    }
  },
  "node_modules/mime-types": {
    "version": "2.1.35",
    "resolved": "https://registry.npmjs.org/mime-types/-/mime-
types-2.1.35.tgz",
    "integrity": "sha512-
ZDY+bPm5zTTF+YpCrAU9nK0UgICYPT0QtT1NZWFv4s+
+TNkcgVaT0g6+4R2uI4MjQjzysHB1zxuWL50hzaeXiW==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "mime-db": "1.52.0"
    },
    "engines": {
      "node": ">= 0.6"
    }
  }
```



```
    },
    "node_modules/mini-svg-data-uri": {
      "version": "1.4.4",
      "resolved": "https://registry.npmjs.org/mini-svg-data-uri/-/mini-svg-
data-uri-1.4.4.tgz",
      "integrity":
"sha512-r9deDe9p5FJUPZAK3A59wGH7Ii9YrjjWw0jmw/liSbHl2CHiyXj6FcDXDu2K3TjVAXqiJdaw3xx
wLZZr9E6nHg==",
      "dev": true,
      "license": "MIT",
      "bin": {
        "mini-svg-data-uri": "cli.js"
      }
    },
    "node_modules/mz": {
      "version": "2.7.0",
      "resolved": "https://registry.npmjs.org/mz/-/mz-2.7.0.tgz",
      "integrity": "sha512-z81GN07nnYMEhrGh9LeymoE4+Yr0Wn5McHIZMK5cfQC1+NDX08sCZgUc9/6MHni9IWuFLm1Z3HTCXu2z9fN
62Q==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "any-promise": "^1.0.0",
        "object-assign": "^4.0.1",
        "thenify-all": "^1.0.0"
      }
    },
    "node_modules/nanoid": {
      "version": "3.3.11",
      "resolved": "https://registry.npmjs.org/nanoid/-/nanoid-3.3.11.tgz",
      "integrity": "sha512-N8SpfPUNUp1bK+PMYW8qSwdl9U+wwNWI4QKx0YDy9JAro3WMX7p20eVRF9v+347pnakNevPmiHhNmZ2HbFA
76w==",
      "dev": true,
      "funding": [
        {
          "type": "github",
          "url": "https://github.com/sponsors/ai"
        }
      ],
      "license": "MIT",
      "bin": {
        "nanoid": "bin/nanoid.cjs"
      },
      "engines": {
        "node": ">=10 || ^12 || ^13.7 || ^14 || >=15.0.1"
      }
    },
    "node_modules/node-releases": {
      "version": "2.0.38",
      "resolved": "https://registry.npmjs.org/node-releases/-/node-
releases-2.0.38.tgz",
```



```
    "integrity":  
    "sha512-3qT/88Y3FbH/Kx4szpQQ4HzUbVrHPKTLVpVocKiLfoYvw9XSG0X2FmD2d6DrXbVYyAQTF2HeF6M  
y8jmzx7/CRw==",  
    "dev": true,  
    "license": "MIT"  
  },  
  "node_modules/normalize-path": {  
    "version": "3.0.0",  
    "resolved": "https://registry.npmjs.org/normalize-path/-/normalize-  
path-3.0.0.tgz",  
    "integrity": "sha512-6eZs5Ls3WtCisHWP9S2GUy8dqkpGi4BVSz3GaqiE6ezub0512ESztXUwUB6C6IKbQkY2Pnb/  
mD4WYojCRwcwLA==",  
    "dev": true,  
    "license": "MIT",  
    "engines": {  
      "node": ">=0.10.0"  
    }  
  },  
  "node_modules/object-assign": {  
    "version": "4.1.1",  
    "resolved": "https://registry.npmjs.org/object-assign/-/object-  
assign-4.1.1.tgz",  
    "integrity": "sha512-rJgTQnkUnH1sFw8yT6VSU3zD3sWmu6sZhIseY8VX+GRu3P6F7Fu+JND0Xfk1ElbLJSnc3FUQHve4cU5hj+B  
cUg==",  
    "dev": true,  
    "license": "MIT",  
    "engines": {  
      "node": ">=0.10.0"  
    }  
  },  
  "node_modules/object-hash": {  
    "version": "3.0.0",  
    "resolved": "https://registry.npmjs.org/object-hash/-/object-  
hash-3.0.0.tgz",  
    "integrity": "sha512-RSn9F68PjH9HqtltSsnqYC1XXoWe9Bju5+213R98cNGttag9q9yA0TzdbsqvIa7aNm5WffBZFpWYr2aWrkl  
WAw==",  
    "dev": true,  
    "license": "MIT",  
    "engines": {  
      "node": ">= 6"  
    }  
  },  
  "node_modules/path-parse": {  
    "version": "1.0.7",  
    "resolved": "https://registry.npmjs.org/path-parse/-/path-  
parse-1.0.7.tgz",  
    "integrity":  
    "sha512-LDJzPVEEEPR+y48z93A0Ed0yXb8pABYGWo/k5YYdYgpY2/2Es0sksJrq7l0HxryrV0n1ejG6oAp  
8ahv0IQD8sw==",  
    "dev": true,  
    "license": "MIT"  
  },  
}
```



```
"node_modules/picocolors": {
  "version": "1.1.1",
  "resolved":
"https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz",
  "integrity":
"sha512-xceH2snhtb5M9liqDsmEw56le376mTZkEX/jEb/RxNFyegNu17eNs1CXP9FDj/
Lcu0X8KEyMceP2ntpaHrDEVA==",
  "dev": true,
  "license": "ISC"
},
"node_modules/picomatch": {
  "version": "4.0.4",
  "resolved":
"https://registry.npmjs.org/picomatch/-/picomatch-4.0.4.tgz",
  "integrity":
"sha512-qp88BAKvMam/3NxH6vj2o21R6MjxZUAd6nlwAS/pnGvN9IVLocLHxGYIzFhg6fUQ+5th6P4dv4e
W9jX3DSIj7A==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=12"
  },
  "funding": {
    "url": "https://github.com/sponsors/jonschlinkert"
  }
},
"node_modules/pify": {
  "version": "2.3.0",
  "resolved": "https://registry.npmjs.org/pify/-/pify-2.3.0.tgz",
  "integrity": "sha512-udgsAY+fTnvv7kI7aaxbqwwNb0AHiB0qB089PZKPKoTmG0gdbbrHDKD+0B2X4uTfJ/
FT1R09r9gTsJ0jNjJotuog==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=0.10.0"
  }
},
"node_modules/pirates": {
  "version": "4.0.7",
  "resolved": "https://registry.npmjs.org/pirates/-/pirates-4.0.7.tgz",
  "integrity":
"sha512-TfySrs/5nm8fQJDcBDuUng3VOUKsd7S+zzqyb0TiGXHfxX4wK31ard+hoNuvkicM/
2YFzlpDgAB0evKSsB4G/FA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 6"
  }
},
"node_modules/postcss": {
  "version": "8.5.10",
  "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.5.10.tgz",
```



```
    "integrity":
"sha512-pMMHxB0ZKFU6HgAZ4eyGnwXF/EvPGGqUr0MnZ5+99485wwW41kW91A4LOGxSHhgugZmSchL5A1E
lNdwlNgcnlQ==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/postcss/"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/postcss"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "nanoid": "^3.3.11",
      "picocolors": "^1.1.1",
      "source-map-js": "^1.2.1"
    },
    "engines": {
      "node": ">=10 || ^12 || >=14"
    }
  },
  "node_modules/postcss-import": {
    "version": "15.1.0",
    "resolved": "https://registry.npmjs.org/postcss-import/-/postcss-
import-15.1.0.tgz",
    "integrity":
"sha512-hpr+J05B2FVYUAXHeK1YyI267J/dDDhMU6B6civm8hSY1jYJnBXxzKDKDswzJmtLHryrjhnDjq
p/49t8FALew==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "postcss-value-parser": "^4.0.0",
      "read-cache": "^1.0.0",
      "resolve": "^1.1.7"
    },
    "engines": {
      "node": ">=14.0.0"
    }
  },
  "peerDependencies": {
    "postcss": "^8.0.0"
  }
},
  "node_modules/postcss-js": {
    "version": "4.1.0",
    "resolved": "https://registry.npmjs.org/postcss-js/-/postcss-
js-4.1.0.tgz",
```



```
"integrity": "sha512-
oIAOTqgIo7q2E0wbhb8UaLYePMvYoIeRY2YKntdpFQXNosSu3vLrniGgmH90Ks/qAkfoj5oB3le/
7mINW1LCfw==",
  "dev": true,
  "funding": [
    {
      "type": "opencollective",
      "url": "https://opencollective.com/postcss/"
    },
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "camelcase-css": "^2.0.1"
  },
  "engines": {
    "node": "^12 || ^14 || >= 16"
  },
  "peerDependencies": {
    "postcss": "^8.4.21"
  }
},
"node_modules/postcss-load-config": {
  "version": "6.0.1",
  "resolved": "https://registry.npmjs.org/postcss-load-config/-/postcss-
load-config-6.0.1.tgz",
  "integrity":
"sha512-oPtTM4oerL+UXmx+93ytZVN82RrLY/wPUV8IeDxFrziJXOLF1pN+EmKPLbubvKHT2HC20xXsCAH
2Z+CKV60z/g==",
  "dev": true,
  "funding": [
    {
      "type": "opencollective",
      "url": "https://opencollective.com/postcss/"
    },
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "lilconfig": "^3.1.1"
  },
  "engines": {
    "node": ">= 18"
  },
  "peerDependencies": {
    "jiti": ">=1.21.0",
    "postcss": ">=8.0.9",
    "tsx": "^4.8.1",
    "yaml": "^2.4.2"
  }
}
```



```
    },
    "peerDependenciesMeta": {
      "jiti": {
        "optional": true
      },
      "postcss": {
        "optional": true
      },
      "tsx": {
        "optional": true
      },
      "yaml": {
        "optional": true
      }
    }
  },
  "node_modules/postcss-nested": {
    "version": "6.2.0",
    "resolved": "https://registry.npmjs.org/postcss-nested/-/postcss-nested-6.2.0.tgz",
    "integrity": "sha512-HQbt28KulC5AJzG+cZtj9kvKB93CFCdLvog1WFLf1D+xmMvPGLBstkpTEZfK5+AN9hfJocyBFCNiqyS48bp
gzQ==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/postcss/"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "postcss-selector-parser": "^6.1.1"
    },
    "engines": {
      "node": ">=12.0"
    },
    "peerDependencies": {
      "postcss": "^8.2.14"
    }
  },
  "node_modules/postcss-selector-parser": {
    "version": "6.1.2",
    "resolved":
"https://registry.npmjs.org/postcss-selector-parser/-/postcss-selector-
parser-6.1.2.tgz",
    "integrity":
"sha512-Q8qQfPiZ+TH0/3Zr0r00cJJKfpYCagtMUKXbnEfmguJwXg6z/WBe0yS9APBBPCTSiDV+s4SwQGu
8yFsiMRIudg==",
    "dev": true,
    "license": "MIT",
```




```
    "dependencies": {
      "cssesc": "^3.0.0",
      "util-deprecate": "^1.0.2"
    },
    "engines": {
      "node": ">=4"
    }
  },
  "node_modules/postcss-value-parser": {
    "version": "4.2.0",
    "resolved": "https://registry.npmjs.org/postcss-value-parser/-/postcss-value-parser-4.2.0.tgz",
    "integrity": "sha512-1NNCs6uurfkVbeXG4S8JFT9t19m45ICnif8zWLD5oPSZ50QnwMfK+H3jv408d4jw/7Bttv5axS5IiHoLaVNHeQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/proxy-from-env": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/proxy-from-env/-/proxy-from-env-2.1.0.tgz",
    "integrity": "sha512-2Xq1YxiX3Z1z6o3A5M3z7Uo61UW4x3J4u24iYU2v9Z4qU4sW+9310hTC66egQZvV1iI39d5oBr3B/PQA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=10"
    }
  },
  "node_modules/queue-microtask": {
    "version": "1.2.3",
    "resolved": "https://registry.npmjs.org/queue-microtask/-/queue-microtask-1.2.3.tgz",
    "integrity": "sha512-NuaNSa6flKT5JaSYQzJok04JzTL1CA6aGhv5rfLW3PgqA+M2ChpZQnAC8h8i4ZFkBS8X5RqkDBHA7r4hej3K9A==",
    "dev": true,
    "funding": [
      {
        "type": "github",
        "url": "https://github.com/sponsors/feross"
      },
      {
        "type": "patreon",
        "url": "https://www.patreon.com/feross"
      },
      {
        "type": "consulting",
        "url": "https://feross.org/support"
      }
    ],
    "license": "MIT"
  },
}
```



```
"node_modules/read-cache": {
  "version": "1.0.0",
  "resolved": "https://registry.npmjs.org/read-cache/-/read-cache-1.0.0.tgz",
  "integrity":
"sha512-0wdv/Ft7Ij0gm/i0xvNDZ1LrRANRfew4b2prF30WMLxLfu3bS8FVhCsrSCMK4lR56Y9ya+ATHo
TpDCTxCmpRA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "pify": "^2.3.0"
  }
},
"node_modules/readdirp": {
  "version": "3.6.0",
  "resolved": "https://registry.npmjs.org/readdirp/-/readdirp-3.6.0.tgz",
  "integrity": "sha512-h0S089on8RduqdbbhvQ5Z37A0ESjsqz6qnRcFFsMU3495FuTdQSm+7bhJ29JvI0SBDEEnan5DPu9t3To9VRl
MZA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "picomatch": "^2.2.1"
  },
  "engines": {
    "node": ">=8.10.0"
  }
},
"node_modules/readdirp/node_modules/picomatch": {
  "version": "2.3.2",
  "resolved":
"https://registry.npmjs.org/picomatch/-/picomatch-2.3.2.tgz",
  "integrity": "sha512-v7+VQEJ06Z+c5tSye8S+nHUFi51xoXIXjHQ99cQtKUKQqq01k0/KCJUfZXuB47h/
YBLDhah2H3hdUGXn8ie0oA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=8.6"
  },
  "funding": {
    "url": "https://github.com/sponsors/jonschlinkert"
  }
},
"node_modules/require-directory": {
  "version": "2.1.1",
  "resolved": "https://registry.npmjs.org/require-directory/-/require-directory-2.1.1.tgz",
  "integrity":
"sha512-fGxEI7+wsG9xrvdjsrLmL220MTTiHRwAMroiEeMgq8gzoLC/PQr7RsRDSTLUg/
bZAZtF+TVIkHc6/4RIKrui+Q==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=0.10.0"
  }
}
```



```
    },
    "node_modules/resolve": {
      "version": "1.22.12",
      "resolved": "https://registry.npmjs.org/resolve/-/resolve-1.22.12.tgz",
      "integrity":
"sha512-TyeJ1zif53BPfHootBGwPRYT1RUt6oGWSaQr8UyZW/eAm9bKoijtvrusDEmZHM92CwS9nj7/
fWttqPCgzep8CA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "es-errors": "^1.3.0",
        "is-core-module": "^2.16.1",
        "path-parse": "^1.0.7",
        "supports-preserve-symlinks-flag": "^1.0.0"
      },
      "bin": {
        "resolve": "bin/resolve"
      },
      "engines": {
        "node": ">= 0.4"
      },
      "funding": {
        "url": "https://github.com/sponsors/ljharb"
      }
    },
    "node_modules/reusify": {
      "version": "1.1.0",
      "resolved": "https://registry.npmjs.org/reusify/-/reusify-1.1.0.tgz",
      "integrity":
"sha512-g6QUff04oZpHs0eG5p83rFLhHeV00ug/Yf9nZM6fLeUrPguBTkTQ0dpAWWspMh55TZfVQDPa3N
QJfbVRAXdIw==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "iojs": ">=1.0.0",
        "node": ">=0.10.0"
      }
    },
    "node_modules/rollup": {
      "version": "4.60.2",
      "resolved": "https://registry.npmjs.org/rollup/-/rollup-4.60.2.tgz",
      "integrity":
"sha512-J9qZyW++QK/09NyN/ze00dG/1GdGfyp9lV8ajHnRVLfo/uFsbji5mHnDgn/
qYdUHyCKM2N+8VyspgZclAh0eQ==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@types/estree": "1.0.8"
      },
      "bin": {
        "rollup": "dist/bin/rollup"
      },
      "engines": {
        "node": ">=18.0.0",

```



```
"npm": ">=8.0.0"
},
"optionalDependencies": {
  "@rollup/rollup-android-arm-eabi": "4.60.2",
  "@rollup/rollup-android-arm64": "4.60.2",
  "@rollup/rollup-darwin-arm64": "4.60.2",
  "@rollup/rollup-darwin-x64": "4.60.2",
  "@rollup/rollup-freebsd-arm64": "4.60.2",
  "@rollup/rollup-freebsd-x64": "4.60.2",
  "@rollup/rollup-linux-arm-gnueabihf": "4.60.2",
  "@rollup/rollup-linux-arm-musleabihf": "4.60.2",
  "@rollup/rollup-linux-arm64-gnu": "4.60.2",
  "@rollup/rollup-linux-arm64-musl": "4.60.2",
  "@rollup/rollup-linux-loong64-gnu": "4.60.2",
  "@rollup/rollup-linux-loong64-musl": "4.60.2",
  "@rollup/rollup-linux-ppc64-gnu": "4.60.2",
  "@rollup/rollup-linux-ppc64-musl": "4.60.2",
  "@rollup/rollup-linux-riscv64-gnu": "4.60.2",
  "@rollup/rollup-linux-riscv64-musl": "4.60.2",
  "@rollup/rollup-linux-s390x-gnu": "4.60.2",
  "@rollup/rollup-linux-x64-gnu": "4.60.2",
  "@rollup/rollup-linux-x64-musl": "4.60.2",
  "@rollup/rollup-openbsd-x64": "4.60.2",
  "@rollup/rollup-openharmony-arm64": "4.60.2",
  "@rollup/rollup-win32-arm64-msvc": "4.60.2",
  "@rollup/rollup-win32-ia32-msvc": "4.60.2",
  "@rollup/rollup-win32-x64-gnu": "4.60.2",
  "@rollup/rollup-win32-x64-msvc": "4.60.2",
  "fsevents": "~2.3.2"
}
},
"node_modules/run-parallel": {
  "version": "1.2.0",
  "resolved": "https://registry.npmjs.org/run-parallel/-/run-parallel-1.2.0.tgz",
  "integrity": "sha512-5l2NeRvZr8X11hqi6NjFtZ3Og91LwU38zNlwBm478GDIHNbGFAV8jzLklm9S2Ni6d2mP/W7eYQvT1DZmYQA==",
  "dev": true,
  "funding": [
    {
      "type": "github",
      "url": "https://github.com/sponsors/feross"
    },
    {
      "type": "patreon",
      "url": "https://www.patreon.com/feross"
    },
    {
      "type": "consulting",
      "url": "https://feross.org/support"
    }
  ],
  "license": "MIT",
  "dependencies": {
```



```
    "queue-microtask": "^1.2.2"
  },
  "node_modules/rxjs": {
    "version": "7.8.2",
    "resolved": "https://registry.npmjs.org/rxjs/-/rxjs-7.8.2.tgz",
    "integrity":
"sha512-dhKf903U/PQZY6boNNTAGdWbG85WAbjT/1xYoZIC7FAY0yWap0BQVsVrDl58W86//
e1VpMNBtRV4MaxfdMySFA==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "tslib": "^2.1.0"
    }
  },
  "node_modules/shell-quote": {
    "version": "1.8.3",
    "resolved": "https://registry.npmjs.org/shell-quote/-/shell-
quote-1.8.3.tgz",
    "integrity": "sha512-
ObmnIF4hXNg1BqhnHmgbDETF8dLPCggZWbjkQfhZpbszZnYur5DULjTcCHii5LC3J5E0ye0/
1LIMyH+UvHQgyw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/source-map-js": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/source-map-js/-/source-map-
js-1.2.1.tgz",
    "integrity":
"sha512-UXWMKhLOwVKb728IUtQPXxfYU+usdybtUrK/8uGE8CQMvrh0pwvzDBwj0QhSL7MQc7vIsISBG8V
Q8+IDQxpFQA==",
    "dev": true,
    "license": "BSD-3-Clause",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/string-width": {
    "version": "4.2.3",
    "resolved": "https://registry.npmjs.org/string-width/-/string-
width-4.2.3.tgz",
    "integrity":
"sha512-wKyQRQpjJ0sIp62ErSZdGsjMJWsap5oRNihHhu6G7JV0/9jIB6UyevL+tXu0qrng8j/
cxKTWYWUwvSTriiZz/g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "emoji-regex": "^8.0.0",

```



```
    "is-fullwidth-code-point": "^3.0.0",
    "strip-ansi": "^6.0.1"
  },
  "engines": {
    "node": ">=8"
  }
},
"node_modules/strip-ansi": {
  "version": "6.0.1",
  "resolved": "https://registry.npmjs.org/strip-ansi/-/strip-ansi-6.0.1.tgz",
  "integrity": "sha512-3WtCEMieV66zWUJXA18uYg3wYU9i434O8BkeRq+F53FgZP191aX3n03zVXn61E1DnBd7PqLgUkY0OY88q=",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "ansi-regex": "^5.0.1"
  },
  "engines": {
    "node": ">=8"
  }
},
"node_modules/sucrase": {
  "version": "3.35.1",
  "resolved": "https://registry.npmjs.org/sucrase/-/sucrase-3.35.1.tgz",
  "integrity": "sha512-0ImoZRp9oFqXpRIv3eYTLvxHPqf4O+18D7gOagPqrY56DwY4+kRoF2XNp6lHfK9v7rrw9udDOgBtKp/0Hjg=",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@jridgewell/gen-mapping": "^0.3.2",
    "commander": "^4.0.0",
    "lines-and-columns": "^1.1.6",
    "mz": "^2.7.0",
    "pirates": "^4.0.1",
    "tinyglobby": "^0.2.11",
    "ts-interface-checker": "^0.1.9"
  },
  "bin": {
    "sucrase": "bin/sucrase",
    "sucrase-node": "bin/sucrase-node"
  },
  "engines": {
    "node": ">=16 || 14 >=14.17"
  }
},
"node_modules/supports-color": {
  "version": "8.1.1",
  "resolved": "https://registry.npmjs.org/supports-color/-/supports-color-8.1.1.tgz",
  "integrity": "sha512-rpLQjps7Y4L8JhJYvBp4Uj5LjvycvZlG4SBe5hG7WVU84AZesNk7bdG4M3LeyclN7PwNJcuV6zZYEqvbw=",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "has-flag": "^4.0.0"
  },
  "engines": {
    "node": ">=10"
  }
}
```



```
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "has-flag": "^4.0.0"
    },
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/chalk/supports-color?sponsor=1"
    }
  },
  "node_modules/supports-preserve-symlinks-flag": {
    "version": "1.0.0",
    "resolved": "https://registry.npmjs.org/supports-preserve-symlinks-flag/-/supports-preserve-symlinks-flag-1.0.0.tgz",
    "integrity": "sha512-ot0WnXS9fgdkgIcePe6RHNk1WA8+muPa6cSjer3V8K27q9BB1rTE3R1p7Hv0z1ZyAc8s6Vvv8DIyWf681MA
t0w==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/tailwindcss": {
    "version": "3.4.19",
    "resolved":
"https://registry.npmjs.org/tailwindcss/-/tailwindcss-3.4.19.tgz",
    "integrity":
"sha512-3ofp+LL8E+pK/JuPLPggVAIaEuhvIz4qNcf3nA1Xn2o/7fb7s/TYpHhwGDv1ZU3PkBlUUVaF8Py
CHcm48cKLWQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@alloc/quick-lru": "^5.2.0",
      "arg": "^5.0.2",
      "chokidar": "^3.6.0",
      "didyoumean": "^1.2.2",
      "dlv": "^1.1.3",
      "fast-glob": "^3.3.2",
      "glob-parent": "^6.0.2",
      "is-glob": "^4.0.3",
      "jiti": "^1.21.7",
      "lilconfig": "^3.1.3",
      "micromatch": "^4.0.8",
      "normalize-path": "^3.0.0",
      "object-hash": "^3.0.0",
      "picocolors": "^1.1.1",
      "postcss": "^8.4.47",
      "postcss-import": "^15.1.0",
      "postcss-js": "^4.0.1",

```



```
    "postcss-load-config": "^4.0.2 || ^5.0 || ^6.0",
    "postcss-nested": "^6.2.0",
    "postcss-selector-parser": "^6.1.2",
    "resolve": "^1.22.8",
    "sucrase": "^3.35.0"
  },
  "bin": {
    "tailwind": "lib/cli.js",
    "tailwindcss": "lib/cli.js"
  },
  "engines": {
    "node": ">=14.0.0"
  }
},
"node_modules/tailwindcss/node_modules/jiti": {
  "version": "1.21.7",
  "resolved": "https://registry.npmjs.org/jiti/-/jiti-1.21.7.tgz",
  "integrity":
"sha512-/imKNG4EbWNRvJoNC/1H5/9GFy+ tqjGBHcCaSSN+P2RnPgjsLmv6UD3Ej+Kj8nBWaRAwyk7kK5ZU
c+0EatnTR3A==",
  "dev": true,
  "license": "MIT",
  "bin": {
    "jiti": "bin/jiti.js"
  }
},
"node_modules/tapable": {
  "version": "2.3.3",
  "resolved": "https://registry.npmjs.org/tapable/-/tapable-2.3.3.tgz",
  "integrity":
"sha512-uxc/zpqFg6x7C8v0E7lh6Lbda8eEL9zmVm/PLTPBRhh1xCgdWaQ+J1CUieGpIfm2HdtsUpRv+H
shiasBMcc6A==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=6"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/webpack"
  }
},
"node_modules/thenify": {
  "version": "3.3.1",
  "resolved": "https://registry.npmjs.org/thenify/-/thenify-3.3.1.tgz",
  "integrity":
"sha512-RVZSIV5IG10Hk3enotr hvz0T9em6cyHBLkH/YAZuKqd8hRkKhSfCGIcP2KUY0EPxndzANBmN1Lz
WPwak+bheSw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "any-promise": "^1.0.0"
  }
},
"node_modules/thenify-all": {
```




```
    "version": "1.6.0",
    "resolved": "https://registry.npmjs.org/thenify-all/-/thenify-all-1.6.0.tgz",
    "integrity":
"sha512-RNxQH/qI8/t3thXJDwcstU04zeqo64+Uy/+sNVRBx4Xn20X+OZ9oP+iJnNFqplFra2ZUveKCSa2
oVWi3T4uVmA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "thenify": ">= 3.1.0 < 4"
    },
    "engines": {
      "node": ">=0.8"
    }
  },
  "node_modules/tinyglobby": {
    "version": "0.2.16",
    "resolved":
"https://registry.npmjs.org/tinyglobby/-/tinyglobby-0.2.16.tgz",
    "integrity": "sha512-
pn99VhoACYR8nFHhxqix+uvsbXineAasWm5ojXoN8xEwK5Kd3/TrhNn1wByuD52UxWRLy8pu+kRMniEi6Eq
9Zg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "fdir": "^6.5.0",
      "picomatch": "^4.0.4"
    },
    "engines": {
      "node": ">=12.0.0"
    },
    "funding": {
      "url": "https://github.com/sponsors/SuperchupuDev"
    }
  },
  "node_modules/to-regex-range": {
    "version": "5.0.1",
    "resolved": "https://registry.npmjs.org/to-regex-range/-/to-regex-
range-5.0.1.tgz",
    "integrity": "sha512-
65P7iz6X5yEr1cwcgvQxbbIw7Uk3gOy5dIdtZ4rDveLqhrdJP+Li/Hx6tyK0NEb+2GCyneCMJiGqrADCSNk
8sQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "is-number": "^7.0.0"
    },
    "engines": {
      "node": ">=8.0"
    }
  },
  "node_modules/tree-kill": {
    "version": "1.2.2",
    "resolved": "https://registry.npmjs.org/tree-kill/-/tree-
kill-1.2.2.tgz",
```



```
    "integrity":
"sha512-L00rpi8qGpRG//Nd+H90vFB+3iHnue1zSSGmN00Ch1GLJ7rUKVwV2HvijphGQS2UmhUZewS9Vgv
xYIdgr+fG1A==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "tree-kill": "cli.js"
    }
  },
  "node_modules/ts-interface-checker": {
    "version": "0.1.13",
    "resolved": "https://registry.npmjs.org/ts-interface-checker/-/ts-
interface-checker-0.1.13.tgz",
    "integrity":
"sha512-Y/arvbn+rrz3JCKl9C4kVNfTfSm2/mEp5FSz5EsZSANGPSlQrpRI5M4PKF+mJnE52j0090PnPSc
3Ur3bTQw0gA==",
    "dev": true,
    "license": "Apache-2.0"
  },
  "node_modules/tslib": {
    "version": "2.8.1",
    "resolved": "https://registry.npmjs.org/tslib/-/tslib-2.8.1.tgz",
    "integrity":
"sha512-oJFu94HQb+KVduSUQL7wnpmqnfmls0A/nAh6b6EH0wCEoK0/mPeXU6c3wKDV83Mk0uHPRHtSXKK
U99IBazS/2w==",
    "dev": true,
    "license": "0BSD"
  },
  "node_modules/update-browserslist-db": {
    "version": "1.2.3",
    "resolved":
"https://registry.npmjs.org/update-browserslist-db/-/update-browserslist-
db-1.2.3.tgz",
    "integrity":
"sha512-Js0m9cx+q0gDxo0eMiFGueWztz+d4+M3rGlmKPT+T4IS/jP4ylw3Nwpu6cpTTP8R1MAC1kF4Vb
dLt3ARf209w==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/browserslist"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/browserslist"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "escalade": "^3.2.0",
      "picocolors": "^1.1.1"
    }
  }
}
```



```
    },
    "bin": {
      "update-browserslist-db": "cli.js"
    },
    "peerDependencies": {
      "browserslist": ">= 4.21.0"
    }
  },
  "node_modules/util-deprecate": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/util-deprecate/-/util-deprecate-1.0.2.tgz",
    "integrity": "sha512-EPD5q1uXyFxJpCrLnCc1nHnq3g0a6DZBocAIIiI2TaSCA7VCJ1UJDMagCzIkXNSUYfD1daK//LTEQ8xiIbrHtcw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/vite": {
    "version": "7.3.2",
    "resolved": "https://registry.npmjs.org/vite/-/vite-7.3.2.tgz",
    "integrity": "sha512-Bby3N0sna2jsjfLV0HKes8sGwgl4TT0E6vvpYgnAYDIF/tie7MRaFthmKuHx1NSXjiTueXH3do80FMQgvEktRg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "esbuild": "^0.27.0",
      "fdir": "^6.5.0",
      "picomatch": "^4.0.3",
      "postcss": "^8.5.6",
      "rollup": "^4.43.0",
      "tinyglobby": "^0.2.15"
    }
  },
  "bin": {
    "vite": "bin/vite.js"
  },
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  },
  "funding": {
    "url": "https://github.com/vitejs/vite?sponsor=1"
  },
  "optionalDependencies": {
    "fsevents": "~2.3.3"
  },
  "peerDependencies": {
    "@types/node": "^20.19.0 || >=22.12.0",
    "jiti": ">=1.21.0",
    "less": "^4.0.0",
    "lightningcss": "^1.21.0",
    "sass": "^1.70.0",
    "sass-embedded": "^1.70.0",
    "stylus": ">=0.54.8",
    "sugarss": "^5.0.0",

```



```
    "terser": "^5.16.0",
    "tsx": "^4.8.1",
    "yaml": "^2.4.2"
  },
  "peerDependenciesMeta": {
    "@types/node": {
      "optional": true
    },
    "jiti": {
      "optional": true
    },
    "less": {
      "optional": true
    },
    "lightningcss": {
      "optional": true
    },
    "sass": {
      "optional": true
    },
    "sass-embedded": {
      "optional": true
    },
    "stylus": {
      "optional": true
    },
    "sugarss": {
      "optional": true
    },
    "terser": {
      "optional": true
    },
    "tsx": {
      "optional": true
    },
    "yaml": {
      "optional": true
    }
  }
},
"node_modules/vite-plugin-full-reload": {
  "version": "1.2.0",
  "resolved": "https://registry.npmjs.org/vite-plugin-full-reload/-/vite-plugin-full-reload-1.2.0.tgz",
  "integrity": "sha512-kz18NW79x0IHbxRSHm0jttP4zo09P9gXh+n6UTwlnKnviTTEp0lum6oS9SmecrTtSr+muHEn5TUuC75UovQzCA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "picocolors": "^1.0.0",
    "picomatch": "^2.3.1"
  }
},
"node_modules/vite-plugin-full-reload/node_modules/picomatch": {
```



```
    "version": "2.3.2",
    "resolved":
"https://registry.npmjs.org/picomatch/-/picomatch-2.3.2.tgz",
    "integrity": "sha512-
V7+vQEJ06Z+c5tSye8S+nHUFi51xoXIXjHQ99cQtKUKQqq01k0/KCJUfZXuB47h/
YBLDhah2H3hdUGXn8ie0oA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8.6"
    },
    "funding": {
      "url": "https://github.com/sponsors/jonschlinkert"
    }
  },
  "node_modules/wrap-ansi": {
    "version": "7.0.0",
    "resolved": "https://registry.npmjs.org/wrap-ansi/-/wrap-
ansi-7.0.0.tgz",
    "integrity": "sha512-
YVGij2kamLSTxw6NsZjoBxfSwsn0ycdesmc4p+Q21c5zPuZ1pL+NfxVdxPtdHvmNV0Q6XSYG4AUtyt/
Fi7D16Q==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ansi-styles": "^4.0.0",
      "string-width": "^4.1.0",
      "strip-ansi": "^6.0.0"
    },
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/chalk/wrap-ansi?sponsor=1"
    }
  },
  "node_modules/y18n": {
    "version": "5.0.8",
    "resolved": "https://registry.npmjs.org/y18n/-/y18n-5.0.8.tgz",
    "integrity": "sha512-
0pfFzegeDWJHJIAmTLRP2DwHjdF5s7jo9tuztdQxAhINCdVS+3nGINqPd00AphqJR/
0LhANUS6/+7SCb98Y0fA==",
    "dev": true,
    "license": "ISC",
    "engines": {
      "node": ">=10"
    }
  },
  "node_modules/yargs": {
    "version": "17.7.2",
    "resolved": "https://registry.npmjs.org/yargs/-/yargs-17.7.2.tgz",
    "integrity":
"sha512-7dSzzRQ++CKnNI/krKnYRV7JKKPUXMEh61soaHKg9mrWEhzFWWhFnXPxGl+69cD10u63C13NUPCn
mIcrvqCuM6w==",
    "dev": true,
```



```
    "license": "MIT",
    "dependencies": {
      "cliui": "^8.0.1",
      "escalade": "^3.1.1",
      "get-caller-file": "^2.0.5",
      "require-directory": "^2.1.1",
      "string-width": "^4.2.3",
      "y18n": "^5.0.5",
      "yargs-parser": "^21.1.1"
    },
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/yargs-parser": {
    "version": "21.1.1",
    "resolved": "https://registry.npmjs.org/yargs-parser/-/yargs-
parser-21.1.1.tgz",
    "integrity":
"sha512-tVpsJW7DdjecAIFpbIB1e3qxIQsE6NoPc5/eTdrbbIC4h0LVsWhnoa3g+m2Hc1BIujHzsxZ4VJV
A+GUuc2/LBw==",
    "dev": true,
    "license": "ISC",
    "engines": {
      "node": ">=12"
    }
  }
}
```

package.json

Define la configuración, dependencias y scripts del proyecto para el ecosistema Node.js/npm, gestionando las herramientas del frontend.

```
{
  "$schema": "https://www.schemastore.org/package.json",
  "private": true,
  "type": "module",
  "scripts": {
    "build": "vite build",
    "dev": "vite"
  },
  "devDependencies": {
    "@tailwindcss/forms": "^0.5.2",
    "@tailwindcss/vite": "^4.0.0",
    "alpinejs": "^3.4.2",
    "autoprefixer": "^10.4.2",
    "axios": "^1.11.0",
    "concurrently": "^9.0.1",
    "laravel-vite-plugin": "^2.0.0",
    "postcss": "^8.4.31",
  }
}
```



```
    "tailwindcss": "^3.1.0",  
    "vite": "^7.0.7"  
  },  
  "dependencies": {  
    "bootstrap": "^5.3.8"  
  }  
}
```

phpunit.xml / archivo de configuración para PHPUnit en un proyecto Laravel.

Configura el entorno de ejecución de pruebas unitarias y de características (feature tests) en el proyecto. Este archivo crea un entorno de pruebas aislado y rápido, usando SQLite en memoria, sin emails reales ni cache persistente, ideal para ejecutar tests de forma limpia y reproducible.

```
<phpunit xmlns:xsi="http://www.w3.org/2001/XMLSchema-  
instance" xsi:noNamespaceSchemaLocation="vendor/phpunit/phpunit/phpunit.xsd" bootst  
rap="vendor/autoload.php" colors="true"  
<testsuites>  
  <testsuite name="Unit">  
    <directory>tests/Unit</directory>  
  </testsuite>  
  <testsuite name="Feature">  
    <directory>tests/Feature</directory>  
  </testsuite>  
</testsuites>  
<source>  
  <include>  
    <directory>app</directory>  
  </include>  
</source>  
<php>  
  <env name="APP_ENV" value="testing"/>  
  <env name="APP_MAINTENANCE_DRIVER" value="file"/>  
  <env name="BCRYPT_ROUNDS" value="4"/>  
  <env name="BROADCAST_CONNECTION" value="null"/>  
  <env name="CACHE_STORE" value="array"/>  
  <env name="DB_CONNECTION" value="sqlite"/>  
  <env name="DB_DATABASE" value=":memory:"/>  
  <env name="DB_URL" value=""/>  
  <env name="MAIL_MAILER" value="array"/>  
  <env name="QUEUE_CONNECTION" value="sync"/>  
  <env name="SESSION_DRIVER" value="array"/>  
  <env name="PULSE_ENABLED" value="false"/>  
  <env name="TELESCOPE_ENABLED" value="false"/>  
  <env name="NIGHTWATCH_ENABLED" value="false"/>  
</php>
```



postcss.config.js / proyecto moderno de frontend (Laravel + Vite).

Configura los plugins de PostCSS que procesa el CSS del proyecto.

```
export default {  
  plugins: [  
    tailwindcss,  
    autoprefixer,  
  ],  
};
```

README.md / se genera automáticamente al crear un nuevo proyecto Laravel.

Proporcionar una introducción y documentación básica sobre el framework Laravel, sus características y como comenzar a usarlo. Contenido que se muestra (logo oficial de Laravel, badges de estado de GitHub actions, descargas totales de Packagist, versión estable mas reciente, licencia MIT).



About Laravel

Laravel is a web application framework with expressive, elegant syntax. We believe development must be an enjoyable and creative experience to be truly fulfilling. Laravel takes the pain out of development by easing common tasks used in many web projects, such as:

- [Simple, fast routing engine](#).
- [Powerful dependency injection container](#).
- Multiple back-ends for [session](#) and [cache](#) storage.
- Expressive, intuitive [database ORM](#).
- Database agnostic [schema migrations](#).
- [Robust background job processing](#).
- [Real-time event broadcasting](#).

Laravel is accessible, powerful, and provides tools required for large, robust applications.

Learning Laravel



Laravel has the most extensive and thorough [documentation](#) and video tutorial library of all modern web application frameworks, making it a breeze to get started with the framework. You can also check out [Laravel Learn](#), where you will be guided through building a modern Laravel application.

If you don't feel like reading, [Laracasts](#) can help. Laracasts contains thousands of video tutorials on a range of topics including Laravel, modern PHP, unit testing, and JavaScript. Boost your skills by digging into our comprehensive video library.
Laravel Sponsors

We would like to extend our thanks to the following sponsors for funding Laravel development. If you are interested in becoming a sponsor, please visit the [Laravel Partners program](#).

Premium Partners

- [Vehikl](#)
- [Tighten Co.](#)
- [Kirschbaum Development Group](#)
- [64 Robots](#)
- [Curotec](#)
- [DevSquad](#)
- [Redberry](#)
- [Active Logic](#)

Contributing

Thank you for considering contributing to the Laravel framework! The contribution guide can be found in the [Laravel documentation](#).

Code of Conduct

In order to ensure that the Laravel community is welcoming to all, please review and abide by the [Code of Conduct](#).

Security Vulnerabilities

If you discover a security vulnerability within Laravel, please send an e-mail to Taylor Otwell via taylor@laravel.com. All security vulnerabilities will be promptly addressed.

License

The Laravel framework is open-sourced software licensed under the [MIT license](#).

tailwind.config.js

Configurar como tailwindCSS procesa y genera las clases CSS en el proyecto.

```
import defaultTheme from 'tailwindcss/defaultTheme'; import forms from
'@tailwindcss/forms';
/** @type {import('tailwindcss').Config} / export default { content:
[ './vendor/laravel/framework/src/Illuminate/Pagination/resources/
views/.blade.php', './storage/framework/views/.php', './resources/views/
**/.blade.php', ],
theme: {
  extend: {
    fontFamily: {
      sans: ['Figtree', ...defaultTheme.fontFamily.sans],
    },
  },
},
},
```



```
plugins: [forms],  
};
```

vite.config.js / Configurador del compilador frontend

Configurar Vite como el bundler (empaquetador) de assets del proyecto, reemplazando a herramientas como Laravel Mix (webpack).

```
import { defineConfig } from 'vite';  
import laravel from 'laravel-vite-plugin';  
  
export default defineConfig({  
  plugins: [  
    laravel({  
      input: ['resources/css/app.css', 'resources/js/app.js'],  
      refresh: true,  
    }),  
  ],  
});
```

 *config/ app.php – Nombre, idioma zona horaria.*

Archivo de configuración principal de una aplicación Laravel. Definiendo el nombre, zona horaria, entorno, idioma etc.

```
<?php  
  
return [  
  
    /*  
    |-----  
    | Application Name  
    |-----  
    |  
    | This value is the name of your application, which will be used when the  
    | framework needs to place the application's name in a notification or  
    | other UI elements where an application name needs to be displayed.  
    |  
    */  
  
    'name' => env('APP_NAME', 'Laravel'),  
  
    /*  
    |-----  
    | Application Environment  
    |-----  
    |  
    */  
];
```



```
| This value determines the "environment" your application is currently  
| running in. This may determine how you prefer to configure various  
| services the application utilizes. Set this in your ".env" file.
```

```
| */
```

```
'env' => env('APP_ENV', 'production'),
```

```
/*
```

```
| -----  
| Application Debug Mode  
| -----
```

```
| When your application is in debug mode, detailed error messages with  
| stack traces will be shown on every error that occurs within your  
| application. If disabled, a simple generic error page is shown.
```

```
| */
```

```
'debug' => (bool) env('APP_DEBUG', false),
```

```
/*
```

```
| -----  
| Application URL  
| -----
```

```
| This URL is used by the console to properly generate URLs when using  
| the Artisan command line tool. You should set this to the root of  
| the application so that it's available within Artisan commands.
```

```
| */
```

```
'url' => env('APP_URL', 'http://localhost'),
```

```
/*
```

```
| -----  
| Application Timezone  
| -----
```

```
| Here you may specify the default timezone for your application, which  
| will be used by the PHP date and date-time functions. The timezone  
| is set to "UTC" by default as it is suitable for most use cases.
```

```
| */
```

```
'timezone' => 'UTC',
```

```
/*
```

```
| -----  
| Application Locale Configuration  
| -----
```

```
| The application locale determines the default locale that will be used  
| by Laravel's translation / localization methods. This option can be
```



```
| set to any locale for which you plan to have translation strings.
|
| */
|
| 'locale' => env('APP_LOCALE', 'en'),
|
| 'fallback_locale' => env('APP_FALLBACK_LOCALE', 'en'),
|
| 'faker_locale' => env('APP_FAKER_LOCALE', 'en_US'),
|
| /*
| -----
| Encryption Key
| -----
|
| This key is utilized by Laravel's encryption services and should be set
| to a random, 32 character string to ensure that all encrypted values
| are secure. You should do this prior to deploying the application.
|
| */
|
| 'cipher' => 'AES-256-CBC',
|
| 'key' => env('APP_KEY'),
|
| 'previous_keys' => [
|     ...array_filter(
|         explode(',', (string) env('APP_PREVIOUS_KEYS', ''))
|     ),
| ],
|
| /*
| -----
| Maintenance Mode Driver
| -----
|
| These configuration options determine the driver used to determine and
| manage Laravel's "maintenance mode" status. The "cache" driver will
| allow maintenance mode to be controlled across multiple machines.
|
| Supported drivers: "file", "cache"
|
| */
|
| 'maintenance' => [
|     'driver' => env('APP_MAINTENANCE_DRIVER', 'file'),
|     'store' => env('APP_MAINTENANCE_STORE', 'database'),
| ],
|
|;
```



auth.php / autenticación en Laravel.

Define como los usuarios inician sesión, se registran, recuperan contraseñas y como se gestionan en la aplicación. Este archivo es fundamentalmente para que el sistema de login, registro y recuperación de contraseñas funcione correctamente en Laravel.

```
<?php

use App\Models\User;

return [

    /*
    |-----
    | Authentication Defaults
    |-----
    |
    | This option defines the default authentication "guard" and password
    | reset "broker" for your application. You may change these values
    | as required, but they're a perfect start for most applications.
    |
    */

    'defaults' => [
        'guard' => env('AUTH_GUARD', 'web'),
        'passwords' => env('AUTH_PASSWORD_BROKER', 'users'),
    ],

    /*
    |-----
    | Authentication Guards
    |-----
    |
    | Next, you may define every authentication guard for your application.
    | Of course, a great default configuration has been defined for you
    | which utilizes session storage plus the Eloquent user provider.
    |
    | All authentication guards have a user provider, which defines how the
    | users are actually retrieved out of your database or other storage
    | system used by the application. Typically, Eloquent is utilized.
    |
    | Supported: "session"
    |
    */

    'guards' => [
        'web' => [
            'driver' => 'session',
            'provider' => 'users',
        ],
    ],
];
```



```
],  
  
/*  
|-----  
| User Providers  
|-----  
|  
| All authentication guards have a user provider, which defines how the  
| users are actually retrieved out of your database or other storage  
| system used by the application. Typically, Eloquent is utilized.  
|  
| If you have multiple user tables or models you may configure multiple  
| providers to represent the model / table. These providers may then  
| be assigned to any extra authentication guards you have defined.  
|  
| Supported: "database", "eloquent"  
|  
*/  
  
'providers' => [  
    'users' => [  
        'driver' => 'eloquent',  
        'model' => env('AUTH_MODEL', User::class),  
    ],  
  
    // 'users' => [  
    //     'driver' => 'database',  
    //     'table' => 'users',  
    // ],  
],  
  
/*  
|-----  
| Resetting Passwords  
|-----  
|  
| These configuration options specify the behavior of Laravel's password  
| reset functionality, including the table utilized for token storage  
| and the user provider that is invoked to actually retrieve users.  
|  
| The expiry time is the number of minutes that each reset token will be  
| considered valid. This security feature keeps tokens short-lived so  
| they have less time to be guessed. You may change this as needed.  
|  
| The throttle setting is the number of seconds a user must wait before  
| generating more password reset tokens. This prevents the user from  
| quickly generating a very large amount of password reset tokens.  
|  
*/  
  
'passwords' => [  
    'users' => [  
        'provider' => 'users',  
        'table' => env('AUTH_PASSWORD_RESET_TOKEN_TABLE',  
'password_reset_tokens'),
```



```
        'expire' => 60,
        'throttle' => 60,
    ],
],

/*
|-----
| Password Confirmation Timeout
|-----
|
| Here you may define the number of seconds before a password confirmation
| window expires and users are asked to re-enter their password via the
| confirmation screen. By default, the timeout lasts for three hours.
|
*/

'password_timeout' => env('AUTH_PASSWORD_TIMEOUT', 10800),

];
```

cache.php – archivo de configuración del sistema cache en el sistema Laravel

Define como la aplicación almacena y recupera los datos en cache para mejorar el rendimiento.

```
<?php

use Illuminate\Support\Str;

return [

    /*
    |-----
    | Default Cache Store
    |-----
    |
    | This option controls the default cache store that will be used by the
    | framework. This connection is utilized if another isn't explicitly
    | specified when running a cache operation inside the application.
    |
    */

    'default' => env('CACHE_STORE', 'database'),

    /*
    |-----
    | Cache Stores
    |-----
    |
    | Here you may define all of the cache "stores" for your application as
    | well as their drivers. You may even define multiple stores for the
    | same cache driver to group types of items stored in your caches.
    */
];
```



```
| Supported drivers: "array", "database", "file", "memcached",  
|                  "redis", "dynamodb", "octane",  
|                  "failover", "null"  
|  
| */  
  
'stores' => [  
  'array' => [  
    'driver' => 'array',  
    'serialize' => false,  
  ],  
  'database' => [  
    'driver' => 'database',  
    'connection' => env('DB_CACHE_CONNECTION'),  
    'table' => env('DB_CACHE_TABLE', 'cache'),  
    'lock_connection' => env('DB_CACHE_LOCK_CONNECTION'),  
    'lock_table' => env('DB_CACHE_LOCK_TABLE'),  
  ],  
  'file' => [  
    'driver' => 'file',  
    'path' => storage_path('framework/cache/data'),  
    'lock_path' => storage_path('framework/cache/data'),  
  ],  
  'memcached' => [  
    'driver' => 'memcached',  
    'persistent_id' => env('MEMCACHED_PERSISTENT_ID'),  
    'sasl' => [  
      env('MEMCACHED_USERNAME'),  
      env('MEMCACHED_PASSWORD'),  
    ],  
    'options' => [  
      // Memcached::OPT_CONNECT_TIMEOUT => 2000,  
    ],  
    'servers' => [  
      [  
        'host' => env('MEMCACHED_HOST', '127.0.0.1'),  
        'port' => env('MEMCACHED_PORT', 11211),  
        'weight' => 100,  
      ],  
    ],  
  ],  
  'redis' => [  
    'driver' => 'redis',  
    'connection' => env('REDIS_CACHE_CONNECTION', 'cache'),  
    'lock_connection' => env('REDIS_CACHE_LOCK_CONNECTION', 'default'),  
  ],  
  'dynamodb' => [  
    'driver' => 'dynamodb',
```




```
'key' => env('AWS_ACCESS_KEY_ID'),
'secret' => env('AWS_SECRET_ACCESS_KEY'),
'region' => env('AWS_DEFAULT_REGION', 'us-east-1'),
'table' => env('DYNAMODB_CACHE_TABLE', 'cache'),
'endpoint' => env('DYNAMODB_ENDPOINT'),
],

'octane' => [
    'driver' => 'octane',
],

'failover' => [
    'driver' => 'failover',
    'stores' => [
        'database',
        'array',
    ],
],

],

/*
|-----
| Cache Key Prefix
|-----
|
| When utilizing the APC, database, memcached, Redis, and DynamoDB cache
| stores, there might be other applications using the same cache. For
| that reason, you may prefix every cache key to avoid collisions.
|
*/

'prefix' => env('CACHE_PREFIX', Str::slug((string) env('APP_NAME',
'laravel')) . '-cache-'),
];
```



Energía

Secretaría de Energía