




Main Diagram

Table areas		
Idx	Name	Data Type
* Pk	code	integer
*	name	varchar(20)
*	faculty_code	integer
* Unq	coordinator_id	varchar(15)
Indexes		
Type	Name	On
Pk	areas_pk	code
Unq	areas__idx	coordinator_id
Foreign Keys		
Type	Name	On
	areas_employees_fk (coordinator_id) ref employees (id)	
	areas_faculties_fk (faculty_code) ref faculties (code)	

Table campuses		
Idx	Name	Data Type
* Pk	code	integer
	name	varchar(20)
*	city_code	integer
Indexes		
Type	Name	On
Pk	campuses_pk	code
Foreign Keys		
Type	Name	On
	campuses_cities_fk (city_code) ref cities (code)	

Table cities		
Idx	Name	Data Type
* Pk	code	integer
*	name	varchar(20)
*	dept_code	integer
Indexes		
Type	Name	On
Pk	cities_pk	code
Foreign Keys		
Type	Name	On
	cities_departments_fk (dept_code) ref departments (code)	

Table contract_types		
Idx	Name	Data Type
* Pk	name	varchar(30)
Indexes		
Type	Name	On
Pk	contract_types_pk	name

Table countries		
Idx	Name	Data Type
* PK	code	integer
*	name	varchar(20)
Indexes		
Type	Name	On
Pk	countries_pk	code

Table demographics		
Idx	Name	Data Type
* PK	_id	integer
	by_campus	_array
	by_faculty	_array
	by_program	_array
Indexes		
Type	Name	On
Pk	pk_demographics	_id

Table departments		
Idx	Name	Data Type
* PK	code	integer
*	name	varchar(20)
*	country_code	integer
Indexes		
Type	Name	On
Pk	departments_pk	code
Foreign Keys		
Type	Name	On
	departments_countries_fk (country_code) ref countries (code)	

Table employee_types		
Idx	Name	Data Type
* PK	name	varchar(30)
Indexes		
Type	Name	On
Pk	employee_types_pk	name

Table employees		
Idx	Name	Data Type
* PK	id	varchar(15)
*	first_name	varchar(30)
*	last_name	varchar(30)
*	email	varchar(30)
*	contract_type	varchar(30)
*	employee_type	varchar(30)
*	faculty_code	integer
*	campus_code	integer
*	birth_place_code	integer
Indexes		

Table employees

Type	Name	On
Pk	employees_pk	id
Foreign Keys		
Type	Name	On
	employees_contract_types_fk (contract_type)	ref contract_types (name)
	employees_cities_fk (birth_place_code)	ref cities (code)
	employees_faculties_fk (faculty_code)	ref faculties (code)
	employees_campuses_fk (campus_code)	ref campuses (code)
	employees_employee_types_fk (employee_type)	ref employee_types (name)

Table enrollments

Idx	Name	Data Type
* Pk	student_id	varchar(15)
* Pk	nrc	varchar(10)
*	enrollment_date	date
*	status	varchar(15)
Indexes		
Type	Name	On
Pk	enrollments_pk	student_id, nrc
Foreign Keys		
Type	Name	On
	enrollments_groups_fk (nrc)	ref groups (nrc)
	enrollments_students_fk (student_id)	ref students (id)

Table faculties

Idx	Name	Data Type
* Pk	code	integer
*	name	varchar(40)
*	location	varchar(15)
*	phone_number	varchar(15)
Unq	dean_id	varchar(15)
Indexes		
Type	Name	On
Pk	faculties_pk	code
Unq	faculties__idx	dean_id
Foreign Keys		
Type	Name	On
	faculties_employees_fk (dean_id)	ref employees (id)

Table groups

Idx	Name	Data Type
* Pk	nrc	varchar(10)
*	number	integer
*	semester	varchar(6)
*	subject_code	varchar(10)
*	professor_id	varchar(15)
Indexes		
Type	Name	On

Table groups

Pk	groups_pk	nrc
----	-----------	-----

Foreign Keys

Type	Name	On
	groups_subjects_fk (subject_code)	ref subjects (code)
	groups_employees_fk (professor_id)	ref employees (id)

Table programs

Idx	Name	Data Type
* Pk	code	integer
*	name	varchar(40)
*	area_code	integer

Indexes

Type	Name	On
Pk	programs_pk	code

Foreign Keys

Type	Name	On
	programs_areas_fk (area_code)	ref areas (code)

Table students

Idx	Name	Data Type
* Pk	id	varchar(15)
*	first_name	varchar(30)
*	last_name	varchar(30)
*	email	varchar(50)
*	birth_date	date
*	birth_place_code	integer
*	campus_code	integer

Indexes

Type	Name	On
Pk	students_pk	id

Foreign Keys

Type	Name	On
	students_cities_fk (birth_place_code)	ref cities (code)
	students_campuses_fk (campus_code)	ref campuses (code)

Table subjects

Idx	Name	Data Type
* Pk	code	varchar(10)
*	name	varchar(30)
*	program_code	integer

Indexes

Type	Name	On
Pk	subjects_pk	code

Foreign Keys

Type	Name	On
	subjects_programs_fk (program_code)	ref programs (code)

Table uniplan_statistics

Idx	Name	Data Type
* PK	id	integer DEFAULT nextval('uniplan_statistics_id_seq'::regclass)
* Unq	event_id	varchar(24)
	total_registered	integer DEFAULT 0
	total_cancelled	integer DEFAULT 0
	total_attended	integer DEFAULT 0
	last_updated	timestamp DEFAULT CURRENT_TIMESTAMP
	demographics	jsonb DEFAULT '{"by_campus": {}, "by_faculty": {}, "by_program": {}}'::jsonb
	demographics.by_campus	_object
	demographics.by_campus.Campus Cali	_number
	demographics.by_campus.Campus Bogotá	_number
	demographics.by_faculty	_object
	demographics.by_faculty.Unknown	_number
	demographics.by_program	_object
	demographics.by_program.Unknown	_number

Indexes

Type	Name	On
Pk	uniplan_statistics_pkey	id
Unq	uniplan_statistics_event_id_key	event_id

Foreign Keys

Type	Name	On
Vir	fk_uniplan_statistics (id) ref demographics (_id)	

Table users

Idx	Name	Data Type
* PK	username	varchar(30)
*	password_hash	varchar(100)
*	role	varchar(20)
	student_id	varchar(15)
	employee_id	varchar(15)
	is_active	boolean DEFAULT true
	created_at	timestamp DEFAULT CURRENT_TIMESTAMP

Indexes

Type	Name	On
Pk	users_pk	username

Foreign Keys

Type	Name	On
	users_employees_fk (employee_id) ref employees (id)	
	users_students_fk (student_id) ref students (id)	

Constraints

Name	Definition
users_one_role_chk	student_id IS NOT NULL) AND (employee_id IS NULL)) OR ((student_id IS NULL) AND (employee_id IS NOT NULL