Question to answer: Are there major barriers or facilitators we're missing?

These are the contextual factors that existed BEFORE NEST360 began implementation

Contextual factor domain	Barrier	Facilitator
Leadership and Governance		
Absence of national plans and policies for SSNC	X	
Inconsistent facility level guidelines and protocols for SSNC	X	
Engagement with MoH		X
Engagement with facility-level leadership		X
Inadequate facility-level champions	X	
Global and national focus on SSNC and NMR		X
Poor integration of SSNC into current policy & funding		X
Data systems		
Fragmented neonatal health forms, registers, and data systems at facility level capturing SSNC sensitive indicators	X	
No SSNC sensitive indicators at facility and national levels	X	
Poor data access and utilization	X	
Poor data quality	X	
Poor data management and governance	X	
Lack of dedicated neonatal data clerk	X	
Human resources		
Poor health worker attitudes/interest in SSNC	X	
Poor health workers competence/confidence in SSNC	X	
Inconsistent preservice training in SSNC	X	
Training available for SSNC	X	X
Inconsistent BMET training	X	
Inadequate number of health workers	X	
BMETs unavailable	X	
Rotating staff and staff turnover	X	
Quality improvement		
Inconsistent QI knowledge at national, regional, and facility levels	X	
Absent or inactive hospitals and ward improvement teams	X	
Inconsistent QI training	X	
Inconsistent availability of QI documentation tools	X	
Gaps in documentation completeness	X	
Absent or inconsistent auditing of care quality (ex. MPDSA)	X	
National and regional QI structures and resources showed variability in their inclusion of SSNC-focused guidance	X	
Equipment and commodities		
Unavailability of functional equipment and supplies at facilities	X	
No strong procurement system	X	
Technology not fit for purpose	X	
Skills labs/skills stations unavailable or underused	X	
Toolkits rarely available	X	

Stockouts	X	
Expensive technology	X	
Power outages	X	
Referral process		
Poor adherence to referral guidelines	X	
Poor pre and during referral communication and consultations	X	
Poor referral feedback mechanisms	X	
Lack of appropriate transportation for referrals	X	
Linkage to maternal care		
Policies that do no facilitate or enable zero separation	X	
Siloed antenatal, delivery, postnatal, and SSNC	X	
Women leaving the hospital early due to competing demands at home	X	
Family centered care		
Lack of training and policies to support parent involvement	X	
Poor education /counseling for caregivers	X	
Family interest in being involved in the care process		X
Lack of family involvement in decision making process	X	
Unavailability of bereavement care	X	
Post-discharge follow up		
No/poor discharge follow up and early child development	X	
No/poor follow up feedback mechanisms	X	
No/poor community health worker engagement	X	
Community based support and continuous care	X	X
Infrastructure		
No standard guide for space for Level 2 SSNC	X	
Inadequate space for SSNC including KMC/ immediate KMC	X	
Poorly designed space leading to poor flow and poor IPC practices	X	
Poor flow of care of newborns from labor ward to NBU	X	
Unreliable electric power and poor backup power sources	X	
Poor medical gas and vacuum systems	X	
Insufficient WASH facilities	X	
Infection prevention and control		
Healthcare provider awareness/knowledge	X	X
Supporting staff not following IPC guidelines (janitors, guards, support runners)	X	
Family members lack awareness in handwashing and IPC	X	
Blood cultures are unavailable	X	
Financing		
Donor funding		X
Government financing	X	X
No budget allocation to SSNC in national and facility budgets	X	
Long-term funding	X	X
Little insurance coverage	X	
Poverty	X	
Poor exempted service reimbursement system	X	