

ASCII (/ˈæski/ **ASS-kee**), abbreviated from **American Standard Code for Information Interchange**,^[1] is a [character-encoding scheme](#). Originally based on the [English alphabet](#), it encodes 128 specified [characters](#) into 7-bit binary integers as shown by the ASCII chart on the right.^[2] The characters encoded are [numbers](#) 0 to 9, [lowercase letters](#) a to z, [uppercase letters](#) A to Z, basic [punctuation symbols](#), [control codes](#) that originated with [Teletype machines](#), and [space](#). For example, lowercase *j* would become [binary](#) 1101010 and [decimal](#) 106.

ASCII codes represent text in [computers](#), [communications equipment](#), and other devices that use text. Most modern character-encoding schemes are based on ASCII, though they support many additional characters.

ASCII developed from [telegraphic codes](#). Its first commercial use was as a 7-bit [teleprinter](#) code promoted by Bell data services. Work on the ASCII standard began on October 6, 1960, with the first meeting of the [American Standards Association](#)'s (ASA) X3.2 subcommittee. The first edition of the standard was published during 1963,^{[3][4]} a major revision during 1967,^[5] and the most recent update during 1986.^[6] Compared to earlier telegraph codes, the proposed Bell code and ASCII were both ordered for more convenient sorting (i.e., alphabetization) of lists, and added features for devices other than teleprinters.

ASCII includes definitions for 128 characters: 33 are non-printing [control characters](#) (many now obsolete)^[7] that affect how text and space are processed^[8] and 95 printable characters, including the [space](#) (which is considered an invisible graphic^{[9][10]}).

The [IANA](#) prefers the name **US-ASCII**.^[11] ASCII was the most common character encoding on the World Wide Web until December 2007, when it was surpassed by [UTF-8](#), which includes ASCII as a subset.^{[12][13][14]}