Final: Fun Facts

Speed of Light: c = 1

Planks constant: $\frac{h}{2\pi} = 1$

 $\alpha = 10^{-2}$

 $\alpha_W \equiv 0.5\alpha$

$$\alpha_G \equiv G_N m_p^2 = 10^{-39}$$

 $GeV^{-1}=10^{-15}m$

 $GeV = 10^{-27} kg$

$$GeV^{-1} = 6 \cdot 10^{-25} \text{ s}$$

 $r_{\rm nucleus} \sim 10^{-15}$ meters.

The mass of the electron is $\sim 10^{-3} \text{ GeV}$

The mass of the muon is $\sim 10^{-1} \text{ GeV}$

The mass of the tauon is $\sim 1 \text{ GeV}$

The mass of the bottom quark is $\sim 5 \text{ GeV}$

The mass of the top quark is $\sim 175 \text{ GeV}$

The mass of the W-boson \sim mass Z-boson $\sim 100~GeV$

1 TeV = 1000 GeV

Cross section: $\sigma \sim \frac{1}{E_1 E_2} |M|^2 d\Pi_{LIPS}$

Decay rate: $\Gamma \sim \frac{1}{E} |M|^2 d\Pi_{LIPS}$

Life-time: $\tau = \frac{1}{\Gamma}$

Branching Ratios: Br(X \rightarrow YY) = $\frac{\Gamma(X\rightarrow YY)}{\sum_f \Gamma(X\rightarrow ff)}$

$$\mathcal{L}_{scalar} = \frac{1}{2} (\partial_{\mu} \phi)(\partial^{\mu} \phi) + \frac{m^2}{2} \phi^2$$

$$\mathscr{L}_{spin1/2} = \bar{\psi}(i\gamma_{\mu}\partial^{\mu} - m)\psi$$

$$\mathscr{L}_{spin1} = F_{\mu\nu}F^{\mu\nu}$$
 where $F_{\mu\nu} = \partial_{\mu}A_{\nu} - \partial_{\mu}A_{\nu}$

sagitta: $\frac{\Delta p_T}{p_T} = \frac{\Delta s}{s}$

 $\Delta s \sim \text{constant} \ (\sim 10 \mu m)$

Uniform Circular Motion: $r_c = \frac{p_T}{aB}$

