tb_axis.v

AUTHORS

JAY CONVERTINO

DATES

2024/12/09

INFORMATION

Brief

Test bench for axis_tiny_fifo using axis stim and clock stim.

License MIT

tb_axis

```
module tb_axis #(
parameter
IN_FILE_NAME
 =
in.bin,
parameter
OUT_FILE_NAME
 =
out.bin,
parameter
RAND_READY
```

```
  =
 0,
 parameter
 FIFO_DEPTH
  =
 8
)
```

Test bench for axis_tiny_fifo. This will run a file through the system and write its output. These can then be compared to check for errors. If the files are identical, no errors. A FST file will be written.

Parameters

IN_FILE_NAME File name for input.
parameter

OUT_FILE_NAME File name for output.
parameter

RAND_READY 0 = no random ready. 1 = randomize ready.
parameter

FIFO_DEPTH Number of transactions to buffer.
parameter

INSTANTIATED MODULES

clk_stim

```
 clk_stimulus #(
                                                                                .
 CLOCKS(1),
                                                                                .
 CLOCK_BASE(1000000),
                                                                                .
 CLOCK_INC(1000),
                                                                                .
 RESETS(1),
                                                                                .
 RESET_BASE(2000),
                                                                                .
 RESET_INC(100)
) clk_stim ( .clkv(tb_stim_clk), .rstnv(tb_stim_rstn), .rstv() )
```

Generate a 50/50 duty cycle set of clocks and reset.

slave_axis_stim

```
 slave_axis_stimulus #(
                                                                                .
 BUS_WIDTH(BUS_WIDTH),
                                                                                .
 USER_WIDTH(USER_WIDTH),
                                                                                .
 DEST_WIDTH(DEST_WIDTH),
                                                                                .
 FILE(IN_FILE_NAME)
) slave_axis_stim ( .m_axis_aclk(tb_stim_clk), .m_axis_arstn(tb_stim_rstn),
```

Device under test SLAVE stimulus module.

dut

```
 axis_tiny_fifo #(
                                                                                .
 FIFO_DEPTH(FIFO_DEPTH),
                                                                                .
 BUS_WIDTH(BUS_WIDTH)
) dut ( .aclk(tb_stim_clk), .arstn(tb_stim_rstn), .s_axis_tvalid(tb_stim_va
```

Device under test, axis_tiny_fifo

master_axis_stim

```
 master_axis_stimulus #(
                                                                                .
 BUS_WIDTH(BUS_WIDTH),
                                                                                .
 USER_WIDTH(USER_WIDTH),
                                                                                .
 DEST_WIDTH(DEST_WIDTH),
                                                                                .
 RAND_READY(RAND_READY),
                                                                                .
 FILE(OUT_FILE_NAME)
) master_axis_stim ( .s_axis_aclk(tb_stim_clk), .s_axis_arstn(tb_stim_rstn),
```

Devie under test MASTER stimulus module.