

<b>ACADCAL</b>	<b>Primary Key:</b>	<i>PK_acadcal (acadcal_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_acadcal_semester</i>
	<b>Indexes:</b>	<i>PK_acadcal ,_WA_Sys_date_from_542D41E8 ,_WA_Sys_date_maint_542D41E8 , _WA_Sys_date_to_542D41E8 ,_WA_Sys_operator_542D41E8 ,_WA_Sys_sch_yr_542D41E8 , _WA_Sys_semester_542D41E8 ,_WA_Sys_time_maint_542D41E8</i>
	<b>Columns:</b>	<i>acadcal_ce1 Char(10) NULL ,acadcal_ce2 Char(10) NULL ,acadcal_ce3 Char(20) NULL , acadcal_de1 Date NULL ,acadcal_fe1 Float NULL ,acadcal_le1 Bit NULL ,acadcal_ne1 Int NULL ,acadcal_rid Int NOT NULL ,activity Memo NULL ,date_from Date NULL , date_maint Date NULL ,date_to Date NULL ,operator Char(8) NULL ,sch_yr Char(6) NOT NULL ,semester Char(2) NOT NULL ,time_maint Char(8) NULL</i>
<b>ACADSTAT</b>	<b>Primary Key:</b>	<i>PK_acadstat (acadstat_cod)</i>
	<b>Indexes:</b>	<i>PK_acadstat ,_WA_Sys_acadstat_desc_50E6C0E9 ,_WA_Sys_date_maint_50E6C0E9 , _WA_Sys_disabled_50E6C0E9 ,_WA_Sys_operator_50E6C0E9 ,_WA_Sys_time_maint_50E6C0E9</i>
	<b>Columns:</b>	<i>acadstat_ce1 Char(10) NULL ,acadstat_ce2 Char(10) NULL ,acadstat_ce3 Char(20) NULL , acadstat_cod Char(8) NOT NULL ,acadstat_de1 Date NULL ,acadstat_desc Char(25) NULL , acadstat_fe1 Float NULL ,acadstat_le1 Bit NULL ,acadstat_ne1 Int NULL ,date_maint Date NULL ,disabled Bit NULL ,operator Char(8) NULL ,time_maint Char(8) NULL</i>
<b>ACTCAL</b>		
	<b>Indexes:</b>	<i>_WA_Sys_actcal_ce1_5709AE93 ,_WA_Sys_actcal_ce2_5709AE93 , _WA_Sys_actcal_ce3_5709AE93 ,_WA_Sys_actcal_de1_5709AE93 ,_WA_Sys_actcal_fe1_5709AE93 ,_WA_Sys_actcal_le1_5709AE93 ,_WA_Sys_actcal_ne1_5709AE93 , _WA_Sys_actcal_rid_5709AE93 ,_WA_Sys_date_from_5709AE93 ,_WA_Sys_date_maint_5709AE93 ,_WA_Sys_date_to_5709AE93 ,_WA_Sys_operator_5709AE93 ,_WA_Sys_time_from_5709AE93 , _WA_Sys_time_maint_5709AE93 ,_WA_Sys_time_to_5709AE93</i>
	<b>Columns:</b>	<i>actcal_ce1 Char(10) NULL ,actcal_ce2 Char(10) NULL ,actcal_ce3 Char(20) NULL , actcal_de1 Date NULL ,actcal_fe1 Float NULL ,actcal_le1 Bit NULL ,actcal_ne1 Int NULL , actcal_rid Int NOT NULL ,activity Memo NULL ,date_from Date NULL ,date_maint Date NULL ,date_to Date NULL ,operator Char(8) NULL ,time_from Date NULL ,time_maint Char(8) NULL ,time_to Date NULL</i>
<b>ACTIVITY</b>	<b>Primary Key:</b>	<i>PK_activity (activity_cod)</i>
	<b>Foreign Keys:</b>	<i>FK_activity_activity_cat_cod ,FK_activity_activity_type_cod</i>
	<b>Indexes:</b>	<i>PK_activity ,_WA_Sys_0000000E_62DA889B ,_WA_Sys_00000023_62DA889B , _WA_Sys_00000025_62DA889B ,_WA_Sys_act_desc_62DA889B ,_WA_Sys_act_letter_62DA889B , _WA_Sys_activity_ce1_62DA889B ,_WA_Sys_activity_ce2_62DA889B , _WA_Sys_activity_ce3_62DA889B ,_WA_Sys_activity_de1_62DA889B , _WA_Sys_activity_fe1_62DA889B ,_WA_Sys_activity_le1_62DA889B , _WA_Sys_activity_ne1_62DA889B ,_WA_Sys_alum_access_62DA889B , _WA_Sys_app_stop_62DA889B ,_WA_Sys_attachment_62DA889B , _WA_Sys_date_maint_62DA889B ,_WA_Sys_disabled_62DA889B ,_WA_Sys_email_act_62DA889B ,_WA_Sys_inc_checklist_62DA889B ,_WA_Sys_operator_62DA889B , _WA_Sys_printed_name_62DA889B ,_WA_Sys_request_62DA889B , _WA_Sys_sent_from_62DA889B ,_WA_Sys_signature_file_62DA889B , _WA_Sys_stud_access_62DA889B ,_WA_Sys_time_maint_62DA889B ,_WA_Sys_timed_62DA889B , _WA_Sys_transcript_request_62DA889B</i>
	<b>Columns:</b>	<i>Act_note Nvarchar(6000) NULL ,act_desc Char(30) NULL ,act_letter Bit NULL ,act_mem Memo NULL ,activity_cat_cod Varchar(10) NULL ,activity_ce1 Char(10) NULL ,activity_ce2 Char(10) NULL ,activity_ce3 Char(20) NULL ,activity_cod Char(3) NOT NULL ,activity_de1 Date NULL ,activity_fe1 Float NULL ,activity_le1 Bit NULL ,activity_ne1 Int NULL , activity_type_cod Varchar(10) NULL ,alum_access Bit NULL ,app_stop Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) ,attachment Char(150) NULL , date_maint Date NULL ,disabled Bit NULL (DF activity_disabled - (0)) ,email_act Bit NULL ,inc_checklist Bit NULL ,operator Char(8) NULL ,printed_name Varchar(100) NULL , request Bit NULL ,salutation Memo NULL ,sent_from Char(50) NULL ,signature_file Varchar(100) NULL ,stud_access Bit NULL ,time_maint Char(8) NULL ,timed Int NULL (DF activity_timed - (0)) ,transcript_request Bit NULL</i>

<b>ACTIVITY_ATTACHMENTS</b>	<b>Primary Key:</b>	<i>activity_attachments_rid (activity_attachments_rid)</i>
	<b>Indexes:</b>	<i>_WA_Sys_00000002_03681F15 , _WA_Sys_00000003_03681F15 , activity_attachments_rid</i>
	<b>Columns:</b>	<b>activity_attachments_rid</b> <i>Int</i> NOT NULL , <b>activity_cod</b> <i>Char(3)</i> NOT NULL , <b>attachment</b> <i>Char(150)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(9)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>ACTIVITY_CAT</b>	<b>Primary Key:</b>	<i>PK_activity_cat_activity_cat_cod (activity_cat_cod)</i>
	<b>Indexes:</b>	<i>PK_activity_cat_activity_cat_cod , _WA_Sys_00000002_71DF370E , _WA_Sys_00000003_71DF370E</i>
	<b>Columns:</b>	<b>activity_cat_cod</b> <i>Varchar(10)</i> NOT NULL , <b>activity_cat_desc</b> <i>Varchar(30)</i> NOT NULL ( <i>DF_activity_activ_72D35B47 - (")</i> ) , <b>activity_cat_disabled</b> <i>Bit</i> NOT NULL ( <i>DF_activity_activ_73C77F80 - ((0))</i> ) , <b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>ACTIVITY_RESPONSE</b>	<b>Primary Key:</b>	<i>PK_Activity_response_AR_cod (AR_cod)</i>
	<b>Indexes:</b>	<i>PK_Activity_response_AR_cod , _WA_Sys_00000002_6855CCD4 , _WA_Sys_00000003_6855CCD4 , _WA_Sys_00000004_6855CCD4</i>
	<b>Columns:</b>	<b>AR_cod</b> <i>Varchar(10)</i> NOT NULL , <b>AR_complete</b> <i>Bit</i> NOT NULL ( <i>DF_Activity_AR_co_6A3E1546 - ((0))</i> ) , <b>AR_desc</b> <i>Varchar(30)</i> NOT NULL ( <i>DF_Activity_AR_de_6949F10D - (")</i> ) , <b>AR_disabled</b> <i>Bit</i> NOT NULL ( <i>DF_Activity_AR_di_6B32397F - ((0))</i> ) , <b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>ACTIVITY_TYPE</b>	<b>Primary Key:</b>	<i>PK_activity_type_activity_type_cod (activity_type_cod)</i>
	<b>Indexes:</b>	<i>PK_activity_type_activity_type_cod , _WA_Sys_00000002_629CF37E , _WA_Sys_00000004_629CF37E</i>
	<b>Columns:</b>	<b>activity_type_cod</b> <i>Varchar(10)</i> NOT NULL , <b>activity_type_desc</b> <i>Varchar(30)</i> NOT NULL ( <i>DF_activity_activ_639117B7 - (")</i> ) , <b>activity_type_disabled</b> <i>Bit</i> NOT NULL ( <i>DF_activity_activ_65796029 - ((0))</i> ) , <b>activity_type_layout</b> <i>Int</i> NOT NULL ( <i>DF_activity_activ_64853BF0 - ((3))</i> ) , <b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>ACTMAP</b>	<b>Primary Key:</b>	<i>PK_actmap (actmap_id)</i>
	<b>Foreign Keys:</b>	<i>FK_actmap_tcodes</i>
	<b>Indexes:</b>	<i>PK_actmap , _WA_Sys_00000009_08CB2759 , _WA_Sys_acct_act_code_08CB2759 , _WA_Sys_camp_cod_08CB2759 , _WA_Sys_disabled_08CB2759 , _WA_Sys_operator_08CB2759 , _WA_Sys_tcodes_08CB2759 , acct</i>
	<b>Columns:</b>	<b>account</b> <i>Char(30)</i> NULL , <b>acct_act_code</b> <i>Char(2)</i> NULL , <b>acct_dept</b> <i>Char(8)</i> NULL , <b>act_txt</b> <i>Char(30)</i> NULL , <b>actmap_ce1</b> <i>Char(10)</i> NULL , <b>actmap_ce2</b> <i>Char(10)</i> NULL , <b>actmap_ce3</b> <i>Char(20)</i> NULL , <b>actmap_de1</b> <i>Date</i> NULL , <b>actmap_fe1</b> <i>Float</i> NULL , <b>actmap_id</b> <i>Int</i> NOT NULL , <b>actmap_le1</b> <i>Bit</i> NULL , <b>actmap_ne1</b> <i>Int</i> NULL , <b>amount</b> <i>Float</i> NULL , <b>bb_percent</b> <i>Float</i> NULL , <b>bb_project_no</b> <i>Char(30)</i> NULL , <b>camp_cod</b> <i>Char(10)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NULL ( <i>DF_actmap_disabled - (0)</i> ) , <b>fund_id</b> <i>Char(4)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>project</b> <i>Char(40)</i> NULL , <b>source</b> <i>Char(30)</i> NULL , <b>tcodes</b> <i>Char(2)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>version</b> <i>Char(2)</i> NULL
<b>ACTMOD</b>	<b>Primary Key:</b>	<i>PK_actmod_rid (actmod_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_actmod_activity , FK_actmod_modstat</i>
	<b>Indexes:</b>	<i>PK_actmod_rid , _WA_Sys_activity_cod_19817D66 , _WA_Sys_mod_stat_19817D66</i>
	<b>Columns:</b>	<b>activity_cod</b> <i>Char(3)</i> NULL , <b>actmod_ce1</b> <i>Char(10)</i> NULL , <b>actmod_ce2</b> <i>Char(10)</i> NULL , <b>actmod_ce3</b> <i>Char(20)</i> NULL , <b>actmod_de1</b> <i>Date</i> NULL , <b>actmod_fe1</b> <i>Float</i> NULL , <b>actmod_le1</b> <i>Bit</i> NULL , <b>actmod_ne1</b> <i>Int</i> NULL , <b>actmod_rid</b> <i>Int</i> NOT NULL , <b>mod_stat</b> <i>Char(2)</i> NULL
<b>ACT_TYPE_RESPONSE</b>	<b>Primary Key:</b>	<i>PK_Act_type_response_AR_cod (ATR RID)</i>
	<b>Foreign Keys:</b>	<i>FK_Act_type_response_AR_cod , FK_Act_type_response_activity_type_cod</i>
	<b>Indexes:</b>	<i>PK_Act_type_response_AR_cod , _WA_Sys_00000002_6D1A81F1 , _WA_Sys_00000003_6D1A81F1 , _WA_Sys_00000004_6D1A81F1</i>
	<b>Columns:</b>	<b>AR_cod</b> <i>Varchar(10)</i> NOT NULL , <b>ATR_RID</b> <i>Int</i> NOT NULL , <b>ATR_disabled</b> <i>Bit</i> NOT NULL ( <i>DF_Act_type_ATR_d_6E0EA62A - ((0))</i> ) , <b>activity_type_cod</b> <i>Varchar(10)</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL

<b>ADDFEES_FILTER</b>		
	<b>Indexes:</b>	<i>_WA_Sys_addfees_filter_rid_2A96FACF</i>
	<b>Columns:</b>	<b>addfees_filter_rid</b> <i>Int</i> NOT NULL , <b>camp_flag</b> <i>Bit</i> NULL ( <i>DF</i> <i>addfees_f_camp_2B8B1F08 - (1)</i> ) , <b>level_flag</b> <i>Bit</i> NULL ( <i>DF</i> <i>addfees_f_level_2C7F4341 - (1)</i> )
<b>ADDRESS</b>	<b>Primary Key:</b>	<i>PK_address (add_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_address_addrtype , FK_address_cell_provider , FK_address_country , FK_address_county , FK_address_name , FK_address_state</i>
	<b>Triggers:</b>	<i>tr_ADD_cell_provider_I , tr_ADD_cell_provider_U , tr_OCU_Address_Archive_U</i>
	<b>Indexes:</b>	<i>PK_address , _WA_Sys_IPED_addr_47DC799C , _WA_Sys_add_addr2_47DC799C , _WA_Sys_add_addr_47DC799C , _WA_Sys_addr_ce1_47DC799C , _WA_Sys_addr_ce2_47DC799C , _WA_Sys_addr_ce3_47DC799C , _WA_Sys_addr_le1_47DC799C , _WA_Sys_addr_ne1_47DC799C , _WA_Sys_address_ce1_47DC799C , _WA_Sys_address_ce2_47DC799C , _WA_Sys_address_ce3_47DC799C , _WA_Sys_address_de1_47DC799C , _WA_Sys_address_fe1_47DC799C , _WA_Sys_address_le1_47DC799C , _WA_Sys_address_ne1_47DC799C , _WA_Sys_bad_47DC799C , _WA_Sys_cell_phone_47DC799C , _WA_Sys_cell_provider_47DC799C , _WA_Sys_city_47DC799C , _WA_Sys_country_47DC799C , _WA_Sys_county_cod_47DC799C , _WA_Sys_date_maint_47DC799C , _WA_Sys_e_mail2_47DC799C , _WA_Sys_e_mail_47DC799C , _WA_Sys_fax_47DC799C , _WA_Sys_labels2_47DC799C , _WA_Sys_labels3_47DC799C , _WA_Sys_labels_47DC799C , _WA_Sys_operator_47DC799C , _WA_Sys_phone_47DC799C , _WA_Sys_preferred_47DC799C , _WA_Sys_salutation_47DC799C , _WA_Sys_st_addr_47DC799C , _WA_Sys_state_47DC799C , _WA_Sys_text_me_47DC799C , _WA_Sys_time_maint_47DC799C , _WA_Sys_work_phone_47DC799C , _WA_Sys_zip_47DC799C , e_mail , soc_sec , type</i>
	<b>Columns:</b>	<b>IPED_addr</b> <i>Bit</i> NULL , <b>add_addr2</b> <i>Char(35)</i> NULL , <b>add_addr</b> <i>Char(35)</i> NULL , <b>add_rid</b> <i>Char(16)</i> NOT NULL , <b>addr_ce1</b> <i>Char(10)</i> NULL , <b>addr_ce2</b> <i>Char(10)</i> NULL , <b>addr_ce3</b> <i>Char(10)</i> NULL , <b>addr_de1</b> <i>Date</i> NULL , <b>addr_de2</b> <i>Date</i> NULL , <b>addr_le1</b> <i>Bit</i> NULL , <b>addr_ne1</b> <i>Int</i> NULL , <b>address_ce1</b> <i>Char(10)</i> NULL , <b>address_ce2</b> <i>Char(10)</i> NULL , <b>address_ce3</b> <i>Char(20)</i> NULL , <b>address_de1</b> <i>Date</i> NULL , <b>address_fe1</b> <i>Float</i> NULL , <b>address_le1</b> <i>Bit</i> NULL , <b>address_ne1</b> <i>Int</i> NULL , <b>bad</b> <i>Bit</i> NULL ( <i>DF</i> <i>address_bad - (0)</i> ) , <b>cell_phone</b> <i>Char(15)</i> NULL , <b>cell_provider</b> <i>Varchar(35)</i> NULL , <b>city</b> <i>Char(35)</i> NULL , <b>country</b> <i>Char(25)</i> NULL , <b>county_cod</b> <i>Char(3)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>e_mail</b> <i>Char(50)</i> NULL , <b>e_mail2</b> <i>Char(50)</i> NULL ( <i>DF</i> <i>address_e_mail2_77A166AE - (null)</i> ) , <b>fax</b> <i>Char(15)</i> NULL , <b>labels</b> <i>Bit</i> NULL ( <i>DF</i> <i>address_labels - (0)</i> ) , <b>labels2</b> <i>Bit</i> NULL ( <i>DF</i> <i>address_labels2_40B05920 - (0)</i> ) , <b>labels3</b> <i>Bit</i> NULL ( <i>DF</i> <i>address_labels3_7F379B7E - (0)</i> ) , <b>memo</b> <i>Memo</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>phone</b> <i>Char(15)</i> NULL , <b>preferred</b> <i>Bit</i> NULL , <b>salutation</b> <i>Char(75)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>st_addr</b> <i>Char(35)</i> NULL , <b>state</b> <i>Char(2)</i> NULL , <b>text_me</b> <i>Bit</i> NOT NULL ( <i>DF</i> <i>address_text_me_04914D78 - (0)</i> ) , <b>time_maint</b> <i>Char(8)</i> NULL , <b>type</b> <i>Char(10)</i> NULL , <b>work_phone</b> <i>Char(25)</i> NULL , <b>zip</b> <i>Char(10)</i> NULL
<b>ADDRESSADD</b>		
	<b>Indexes:</b>	<i>_WA_Sys_0000000A_67D51339 , _WA_Sys_soc_sec_67D51339</i>
	<b>Columns:</b>	<b>IPED_addr</b> <i>Bit</i> NULL , <b>add_addr2</b> <i>Char(35)</i> NULL , <b>add_addr</b> <i>Char(35)</i> NULL , <b>add_rid</b> <i>Char(16)</i> NOT NULL , <b>addr_ce1</b> <i>Char(10)</i> NULL , <b>addr_ce2</b> <i>Char(10)</i> NULL , <b>addr_ce3</b> <i>Char(10)</i> NULL , <b>addr_le1</b> <i>Bit</i> NULL , <b>addr_ne1</b> <i>Int</i> NULL , <b>address_ce1</b> <i>Char(10)</i> NULL , <b>address_ce2</b> <i>Char(10)</i> NULL , <b>address_ce3</b> <i>Char(20)</i> NULL , <b>address_de1</b> <i>Date</i> NULL , <b>address_fe1</b> <i>Float</i> NULL , <b>address_le1</b> <i>Bit</i> NULL , <b>address_ne1</b> <i>Int</i> NULL , <b>bad</b> <i>Bit</i> NULL , <b>cell_phone</b> <i>Char(15)</i> NULL , <b>city</b> <i>Char(35)</i> NULL , <b>country</b> <i>Char(25)</i> NULL , <b>county_cod</b> <i>Char(3)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>e_mail</b> <i>Char(50)</i> NULL , <b>fax</b> <i>Char(15)</i> NULL , <b>labels</b> <i>Bit</i> NULL , <b>labels2</b> <i>Bit</i> NULL , <b>labels3</b> <i>Bit</i> NULL , <b>memo</b> <i>Memo</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>phone</b> <i>Char(15)</i> NULL , <b>preferred</b> <i>Bit</i> NULL , <b>salutation</b> <i>Char(75)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>st_addr</b> <i>Char(35)</i> NULL , <b>state</b> <i>Char(2)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>type</b> <i>Char(10)</i> NULL , <b>work_phone</b> <i>Char(25)</i> NULL , <b>zip</b> <i>Char(10)</i> NULL
<b>ADDRESSDUP</b>		
	<b>Indexes:</b>	<i>_WA_Sys_0000000F_68C93772 , _WA_Sys_preferred_68C93772 , _WA_Sys_soc_sec_68C93772</i>

	<b>Columns:</b>	<b>IPED_addr</b> Bit NULL, <b>add_addr2</b> Char(35) NULL, <b>add_addr</b> Char(35) NULL, <b>add_rid</b> Char(16) NOT NULL, <b>addr_ce1</b> Char(10) NULL, <b>addr_ce2</b> Char(10) NULL, <b>addr_ce3</b> Char(10) NULL, <b>addr_le1</b> Bit NULL, <b>addr_ne1</b> Int NULL, <b>address_ce1</b> Char(10) NULL, <b>address_ce2</b> Char(10) NULL, <b>address_ce3</b> Char(20) NULL, <b>address_de1</b> Date NULL, <b>address_fe1</b> Float NULL, <b>address_le1</b> Bit NULL, <b>address_ne1</b> Int NULL, <b>bad</b> Bit NULL, <b>cell_phone</b> Char(15) NULL, <b>city</b> Char(35) NULL, <b>country</b> Char(25) NULL, <b>county_cod</b> Char(3) NULL, <b>date_maint</b> Date NULL, <b>e_mail</b> Char(50) NULL, <b>fax</b> Char(15) NULL, <b>labels</b> Bit NULL, <b>labels2</b> Bit NULL, <b>labels3</b> Bit NULL, <b>memo</b> Memo NULL, <b>operator</b> Char(8) NULL, <b>phone</b> Char(15) NULL, <b>preferred</b> Bit NULL, <b>salutation</b> Char(75) NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>st_addr</b> Char(35) NULL, <b>state</b> Char(2) NULL, <b>time_maint</b> Char(8) NULL, <b>type</b> Char(10) NULL, <b>work_phone</b> Char(25) NULL, <b>zip</b> Char(10) NULL
<b>ADDRTYPE</b>	<b>Primary Key:</b>	<i>PK_addrtype (type)</i>
	<b>Indexes:</b>	<i>PK_addrtype</i> , <i>_WA_Sys_0000000E_4D8A65FA</i> , <i>_WA_Sys_0000000F_4D8A65FA</i> , <i>_WA_Sys_addrtype_ce1_4D8A65FA</i> , <i>_WA_Sys_addrtype_ce2_4D8A65FA</i> , <i>_WA_Sys_addrtype_ce3_4D8A65FA</i> , <i>_WA_Sys_addrtype_de1_4D8A65FA</i> , <i>_WA_Sys_addrtype_fe1_4D8A65FA</i> , <i>_WA_Sys_addrtype_le1_4D8A65FA</i> , <i>_WA_Sys_addrtype_ne1_4D8A65FA</i> , <i>_WA_Sys_date_maint_4D8A65FA</i> , <i>_WA_Sys_disabled_4D8A65FA</i> , <i>_WA_Sys_operator_4D8A65FA</i> , <i>_WA_Sys_time_maint_4D8A65FA</i> , <i>type</i>
	<b>Columns:</b>	<b>addrtype_ce1</b> Char(10) NULL, <b>addrtype_ce2</b> Char(10) NULL, <b>addrtype_ce3</b> Char(20) NULL, <b>addrtype_de1</b> Date NULL, <b>addrtype_fe1</b> Float NULL, <b>addrtype_le1</b> Bit NULL, <b>addrtype_ne1</b> Int NULL, <b>datacapture</b> Bit NULL (DF <i>addrtype_datacapture</i> - ((0))), <b>date_maint</b> Date NULL, <b>disabled</b> Bit NULL (DF <i>addrtype_disabled</i> - (0)), <b>nscpermaddr</b> Bit NOT NULL (DF <i>addrtype_nscper</i> <i>_5483DE51</i> - ((0))), <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL, <b>type</b> Char(10) NOT NULL
<b>AFFILIATION</b>	<b>Primary Key:</b>	<i>PK_affiliation (affiliation_cod)</i>
	<b>Indexes:</b>	<i>PK_affiliation</i> , <i>_WA_Sys_affiliation_txt_40113AA2</i> , <i>_WA_Sys_date_maint_40113AA2</i> , <i>_WA_Sys_disabled_40113AA2</i> , <i>_WA_Sys_operator_40113AA2</i> , <i>_WA_Sys_time_maint_40113AA2</i>
	<b>Columns:</b>	<b>affiliation_ce1</b> Char(10) NULL, <b>affiliation_ce2</b> Char(10) NULL, <b>affiliation_ce3</b> Char(20) NULL, <b>affiliation_cod</b> Char(2) NOT NULL, <b>affiliation_de1</b> Date NULL, <b>affiliation_fe1</b> Float NULL, <b>affiliation_le1</b> Bit NULL, <b>affiliation_ne1</b> Int NULL, <b>affiliation_txt</b> Char(35) NOT NULL, <b>date_maint</b> Date NULL, <b>disabled</b> Bit NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>AGENCY</b>	<b>Primary Key:</b>	<i>PK_agency (agency_cod)</i>
	<b>Triggers:</b>	<i>tr_agency_cod_D</i> , <i>tr_agency_cod_Delete</i>
	<b>Indexes:</b>	<i>PK_agency</i> , <i>_WA_Sys_00000007_5DC0CDC3</i> , <i>_WA_Sys_00000008_5DC0CDC3</i> , <i>_WA_Sys_00000009_5DC0CDC3</i> , <i>_WA_Sys_0000000A_5DC0CDC3</i> , <i>_WA_Sys_0000000B_5DC0CDC3</i> , <i>_WA_Sys_0000000C_5DC0CDC3</i> , <i>_WA_Sys_0000000D_5DC0CDC3</i> , <i>_WA_Sys_0000000E_5DC0CDC3</i> , <i>_WA_Sys_agency_txt_5DC0CDC3</i> , <i>_WA_Sys_date_maint_5DC0CDC3</i> , <i>_WA_Sys_disabled_5DC0CDC3</i> , <i>_WA_Sys_operator_5DC0CDC3</i> , <i>_WA_Sys_time_maint_5DC0CDC3</i>
	<b>Columns:</b>	<b>agency_ce1</b> Char(10) NULL, <b>agency_ce2</b> Char(10) NULL, <b>agency_ce3</b> Char(20) NULL, <b>agency_cod</b> Char(10) NOT NULL, <b>agency_de1</b> Date NULL, <b>agency_fe1</b> Float NULL, <b>agency_le1</b> Bit NULL, <b>agency_ne1</b> Int NULL, <b>agency_txt</b> Char(60) NOT NULL, <b>date_maint</b> Date NULL, <b>disabled</b> Bit NULL (DF <i>agency_disabled</i> - (0)), <b>operator</b> Char(8) NULL, <b>soc_sec</b> Char(9) NULL, <b>time_maint</b> Char(8) NULL
<b>ALLOCATION</b>		
	<b>Indexes:</b>	<i>_WA_Sys_Allocation_rid_0F0EDBEB</i> , <i>_WA_Sys_awd_cod_0F0EDBEB</i> , <i>_WA_Sys_sch_yr_0F0EDBEB</i>
	<b>Columns:</b>	<b>Allocation_rid</b> Int NOT NULL, <b>allocation</b> Float NOT NULL (DF <i>allocatio_alloc</i> <i>_10030024</i> - (0)), <b>allocation_ce1</b> Varchar(25) NULL, <b>allocation_ce2</b> Varchar(25) NULL, <b>awd_cod</b> Char(8) NULL, <b>date_maint</b> Date NULL, <b>operator</b> Char(8) NULL, <b>sch_yr</b> Char(6) NULL, <b>time_maint</b> Char(8) NULL
<b>ALTNAMESEARCH</b>	<b>Primary Key:</b>	<i>PK_altnamesearch (altnamesearch_cod)</i>

	<b>Indexes:</b>	<i>PK_altnamesearch , _WA_Sys_disabled_6C1AA569</i>
	<b>Columns:</b>	<b>altnamesearch_ce1</b> Char(10) NULL , <b>altnamesearch_ce2</b> Char(20) NULL , <b>altnamesearch_ce3</b> Char(30) NULL , <b>altnamesearch_cod</b> Char(1) NOT NULL , <b>altnamesearch_de1</b> Date NULL , <b>altnamesearch_fe1</b> Float NULL , <b>altnamesearch_le1</b> Bit NULL , <b>altnamesearch_ne1</b> Float NULL , <b>altnamesearch_txt</b> Char(40) NOT NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>API_LOG</b>		
<b>APPACTS</b>	<b>Primary Key:</b>	<i>PK_appacts (appacts_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_appacts_activity , FK_appacts_program</i>
	<b>Indexes:</b>	<i>PK_appacts , _WA_Sys_activity_cod_0055DCE9 , _WA_Sys_prg_cod_0055DCE9</i>
	<b>Columns:</b>	<b>activity_cod</b> Char(3) NOT NULL , <b>appacts_ce1</b> Char(10) NULL , <b>appacts_ce2</b> Char(10) NULL , <b>appacts_ce3</b> Char(20) NULL , <b>appacts_de1</b> Date NULL , <b>appacts_fe1</b> Float NULL , <b>appacts_le1</b> Bit NULL , <b>appacts_ne1</b> Int NULL , <b>appacts_rid</b> Int NOT NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>prg_cod</b> Char(10) NULL , <b>time_maint</b> Char(8) NULL
<b>APPCHK</b>	<b>Primary Key:</b>	<i>PK_appchk_cod (appchk_cod)</i>
	<b>Indexes:</b>	<i>PK_appchk_cod , _WA_Sys_appchk_ce1_623B6A1D , _WA_Sys_appchk_ce3_623B6A1D , _WA_Sys_appchk_cod_623B6A1D , _WA_Sys_appchk_fe1_623B6A1D , _WA_Sys_appchk_le1_623B6A1D , _WA_Sys_appchk_ne1_623B6A1D , _WA_Sys_appchk_rid_623B6A1D , _WA_Sys_appchk_txt_623B6A1D , _WA_Sys_disabled_623B6A1D , _WA_Sys_edu_chklist_623B6A1D</i>
	<b>Columns:</b>	<b>appchk_ce1</b> Char(10) NULL , <b>appchk_ce2</b> Char(10) NULL , <b>appchk_ce3</b> Char(20) NULL , <b>appchk_cod</b> Char(2) NOT NULL , <b>appchk_de1</b> Date NULL , <b>appchk_fe1</b> Float NULL , <b>appchk_le1</b> Bit NULL , <b>appchk_ne1</b> Int NULL , <b>appchk_rid</b> Int NOT NULL , <b>appchk_txt</b> Char(55) NOT NULL , <b>disabled</b> Bit NULL , <b>edu_chklist</b> Bit NOT NULL (DF_appchk_edu_chkl_64C39C64 - (0))
<b>APPCHKLIST</b>	<b>Primary Key:</b>	<i>PK_appchklist (appchklist_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_appchklist_appchk , FK_appchklist_appchk_cod , FK_appchklist_program</i>
	<b>Indexes:</b>	<i>PK_appchklist , _WA_Sys_appchk_cod_6DAD1CC9 , _WA_Sys_appchklist_ce1_6DAD1CC9 , _WA_Sys_appchklist_ce3_6DAD1CC9 , _WA_Sys_appchklist_de1_6DAD1CC9 , _WA_Sys_appchklist_fe1_6DAD1CC9 , _WA_Sys_appchklist_le1_6DAD1CC9 , _WA_Sys_appchklist_ne1_6DAD1CC9 , _WA_Sys_date_maint_6DAD1CC9 , _WA_Sys_operator_6DAD1CC9 , _WA_Sys_time_maint_6DAD1CC9 , prg_cod</i>
	<b>Columns:</b>	<b>appchk_cod</b> Char(2) NULL , <b>appchklist_ce1</b> Char(10) NULL , <b>appchklist_ce2</b> Char(10) NULL , <b>appchklist_ce3</b> Char(20) NULL , <b>appchklist_de1</b> Date NULL , <b>appchklist_fe1</b> Float NULL , <b>appchklist_le1</b> Bit NULL , <b>appchklist_ne1</b> Int NULL , <b>appchklist_rid</b> Int NOT NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>prg_cod</b> Char(10) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>APPENTRYDATE</b>	<b>Primary Key:</b>	<i>PK_appentrydate (entry_date)</i>
	<b>Foreign Keys:</b>	<i>FK_appentrydate_trmint</i>
	<b>Indexes:</b>	<i>PK_appentrydate , _WA_Sys_OA_show_5E80B329 , _WA_Sys_app_term_5E80B329 , _WA_Sys_appentrydate_ce1_5E80B329 , _WA_Sys_appentrydate_ce2_5E80B329 , _WA_Sys_appentrydate_ce3_5E80B329 , _WA_Sys_appentrydate_de1_5E80B329 , _WA_Sys_appentrydate_fe1_5E80B329 , _WA_Sys_appentrydate_le1_5E80B329 , _WA_Sys_appentrydate_ne1_5E80B329 , _WA_Sys_date_maint_5E80B329 , _WA_Sys_disabled_5E80B329 , _WA_Sys_operator_5E80B329 , _WA_Sys_time_maint_5E80B329</i>
	<b>Columns:</b>	<b>OA_show</b> Bit NOT NULL (DF_APPENTRYD_OA_sh_4C81FE7F - (0)) , <b>app_term</b> Char(20) NULL , <b>appentrydate_ce1</b> Char(10) NULL , <b>appentrydate_ce2</b> Char(20) NULL , <b>appentrydate_ce3</b> Char(30) NULL , <b>appentrydate_de1</b> Date NULL , <b>appentrydate_fe1</b> Float NULL , <b>appentrydate_le1</b> Bit NULL , <b>appentrydate_ne1</b> Float NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL , <b>entry_date</b> Date NOT NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>APPFEE</b>	<b>Primary Key:</b>	<i>PK_appfee_1 (appfee_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_appfee_tcodes</i>
	<b>Indexes:</b>	<i>PK_appfee_1 , _WA_Sys_00000002_6557CDEA</i>

	<b>Columns:</b>	<b>amt</b> Float NULL , <b>appfee_ce1</b> Char(10) NULL , <b>appfee_ce2</b> Char(10) NULL , <b>appfee_ce3</b> Char(20) NULL , <b>appfee_de1</b> Date NULL , <b>appfee_fe1</b> Float NULL , <b>appfee_le1</b> Bit NULL , <b>appfee_ne1</b> Int NULL , <b>appfee_rid</b> Int NOT NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>tcode</b> Char(2) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>APPLICAN</b>	<b>Primary Key:</b>	<b>PK_applican</b> (applican_rid)
	<b>Foreign Keys:</b>	<b>FK_applican_name2</b>
	<b>Indexes:</b>	<b>PK_applican</b> , soc_sec
	<b>Columns:</b>	<b>act_comp</b> Float NULL , <b>act_eng</b> Float NULL , <b>act_math</b> Float NULL , <b>act_sci</b> Float NULL , <b>act_soc</b> Float NULL , <b>applican_ce1</b> Char(10) NULL , <b>applican_ce2</b> Char(10) NULL , <b>applican_ce3</b> Char(20) NULL , <b>applican_de1</b> Date NULL , <b>applican_fe1</b> Float NULL , <b>applican_le1</b> Bit NULL , <b>applican_ne1</b> Int NULL , <b>applican_rid</b> Int NOT NULL , <b>date_maint</b> Date NULL , <b>ged</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>hs_grad</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>memo</b> Memo NULL , <b>operator</b> Char(8) NULL , <b>sat</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>sat_date</b> Date NULL , <b>sat_math</b> Float NULL , <b>sat_recent</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>sat_verb</b> Float NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>time_maint</b> Char(8) NULL , <b>timestamp_column</b> Timestamp NULL
<b>APPLIEDPMTS</b>	<b>Primary Key:</b>	<b>PK_applied_pmts</b> (applied_pmt_id)
	<b>Foreign Keys:</b>	<b>FK_appliedpmts_soc_sec</b>
	<b>Indexes:</b>	<b>PK_applied_pmts</b> , <b>_WA_Sys_accept_20389C96</b> , <b>_WA_Sys_amount_applied_20389C96</b> , <b>_WA_Sys_invoice_no_20389C96</b> , <b>_WA_Sys_soc_sec_20389C96</b> , <b>_WA_Sys_transact_no_invoice_item_20389C96</b> , <b>_WA_Sys_transact_no_payment_20389C96</b>
	<b>Columns:</b>	<b>accept</b> Char(1) NULL , <b>amount_applied</b> Float NOT NULL , <b>applied_pmt_id</b> Int NOT NULL , <b>appliedpmts_ce1</b> Char(10) NULL , <b>appliedpmts_ce2</b> Char(10) NULL , <b>appliedpmts_ce3</b> Char(20) NULL , <b>appliedpmts_de1</b> Date NULL , <b>appliedpmts_fe1</b> Float NULL , <b>appliedpmts_le1</b> Bit NULL , <b>appliedpmts_ne1</b> Int NULL , <b>invoice_no</b> Char(16) NOT NULL , <b>soc_sec</b> Char(9) NULL , <b>transact_no_invoice_item</b> Char(16) NOT NULL , <b>transact_no_payment</b> Char(16) NOT NULL
<b>APPROG</b>	<b>Primary Key:</b>	<b>PK_approg</b> (app_rid)
	<b>Foreign Keys:</b>	<b>FK_approg_appentrydate</b> , <b>FK_approg_campus</b> , <b>FK_approg_degree_ac</b> , <b>FK_approg_degree_ap</b> , <b>FK_approg_name</b> , <b>FK_approg_program</b>
	<b>Indexes:</b>	<b>PK_approg</b> , <b>_WA_Sys_0000002E_0DEF03D2</b> , <b>_WA_Sys_00000030_0DEF03D2</b> , <b>_WA_Sys_00000031_0DEF03D2</b> , <b>_WA_Sys_ack_date_0DEF03D2</b> , <b>_WA_Sys_acknowledg_0DEF03D2</b> , <b>_WA_Sys_adm_mailed_0DEF03D2</b> , <b>_WA_Sys_apfee_dt_0DEF03D2</b> , <b>_WA_Sys_app_completed_0DEF03D2</b> , <b>_WA_Sys_app_date_0DEF03D2</b> , <b>_WA_Sys_app_yr_0DEF03D2</b> , <b>_WA_Sys_approg_ce1_0DEF03D2</b> , <b>_WA_Sys_approg_ce2_0DEF03D2</b> , <b>_WA_Sys_approg_ce3_0DEF03D2</b> , <b>_WA_Sys_approg_de1_0DEF03D2</b> , <b>_WA_Sys_approg_fe1_0DEF03D2</b> , <b>_WA_Sys_approg_le1_0DEF03D2</b> , <b>_WA_Sys_approg_ne1_0DEF03D2</b> , <b>_WA_Sys_camp_cod_0DEF03D2</b> , <b>_WA_Sys_chklstdone_0DEF03D2</b> , <b>_WA_Sys_date_maint_0DEF03D2</b> , <b>_WA_Sys_degree_ac_0DEF03D2</b> , <b>_WA_Sys_degree_ap_0DEF03D2</b> , <b>_WA_Sys_div_cod_0DEF03D2</b> , <b>_WA_Sys_entry_date_0DEF03D2</b> , <b>_WA_Sys_fee_rec_0DEF03D2</b> , <b>_WA_Sys_fin_aid_0DEF03D2</b> , <b>_WA_Sys_finaid_off_0DEF03D2</b> , <b>_WA_Sys_incomplete_0DEF03D2</b> , <b>_WA_Sys_major_ac_0DEF03D2</b> , <b>_WA_Sys_major_ap_0DEF03D2</b> , <b>_WA_Sys_matric_fee_0DEF03D2</b> , <b>_WA_Sys_mfee_dt_0DEF03D2</b> , <b>_WA_Sys_oafes_pay_0DEF03D2</b> , <b>_WA_Sys_operator_0DEF03D2</b> , <b>_WA_Sys_prs_cod_0DEF03D2</b> , <b>_WA_Sys_prior_app_0DEF03D2</b> , <b>_WA_Sys_ref_source_0DEF03D2</b> , <b>_WA_Sys_sch_yr_0DEF03D2</b> , <b>_WA_Sys_sms_trans_0DEF03D2</b> , <b>_WA_Sys_time_maint_0DEF03D2</b> , <b>_WA_Sys_trans_date_0DEF03D2</b> , <b>_WA_Sys_trans_done_0DEF03D2</b> , soc_sec
	<b>Columns:</b>	<b>App_StartDT</b> Date NOT NULL (DF_approg_App_Star_6BF08837 - ('12/30/1899')) , <b>OnlineApp_Only</b> Bit NOT NULL (DF_approg_OnlineAp_13C96F67 - ('0')) , <b>ack_date</b> Date NULL , <b>acknowledg</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>adm_mailed</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>apfee_dt</b> Date NULL , <b>app_completed</b> Bit NOT NULL (DF_approg_app_comp_71738C0C - ('0')) , <b>app_date</b> Date NULL , <b>app_fee_rcvd</b> Date NULL , <b>app_rid</b> Char(16) NOT NULL , <b>app_yr</b>

		<i>Date</i> NULL , <i>approg_ce1</i> Char(10) NULL , <i>approg_ce2</i> Char(10) NULL , <i>approg_ce3</i> Char(20) NULL , <i>approg_de1</i> Date NULL , <i>approg_fe1</i> Float NULL , <i>approg_le1</i> Bit NULL , <i>approg_ne1</i> Int NULL , <i>camp_cod</i> Char(10) NULL , <i>chklstdone</i> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <i>date_maint</i> Date NULL , <i>degree_ac</i> Char(35) NULL , <i>degree_ap</i> Char(35) NULL , <i>div_cod</i> Char(2) NULL , <i>edu_rid</i> Char(16) NULL , <i>entry_date</i> Date NULL , <i>fee_rec</i> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <i>fin_aid</i> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <i>finaid_off</i> Char(15) NULL , <i>incomplete</i> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <i>mailed_dt</i> Date NULL , <i>major_ac</i> Char(30) NULL , <i>major_ap</i> Char(30) NULL , <i>matric_fee</i> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <i>mfee_dt</i> Date NULL , <i>oafes_pay</i> Tinyint NOT NULL (DF_approg_oafes_pa_434D9A00 - (0)) , <i>operator</i> Char(8) NULL , <i>prg_cod</i> Char(10) NULL , <i>prior_app</i> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <i>prospect_rid</i> Int NULL , <i>ref_source</i> Char(1) NULL , <i>sch_yr</i> Char(6) NULL , <i>semester</i> Char(2) NULL , <i>sms_trans</i> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <i>soc_sec</i> Char(9) NOT NULL , <i>time_maint</i> Char(8) NULL , <i>trans_date</i> Date NULL , <i>trans_done</i> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0)
<b>APP_PAGES</b>	<b>Primary Key:</b>	<i>PK_app_pages_app_pages_rid</i> ( <i>app_pages_rid</i> )
	<b>Indexes:</b>	<i>PK_app_pages_app_pages_rid</i> , <i>WA_Sys_OA_ReApp</i> 710977B8 , <i>WA_Sys_app_pages_ce1</i> 710977B8 , <i>WA_Sys_app_pages_ne1</i> 710977B8 , <i>WA_Sys_app_pages_txt</i> 710977B8 , <i>WA_Sys_app_pages_url</i> 710977B8 , <i>WA_Sys_disabled</i> 710977B8 , <i>WA_Sys_order</i> 710977B8 , <i>WA_Sys_required</i> 710977B8
	<b>Columns:</b>	<i>OA_ReApp</i> Bit NOT NULL (DF_app_pages_OA_Re_36139A73 - (0)) , <i>app_pages_ce1</i> Char(10) NULL , <i>app_pages_ce2</i> Char(10) NULL , <i>app_pages_ce3</i> Char(20) NULL , <i>app_pages_de1</i> Date NULL , <i>app_pages_fe1</i> Float NULL , <i>app_pages_le1</i> Bit NULL , <i>app_pages_ne1</i> Int NULL , <i>app_pages_rid</i> Int NOT NULL , <i>app_pages_txt</i> Char(50) NULL , <i>app_pages_url</i> Char(50) NULL , <i>disabled</i> Bit NULL , <i>order</i> Int NULL , <i>required</i> Bit NOT NULL (DF_app_pages_requi_082CD432 - (0))
<b>ARCHGRADE</b>		
	<b>Foreign Keys:</b>	<i>FK_archgrade_name</i>
	<b>Indexes:</b>	<i>WA_Sys_date_maint</i> 5BA4467E , <i>WA_Sys_nmcrs_rid</i> 5BA4467E , <i>WA_Sys_operator</i> 5BA4467E , <i>WA_Sys_soc_sec</i> 5BA4467E
	<b>Columns:</b>	<i>archgrade_ce1</i> Char(10) NULL , <i>archgrade_ce2</i> Char(20) NULL , <i>archgrade_ce3</i> Char(30) NULL , <i>archgrade_de1</i> Date NULL , <i>archgrade_fe1</i> Float NULL , <i>archgrade_le1</i> Bit NULL , <i>archgrade_ne1</i> Float NULL , <i>archgrade_rid</i> Int NOT NULL , <i>change_clin_grade</i> Char(3) NOT NULL , <i>change_grade</i> Char(5) NOT NULL , <i>change_mid_term</i> Char(5) NOT NULL , <i>change_officialg</i> Char(5) NOT NULL , <i>course</i> Char(10) NULL , <i>date_maint</i> Date NULL , <i>nmcrs_rid</i> Char(16) NULL , <i>operator</i> Char(8) NULL , <i>previous_clin_grade</i> Char(3) NOT NULL , <i>previous_grade</i> Char(5) NOT NULL , <i>previous_mid_term</i> Char(5) NOT NULL , <i>previous_officialg</i> Char(5) NOT NULL , <i>soc_sec</i> Char(9) NOT NULL , <i>time_maint</i> Char(8) NULL
<b>AREAS_OF_INTEREST</b>	<b>Primary Key:</b>	<i>PK_areas_of_interest</i> ( <i>areas_of_interest_rid</i> )
	<b>Indexes:</b>	<i>PK_areas_of_interest</i>
	<b>Columns:</b>	<i>areas_of_interest_ce1</i> Char(10) NULL , <i>areas_of_interest_ce2</i> Char(10) NULL , <i>areas_of_interest_ce3</i> Char(20) NULL , <i>areas_of_interest_de1</i> Date NULL , <i>areas_of_interest_fe1</i> Float NULL , <i>areas_of_interest_le1</i> Bit NOT NULL (DF_areas_of_areas_0FB8E761 - (0)) , <i>areas_of_interest_ne1</i> Int NULL , <i>areas_of_interest_rid</i> Int NOT NULL , <i>areas_of_interest_txt</i> Varchar(50) NOT NULL , <i>date_maint</i> Date NULL , <i>disabled</i> Bit NOT NULL (DF_areas_of_disab_0EC4C328 - (0)) , <i>operator</i> Char(8) NULL , <i>time_maint</i> Char(8) NULL
<b>ASSESS_COURSE</b>	<b>Primary Key:</b>	<i>PK_assess_course_rid</i> ( <i>assess_course_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_assess_course_course</i>
	<b>Indexes:</b>	<i>PK_assess_course_rid</i>
	<b>Columns:</b>	<i>assess_course_rid</i> Int NOT NULL , <i>crs_id</i> Char(16) NULL , <i>disabled</i> Bit NOT NULL (DF_assess_co_disab_77D670D8 - (0))

<b>ASSESS_COURSE_STUDENT</b>	<b>Primary Key:</b>	<i>PK_assess_course_student_rid (assess_course_student_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_assess_course_student_assess_element , FK_assess_course_student_assess_element_score , FK_assess_course_student_course , FK_assess_course_student_crssect , FK_assess_course_student_name</i>
	<b>Indexes:</b>	<i>PK_assess_course_student_rid , _WA_Sys_00000002_006BB6D9</i>
	<b>Columns:</b>	<i>assess_course_student_rid Int NOT NULL , assess_element_rid Int NULL , assess_element_score_rid Int NULL , crs_id Char(16) NULL , sid Char(16) NULL , soc_sec Char(9) NULL</i>
<b>ASSESS_ELEMENT</b>	<b>Primary Key:</b>	<i>PK_assess_element_rid (assess_element_rid)</i>
	<b>Indexes:</b>	<i>PK_assess_element_rid</i>
	<b>Columns:</b>	<i>assess_element_rid Int NOT NULL , assess_element_txt Char(85) NULL , disabled Bit NOT NULL (DF_assess_el_disab_7BA701BC - (0))</i>
<b>ASSESS_ELEMENT_SCORE</b>	<b>Primary Key:</b>	<i>PK_assess_element_score_rid (assess_element_score_rid)</i>
	<b>Indexes:</b>	<i>PK_assess_element_score_rid</i>
	<b>Columns:</b>	<i>assess_element_score_rid Int NOT NULL , assess_element_score_txt Char(15) NULL , assess_element_score_val Int NULL , disabled Bit NOT NULL (DF_assess_el_disab_7E836E67 - (0))</i>
<b>AUDIT</b>	<b>Primary Key:</b>	<i>PK_Audit_Audit_rid (Audit_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_audit_name</i>
	<b>Indexes:</b>	<i>PK_Audit_Audit_rid , _WA_Sys_NEW_DATA_0A5F3567 , _WA_Sys_OPERATOR_0A5F3567 , _WA_Sys_SOC_SEC_0A5F3567 , _WA_Sys_TABLE_RID_0A5F3567 , _WA_Sys_column_0A5F3567</i>
	<b>Columns:</b>	<i>Audit_ce1 Char(10) NULL , Audit_ce2 Char(10) NULL , Audit_ce3 Char(20) NULL , Audit_de1 Date NULL , Audit_fe1 Float NULL , Audit_le1 Bit NULL , Audit_ne1 Int NULL , Audit_rid Int NOT NULL , DATE_ Varchar(30) NULL , NEW_DATA Varchar(100) NULL , OLD_DATA Varchar(100) NULL , OPERATOR Varchar(30) NULL , SOC_SEC Char(9) NULL , TABLE_RID Varchar(100) NULL , column_ Varchar(300) NULL , date_maint Date NULL , time_maint Char(8) NULL</i>
<b>AUDIT_PINPASS</b>		
<b>AULOAD</b>		
	<b>Foreign Keys:</b>	<i>FK_AULOAD_name</i>
	<b>Indexes:</b>	<i>_WA_Sys_AUCourse_5C2E5663 , _WA_Sys_AULoad_rid_5C2E5663 , _WA_Sys_AUSection_5C2E5663 , _WA_Sys_A_ULOAD_RID_5C2E5663 , _WA_Sys_Soc_sec_5C2E5663</i>
	<b>Columns:</b>	<i>AUCourse Char(16) NULL , AULoad_ce1 Char(10) NULL , AULoad_ce2 Char(10) NULL , AULoad_ce3 Char(20) NULL , AULoad_de1 Date NULL , AULoad_fe1 Float NULL , AULoad_le1 Bit NULL , AULoad_ne1 Int NULL , AULoad_rid Int NOT NULL , AUSection Char(16) NULL , A_ULOAD_RID Int NULL , Soc_sec Char(9) NULL , date_maint Date NULL , time_maint Char(8) NULL</i>
<b>AWARD</b>	<b>Primary Key:</b>	<i>PK_award (awd_cod)</i>
	<b>Foreign Keys:</b>	<i>FK_award_institut</i>
	<b>Indexes:</b>	<i>PK_award , _WA_Sys_0000000A_5E8AD4CA , _WA_Sys_00000014_5E8AD4CA , _WA_Sys_Award_type_type_5E8AD4CA , _WA_Sys_amt_1_5E8AD4CA , _WA_Sys_awd_txt_5E8AD4CA , _WA_Sys_campus_based_5E8AD4CA , _WA_Sys_disabled_5E8AD4CA , _WA_Sys_exclude_from_bill_5E8AD4CA , _WA_Sys_inst_bill_5E8AD4CA , _WA_Sys_inst_cod_5E8AD4CA , _WA_Sys_operator_5E8AD4CA , _WA_Sys_pf_id_5E8AD4CA</i>
	<b>Columns:</b>	<i>All_Memo Char(250) NULL , Award_type_type Int NOT NULL (DF_Award_Award_typ_7BDC0BE6 - (0)) , DirectLoan Bit NOT NULL (DF_award_DirectLoa_6B467CC1 - ('0')) , allocation Float NULL (DF_award_allocation - (0)) , amt_1 Float NULL , award_ce1 Char(10) NULL , award_ce2 Char(10) NULL , award_ce3 Char(20) NULL , award_de1 Date NULL , award_fe1 Float NULL , award_le1 Bit NULL , award_ne1 Int NULL , awd_cod Char(8) NOT NULL , awd_note Char(250) NULL , awd_txt Char(50) NULL , campus_based Bit NOT NULL (DF_award_campus_ba_31790288</i>



		- (0)) , <b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NULL , <b>disbursements</b> <i>Int</i> NULL , <b>enrollstat_cod</b> <i>Char(2)</i> NULL , <b>exclude_from_bill</b> <i>Bit</i> NOT NULL (DF_ <b>award_exclude_f</b> 2D337058 - (0)) , <b>inst_bill</b> <i>Bit</i> NULL , <b>inst_cod</b> <i>Char(16)</i> NULL , <b>loan_fee_perc</b> <i>Float</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>pf_id</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>title4</b> <i>Bit</i> NOT NULL (DF_ <b>award_title4</b> 4C37E5BC - (0))
<b>AWARD_TYPE</b>	<b>Primary Key:</b>	<i>PK_award_type_award_type_rid</i> ( <i>award_type_rid</i> )
	<b>Indexes:</b>	<i>PK_award_type_award_type_rid</i> , <i>_WA_Sys_00000002_79F3C374</i>
	<b>Columns:</b>	<b>award_type_ce1</b> <i>Char(10)</i> NULL , <b>award_type_ce2</b> <i>Char(10)</i> NULL , <b>award_type_ce3</b> <i>Char(20)</i> NULL , <b>award_type_de1</b> <i>Date</i> NULL , <b>award_type_fe1</b> <i>Float</i> NULL , <b>award_type_fe2</b> <i>Float</i> NULL , <b>award_type_le1</b> <i>Bit</i> NULL , <b>award_type_ne1</b> <i>Int</i> NULL , <b>award_type_rid</b> <i>Int</i> NOT NULL , <b>award_type_type</b> <i>Char(25)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>BATCHAUDIT</b>	<b>Primary Key:</b>	<i>BatchAudit_rid</i> ( <i>BatchAudit_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_BatchAudit_soc_sec</i>
	<b>Indexes:</b>	<i>BatchAudit_rid</i> , <i>_WA_Sys_soc_sec_54782602</i>
	<b>Columns:</b>	<b>A_file</b> <i>Char(100)</i> NULL , <b>BEC_email</b> <i>Char(100)</i> NULL , <b>BatchAudit_ce1</b> <i>Char(10)</i> NULL , <b>BatchAudit_ce2</b> <i>Char(10)</i> NULL , <b>BatchAudit_ce3</b> <i>Char(10)</i> NULL , <b>BatchAudit_de1</b> <i>Date</i> NULL , <b>BatchAudit_le1</b> <i>Bit</i> NULL , <b>BatchAudit_ne1</b> <i>Int</i> NULL , <b>BatchAudit_rid</b> <i>Int</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>BATCHECHECK</b>	<b>Primary Key:</b>	<i>BatchECheck_rid</i> ( <i>BatchECheck_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_BatchECheck_soc_sec</i>
	<b>Indexes:</b>	<i>BatchECheck_rid</i> , <i>_WA_Sys_BEC_email_519BB957</i> , <i>_WA_Sys_disabled_519BB957</i> , <i>_WA_Sys_soc_sec_519BB957</i>
	<b>Columns:</b>	<b>BEC_email</b> <i>Char(100)</i> NULL , <b>BatchECheck_ce1</b> <i>Char(10)</i> NULL , <b>BatchECheck_ce2</b> <i>Char(10)</i> NULL , <b>BatchECheck_ce3</b> <i>Char(10)</i> NULL , <b>BatchECheck_de1</b> <i>Date</i> NULL , <b>BatchECheck_le1</b> <i>Bit</i> NULL , <b>BatchECheck_ne1</b> <i>Int</i> NULL , <b>BatchECheck_rid</b> <i>Int</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>BATCHNAME</b>	<b>Primary Key:</b>	<i>PK_batchname</i> ( <i>batchname</i> )
	<b>Indexes:</b>	<i>PK_batchname</i>
	<b>Columns:</b>	<b>batchname</b> <i>Varchar(20)</i> NOT NULL
<b>BATCHNUM</b>	<b>Primary Key:</b>	<i>PK_batchnum</i> ( <i>batchnum_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_batchnum_tcodes</i>
	<b>Indexes:</b>	<i>PK_batchnum</i> , <i>_WA_Sys_batchnum_7933DE0E</i> , <i>_WA_Sys_camp_cod_7933DE0E</i> , <i>_WA_Sys_date_maint_7933DE0E</i> , <i>_WA_Sys_operator_7933DE0E</i> , <i>_WA_Sys_post_date_7933DE0E</i> , <i>_WA_Sys_pstd_2gl_7933DE0E</i> , <i>_WA_Sys_tcodes_7933DE0E</i> , <i>_WA_Sys_time_maint_7933DE0E</i> , <i>_WA_Sys_total_amt_7933DE0E</i>
	<b>Columns:</b>	<b>batchnum</b> <i>Char(18)</i> NOT NULL , <b>batchnum_ce1</b> <i>Char(10)</i> NULL , <b>batchnum_ce2</b> <i>Char(10)</i> NULL , <b>batchnum_ce3</b> <i>Char(20)</i> NULL , <b>batchnum_de1</b> <i>Date</i> NULL , <b>batchnum_fe1</b> <i>Float</i> NULL , <b>batchnum_le1</b> <i>Bit</i> NULL , <b>batchnum_ne1</b> <i>Int</i> NULL , <b>batchnum_rid</b> <i>Int</i> NOT NULL , <b>camp_cod</b> <i>Char(10)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>post_date</b> <i>Date</i> NULL , <b>pstd_2gl</b> <i>Bit</i> NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>tcodes</b> <i>Char(2)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>total_amt</b> <i>Float</i> NULL
<b>BATCHNUM_RC</b>		
	<b>Foreign Keys:</b>	<i>FK_batchnum_rc_tcodes</i>
	<b>Indexes:</b>	<i>_WA_Sys_00000002_2903B818</i> , <i>_WA_Sys_00000003_2903B818</i>
	<b>Columns:</b>	<b>batchnum_rc</b> <i>Char(18)</i> NOT NULL , <b>batchnum_rc_ce1</b> <i>Char(10)</i> NULL , <b>batchnum_rc_ce2</b> <i>Char(10)</i> NULL , <b>batchnum_rc_ce3</b> <i>Char(20)</i> NULL , <b>batchnum_rc_de1</b> <i>Date</i> NULL , <b>batchnum_rc_fe1</b> <i>Float</i> NULL , <b>batchnum_rc_le1</b> <i>Bit</i> NULL , <b>batchnum_rc_ne1</b> <i>Int</i> NULL , <b>batchnum_rc_rid</b> <i>Int</i> NOT NULL , <b>camp_cod</b> <i>Char(10)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>post_date</b> <i>Date</i> NULL , <b>pstd_2gl</b> <i>Bit</i> NOT NULL (DF_ <b>batchnum_pstd</b> 29F7DC51 - (0)) , <b>tcodes</b> <i>Char(2)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i>

		NULL , <b>total_amt</b> Float NULL
<b>BATCH_DESC</b>	<b>Primary Key:</b>	<i>PK_batch_desc_rid (batch_desc_rid)</i>
	<b>Indexes:</b>	<i>PK_batch_desc_rid , _WA_Sys_00000003_68942D48</i>
	<b>Columns:</b>	<b>batch_desc</b> Char(25) NULL , <b>batch_desc_rid</b> Int NOT NULL , <b>disabled</b> Bit NOT NULL ( <i>DF_batch_desc_disab_69885181 - (0)</i> )
<b>BATCH_DESC_ALL</b>	<b>Primary Key:</b>	<i>PK_batch_desc_all_rid (batch_desc_all_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_batch_desc_all_batch_desc</i>
	<b>Indexes:</b>	<i>PK_batch_desc_all_rid , _WA_Sys_batch_desc_rid_6B7099F3 , _WA_Sys_batchnum_6B7099F3</i>
	<b>Columns:</b>	<b>batch_desc_all_rid</b> Int NOT NULL , <b>batch_desc_rid</b> Int NULL , <b>batchnum</b> Char(18) NULL , <b>date_range</b> Char(23) NULL
<b>BBOARD</b>	<b>Primary Key:</b>	<i>PK_BBoard_BBoard_rid (BBoard_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_bboard_id_student_name</i>
	<b>Indexes:</b>	<i>PK_BBoard_BBoard_rid , _WA_Sys_00000002_1625EDCE , _WA_Sys_00000014_1625EDCE , _WA_Sys_00000015_1625EDCE , _WA_Sys_00000016_1625EDCE</i>
	<b>Columns:</b>	<b>BBoard_Contact</b> Int NOT NULL ( <i>DF_BBoard_BBoard_C_171A1207 - (0')</i> ) , <b>BBoard_Contact_txt</b> Char(20) NULL , <b>BBoard_Disable</b> Bit NOT NULL ( <i>DF_BBoard_BBoard_D_228BC4B3 - (0)</i> ) , <b>BBoard_ED</b> Date NULL , <b>BBoard_ID</b> Char(9) NULL , <b>BBoard_IDT</b> Int NOT NULL ( <i>DF_BBoard_BBoard_I_180E3640 - (0')</i> ) , <b>BBoard_IDT_txt</b> Char(20) NULL , <b>BBoard_Mes</b> Memo NULL , <b>BBoard_SD</b> Date NULL , <b>BBoard_cat</b> Char(25) NULL , <b>BBoard_ce1</b> Char(10) NULL , <b>BBoard_ce2</b> Char(10) NULL , <b>BBoard_ce3</b> Char(20) NULL , <b>BBoard_de1</b> Date NULL , <b>BBoard_fe1</b> Float NULL , <b>BBoard_le1</b> Bit NOT NULL ( <i>DF_BBoard_BBoard_I_19025A79 - (0')</i> ) , <b>BBoard_ne1</b> Int NULL , <b>BBoard_rid</b> Int NOT NULL , <b>BBoard_txt</b> Char(30) NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>BB_CAT</b>	<b>Primary Key:</b>	<i>PK_BB_cat_BB_cat_rid (BB_cat_rid)</i>
	<b>Indexes:</b>	<i>PK_BB_cat_BB_cat_rid , _WA_Sys_00000002_13498123</i>
	<b>Columns:</b>	<b>BB_Disable</b> Bit NOT NULL ( <i>DF_BB_Cat_BB_Disab_2197A07A - (0)</i> ) , <b>BB_EDD</b> Int NOT NULL ( <i>DF_BB_Cat_BB_EDD_3692BD60 - (7)</i> ) , <b>BB_RC</b> Int NOT NULL ( <i>DF_BB_CAT_BB_RC_20A37C41 - (5)</i> ) , <b>BB_cat</b> Char(25) NULL , <b>BB_cat_ce1</b> Char(10) NULL , <b>BB_cat_ce2</b> Char(10) NULL , <b>BB_cat_ce3</b> Char(20) NULL , <b>BB_cat_de1</b> Date NULL , <b>BB_cat_fe1</b> Float NULL , <b>BB_cat_le1</b> Bit NOT NULL ( <i>DF_BB_cat_BB_cat_I_143DA55C - (0')</i> ) , <b>BB_cat_ne1</b> Int NULL , <b>BB_cat_rid</b> Int NOT NULL , <b>BB_cat_txt</b> Char(30) NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>BCAT</b>	<b>Primary Key:</b>	<i>PK_BCat_BCat_cod (BCat_cod)</i>
	<b>Indexes:</b>	<i>PK_BCat_BCat_cod</i>
	<b>Columns:</b>	<b>BCat_ce1</b> Char(10) NULL , <b>BCat_ce2</b> Char(10) NULL , <b>BCat_ce3</b> Char(20) NULL , <b>BCat_cod</b> Int NOT NULL , <b>BCat_de1</b> Date NULL , <b>BCat_fe1</b> Float NULL , <b>BCat_le1</b> Bit NOT NULL ( <i>DF_BCat_BCat_le1_3B4D50DC - (0')</i> ) , <b>BCat_ne1</b> Int NULL , <b>BCat_txt</b> Char(50) NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>BITL_EL_TABLE</b>	<b>Primary Key:</b>	<i>PK_BITL_EL_TABLE (BITL_EL_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_BITL_RL_rid</i>
	<b>Indexes:</b>	<i>PK_BITL_EL_TABLE , _WA_Sys_00000002_2CCA275B , _WA_Sys_00000003_2CCA275B , _WA_Sys_00000004_2CCA275B , _WA_Sys_00000005_2CCA275B , _WA_Sys_00000006_2CCA275B , _WA_Sys_00000007_2CCA275B , _WA_Sys_00000008_2CCA275B , _WA_Sys_00000009_2CCA275B , _WA_Sys_0000000A_2CCA275B , _WA_Sys_00000012_2CCA275B , _WA_Sys_00000013_2CCA275B , _WA_Sys_00000014_2CCA275B</i>
	<b>Columns:</b>	<b>BITL_EL_ce1</b> Char(10) NULL , <b>BITL_EL_ce2</b> Char(20) NULL , <b>BITL_EL_ce3</b> Char(30) NULL , <b>BITL_EL_de1</b> Date NULL , <b>BITL_EL_fe1</b> Float NULL , <b>BITL_EL_le1</b> Bit NULL , <b>BITL_EL_ne1</b> Float NULL , <b>BITL_EL_rid</b> Int NOT NULL , <b>BITL_RL_rid</b> Int NULL , <b>Error_Flag</b> Char(16) NULL , <b>Receipt_Date</b> Date NOT NULL ( <i>DF_BITL_EL T_Recei_2DBE4B94 - ('12/30/1899')</i> ) , <b>Receipt_number</b> Varchar(16) NULL , <b>customer_acct</b> Char(9) NULL , <b>customer_name</b> Varchar(150) NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>request_number</b> Varchar(150) NULL , <b>t_code</b> Char(2) NULL ,

		<b>tender_total</b> Float NULL , <b>time_maint</b> Char(8) NULL
<b>BITL_RL_TABLE</b>	<b>Primary Key:</b>	<i>PK_BITL_RL_table (BITL_RL_rid)</i>
	<b>Indexes:</b>	<i>PK_BITL_RL_table , _WA_Sys_00000002_2FA69406 , _WA_Sys_00000003_2FA69406 , _WA_Sys_00000004_2FA69406 , _WA_Sys_00000005_2FA69406</i>
	<b>Columns:</b>	<b>BITL_Mess</b> Varchar(250) NULL , <b>BITL_RL_ce1</b> Char(10) NULL , <b>BITL_RL_ce2</b> Char(20) NULL , <b>BITL_RL_ce3</b> Char(30) NULL , <b>BITL_RL_de1</b> Date NULL , <b>BITL_RL_fe1</b> Float NULL , <b>BITL_RL_le1</b> Bit NULL , <b>BITL_RL_ne1</b> Float NULL , <b>BITL_RL_rid</b> Int NOT NULL , <b>Email_To</b> Varchar(100) NULL , <b>Total_in</b> Int NULL , <b>Total_sent</b> Int NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>BITL_TEMP</b>	<b>Primary Key:</b>	<i>PK_BITL_Temp (BITL_Temp_rid)</i>
	<b>Indexes:</b>	<i>PK_BITL_Temp</i>
	<b>Columns:</b>	<b>BITL_Temp_ce1</b> Char(10) NULL , <b>BITL_Temp_ce2</b> Char(20) NULL , <b>BITL_Temp_ce3</b> Char(30) NULL , <b>BITL_Temp_de1</b> Date NULL , <b>BITL_Temp_fe1</b> Float NULL , <b>BITL_Temp_le1</b> Bit NULL , <b>BITL_Temp_ne1</b> Float NULL , <b>BITL_Temp_rid</b> Int NOT NULL , <b>Receipt_Date</b> Date NOT NULL (DF <i>BITL_Temp_Recei_2AE1DEE9 - ('12/30/1899')</i> ) , <b>Receipt_number</b> Char(16) NULL , <b>customer_acct</b> Char(9) NULL , <b>customer_name</b> Varchar(150) NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>request_number</b> Varchar(150) NULL , <b>t_code</b> Char(2) NULL , <b>tender_total</b> Float NULL , <b>time_maint</b> Char(8) NULL
<b>BLDGATTRIBUTES</b>	<b>Primary Key:</b>	<i>pk_bldgattr_cod (bldgattr_cod)</i>
	<b>Indexes:</b>	<i>_WA_Sys_00000003_4E4A4B60 , pk_bldgattr_cod</i>
	<b>Columns:</b>	<b>bldgattr_ce1</b> Char(10) NULL , <b>bldgattr_ce2</b> Char(10) NULL , <b>bldgattr_ce3</b> Char(20) NULL , <b>bldgattr_cod</b> Char(2) NOT NULL , <b>bldgattr_de1</b> Date NULL , <b>bldgattr_fe1</b> Float NULL , <b>bldgattr_le1</b> Bit NULL , <b>bldgattr_ne1</b> Int NULL , <b>bldgattr_txt</b> Varchar(40) NOT NULL , <b>disabled</b> Bit NOT NULL (DF <i>_bldgattri_disab_503293D2 - (0)</i> )
<b>BLDGTYPE</b>	<b>Primary Key:</b>	<i>PK_bldgtype (bldgtype_cod)</i>
	<b>Indexes:</b>	<i>PK_bldgtype , _WA_Sys_bldgtype_cod_7271D1E6 , _WA_Sys_bldgtype_txt_7271D1E6 , _WA_Sys_disabled_7271D1E6</i>
	<b>Columns:</b>	<b>bldgtype_ce1</b> Char(10) NULL , <b>bldgtype_ce2</b> Char(10) NULL , <b>bldgtype_ce3</b> Char(20) NULL , <b>bldgtype_cod</b> Char(2) NOT NULL , <b>bldgtype_de1</b> Date NULL , <b>bldgtype_fe1</b> Float NULL , <b>bldgtype_le1</b> Bit NULL , <b>bldgtype_ne1</b> Int NULL , <b>bldgtype_txt</b> Char(40) NOT NULL , <b>disabled</b> Bit NOT NULL
<b>BLDTASK</b>	<b>Primary Key:</b>	<i>PK_bldtask (bldtask_cod)</i>
	<b>Indexes:</b>	<i>PK_bldtask , _WA_Sys_00000002_7B51FC01 , _WA_Sys_00000003_7B51FC01 , _WA_Sys_00000004_7B51FC01 , _WA_Sys_00000005_7B51FC01 , _WA_Sys_00000006_7B51FC01 , _WA_Sys_00000007_7B51FC01 , _WA_Sys_00000008_7B51FC01 , _WA_Sys_00000009_7B51FC01 , _WA_Sys_0000000A_7B51FC01 , _WA_Sys_0000000B_7B51FC01 , _WA_Sys_0000000C_7B51FC01</i>
	<b>Columns:</b>	<b>bldtask_ce1</b> Char(10) NULL , <b>bldtask_ce2</b> Char(10) NULL , <b>bldtask_ce3</b> Char(20) NULL , <b>bldtask_cod</b> Char(3) NOT NULL , <b>bldtask_de1</b> Date NULL , <b>bldtask_fe1</b> Float NULL , <b>bldtask_le1</b> Bit NULL , <b>bldtask_ne1</b> Int NULL , <b>bldtask_txt</b> Char(30) NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>BOOKS_CASH_TRA</b>		
<b>BOOKS_DEFBOOKS</b>		
<b>BOOKS_INVNUM</b>		
<b>BOOKS_INVOICE</b>		
<b>BOOKS_MASTERINVOICE</b>		
<b>BOOKS_METHODS</b>		
<b>BOOKS_PRODUCT</b>		
<b>BOOKS_TCODES</b>	<b>Primary Key:</b>	<i>PK_Books_Tcodes_rid (Books_Tcodes_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_Books_Tcodes_Tcodes , books_tcodes_camp_cod</i>
	<b>Indexes:</b>	<i>PK_Books_Tcodes_rid , _WA_Sys_00000008_6D43D3CC</i>

	<b>Columns:</b>	<b>Amount</b> Float NOT NULL ( <i>DF_Books_Tco_Amoun_6E37F805 - (0)</i> ), <b>BCat_cod</b> Int NULL, <b>Books_Tcodes_rid</b> Int NOT NULL, <b>CRItems</b> Bit NOT NULL ( <i>DF_Books_tco_CRLte_3005BB62 - (0)</i> ), <b>Tcodes</b> Char(2) NOT NULL, <b>camp_cod</b> Char(10) NULL, <b>date_maint</b> Date NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>BOOKS_TMP_INVOICE</b>		
<b>BUDGET</b>	<b>Primary Key:</b>	<i>PK_budget_budget_rid (budget_rid)</i>
	<b>Indexes:</b>	<i>PK_budget_budget_rid, _WA_Sys_Sch_yr_743AEA1E, _WA_Sys_disable_743AEA1E</i>
	<b>Columns:</b>	<b>Sch_yr</b> Char(6) NULL, <b>budget_ATF</b> Float NULL, <b>budget_RM_BRD</b> Float NULL, <b>budget_Stud_Ser</b> Float NULL, <b>budget_allowance</b> Float NULL, <b>budget_books</b> Float NULL, <b>budget_ce1</b> Char(10) NULL, <b>budget_ce2</b> Char(10) NULL, <b>budget_ce3</b> Char(20) NULL, <b>budget_de1</b> Date NULL, <b>budget_fe1</b> Float NULL, <b>budget_fe2</b> Float NULL, <b>budget_fe3</b> Float NULL, <b>budget_fe4</b> Float NULL, <b>budget_fe5</b> Float NULL, <b>budget_fe6</b> Float NULL, <b>budget_fe7</b> Float NULL, <b>budget_hlth_fee</b> Float NULL, <b>budget_le1</b> Bit NULL, <b>budget_ne1</b> Int NULL, <b>budget_rid</b> Int NOT NULL, <b>budget_transport</b> Float NULL, <b>budget_tuition</b> Float NULL, <b>budget_txt</b> Char(30) NULL, <b>date_maint</b> Date NULL, <b>disable</b> Bit NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>BUILDING</b>	<b>Primary Key:</b>	<i>PK_building (bldg_cod)</i>
	<b>Foreign Keys:</b>	<i>FK_building_bldgtype, FK_building_campus</i>
	<b>Indexes:</b>	<i>PK_building, _WA_Sys_bldg_txt_677F4227, _WA_Sys_bldgtype_cod_677F4227, _WA_Sys_camp_cod_677F4227, _WA_Sys_date_maint_677F4227, _WA_Sys_operator_677F4227, _WA_Sys_time_maint_677F4227</i>
	<b>Columns:</b>	<b>bldcountry</b> Char(25) NULL, <b>bldg_add1</b> Char(35) NULL, <b>bldg_add2</b> Char(35) NULL, <b>bldg_add3</b> Char(35) NULL, <b>bldg_cap</b> Int NULL, <b>bldg_ce1</b> Char(10) NULL, <b>bldg_city</b> Char(20) NULL, <b>bldg_cod</b> Char(10) NOT NULL, <b>bldg_cont</b> Char(35) NULL, <b>bldg_le1</b> Bit NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ), <b>bldg_mem</b> Memo NULL, <b>bldg_ne1</b> Int NULL, <b>bldg_phone</b> Char(15) NULL, <b>bldg_rooms</b> Int NULL, <b>bldg_state</b> Char(2) NULL, <b>bldg_txt</b> Char(40) NOT NULL, <b>bldg_zip</b> Char(10) NULL, <b>bldgcounty</b> Char(3) NULL, <b>bldgtype_cod</b> Char(2) NULL, <b>building_ce1</b> Char(10) NULL, <b>building_ce2</b> Char(10) NULL, <b>building_ce3</b> Char(20) NULL, <b>building_de1</b> Date NULL, <b>building_fe1</b> Float NULL, <b>building_le1</b> Bit NULL, <b>building_ne1</b> Int NULL, <b>camp_cod</b> Char(10) NOT NULL, <b>date_maint</b> Date NULL, <b>hndcap_acc</b> Bit NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ), <b>hndcap_fac</b> Bit NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ), <b>hndcap_sts</b> Int NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL, <b>timestamp_column</b> Timestamp NULL
<b>BUILDINGBLDGATTR</b>		
	<b>Foreign Keys:</b>	<i>fk_bbatrr_bldgattributes, fk_bbatrr_building</i>
	<b>Indexes:</b>	<i>_WA_Sys_00000002_540324B6, _WA_Sys_00000003_540324B6</i>
	<b>Columns:</b>	<b>bb_cod</b> Int NOT NULL, <b>bbattr_ce1</b> Char(10) NULL, <b>bbattr_ce2</b> Char(10) NULL, <b>bbattr_ce3</b> Char(20) NULL, <b>bbattr_de1</b> Date NULL, <b>bbattr_fe1</b> Float NULL, <b>bbattr_le1</b> Bit NULL, <b>bbattr_ne1</b> Int NULL, <b>bldg_cod</b> Char(10) NOT NULL, <b>bldgattr_cod</b> Char(2) NOT NULL
<b>BUTTON</b>	<b>Primary Key:</b>	<i>PK_button_cod (button_cod)</i>
	<b>Indexes:</b>	<i>PK_button_cod</i>
	<b>Columns:</b>	<b>button_ce1</b> Char(11) NULL, <b>button_ce2</b> Char(10) NULL, <b>button_ce3</b> Char(20) NULL, <b>button_cod</b> Varchar(75) NOT NULL, <b>button_de1</b> Date NULL, <b>button_desc</b> Memo NULL, <b>button_fe1</b> Float NULL, <b>button_le1</b> Bit NULL, <b>button_loc</b> Memo NULL, <b>button_ne1</b> Int NULL, <b>button_txt</b> Nvarchar(3000) NOT NULL, <b>date_maint</b> Date NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>CALENDAR</b>	<b>Primary Key:</b>	<i>PK_calendar (calendar_rid)</i>
	<b>Indexes:</b>	<i>PK_calendar, _WA_Sys_calendar_activity_6F763501, _WA_Sys_calendar_ce1_6F763501, _WA_Sys_calendar_ce2_6F763501, _WA_Sys_calendar_ce3_6F763501, _WA_Sys_calendar_de1_6F763501, _WA_Sys_calendar_fe1_6F763501, _WA_Sys_calendar_le1_6F763501, _WA_Sys_calendar_ne1_6F763501, _WA_Sys_date_6F763501, _WA_Sys_date_maint_6F763501, _WA_Sys_day_cod_6F763501, _WA_Sys_e_mail_6F763501, _WA_Sys_end_ampm_6F763501, _WA_Sys_end_hr_6F763501, _WA_Sys_end_min_6F763501, _WA_Sys_end_time_6F763501, _WA_Sys_first_name_6F763501, _WA_Sys_internal_only_6F763501</i>

		, <i>_WA_Sys_last_name</i> 6F763501 , <i>_WA_Sys_operator</i> 6F763501 , <i>_WA_Sys_phone</i> 6F763501 , <i>_WA_Sys_room_cod</i> 6F763501 , <i>_WA_Sys_sch_yr</i> 6F763501 , <i>_WA_Sys_semester</i> 6F763501 , <i>_WA_Sys_start_ampm</i> 6F763501 , <i>_WA_Sys_start_hr</i> 6F763501 , <i>_WA_Sys_start_min</i> 6F763501 , <i>_WA_Sys_start_time</i> 6F763501 , <i>_WA_Sys_time_maint</i> 6F763501
	<b>Columns:</b>	<i>calendar_activity</i> Varchar(200) NULL , <i>calendar_ce1</i> Char(10) NULL , <i>calendar_ce2</i> Char(10) NULL , <i>calendar_ce3</i> Char(10) NULL , <i>calendar_de1</i> Date NULL , <i>calendar_fe1</i> Float NULL , <i>calendar_le1</i> Bit NULL , <i>calendar_memo</i> Memo NULL , <i>calendar_ne1</i> Int NULL , <i>calendar_rid</i> Int NOT NULL , <i>date</i> Date NULL , <i>date_maint</i> Date NULL , <i>day_cod</i> Char(3) NOT NULL , <i>e_mail</i> Char(50) NOT NULL , <i>end_ampm</i> Char(2) NOT NULL , <i>end_hr</i> Int NOT NULL , <i>end_min</i> Int NOT NULL , <i>end_time</i> Int NOT NULL , <i>first_name</i> Char(30) NOT NULL , <i>internal_only</i> Bit NOT NULL (DF <i>_calendar_intern</i> 06448BC0 - (0)) , <i>last_name</i> Char(30) NOT NULL , <i>operator</i> Char(8) NULL , <i>phone</i> Char(16) NOT NULL , <i>room_cod</i> Char(10) NULL , <i>sch_yr</i> Char(6) NULL , <i>semester</i> Char(2) NULL , <i>start_ampm</i> Char(2) NOT NULL , <i>start_hr</i> Int NOT NULL , <i>start_min</i> Int NOT NULL , <i>start_time</i> Int NOT NULL , <i>time_maint</i> Char(8) NULL
<b>CALENDAR_EVENT</b>	<b>Primary Key:</b>	<i>PK_calendar_event</i> ( <i>calendar_event_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_calendar_event_calendar</i> , <i>FK_calendar_event_calendar_event_type</i>
	<b>Indexes:</b>	<i>PK_calendar_event</i> , <i>_WA_Sys_calendar_event_type_cod</i> 6D8DEC8F , <i>_WA_Sys_calendar_rid</i> 6D8DEC8F
	<b>Columns:</b>	<i>calendar_event_rid</i> Int NOT NULL , <i>calendar_event_type_cod</i> Char(1) NOT NULL , <i>calendar_rid</i> Int NOT NULL
<b>CALENDAR_EVENT_TYPE</b>	<b>Primary Key:</b>	<i>PK_calendar_event_type</i> ( <i>calendar_event_type_cod</i> )
	<b>Indexes:</b>	<i>PK_calendar_event_type</i> , <i>_WA_Sys_00000003</i> 6BA5A41D , <i>_WA_Sys_00000004</i> 6BA5A41D
	<b>Columns:</b>	<i>calendar_event_type_cod</i> Char(1) NOT NULL , <i>calendar_event_type_txt</i> Char(25) NOT NULL , <i>color_txt</i> Char(12) NOT NULL (DF <i>_calendar_color</i> 05506787 - ('blue')) , <i>no_classes</i> Bit NOT NULL (DF <i>_calendar_no_cl</i> 78807C4E - (0))
<b>CALENDAR_NO_CLASSES</b>	<b>Primary Key:</b>	<i>PK_calendar_no_classes</i> ( <i>calendar_no_classes_rid</i> )
	<b>Indexes:</b>	<i>PK_calendar_no_classes</i> , <i>_WA_Sys_00000002</i> 458AE82D , <i>_WA_Sys_00000003</i> 458AE82D , <i>_WA_Sys_00000006</i> 458AE82D
	<b>Columns:</b>	<i>calendar_activity</i> Char(75) NOT NULL , <i>calendar_memo</i> Memo NULL , <i>calendar_no_classes_rid</i> Int NOT NULL , <i>date</i> Date NOT NULL , <i>date_maint</i> Date NULL , <i>day_cod</i> Char(3) NOT NULL , <i>disabled</i> Bit NOT NULL (DF <i>_calendar_disab</i> 467F0C66 - (0)) , <i>internal_only</i> Int NULL , <i>operator</i> Char(8) NULL , <i>time_maint</i> Char(8) NULL
<b>CALENDAR_NO_CLASSES_EVENT</b>	<b>Primary Key:</b>	<i>PK_calendar_no_classes_event</i> ( <i>calendar_no_classes_event_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_calendar_no_classes_event_calendar_event_type</i> , <i>FK_calendar_no_classes_event_calendar_no_classes</i>
	<b>Indexes:</b>	<i>PK_calendar_no_classes_event</i> , <i>_WA_Sys_00000002</i> 486754D8 , <i>_WA_Sys_00000003</i> 486754D8
	<b>Columns:</b>	<i>calendar_event_type_cod</i> Char(1) NOT NULL , <i>calendar_no_classes_event_rid</i> Int NOT NULL , <i>calendar_no_classes_rid</i> Int NOT NULL
<b>CALYEAR</b>	<b>Primary Key:</b>	<i>PK_Table1</i> ( <i>calyear_rid</i> )
	<b>Indexes:</b>	<i>PK_Table1</i> , <i>_WA_Sys_box6ind</i> 4B97FBE7 , <i>_WA_Sys_calyear</i> 4B97FBE7 , <i>_WA_Sys_sch_yr</i> 4B97FBE7 , <i>_WA_Sys_semester</i> 4B97FBE7
	<b>Columns:</b>	<i>box6ind</i> Bit NOT NULL (DF <i>_calyear_box6ind</i> 1546D82E - (0)) , <i>calyear</i> Char(4) NOT NULL , <i>calyear_ce1</i> Char(10) NULL , <i>calyear_ce2</i> Char(10) NULL , <i>calyear_ce3</i> Char(20) NULL , <i>calyear_de1</i> Date NULL , <i>calyear_fe1</i> Float NULL , <i>calyear_le1</i> Bit NULL , <i>calyear_ne1</i> Int NULL , <i>calyear_rid</i> Int NOT NULL , <i>sch_yr</i> Char(6) NULL , <i>semester</i> Char(2) NULL
<b>CAMPUS</b>	<b>Primary Key:</b>	<i>PK_campus</i> ( <i>camp_cod</i> )
	<b>Triggers:</b>	<i>tr_camp_cod_D</i> , <i>tr_camp_cod_Delete</i>

	<b>Indexes:</b>	<i>PK_campus , _WA_Sys_00000003_646DCB52 , _WA_Sys_camp_ce1_646DCB52 , _WA_Sys_camp_le1_646DCB52 , _WA_Sys_camp_ne1_646DCB52 , _WA_Sys_camp_txt_646DCB52 , _WA_Sys_campus_ce1_646DCB52 , _WA_Sys_campus_ce2_646DCB52 , _WA_Sys_campus_ce3_646DCB52 , _WA_Sys_campus_de1_646DCB52 , _WA_Sys_campus_fe1_646DCB52 , _WA_Sys_campus_le1_646DCB52 , _WA_Sys_campus_ne1_646DCB52 , _WA_Sys_date_maint_646DCB52 , _WA_Sys_disabled_646DCB52 , _WA_Sys_operator_646DCB52 , _WA_Sys_time_maint_646DCB52 , _WA_Sys_timestamp_column_646DCB52</i>
	<b>Columns:</b>	<i>camp_ce1 Char(10) NULL , camp_cod Char(10) NOT NULL , camp_le1 Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , camp_mem Memo NULL , camp_ne1 Int NULL , camp_txt Char(40) NOT NULL , campus_ce1 Char(10) NULL , campus_ce2 Char(10) NULL , campus_ce3 Char(20) NULL , campus_de1 Date NULL , campus_fe1 Float NULL , campus_le1 Bit NULL , campus_ne1 Int NULL , date_maint Date NULL , disabled Bit NULL (DF_campus_disabled - (0)) , operator Char(8) NULL , time_maint Char(8) NULL , timestamp_column Timestamp NULL</i>
<b>CAPTION</b>	<b>Primary Key:</b>	<i>PK_caption (caption_id)</i>
	<b>Indexes:</b>	<i>PK_caption , _WA_Sys_caption_id_1B68FA81 , _WA_Sys_caption_txt_1B68FA81 , _WA_Sys_did_attend_1B68FA81 , _WA_Sys_disabled_1B68FA81 , _WA_Sys_ucaption_1B68FA81</i>
	<b>Columns:</b>	<i>attend_val Int NOT NULL (DF_caption_attend_163BC7BE - ((0))) , caption_ce1 Char(10) NULL , caption_ce2 Char(10) NULL , caption_ce3 Char(20) NULL , caption_de1 Date NULL , caption_fe1 Float NULL , caption_id Char(50) NOT NULL , caption_le1 Bit NULL , caption_ne1 Int NULL , dcaption Char(80) NOT NULL , def_val Char(1) NULL , did_attend Bit NOT NULL (DF_caption_did_att_6FEB364D - (0)) , disabled Bit NOT NULL (DF_caption_disable_7EC36589 - (0)) , sortorder Int NOT NULL (DF_caption_sortord_7FB789C2 - (1)) , ucaption Varchar(80) NULL</i>
<b>CATEGORY</b>	<b>Primary Key:</b>	<i>PK_category (categ_cod)</i>
	<b>Indexes:</b>	<i>PK_category , _WA_Sys_0000000F_11606D5A , _WA_Sys_categr_txt_11606D5A , _WA_Sys_date_maint_11606D5A , _WA_Sys_disabled_11606D5A , _WA_Sys_operator_11606D5A , _WA_Sys_time_maint_11606D5A</i>
	<b>Columns:</b>	<i>category_ce1 Char(10) NULL , category_ce2 Char(10) NULL , category_ce3 Char(20) NULL , category_de1 Date NULL , category_fe1 Float NULL , category_le1 Bit NULL , category_ne1 Int NULL , categ_cod Char(15) NOT NULL , categr_txt Char(20) NOT NULL , date_maint Date NULL , disabled Bit NULL (DF_category_disabled - (0)) , disabled_in_rpt Bit NOT NULL (DF_category_disabl_56014718 - ((0))) , operator Char(8) NULL , time_maint Char(8) NULL</i>
<b>CC_PROVIDERS</b>	<b>Primary Key:</b>	<i>PK_credit_card_process_provider (credit_card_process_provider)</i>
	<b>Indexes:</b>	<i>PK_credit_card_process_provider</i>
	<b>Columns:</b>	<i>cc_account Varchar(100) NULL , cc_image_fname Varchar(50) NULL , cc_password Varchar(100) NULL , cc_process_page Varchar(50) NULL , cc_returnto Bit NULL (DF_cc_provid_cc_re_62BC23B8 - ((0))) , cc_returnurl Varchar(200) NULL , cc_tokenurl Varchar(200) NULL , credit_card_process_provider Varchar(30) NOT NULL , cust_serv_info Varchar(200) NULL , date_maint Date NULL , memo Memo NULL , operator Char(8) NULL , policy Varchar(200) NULL , time_maint Char(8) NULL</i>
<b>CC_RETURN</b>	<b>Primary Key:</b>	<i>PK_cc_return_rid (cc_return_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_cc_return_cc_providers , FK_cc_return_events , FK_cc_return_funds , FK_cc_return_name</i>
	<b>Indexes:</b>	<i>PK_cc_return_rid , _WA_Sys_00000003_63B047F1 , _WA_Sys_0000000A_63B047F1 , _WA_Sys_0000000E_63B047F1 , _WA_Sys_0000000F_63B047F1</i>
	<b>Columns:</b>	<i>CE_Return_Error Varchar(1000) NULL , SW_validation Varchar(100) NULL , amt_1 Float NOT NULL , amt_init Float NULL , cc_name Varchar(100) NULL , cc_return_rid Int NOT NULL , cc_statusresp Varchar(100) NULL , cc_transid Varchar(60) NULL , credit_card_process_provider Varchar(30) NOT NULL , date_maint Date NOT NULL , descript Varchar(35) NULL , descript_charge Varchar(35) NULL , dev Bit NOT NULL (DF_cc_return_dev_69692147 - ((0))) , ev_rid Int NULL , funds_cod Char(3) NULL , operator Char(8) NOT NULL , payment_status Varchar(20) NULL , process_txt Varchar(75) NOT NULL , request_memo Memo NULL , return_URL Varchar(100) NULL , sch_yr Char(6) NOT NULL , sec_id Char(16) NULL , semester Char(2) NOT NULL , soc_sec Char(9) NOT</i>

		NULL , <b>tcodes</b> Char(2) NOT NULL , <b>tcodes_charge</b> Char(2) NULL , <b>time_maint</b> Char(8) NOT NULL , <b>token</b> Varchar(100) NULL
<b>CDATA</b>		
	<b>Indexes:</b>	<i>_WA_Sys_app_74E4F594 , id1</i>
	<b>Columns:</b>	<b>app</b> Char(64) NULL , <b>cfid</b> Char(64) NULL , <b>data</b> Memo NULL
<b>CELL_PROVIDER</b>	<b>Primary Key:</b>	<i>PK_cell_provider (cell_provider)</i>
	<b>Indexes:</b>	<i>PK_cell_provider</i>
	<b>Columns:</b>	<b>cell_provider</b> Varchar(35) NOT NULL , <b>cell_provider_url</b> Varchar(35) NOT NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>CE_FOOTER_LINK</b>		
<b>CGLOBAL</b>		
	<b>Indexes:</b>	<i>id2 , id3</i>
	<b>Columns:</b>	<b>cfid</b> Char(64) NULL , <b>data</b> Memo NULL , <b>lvisit</b> Date NULL
<b>CLEARRUN</b>		
<b>CNTCT</b>	<b>Primary Key:</b>	<i>PK_cntct_rid (cntct_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_cntct_type_cod</i>
	<b>Indexes:</b>	<i>PK_cntct_rid , _WA_Sys_0000000A_64E397F5</i>
	<b>Columns:</b>	<b>cntct_date</b> Date NULL , <b>cntct_email</b> Char(50) NULL , <b>cntct_first</b> Char(30) NULL , <b>cntct_last</b> Char(30) NULL , <b>cntct_memo</b> Varchar(255) NULL , <b>cntct_phone</b> Char(15) NULL , <b>cntct_prefix</b> Char(15) NULL , <b>cntct_rid</b> Int NOT NULL , <b>cntct_type_cod</b> Char(2) NOT NULL , <b>date_maint</b> Date NULL , <b>inst_cod</b> Char(16) NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>CNTCT_TYPE</b>	<b>Primary Key:</b>	<i>PK_cntct_type_cod (cntct_type_cod)</i>
	<b>Indexes:</b>	<i>PK_cntct_type_cod</i>
	<b>Columns:</b>	<b>cntct_type_cod</b> Char(2) NOT NULL , <b>cntct_type_rid</b> Int NOT NULL , <b>cntct_type_txt</b> Char(100) NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>COHORT</b>	<b>Primary Key:</b>	<i>PK_cohort_cod (cohort_cod)</i>
	<b>Indexes:</b>	<i>PK_cohort_cod , _WA_Sys_00000002_6F5704C7 , _WA_Sys_00000003_6F5704C7 , _WA_Sys_00000005_6F5704C7 , _WA_Sys_00000006_6F5704C7 , _WA_Sys_00000009_6F5704C7 , _WA_Sys_0000000A_6F5704C7 , _WA_Sys_0000000C_6F5704C7</i>
	<b>Columns:</b>	<b>Disabled</b> Bit NULL , <b>camp_cod</b> Char(10) NULL , <b>cohort_antgrad_dt</b> Date NULL , <b>cohort_ce1</b> Char(11) NULL , <b>cohort_ce2</b> Char(10) NULL , <b>cohort_ce3</b> Char(20) NULL , <b>cohort_ce4</b> Nvarchar(100) NULL , <b>cohort_cod</b> Char(10) NOT NULL , <b>cohort_de1</b> Date NULL , <b>cohort_default</b> Bit NULL , <b>cohort_end_dt</b> Date NULL , <b>cohort_fe1</b> Float NULL , <b>cohort_le1</b> Bit NULL , <b>cohort_memo</b> Nvarchar(8000) NULL , <b>cohort_ne1</b> Int NULL , <b>cohort_start_dt</b> Date NULL , <b>cohort_txt</b> Nvarchar(80) NOT NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>prg_cod</b> Char(10) NULL , <b>time_maint</b> Char(8) NULL
<b>COLOR</b>	<b>Primary Key:</b>	<i>PK_color (color_cod)</i>
	<b>Indexes:</b>	<i>PK_color , _WA_Sys_color_txt_6C0EED1A , _WA_Sys_disabled_6C0EED1A</i>
	<b>Columns:</b>	<b>color_ce1</b> Char(10) NULL , <b>color_ce2</b> Char(10) NULL , <b>color_ce3</b> Char(20) NULL , <b>color_cod</b> Int NOT NULL , <b>color_de1</b> Date NULL , <b>color_desc</b> Char(30) NULL , <b>color_fe1</b> Float NULL , <b>color_le1</b> Bit NULL , <b>color_ne1</b> Int NULL , <b>color_txt</b> Char(12) NOT NULL , <b>disabled</b> Bit NULL (DF color_disabled - (0))
<b>COMM_GRP</b>	<b>Primary Key:</b>	<i>PK_Comm_Grps_Comm_Grps_rid (Comm_Grps_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_Comm_Grps_id_student_name</i>
	<b>Indexes:</b>	<i>PK_Comm_Grps_Comm_Grps_rid , _WA_Sys_00000003_237FE8EC , _WA_Sys_00000004_237FE8EC</i>

	<b>Columns:</b>	<b>Comm_Grps_Block_Mes</b> Char(250) NULL, <b>Comm_Grps_Cat</b> Char(30) NULL, <b>Comm_Grps_Function</b> Char(25) NULL, <b>Comm_Grps_ID</b> Char(9) NULL, <b>Comm_Grps_Read_Block</b> Int NOT NULL (DF Comm_Grps_Comm__2568315E - ('0')), <b>Comm_Grps_USER_Block</b> Int NOT NULL (DF Comm_Grps_Comm__24740D25 - ('0')), <b>Comm_Grps_Write_Block</b> Int NOT NULL (DF Comm_Grps_Comm__265C5597 - ('0')), <b>Comm_Grps_ce1</b> Char(10) NULL, <b>Comm_Grps_ce2</b> Char(10) NULL, <b>Comm_Grps_ce3</b> Char(20) NULL, <b>Comm_Grps_de1</b> Date NULL, <b>Comm_Grps_fe1</b> Float NULL, <b>Comm_Grps_le1</b> Bit NOT NULL (DF Comm_Grps_Comm__275079D0 - ('0')), <b>Comm_Grps_ne1</b> Int NULL, <b>Comm_Grps_rid</b> Int NOT NULL, <b>Disable_user_bb</b> Bit NOT NULL (DF comm_grps_Disab_3786E199 - (0)), <b>date_maint</b> Date NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>CONSCODE</b>	<b>Primary Key:</b>	<i>PK_conscode (cons_rid)</i>
	<b>Indexes:</b>	<i>PK_conscode</i>
	<b>Columns:</b>	<b>cons_ce1</b> Char(10) NULL, <b>cons_code</b> Char(2) NOT NULL, <b>cons_le1</b> Bit NULL, <b>cons_ne1</b> Int NULL, <b>cons_rid</b> Int NOT NULL, <b>cons_txt</b> Char(10) NULL, <b>conscode_ce1</b> Char(10) NULL, <b>conscode_ce2</b> Char(10) NULL, <b>conscode_ce3</b> Char(20) NULL, <b>conscode_de1</b> Date NULL, <b>conscode_fe1</b> Float NULL, <b>conscode_le1</b> Bit NULL, <b>conscode_ne1</b> Int NULL, <b>date_maint</b> Date NULL, <b>operator</b> Char(8) NULL, <b>sortorder</b> Int NULL, <b>time_maint</b> Char(8) NULL
<b>CONSTIT_RATING</b>	<b>Primary Key:</b>	<i>PK_constit_rating (constit_rating)</i>
	<b>Triggers:</b>	<i>tr_constit_rating_D, tr_constit_rating_Delete</i>
	<b>Indexes:</b>	<i>PK_constit_rating, _WA_Sys_disabled_23CA01AF</i>
	<b>Columns:</b>	<b>constit_rating</b> Char(10) NOT NULL (DF constit_r_const_24BE25E8 - ('No Data')), <b>constit_rating_ce1</b> Char(10) NULL, <b>constit_rating_ce2</b> Char(10) NULL, <b>constit_rating_ce3</b> Char(20) NULL, <b>constit_rating_de1</b> Date NULL, <b>constit_rating_fe1</b> Float NULL, <b>constit_rating_le1</b> Bit NULL, <b>constit_rating_ne1</b> Int NULL, <b>disabled</b> Bit NOT NULL (DF constit_r_disab_25B24A21 - (0))
<b>CONSTIT_TYPE</b>	<b>Primary Key:</b>	<i>PK_constit_type (constit_type_cod)</i>
	<b>Triggers:</b>	<i>tr_constit_type_D, tr_constit_type_Delete</i>
	<b>Indexes:</b>	<i>PK_constit_type, _WA_Sys_constit_type_txt_48076225, _WA_Sys_date_maint_48076225, _WA_Sys_disabled_48076225, _WA_Sys_operator_48076225, _WA_Sys_time_maint_48076225</i>
	<b>Columns:</b>	<b>constit_type_ce1</b> Char(10) NULL, <b>constit_type_ce2</b> Char(10) NULL, <b>constit_type_ce3</b> Char(20) NULL, <b>constit_type_cod</b> Char(2) NOT NULL, <b>constit_type_de1</b> Date NULL, <b>constit_type_fe1</b> Float NULL, <b>constit_type_le1</b> Bit NULL, <b>constit_type_ne1</b> Int NULL, <b>constit_type_txt</b> Char(35) NOT NULL, <b>date_maint</b> Date NULL, <b>disabled</b> Bit NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>COREQUISITE</b>	<b>Primary Key:</b>	<i>PK_corequisite_rid (corequisite_rid)</i>
	<b>Indexes:</b>	<i>PK_corequisite_rid, _WA_Sys_00000007_0BB280FC, _WA_Sys_corequisite_coreq_0BB280FC, _WA_Sys_corequisite_crs_id_0BB280FC, _WA_Sys_skip_equivalents_0BB280FC</i>
	<b>Columns:</b>	<b>corequisite_ce1</b> Char(10) NULL, <b>corequisite_ce2</b> Char(10) NULL, <b>corequisite_ce3</b> Char(20) NULL, <b>corequisite_coreq</b> Char(16) NOT NULL, <b>corequisite_crs_id</b> Char(16) NOT NULL, <b>corequisite_de1</b> Date NULL, <b>corequisite_fe1</b> Float NULL, <b>corequisite_le1</b> Bit NULL, <b>corequisite_ne1</b> Int NULL, <b>corequisite_rid</b> Int NOT NULL, <b>date_maint</b> Date NULL, <b>disabled</b> Bit NULL, <b>operator</b> Char(8) NULL, <b>skip_equivalents</b> Bit NOT NULL (DF corequisi_skip_29ECEf59 - (0)), <b>time_maint</b> Char(8) NULL
<b>COUNTRY</b>	<b>Primary Key:</b>	<i>PK_country (country)</i>
	<b>Triggers:</b>	<i>tr_country_D, tr_country_Delete</i>
	<b>Indexes:</b>	<i>PK_country, _WA_Sys_country_524F1B17, _WA_Sys_date_maint_524F1B17, _WA_Sys_disabled_524F1B17, _WA_Sys_operator_524F1B17, _WA_Sys_time_maint_524F1B17</i>
	<b>Columns:</b>	<b>country</b> Char(25) NOT NULL (DF country_country_7EAD8B99 - ('')), <b>country_ce1</b> Char(10) NULL, <b>country_ce2</b> Char(10) NULL, <b>country_ce3</b> Char(20) NULL, <b>country_de1</b> Date NULL, <b>country_fe1</b> Float NULL, <b>country_le1</b> Bit NULL, <b>country_ne1</b> Int NULL, <b>country_txt</b> Char(60) NULL, <b>date_maint</b> Date NULL, <b>disabled</b> Bit NULL (DF country_disabled - (0)), <b>nsc_cntry_code</b> Char(2) NULL, <b>operator</b> Char(10) NULL, <b>time_maint</b> Char(8) NULL



<b>COUNTY</b>	<b>Primary Key:</b>	<i>PK_county (county_cod)</i>
	<b>Triggers:</b>	<i>tr_County_D , tr_County_Delete</i>
	<b>Indexes:</b>	<i>PK_county , _WA_Sys_county_txt_6EEB59C5 , _WA_Sys_disabled_6EEB59C5 , _WA_Sys_operator_6EEB59C5</i>
	<b>Columns:</b>	<b>county_ce1</b> Char(10) NULL, <b>county_ce2</b> Char(10) NULL, <b>county_ce3</b> Char(20) NULL, <b>county_cod</b> Char(3) NOT NULL (DF_county_county_c_7CC54327 - (' ')), <b>county_del</b> Date NULL, <b>county_fe1</b> Float NULL, <b>county_le1</b> Bit NULL, <b>county_ne1</b> Int NULL, <b>county_txt</b> Char(30) NULL, <b>date_maint</b> Date NULL, <b>disabled</b> Bit NULL (DF_county_disabled - (0)), <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>COURSE</b>	<b>Primary Key:</b>	<i>PK_course (crs_id)</i>
	<b>Foreign Keys:</b>	<i>FK_course_campus , FK_course_crs_authorize_cod , FK_course_crstype , FK_course_dept , FK_course_division , FK_course_level , FK_course_tcodes</i>
	<b>Triggers:</b>	<i>tr_crs_id_D , tr_crs_id_Delete</i>
	<b>Indexes:</b>	<i>PK_course , _WA_Sys_00000027_2DC7A1DE , _WA_Sys_0000004F_2DC7A1DE , _WA_Sys_00000052_2DC7A1DE , _WA_Sys_blby_clhr_2DC7A1DE , _WA_Sys_camp_cod_2DC7A1DE , _WA_Sys_ce_creds_2DC7A1DE , _WA_Sys_cepercred1_2DC7A1DE , _WA_Sys_cepercred2_2DC7A1DE , _WA_Sys_class_hrs_2DC7A1DE , _WA_Sys_conflict_exclude_2DC7A1DE , _WA_Sys_cost_2DC7A1DE , _WA_Sys_course_cel_2DC7A1DE , _WA_Sys_course_ne1_2DC7A1DE , _WA_Sys_credits_2DC7A1DE , _WA_Sys_crs_authorize_cod_2DC7A1DE , _WA_Sys_crs_cel_2DC7A1DE , _WA_Sys_crs_ce2_2DC7A1DE , _WA_Sys_crs_ce3_2DC7A1DE , _WA_Sys_crs_le1_2DC7A1DE , _WA_Sys_crs_ne1_2DC7A1DE , _WA_Sys_crs_txt_2DC7A1DE , _WA_Sys_crstypcod_2DC7A1DE , _WA_Sys_date_maint_2DC7A1DE , _WA_Sys_del_flag_2DC7A1DE , _WA_Sys_div_cod_2DC7A1DE , _WA_Sys_equivant_2DC7A1DE , _WA_Sys_flfe_ex_2DC7A1DE , _WA_Sys_inact_dt_2DC7A1DE , _WA_Sys_inactive_2DC7A1DE , _WA_Sys_incqpa_2DC7A1DE , _WA_Sys_inst_cod_2DC7A1DE , _WA_Sys_inst_cours_2DC7A1DE , _WA_Sys_inst_desc_2DC7A1DE , _WA_Sys_institute_2DC7A1DE , _WA_Sys_no_repeat_2DC7A1DE , _WA_Sys_npercred_2DC7A1DE , _WA_Sys_operator_2DC7A1DE , _WA_Sys_pf_2DC7A1DE , _WA_Sys_practice_2DC7A1DE , _WA_Sys_remedial_2DC7A1DE , _WA_Sys_repeatable_2DC7A1DE , _WA_Sys_skpregcchk_2DC7A1DE , _WA_Sys_span_crs_2DC7A1DE , _WA_Sys_tcodes_2DC7A1DE , _WA_Sys_time_maint_2DC7A1DE , _WA_Sys_timestamp_column_2DC7A1DE , _WA_Sys_transfer_2DC7A1DE , course , dept_cod , level , replace_id</i>
	<b>Columns:</b>	<b>CEreg</b> Bit NOT NULL (DF_course_CEreg_78A077DF - ('0')), <b>CSR_Class</b> Bit NOT NULL (DF_Course_CSR_Clas_3302239E - (0)), <b>addinfo_bit1</b> Bit NOT NULL (DF_course_addinfo_32E2280D - (0)), <b>addinfo_bit2</b> Bit NOT NULL (DF_course_addinfo_33D64C46 - (0)), <b>addinfo_bit3</b> Bit NOT NULL (DF_course_addinfo_34CA707F - (0)), <b>addinfo_bit4</b> Bit NOT NULL (DF_course_addinfo_35BE94B8 - (0)), <b>addinfo_bit5</b> Bit NOT NULL (DF_course_addinfo_36B2B8F1 - (0)), <b>addinfo_txt1</b> Varchar(2000) NULL, <b>addinfo_txt2</b> Varchar(2000) NULL, <b>addinfo_txt3</b> Varchar(2000) NULL, <b>addinfo_txt4</b> Varchar(2000) NULL, <b>addinfo_txt5</b> Varchar(2000) NULL, <b>blby_clhr</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>camp_cod</b> Char(10) NULL, <b>ce_creds</b> Float NULL, <b>cepercred1</b> Float NULL, <b>cepercred2</b> Float NULL, <b>cip_code</b> Char(7) NULL, <b>class_hrs</b> Float NULL, <b>conflict_exclude</b> Bit NULL (course_exclude - (0)), <b>cost</b> Float NULL, <b>course</b> Char(10) NULL, <b>course_cel</b> Char(10) NULL, <b>course_ce2</b> Char(10) NULL, <b>course_ce3</b> Char(20) NULL, <b>course_del</b> Date NULL, <b>course_fe1</b> Float NULL, <b>course_le1</b> Bit NULL, <b>course_ne1</b> Int NULL, <b>credits</b> Float NULL, <b>crs_authorize_cod</b> Char(1) NOT NULL (DF_course_crs_authorize_cod - ('N')), <b>crs_ce1</b> Char(10) NULL, <b>crs_ce2</b> Char(10) NULL, <b>crs_ce3</b> Char(10) NULL, <b>crs_id</b> Char(16) NOT NULL, <b>crs_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>crs_mem</b> Memo NULL, <b>crs_ne1</b> Float NULL, <b>crs_txt</b> Varchar(100) NULL, <b>crsauthmemo</b> Memo NULL, <b>crstypcod</b> Char(2) NOT NULL, <b>date_maint</b> Date NULL, <b>del_flag</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>dept_cod</b> Char(4) NULL, <b>div_cod</b> Char(2) NULL, <b>equivant</b> Char(1) NULL, <b>equivmem</b> Memo NULL, <b>exclude_outside</b> Bit NOT NULL (DF_course_exclude_77623AE3 - ((0))), <b>flfe_ex</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>inact_dt</b> Date NULL, <b>inactive</b> Bit NULL (UW_ZeroDefault -

		CREATE DEFAULT UW_ZeroDefault AS 0), <b>incqpa</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>inst_cod</b> Char(16) NULL, <b>inst_cours</b> Char(6) NULL, <b>inst_desc</b> Char(35) NULL, <b>institute</b> Char(50) NULL, <b>level</b> Char(1) NULL, <b>no_repeat</b> Bit NULL, <b>npercres</b> Float NULL, <b>operator</b> Char(8) NULL, <b>pf</b> Bit NOT NULL (DF_course_pf_11564BB9 - (0)), <b>practice</b> Float NULL, <b>reg_email_remind</b> Bit NOT NULL (DF_reg_email_remind - (0)), <b>remedial</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>repeatable</b> Bit NULL, <b>replace_crs</b> Char(10) NULL, <b>replace_id</b> Char(16) NULL, <b>replace_txt</b> Varchar(100) NULL, <b>sched_memo</b> Memo NULL, <b>skpregechk</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>span_crs</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>tcodes</b> Char(2) NOT NULL, <b>time_maint</b> Char(8) NULL, <b>timestamp_column</b> Timestamp NULL, <b>transfer</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0)
<b>COURSEDET</b>	<b>Primary Key:</b>	<b>PK_coursedet</b> (coursedet_rid)
	<b>Foreign Keys:</b>	<b>FK_coursedet_crs_id</b> , <b>FK_coursedet_reqcodeoverview_rid</b>
	<b>Indexes:</b>	<b>PK_coursedet</b> , <b>_WA_Sys_coursedet_de1_5D2C9C3D</b> , <b>_WA_Sys_coursedet_fe1_5D2C9C3D</b> , <b>_WA_Sys_coursedet_le1_5D2C9C3D</b> , <b>_WA_Sys_coursedet_ne1_5D2C9C3D</b> , <b>_WA_Sys_date_maint_5D2C9C3D</b> , <b>_WA_Sys_required_5D2C9C3D</b> , <b>_WA_Sys_time_maint_5D2C9C3D</b> , <b>crs_id</b> , <b>reqcodeoverview_rid</b>
	<b>Columns:</b>	<b>coursedet_ce1</b> Char(10) NULL, <b>coursedet_ce2</b> Char(10) NULL, <b>coursedet_ce3</b> Char(20) NULL, <b>coursedet_de1</b> Date NULL, <b>coursedet_fe1</b> Float NULL, <b>coursedet_le1</b> Bit NULL, <b>coursedet_ne1</b> Int NULL, <b>coursedet_rid</b> Int NOT NULL, <b>crs_id</b> Char(16) NULL, <b>date_maint</b> Date NULL, <b>operator</b> Char(8) NULL, <b>reqcodeoverview_rid</b> Int NOT NULL, <b>required</b> Bit NULL, <b>time_maint</b> Char(8) NULL
<b>COURSELOAD</b>	<b>Primary Key:</b>	<b>PK_courseload</b> (courseload_rid)
	<b>Indexes:</b>	<b>PK_courseload</b> , <b>_WA_Sys_course_75C40B34</b> , <b>_WA_Sys_courseload_desc_75C40B34</b> , <b>_WA_Sys_crs_id_75C40B34</b> , <b>_WA_Sys_disabled_75C40B34</b> , <b>_WA_Sys_end_dt_75C40B34</b> , <b>_WA_Sys_start_dt_75C40B34</b>
	<b>Columns:</b>	<b>CU_order</b> Int NOT NULL (DF_courseulo_CU_or_24BEF13F - ((0))), <b>course</b> Char(10) NOT NULL, <b>courseload_desc</b> Varchar(100) NULL, <b>courseload_file</b> Varchar(250) NOT NULL, <b>courseload_rid</b> Int NOT NULL, <b>crs_id</b> Char(16) NOT NULL, <b>date_maint</b> Date NULL, <b>disabled</b> Bit NOT NULL (DF_courseulo_disab_76B82F6D - (0)), <b>end_dt</b> Date NOT NULL, <b>operator</b> Char(8) NULL, <b>start_dt</b> Date NOT NULL, <b>time_maint</b> Char(8) NULL
<b>CRAYEARSEM</b>	<b>Primary Key:</b>	<b>PK_craYearSem_rid</b> (craYearSem_rid)
	<b>Indexes:</b>	<b>PK_craYearSem_rid</b> , <b>_WA_Sys_00000004_2C55260F</b> , <b>_WA_Sys_00000009_2C55260F</b>
	<b>Columns:</b>	<b>craYearSem_rid</b> Int NOT NULL, <b>cra_Sem</b> Char(2) NOT NULL, <b>cra_rprtyr</b> Char(4) NOT NULL, <b>cra_schyr</b> Char(6) NOT NULL, <b>date_maint</b> Date NULL, <b>disabled</b> Bit NOT NULL (DF_craYearSe_disab_2D494A48 - (0)), <b>from_mo</b> Char(2) NOT NULL, <b>num_mo</b> Tinyint NOT NULL, <b>operator</b> Char(8) NULL, <b>rprt_sequence</b> Tinyint NOT NULL, <b>time_maint</b> Char(8) NULL, <b>to_mo</b> Char(2) NOT NULL
<b>CRA_FORMS</b>	<b>Primary Key:</b>	<b>PK_CRA_forms_rid</b> (CRA_forms_rid)
	<b>Indexes:</b>	<b>PK_CRA_forms_rid</b> , <b>_WA_Sys_00000002_1942519B</b>
	<b>Columns:</b>	<b>CRA_forms_rid</b> Int NOT NULL, <b>amt_1</b> Decimal NOT NULL (DF_CRA_forms_amt_1_1C1EBE46 - (0)), <b>amt_2</b> Decimal NOT NULL (DF_CRA_forms_amt_2_1EFB2AF1 - (0)), <b>amt_3</b> Decimal NOT NULL (DF_CRA_forms_amt_3_21D7979C - (0)), <b>amt_4</b> Decimal NOT NULL (DF_CRA_forms_amt_4_24B40447 - (0)), <b>cra_exclude</b> Bit NOT NULL (DF_CRA_forms_cra_e_279070F2 - (0)), <b>credits_1</b> Decimal NOT NULL (DF_CRA_forms_credi_1D12E27F - (0)), <b>credits_2</b> Decimal NOT NULL (DF_CRA_forms_credi_1FEF4F2A - (0)), <b>credits_3</b> Decimal NOT NULL (DF_CRA_forms_credi_22CBBD5 - (0)), <b>credits_4</b> Decimal NOT NULL (DF_CRA_forms_credi_25A82880 - (0)), <b>date_maint</b> Date NULL, <b>edited</b> Bit NOT NULL (DF_CRA_forms_edite_269C4CB9 - (0)), <b>moFrom_1</b> Char(2) NULL, <b>moFrom_2</b> Char(2) NULL, <b>moFrom_3</b> Char(2) NULL, <b>moFrom_4</b> Char(2) NULL, <b>moTo_1</b> Char(2) NULL, <b>moTo_2</b> Char(2) NULL, <b>moTo_3</b> Char(2) NULL, <b>moTo_4</b> Char(2) NULL, <b>nomo_1</b> Tinyint NOT NULL (DF_CRA_forms_nomo_1B2A9A0D - (0)), <b>nomo_2</b> Tinyint NOT NULL (DF_CRA_forms_nomo_1E0706B8 - (0)), <b>nomo_3</b> Tinyint NOT NULL

		(DF_CRA_forms_nomo_20E37363 - (0)), <b>nomo_4</b> Tinyint NOT NULL (DF_CRA_forms_nomo_23BFE00E - (0)), <b>operator</b> Char(8) NULL, <b>payment_yr</b> Char(4) NOT NULL, <b>sin</b> Char(9) NULL, <b>sliptype</b> Tinyint NOT NULL (DF_CRA_forms_slipt_004C869F - ((1))), <b>soc_sec</b> Char(9) NOT NULL, <b>t4_amt</b> Decimal NOT NULL (DF_CRA_forms_t4_am_1A3675D4 - (0)), <b>t4_footnote_code</b> Char(2) NULL, <b>t4_footnote_txt</b> Varchar(50) NULL, <b>time_maint</b> Char(8) NULL
<b>CRA_SETUP</b>		
<b>CREDIT_CARD_PROCESS</b>	<b>Primary Key:</b>	<i>PK_credit_card_process (credit_card_process_txt)</i>
	<b>Foreign Keys:</b>	<i>FK_credit_card_process_events, FK_credit_card_process_fd_tcodes, FK_credit_card_process_funds, FK_credit_card_process_tcodes2</i>
	<b>Indexes:</b>	<i>PK_credit_card_process, WA_Sys_00000002_50528F63, WA_Sys_disabled_50528F63, WA_Sys_ev_rid_50528F63, WA_Sys_fdtcodes_50528F63, WA_Sys_funds_cod_50528F63, WA_Sys_tcodes_50528F63, WA_Sys_tcodes_charge_50528F63</i>
	<b>Columns:</b>	<b>credit_card_process_URL</b> Varchar(75) NOT NULL, <b>credit_card_process_account</b> Varchar(25) NOT NULL, <b>credit_card_process_amount</b> Float NOT NULL, <b>credit_card_process_operator</b> Varchar(8) NOT NULL, <b>credit_card_process_page</b> Varchar(50) NOT NULL, <b>credit_card_process_provider</b> Varchar(30) NOT NULL, <b>credit_card_process_txt</b> Varchar(75) NOT NULL, <b>dev</b> Bit NOT NULL (DF_credit_card_dev_4AD9AD2F - (0)), <b>disabled</b> Bit NOT NULL (DF_credit_ca_disab_5146B39C - (0)), <b>ev_rid</b> Int NULL, <b>fdtcodes</b> Char(2) NULL, <b>fid</b> Char(5) NULL, <b>funds_cod</b> Char(3) NULL, <b>nelnetprebill</b> Bit NOT NULL (DF_credit_ca_nelne_1665E4F0 - (0)), <b>paypal_done_page</b> Varchar(250) NULL, <b>tcodes</b> Char(2) NOT NULL, <b>tcodes_charge</b> Char(2) NULL
<b>CRSAFF</b>	<b>Primary Key:</b>	<i>PK_CRSAFF_rid (CRSAFF_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_CRSAFF_affiliation, FK_CRSAFF_course, FK_CRSAFF_enrollcode, FK_CRSAFF_tcodes</i>
	<b>Indexes:</b>	<i>PK_CRSAFF_rid, WA_Sys_CRSAFF_ce1_41055EDB, WA_Sys_affiliation_cod_41055EDB, WA_Sys_amount_41055EDB, WA_Sys_crs_id_41055EDB, WA_Sys_date_maint_41055EDB, WA_Sys_disabled_41055EDB, WA_Sys_enrollcode_41055EDB, WA_Sys_operator_41055EDB, WA_Sys_tcodes_41055EDB, WA_Sys_time_maint_41055EDB</i>
	<b>Columns:</b>	<b>CRSAFF_ce1</b> Char(10) NULL, <b>CRSAFF_ce2</b> Char(10) NULL, <b>CRSAFF_ce3</b> Char(20) NULL, <b>CRSAFF_de1</b> Date NULL, <b>CRSAFF_fe1</b> Float NULL, <b>CRSAFF_le1</b> Bit NULL, <b>CRSAFF_ne1</b> Int NULL, <b>CRSAFF_rid</b> Int NOT NULL, <b>affiliation_cod</b> Char(2) NOT NULL, <b>amount</b> Float NOT NULL (DF_CRSAFF_amount_41F98314 - (0)), <b>crs_id</b> Char(16) NOT NULL, <b>date_maint</b> Date NULL, <b>disabled</b> Bit NULL, <b>enrollcode</b> Char(2) NOT NULL (DF_crsaff_enrollco_4C771187 - ('EN')), <b>operator</b> Char(8) NULL, <b>tcodes</b> Char(2) NOT NULL (DF_crsaff_tcodes_13C8A410 - ('AW')), <b>time_maint</b> Char(8) NULL
<b>CRSEQUIV</b>	<b>Primary Key:</b>	<i>PK_crsequiv (crsequiv_rid)</i>
	<b>Indexes:</b>	<i>PK_crsequiv, WA_Sys_crsequiv_course1_7E388A4D, WA_Sys_crsequiv_crs_id1_7E388A4D, WA_Sys_crsequiv_crs_id2_7E388A4D, WA_Sys_disabled_7E388A4D, WA_Sys_skip_autorepeat_7E388A4D</i>
	<b>Columns:</b>	<b>crsequiv_ce1</b> Char(10) NULL, <b>crsequiv_ce2</b> Char(10) NULL, <b>crsequiv_ce3</b> Char(20) NULL, <b>crsequiv_course1</b> Char(10) NULL, <b>crsequiv_course2</b> Char(10) NULL, <b>crsequiv_crs_id1</b> Char(16) NOT NULL, <b>crsequiv_crs_id2</b> Char(16) NOT NULL, <b>crsequiv_de1</b> Date NULL, <b>crsequiv_fe1</b> Float NULL, <b>crsequiv_le1</b> Bit NULL, <b>crsequiv_ne1</b> Int NULL, <b>crsequiv_rid</b> Int NOT NULL, <b>date_maint</b> Date NULL, <b>disabled</b> Bit NULL, <b>operator</b> Char(8) NULL, <b>skip_autorepeat</b> Bit NOT NULL (DF_crsequiv_skip_a_2AE11392 - (0)), <b>time_maint</b> Char(8) NULL
<b>CRSPHOTO</b>	<b>Primary Key:</b>	<i>PK_crsPhoto_crsPhoto_rid (crsPhoto_RID)</i>
	<b>Foreign Keys:</b>	<i>FK_CrsPhoto_RID</i>
	<b>Indexes:</b>	<i>PK_crsPhoto_crsPhoto_rid, WA_Sys_operator_585DC57F, WA_Sys_soc_sec_585DC57F</i>
	<b>Columns:</b>	<b>C_Section</b> Char(10) NULL, <b>First_name</b> Char(30) NULL, <b>Last_name</b> Char(30) NULL, <b>PHOTO</b> Char(150) NULL, <b>crsPhoto_RID</b> Int NOT NULL, <b>crs_txt</b> Varchar(100) NULL, <b>div_cod</b> Char(2) NULL, <b>operator</b> Char(9) NULL, <b>phone</b> Char(20) NULL, <b>schyr</b> Char(10) NULL, <b>soc_sec</b> Char(9) NULL
<b>CRSSECT</b>	<b>Primary Key:</b>	<i>PK_crssect (sid)</i>

	<b>Foreign Keys:</b>	<i>FK_crssect_campus , FK_crssect_cohort , FK_crssect_course , FK_crssect_section , FK_crssect_semester , FK_crssect_sessions</i>
	<b>Triggers:</b>	<i>OCU_tr_crssect_delete , OCU_tr_crssect_update</i>
	<b>Indexes:</b>	<i>PK_crssect , _WA_Sys_0000000F_4D9F7493 , _WA_Sys_0000002B_4D9F7493 , _WA_Sys_block_no_4D9F7493 , _WA_Sys_camp_cod_4D9F7493 , _WA_Sys_cancel_4D9F7493 , _WA_Sys_cancel_dt_4D9F7493 , _WA_Sys_cextra1_4D9F7493 , _WA_Sys_cextra2_4D9F7493 , _WA_Sys_cextra3_4D9F7493 , _WA_Sys_crssect_ce1_4D9F7493 , _WA_Sys_crssect_ce2_4D9F7493 , _WA_Sys_crssect_ce3_4D9F7493 , _WA_Sys_crssect_de1_4D9F7493 , _WA_Sys_crssect_fe1_4D9F7493 , _WA_Sys_crssect_le1_4D9F7493 , _WA_Sys_crssect_ne1_4D9F7493 , _WA_Sys_date_maint_4D9F7493 , _WA_Sys_end_dt_4D9F7493 , _WA_Sys_institute_4D9F7493 , _WA_Sys_lead_fac_4D9F7493 , _WA_Sys_lextra_4D9F7493 , _WA_Sys_min_enroll_4D9F7493 , _WA_Sys_nextra_4D9F7493 , _WA_Sys_online_4D9F7493 , _WA_Sys_operator_4D9F7493 , _WA_Sys_sect_fees_4D9F7493 , _WA_Sys_section_4D9F7493 , _WA_Sys_semester_4D9F7493 , _WA_Sys_sp_taken_4D9F7493 , _WA_Sys_spaces_4D9F7493 , _WA_Sys_start_dt_4D9F7493 , _WA_Sys_time_maint_4D9F7493 , _WA_Sys_timedesc_4D9F7493 , _WA_Sys_timestamp_column_4D9F7493 , _WA_Sys_waiting_4D9F7493 , crs_id , sch_yr , semester , session</i>
	<b>Columns:</b>	<b>LMS_template</b> <i>Varchar(50)</i> NULL , <b>admin_memo</b> <i>Memo</i> NULL , <b>block_no</b> <i>Char(2)</i> NULL , <b>camp_cod</b> <i>Char(10)</i> NULL , <b>cancel</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>cancel_dt</b> <i>Date</i> NULL , <b>cextra1</b> <i>Char(10)</i> NULL , <b>cextra2</b> <i>Char(10)</i> NULL , <b>cextra3</b> <i>Char(10)</i> NULL , <b>cohort_cod</b> <i>Char(10)</i> NOT NULL ( <i>DF_crssect_cohort_cod - ('TBD')</i> ) , <b>crs_id</b> <i>Char(16)</i> NOT NULL , <b>crssect_ce1</b> <i>Char(10)</i> NULL , <b>crssect_ce2</b> <i>Char(10)</i> NULL , <b>crssect_ce3</b> <i>Char(20)</i> NULL , <b>crssect_de1</b> <i>Date</i> NULL , <b>crssect_fe1</b> <i>Float</i> NULL , <b>crssect_le1</b> <i>Bit</i> NULL , <b>crssect_ne1</b> <i>Int</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>end_dt</b> <i>Date</i> NULL , <b>finalgrades</b> <i>Bit</i> NOT NULL ( <i>DF_crssect_finalgr_6CE4AC70 - ((0))</i> ) , <b>institute</b> <i>Char(50)</i> NULL , <b>lead_fac</b> <i>Char(9)</i> NULL , <b>lextra</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>memo</b> <i>Memo</i> NULL , <b>min_enroll</b> <i>Int</i> NOT NULL ( <i>DF_crssect_min_enr_50DC9F48 - (0)</i> ) , <b>nextra</b> <i>Int</i> NULL , <b>online</b> <i>Bit</i> NOT NULL ( <i>DF_crssect_online_67A0090F - (0)</i> ) , <b>operator</b> <i>Char(8)</i> NULL , <b>sch_yr</b> <i>Char(6)</i> NULL , <b>sect_fees</b> <i>Bit</i> NULL , <b>section</b> <i>Char(6)</i> NOT NULL , <b>semester</b> <i>Char(2)</i> NOT NULL , <b>session</b> <i>Char(2)</i> NULL , <b>sid</b> <i>Char(16)</i> NOT NULL , <b>sp_taken</b> <i>Int</i> NULL , <b>spaces</b> <i>Int</i> NULL , <b>start_dt</b> <i>Date</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>timedesc</b> <i>Char(211)</i> NULL , <b>timestamp_column</b> <i>Timestamp</i> NULL , <b>waiting</b> <i>Int</i> NOT NULL ( <i>DF_crssect_waiting_54D74D5E - (0)</i> )
<b>CRSSECTLEV</b>	<b>Primary Key:</b>	<i>PK_crssectlev (crssectlev_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_crssectlev_crssect , FK_crssectlev_level</i>
	<b>Indexes:</b>	<i>PK_crssectlev , _WA_Sys_crssectlev_ce2_1F4F6555 , _WA_Sys_lev_deadline_1F4F6555 , _WA_Sys_level_1F4F6555 , _WA_Sys_sid_1F4F6555</i>
	<b>Columns:</b>	<b>crssectlev_ce1</b> <i>Char(10)</i> NULL , <b>crssectlev_ce2</b> <i>Char(10)</i> NULL , <b>crssectlev_ce3</b> <i>Char(20)</i> NULL , <b>crssectlev_de1</b> <i>Date</i> NULL , <b>crssectlev_fe1</b> <i>Float</i> NULL , <b>crssectlev_le1</b> <i>Bit</i> NULL , <b>crssectlev_ne1</b> <i>Int</i> NULL , <b>crssectlev_rid</b> <i>Int</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>lev_deadline</b> <i>Date</i> NOT NULL ( <i>DF_crssectlev_lev_d_394F2E7A - ('12/30/1899')</i> ) , <b>level</b> <i>Char(1)</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>sid</b> <i>Char(16)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>CRSSECTPRG</b>	<b>Primary Key:</b>	<i>PK_crssectprg (crssectprg_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_crssectprg_crssect , FK_crssectprg_program</i>
	<b>Indexes:</b>	<i>PK_crssectprg , _WA_Sys_prg_cod_1B7ED471 , _WA_Sys_prg_deadline_1B7ED471 , _WA_Sys_sid_1B7ED471</i>
	<b>Columns:</b>	<b>crssectprg_ce1</b> <i>Char(10)</i> NULL , <b>crssectprg_ce2</b> <i>Char(10)</i> NULL , <b>crssectprg_ce3</b> <i>Char(20)</i> NULL , <b>crssectprg_de1</b> <i>Date</i> NULL , <b>crssectprg_fe1</b> <i>Float</i> NULL , <b>crssectprg_le1</b> <i>Bit</i> NULL , <b>crssectprg_ne1</b> <i>Int</i> NULL , <b>crssectprg_rid</b> <i>Int</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>prg_cod</b> <i>Char(10)</i> NOT NULL , <b>prg_deadline</b> <i>Date</i> NOT NULL ( <i>DF_crssectprg_prg_d_385B0A41 - ('12/30/1899')</i> ) , <b>sid</b> <i>Char(16)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>CRSSECT_CROSSLIST</b>	<b>Primary Key:</b>	<i>PK_crssect_crosslist (crosslist_rid)</i>
	<b>Indexes:</b>	<i>PK_crssect_crosslist , _WA_Sys_crosslist_sid1_175A0929 , _WA_Sys_crosslist_sid2_175A0929</i>

	<b>Columns:</b>	<b>crosslist_rid</b> <i>Int</i> NOT NULL , <b>crosslist_sid1</b> <i>Char(16)</i> NULL , <b>crosslist_sid2</b> <i>Char(16)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>CRSTYPE</b>	<b>Primary Key:</b>	<i>PK_crstype (crstypcod)</i>
	<b>Indexes:</b>	<i>PK_crstype</i> , <i>_WA_Sys_00000014_71C7C670</i> , <i>_WA_Sys_crstyp_ce1_71C7C670</i> , <i>_WA_Sys_crstyp_le1_71C7C670</i> , <i>_WA_Sys_crstyp_ne1_71C7C670</i> , <i>_WA_Sys_crstype_ce1_71C7C670</i> , <i>_WA_Sys_crstype_ce2_71C7C670</i> , <i>_WA_Sys_crstype_ce3_71C7C670</i> , <i>_WA_Sys_crstype_de1_71C7C670</i> , <i>_WA_Sys_crstype_fe1_71C7C670</i> , <i>_WA_Sys_crstype_le1_71C7C670</i> , <i>_WA_Sys_crstype_ne1_71C7C670</i> , <i>_WA_Sys_crstyp txt_71C7C670</i> , <i>_WA_Sys_date_maint_71C7C670</i> , <i>_WA_Sys_disabled_71C7C670</i> , <i>_WA_Sys_grade_idx_71C7C670</i> , <i>_WA_Sys_numeric_grade_71C7C670</i> , <i>_WA_Sys_operator_71C7C670</i> , <i>_WA_Sys_time_maint_71C7C670</i>
	<b>Columns:</b>	<b>DA_earned_credits</b> <i>Bit</i> NOT NULL ( <i>DF_crstype_DA_earn_42652E16 - ((0))</i> ) , <b>LMS</b> <i>Bit</i> NOT NULL ( <i>DF_crstype_LMS_18CD504F - (0)</i> ) , <b>crstyp_ce1</b> <i>Char(10)</i> NULL , <b>crstyp_le1</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>crstyp_ne1</b> <i>Int</i> NULL , <b>crstypcod</b> <i>Char(2)</i> NOT NULL , <b>crstype_ce1</b> <i>Char(10)</i> NULL , <b>crstype_ce2</b> <i>Char(10)</i> NULL , <b>crstype_ce3</b> <i>Char(20)</i> NULL , <b>crstype_de1</b> <i>Date</i> NULL , <b>crstype_fe1</b> <i>Float</i> NULL , <b>crstype_le1</b> <i>Bit</i> NULL , <b>crstype_ne1</b> <i>Int</i> NULL , <b>crstyp txt</b> <i>Char(35)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NULL ( <i>DF_crstype_disabled - (0)</i> ) , <b>grade_idx</b> <i>Char(1)</i> NOT NULL ( <i>DF_crstype_grade_i_693E38BE - ('0')</i> ) , <b>numeric_grade</b> <i>Bit</i> NOT NULL ( <i>DF_crstype_numeric_6A325CF7 - (0)</i> ) , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>CRS_ANNOUNCEMENT</b>		
	<b>Foreign Keys:</b>	<i>FK_Crs_Announcement_name</i>
	<b>Indexes:</b>	<i>_WA_Sys_00000009_50BCA3B7</i> , <i>_WA_Sys_CA_Section_50BCA3B7</i> , <i>_WA_Sys_CA_rid_50BCA3B7</i> , <i>_WA_Sys_soc_sec_50BCA3B7</i>
	<b>Columns:</b>	<b>CA_Announcement</b> <i>Char(500)</i> NULL , <b>CA_Section</b> <i>Char(16)</i> NULL , <b>CA_Title</b> <i>Char(30)</i> NULL , <b>CA_ce1</b> <i>Char(10)</i> NULL , <b>CA_ce2</b> <i>Char(10)</i> NULL , <b>CA_ce3</b> <i>Char(20)</i> NULL , <b>CA_de1</b> <i>Date</i> NULL , <b>CA_fe1</b> <i>Float</i> NULL , <b>CA_le1</b> <i>Bit</i> NULL , <b>CA_ne1</b> <i>Int</i> NULL , <b>CA_rid</b> <i>Int</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>CRS_AUTHORIZE</b>	<b>Primary Key:</b>	<i>PK_crs_authorize_cod (crs_authorize_cod)</i>
	<b>Indexes:</b>	<i>PK_crs_authorize_cod</i> , <i>_WA_Sys_crs_authorize_txt_031D3AFB</i> , <i>_WA_Sys_date_maint_031D3AFB</i> , <i>_WA_Sys_disabled_031D3AFB</i> , <i>_WA_Sys_operator_031D3AFB</i> , <i>_WA_Sys_time_maint_031D3AFB</i>
	<b>Columns:</b>	<b>CRS_Authorize_ce2</b> <i>Char(10)</i> NULL , <b>CRS_Authorize_ce3</b> <i>Char(20)</i> NULL , <b>CRS_Authorize_de1</b> <i>Date</i> NULL , <b>CRS_Authorize_fe1</b> <i>Float</i> NULL , <b>crs_authorize_ce1</b> <i>Char(10)</i> NULL , <b>crs_authorize_cod</b> <i>Char(1)</i> NOT NULL , <b>crs_authorize_le1</b> <i>Bit</i> NULL , <b>crs_authorize_mes</b> <i>Char(150)</i> NULL , <b>crs_authorize_ne1</b> <i>Int</i> NULL , <b>crs_authorize_txt</b> <i>Char(40)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>CULACTIVITIES</b>	<b>Primary Key:</b>	<i>PK_culactivities (ca_rid)</i>
	<b>Triggers:</b>	<i>tr_ca_rid_D</i> , <i>tr_ca_rid_Delete</i>
	<b>Indexes:</b>	<i>PK_culactivities</i> , <i>_WA_Sys_ca_cod_24092D7A</i> , <i>_WA_Sys_ca_disable_24092D7A</i> , <i>_WA_Sys_ca_ldesc_24092D7A</i> , <i>_WA_Sys_ca_sdesc_24092D7A</i> , <i>_WA_Sys_ca_st_date_24092D7A</i>
	<b>Columns:</b>	<b>ca_disable</b> <i>Bit</i> NOT NULL ( <i>DF_culactivities_ca_disable - (0)</i> ) , <b>ca_ldesc</b> <i>Char(150)</i> NULL , <b>ca_rid</b> <i>Int</i> NOT NULL , <b>ca_sdesc</b> <i>Char(35)</i> NULL , <b>ca_sp_date</b> <i>Date</i> NULL , <b>ca_st_date</b> <i>Date</i> NULL , <b>culactivities_ce1</b> <i>Char(10)</i> NULL , <b>culactivities_ce2</b> <i>Char(10)</i> NULL , <b>culactivities_ce3</b> <i>Char(20)</i> NULL , <b>culactivities_de1</b> <i>Date</i> NULL , <b>culactivities_fe1</b> <i>Float</i> NULL , <b>culactivities_le1</b> <i>Bit</i> NULL , <b>culactivities_ne1</b> <i>Int</i> NULL
<b>CURDETAIL</b>	<b>Primary Key:</b>	<i>PK_curdetail (curdet_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_curdetail_crs_id</i> , <i>FK_curdetail_curover_rid</i> , <i>FK_curdetail_req_cod</i>
	<b>Indexes:</b>	<i>PK_curdetail</i> , <i>_WA_Sys_disabled_595C0B59</i> , <i>_WA_Sys_req_cod_595C0B59</i> , <i>crs_id</i> , <i>curover_rid</i>

	<b>Columns:</b>	<b>crs_id</b> Char(16) NULL , <b>curdet_ce1</b> Char(10) NULL , <b>curdet_le1</b> Bit NULL , <b>curdet_ne1</b> Int NULL , <b>curdet_rid</b> Int NOT NULL , <b>curdetail_ce1</b> Char(10) NULL , <b>curdetail_ce2</b> Char(10) NULL , <b>curdetail_ce3</b> Char(20) NULL , <b>curdetail_de1</b> Date NULL , <b>curdetail_fe1</b> Float NULL , <b>curdetail_le1</b> Bit NULL , <b>curdetail_ne1</b> Int NULL , <b>curover_rid</b> Int NOT NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL , <b>operator</b> Char(8) NULL , <b>req_cod</b> Char(4) NULL , <b>time_maint</b> Char(8) NULL
<b>CUROVER</b>	<b>Primary Key:</b>	<i>PK_curover (curover_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_curover_cur_cod</i>
	<b>Indexes:</b>	<i>PK_curover , _WA_Sys_cur_cod_66B60677 , _WA_Sys_disabled_66B60677</i>
	<b>Columns:</b>	<b>cur_cod</b> Char(10) NOT NULL , <b>curover_ce1</b> Char(10) NULL , <b>curover_ce2</b> Char(10) NULL , <b>curover_ce3</b> Char(20) NULL , <b>curover_de1</b> Date NULL , <b>curover_fe1</b> Float NULL , <b>curover_le1</b> Bit NULL , <b>curover_ne1</b> Int NULL , <b>curover_rid</b> Int NOT NULL , <b>curovermaj_creds</b> Float NULL , <b>curovermaj_gpa</b> Float NULL , <b>curovertot_creds</b> Float NULL , <b>curovertot_gpa</b> Float NULL , <b>disabled</b> Bit NULL , <b>excl_non_cur_crs</b> Bit NOT NULL (DF_curover_excl_no_7D6F4E9D - (0)) , <b>max_months</b> Int NULL , <b>memo</b> Memo NULL , <b>skip_not_enrolled</b> Bit NOT NULL (DF_CUROVER_skip_no_5DEC81A3 - (0))
<b>CURPLANMESSAGE</b>		
	<b>Indexes:</b>	<i>_WA_Sys_CurPlanMessage_rid_61F1515A</i>
	<b>Columns:</b>	<b>CurPlanMessage_ce1</b> Char(10) NOT NULL , <b>CurPlanMessage_ce2</b> Char(10) NULL , <b>CurPlanMessage_ce3</b> Char(20) NULL , <b>CurPlanMessage_de1</b> Date NULL , <b>CurPlanMessage_def</b> Char(255) NOT NULL , <b>CurPlanMessage_fe1</b> Float NULL , <b>CurPlanMessage_le1</b> Bit NULL , <b>CurPlanMessage_ne1</b> Int NULL , <b>CurPlanMessage_rid</b> Int NOT NULL , <b>CurPlanMessage_user</b> Char(255) NULL
<b>CURRICULUMCODE</b>	<b>Primary Key:</b>	<i>PK_curriculumcode (cur_cod)</i>
	<b>Indexes:</b>	<i>PK_curriculumcode , _WA_Sys_disabled_62E57593 , _WA_Sys_sys_cur_62E57593</i>
	<b>Columns:</b>	<b>cur_cod</b> Char(10) NOT NULL , <b>cur_txt</b> Char(40) NOT NULL , <b>currkod_ce1</b> Char(10) NULL , <b>currkod_le1</b> Bit NULL , <b>currkod_ne1</b> Int NULL , <b>curriculumcode_ce1</b> Char(10) NULL , <b>curriculumcode_ce2</b> Char(10) NULL , <b>curriculumcode_ce3</b> Char(20) NULL , <b>curriculumcode_de1</b> Date NULL , <b>curriculumcode_fe1</b> Float NULL , <b>curriculumcode_le1</b> Bit NULL , <b>curriculumcode_ne1</b> Int NULL , <b>disabled</b> Bit NULL , <b>sys_cur</b> Bit NOT NULL (DF_curriculu_sys_c_46F3425B - (1))
<b>DASH_DISPLAY_TYPE</b>	<b>Primary Key:</b>	<i>PK_dash_display_type (dash_display_type_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_dash_display_type_dash_elements</i>
	<b>Indexes:</b>	<i>PK_dash_display_type , _WA_Sys_disabled_5ED5B8E4 , _WA_Sys_page_5ED5B8E4</i>
	<b>Columns:</b>	<b>dash_display_type</b> Char(15) NOT NULL , <b>dash_display_type_ce1</b> Char(10) NULL , <b>dash_display_type_de1</b> Date NULL , <b>dash_display_type_fe1</b> Float NULL , <b>dash_display_type_le1</b> Bit NULL , <b>dash_display_type_ne1</b> Int NULL , <b>dash_display_type_rid</b> Int NOT NULL , <b>disabled</b> Bit NOT NULL (DF_dash_disp_disab_5FC9DD1D - (0)) , <b>page</b> Char(30) NOT NULL
<b>DASH_ELEMENTS</b>	<b>Primary Key:</b>	<i>PK_dash_elements (page)</i>
	<b>Indexes:</b>	<i>PK_dash_elements , _WA_Sys_disabled_0036ACAF , _WA_Sys_table_type_0036ACAF</i>
	<b>Columns:</b>	<b>dash_header</b> Varchar(45) NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NOT NULL (DF_dash_elem_disab_07D7CE77 - (0)) , <b>include_CE</b> Bit NOT NULL (DF_dash_elem_inclu_7445D716 - (0)) , <b>operator</b> Char(8) NULL , <b>page</b> Char(30) NOT NULL , <b>sortorder</b> Int NULL , <b>table_type</b> Int NULL , <b>time_maint</b> Char(8) NULL
<b>DASH_USERS</b>	<b>Primary Key:</b>	<i>PK_dash_users (dash_users_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_dash_users_dash_elements , FK_dash_users_name , FK_dash_users_security</i>
	<b>Indexes:</b>	<i>PK_dash_users , _WA_Sys_00000002_0313195A , _WA_Sys_00000003_0313195A , _WA_Sys_00000004_0313195A</i>
	<b>Columns:</b>	<b>dash_users_rid</b> Int NOT NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>page</b> Char(30) NOT NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>sortorder</b> Int NOT NULL , <b>time_maint</b> Char(8) NULL , <b>user_id</b> Char(8) NOT NULL
<b>DATEMASK</b>	<b>Primary Key:</b>	<i>PK_DateMask_DateMask_rid (DateMask_rid)</i>

	<b>Indexes:</b>	<i>PK_DateMask_DateMask_rid</i>
	<b>Columns:</b>	<b>DateMask</b> Char(25) NULL, <b>DateMask_ce1</b> Char(10) NULL, <b>DateMask_ce2</b> Char(10) NULL, <b>DateMask_ce3</b> Char(20) NULL, <b>DateMask_de1</b> Date NULL, <b>DateMask_desc</b> Char(50) NULL, <b>DateMask_fe1</b> Float NULL, <b>DateMask_le1</b> Bit NOT NULL (DF DateMask DateMa 27C57B1C - ('0')), <b>DateMask_ne1</b> Int NULL, <b>DateMask_rid</b> Int NOT NULL, <b>date_maint</b> Date NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>DAYWEEK</b>	<b>Primary Key:</b>	<i>PK_dayweek (day_rid)</i>
	<b>Indexes:</b>	<i>PK_dayweek, _WA_Sys_day_cod_5E7FE7D2, _WA_Sys_dayweek_ne1_5E7FE7D2</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>day_abbr</b> Char(2) NULL, <b>day_cod</b> Char(3) NULL, <b>day_rid</b> Char(1) NOT NULL, <b>day_txt</b> Char(10) NULL, <b>dayweek_ce1</b> Char(10) NULL, <b>dayweek_ce2</b> Char(10) NULL, <b>dayweek_ce3</b> Char(20) NULL, <b>dayweek_de1</b> Date NULL, <b>dayweek_fe1</b> Float NULL, <b>dayweek_le1</b> Bit NULL, <b>dayweek_ne1</b> Int NULL, <b>dayweekce1</b> Char(10) NULL, <b>dayweekle1</b> Bit NULL (UW ZeroDefault - CREATE DEFAULT UW ZeroDefault AS 0), <b>dayweekne1</b> Int NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>DEGREE</b>	<b>Primary Key:</b>	<i>PK_degree (degree)</i>
	<b>Foreign Keys:</b>	<i>FK_degree_degree_rank, FK_degree_nsc_credential</i>
	<b>Triggers:</b>	<i>tr_degree_D, tr_degree_Delete</i>
	<b>Indexes:</b>	<i>PK_degree, _WA_Sys_0000000F_61915EA7, _WA_Sys_00000010_61915EA7, _WA_Sys_00000012_61915EA7, _WA_Sys_disabled_61915EA7, _WA_Sys_local_61915EA7</i>
	<b>Columns:</b>	<b>GPA_group</b> Int NOT NULL (DF degree GPA grou 398F259C - (0)), <b>date_maint</b> Date NULL, <b>degree</b> Char(35) NOT NULL, <b>degree_ce1</b> Char(10) NULL, <b>degree_ce2</b> Char(10) NULL, <b>degree_ce3</b> Char(20) NULL, <b>degree_de1</b> Date NULL, <b>degree_fe1</b> Float NULL, <b>degree_le1</b> Bit NULL, <b>degree_ne1</b> Int NULL, <b>disabled</b> Bit NULL (DF degree disabled - (0)), <b>display_degree</b> Varchar(250) NULL, <b>local</b> Bit NULL (UW ZeroDefault - CREATE DEFAULT UW ZeroDefault AS 0), <b>nsc_credential</b> Char(1) NULL, <b>operator</b> Char(8) NULL, <b>rank</b> Decimal NOT NULL, <b>time_maint</b> Char(8) NULL
<b>DEGREE_CREDENTIALS</b>	<b>Primary Key:</b>	<i>PK_degree_credential (degree)</i>
	<b>Foreign Keys:</b>	<i>FK_degree_credential_degree, FK_degree_credential_level, FK_degree_credential_nsc_credential</i>
	<b>Indexes:</b>	<i>PK_degree_credential, _WA_Sys_00000002_4DD6E0C2</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>degree</b> Char(35) NOT NULL, <b>level</b> Char(1) NOT NULL, <b>nsc_credential</b> Char(1) NOT NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>DEGREE_RANK</b>	<b>Primary Key:</b>	<i>PK_rank (rank)</i>
	<b>Indexes:</b>	<i>PK_rank, _WA_Sys_00000003_6FCB3ABC</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>deg_rank_rid</b> Int NOT NULL, <b>disabled</b> Bit NOT NULL (DF degree_ra_disab 71B3832E - (0)), <b>ge_level</b> Char(2) NULL, <b>operator</b> Char(8) NULL, <b>rank</b> Decimal NOT NULL, <b>rank_txt</b> Char(50) NULL, <b>time_maint</b> Char(8) NULL
<b>DELETED_NMCRS_LOG</b>	<b>Primary Key:</b>	<i>PK_DELETED_NMCRS_LOG rid (LOG RID)</i>
	<b>Foreign Keys:</b>	<i>FK_DELETED_NMCRS_LOG_crssect, FK_DELETED_NMCRS_LOG_grades, FK_DELETED_NMCRS_LOG_section, FK_DELETED_NMCRS_LOG_semester, FK_DELETED_NMCRS_LOG_soc_sec</i>
	<b>Indexes:</b>	<i>PK_DELETED_NMCRS_LOG_rid, _WA_Sys_00000005_15A6CAE1, _WA_Sys_00000006_15A6CAE1, _WA_Sys_00000007_15A6CAE1, _WA_Sys_00000008_15A6CAE1, _WA_Sys_00000009_15A6CAE1, _WA_Sys_0000000A_15A6CAE1, _WA_Sys_0000000B_15A6CAE1, _WA_Sys_0000000C_15A6CAE1, _WA_Sys_0000000D_15A6CAE1, _WA_Sys_0000000E_15A6CAE1, _WA_Sys_0000000F_15A6CAE1, _WA_Sys_00000010_15A6CAE1, _WA_Sys_00000011_15A6CAE1, _WA_Sys_00000012_15A6CAE1, _WA_Sys_00000013_15A6CAE1, _WA_Sys_00000014_15A6CAE1, _WA_Sys_00000015_15A6CAE1, _WA_Sys_00000016_15A6CAE1, _WA_Sys_sch_yr_15A6CAE1, _WA_Sys_semester_15A6CAE1, _WA_Sys_soc_sec_15A6CAE1</i>

	<b>Columns:</b>	<b>LOG_RID</b> <i>Int</i> NOT NULL , <b>course</b> <i>Varchar(10)</i> NULL , <b>cred_rec</b> <i>Float</i> NULL , <b>crs_txt</b> <i>Varchar(100)</i> NULL , <b>date_comp</b> <i>Date</i> NULL , <b>delete_date</b> <i>Date</i> NULL , <b>enrol_date</b> <i>Date</i> NULL , <b>enrollcode</b> <i>Char(2)</i> NULL , <b>final_operator</b> <i>Char(8)</i> NULL , <b>grade</b> <i>Char(5)</i> NULL , <b>nmcrs_rid</b> <i>Char(16)</i> NULL , <b>officialg</b> <i>Bit</i> NOT NULL (DF <i>DELETED_N_offic</i> 178F1353 - (0)) , <b>post_date</b> <i>Date</i> NULL , <b>posted</b> <i>Bit</i> NOT NULL (DF <i>DELETED_N_poste</i> 1883378C - (0)) , <b>qlty_pnts</b> <i>Float</i> NULL , <b>sch_yr</b> <i>Char(6)</i> NULL , <b>section</b> <i>Char(6)</i> NULL , <b>semester</b> <i>Char(2)</i> NULL , <b>sid</b> <i>Char(16)</i> NULL , <b>sm_desc</b> <i>Varchar(10)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>transfer</b> <i>Bit</i> NOT NULL (DF <i>DELETED_N_trans</i> 169AEF1A - (0))
<b>DEPEND_STAT</b>	<b>Primary Key:</b>	<i>PK_depend_stat (depend_stat_cod)</i>
	<b>Indexes:</b>	<i>PK_depend_stat</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>depend_stat_cod</b> <i>Char(1)</i> NOT NULL , <b>depend_stat_txt</b> <i>Char(50)</i> NULL , <b>disabled</b> <i>Bit</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>DEPT</b>	<b>Primary Key:</b>	<i>PK_dept (dept_cod)</i>
	<b>Triggers:</b>	<i>tr_dept_cod_D , tr_dept_cod_Delete</i>
	<b>Indexes:</b>	<i>PK_dept , _WA_Sys_0000000F_74A4331B , _WA_Sys_date_maint_74A4331B , _WA_Sys_dept_ce1_74A4331B , _WA_Sys_dept_ce2_74A4331B , _WA_Sys_dept_ce3_74A4331B , _WA_Sys_dept_de1_74A4331B , _WA_Sys_dept_fe1_74A4331B , _WA_Sys_dept_le1_74A4331B , _WA_Sys_dept_ne1_74A4331B , _WA_Sys_dept_txt_74A4331B , _WA_Sys_disabled_74A4331B , _WA_Sys_operator_74A4331B , _WA_Sys_time_maint_74A4331B</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>dept_ce1</b> <i>Char(10)</i> NULL , <b>dept_ce2</b> <i>Char(10)</i> NULL , <b>dept_ce3</b> <i>Char(20)</i> NULL , <b>dept_cod</b> <i>Char(4)</i> NOT NULL , <b>dept_de1</b> <i>Date</i> NULL , <b>dept_fe1</b> <i>Float</i> NULL , <b>dept_le1</b> <i>Bit</i> NULL (UW <i>ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>dept_ne1</b> <i>Int</i> NULL , <b>dept_txt</b> <i>Char(40)</i> NULL , <b>disabled</b> <i>Bit</i> NULL (DF <i>dept_disabled - (0)</i> ) , <b>ecollege_node</b> <i>Varchar(25)</i> NULL , <b>exclude_outside</b> <i>Bit</i> NOT NULL (DF <i>dept_exclude_ou_1DDCE986 - ((0))</i> ) , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>DISPACTS</b>	<b>Primary Key:</b>	<i>PK_dispacts (dispacts_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_dispacts_activity , FK_dispacts_dispcode</i>
	<b>Indexes:</b>	<i>PK_dispacts , _WA_Sys_activity_cod_7C854C05 , _WA_Sys_dispos_7C854C05</i>
	<b>Columns:</b>	<b>activity_cod</b> <i>Char(3)</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>dispacts_ce1</b> <i>Char(10)</i> NULL , <b>dispacts_ce2</b> <i>Char(10)</i> NULL , <b>dispacts_ce3</b> <i>Char(20)</i> NULL , <b>dispacts_de1</b> <i>Date</i> NULL , <b>dispacts_fe1</b> <i>Float</i> NULL , <b>dispacts_le1</b> <i>Bit</i> NULL , <b>dispacts_ne1</b> <i>Int</i> NULL , <b>dispacts_rid</b> <i>Int</i> NOT NULL , <b>dispos</b> <i>Varchar(30)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>DISPCHK</b>	<b>Primary Key:</b>	<i>PK_dispchk (dispchk_cod)</i>
	<b>Indexes:</b>	<i>PK_dispchk , _WA_Sys_00000003_3A4E3FAB , _WA_Sys_00000004_3A4E3FAB , _WA_Sys_dispchk_rid_3A4E3FAB</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NOT NULL (DF <i>dispchk_disable_3B4263E4 - (0)</i> ) , <b>dispchk_ce1</b> <i>Char(10)</i> NULL , <b>dispchk_ce2</b> <i>Char(20)</i> NULL , <b>dispchk_ce3</b> <i>Char(30)</i> NULL , <b>dispchk_cod</b> <i>Nvarchar(4)</i> NOT NULL , <b>dispchk_de1</b> <i>Date</i> NULL , <b>dispchk_fe1</b> <i>Float</i> NULL , <b>dispchk_le1</b> <i>Bit</i> NULL , <b>dispchk_ne1</b> <i>Float</i> NULL , <b>dispchk_rid</b> <i>Int</i> NOT NULL , <b>dispchk_txt</b> <i>Nvarchar(110)</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>DISPCHKLIST</b>	<b>Primary Key:</b>	<i>PK_dispchklist (dispchklist_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_dispchklist_dispchk , FK_dispchklist_dispcode</i>
	<b>Indexes:</b>	<i>PK_dispchklist , _WA_Sys_dispchk_cod_3D2AAC56 , _WA_Sys_dispos_3D2AAC56</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>dispchk_cod</b> <i>Nvarchar(4)</i> NOT NULL , <b>dispchklist_ce1</b> <i>Char(10)</i> NULL , <b>dispchklist_ce2</b> <i>Char(20)</i> NULL , <b>dispchklist_ce3</b> <i>Char(30)</i> NULL , <b>dispchklist_de1</b> <i>Date</i> NULL , <b>dispchklist_fe1</b> <i>Float</i> NULL , <b>dispchklist_le1</b> <i>Bit</i> NULL , <b>dispchklist_ne1</b> <i>Float</i> NULL , <b>dispchklist_rid</b> <i>Int</i> NOT NULL , <b>dispos</b> <i>Varchar(30)</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>DISPCODE</b>	<b>Primary Key:</b>	<i>PK_dispcode (dispos)</i>
	<b>Triggers:</b>	<i>tr_dispos_D , tr_dispos_Delete</i>
	<b>Indexes:</b>	<i>PK_dispcode , _WA_Sys_0000000F_5AE46118 , _WA_Sys_disabled_5AE46118 , _WA_Sys_internal_5AE46118</i>



	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NULL (DF_dispcode_disabled - (0)), <b>dispcode_ce1</b> Char(10) NULL, <b>dispcode_ce2</b> Char(10) NULL, <b>dispcode_ce3</b> Char(20) NULL, <b>dispcode_de1</b> Date NULL, <b>dispcode_fe1</b> Float NULL, <b>dispcode_le1</b> Bit NULL, <b>dispcode_ne1</b> Int NULL, <b>dispos</b> Varchar(30) NOT NULL, <b>internal</b> Bit NOT NULL (DF_dispcode_intern_46B41690 - (0)), <b>operator</b> Char(8) NULL, <b>process</b> Bit NULL (DF_dispcode_proces_5FF590FD - ((0))), <b>time_maint</b> Char(8) NULL
<b>DISPLETT</b>	<b>Primary Key:</b>	<u>PK_displett</u> (displett_rid)
	<b>Foreign Keys:</b>	FK_displett_dispcode
	<b>Indexes:</b>	PK_displett
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>displett_ce1</b> Char(10) NULL, <b>displett_ce2</b> Char(10) NULL, <b>displett_ce3</b> Char(20) NULL, <b>displett_de1</b> Date NULL, <b>displett_fe1</b> Float NULL, <b>displett_le1</b> Bit NULL, <b>displett_ne1</b> Int NULL, <b>displett_rid</b> Int NOT NULL, <b>dispos</b> Varchar(30) NULL, <b>lettcode</b> Char(2) NULL, <b>lettdesc</b> Char(35) NULL, <b>letter</b> Memo NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL, <b>timestamp_column</b> Timestamp NULL
<b>DISPOS</b>	<b>Primary Key:</b>	<u>PK_dispos</u> (dispos_rid)
	<b>Foreign Keys:</b>	FK_dispos_approg, FK_dispos_dispcode, FK_dispos_name, FK_dispos_process, FK_dispos_program
	<b>Indexes:</b>	PK_dispos, _WA_Sys_0000001A_02133CD2, _WA_Sys_CurDispos_02133CD2, _WA_Sys_app_rid_02133CD2, _WA_Sys_conf_rec_02133CD2, _WA_Sys_date_maint_02133CD2, _WA_Sys_date_rec_02133CD2, _WA_Sys_date_sent_02133CD2, _WA_Sys_dis_sent_02133CD2, _WA_Sys_disp_date_02133CD2, _WA_Sys_dispos_02133CD2, _WA_Sys_not_accept_02133CD2, _WA_Sys_not_date_02133CD2, _WA_Sys_operator_02133CD2, _WA_Sys_prg_cod_02133CD2, _WA_Sys_soc_sec_02133CD2, _WA_Sys_time_maint_02133CD2, _WA_Sys_timestamp_column_02133CD2
	<b>Columns:</b>	<b>CurDispos</b> Bit NOT NULL (DF_Dispos_CurDispo_5A1103C7 - (0)), <b>app_rid</b> Char(16) NULL, <b>conf_rec</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>date_maint</b> Date NULL, <b>date_rec</b> Date NULL, <b>date_sent</b> Date NULL, <b>dis_sent</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>disp_date</b> Date NULL, <b>dispos</b> Varchar(30) NULL, <b>dispos_ce1</b> Char(10) NULL, <b>dispos_ce2</b> Char(10) NULL, <b>dispos_ce3</b> Char(20) NULL, <b>dispos_de1</b> Date NULL, <b>dispos_fe1</b> Float NULL, <b>dispos_le1</b> Bit NULL, <b>dispos_mem</b> Memo NULL, <b>dispos_ne1</b> Int NULL, <b>dispos_rid</b> Char(16) NOT NULL, <b>not_accept</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>not_date</b> Date NULL, <b>operator</b> Char(8) NULL, <b>prg_cod</b> Char(10) NULL, <b>process_cod</b> Nvarchar(60) NULL, <b>soc_sec</b> Char(9) NULL, <b>time_maint</b> Char(8) NULL, <b>timestamp_column</b> Timestamp NULL
<b>DISPTRANS</b>	<b>Primary Key:</b>	<u>PK_disptrans_rid</u> (disptrans_rid)
	<b>Foreign Keys:</b>	FK_disptrans_dispcode, FK_disptrans_tcodes
	<b>Indexes:</b>	PK_disptrans_rid, _WA_Sys_00000003_161B00D6, _WA_Sys_00000004_161B00D6, _WA_Sys_0000000F_161B00D6
	<b>Columns:</b>	<b>amount</b> Float NULL, <b>date_maint</b> Date NULL, <b>dispos</b> Varchar(30) NULL, <b>disptrans_ce1</b> Char(10) NULL, <b>disptrans_ce2</b> Char(10) NULL, <b>disptrans_ce3</b> Char(20) NULL, <b>disptrans_de1</b> Date NULL, <b>disptrans_fe1</b> Float NULL, <b>disptrans_le1</b> Bit NULL, <b>disptrans_ne1</b> Int NULL, <b>disptrans_rid</b> Int NOT NULL, <b>operator</b> Char(8) NULL, <b>tcodes</b> Char(2) NULL, <b>time_maint</b> Char(8) NULL
<b>DIVISION</b>	<b>Primary Key:</b>	<u>PK_division</u> (div_cod)
	<b>Triggers:</b>	tr_div_cod_D, tr_div_cod_Delete
	<b>Indexes:</b>	PK_division, _WA_Sys_date_maint_77809FC6, _WA_Sys_disabled_77809FC6, _WA_Sys_div_ce1_77809FC6, _WA_Sys_div_le1_77809FC6, _WA_Sys_div_ne1_77809FC6, _WA_Sys_div_txt_77809FC6, _WA_Sys_division_ce1_77809FC6, _WA_Sys_division_ce2_77809FC6, _WA_Sys_division_ce3_77809FC6, _WA_Sys_division_de1_77809FC6, _WA_Sys_division_fe1_77809FC6, _WA_Sys_division_le1_77809FC6, _WA_Sys_division_ne1_77809FC6, _WA_Sys_operator_77809FC6, _WA_Sys_time_maint_77809FC6

	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL (DF_division_disabled - (0)) , <b>div_ce1</b> Char(10) NULL , <b>div_cod</b> Char(2) NOT NULL , <b>div_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>div_ne1</b> Int NULL , <b>div_txt</b> Char(10) NULL , <b>division_ce1</b> Char(10) NULL , <b>division_ce2</b> Char(10) NULL , <b>division_ce3</b> Char(20) NULL , <b>division_de1</b> Date NULL , <b>division_fe1</b> Float NULL , <b>division_le1</b> Bit NULL , <b>division_ne1</b> Int NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>DMS_AREAS</b>	<b>Primary Key:</b>	<i>PK_dms_areas (area_rid)</i>
	<b>Indexes:</b>	<i>PK_dms_areas , _WA_Sys_area_6EA20C59 , _WA_Sys_script_6EA20C59</i>
	<b>Columns:</b>	<b>area</b> Numeric NULL , <b>area_rid</b> Numeric NOT NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NOT NULL (DF_dms_areas_disabled - (0)) , <b>operator</b> Varchar(8) NULL , <b>script</b> Varchar(150) NULL , <b>time_maint</b> Varchar(8) NULL , <b>uuid</b> Varchar(36) NOT NULL (DF_dms_areas_uuid - (newid()))
<b>DMS_AREA_LIST</b>	<b>Primary Key:</b>	<i>PK_dms_area_list (area_rid)</i>
	<b>Indexes:</b>	<i>PK_dms_area_list , _WA_Sys_area_6BC59FAE , _WA_Sys_uuid_6BC59FAE</i>
	<b>Columns:</b>	<b>area</b> Varchar(75) NULL , <b>area_rid</b> Numeric NOT NULL , <b>date_maint</b> Date NULL , <b>operator</b> Varchar(8) NULL , <b>time_maint</b> Varchar(8) NULL , <b>uuid</b> Varchar(36) NOT NULL (DF_dms_area_list_uuid - (newid()))
<b>DMS_CATLIST</b>	<b>Primary Key:</b>	<i>PK_dms_catlist (dms_catlist_cod)</i>
	<b>Indexes:</b>	<i>PK_dms_catlist , _WA_Sys_00000003_4F1F3F5F</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL , <b>dms_catlist_cod</b> Char(16) NOT NULL , <b>dms_catlist_name</b> 239 - 50 NOT NULL , <b>operator</b> Char(10) NULL , <b>time_maint</b> Char(10) NULL
<b>DMS_FEEDBACK</b>	<b>Primary Key:</b>	<i>PK_dms_feedback (dms_feedback_id)</i>
	<b>Indexes:</b>	<i>PK_dms_feedback</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL , <b>dms_feedback_id</b> Int NOT NULL , <b>dms_feedback_name</b> 239 - 50 NOT NULL , <b>operator</b> Char(10) NULL , <b>time_maint</b> Char(10) NULL
<b>DMS_FILES</b>	<b>Primary Key:</b>	<i>PK_dms_files (dms_files_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_dms_files_dms_catlist</i>
	<b>Indexes:</b>	<i>PK_dms_files , _WA_Sys_0000000C_72729D3D , _WA_Sys_area_rid_72729D3D , _WA_Sys_displaytitle_72729D3D , _WA_Sys_soc_sec_72729D3D , _WA_Sys_uuid_72729D3D</i>
	<b>Columns:</b>	<b>area_rid</b> Numeric NULL , <b>date_added</b> Date NOT NULL (DF_dms_files_date_added - (getdate())) , <b>date_maint</b> Date NULL , <b>displaytitle</b> Varchar(254) NULL , <b>dms_catlist_cod</b> Char(16) NULL , <b>dms_files_rid</b> Numeric NOT NULL , <b>dms_path</b> Varchar(254) NULL , <b>filename</b> Varchar(75) NULL , <b>operator</b> Varchar(8) NULL , <b>soc_sec</b> Varchar(9) NULL , <b>time_maint</b> Varchar(8) NULL , <b>uuid</b> Varchar(36) NOT NULL (DF_dms_files_uuid - (newid()))
<b>DMS_TRACK</b>	<b>Primary Key:</b>	<i>PK_dms_track (dms_track_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_dms_track_dms_feedback , FK_dms_track_dms_files</i>
	<b>Indexes:</b>	<i>PK_dms_track , _WA_Sys_00000002_58A8A999 , _WA_Sys_00000003_58A8A999 , _WA_Sys_00000004_58A8A999</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>dms_feedback_id</b> Int NULL , <b>dms_files_rid</b> Numeric NOT NULL , <b>dms_track_ce1</b> Char(10) NULL , <b>dms_track_ce2</b> Char(10) NULL , <b>dms_track_ce3</b> Char(20) NULL , <b>dms_track_comment</b> Nvarchar(3000) NULL , <b>dms_track_de1</b> Date NULL , <b>dms_track_fe1</b> Float NULL , <b>dms_track_le1</b> Bit NULL , <b>dms_track_ne1</b> Int NULL , <b>dms_track_rid</b> Numeric NOT NULL , <b>operator</b> Varchar(8) NULL , <b>soc_sec</b> Varchar(9) NULL , <b>time_maint</b> Varchar(8) NULL , <b>trig_inst_id</b> Char(50) NULL
<b>DTPROPERTIES</b>	<b>Primary Key:</b>	<i>pk_dtproperties (id)</i>
	<b>Indexes:</b>	<i>_WA_Sys_objectid_6F4A8121 , _WA_Sys_property_6F4A8121 , _WA_Sys_uvalue_6F4A8121 , _WA_Sys_value_6F4A8121 , pk_dtproperties</i>
	<b>Columns:</b>	<b>id</b> Int NOT NULL , <b>lvalue</b> Image NULL , <b>objectid</b> Int NULL , <b>property</b> Varchar(64) NOT NULL , <b>uvalue</b> Nvarchar(510) NULL , <b>value</b> Varchar(255) NULL , <b>version</b> Int NOT NULL (DF_dtpropert_versi_7132C993 - (0))
<b>DUPCHK</b>	<b>Primary Key:</b>	<i>PK_dupchk (dupchk_rid)</i>

	<b>Indexes:</b>	<i>PK_dupchk , _WA_Sys_00000002_7D9B027D , _WA_Sys_00000009_7D9B027D</i>
	<b>Columns:</b>	<b>control_val</b> <i>Varchar(150)</i> NULL , <b>disabled</b> <i>Bit</i> NULL ( <i>DF_dupchk_disabled_00776F28 - ((0))</i> ) , <b>display_order</b> <i>Int</i> NULL , <b>dup_cod</b> <i>Varchar(150)</i> NOT NULL , <b>dupchk_rid</b> <i>Int</i> NOT NULL , <b>field_list</b> <i>Varchar(-1)</i> NULL , <b>full_desc</b> <i>Nvarchar(600)</i> NULL , <b>sel_default</b> <i>Bit</i> NULL ( <i>DF_dupchk_sel_defa_7F834AEF - ((0))</i> ) , <b>sql_clause</b> <i>Varchar(-1)</i> NULL
<b>EDITION</b>	<b>Primary Key:</b>	<i>PK_edition (edition)</i>
	<b>Indexes:</b>	<i>PK_edition , _WA_Sys_disabled_36C7C78A</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NOT NULL ( <i>DF_edition_disable_38B00FFC - (0)</i> ) , <b>edition</b> <i>Char(20)</i> NOT NULL ( <i>DF_edition_edition_37BBEBC3 - (")</i> ) , <b>edition_ce1</b> <i>Char(10)</i> NULL , <b>edition_ce2</b> <i>Char(10)</i> NULL , <b>edition_ce3</b> <i>Char(20)</i> NULL , <b>edition_de1</b> <i>Date</i> NULL , <b>edition_fe1</b> <i>Float</i> NULL , <b>edition_le1</b> <i>Bit</i> NULL , <b>edition_ne1</b> <i>Int</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>EDXDIRECT</b>	<b>Primary Key:</b>	<i>PK_EDXdirect_EDXloan_cod (EDXloan_cod)</i>
	<b>Indexes:</b>	<i>PK_EDXdirect_EDXloan_cod , _WA_Sys_00000003_025EEC43</i>
	<b>Columns:</b>	<b>EDXdirect_txt</b> <i>Varchar(25)</i> NOT NULL , <b>EDXloan_cod</b> <i>Char(1)</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NOT NULL ( <i>DF_EDXdirect_disab_0353107C - (0)</i> ) , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>EDXDIRECT_IMPORT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000002_0A000E0B</i>
	<b>Columns:</b>	<b>DistribAmt</b> <i>Float</i> NOT NULL , <b>awd_id</b> <i>Varchar(50)</i> NULL , <b>camp_cod</b> <i>Char(20)</i> NULL , <b>description</b> <i>Varchar(50)</i> NULL , <b>div_cod</b> <i>Char(2)</i> NULL , <b>edxdid</b> <i>Int</i> NOT NULL , <b>first_name</b> <i>Varchar(50)</i> NOT NULL , <b>imported</b> <i>Bit</i> NULL ( <i>DF_EDXDirect_impor_0AF43244 - (0)</i> ) , <b>last_name</b> <i>Varchar(50)</i> NOT NULL , <b>loan_cod</b> <i>Varchar(50)</i> NOT NULL , <b>mi</b> <i>Varchar(50)</i> NOT NULL , <b>offer_matched</b> <i>Bit</i> NULL ( <i>DF_EDXDirect_offer_0BE8567D - (0)</i> ) , <b>offered</b> <i>Float</i> NULL , <b>ref_id</b> <i>Varchar(50)</i> NULL , <b>sch_yr</b> <i>Char(6)</i> NOT NULL , <b>semester</b> <i>Char(2)</i> NOT NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>ssn</b> <i>Char(9)</i> NOT NULL , <b>tcodes</b> <i>Char(5)</i> NULL , <b>trans_no</b> <i>Char(16)</i> NULL , <b>transact_date</b> <i>Date</i> NOT NULL
<b>EDXPELL</b>	<b>Primary Key:</b>	<i>PK_EDXpell_EDXpell_cod (EDXpell_cod)</i>
	<b>Indexes:</b>	<i>PK_EDXpell_EDXpell_cod</i>
	<b>Columns:</b>	<b>EDXpell_cod</b> <i>Char(1)</i> NOT NULL , <b>EDXpell_txt</b> <i>Varchar(25)</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NOT NULL ( <i>DF_EDXpell_disable_062F7D27 - (0)</i> ) , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>EDXPELL_IMPORT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000002_0817C599</i>
	<b>Columns:</b>	<b>PellAmt</b> <i>Float</i> NOT NULL , <b>awd_id</b> <i>Varchar(50)</i> NULL , <b>camp_cod</b> <i>Char(20)</i> NULL , <b>description</b> <i>Varchar(50)</i> NULL , <b>div_cod</b> <i>Char(2)</i> NULL , <b>edxpellid</b> <i>Int</i> NOT NULL , <b>first_name</b> <i>Varchar(50)</i> NOT NULL , <b>imported</b> <i>Bit</i> NULL ( <i>DF_EDXPell_I_impor_090BE9D2 - (0)</i> ) , <b>last_name</b> <i>Varchar(50)</i> NOT NULL , <b>loan_cod</b> <i>Varchar(50)</i> NOT NULL , <b>mi</b> <i>Varchar(50)</i> NOT NULL , <b>offered</b> <i>Float</i> NULL , <b>ref_id</b> <i>Varchar(50)</i> NULL , <b>sch_yr</b> <i>Char(6)</i> NOT NULL , <b>semester</b> <i>Char(2)</i> NOT NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>ssn</b> <i>Char(9)</i> NOT NULL , <b>tcodes</b> <i>Char(5)</i> NULL , <b>trans_no</b> <i>Char(16)</i> NULL , <b>transact_date</b> <i>Date</i> NOT NULL
<b>EFSNET</b>		
<b>EFSNET_RETURN</b>		
	<b>Foreign Keys:</b>	<i>FK_EFSNet_Return_name</i>
	<b>Indexes:</b>	<i>_WA_Sys_00000001_55174480</i>
	<b>Columns:</b>	<b>AVSResponseCode</b> <i>Char(1)</i> NOT NULL , <b>AccountNumber</b> <i>Varchar(16)</i> NOT NULL , <b>ApprovalNumber</b> <i>Varchar(10)</i> NOT NULL , <b>CVVResponseCode</b> <i>Char(1)</i> NOT NULL , <b>ReferenceNumber</b> <i>Varchar(16)</i> NOT NULL , <b>ResultCode</b> <i>Varchar(3)</i> NOT NULL , <b>ResultMessage</b> <i>Varchar(50)</i> NOT NULL , <b>TransactionAmount</b> <i>Float</i> NOT NULL , <b>TransactionDate</b> <i>Char(6)</i> NOT NULL , <b>TransactionID</b> <i>Varchar(20)</i> NOT NULL , <b>TransactionTime</b> <i>Varchar(10)</i> NOT NULL , <b>cc_type</b> <i>Varchar(25)</i> NULL , <b>first_name</b> <i>Varchar(30)</i> NULL , <b>last_name</b> <i>Varchar(30)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL

<b>ELEMENT</b>	<b>Primary Key:</b>	<i>PK_element (element_rid)</i>
	<b>Indexes:</b>	<i>PK_element , _WA_Sys_direct_7894BF90 , _WA_Sys_disabled_7894BF90 , element</i>
	<b>Columns:</b>	<i>direct Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , disabled Bit NULL (DF_element_disabled - (0)) , element Char(20) NOT NULL , element_ce1 Char(10) NULL , element_ce2 Char(10) NULL , element_ce3 Char(20) NULL , element_de1 Date NULL , element_fe1 Float NULL , element_le1 Bit NULL , element_ne1 Int NULL , element_rid Int NOT NULL</i>
<b>ELMIMPORT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000002_14DCC3DA</i>
	<b>Columns:</b>	<i>amount Float NOT NULL , awd_id Varchar(50) NULL , camp_cod Char(20) NULL , description Char(20) NULL , div_cod Char(2) NULL , elmid Int NOT NULL , first_name Varchar(50) NOT NULL , imported Bit NULL , last_name Varchar(50) NOT NULL , loan_cod Varchar(50) NOT NULL , loan_fee_perc Float NULL (DF_elmimport_loan_00000000 - (0)) , mi Varchar(50) NOT NULL , offer_matched Bit NULL (DF_elmimport_offer_00000000 - (0)) , offered Money NULL , ref_id Varchar(50) NULL , sch_yr Char(6) NOT NULL , semester Char(2) NOT NULL , soc_sec Char(9) NOT NULL , ssn Char(9) NOT NULL , tcodes Char(5) NULL , trans_no Varchar(50) NULL , transact_date Date NOT NULL</i>
<b>ELMLOAN</b>	<b>Primary Key:</b>	<i>PK_ELMLoan_ELMLoan_cod (ELMLoan_cod)</i>
	<b>Indexes:</b>	<i>PK_ELMLoan_ELMLoan_cod , _WA_Sys_00000003_25132BA3</i>
	<b>Columns:</b>	<i>ELMLoan_ce1 Char(10) NULL , ELMLoan_ce2 Char(10) NULL , ELMLoan_ce3 Char(10) NULL , ELMLoan_cod Char(2) NOT NULL , ELMLoan_de1 Date NULL , ELMLoan_fe1 Float NULL , ELMLoan_le1 Bit NULL , ELMLoan_ne1 Int NULL , ELMLoan_txt Char(20) NOT NULL , date_maint Date NULL , disabled Bit NOT NULL (DF_ELMLoan_disable_26074FDC - (0)) , operator Char(8) NULL , time_maint Char(8) NULL</i>
<b>EMAILMEMO</b>	<b>Primary Key:</b>	<i>PK_emailmemo (emailmemo_rid)</i>
	<b>Indexes:</b>	<i>PK_emailmemo</i>
	<b>Columns:</b>	<i>date_maint Date NULL , emailmemo Memo NOT NULL , emailmemo_ce1 Char(10) NULL , emailmemo_ce2 Char(10) NULL , emailmemo_ce3 Char(20) NULL , emailmemo_de1 Date NULL , emailmemo_fe1 Float NULL , emailmemo_le1 Bit NULL , emailmemo_ne1 Int NULL , emailmemo_rid Int NOT NULL , emailsubject Char(30) NOT NULL , operator Char(8) NULL , time_maint Char(8) NULL</i>
<b>EMAIL_SETUP</b>		
<b>EMPLOYER</b>	<b>Primary Key:</b>	<i>PK_employer (employer_rid)</i>
	<b>Indexes:</b>	<i>PK_employer , _WA_Sys_disabled_49BAA06D</i>
	<b>Columns:</b>	<i>date_maint Date NULL , disabled Bit NULL , employer_ce1 Char(10) NULL , employer_ce2 Char(10) NULL , employer_ce3 Char(20) NULL , employer_de1 Date NULL , employer_fe1 Float NULL , employer_le1 Bit NULL , employer_ne1 Int NULL , employer_rid Int NOT NULL , employer_txt Char(50) NOT NULL , operator Char(8) NULL , time_maint Char(8) NULL</i>
<b>EMPLOYER_CONTACT</b>	<b>Primary Key:</b>	<i>PK_employer_contact (employer_contact_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_employer_contact_county , FK_employer_contact_employer , FK_employer_contact_state</i>
	<b>Indexes:</b>	<i>PK_employer_contact , _WA_Sys_disabled_4BA2E8DF , _WA_Sys_employer_rid_4BA2E8DF , _WA_Sys_pid_4BA2E8DF , _WA_Sys_prime_4BA2E8DF</i>
	<b>Columns:</b>	<i>add_add2 Char(35) NULL , add_addr Char(35) NULL , cell_phone Char(15) NULL , city Char(35) NULL , contact_title Char(30) NULL , country Char(25) NULL , county_cod Char(3) NULL , date_maint Date NULL , disabled Bit NULL , e_mail Char(50) NOT NULL , employer_contact_ce1 Char(10) NULL , employer_contact_ce2 Char(10) NULL , employer_contact_ce3 Char(20) NULL , employer_contact_de1 Date NULL , employer_contact_fe1 Float NULL , employer_contact_le1 Bit NULL , employer_contact_ne1 Int NULL , employer_contact_rid Int NOT NULL , employer_rid Int NOT NULL , ext Char(5) NULL , fax Char(15) NULL , first_name Char(30) NOT NULL , last_name Char(30) NOT NULL , mi Char(15) NULL , operator Char(8) NULL , pid Char(9) NOT NULL , pin Varchar(250) NULL , prime Bit NULL , st_addr Char(35) NULL , state_abbr Char(2) NULL ,</i>

		<b>time_maint</b> Char(8) NULL , <b>work_phone</b> Char(15) NULL , <b>zip</b> Char(10) NULL
<b>EMPLOY_TYPE</b>	<b>Primary Key:</b>	<i>PK_employ_type_rid (employ_type_rid)</i>
	<b>Indexes:</b>	<i>PK_employ_type_rid , _WA_Sys_disabled_6B909584</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>disabled</b> Bit NOT NULL , <b>employ_type_rid</b> Int NOT NULL , <b>employ_type_txt</b> Char(100) NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>ENRLSTAT</b>	<b>Primary Key:</b>	<i>PK_enrlstat (enstat_cod)</i>
	<b>Triggers:</b>	<i>tr_enstat_cod_D , tr_enstat_cod_Delete</i>
	<b>Indexes:</b>	<i>PK_enrlstat , _WA_Sys_cred_hours_7A5D0C71 , _WA_Sys_credit_to_7A5D0C71 , _WA_Sys_date_maint_7A5D0C71 , _WA_Sys_disabled_7A5D0C71 , _WA_Sys_enstat_txt_7A5D0C71 , _WA_Sys_operator_7A5D0C71 , _WA_Sys_time_maint_7A5D0C71</i>
	<b>Columns:</b>	<b>cred_hours</b> Float NULL , <b>credit_to</b> Float NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL (DF_enrlstat_disabled - (0)) , <b>enrlstat_ce1</b> Char(10) NULL , <b>enrlstat_ce2</b> Char(10) NULL , <b>enrlstat_ce3</b> Char(20) NULL , <b>enrlstat_de1</b> Date NULL , <b>enrlstat_fe1</b> Float NULL , <b>enrlstat_le1</b> Bit NULL , <b>enrlstat_ne1</b> Int NULL , <b>enstat_cod</b> Char(2) NOT NULL (DF_enrlstat_enstat_0A1F3E45 - ('TB')) , <b>enstat_txt</b> Char(20) NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>ENROLLCODE</b>	<b>Primary Key:</b>	<i>PK_enrollcode (enrollcode)</i>
	<b>Indexes:</b>	<i>PK_enrollcode , _WA_Sys_disabled_3F27380A , _WA_Sys_enrolltext_3F27380A</i>
	<b>Columns:</b>	<b>disabled</b> Bit NULL , <b>enrollcode</b> Char(2) NOT NULL , <b>enrollcode_ce1</b> Char(10) NULL , <b>enrollcode_ce2</b> Char(10) NULL , <b>enrollcode_ce3</b> Char(20) NULL , <b>enrollcode_de1</b> Date NULL , <b>enrollcode_fe1</b> Float NULL , <b>enrollcode_le1</b> Bit NULL , <b>enrollcode_ne1</b> Int NULL , <b>enrolltext</b> Char(25) NOT NULL
<b>ENROLL_DATA</b>	<b>Primary Key:</b>	<i>PK_ENROLL_DATA (enroll_data_rid)</i>
	<b>Indexes:</b>	<i>PK_ENROLL_DATA , _WA_Sys_00000002_47B327C1 , _WA_Sys_00000003_47B327C1 , _WA_Sys_00000004_47B327C1 , _WA_Sys_00000005_47B327C1 , _WA_Sys_00000006_47B327C1 , _WA_Sys_00000007_47B327C1 , _WA_Sys_00000008_47B327C1 , _WA_Sys_00000009_47B327C1 , _WA_Sys_0000000A_47B327C1 , _WA_Sys_0000000B_47B327C1 , _WA_Sys_0000000C_47B327C1 , _WA_Sys_0000000D_47B327C1 , _WA_Sys_0000000E_47B327C1 , _WA_Sys_0000000F_47B327C1 , _WA_Sys_00000010_47B327C1 , _WA_Sys_00000011_47B327C1 , _WA_Sys_00000012_47B327C1 , _WA_Sys_00000013_47B327C1 , _WA_Sys_00000014_47B327C1 , _WA_Sys_00000015_47B327C1 , _WA_Sys_00000016_47B327C1 , _WA_Sys_00000017_47B327C1 , _WA_Sys_00000018_47B327C1 , _WA_Sys_00000019_47B327C1 , _WA_Sys_0000001A_47B327C1 , _WA_Sys_0000001B_47B327C1 , _WA_Sys_0000001C_47B327C1 , _WA_Sys_0000001D_47B327C1 , _WA_Sys_0000001E_47B327C1 , _WA_Sys_0000001F_47B327C1 , _WA_Sys_00000020_47B327C1 , _WA_Sys_00000021_47B327C1 , _WA_Sys_00000022_47B327C1 , _WA_Sys_00000023_47B327C1 , _WA_Sys_00000024_47B327C1 , _WA_Sys_00000025_47B327C1 , _WA_Sys_00000026_47B327C1 , _WA_Sys_00000027_47B327C1 , _WA_Sys_00000028_47B327C1 , _WA_Sys_00000029_47B327C1 , _WA_Sys_0000002A_47B327C1 , _WA_Sys_0000002B_47B327C1 , _WA_Sys_0000002C_47B327C1 , _WA_Sys_0000002D_47B327C1 , _WA_Sys_0000002E_47B327C1 , _WA_Sys_0000002F_47B327C1 , _WA_Sys_00000030_47B327C1</i>
	<b>Columns:</b>	<b>GED_HS_12</b> Bit NULL , <b>acadstat_cod</b> Varchar(8) NULL , <b>add_addr2</b> Varchar(35) NULL , <b>add_addr</b> Varchar(35) NULL , <b>age</b> Int NULL , <b>camp_cod</b> Varchar(10) NULL , <b>city</b> Varchar(35) NULL , <b>create_dt</b> Date NULL , <b>cum_gpa</b> Float NULL , <b>cum_hours</b> Float NULL , <b>cur_hours</b> Float NULL , <b>date_maint</b> Date NULL , <b>degree_seek</b> Bit NULL , <b>degree_sought</b> Char(35) NULL , <b>dept_cod</b> Char(4) NULL , <b>div_cod</b> Char(2) NULL , <b>edu_rid</b> Char(16) NULL , <b>enroll_data_rid</b> Int NOT NULL , <b>ethnic_cod</b> Char(2) NULL , <b>first_pro</b> Bit NULL , <b>first_time</b> Bit NULL , <b>full_time</b> Bit NULL , <b>gender</b> Char(1) NULL , <b>gpa_dt</b> Date NULL , <b>iped_stat</b> Char(2) NULL , <b>iped_stat_undergrad</b> Int NULL , <b>level</b> Char(1) NULL , <b>mar_cod</b> Char(2) NULL , <b>nonres_alien</b> Bit NULL , <b>operator</b> Char(8) NULL , <b>part_time</b> Bit NULL , <b>prg_cod</b> Varchar(10) NULL , <b>prg_rid</b> Char(16) NULL , <b>prg_sought</b> Char(10) NULL , <b>prg_start_dt</b> Date NULL , <b>res_alien</b> Bit NULL , <b>sch_yr</b> Char(6) NULL , <b>sem_creds</b> Float NULL , <b>sem_gpa</b> Float NULL , <b>semester</b> Char(2) NULL , <b>soc_sec</b> Char(9) NULL , <b>st_addr</b> Varchar(35) NULL , <b>state</b> Char(2) NULL , <b>time_maint</b> Char(8) NULL , <b>transfer</b> Bit NULL , <b>tuit_stat</b> Char(2) NULL , <b>type</b> Varchar(10) NULL , <b>zip</b> Char(10) NULL
<b>ENROLL_DATA_SETUP</b>	<b>Primary Key:</b>	<i>PK_Enroll_Data_Setup_rid (enroll_data_setup_rid)</i>

	<b>Indexes:</b>	<i>PK_Enroll_Data_Setup_rid</i> , <i>_WA_Sys_00000002_499B7033</i> , <i>_WA_Sys_00000003_499B7033</i> , <i>_WA_Sys_00000006_499B7033</i> , <i>_WA_Sys_00000007_499B7033</i> , <i>_WA_Sys_00000009_499B7033</i>
	<b>Columns:</b>	<i>date_maint</i> Date NULL , <i>enroll_data_alt</i> Varchar(250) NULL , <i>enroll_data_alt_not_found</i> Bit NULL , <i>enroll_data_field</i> Varchar(50) NOT NULL , <i>enroll_data_field_desc</i> Varchar(250) NOT NULL , <i>enroll_data_field_full_desc</i> Varchar(300) NULL , <i>enroll_data_override</i> Bit NULL , <i>enroll_data_setup_rid</i> Int NOT NULL , <i>enroll_data_source</i> Varchar(100) NULL , <i>enroll_data_unencrypted_custom_file</i> Varchar(500) NULL , <i>operator</i> Char(8) NULL , <i>time_maint</i> Char(8) NULL
<b>ERROR</b>		
<b>ETHNIC</b>	<b>Primary Key:</b>	<i>PK_ethnic</i> ( <i>ethnic_cod</i> )
	<b>Triggers:</b>	<i>tr_ethnic_cod_D</i> , <i>tr_ethnic_cod_Delete</i>
	<b>Indexes:</b>	<i>PK_ethnic</i> , <i>_WA_Sys_date_maint_7D39791C</i> , <i>_WA_Sys_disabled_7D39791C</i> , <i>_WA_Sys_ethnic_ce1_7D39791C</i> , <i>_WA_Sys_ethnic_ce2_7D39791C</i> , <i>_WA_Sys_ethnic_ce3_7D39791C</i> , <i>_WA_Sys_ethnic_de1_7D39791C</i> , <i>_WA_Sys_ethnic_fe1_7D39791C</i> , <i>_WA_Sys_ethnic_le1_7D39791C</i> , <i>_WA_Sys_ethnic_ne1_7D39791C</i> , <i>_WA_Sys_ethnic_txt_7D39791C</i> , <i>_WA_Sys_operator_7D39791C</i> , <i>_WA_Sys_time_maint_7D39791C</i>
	<b>Columns:</b>	<i>date_maint</i> Date NULL , <i>disabled</i> Bit NULL ( <i>DF_ethnic_disabled</i> - (0)) , <i>ethnic_ce1</i> Char(10) NULL , <i>ethnic_ce2</i> Char(10) NULL , <i>ethnic_ce3</i> Char(20) NULL , <i>ethnic_cod</i> Char(2) NOT NULL , <i>ethnic_de1</i> Date NULL , <i>ethnic_fe1</i> Float NULL , <i>ethnic_grp</i> Int NULL , <i>ethnic_le1</i> Bit NULL ( <i>UW_ZeroDefault</i> - <i>CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <i>ethnic_ne1</i> Int NULL , <i>ethnic_txt</i> Varchar(60) NOT NULL , <i>operator</i> Char(8) NULL , <i>question</i> Varchar(150) NULL , <i>time_maint</i> Char(8) NULL
<b>EVAL_CRSECT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000010_34DF7F18</i> , <i>_WA_Sys_date_maint_34DF7F18</i> , <i>_WA_Sys_disabled_34DF7F18</i> , <i>_WA_Sys_eval_cod_34DF7F18</i> , <i>_WA_Sys_eval_crsect_rid_34DF7F18</i> , <i>_WA_Sys_fac_view_dt_34DF7F18</i> , <i>_WA_Sys_nmeval_ce2_34DF7F18</i> , <i>_WA_Sys_nmeval_ce3_34DF7F18</i> , <i>_WA_Sys_nmeval_de1_34DF7F18</i> , <i>_WA_Sys_nmeval_fe1_34DF7F18</i> , <i>_WA_Sys_operator_34DF7F18</i> , <i>_WA_Sys_sid_34DF7F18</i> , <i>_WA_Sys_start_dt_34DF7F18</i> , <i>_WA_Sys_stop_dt_34DF7F18</i> , <i>_WA_Sys_time_maint_34DF7F18</i>
	<b>Columns:</b>	<i>date_maint</i> Date NULL , <i>disabled</i> Bit NOT NULL ( <i>DF_eval_crss_disab_35D3A351</i> - (0)) , <i>eval_cod</i> Char(10) NULL , <i>eval_crsect_memo</i> Memo NULL , <i>eval_crsect_rid</i> Int NOT NULL , <i>eval_rqd</i> Bit NOT NULL ( <i>DF_eval_crss_eval_3C767F3F</i> - ((0))) , <i>fac_view_dt</i> Date NULL , <i>nmeval_ce2</i> Char(10) NULL , <i>nmeval_ce3</i> Char(20) NULL , <i>nmeval_de1</i> Date NULL , <i>nmeval_fe1</i> Float NULL , <i>operator</i> Char(8) NULL , <i>sid</i> Char(16) NOT NULL , <i>start_dt</i> Date NULL , <i>stop_dt</i> Date NULL , <i>time_maint</i> Char(8) NULL
<b>EVAL_GROUPS</b>		
	<b>Indexes:</b>	<i>_WA_Sys_eval_cod_3203126D</i> , <i>_WA_Sys_eval_groups_rid_3203126D</i> , <i>_WA_Sys_group_sequence_3203126D</i> , <i>_WA_Sys_group_txt_3203126D</i> , <i>_WA_Sys_q_group_3203126D</i>
	<b>Columns:</b>	<i>date_maint</i> Date NULL , <i>eval_cod</i> Char(10) NULL , <i>eval_groups_ce2</i> Char(10) NULL , <i>eval_groups_ce3</i> Char(20) NULL , <i>eval_groups_de1</i> Date NULL , <i>eval_groups_fe1</i> Float NULL , <i>eval_groups_rid</i> Int NOT NULL , <i>group_sequence</i> Int NULL , <i>group_txt</i> Varchar(250) NULL , <i>operator</i> Char(8) NULL , <i>q_group</i> Char(10) NULL , <i>time_maint</i> Char(8) NULL
<b>EVAL_PLANS</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000013_301AC9FB</i> , <i>_WA_Sys_active_301AC9FB</i> , <i>_WA_Sys_date_maint_301AC9FB</i> , <i>_WA_Sys_eval_cod_301AC9FB</i> , <i>_WA_Sys_eval_disable_301AC9FB</i> , <i>_WA_Sys_eval_groups_rid_301AC9FB</i> , <i>_WA_Sys_eval_plans_ce2_301AC9FB</i> , <i>_WA_Sys_eval_plans_ce3_301AC9FB</i> , <i>_WA_Sys_eval_plans_de1_301AC9FB</i> , <i>_WA_Sys_eval_plans_fe1_301AC9FB</i> , <i>_WA_Sys_eval_plans_rid_301AC9FB</i> , <i>_WA_Sys_eval_txt_301AC9FB</i> , <i>_WA_Sys_operator_301AC9FB</i> , <i>_WA_Sys_q_group_301AC9FB</i> , <i>_WA_Sys_q_rid_301AC9FB</i> , <i>_WA_Sys_q_sequence_301AC9FB</i> , <i>_WA_Sys_r_group_301AC9FB</i> , <i>_WA_Sys_time_maint_301AC9FB</i> , <i>_WA_Sys_type_cod_301AC9FB</i>

	<b>Columns:</b>	<b>active</b> <i>Bit</i> NOT NULL ( <i>DF_eval_plan_activ_71496EDA - (0)</i> ) , <b>date_maint</b> <i>Date</i> NULL , <b>eval_cod</b> <i>Char(10)</i> NULL , <b>eval_disable</b> <i>Bit</i> NOT NULL ( <i>DF_eval_plan_eval_310EEE34 - (0)</i> ) , <b>eval_groups_rid</b> <i>Int</i> NULL , <b>eval_plans_ce2</b> <i>Char(10)</i> NULL , <b>eval_plans_ce3</b> <i>Char(20)</i> NULL , <b>eval_plans_de1</b> <i>Date</i> NULL , <b>eval_plans_fe1</b> <i>Float</i> NULL , <b>eval_plans_rid</b> <i>Int</i> NOT NULL , <b>eval_txt</b> <i>Char(50)</i> NULL , <b>instructions</b> <i>Varchar(1500)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>q_group</b> <i>Char(10)</i> NULL , <b>q_rid</b> <i>Int</i> NULL , <b>q_sequence</b> <i>Int</i> NULL , <b>r_group</b> <i>Char(10)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>type_cod</b> <i>Char(2)</i> NULL
<b>EVAL_QUESTIONS</b>		
	<b>Indexes:</b>	<i>_WA_Sys_q_rid_2F26A5C2</i> , <i>_WA_Sys_q_txt_2F26A5C2</i> , <i>_WA_Sys_q_type_2F26A5C2</i> , <i>_WA_Sys_r_set_2F26A5C2</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>eval_questions_ce2</b> <i>Char(10)</i> NULL , <b>eval_questions_ce3</b> <i>Char(20)</i> NULL , <b>eval_questions_de1</b> <i>Date</i> NULL , <b>eval_questions_fe1</b> <i>Float</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>q_rid</b> <i>Int</i> NOT NULL , <b>q_txt</b> <i>Varchar(250)</i> NULL , <b>q_type</b> <i>Char(10)</i> NULL , <b>r_set</b> <i>Char(10)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>EVAL_RESPONSES</b>		
	<b>Indexes:</b>	<i>_WA_Sys_OA_use_32F736A6</i> , <i>_WA_Sys_eval_r_rid_32F736A6</i> , <i>_WA_Sys_r_sequence_32F736A6</i> , <i>_WA_Sys_r_set_32F736A6</i> , <i>_WA_Sys_r_txt_32F736A6</i> , <i>_WA_Sys_r_val_32F736A6</i>
	<b>Columns:</b>	<b>OA_use</b> <i>Bit</i> NOT NULL ( <i>DF_eval_resp_OA_us_7954A4F6 - (0)</i> ) , <b>date_maint</b> <i>Date</i> NULL , <b>eval_r_ce2</b> <i>Char(10)</i> NULL , <b>eval_r_ce3</b> <i>Char(20)</i> NULL , <b>eval_r_de1</b> <i>Date</i> NULL , <b>eval_r_fe1</b> <i>Float</i> NULL , <b>eval_r_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>r_sequence</b> <i>Int</i> NULL , <b>r_set</b> <i>Char(10)</i> NULL , <b>r_txt</b> <i>Char(100)</i> NULL , <b>r_val</b> <i>Int</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>EVENTS</b>	<b>Primary Key:</b>	<i>PK_events (ev_rid)</i>
	<b>Triggers:</b>	<i>tr_Volun_D</i> , <i>tr_volun_Delete</i>
	<b>Indexes:</b>	<i>PK_events</i> , <i>_WA_Sys_ev_cod_2220E508</i> , <i>_WA_Sys_ev_disable_2220E508</i> , <i>_WA_Sys_ev_ldesc_2220E508</i> , <i>_WA_Sys_ev_sdesc_2220E508</i> , <i>_WA_Sys_ev_sp_date_2220E508</i> , <i>_WA_Sys_ev_st_date_2220E508</i> , <i>_WA_Sys_events_ce1_2220E508</i>
	<b>Columns:</b>	<b>IntPL_BIT</b> <i>Bit</i> NOT NULL ( <i>DF_events_IntPL_BI_74FA042D - (0)</i> ) , <b>ev_disable</b> <i>Bit</i> NOT NULL ( <i>DF_events_ev_disable - (0)</i> ) , <b>ev_ldesc</b> <i>Char(150)</i> NULL , <b>ev_rid</b> <i>Int</i> NOT NULL , <b>ev_sdesc</b> <i>Char(35)</i> NULL , <b>ev_sp_date</b> <i>Date</i> NULL , <b>ev_st_date</b> <i>Date</i> NULL , <b>ev_target</b> <i>Decimal</i> NULL , <b>events_ce1</b> <i>Char(10)</i> NULL , <b>events_ce2</b> <i>Char(10)</i> NULL , <b>events_ce3</b> <i>Char(20)</i> NULL , <b>events_de1</b> <i>Date</i> NULL , <b>events_fe1</b> <i>Float</i> NULL , <b>events_le1</b> <i>Bit</i> NULL , <b>events_ne1</b> <i>Int</i> NULL , <b>restricted</b> <i>Bit</i> NOT NULL ( <i>DF_events_restrict_344A823B - (0)</i> )
<b>EVENT_ACTIVITIES</b>		
	<b>Foreign Keys:</b>	<i>FK_event_activities_activity_cod</i>
	<b>Indexes:</b>	<i>_WA_Sys_activity_cod_79A9AAB1</i> , <i>_WA_Sys_do_date_79A9AAB1</i> , <i>_WA_Sys_ev_rid_79A9AAB1</i> , <i>_WA_Sys_timed_79A9AAB1</i>
	<b>Columns:</b>	<b>activity_cod</b> <i>Char(3)</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>do_date</b> <i>Date</i> NOT NULL ( <i>DF_event_act_do_da_7A9DCEEA - ('12/30/1899')</i> ) , <b>ev_rid</b> <i>Int</i> NOT NULL , <b>event_act_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>timed</b> <i>Tinyint</i> NULL
<b>EVNT</b>	<b>Primary Key:</b>	<i>PK_evnt_rid (evnt_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_evnt_type_cod</i>
	<b>Indexes:</b>	<i>PK_evnt_rid</i> , <i>_WA_Sys_0000000A_63EF73BC</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>evnt_cntct</b> <i>Int</i> NULL , <b>evnt_date</b> <i>Date</i> NULL , <b>evnt_memo</b> <i>Varchar(255)</i> NULL , <b>evnt_rid</b> <i>Int</i> NOT NULL , <b>evnt_state</b> <i>Char(2)</i> NULL , <b>evnt_time</b> <i>Char(8)</i> NULL , <b>evnt_type_cod</b> <i>Char(2)</i> NOT NULL , <b>inst_cod</b> <i>Char(16)</i> NULL , <b>location</b> <i>Char(150)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>topic</b> <i>Char(100)</i> NULL
<b>EVNT_TYPE</b>	<b>Primary Key:</b>	<i>PK_evnt_type_cod (evnt_type_cod)</i>
	<b>Indexes:</b>	<i>PK_evnt_type_cod</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>evnt_type_cod</b> <i>Char(2)</i> NOT NULL , <b>evnt_type_rid</b> <i>Int</i> NOT NULL , <b>evnt_type_txt</b> <i>Char(100)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>EXAM_ID_HISTORY</b>		
	<b>Foreign Keys:</b>	<i>FK_exam_id_history_soc_sec</i>
	<b>Indexes:</b>	<i>_WA_Sys_00000001_340B5670</i>

	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>exam_id</b> Char(9) NOT NULL , <b>operator</b> Char(8) NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>FACSAI</b>	<b>Primary Key:</b>	<i>PK_facsal (facsal_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_facsal_facultylevel , FK_facsal_facultytype , FK_facsal_name1</i>
	<b>Indexes:</b>	<i>PK_facsal , WA_Sys_0000001E_3CA9F2BB , WA_Sys_0000001F_3CA9F2BB , WA_Sys_00000023_3CA9F2BB , WA_Sys_00000025_3CA9F2BB , WA_Sys_00000026_3CA9F2BB , WA_Sys_0000002A_3CA9F2BB , WA_Sys_admin_sal_3CA9F2BB , WA_Sys_ann_sal_3CA9F2BB , WA_Sys_appt_stat_3CA9F2BB , WA_Sys_cont_sal_3CA9F2BB , WA_Sys_cont_term_3CA9F2BB , WA_Sys_date_maint_3CA9F2BB , WA_Sys_dept_sal_3CA9F2BB , WA_Sys_facultylevel_cod_3CA9F2BB , WA_Sys_facultytype_cod_3CA9F2BB , WA_Sys_fringe_ben_3CA9F2BB , WA_Sys_gfac_stat_3CA9F2BB , WA_Sys_lim_excp_3CA9F2BB , WA_Sys_max_sal_3CA9F2BB , WA_Sys_offc_sal_3CA9F2BB , WA_Sys_onc_sal_3CA9F2BB , WA_Sys_operator_3CA9F2BB , WA_Sys_oth_sal_3CA9F2BB , WA_Sys_p_cip_3CA9F2BB , WA_Sys_per_emp_3CA9F2BB , WA_Sys_pos_num_3CA9F2BB , WA_Sys_pos_tcod_3CA9F2BB , WA_Sys_ps_sal_3CA9F2BB , WA_Sys_rs_sal_3CA9F2BB , WA_Sys_soc_sec_3CA9F2BB , WA_Sys_src_sal_3CA9F2BB , WA_Sys_ten_stat_3CA9F2BB , WA_Sys_time_maint_3CA9F2BB , WA_Sys_uaf_func_3CA9F2BB , WA_Sys_workload_3CA9F2BB</i>
	<b>Columns:</b>	<b>admin_sal</b> Float NULL , <b>ann_sal</b> Float NULL , <b>appt_date</b> Date NULL , <b>appt_stat</b> Float NULL , <b>cont_sal</b> Float NULL , <b>cont_term</b> Float NULL , <b>cur_sal</b> Bit NOT NULL (DF_facsal_cur_sal_3D94C0AA - (0)) , <b>date_maint</b> Date NULL , <b>dept_sal</b> Float NULL , <b>fac_date</b> Date NULL , <b>facsal_ce1</b> Char(10) NULL , <b>facsal_ce2</b> Char(10) NULL , <b>facsal_ce3</b> Char(20) NULL , <b>facsal_de1</b> Date NULL , <b>facsal_fe1</b> Float NULL , <b>facsal_le1</b> Bit NULL , <b>facsal_ne1</b> Int NULL , <b>facsal_rid</b> Int NOT NULL , <b>facultylevel_cod</b> Char(2) NULL , <b>facultytype_cod</b> Char(2) NULL , <b>fringe_ben</b> Float NULL , <b>gfac_stat</b> Float NULL , <b>lim_excp</b> Float NULL , <b>max_sal</b> Float NULL , <b>memo</b> Memo NULL , <b>offc_sal</b> Float NULL , <b>onc_sal</b> Float NULL , <b>operator</b> Char(8) NULL , <b>oth_sal</b> Float NULL , <b>p_cip</b> Float NULL , <b>per_emp</b> Float NULL , <b>pos_num</b> Float NULL , <b>pos_tcod</b> Float NULL , <b>ps_sal</b> Float NULL , <b>rs_sal</b> Float NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>src_sal</b> Float NULL , <b>ten_date</b> Date NULL , <b>ten_stat</b> Float NULL , <b>time_maint</b> Char(8) NULL , <b>uaf_func</b> Float NULL , <b>workload</b> Float NULL
<b>FACTS_MAPPING</b>	<b>Primary Key:</b>	<i>PK_FACTS_mapping (facts_mapping_id)</i>
	<b>Foreign Keys:</b>	<i>FK_FACTS_mapping_full_tcodes , FK_FACTS_mapping_monthly_tcodes , FK_FACTS_mapping_semester</i>
	<b>Indexes:</b>	<i>PK_FACTS_mapping</i>
	<b>Columns:</b>	<b>FACTS_mapping_ce1</b> Char(10) NULL , <b>FACTS_mapping_ce2</b> Char(10) NULL , <b>FACTS_mapping_ce3</b> Char(20) NULL , <b>FACTS_mapping_de1</b> Date NULL , <b>FACTS_mapping_fe1</b> Float NULL , <b>FACTS_mapping_le1</b> Bit NULL (DF_FACTS_map_FACTS_6088F72C - (0)) , <b>FACTS_mapping_ne1</b> Int NULL , <b>date_maint</b> Date NULL , <b>facts_mapping_id</b> Int NOT NULL , <b>full_id</b> Char(5) NOT NULL , <b>full_tcodes</b> Char(2) NOT NULL , <b>import_sch_yr</b> Char(6) NOT NULL , <b>monthly_id</b> Char(5) NOT NULL , <b>monthly_tcodes</b> Char(2) NOT NULL , <b>operator</b> Char(8) NULL , <b>semester</b> Char(2) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>FACULTY</b>	<b>Primary Key:</b>	<i>PK_faculty (soc_sec)</i>
	<b>Foreign Keys:</b>	<i>FK_faculty_degree , FK_faculty_name</i>
	<b>Triggers:</b>	<i>tr_adv_ssn2_D , tr_adv_ssn2_Delete , tr_adv_ssn_D , tr_adv_ssn_Delete</i>
	<b>Indexes:</b>	<i>PK_faculty , WA_Sys_advisor_1AE9D794 , WA_Sys_avl_lead_1AE9D794 , WA_Sys_degree_1AE9D794 , WA_Sys_faculty_ce1_1AE9D794 , WA_Sys_inactive_1AE9D794</i>
	<b>Columns:</b>	<b>advisor</b> Bit NULL , <b>avl_inst</b> Bit NULL , <b>avl_int</b> Bit NULL , <b>avl_lead</b> Bit NULL , <b>class_hrs</b> Float NULL , <b>clin_hrs</b> Float NULL , <b>comm_hrs</b> Float NULL , <b>date_maint</b> Date NULL , <b>degree</b> Char(35) NULL , <b>emp_class</b> Float NULL , <b>emp_type</b> Float NULL , <b>excl_conflict</b> Bit NOT NULL (DF_faculty_excl_co_38F0071E - (0)) , <b>faculty_ce1</b> Char(10) NULL , <b>faculty_ce2</b> Char(10) NULL , <b>faculty_ce3</b> Char(20) NULL , <b>faculty_de1</b> Date NULL , <b>faculty_fe1</b> Float NULL , <b>faculty_le1</b> Bit NULL , <b>faculty_ne1</b> Int NULL , <b>field_of_study</b> Varchar(100) NOT NULL (DF_faculty_field_o_50087640 - (' ')) , <b>hire_date</b> Date NULL , <b>hrs_week</b> Float NULL , <b>inactive</b> Bit NULL , <b>notes</b> Memo NULL , <b>office_hrs</b> Memo NULL , <b>operator</b> Char(8) NULL , <b>other_hrs</b> Float NULL , <b>position</b> Char(35) NULL , <b>prep_hrs</b> Float NULL , <b>recruiter</b> Bit NULL



		, <b>soc_sec</b> Char(9) NOT NULL , <b>tenure</b> Bit NOT NULL (DF_faculty_tenure_4D2C09F5 - ('0')) , <b>tenured_date</b> Date NOT NULL (DF_faculty_tenured_4E202E2E - ('12/30/1899')) , <b>time_maint</b> Char(8) NULL , <b>timestamp_column</b> Timestamp NULL
<b>FACULTYLEVEL</b>	<b>Primary Key:</b>	PK_facultylevel (facultylevel_cod)
	<b>Indexes:</b>	PK_facultylevel , _WA_Sys_disabled_3608AD7B
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>disabled</b> Bit NOT NULL (DF_facultyle_disab_36FCD1B4 - (0)) , <b>facultylevel_ce1</b> Char(10) NULL , <b>facultylevel_ce2</b> Char(10) NULL , <b>facultylevel_ce3</b> Char(20) NULL , <b>facultylevel_cod</b> Char(2) NOT NULL , <b>facultylevel_de1</b> Date NULL , <b>facultylevel_fe1</b> Real NULL , <b>facultylevel_txt</b> Varchar(50) NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>FACULTYTYPE</b>	<b>Primary Key:</b>	PK_FacultyType (facultytype_cod)
	<b>Indexes:</b>	PK_FacultyType , _WA_Sys_disabled_58BCECDB , _WA_Sys_facultytype_ce1_58BCECDB , _WA_Sys_facultytype_txt_58BCECDB
	<b>Columns:</b>	<b>disabled</b> Bit NULL , <b>facultytype_ce1</b> Char(10) NULL , <b>facultytype_ce2</b> Char(10) NULL , <b>facultytype_ce3</b> Char(20) NULL , <b>facultytype_cod</b> Char(2) NOT NULL (DF_facultyty_facul_59B11114 - ('AD')) , <b>facultytype_de1</b> Date NULL , <b>facultytype_fe1</b> Float NULL , <b>facultytype_le1</b> Bit NULL , <b>facultytype_ne1</b> Int NULL , <b>facultytype_txt</b> Char(20) NOT NULL
<b>FADATE</b>	<b>Primary Key:</b>	PK_FADate (FADate_rid)
	<b>Foreign Keys:</b>	FK_FADATE_FADATE_type
	<b>Indexes:</b>	PK_FADate , _WA_Sys_00000002_5A860513 , _WA_Sys_00000003_5A860513 , _WA_Sys_00000004_5A860513 , _WA_Sys_00000005_5A860513
	<b>Columns:</b>	<b>FADate_ce1</b> Char(10) NULL , <b>FADate_ce2</b> Char(20) NULL , <b>FADate_ce3</b> Char(30) NULL , <b>FADate_de1</b> Date NULL , <b>FADate_fe1</b> Float NULL , <b>FADate_le1</b> Bit NULL , <b>FADate_ne1</b> Float NULL , <b>FADate_rid</b> Int NOT NULL , <b>FADate_type</b> Char(2) NOT NULL , <b>date</b> Date NOT NULL (DF_FADate_date_5B7A294C - ('12/30/1899')) , <b>date_maint</b> Date NULL , <b>disable</b> Bit NOT NULL (DF_FADate_disable_5C6E4D85 - (0)) , <b>operator</b> Char(8) NULL , <b>sch_yr</b> Char(6) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>FADATE_TYPE</b>	<b>Primary Key:</b>	PK_FADate_Type (FADate_type)
	<b>Indexes:</b>	PK_FADate_Type , _WA_Sys_00000002_5E5695F7 , _WA_Sys_disable_5E5695F7
	<b>Columns:</b>	<b>FADate_type</b> Char(2) NOT NULL , <b>FADate_type_ce1</b> Char(10) NULL , <b>FADate_type_ce2</b> Char(20) NULL , <b>FADate_type_ce3</b> Char(30) NULL , <b>FADate_type_de1</b> Date NULL , <b>FADate_type_fe1</b> Float NULL , <b>FADate_type_le1</b> Bit NULL , <b>FADate_type_ne1</b> Float NULL , <b>FADate_type_txt</b> Varchar(25) NOT NULL , <b>date_maint</b> Date NULL , <b>disable</b> Bit NOT NULL (DF_FADate_Ty_disab_5F4ABA30 - (0)) , <b>operator</b> Char(8) NULL , <b>sortorder</b> Int NOT NULL (DF_FADate_Ty_sorto_603EDE69 - (0)) , <b>time_maint</b> Char(8) NULL
<b>FDBATCHNUM</b>	<b>Primary Key:</b>	PK_fdbatchnum (fdbatchnum_rid)
	<b>Foreign Keys:</b>	FK_fdbatchnum_fdtcodes
	<b>Indexes:</b>	PK_fdbatchnum , _WA_Sys_00000002_0762CD2B , _WA_Sys_00000003_0762CD2B
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>fdbatchnum</b> Char(18) NULL , <b>fdbatchnum_ce1</b> Char(10) NULL , <b>fdbatchnum_ce2</b> Char(10) NULL , <b>fdbatchnum_ce3</b> Char(10) NULL , <b>fdbatchnum_de1</b> Date NULL , <b>fdbatchnum_fe1</b> Float NULL , <b>fdbatchnum_le1</b> Bit NULL , <b>fdbatchnum_ne1</b> Int NULL , <b>fdbatchnum_rid</b> Int NOT NULL , <b>fdtcodes</b> Char(2) NULL , <b>operator</b> Char(8) NULL , <b>post_date</b> Date NULL , <b>pstd_2gl</b> Bit NOT NULL (DF_fdbatchnu_pstd_0856F164 - (0)) , <b>time_maint</b> Char(8) NULL , <b>total_amt</b> Float NULL
<b>FD_ACTMAP</b>	<b>Primary Key:</b>	PK_fd_actmap (fd_actmap_id)
	<b>Foreign Keys:</b>	FK_fd_actmap_fdtcodes
	<b>Indexes:</b>	PK_fd_actmap , _WA_Sys_00000003_03923C47 , _WA_Sys_0000000B_03923C47

	<b>Columns:</b>	<b>account</b> Char(30) NULL , <b>acct_act_code</b> Char(2) NULL , <b>acct_dept</b> Char(8) NULL , <b>act_txt</b> Char(30) NULL , <b>amount</b> Float NULL , <b>bb_percent</b> Float NULL , <b>bb_project_no</b> Char(30) NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NOT NULL (DF_fd_actmap_disab_04866080 - (0)) , <b>fd_actmap_ce1</b> Char(10) NULL , <b>fd_actmap_ce2</b> Char(10) NULL , <b>fd_actmap_ce3</b> Char(10) NULL , <b>fd_actmap_de1</b> Date NULL , <b>fd_actmap_fe1</b> Float NULL , <b>fd_actmap_id</b> Int NOT NULL , <b>fd_actmap_le1</b> Bit NULL , <b>fd_actmap_ne1</b> Int NULL , <b>fdtcodes</b> Char(2) NULL , <b>fund_id</b> Char(4) NULL , <b>operator</b> Char(8) NULL , <b>project</b> Char(40) NULL , <b>source</b> Char(30) NULL , <b>time_maint</b> Char(8) NULL , <b>version</b> Char(2) NULL
<b>FD_TCODES</b>	<b>Primary Key:</b>	<b>PK_fd_tcodes</b> (fdtcodes)
	<b>Indexes:</b>	<b>PK_fd_tcodes</b> , <b>_WA_Sys_disabled</b> 74E42A3D , <b>_WA_Sys_fdact_code</b> 74E42A3D , <b>_WA_Sys_fddescript</b> 74E42A3D , <b>_WA_Sys_fdreq_pldg</b> 74E42A3D
	<b>Columns:</b>	<b>IntPL_BIT</b> Bit NOT NULL (DF_fd_tcodes_IntPL_75EE2866 - (0)) , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL (DF_fd_tcodes_disabled - (0)) , <b>fd_tcodes_ce1</b> Char(10) NULL , <b>fd_tcodes_ce2</b> Char(10) NULL , <b>fd_tcodes_ce3</b> Char(20) NULL , <b>fd_tcodes_de1</b> Date NULL , <b>fd_tcodes_fe1</b> Float NULL , <b>fd_tcodes_le1</b> Bit NULL , <b>fd_tcodes_ne1</b> Int NULL , <b>fdact_code</b> Char(1) NULL , <b>fddescript</b> Char(22) NULL , <b>fdreq_pldg</b> Bit NOT NULL (DF_fd_tcodes_fdreq_pldg - (0)) , <b>fdtcodes</b> Char(2) NOT NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>FD_TMPTRACT</b>		
	<b>Indexes:</b>	<b>WA_Sys</b> 00000001 78B4BB21
	<b>Columns:</b>	<b>ac_sem</b> Char(50) NULL , <b>ac_year</b> Char(50) NULL , <b>addr</b> Char(50) NULL , <b>amt_1</b> Float NULL , <b>balance</b> Float NULL , <b>bill_memo</b> Memo NULL , <b>check_no</b> Char(30) NULL , <b>csz</b> Char(254) NULL , <b>date_maint</b> Date NULL , <b>due_date</b> Date NULL , <b>ev_rid</b> Int NULL , <b>fd_tmpract_ce1</b> Char(10) NULL , <b>fd_tmpract_ce2</b> Char(10) NULL , <b>fd_tmpract_ce3</b> Char(20) NULL , <b>fd_tmpract_de1</b> Date NULL , <b>fd_tmpract_fe1</b> Float NULL , <b>fd_tmpract_le1</b> Bit NULL , <b>fd_tmpract_ne1</b> Int NULL , <b>invoice_no</b> Char(16) NULL , <b>name</b> Char(254) NULL , <b>operator</b> Char(8) NULL , <b>payments</b> Float NULL , <b>pledges</b> Float NULL , <b>posted</b> Bit NULL , <b>ref_id</b> Char(35) NULL , <b>sch_addr1</b> Char(254) NULL , <b>sch_addr2</b> Char(254) NULL , <b>sch_addr3</b> Char(254) NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>time_maint</b> Char(8) NULL , <b>timestamp_column</b> 173 - 8 NULL , <b>token</b> Char(16) NULL , <b>trans_date</b> Date NULL
<b>FD_TRANS</b>	<b>Primary Key:</b>	<b>PK_fd_trans</b> (fdtrans_no)
	<b>Foreign Keys:</b>	<b>FK_FD_trans_name</b> , <b>FK_fd_trans_events</b> , <b>FK_fd_trans_funds_cod</b>
	<b>Indexes:</b>	<b>PK_fd_trans</b> , <b>_WA_Sys_FD_mem</b> 3BE0B70B , <b>_WA_Sys_date</b> 3BE0B70B , <b>_WA_Sys_date_maint</b> 3BE0B70B , <b>_WA_Sys_ev_cod</b> 3BE0B70B , <b>_WA_Sys_fd_trans_ce1</b> 3BE0B70B , <b>_WA_Sys_fd_trans_ce2</b> 3BE0B70B , <b>_WA_Sys_fd_trans_ce3</b> 3BE0B70B , <b>_WA_Sys_fd_trans_de1</b> 3BE0B70B , <b>_WA_Sys_fd_trans_fe1</b> 3BE0B70B , <b>_WA_Sys_fd_trans_le1</b> 3BE0B70B , <b>_WA_Sys_fd_trans_ne1</b> 3BE0B70B , <b>_WA_Sys_fdaccept</b> 3BE0B70B , <b>_WA_Sys_fdamt_1</b> 3BE0B70B , <b>_WA_Sys_fdanonymous</b> 3BE0B70B , <b>_WA_Sys_fdbatchnum</b> 3BE0B70B , <b>_WA_Sys_fdcheck_no</b> 3BE0B70B , <b>_WA_Sys_fddescript</b> 3BE0B70B , <b>_WA_Sys_fdinvoice_no</b> 3BE0B70B , <b>_WA_Sys_fdmatrix_id</b> 3BE0B70B , <b>_WA_Sys_fdoffered</b> 3BE0B70B , <b>_WA_Sys_fdpay_sequ</b> 3BE0B70B , <b>_WA_Sys_fdpayments</b> 3BE0B70B , <b>_WA_Sys_fdpaid</b> 3BE0B70B , <b>_WA_Sys_fdpstd_2gl</b> 3BE0B70B , <b>_WA_Sys_fdreceived</b> 3BE0B70B , <b>_WA_Sys_fdtcodes</b> 3BE0B70B , <b>_WA_Sys_funds_cod</b> 3BE0B70B , <b>_WA_Sys_operator</b> 3BE0B70B , <b>_WA_Sys_pledge_date</b> 3BE0B70B , <b>_WA_Sys_recpt_print</b> 3BE0B70B , <b>_WA_Sys_recpt_print_date</b> 3BE0B70B , <b>_WA_Sys_soc_sec</b> 3BE0B70B , <b>_WA_Sys_time_maint</b> 3BE0B70B , <b>_WA_Sys_year</b> 3BE0B70B
	<b>Columns:</b>	<b>FD_mem</b> Varchar(500) NULL , <b>date</b> Date NULL , <b>date_maint</b> Date NULL , <b>ev_rid</b> Int NULL , <b>fd_trans_ce1</b> Char(10) NULL , <b>fd_trans_ce2</b> Char(10) NULL , <b>fd_trans_ce3</b> Char(20) NULL , <b>fd_trans_de1</b> Date NULL , <b>fd_trans_fe1</b> Float NULL , <b>fd_trans_le1</b> Bit NULL , <b>fd_trans_ne1</b> Int NULL , <b>fdaccept</b> Char(1) NOT NULL (DF_fd_trans_fdaccept - (0)) , <b>fdamt_1</b> Money NULL (DF_fd_trans_fdamt_1 - (0)) , <b>fdanonymous</b> Bit NOT NULL (DF_fd_trans_fdanonymous - (0)) , <b>fdbatchnum</b> Char(18) NULL , <b>fdcheck_no</b> Varchar(100) NULL (DF_fd_trans_fdcheck_no - ('')) , <b>fddescript</b> Char(35) NOT NULL , <b>fdinvoice_no</b> Char(16) NULL , <b>fdmatrix_id</b> Char(6) NULL , <b>fdoffered</b> Money NULL (DF_fd_trans_fdoffered - (0)) , <b>fdpay_sequ</b> Char(2) NULL (DF_fd_trans_fdpay_sequ - (0)) , <b>fdpayments</b> Money NULL (DF_fd_trans_fdpayments - (0)) , <b>fdposted</b> Bit NOT NULL (DF_fd_trans_fdpaid - (0)) , <b>fdpstd_2gl</b> Bit NOT NULL

		(DF_fd_trans_fdpstd_029E180E - (0)), fdreceived Money NULL (DF_fd_trans_fdreceived - (0)), fdtcodes Char(2) NOT NULL, fdtrans_no Int NOT NULL, funds_cod Char(3) NOT NULL (DF_fd_trans_funds_38C51E95 - ('GEN')), memo Memo NULL, operator Char(8) NOT NULL, pledge_date Date NULL, recpt_print Bit NOT NULL (DF_fd_trans_recpt_4FA883ED - (0)), recpt_print_date Date NULL, soc_sec Char(9) NOT NULL, time_maint Char(8) NOT NULL, year Char(4) NULL
<b>FEES</b>	<b>Primary Key:</b>	PK_fees (fees_rid)
	<b>Foreign Keys:</b>	FK_fees_course, FK_fees_tcodes
	<b>Indexes:</b>	PK_fees, _WA_Sys_date_maint_4E9398CC, _WA_Sys_fee_amnt_4E9398CC, _WA_Sys_fees_rid_4E9398CC, _WA_Sys_operator_4E9398CC, _WA_Sys_tcodes_4E9398CC, _WA_Sys_time_maint_4E9398CC, crs_id
	<b>Columns:</b>	crs_id Char(16) NOT NULL, date_maint Date NULL, descript Char(50) NULL, fee_amnt Float NULL, fees_ce1 Char(10) NULL, fees_ce2 Char(10) NULL, fees_ce3 Char(20) NULL, fees_de1 Date NULL, fees_fe1 Float NULL, fees_le1 Bit NULL, fees_ne1 Int NULL, fees_rid Char(16) NOT NULL, operator Char(8) NULL, tcodes Char(2) NOT NULL, time_maint Char(8) NULL
<b>FEESEC</b>	<b>Primary Key:</b>	PK_feessec (feessecrid)
	<b>Foreign Keys:</b>	FK_feessec_crssect, FK_feessec_tcodes
	<b>Indexes:</b>	PK_feessec, _WA_Sys_fee_amnt_4F87BD05, _WA_Sys_feessecrid_4F87BD05, _WA_Sys_sid_4F87BD05, _WA_Sys_tcodes_4F87BD05
	<b>Columns:</b>	date_maint Date NULL, descript Char(50) NULL, fee_amnt Float NULL, feessec_ce1 Char(10) NULL, feessec_ce2 Char(10) NULL, feessec_ce3 Char(20) NULL, feessec_de1 Date NULL, feessec_fe1 Float NULL, feessec_le1 Bit NULL, feessec_ne1 Int NULL, feessecrid Char(16) NOT NULL, operator Char(8) NULL, sid Char(16) NOT NULL, tcodes Char(2) NOT NULL, time_maint Char(8) NULL
<b>FINAIDIMPORT</b>	<b>Primary Key:</b>	PK_fin_rid (fin_rid)
	<b>Indexes:</b>	PK_fin_rid, _WA_Sys_0000000B_3687D068, _WA_Sys_awd_cod_3687D068, _WA_Sys_disbursement_amt_3687D068, _WA_Sys_sch_yr_3687D068, _WA_Sys_soc_sec_3687D068, _WA_Sys_ssn_3687D068, _WA_Sys_status_3687D068
	<b>Columns:</b>	POE_name Char(15) NULL, POE_token Char(6) NULL, awd_cod Char(8) NULL, disburse_no Int NULL, disbursement_amt Float NULL, fin_rid Int NOT NULL, finaidimport_ce1 Char(10) NULL, finaidimport_ce2 Char(10) NULL, finaidimport_ce3 Char(20) NULL, finaidimport_de1 Date NULL, finaidimport_fe1 Float NULL, finaidimport_le1 Bit NULL, finaidimport_ne1 Int NULL, first_name Char(30) NULL, last_name Char(30) NULL, loan_fees Float NULL, offered Float NULL, posted Char(1) NULL, pstd_2gl Char(1) NULL, ref_id Char(35) NULL, sch_yr Char(8) NULL, semester Char(8) NULL, soc_sec Char(9) NOT NULL, ssn Char(9) NULL, status Char(1) NULL, trans_no Char(16) NULL
<b>FINAIDSEM</b>	<b>Primary Key:</b>	PK_finaidsem (finaidsem_rid)
	<b>Indexes:</b>	IX_finaidsem, PK_finaidsem, _WA_Sys_00000003_57DDD73B, _WA_Sys_00000004_57DDD73B, _WA_Sys_0000000C_57DDD73B, _WA_Sys_disabled_57DDD73B
	<b>Columns:</b>	POE_token Int NULL, date_maint Date NULL, disabled Bit NULL (DF_finaidsem_disabled - (0)), finaidsem_ce1 Char(10) NULL, finaidsem_ce2 Char(10) NULL, finaidsem_ce3 Char(20) NULL, finaidsem_de1 Date NULL, finaidsem_fe1 Float NULL, finaidsem_le1 Bit NULL, finaidsem_ne1 Int NULL, finaidsem_rid Int NOT NULL, operator Char(8) NULL, sch_yr Char(6) NULL, semester Char(2) NULL, sm_desc Char(10) NULL, smend_dt Date NULL, smst_dt Date NULL, time_maint Char(8) NULL
<b>FINAIDYEAR</b>		
	<b>Indexes:</b>	_WA_Sys_finaidyear_rid_5ABA43E6
	<b>Columns:</b>	date_maint Date NULL, divider Int NULL, finaidyear_ce1 Char(10) NULL, finaidyear_ce2 Char(10) NULL, finaidyear_ce3 Char(20) NULL, finaidyear_de1 Date NULL, finaidyear_fe1 Float NULL, finaidyear_le1 Bit NULL, finaidyear_ne1 Int NULL, finaidyear_rid Int NOT NULL, operator Char(8) NULL, sem1 Char(2) NULL, sem2 Char(2) NULL, sem3 Char(2) NULL, sem4 Char(2) NULL, time_maint Char(8) NULL, yr_profile Char(4) NOT NULL
<b>FLATAFF</b>	<b>Primary Key:</b>	PK_FLATAFF_rid (FLATAFF_rid)

	<b>Foreign Keys:</b>	<i>FK_FLATAFF_affiliation , FK_FLATAFF_flatfee , FK_FLATAFF_tcodes</i>
	<b>Indexes:</b>	<i>PK_FLATAFF_rid , _WA_Sys_00000010_47B25C6A , _WA_Sys_affiliation_cod_47B25C6A , _WA_Sys_disabled_47B25C6A , _WA_Sys_flatfee_rid_47B25C6A</i>
	<b>Columns:</b>	<b>FLATAFF_ce1</b> Char(10) NULL , <b>FLATAFF_ce2</b> Char(10) NULL , <b>FLATAFF_ce3</b> Char(20) NULL , <b>FLATAFF_de1</b> Date NULL , <b>FLATAFF_fe1</b> Float NULL , <b>FLATAFF_le1</b> Bit NULL , <b>FLATAFF_ne1</b> Int NULL , <b>FLATAFF_rid</b> Int NOT NULL , <b>affiliation_cod</b> Char(2) NOT NULL , <b>amount</b> Float NOT NULL ( <i>DF_FLATAFF_amount_48A680A3 - (0)</i> ) , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL , <b>flatfee_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>tcodes</b> Char(2) NOT NULL ( <i>DF_FLATAFF_tcodes_14BCC849 - ('AW')</i> ) , <b>time_maint</b> Char(8) NULL
<b>FLATFEE</b>	<b>Primary Key:</b>	<i>PK_flatfee (flatfee_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_flatfee_campus , FK_flatfee_dept , FK_flatfee_division , FK_flatfee_level_ , FK_flatfee_tcodes</i>
	<b>Indexes:</b>	<i>PK_flatfee , _WA_Sys_camp_cod_5A9A4855 , _WA_Sys_credfrom_5A9A4855 , _WA_Sys_credto_5A9A4855 , _WA_Sys_date_maint_5A9A4855 , _WA_Sys_dept_cod_5A9A4855 , _WA_Sys_div_cod_5A9A4855 , _WA_Sys_flatfee_ce1_5A9A4855 , _WA_Sys_flatfee_ce2_5A9A4855 , _WA_Sys_flatfee_ce3_5A9A4855 , _WA_Sys_flatfee_de1_5A9A4855 , _WA_Sys_flatfee_fe1_5A9A4855 , _WA_Sys_flatfee_le1_5A9A4855 , _WA_Sys_flatfee_ne1_5A9A4855 , _WA_Sys_flatfee_txt_5A9A4855 , _WA_Sys_level_5A9A4855 , _WA_Sys_nonres_cost_5A9A4855 , _WA_Sys_operator_5A9A4855 , _WA_Sys_tcodes_5A9A4855 , _WA_Sys_time_maint_5A9A4855</i>
	<b>Columns:</b>	<b>camp_cod</b> Char(10) NULL , <b>credfrom</b> Float NULL , <b>credto</b> Float NULL , <b>date_maint</b> Date NULL , <b>dept_cod</b> Char(4) NULL , <b>div_cod</b> Char(2) NULL , <b>flatfee_ce1</b> Char(10) NULL , <b>flatfee_ce2</b> Char(10) NULL , <b>flatfee_ce3</b> Char(20) NULL , <b>flatfee_de1</b> Date NULL , <b>flatfee_fe1</b> Float NULL , <b>flatfee_le1</b> Bit NULL , <b>flatfee_ne1</b> Int NULL , <b>flatfee_rid</b> Int NOT NULL , <b>flatfee_txt</b> Char(50) NULL , <b>level</b> Char(1) NULL , <b>nonres_cost</b> Float NULL , <b>operator</b> Char(8) NULL , <b>tcodes</b> Char(2) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>FLATFEE_FILTER</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000001_1CB2EFCC</i>
	<b>Columns:</b>	<b>camp_flag</b> Bit NULL ( <i>DF_flatfee_f_camp_1DA71405 - (1)</i> ) , <b>dept_flag</b> Bit NULL ( <i>DF_flatfee_f_dept_1E9B383E - (1)</i> ) , <b>div_flag</b> Bit NULL ( <i>DF_flatfee_f_div_f_1F8F5C77 - (1)</i> ) , <b>flatfee_filter_rid</b> Int NOT NULL , <b>level_flag</b> Bit NULL ( <i>DF_flatfee_f_level_208380B0 - (1)</i> )
<b>FORUM_POST</b>	<b>Primary Key:</b>	<i>PK_forum_post (post_id)</i>
	<b>Foreign Keys:</b>	<i>FK_forum_post_forum_topic , FK_forum_post_name</i>
	<b>Indexes:</b>	<i>PK_forum_post , _WA_Sys_hide_78758F56 , _WA_Sys_soc_sec_78758F56 , _WA_Sys_topic_id_78758F56</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>forum_post_ce1</b> Char(10) NULL , <b>forum_post_ce2</b> Char(10) NULL , <b>forum_post_ce3</b> Char(20) NULL , <b>forum_post_de1</b> Date NULL , <b>forum_post_fe1</b> Float NULL , <b>forum_post_le1</b> Bit NULL , <b>forum_post_ne1</b> Int NULL , <b>hide</b> Bit NOT NULL ( <i>DF_forum_post_hide_3E9DF37C - (0)</i> ) , <b>last_update</b> Date NULL , <b>operator</b> Char(8) NULL , <b>post_date</b> Date NULL , <b>post_disabled</b> Bit NULL , <b>post_id</b> Int NOT NULL , <b>post_txt</b> Memo NULL , <b>soc_sec</b> Char(9) NULL , <b>time_maint</b> Char(8) NULL , <b>topic_id</b> Int NOT NULL
<b>FORUM_TOPIC</b>	<b>Primary Key:</b>	<i>PK_forum_topic (topic_id)</i>
	<b>Indexes:</b>	<i>PK_forum_topic , _WA_Sys_disabled_768D46E4 , _WA_Sys_sid_768D46E4</i>
	<b>Columns:</b>	<b>author</b> Char(45) NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NOT NULL ( <i>DF_forum_top_disab_3CB5AB0A - (0)</i> ) , <b>forum_topic_ce1</b> Char(10) NULL , <b>forum_topic_ce2</b> Char(10) NULL , <b>forum_topic_ce3</b> Char(20) NULL , <b>forum_topic_de1</b> Date NULL , <b>forum_topic_fe1</b> Float NULL , <b>forum_topic_le1</b> Bit NULL , <b>forum_topic_ne1</b> Int NULL , <b>last_post</b> Date NULL , <b>last_post_author</b> Char(45) NULL , <b>last_post_id</b> Int NULL , <b>operator</b> Char(8) NULL , <b>replies</b> Int NULL , <b>sid</b> Char(16) NULL , <b>time_maint</b> Char(8) NULL , <b>topic_disabled</b> Bit NULL , <b>topic_id</b> Int NOT NULL , <b>topic_txt</b> Char(75) NULL , <b>view_only</b> Bit NOT NULL ( <i>DF_forum_top_view_3DA9CF43 - (0)</i> ) , <b>views</b> Int NULL
<b>FUNDS</b>	<b>Primary Key:</b>	<i>PK_funds_cod (funds_cod)</i>
	<b>Indexes:</b>	<i>PK_funds_cod , _WA_Sys_00000003_34006978</i>

	<b>Columns:</b>	<b>IntrntBit</b> Bit NOT NULL (DF_funds_intrntBit_09F52113 - (0)), <b>disabled</b> Bit NOT NULL (DF_funds_disabled_36DCD623 - (0)), <b>funds_ce1</b> Char(10) NULL, <b>funds_ce2</b> Char(10) NULL, <b>funds_ce3</b> Char(20) NULL, <b>funds_cod</b> Char(3) NOT NULL (DF_funds_funds_cod_34F48DB1 - ('GEN')), <b>funds_de1</b> Date NULL, <b>funds_fe1</b> Float NULL, <b>funds_le1</b> Bit NULL, <b>funds_ne1</b> Int NULL, <b>funds_txt</b> Char(20) NOT NULL (DF_funds_funds_txt_35E8B1EA - ('General Fund'))
<b>GENDER</b>	<b>Primary Key:</b>	<b>PK_gender</b> (gender_cod)
	<b>Triggers:</b>	tr_gender_Delete, tr_gender_cod_D
	<b>Indexes:</b>	<b>PK_gender</b> , <b>_WA_Sys_disabled_0015E5C7</b> , <b>_WA_Sys_gender_txt_0015E5C7</b>
	<b>Columns:</b>	<b>disabled</b> Bit NULL (DF_gender_disabled - (0)), <b>gender_ce1</b> Char(10) NULL, <b>gender_ce2</b> Char(10) NULL, <b>gender_ce3</b> Char(20) NULL, <b>gender_cod</b> Char(1) NOT NULL (DF_gender_gender_c_055A8928 - ('U')), <b>gender_de1</b> Date NULL, <b>gender_fe1</b> Float NULL, <b>gender_le1</b> Bit NULL, <b>gender_ne1</b> Int NULL, <b>gender_txt</b> Char(6) NOT NULL
<b>GIVING_LEVEL</b>	<b>Primary Key:</b>	<b>PK_giving_level</b> (giving_level)
	<b>Triggers:</b>	tr_giving_level_D, tr_giving_level_Delete
	<b>Indexes:</b>	<b>PK_giving_level</b> , <b>_WA_Sys_00000002_2D536BE9</b> , <b>_WA_Sys_0000000A_2D536BE9</b> , <b>_WA_Sys_0000000B_2D536BE9</b> , <b>_WA_Sys_0000000C_2D536BE9</b> , <b>_WA_Sys_0000000D_2D536BE9</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NOT NULL (DF_giving_le_disab_2F3BB45B - (0)), <b>from_amt</b> Money NULL, <b>from_dt</b> Date NULL, <b>giving_level</b> Char(30) NOT NULL (DF_giving_le_givin_2E479022 - ('No Data')), <b>giving_level_ce1</b> Char(10) NULL, <b>giving_level_ce2</b> Char(10) NULL, <b>giving_level_ce3</b> Char(20) NULL, <b>giving_level_de1</b> Date NULL, <b>giving_level_fe1</b> Float NULL, <b>giving_level_le1</b> Bit NULL, <b>giving_level_ne1</b> Int NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL, <b>to_amt</b> Money NULL, <b>to_dt</b> Date NULL
<b>GRADES</b>	<b>Primary Key:</b>	<b>PK_grades</b> (grade)
	<b>Indexes:</b>	<b>PK_grades</b> , <b>_WA_Sys_date_maint_02F25272</b> , <b>_WA_Sys_disabled_02F25272</b> , <b>_WA_Sys_excl_fac_02F25272</b> , <b>_WA_Sys_grade_idx_02F25272</b> , <b>_WA_Sys_grades_ce1_02F25272</b> , <b>_WA_Sys_grades_ce2_02F25272</b> , <b>_WA_Sys_grades_ce3_02F25272</b> , <b>_WA_Sys_grades_de1_02F25272</b> , <b>_WA_Sys_grades_fe1_02F25272</b> , <b>_WA_Sys_grades_le1_02F25272</b> , <b>_WA_Sys_grades_ne1_02F25272</b> , <b>_WA_Sys_high_02F25272</b> , <b>_WA_Sys_incomp_grd_02F25272</b> , <b>_WA_Sys_low_02F25272</b> , <b>_WA_Sys_no_rpt_grd_02F25272</b> , <b>_WA_Sys_nocnt_cred_02F25272</b> , <b>_WA_Sys_notinc_gpa_02F25272</b> , <b>_WA_Sys_operator_02F25272</b> , <b>_WA_Sys_passing_02F25272</b> , <b>_WA_Sys_pf_02F25272</b> , <b>_WA_Sys_points_02F25272</b> , <b>_WA_Sys_repeat_grd_02F25272</b> , <b>_WA_Sys_time_maint_02F25272</b> , <b>grade</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NULL (DF_grades_disabled - (0)), <b>display_grade</b> Char(5) NULL, <b>excl_fac</b> Bit NOT NULL (DF_grades_excl_fac_1BF3D5BD - (0)), <b>grade</b> Char(5) NOT NULL (DF_grades_grade - ('')), <b>grade_idx</b> Char(1) NOT NULL (DF_grades_grade_id_684A1485 - ('0')), <b>grades_ce1</b> Char(10) NULL, <b>grades_ce2</b> Char(10) NULL, <b>grades_ce3</b> Char(20) NULL, <b>grades_de1</b> Date NULL, <b>grades_fe1</b> Float NULL, <b>grades_le1</b> Bit NULL, <b>grades_ne1</b> Int NULL, <b>high</b> Float NULL, <b>incomp_grd</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>low</b> Float NULL, <b>no_rpt_grd</b> Bit NULL (DF_grades_no_rpt_g_64D8AAFD - (0)), <b>nocnt_cred</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>notinc_gpa</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>operator</b> Char(8) NULL, <b>passing</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>pf</b> Bit NOT NULL (DF_grades_pf_133E942B - (0)), <b>points</b> Float NULL, <b>repeat_grd</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>time_maint</b> Char(8) NULL
<b>GROUPS</b>	<b>Primary Key:</b>	<b>PK_groups</b> (grp_id)
	<b>Indexes:</b>	<b>PK_groups</b> , <b>_WA_Sys_00000002_4B4EAE7B</b> , <b>_WA_Sys_00000003_4B4EAE7B</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NULL, <b>grp_ce1</b> <b>239 - 40</b> NULL, <b>grp_de1</b> Date NULL, <b>grp_dynamic</b> Char(20) NULL, <b>grp_fe1</b> Float NULL, <b>grp_id</b> Int NOT NULL, <b>grp_le1</b> Bit NULL, <b>grp_name</b> <b>239 - 50</b> NOT NULL, <b>grp_ne1</b> Int NULL, <b>grp_order</b> Int NULL, <b>grp_typecod</b> Int NULL, <b>operator</b> Char(10) NULL, <b>time_maint</b> Char(10) NULL
<b>GUARANTOR</b>	<b>Primary Key:</b>	<b>PK_Guarantor_Guarantor_rid</b> (Guarantor_rid)

	<b>Indexes:</b>	<i>PK_Guarantor_Guarantor_rid</i>
	<b>Columns:</b>	<b>Guarantor_ID</b> Char(20) NULL, <b>Guarantor_ce1</b> Char(10) NULL, <b>Guarantor_ce2</b> Char(10) NULL, <b>Guarantor_ce3</b> Char(20) NULL, <b>Guarantor_de1</b> Date NULL, <b>Guarantor_fe1</b> Float NULL, <b>Guarantor_le1</b> Bit NOT NULL (DF Guarantor Guara_14A7B9B0 - (0')), <b>Guarantor_ne1</b> Int NULL, <b>Guarantor_rid</b> Int NOT NULL, <b>Guarantor_txt</b> Char(30) NULL, <b>date_maint</b> Date NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>HEALTH</b>	<b>Primary Key:</b>	<i>PK_health (item_no)</i>
	<b>Triggers:</b>	<i>tr_item_no_D , tr_item_no_Delete</i>
	<b>Indexes:</b>	<i>PK_health , _WA_Sys_disabled_05CEBF1D , item</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NULL (DF health disabled - (0)), <b>health_ce1</b> Char(10) NULL, <b>health_ce2</b> Char(10) NULL, <b>health_ce3</b> Char(20) NULL, <b>health_de1</b> Date NULL, <b>health_fe1</b> Float NULL, <b>health_le1</b> Bit NULL, <b>health_ne1</b> Int NULL, <b>item</b> Char(30) NOT NULL, <b>item_no</b> Int NOT NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>HIDDEN_BITS</b>		
	<b>Indexes:</b>	<i>WA_Sys_00000001_7E987D00 , _WA_Sys_00000002_7E987D00 , _WA_Sys_00000003_7E987D00 , _WA_Sys_00000004_7E987D00 , _WA_Sys_00000005_7E987D00 , _WA_Sys_00000006_7E987D00 , _WA_Sys_00000007_7E987D00 , _WA_Sys_00000009_7E987D00 , _WA_Sys_0000000A_7E987D00 , _WA_Sys_0000000B_7E987D00 , _WA_Sys_0000000C_7E987D00 , _WA_Sys_0000000D_7E987D00 , _WA_Sys_0000000E_7E987D00 , _WA_Sys_0000000F_7E987D00 , _WA_Sys_00000010_7E987D00 , _WA_Sys_00000011_7E987D00 , _WA_Sys_00000012_7E987D00 , _WA_Sys_00000013_7E987D00 , _WA_Sys_00000014_7E987D00 , _WA_Sys_00000016_7E987D00 , _WA_Sys_00000017_7E987D00 , _WA_Sys_00000018_7E987D00 , _WA_Sys_00000019_7E987D00 , _WA_Sys_0000001A_7E987D00 , _WA_Sys_0000001D_7E987D00 , _WA_Sys_0000001E_7E987D00 , _WA_Sys_0000001F_7E987D00 , _WA_Sys_00000020_7E987D00 , _WA_Sys_00000021_7E987D00 , _WA_Sys_00000022_7E987D00 , _WA_Sys_00000023_7E987D00 , _WA_Sys_00000024_7E987D00 , _WA_Sys_00000025_7E987D00 , _WA_Sys_00000026_7E987D00 , _WA_Sys_00000027_7E987D00 , _WA_Sys_00000028_7E987D00 , _WA_Sys_00000029_7E987D00 , _WA_Sys_0000002A_7E987D00 , _WA_Sys_0000002B_7E987D00 , _WA_Sys_0000002C_7E987D00 , _WA_Sys_0000002D_7E987D00 , _WA_Sys_0000002E_7E987D00 , _WA_Sys_0000002F_7E987D00 , _WA_Sys_00000030_7E987D00 , _WA_Sys_00000031_7E987D00 , _WA_Sys_00000032_7E987D00 , _WA_Sys_00000033_7E987D00 , _WA_Sys_00000034_7E987D00 , _WA_Sys_00000035_7E987D00 , _WA_Sys_00000036_7E987D00 , _WA_Sys_00000037_7E987D00 , _WA_Sys_00000038_7E987D00 , _WA_Sys_00000039_7E987D00 , _WA_Sys_0000003A_7E987D00 , _WA_Sys_0000003B_7E987D00 , _WA_Sys_0000003C_7E987D00 , _WA_Sys_0000003D_7E987D00 , _WA_Sys_0000003E_7E987D00 , _WA_Sys_0000003F_7E987D00 , _WA_Sys_00000040_7E987D00 , _WA_Sys_00000041_7E987D00 , _WA_Sys_00000042_7E987D00 , _WA_Sys_00000043_7E987D00 , _WA_Sys_00000044_7E987D00 , _WA_Sys_00000045_7E987D00 , _WA_Sys_00000046_7E987D00 , _WA_Sys_00000047_7E987D00 , _WA_Sys_00000048_7E987D00 , _WA_Sys_00000049_7E987D00 , _WA_Sys_0000004A_7E987D00 , _WA_Sys_0000004B_7E987D00 , _WA_Sys_0000004C_7E987D00 , _WA_Sys_0000004D_7E987D00 , _WA_Sys_0000004E_7E987D00 , _WA_Sys_0000004F_7E987D00 , _WA_Sys_00000050_7E987D00 , _WA_Sys_00000051_7E987D00 , _WA_Sys_00000052_7E987D00 , _WA_Sys_00000053_7E987D00 , _WA_Sys_00000054_7E987D00 , _WA_Sys_00000055_7E987D00 , _WA_Sys_00000056_7E987D00 , _WA_Sys_00000057_7E987D00 , _WA_Sys_00000058_7E987D00 , _WA_Sys_00000059_7E987D00</i>
	<b>Columns:</b>	<b>AP_honors</b> Bit NOT NULL (DF hidden_bi AP ho_24DE2179 - (0)), <b>AP_honors_page</b> Char(30) NULL, <b>AP_honors_qry</b> Bit NOT NULL (DF hidden_bi AP ho_332C40D0 - (0)), <b>AP_honors_qry_page</b> Char(30) NULL, <b>BONSEC_OA</b> Bit NOT NULL (DF hidden_bi BONSE_587DC110 - (0)), <b>CCNM_ID</b> Bit NOT NULL (DF hidden_bi CCNM_43237CCE - ((0))), <b>HSgradyr</b> Bit NOT NULL (DF hidden_bi HSgra_55615D43 - (0)), <b>HourAttendance</b> Bit NOT NULL (DF hidden_bi HourA_15F0E3A4 - (0)), <b>MMC_Book_events</b> Bit NOT NULL (DF hidden_bi MMC_B_422F5895 - ((0))), <b>MSCM_HSGRAD_BIT</b> Bit NOT NULL (DF hidden_bi MSCM_65B7C09D - (0)), <b>NS_custom</b> Bit NOT NULL (DF hidden_bi NS_cu_76432E21 - (0)), <b>NS_custom_display</b> Varchar(50) NULL, <b>NS_custom_qry</b> Varchar(50) NULL, <b>PIC</b> Bit NOT NULL (DF hidden_bits PIC_306FCFB6 - (0)), <b>Prospect_ED_Flag</b> Bit NOT NULL (DF hidden_bi Prosp_78AA9980 - (0)),

**RC\_custom** Bit NOT NULL (DF\_hidden\_bi\_RC\_cu\_7737525A - (0)), **RC\_custom\_display** Varchar(50) NULL, **RostSheet** Bit NOT NULL (DF\_hidden\_bi\_RostS\_4417A107 - ((0))), **T2202A** Bit NOT NULL (DF\_hidden\_bi\_T2202\_2B6101D6 - (0)), **acct\_software** Char(25) NULL, **alum\_ldap** Bit NOT NULL (DF\_hidden\_bi\_alum\_782B7693 - (0)), **assess\_link** Char(25) NULL, **assess\_link\_page** Char(40) NULL, **bill\_finaid** Bit NOT NULL (DF\_hidden\_bi\_bill\_509CA826 - (0)), **billpaylink** Bit NOT NULL (DF\_hidden\_bi\_billp\_2FDB9E30 - ((0))), **billpaylink\_link** Varchar(150) NULL, **billpaylink\_link\_txt** Varchar(50) NULL, **cohort\_options** Bit NOT NULL (DF\_hidden\_bi\_cohor\_77EC4AC8 - ((0))), **course\_addinfo** Bit NOT NULL (DF\_hidden\_bi\_cours\_31EE03D4 - (0)), **crystal\_awdsum** Bit NOT NULL (DF\_hidden\_bi\_cryst\_7F57970F - (0)), **cust\_rcpt** Bit NOT NULL (DF\_hidden\_bi\_cust\_29A2D696 - (0)), **cust\_rcpt\_page** Varchar(50) NULL, **email\_create** Bit NOT NULL (DF\_hidden\_bi\_email\_0F43E615 - (0)), **email\_mess** Bit NOT NULL (DF\_hidden\_bi\_email\_0E84CC06 - (0)), **email\_mess\_text** Varchar(125) NOT NULL (DF\_hidden\_bi\_email\_0F78F03F - (0)), **excl\_blank\_acpt\_awds** Bit NOT NULL (DF\_hidden\_bi\_excl\_1487BE1F - (0)), **excl\_declined\_awds** Bit NOT NULL (DF\_hidden\_bi\_excl\_799EBDB9 - (0)), **fac\_attend\_rpt** Varchar(50) NULL, **fac\_ldap** Bit NOT NULL (DF\_hidden\_bi\_fac\_l\_791F9ACC - (0)), **facrstrs\_disp** Bit NOT NULL (DF\_hidden\_bi\_facrs\_0CDC7AB6 - (0)), **facrstrs\_page** Varchar(50) NULL, **generate\_exam\_id** Tinyint NOT NULL (DF\_hidden\_bi\_gener\_33173237 - (1)), **grad\_honors\_page** Char(30) NULL, **hidden\_bits\_ce1** Char(10) NULL, **hidden\_bits\_ce2** Char(10) NULL, **hidden\_bits\_ce3** Char(20) NULL, **hidden\_bits\_de1** Date NULL, **hidden\_bits\_fe1** Float NULL, **hidden\_bits\_le1** Bit NULL, **hidden\_bits\_ne1** Int NULL, **ldap** Bit NOT NULL (DF\_hidden\_bit\_ldap\_3F280361 - (0)), **mmtemp** Int NOT NULL (DF\_hidden\_bi\_mmtem\_157BE258 - (0)), **msa** Bit NOT NULL (DF\_hidden\_bits\_msa\_3707BEAC - (0)), **multi\_nslch** Bit NOT NULL (DF\_hidden\_bi\_multi\_0D90A7CD - (0)), **new\_health** Bit NOT NULL (DF\_hidden\_bi\_new\_h\_2746582F - ((0))), **new\_invnum** Bit NOT NULL (DF\_hidden\_bi\_new\_i\_7015537F - (0)), **nmbio\_req\_fields** Bit NOT NULL (DF\_hidden\_bi\_nmbio\_5E169ED5 - (0)), **nmbio\_req\_page** Char(40) NULL, **nmcrs\_extend** Bit NOT NULL (DF\_nmcrs\_extend - (0)), **nmcrs\_extend\_page** Varchar(50) NULL, **nmgpa\_transcript\_summary** Bit NOT NULL (DF\_hidden\_bi\_nmgpa\_0F8ECA2F - ((0))), **oa\_continue\_button** Bit NOT NULL (DF\_hidden\_bi\_oa\_co\_5FDFB70D - ((0))), **paySSN** Bit NOT NULL (DF\_hidden\_bi\_paySS\_58E7D564 - (0)), **ps\_agent** Int NOT NULL (DF\_hidden\_bi\_ps\_ag\_0AFE53E5 - (0)), **psinqdetail\_extend** Bit NOT NULL (DF\_hidden\_bi\_psiq\_1FE46232 - (0)), **psinqdetail\_extend\_page** Char(40) NULL, **psinqdetail\_req\_fields** Bit NOT NULL (DF\_hidden\_bi\_psiq\_5F0AC30E - (0)), **psinqdetail\_req\_page** Char(40) NULL, **recruiter\_on\_bio\_page** Bit NOT NULL (DF\_hidden\_bi\_recru\_768E123B - ((0))), **sallie\_mae\_export** Bit NOT NULL (DF\_hidden\_bi\_salli\_2BE024C3 - (0)), **show\_CSR\_Class** Bit NOT NULL (DF\_hidden\_bi\_show\_33F647D7 - (0)), **show\_advisee\_wd** Bit NOT NULL (DF\_hidden\_bi\_show\_1571C0B7 - (1)), **show\_display\_grade** Bit NOT NULL (DF\_hidden\_bi\_show\_36D2B482 - (0)), **show\_nmappchk\_de1** Bit NOT NULL (DF\_hidden\_bi\_show\_0E109611 - ((0))), **stud\_ldap** Bit NOT NULL (DF\_hidden\_bi\_stud\_7A13BF05 - (0)), **stud\_reg\_email** Bit NOT NULL, **transcript\_debug** Bit NOT NULL (DF\_hidden\_bi\_trans\_27BA8E24 - (0)), **transfer\_repeat** Bit NOT NULL (DF\_hidden\_bi\_trans\_37A6DD2A - (0)), **transfers\_in\_cumgpa** Bit NOT NULL (DF\_hidden\_bi\_trans\_7F8CA139 - (0)), **use\_app\_major** Bit NOT NULL (DF\_hidden\_bi\_use\_a\_072DC301 - (0)), **user\_merge\_extend** Bit NOT NULL (DF\_user\_merge\_extend - (0)), **user\_merge\_extend\_page** Varchar(50) NULL, **validate\_ssn** Bit NOT NULL (DF\_hidden\_bi\_valid\_57F3B12B - (1)), **webmentor** Bit NOT NULL (DF\_hidden\_bi\_webme\_396F2A0B - (0)), **webmentor\_url** Varchar(254) NOT NULL (DF\_hidden\_bi\_webme\_3A634E44 - (0))

**HIDDEN\_BITS\_OA****HIDDEN\_BITS\_PS****HOLD****Primary Key:***PK\_hold (hld\_cod)***Indexes:***PK\_hold, \_WA\_Sys\_0000000F\_02BD4848, \_WA\_Sys\_disabled\_02BD4848, \_WA\_Sys\_hld\_txt\_02BD4848, \_WA\_Sys\_registration\_02BD4848*

	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Int NULL (DF_hold_disabled - (0)), <b>enhanced</b> Bit NOT NULL (DF_hold_enhanced_3381468B - (0)), <b>hld_cod</b> Char(12) NOT NULL, <b>hld_txt</b> Char(50) NULL, <b>hold_ce1</b> Char(10) NULL, <b>hold_ce2</b> Char(10) NULL, <b>hold_ce3</b> Char(20) NULL, <b>hold_de1</b> Date NULL, <b>hold_fe1</b> Float NULL, <b>hold_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>hold_ne1</b> Int NULL, <b>operator</b> Char(8) NULL, <b>registration</b> Bit NOT NULL (DF_hold_registrati_0D1BA681 - (0)), <b>time_maint</b> Char(8) NULL
<b>HOLDLIMIT</b>		
	<b>Foreign Keys:</b>	FK_holdlimit_hold, FK_holdlimit_name
	<b>Indexes:</b>	_WA_Sys_hld_cod_6621D4F1, _WA_Sys_prof_cod_6621D4F1, _WA_Sys_soc_sec_6621D4F1, _WA_Sys_user_id_6621D4F1
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>hld_cod</b> Char(12) NOT NULL, <b>holdlimit_ce1</b> Char(10) NULL, <b>holdlimit_ce2</b> Char(20) NULL, <b>holdlimit_ce3</b> Char(30) NULL, <b>holdlimit_de1</b> Date NULL, <b>holdlimit_fe1</b> Float NULL, <b>holdlimit_le1</b> Bit NULL, <b>holdlimit_ne1</b> Float NULL, <b>holdlimit_rid</b> Int NOT NULL, <b>operator</b> Char(8) NULL, <b>prof_cod</b> Char(10) NOT NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>time_maint</b> Char(8) NULL, <b>user_id</b> Char(8) NOT NULL
<b>HONORS_PROB</b>	<b>Primary Key:</b>	PK_Honors_Prob (Honors_Prob_cod)
	<b>Indexes:</b>	PK_Honors_Prob, _WA_Sys_00000003_6BB09115
	<b>Columns:</b>	<b>Honors_Prob_ce1</b> Char(10) NULL, <b>Honors_Prob_ce2</b> Char(10) NULL, <b>Honors_Prob_ce3</b> Char(20) NULL, <b>Honors_Prob_cod</b> Char(8) NOT NULL, <b>Honors_Prob_de1</b> Date NOT NULL, <b>Honors_Prob_fe1</b> Float NULL, <b>Honors_Prob_le1</b> Bit NOT NULL (DF_Honors_Pr_Honor_6D98D987 - (0)), <b>Honors_Prob_ne1</b> Int NULL, <b>Honors_Prob_txt</b> Char(25) NOT NULL, <b>date_maint</b> Date NULL, <b>disabled</b> Bit NOT NULL (DF_Honors_Pr_disab_6CA4B54E - (0)), <b>honor</b> Bit NOT NULL (DF_Honors_Pr_honor_1BEA7F73 - ((0))), <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>HONPROB_REQS</b>	<b>Primary Key:</b>	PK_honprob_reqs (honprob_reqs_rid)
	<b>Foreign Keys:</b>	FK_honprob_reqs_Honors_Prob
	<b>Indexes:</b>	PK_honprob_reqs, _WA_Sys_00000002_1CDEA3AC
	<b>Columns:</b>	<b>Honors_Prob_cod</b> Char(8) NOT NULL, <b>creds_from</b> Float NULL, <b>creds_to</b> Float NULL, <b>cum_creds_att</b> Bit NULL (DF_honprob_r_cum_c_21A358C9 - ((0))), <b>cum_gpa_r</b> Bit NULL (DF_honprob_r_cum_g_1FBB1057 - ((0))), <b>date_maint</b> Date NULL, <b>gpa_from</b> Decimal NULL, <b>gpa_to</b> Decimal NULL, <b>honprob_reqs_rid</b> Int NOT NULL, <b>inc_transfers</b> Bit NULL (DF_honprob_r_inc_t_1EC6EC1E - ((0))), <b>operator</b> Char(8) NULL, <b>sem_creds_att</b> Bit NULL (DF_honprob_r_sem_c_22977D02 - ((0))), <b>sem_gpa_r</b> Bit NULL (DF_honprob_r_sem_g_20AF3490 - ((0))), <b>time_maint</b> Char(8) NULL
<b>HONPROB_RESULTS</b>		
	<b>Indexes:</b>	_WA_Sys_00000003_1AF65B3A
	<b>Columns:</b>	<b>Honors_Prob_cod</b> Char(8) NOT NULL, <b>creds</b> Float NULL, <b>gpa</b> Decimal NULL, <b>honprob_results_rid</b> Int NOT NULL, <b>soc_sec</b> Char(9) NULL, <b>token</b> Char(16) NULL
<b>HOUSE</b>	<b>Primary Key:</b>	PK_house (house_cod)
	<b>Foreign Keys:</b>	FK_house_building, FK_house_tcodes
	<b>Indexes:</b>	PK_house, _WA_Sys_00000007_4EF38B7F, _WA_Sys_00000008_4EF38B7F, _WA_Sys_beds_max_4EF38B7F, _WA_Sys_bldg_cod_4EF38B7F, _WA_Sys_date_maint_4EF38B7F, _WA_Sys_disabled_4EF38B7F, _WA_Sys_floor_4EF38B7F, _WA_Sys_house_txt_4EF38B7F, _WA_Sys_operator_4EF38B7F, _WA_Sys_phone_4EF38B7F, _WA_Sys_time_maint_4EF38B7F, _WA_Sys_timestamp_column_4EF38B7F
	<b>Columns:</b>	<b>beds_max</b> Int NULL, <b>bldg_cod</b> Char(10) NOT NULL, <b>date_maint</b> Date NULL, <b>disabled</b> Bit NOT NULL, <b>floor</b> Numeric NULL, <b>house_amt1</b> Float NULL, <b>house_ce1</b> Char(10) NULL, <b>house_ce2</b> Char(10) NULL, <b>house_ce3</b> Char(20) NULL, <b>house_cod</b> Char(10) NOT NULL, <b>house_de1</b> Date NULL, <b>house_fe1</b> Float NULL, <b>house_le1</b> Bit NULL, <b>house_mem</b> Memo NULL, <b>house_ne1</b> Int NULL, <b>house_txt</b> Char(30) NULL, <b>operator</b> Char(8) NULL, <b>phone</b> Char(15) NULL, <b>tcodes</b> Char(2) NULL, <b>time_maint</b> Char(8) NULL, <b>timestamp_column</b> 173 - 8 NULL



<b>HOUSEATTR</b>	<b>Primary Key:</b>	<i>PK_houseattr (houseattr_cod)</i>
	<b>Indexes:</b>	<i>PK_houseattr , _WA_Sys_disabled_4D0B430D , _WA_Sys_houseattr_txt_4D0B430D</i>
	<b>Columns:</b>	<b>disabled</b> <i>Bit</i> NOT NULL , <b>houseattr_ce1</b> <i>Char(10)</i> NULL , <b>houseattr_ce2</b> <i>Char(10)</i> NULL , <b>houseattr_ce3</b> <i>Char(20)</i> NULL , <b>houseattr_cod</b> <i>Char(2)</i> NOT NULL , <b>houseattr_de1</b> <i>Date</i> NULL , <b>houseattr_fe1</b> <i>Float</i> NULL , <b>houseattr_le1</b> <i>Bit</i> NULL , <b>houseattr_ne1</b> <i>Int</i> NULL , <b>houseattr_txt</b> <i>Char(40)</i> NULL
<b>HOUSEFEES_ADDL</b>	<b>Primary Key:</b>	<i>PK_housefees_addl (housefees_addl_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_housefees_addl_tcodes</i>
	<b>Indexes:</b>	<i>PK_housefees_addl , _WA_Sys_inactive_17B93085 , _WA_Sys_tcodes_17B93085</i>
	<b>Columns:</b>	<b>amount</b> <i>Float</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>housefees_addl_ce1</b> <i>Char(10)</i> NULL , <b>housefees_addl_ce2</b> <i>Char(10)</i> NULL , <b>housefees_addl_ce3</b> <i>Char(20)</i> NULL , <b>housefees_addl_de1</b> <i>Date</i> NULL , <b>housefees_addl_fe1</b> <i>Float</i> NULL , <b>housefees_addl_le1</b> <i>Bit</i> NULL , <b>housefees_addl_ne1</b> <i>Int</i> NULL , <b>housefees_addl_rid</b> <i>Int</i> NOT NULL , <b>inactive</b> <i>Bit</i> NULL ( <i>DF_housefees_inact_18AD54BE - (0)</i> ) , <b>operator</b> <i>Char(8)</i> NULL , <b>tcodes</b> <i>Char(2)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>HOUSEHOUSEATTR</b>	<b>Primary Key:</b>	<i>PK_househouseattr (househouse_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_househouseattr_house , FK_househouseattr_houseattr</i>
	<b>Indexes:</b>	<i>PK_househouseattr , _WA_Sys_house_cod_50DBD3F1 , _WA_Sys_houseattr_cod_50DBD3F1</i>
	<b>Columns:</b>	<b>house_cod</b> <i>Char(10)</i> NOT NULL , <b>houseattr_cod</b> <i>Char(2)</i> NULL , <b>househouse_rid</b> <i>Numeric</i> NOT NULL , <b>househouseattr_ce1</b> <i>Char(10)</i> NULL , <b>househouseattr_ce2</b> <i>Char(10)</i> NULL , <b>househouseattr_ce3</b> <i>Char(20)</i> NULL , <b>househouseattr_de1</b> <i>Date</i> NULL , <b>househouseattr_fe1</b> <i>Float</i> NULL , <b>househouseattr_le1</b> <i>Bit</i> NULL , <b>househouseattr_ne1</b> <i>Int</i> NULL
<b>HOUSE_INC</b>	<b>Primary Key:</b>	<i>PK_house_inc (house_inc_rid)</i>
	<b>Indexes:</b>	<i>PK_house_inc , _WA_Sys_disabled_312E1E6E</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NULL ( <i>DF_house_inc_house_inc_disabled - (0)</i> ) , <b>house_inc_ce1</b> <i>Char(10)</i> NULL , <b>house_inc_ce2</b> <i>Char(10)</i> NULL , <b>house_inc_ce3</b> <i>Char(20)</i> NULL , <b>house_inc_de1</b> <i>Date</i> NULL , <b>house_inc_fe1</b> <i>Float</i> NULL , <b>house_inc_le1</b> <i>Bit</i> NULL , <b>house_inc_ne1</b> <i>Int</i> NULL , <b>house_inc_rid</b> <i>Int</i> NOT NULL , <b>house_inc_txt</b> <i>Char(40)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>HOUSE_STAT</b>	<b>Primary Key:</b>	<i>PK_house_stat (house_stat_cod)</i>
	<b>Indexes:</b>	<i>PK_house_stat , _WA_Sys_date_maint_16FA1676 , _WA_Sys_operator_16FA1676 , _WA_Sys_time_maint_16FA1676</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NULL , <b>house_stat_cod</b> <i>Char(1)</i> NOT NULL , <b>house_stat_txt</b> <i>Char(50)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>IMPORTER</b>	<b>Primary Key:</b>	<i>PK_Importer_Importer_cod (Importer_cod)</i>
	<b>Indexes:</b>	<i>PK_Importer_Importer_cod , _WA_Sys_00000003_2236BEF8</i>
	<b>Columns:</b>	<b>Importer_ce1</b> <i>Char(10)</i> NULL , <b>Importer_ce2</b> <i>Char(10)</i> NULL , <b>Importer_ce3</b> <i>Char(10)</i> NULL , <b>Importer_cod</b> <i>Char(3)</i> NOT NULL , <b>Importer_de1</b> <i>Date</i> NULL , <b>Importer_fe1</b> <i>Float</i> NULL , <b>Importer_le1</b> <i>Bit</i> NULL , <b>Importer_ne1</b> <i>Int</i> NULL , <b>Importer_txt</b> <i>Char(20)</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NOT NULL ( <i>DF_Importer_disabl_232AE331 - (0)</i> ) , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>IMPORTGRADESBAD</b>		
<b>IMPORTTCODES</b>	<b>Primary Key:</b>	<i>PK_importtcodes_importtcodes_rid (importtcodes_rid)</i>
	<b>Indexes:</b>	<i>PK_importtcodes_importtcodes_rid , _WA_Sys_00000002_1E662E14 , _WA_Sys_00000003_1E662E14 , _WA_Sys_00000004_1E662E14 , _WA_Sys_00000005_1E662E14</i>
	<b>Columns:</b>	<b>awd_id</b> <i>Char(8)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NOT NULL ( <i>DF_importtco_disab_1F5A524D - (0)</i> ) , <b>importer_cod</b> <i>Char(3)</i> NOT NULL , <b>importtcodes_ce1</b> <i>Char(10)</i> NULL , <b>importtcodes_ce2</b> <i>Char(10)</i> NULL , <b>importtcodes_ce3</b> <i>Char(10)</i> NULL , <b>importtcodes_de1</b> <i>Date</i> NULL , <b>importtcodes_fe1</b> <i>Float</i> NULL , <b>importtcodes_le1</b> <i>Bit</i> NULL , <b>importtcodes_ne1</b> <i>Int</i> NULL , <b>importtcodes_rid</b> <i>Int</i> NOT NULL , <b>loan_cod</b> <i>Char(6)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>tcodes</b> <i>Char(2)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL

<b>IMPORTUSERSEXTRAADD</b>	<b>Primary Key:</b>	<i>PK_ImportUsersExtraAdd_IUEA_rid (IUEA_rid)</i>
	<b>Indexes:</b>	<i>PK_ImportUsersExtraAdd_IUEA_rid , _WA_Sys_00000002_4C77DCDE , _WA_Sys_00000005_4C77DCDE , _WA_Sys_00000007_4C77DCDE , _WA_Sys_0000000B_4C77DCDE , _WA_Sys_0000000C_4C77DCDE</i>
	<b>Columns:</b>	<i>Agency_cod Char(10) NULL , Categr_cod Char(15) NULL , Date_INQ Date NULL , IUEA_ce1 Char(10) NULL , IUEA_ce2 Char(10) NULL , IUEA_ce3 Char(20) NULL , IUEA_de1 Date NULL , IUEA_fe1 Float NULL , IUEA_le1 Bit NOT NULL (DF_ImportUse_IUEA_4D6C0117 - (0)) , IUEA_ne1 Int NULL , IUEA_rid Char(16) NOT NULL , Intrlevcod Char(10) NULL , PS_credits Char(20) NULL , REFER_BY Char(30) NULL , Recruit_Plan Char(1) NULL , cohort_cod Char(10) NULL , date_maint Date NULL , enstat_cod Char(2) NULL , inqtypcode Char(2) NULL , operator Char(8) NULL , prg_cod Char(10) NULL , soc_sec Char(9) NULL , term_int Char(20) NULL , time_maint Char(8) NULL</i>
<b>IMPORTUSERSEXTRADUP</b>	<b>Primary Key:</b>	<i>PK_ImportUsersExtradup_IUEA_rid (IUEA_rid)</i>
	<b>Indexes:</b>	<i>PK_ImportUsersExtradup_IUEA_rid , _WA_Sys_00000002_4F544989</i>
	<b>Columns:</b>	<i>Agency_cod Char(10) NULL , Categr_cod Char(15) NULL , Date_INQ Date NULL , IUEA_ce1 Char(10) NULL , IUEA_ce2 Char(10) NULL , IUEA_ce3 Char(20) NULL , IUEA_de1 Date NULL , IUEA_fe1 Float NULL , IUEA_le1 Bit NOT NULL (DF_ImportUse_IUEA_50486DC2 - (0)) , IUEA_ne1 Int NULL , IUEA_rid Char(16) NOT NULL , Intrlevcod Char(10) NULL , PS_credits Char(20) NULL , REFER_BY Char(30) NULL , Recruit_Plan Char(1) NULL , cohort_cod Char(10) NULL , date_maint Date NULL , enstat_cod Char(2) NULL , inqtypcode Char(2) NULL , operator Char(8) NULL , prg_cod Char(10) NULL , soc_sec Char(9) NULL , term_int Char(20) NULL , time_maint Char(8) NULL</i>
<b>INQTYPE</b>	<b>Primary Key:</b>	<i>PK_inqtype (inqtypcode)</i>
	<b>Indexes:</b>	<i>PK_inqtype , _WA_Sys_date_maint_08AB2BC8 , _WA_Sys_disabled_08AB2BC8 , _WA_Sys_inqtype_ce1_08AB2BC8 , _WA_Sys_inqtype_ce2_08AB2BC8 , _WA_Sys_inqtype_ce3_08AB2BC8 , _WA_Sys_inqtype_le1_08AB2BC8 , _WA_Sys_inqtypetxt_08AB2BC8 , _WA_Sys_operator_08AB2BC8 , _WA_Sys_time_maint_08AB2BC8</i>
	<b>Columns:</b>	<i>date_maint Date NULL , disabled Bit NULL (DF_inqtype_disabled - (0)) , inqtype_ce1 Char(10) NULL , inqtype_ce2 Char(10) NULL , inqtype_ce3 Char(20) NULL , inqtype_de1 Date NULL , inqtype_fe1 Float NULL , inqtype_le1 Bit NULL , inqtype_ne1 Int NULL , inqtypcode Char(2) NOT NULL , inqtypetxt Char(30) NOT NULL , operator Char(8) NULL , time_maint Char(8) NULL</i>
<b>INSTITUT</b>	<b>Primary Key:</b>	<i>PK_institut (inst_cod)</i>
	<b>Foreign Keys:</b>	<i>FK_institut_insttype</i>
	<b>Indexes:</b>	<i>PK_institut , _WA_Sys_TPBIt_7CE47361 , _WA_Sys_affiliated_7CE47361 , _WA_Sys_date_maint_7CE47361 , _WA_Sys_fice_code_7CE47361 , _WA_Sys_homeinst_7CE47361 , _WA_Sys_inst_add1_7CE47361 , _WA_Sys_inst_add2_7CE47361 , _WA_Sys_inst_add3_7CE47361 , _WA_Sys_inst_ce1_7CE47361 , _WA_Sys_inst_city_7CE47361 , _WA_Sys_inst_centry_7CE47361 , _WA_Sys_inst_email_7CE47361 , _WA_Sys_inst_fax_7CE47361 , _WA_Sys_inst_le1_7CE47361 , _WA_Sys_inst_ne1_7CE47361 , _WA_Sys_inst_phone_7CE47361 , _WA_Sys_inst_seq_7CE47361 , _WA_Sys_inst_state_7CE47361 , _WA_Sys_inst_txt_7CE47361 , _WA_Sys_inst_zip_7CE47361 , _WA_Sys_instcounty_7CE47361 , _WA_Sys_institut_ce1_7CE47361 , _WA_Sys_institut_ce2_7CE47361 , _WA_Sys_institut_ce3_7CE47361 , _WA_Sys_institut_de1_7CE47361 , _WA_Sys_institut_fe1_7CE47361 , _WA_Sys_institut_le1_7CE47361 , _WA_Sys_institut_ne1_7CE47361 , _WA_Sys_insttypcod_7CE47361 , _WA_Sys_operator_7CE47361 , _WA_Sys_time_maint_7CE47361</i>
	<b>Columns:</b>	<i>TPBIt Bit NOT NULL (DF_institut_TPBIt_2ACC04F9 - (0)) , affiliated Bit NULL (DF_institut_affili_699D601A - (0)) , contact Char(40) NULL , date_maint Date NULL , fice_code Char(7) NULL , homeinst Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , inst_add1 Char(35) NULL , inst_add2 Char(35) NULL , inst_add3 Char(35) NULL , inst_ce1 Char(10) NULL , inst_city Char(20) NULL , inst_centry Char(25) NULL , inst_cod Char(16) NOT NULL , inst_email Char(50) NULL , inst_fax Char(15) NULL , inst_le1 Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , inst_ne1 Int NULL , inst_phone Char(15) NULL , inst_seq Char(2) NULL , inst_state Char(2) NULL ,</i>

		<b>inst_txt</b> Char(50) NULL, <b>inst_zip</b> Char(10) NULL, <b>instcounty</b> Char(3) NULL, <b>institut_ce1</b> Char(10) NULL, <b>institut_ce2</b> Char(10) NULL, <b>institut_ce3</b> Char(20) NULL, <b>institut_de1</b> Date NULL, <b>institut_fe1</b> Float NULL, <b>institut_le1</b> Bit NULL, <b>institut_ne1</b> Int NULL, <b>insttypcod</b> Char(1) NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>INSTRCTP</b>	<b>Primary Key:</b>	<i>PK_instrctp (instrctp_cod)</i>
	<b>Indexes:</b>	<i>PK_instrctp</i> , <i>_WA_Sys_disabled_0E64051E</i> , <i>_WA_Sys_instrctp_0E64051E</i>
	<b>Columns:</b>	<b>disabled</b> Bit NULL (DF_instrctp_disabled - (0)), <b>instrctp</b> Char(15) NULL, <b>instrctp_ce1</b> Char(10) NULL, <b>instrctp_ce2</b> Char(10) NULL, <b>instrctp_ce3</b> Char(20) NULL, <b>instrctp_cod</b> Int NOT NULL, <b>instrctp_de1</b> Date NULL, <b>instrctp_fe1</b> Float NULL, <b>instrctp_le1</b> Bit NULL, <b>instrctp_ne1</b> Int NULL
<b>INSTTYPE</b>	<b>Primary Key:</b>	<i>PK_insttype (insttypcod)</i>
	<b>Indexes:</b>	<i>PK_insttype</i> , <i>_WA_Sys_disabled_0B879873</i> , <i>_WA_Sys_insttypxt_0B879873</i> , <i>_WA_Sys_post_secondary_0B879873</i>
	<b>Columns:</b>	<b>disabled</b> Bit NULL (DF_insttype_disabled - (0)), <b>insttypcod</b> Char(1) NOT NULL, <b>insttype_ce1</b> Char(10) NULL, <b>insttype_ce2</b> Char(10) NULL, <b>insttype_ce3</b> Char(20) NULL, <b>insttype_de1</b> Date NULL, <b>insttype_fe1</b> Float NULL, <b>insttype_le1</b> Bit NULL, <b>insttype_ne1</b> Int NULL, <b>insttypxt</b> Char(25) NOT NULL, <b>post_secondary</b> Bit NOT NULL (DF_insttype_post_s_75841412 - (0))
<b>INTERLEV</b>	<b>Primary Key:</b>	<i>PK_interlev (intrlevcod)</i>
	<b>Triggers:</b>	<i>tr_intrlevcod_D</i> , <i>tr_intrlevcod_Delete</i>
	<b>Indexes:</b>	<i>PK_interlev</i> , <i>_WA_Sys_date_maint_114071C9</i> , <i>_WA_Sys_disabled_114071C9</i> , <i>_WA_Sys_operator_114071C9</i> , <i>_WA_Sys_time_maint_114071C9</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NULL (DF_interlev_disabled - (0)), <b>interlev_ce1</b> Char(10) NULL, <b>interlev_ce2</b> Char(10) NULL, <b>interlev_ce3</b> Char(20) NULL, <b>interlev_de1</b> Date NULL, <b>interlev_fe1</b> Float NULL, <b>interlev_le1</b> Bit NULL, <b>interlev_ne1</b> Int NULL, <b>intrlevcod</b> Char(10) NOT NULL (DF_interlev_intrle_2D687A82 - (' ')), <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>INTRSTS</b>	<b>Primary Key:</b>	<i>PK_intrsts (intrsts)</i>
	<b>Triggers:</b>	<i>tr_intrsts_D</i> , <i>tr_intrsts_Delete</i>
	<b>Indexes:</b>	<i>PK_intrsts</i> , <i>_WA_Sys_date_maint_141CDE74</i> , <i>_WA_Sys_disabled_141CDE74</i> , <i>_WA_Sys_intrsts_141CDE74</i> , <i>_WA_Sys_intrsts_ce1_141CDE74</i> , <i>_WA_Sys_intrsts_ce2_141CDE74</i> , <i>_WA_Sys_intrsts_ce3_141CDE74</i> , <i>_WA_Sys_intrsts_de1_141CDE74</i> , <i>_WA_Sys_intrsts_fe1_141CDE74</i> , <i>_WA_Sys_intrsts_le1_141CDE74</i> , <i>_WA_Sys_intrsts_ne1_141CDE74</i> , <i>_WA_Sys_intrsts_separator_141CDE74</i> , <i>_WA_Sys_operator_141CDE74</i> , <i>_WA_Sys_time_maint_141CDE74</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NULL (DF_intrsts_disabled - (0)), <b>intrsts</b> Char(30) NOT NULL, <b>intrsts_ce1</b> Char(10) NULL, <b>intrsts_ce2</b> Char(10) NULL, <b>intrsts_ce3</b> Char(20) NULL, <b>intrsts_de1</b> Date NULL, <b>intrsts_fe1</b> Float NULL, <b>intrsts_le1</b> Bit NULL, <b>intrsts_ne1</b> Int NULL, <b>intrsts_separator</b> Bit NOT NULL (DF_intrsts_intrsts_193764A3 - (0)), <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>INVOICE</b>	<b>Primary Key:</b>	<i>PK_invoice (invoice_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_invoice_name</i>
	<b>Indexes:</b>	<i>PK_invoice</i> , <i>_WA_Sys_completed_155B1B70</i> , <i>_WA_Sys_date_maint_155B1B70</i> , <i>_WA_Sys_inv_date_155B1B70</i> , <i>_WA_Sys_inv_number_155B1B70</i> , <i>_WA_Sys_invoice_ce1_155B1B70</i> , <i>_WA_Sys_invoice_ce2_155B1B70</i> , <i>_WA_Sys_invoice_ce3_155B1B70</i> , <i>_WA_Sys_invoice_de1_155B1B70</i> , <i>_WA_Sys_invoice_fe1_155B1B70</i> , <i>_WA_Sys_invoice_le1_155B1B70</i> , <i>_WA_Sys_invoice_ne1_155B1B70</i> , <i>_WA_Sys_operator_155B1B70</i> , <i>_WA_Sys_sch_yr_155B1B70</i> , <i>_WA_Sys_semester_155B1B70</i> , <i>_WA_Sys_soc_sec_155B1B70</i> , <i>_WA_Sys_time_maint_155B1B70</i>
	<b>Columns:</b>	<b>completed</b> Bit NULL (DF_invoice_complet_475D56AF - (0)), <b>date_maint</b> Date NULL, <b>inv_date</b> Date NULL, <b>inv_number</b> Int NOT NULL (DF_invoice_inv_number - (0)), <b>invoice_ce1</b> Char(10) NULL, <b>invoice_ce2</b> Char(10) NULL, <b>invoice_ce3</b> Char(20) NULL, <b>invoice_de1</b> Date NULL, <b>invoice_fe1</b> Float NULL, <b>invoice_le1</b> Bit NULL, <b>invoice_ne1</b> Int NULL, <b>invoice_rid</b> Int NOT NULL, <b>operator</b> Char(8) NULL, <b>sch_yr</b> Char(6) NULL, <b>semester</b> Char(2) NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>time_maint</b> Char(8) NULL

<b>IPEDSTAT</b>	<b>Primary Key:</b>	<i>PK_iped_stat (iped_stat)</i>
	<b>Indexes:</b>	<i>PK_iped_stat , _WA_Sys_date_maint 567F9EAE , _WA_Sys_disabled 567F9EAE , _WA_Sys_iped_stat_txt 567F9EAE , _WA_Sys_operator 567F9EAE , _WA_Sys_time_maint 567F9EAE , _WA_Sys_undergrad 567F9EAE</i>
	<b>Columns:</b>	<i>date_maint Date NULL , disabled Bit NULL , iped_stat Char(2) NOT NULL , iped_stat_txt Char(20) NULL , ipedstat_ce1 Char(10) NULL , ipedstat_ce2 Char(10) NULL , ipedstat_ce3 Char(20) NULL , ipedstat_de1 Date NULL , ipedstat_fe1 Float NULL , ipedstat_le1 Bit NULL , ipedstat_ne1 Int NULL , operator Char(8) NULL , time_maint Char(8) NULL , undergrad Int NOT NULL (DF_ipedstat_undergrad - (0))</i>
<b>IRP1098T</b>	<b>Primary Key:</b>	<i>PK_irp_rid (irp_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_irp1098t_name</i>
	<b>Indexes:</b>	<i>PK_irp_rid , _WA_Sys_0000000A 5911F296 , _WA_Sys_0000000C 5911F296 , _WA_Sys_0000000D 5911F296 , _WA_Sys_0000001B 5911F296 , _WA_Sys_corrected_ind 5911F296 , _WA_Sys_irp1098t_le1 5911F296 , _WA_Sys_pay_amt2 5911F296 , _WA_Sys_payfield 5911F296 , _WA_Sys_payment_yr 5911F296 , _WA_Sys_soc_sec 5911F296 , _WA_Sys_tot_cred 5911F296</i>
	<b>Columns:</b>	<i>TIN Char(9) NULL , TIN_type Char(1) NULL , academic_ind Char(1) NULL , acct_num Char(20) NULL , corrected_ind Char(1) NULL , foreign_ind Char(1) NULL , grad_ind Char(1) NULL , halftime_ind Char(1) NULL , irp1098t_ce1 Char(10) NULL , irp1098t_ce2 Char(10) NULL , irp1098t_ce3 Char(20) NULL , irp1098t_de1 Date NULL , irp1098t_fe1 Float NULL , irp1098t_le1 Bit NULL , irp1098t_ne1 Int NULL , irp_rid Int NOT NULL , last_name Char(4) NULL , neg_amt Bit NULL , neg_amt3 Char(12) NULL , neg_amt5 Char(12) NULL , pay_amt1 Char(12) NULL , pay_amt2 Char(12) NULL , pay_amt3 Char(12) NULL , pay_amt4 Char(12) NULL , pay_amt5 Char(12) NULL , pay_amt6 Char(12) NULL , pay_amt7 Char(12) NULL , pay_amt8 Char(12) NULL , pay_amt9 Char(12) NULL , pay_amtA Char(12) NULL , pay_amtB Char(12) NULL , pay_amtC Char(12) NULL , pay_amtD Char(12) NULL , pay_amtE Char(12) NULL , payfield Char(1) NULL , payment_yr Char(4) NULL , soc_sec Char(9) NOT NULL , tot_cred Int NULL</i>
<b>ISBN_LENGTH</b>		
	<b>Indexes:</b>	<i>_WA_Sys_ISBN_LENGTH 4515E6E1 , _WA_Sys_disabled 4515E6E1</i>
	<b>Columns:</b>	<i>ISBN_LENGTH Int NOT NULL (DF_ISBN LENG ISBN__460A0B1A - (0)) , disabled Bit NOT NULL (DF_ISBN LENG disab 46FE2F53 - (0))</i>
<b>ISIR</b>		
	<b>Indexes:</b>	<i>_WA_Sys_0000003C 4753350E , _WA_Sys_0000003D 4753350E</i>
	<b>Columns:</b>	<i>Auto_zero_EFC Varchar(150) NULL , Birthdate Date NULL , DL_number Varchar(150) NULL , DL_state Varchar(150) NULL , Dependency Varchar(150) NULL , EFC Varchar(150) NULL , EFC_flag Varchar(150) NULL , FISAP_inc Varchar(150) NULL , Father_inc Varchar(150) NULL , Fed_housing Varchar(150) NULL , ISIR_ce1 Varchar(25) NULL , ISIR_ce2 Varchar(25) NULL , ISIR_rid Int NOT NULL , Last_name Varchar(150) NULL , Level_college Varchar(150) NULL , MI Varchar(150) NULL , Or_ID Varchar(150) NULL , Or_ssn Varchar(150) NULL , PDegree Varchar(150) NULL , Par_Marital_status Varchar(150) NULL , Par_agi Varchar(150) NULL , Par_inc_tax Varchar(150) NULL , Par_num_Family Varchar(150) NULL , Par_num_college Varchar(150) NULL , Par_tax_rtn Varchar(150) NULL , Par_type_tax Varchar(150) NULL , Pell_eligible Varchar(150) NULL , SSN Varchar(150) NULL , SS_payments Varchar(150) NULL , Soc_sec Char(9) NOT NULL (DF_ISIR_Soc_sec 493B7D80 - (")) , SoniSvalid Bit NOT NULL (DF_ISIR_SoniSvalid 48475947 - ('0')) , Stu_agi Varchar(150) NULL , Stu_exemptions Varchar(150) NULL , Stu_inc_earn Varchar(150) NULL , Stu_inc_tax Varchar(150) NULL , Stu_num_Family Varchar(150) NULL , Stu_num_VA Varchar(150) NULL , Stu_num_college Varchar(150) NULL , Stu_sp_inc_earn Varchar(150) NULL , Stu_tax_Status Varchar(150) NULL , Stu_tax_rtn Varchar(150) NULL , Stu_worksheet_A Varchar(150) NULL , Stu_worksheet_B Varchar(150) NULL , VA_Benefit_type Varchar(150) NULL , citizen Varchar(150) NULL , city Varchar(150) NULL , date_maint Date NULL , degree_cert Varchar(150) NULL , enroll_stat Varchar(150) NULL , first_name Varchar(150) NULL , isir_Year Varchar(150) NULL , isir_trans Varchar(150) NULL , mother_inc Varchar(150) NULL , operator Char(8) NULL , par_addl_financial Varchar(150) NULL , par_exemptions</i>

		<i>Varchar(150) NULL , par_state Varchar(150) NULL , par_untaxed_income Varchar(150) NULL , par_worksheet_A Varchar(150) NULL , par_worksheet_B Varchar(150) NULL , par_worksheet_C Varchar(150) NULL , sch_yr Char(6) NULL , state Varchar(150) NULL , str_addr Varchar(150) NULL , stu_Marital_status Varchar(150) NULL , stu_addl_financial Varchar(150) NULL , stu_monthly_VA Varchar(150) NULL , stu_recv_ben Varchar(150) NULL , stu_untaxed_income Varchar(150) NULL , stu_worksheet_C Varchar(150) NULL , time_maint Char(8) NULL , trans_num Varchar(150) NULL , verif_stat Varchar(150) NULL , verification Varchar(150) NULL , veteran Varchar(150) NULL , zip_code Varchar(150) NULL</i>
<b>ISIR_NUMLKP</b>		
<b>ISIR_SETUP</b>		
	<b>Indexes:</b>	<i>_WA_Sys_ISIR_Fields_428E7FF1 , _WA_Sys_ISIR_Fields_txt_428E7FF1 , _WA_Sys_Isir_setup_year_428E7FF1</i>
	<b>Columns:</b>	<b>Field FROM</b> <i>Int NOT NULL (DF_ISIR_setu_Field_4382A42A - ('0')) , Field TO Int NOT NULL (DF_ISIR_setu_Field_4476C863 - ('0')) , ISIR_Fields Varchar(100) NULL , ISIR_Fields_txt Varchar(100) NULL , ISIR_setup_rid Int NOT NULL , Isir_setup_year Char(6) NULL , date_maint Date NULL , isir_include Bit NOT NULL (DF_ISIR_setu_isir__456AEC9C - ('0')) , operator Char(8) NULL , time_maint Char(8) NULL</i>
<b>JOB</b>	<b>Primary Key:</b>	<i>PK_job (job_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_job_employer , FK_job_employer_contact , FK_job_job_class , FK_job_state</i>
	<b>Indexes:</b>	<i>PK_job , _WA_Sys_city_4D8B3151 , _WA_Sys_disabled_4D8B3151 , _WA_Sys_employer_contact_rid_4D8B3151 , _WA_Sys_employer_rid_4D8B3151 , _WA_Sys_expire_dt_4D8B3151 , _WA_Sys_fulltime_4D8B3151 , _WA_Sys_job_class_cod_4D8B3151 , _WA_Sys_job_title_4D8B3151 , _WA_Sys_posted_4D8B3151 , _WA_Sys_salary_to_4D8B3151 , _WA_Sys_state_abbr_4D8B3151</i>
	<b>Columns:</b>	<b>apply_by</b> <i>Date NULL , city Char(35) NOT NULL , country Char(25) NULL , county_cod Char(3) NULL , date_maint Date NULL , dept_cod Char(4) NULL , disabled Bit NOT NULL (DF_job_disabled_4F7379C3 - (0)) , duties_memo Memo NULL , employer_contact_rid Int NOT NULL , employer_rid Int NULL , expire_dt Date NOT NULL (DF_job_expire_dt_63456846 - ('12/30/1899')) , fulltime Bit NOT NULL (DF_job_fulltime_4E7F558A - (1)) , job_ce1 Char(10) NULL , job_ce2 Char(10) NULL , job_ce3 Char(20) NULL , job_class_cod Char(2) NULL , job_del Date NULL , job_desc Char(50) NOT NULL , job_fe1 Float NULL , job_le1 Bit NULL , job_ne1 Int NULL , job_rid Int NOT NULL , job_start_dt Date NULL , job_title Char(30) NOT NULL , operator Char(8) NULL , posted Bit NOT NULL (DF_job_posted_50679DFC - (0)) , require_memo Memo NULL , salary_from Float NULL , salary_to Float NULL , salary_txt Char(40) NULL , state_abbr Char(2) NULL , time_maint Char(8) NULL , zip Char(10) NULL</i>
<b>JOB_CLASS</b>	<b>Primary Key:</b>	<i>PK_job_class_cod (job_class_cod)</i>
	<b>Indexes:</b>	<i>PK_job_class_cod , _WA_Sys_disabled_02F31DC9</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date NULL , disabled Bit NULL , job_class_ce1 Char(10) NULL , job_class_ce2 Char(10) NULL , job_class_ce3 Char(20) NULL , job_class_cod Char(2) NOT NULL (DF_job_class_job_c_03E74202 - ('GN')) , job_class_del Date NULL , job_class_fe1 Float NULL , job_class_le1 Bit NULL , job_class_ne1 Int NULL , job_class_txt Char(50) NOT NULL , operator Char(8) NULL , time_maint Char(8) NULL</i>
<b>LABELS</b>	<b>Primary Key:</b>	<i>PK_labels_rid (labels_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_labels_state</i>
	<b>Indexes:</b>	<i>PK_labels_rid , _WA_Sys_00000002_3CDFC83C</i>
	<b>Columns:</b>	<b>add_addr1</b> <i>Char(35) NULL , add_addr2 Char(35) NULL , city Char(35) NULL , labels_ce1 Char(10) NULL , labels_ce2 Char(10) NULL , labels_ce3 Char(20) NULL , labels_del Date NULL , labels_fe1 Float NULL , labels_le1 Bit NULL , labels_ne1 Int NULL , labels_rid Int NOT NULL , salutation Char(75) NULL , soc_sec Char(9) NULL , st_addr Char(35) NULL , state Char(2) NULL , token Char(16) NULL , zip Char(10) NULL</i>
<b>LDAP_COMPONENTS</b>		
<b>LENDER</b>	<b>Primary Key:</b>	<i>PK_Lender_Lender_rid (Lender_rid)</i>

	<b>Indexes:</b>	<i>PK_Lender_Lender_rid , _WA_Sys_0000000E_2201B4CE</i>
	<b>Columns:</b>	<b>Lender_ID</b> Char(20) NULL , <b>Lender_ce1</b> Char(10) NULL , <b>Lender_ce2</b> Char(10) NULL , <b>Lender_ce3</b> Char(20) NULL , <b>Lender_de1</b> Date NULL , <b>Lender_fe1</b> Float NULL , <b>Lender_le1</b> Bit NOT NULL (DF_Lender_Lender_l_22F5D907 - (0)) , <b>Lender_ne1</b> Int NULL , <b>Lender_rid</b> Int NOT NULL , <b>Lender_txt</b> Char(30) NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NOT NULL (DF_lender_disabled_05706318 - (0)) , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>LEVEL_</b>	<b>Primary Key:</b>	<i>PK_level_(level_)</i>
	<b>Triggers:</b>	<i>tr_level_D , tr_level_Delete</i>
	<b>Indexes:</b>	<i>PK_level_ , _WA_Sys_date_maint_2176D992 , _WA_Sys_disabled_2176D992 , _WA_Sys_level_ce1_2176D992 , _WA_Sys_level_ce2_2176D992 , _WA_Sys_level_ce3_2176D992 , _WA_Sys_level_de1_2176D992 , _WA_Sys_level_fe1_2176D992 , _WA_Sys_level_le1_2176D992 , _WA_Sys_level_ne1_2176D992 , _WA_Sys_level_txt_2176D992 , _WA_Sys_operator_2176D992 , _WA_Sys_time_maint_2176D992</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL (DF_level_disabled - (0)) , <b>level_</b> Char(1) NOT NULL , <b>level_ce1</b> Char(10) NULL , <b>level_ce2</b> Char(10) NULL , <b>level_ce3</b> Char(20) NULL , <b>level_de1</b> Date NULL , <b>level_fe1</b> Float NULL , <b>level_le1</b> Bit NULL , <b>level_ne1</b> Int NULL , <b>level_txt</b> Char(20) NOT NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>LEVEL_PROMOTION</b>	<b>Primary Key:</b>	<i>PK_level_promotion (level_promotion_rid)</i>
	<b>Indexes:</b>	<i>PK_level_promotion , _WA_Sys_credits_0643C069 , _WA_Sys_disabled_0643C069 , _WA_Sys_level_from_0643C069 , _WA_Sys_level_promotion_rid_0643C069 , _WA_Sys_level_to_0643C069 , _WA_Sys_prs_cod_0643C069</i>
	<b>Columns:</b>	<b>credits</b> Float NOT NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL , <b>level_from</b> Char(1) NOT NULL , <b>level_promotion_ce1</b> Char(10) NULL , <b>level_promotion_ce2</b> Char(10) NULL , <b>level_promotion_ce3</b> Char(20) NULL , <b>level_promotion_de1</b> Date NULL , <b>level_promotion_fe1</b> Float NULL , <b>level_promotion_le1</b> Bit NULL , <b>level_promotion_ne1</b> Int NULL , <b>level_promotion_rid</b> Int NOT NULL , <b>level_to</b> Char(1) NOT NULL , <b>operator</b> Char(8) NULL , <b>prg_cod</b> Char(10) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>LEVEL_PROMOTION_CRS</b>	<b>Primary Key:</b>	<i>level_promotion_crs_rid (level_promotion_crs_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_level_promotion_crs_course , FK_level_promotion_crs_level</i>
	<b>Indexes:</b>	<i>_WA_Sys_00000002_2A4CE20C , _WA_Sys_00000003_2A4CE20C , _WA_Sys_00000004_2A4CE20C , level_promotion_crs_rid</i>
	<b>Columns:</b>	<b>crs_id</b> Char(16) NOT NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL , <b>level_</b> Char(1) NULL , <b>level_promotion_crs_ce1</b> Char(10) NULL , <b>level_promotion_crs_ce2</b> Char(10) NULL , <b>level_promotion_crs_ce3</b> Char(20) NULL , <b>level_promotion_crs_de1</b> Date NULL , <b>level_promotion_crs_fe1</b> Float NULL , <b>level_promotion_crs_le1</b> Bit NULL , <b>level_promotion_crs_ne1</b> Int NULL , <b>level_promotion_crs_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>LICENSES</b>	<b>Primary Key:</b>	<i>PK_licenses (license)</i>
	<b>Triggers:</b>	<i>tr_license_D , tr_license_Delete</i>
	<b>Indexes:</b>	<i>PK_licenses , _WA_Sys_disabled_2453463D , _WA_Sys_operator_2453463D</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>desc_</b> Char(25) NOT NULL , <b>disabled</b> Bit NULL (DF_licenses_disabled - (0)) , <b>license</b> Char(20) NOT NULL , <b>licenses_ce1</b> Char(10) NULL , <b>licenses_ce2</b> Char(10) NULL , <b>licenses_ce3</b> Char(20) NULL , <b>licenses_de1</b> Date NULL , <b>licenses_fe1</b> Float NULL , <b>licenses_le1</b> Bit NULL , <b>licenses_ne1</b> Int NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>LMS</b>	<b>Primary Key:</b>	<i>PK_LMS (LMS_cod)</i>
	<b>Indexes:</b>	<i>PK_LMS , _WA_Sys_00000002_10380A4E , _WA_Sys_00000009_10380A4E , _WA_Sys_active_10380A4E</i>

	<b>Columns:</b>	<b>FAC</b> Bit NOT NULL (DF_LMS_FAC_527ACEF7 - (1)), <b>LMS_CE</b> Bit NOT NULL (DF_LMS_LMS_CE_2EE779F7 - ((1))), <b>LMS_CE_CRS</b> Bit NOT NULL (DF_LMS_LMS_CE_CRS_43E296DD - ((0))), <b>LMS_DATE</b> Int NOT NULL (DF_LMS_LMS_DATE_112C2E87 - (0)), <b>LMS_Online</b> Bit NOT NULL (DF_LMS_LMS_Online_2DF355BE - ((1))), <b>LMS_URL</b> Varchar(250) NOT NULL, <b>LMS_cod</b> Varchar(25) NOT NULL, <b>active</b> Bit NOT NULL (DF_LMS_active_122052C0 - (0)), <b>encrypt_key</b> Char(32) NULL, <b>extra_URL1</b> Varchar(100) NULL, <b>extra_URL2</b> Varchar(100) NULL
<b>LMSSCHYRSEM</b>	<b>Primary Key:</b>	<b>PK_LMSschysem</b> (LMSschysem_rid)
	<b>Foreign Keys:</b>	<b>FK_LMSschysem_LMS</b>
	<b>Indexes:</b>	<b>PK_LMSschysem</b> , <b>_WA_Sys_00000002_6A5D4580</b>
	<b>Columns:</b>	<b>LMS_cod</b> Varchar(25) NOT NULL, <b>LMSschysem_rid</b> Int NOT NULL, <b>date_maint</b> Date NULL, <b>operator</b> Char(8) NULL, <b>sch_yr_sem</b> Char(8) NOT NULL, <b>time_maint</b> Char(8) NULL
<b>LOAN_COHORT</b>	<b>Primary Key:</b>	<b>PK_loan_cohort</b> (loan_cohort)
	<b>Indexes:</b>	<b>PK_loan_cohort</b> , <b>_WA_Sys_00000002_788B6946</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NOT NULL (DF_loan_coho_disab_797F8D7F - ((0))), <b>loan_cohort</b> Char(4) NOT NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>LOAN_DEFAULT_SOURCE</b>	<b>Primary Key:</b>	<b>PK_loan_default_source</b> (loan_default_source_rid)
	<b>Indexes:</b>	<b>PK_loan_default_source</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NOT NULL (DF_loan_defa_disab_7C5BFA2A - ((0))), <b>loan_default_source</b> Varchar(50) NOT NULL, <b>loan_default_source_rid</b> Int NOT NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>LOAN_SERVICER</b>	<b>Primary Key:</b>	<b>PK_loan_servicer_rid</b> (loan_servicer_rid)
	<b>Indexes:</b>	<b>PK_loan_servicer_rid</b> , <b>_WA_Sys_00000003_71DE6BB7</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NOT NULL (DF_loan_serv_disab_72D28FF0 - ((0))), <b>loan_servicer</b> Varchar(50) NULL, <b>loan_servicer_rid</b> Int NOT NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>LOAN_STATUS</b>	<b>Primary Key:</b>	<b>PK_loan_status_rid</b> (loan_status_rid)
	<b>Indexes:</b>	<b>PK_loan_status_rid</b> , <b>_WA_Sys_00000004_74BAD862</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NOT NULL (DF_loan_stat_disab_76A320D4 - ((0))), <b>in_default</b> Bit NOT NULL (DF_loan_stat_in_de_75AEFC9B - ((0))), <b>loan_status</b> Varchar(50) NULL, <b>loan_status_rid</b> Int NOT NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>LOARSN</b>	<b>Primary Key:</b>	<b>PK_loarsn</b> (reason_id)
	<b>Indexes:</b>	<b>PK_loarsn</b> , <b>_WA_Sys_disabled_19D5B7CA</b> , <b>_WA_Sys_operator_19D5B7CA</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NOT NULL (DF_loarsn_disabled - (0)), <b>loarsn_ce1</b> Char(10) NULL, <b>loarsn_ce2</b> Char(10) NULL, <b>loarsn_ce3</b> Char(20) NULL, <b>loarsn_de1</b> Date NULL, <b>loarsn_fe1</b> Float NULL, <b>loarsn_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>loarsn_ne1</b> Int NULL, <b>operator</b> Char(8) NULL, <b>reason_cod</b> Varchar(50) NULL, <b>reason_id</b> Int NOT NULL, <b>time_maint</b> Char(8) NULL
<b>LOATYPE</b>	<b>Primary Key:</b>	<b>PK_loatype</b> (loa_cod_id)
	<b>Indexes:</b>	<b>PK_loatype</b> , <b>_WA_Sys_disabled_1CB22475</b> , <b>_WA_Sys_operator_1CB22475</b> , <b>loa_cod</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NOT NULL (DF_loatype_disabled - (0)), <b>loa_cod</b> Varchar(50) NULL, <b>loa_cod_id</b> Int NOT NULL, <b>loatype_ce1</b> Char(10) NULL, <b>loatype_ce2</b> Char(10) NULL, <b>loatype_ce3</b> Char(20) NULL, <b>loatype_de1</b> Date NULL, <b>loatype_fe1</b> Float NULL, <b>loatype_le1</b> Bit NULL, <b>loatype_ne1</b> Int NULL, <b>loatypece1</b> Char(10) NULL, <b>loatypepe1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>loatypepe1</b> Int NULL, <b>operator</b> Char(8) NULL, <b>reentr_upd</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>time_maint</b> Char(8) NULL, <b>withdrw_upd</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0)
<b>LOCALE</b>	<b>Primary Key:</b>	<b>PK_Locale_Locale_rid</b> (Locale_rid)
	<b>Indexes:</b>	<b>PK_Locale_Locale_rid</b> , <b>_WA_Sys_Locale_564B5FDB</b>

	<b>Columns:</b>	<b>Locale</b> Char(25) NULL , <b>Locale_ce1</b> Char(10) NULL , <b>Locale_ce2</b> Char(10) NULL , <b>Locale_ce3</b> Char(20) NULL , <b>Locale_de1</b> Date NULL , <b>Locale_desc</b> Char(50) NULL , <b>Locale_fe1</b> Float NULL , <b>Locale_le1</b> Bit NOT NULL (DF Locale Locale 1 573F8414 - ('0')) , <b>Locale_ne1</b> Int NULL , <b>Locale_rid</b> Int NOT NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>LTYPE</b>	<b>Primary Key:</b>	<i>PK_LType_LType_rid (LType_rid)</i>
	<b>Indexes:</b>	<i>PK_LType_LType_rid</i>
	<b>Columns:</b>	<b>LType_ID</b> Char(20) NULL , <b>LType_ce1</b> Char(10) NULL , <b>LType_ce2</b> Char(10) NULL , <b>LType_ce3</b> Char(20) NULL , <b>LType_de1</b> Date NULL , <b>LType_fe1</b> Float NULL , <b>LType_le1</b> Bit NOT NULL (DF LType LType le1 21CCAAA4 - ('0')) , <b>LType_ne1</b> Int NULL , <b>LType_rid</b> Int NOT NULL , <b>LType_txt</b> Char(30) NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>MAJOR</b>	<b>Primary Key:</b>	<i>PK_major (major)</i>
	<b>Triggers:</b>	<i>tr_major_D , tr_major_Delete</i>
	<b>Indexes:</b>	<i>PK_major , _WA_Sys_00000003_272FB2E8 , _WA_Sys_00000004_272FB2E8</i>
	<b>Columns:</b>	<b>active_app_major</b> Bit NOT NULL (DF major active ap 0821E73A - (0)) , <b>date_maint</b> Date NULL , <b>disabled_maj</b> Bit NULL (DF major disabled maj - (0)) , <b>disabled_min</b> Bit NULL (DF major disabled min - (0)) , <b>maj_ce1</b> Char(10) NULL , <b>maj_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>maj_ne1</b> Int NULL , <b>major</b> Varchar(60) NOT NULL , <b>major_ce1</b> Char(10) NULL , <b>major_ce2</b> Char(10) NULL , <b>major_ce3</b> Char(20) NULL , <b>major_de1</b> Date NULL , <b>major_fe1</b> Float NULL , <b>major_le1</b> Bit NULL , <b>major_ne1</b> Int NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>MARITAL</b>	<b>Primary Key:</b>	<i>PK_marital (mar_cod)</i>
	<b>Indexes:</b>	<i>PK_marital , _WA_Sys_disabled_2B0043CC , _WA_Sys_mar_txt_2B0043CC</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL (DF marital disabled - (0)) , <b>mar_ce1</b> Char(10) NULL , <b>mar_cod</b> Char(2) NOT NULL (DF marital mar_cod 31390B66 - ('TB')) , <b>mar_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>mar_ne1</b> Int NULL , <b>mar_txt</b> Char(20) NOT NULL , <b>marital_ce1</b> Char(10) NULL , <b>marital_ce2</b> Char(10) NULL , <b>marital_ce3</b> Char(20) NULL , <b>marital_de1</b> Date NULL , <b>marital_fe1</b> Float NULL , <b>marital_le1</b> Bit NULL , <b>marital_ne1</b> Int NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>MASTER</b>		
	<b>Foreign Keys:</b>	<i>FK_master_degree</i>
	<b>Indexes:</b>	<i>_WA_Sys_degree_041093DD , _WA_Sys_major_041093DD , curric_id</i>
	<b>Columns:</b>	<b>curr_desc</b> Char(38) NULL , <b>curric_id</b> Char(16) NULL , <b>curric_mem</b> Memo NULL , <b>curriculum</b> Char(8) NULL , <b>date_maint</b> Date NULL , <b>deg_grant</b> Char(10) NULL , <b>degree</b> Char(35) NULL , <b>depart</b> Char(40) NULL , <b>major</b> Char(30) NOT NULL , <b>master_ce1</b> Char(10) NULL , <b>master_ce2</b> Char(10) NULL , <b>master_ce3</b> Char(20) NULL , <b>master_de1</b> Date NULL , <b>master_fe1</b> Float NULL , <b>master_le1</b> Bit NULL , <b>master_ne1</b> Int NULL , <b>operator</b> Char(8) NULL , <b>program</b> Char(10) NULL , <b>time_maint</b> Char(8) NULL , <b>timestamp_column</b> Timestamp NULL
<b>MEETING</b>	<b>Primary Key:</b>	<i>PK_meeting (meeting_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_meeting_meeting_loc , FK_meeting_meeting_status , FK_meeting_meeting_type</i>
	<b>Indexes:</b>	<i>PK_meeting , _WA_Sys_00000004_4F8953B3 , _WA_Sys_00000005_4F8953B3 , _WA_Sys_00000006_4F8953B3 , _WA_Sys_00000007_4F8953B3 , meeting_meeting_date</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>disabled</b> Bit NOT NULL (DF meeting disable 507D77EC - ((0))) , <b>meeting_date</b> Date NOT NULL , <b>meeting_loc_rid</b> Int NOT NULL , <b>meeting_rid</b> Int NOT NULL , <b>meeting_status_rid</b> Int NOT NULL , <b>meeting_subject</b> Varchar(50) NOT NULL , <b>meeting_type_rid</b> Int NOT NULL , <b>memo</b> Memo NULL , <b>operator</b> Char(8) NULL , <b>start_time</b> Int NOT NULL , <b>time_maint</b> Char(8) NULL
<b>MEETING_ATTENDEE</b>	<b>Primary Key:</b>	<i>PK_meeting_attendee (meeting_attendee_rid)</i>
	<b>Indexes:</b>	<i>PK_meeting_attendee</i>



	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NOT NULL (DF_meeting_a_disab_3747B5CE - ((0))), <b>meeting_attendee_ce1</b> Char(10) NULL, <b>meeting_attendee_de1</b> Date NULL, <b>meeting_attendee_fe1</b> Real NULL, <b>meeting_attendee_le1</b> Bit NULL, <b>meeting_attendee_ne1</b> Int NULL, <b>meeting_attendee_rid</b> Int NOT NULL, <b>meeting_attendee_txt</b> Varchar(30) NOT NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>MEETING_LOC</b>	<b>Primary Key:</b>	PK_meeting_loc (meeting_loc_rid)
	<b>Indexes:</b>	PK_meeting_loc, _WA_Sys_00000003_4CACE708
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NOT NULL (DF_meeting_l_disab_4DA10B41 - ((0))), <b>meeting_loc_rid</b> Int NOT NULL, <b>meeting_loc_txt</b> Varchar(100) NOT NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>MEETING_MEMBERS</b>		
	<b>Indexes:</b>	_WA_Sys_00000001_56F56B51, _WA_Sys_00000002_56F56B51, _WA_Sys_00000003_56F56B51, _WA_Sys_00000004_56F56B51, _WA_Sys_00000006_56F56B51, _WA_Sys_00000007_56F56B51, _WA_Sys_00000008_56F56B51
	<b>Columns:</b>	<b>e_mail</b> Varchar(50) NULL, <b>first_name</b> Varchar(30) NULL, <b>last_name</b> Varchar(60) NULL, <b>mi</b> Varchar(15) NULL, <b>mod_stat_string</b> Varchar(100) NULL, <b>role</b> Varchar(50) NULL, <b>soc_sec</b> Char(9) NULL, <b>token</b> Char(16) NULL
<b>MEETING_STATUS</b>	<b>Primary Key:</b>	PK_meeting_status (meeting_status_rid)
	<b>Indexes:</b>	PK_meeting_status, _WA_Sys_00000003_49D07A5D
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NOT NULL (DF_meeting_s_disab_4AC49E96 - ((0))), <b>meeting_status_rid</b> Int NOT NULL, <b>meeting_status_txt</b> Varchar(50) NOT NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>MEETING_TIME_INTERVAL</b>		
<b>MEETING_TYPE</b>	<b>Primary Key:</b>	PK_meeting_type (meeting_type_rid)
	<b>Indexes:</b>	PK_meeting_type, _WA_Sys_00000003_46F40DB2
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NOT NULL (DF_meeting_t_disab_47E831EB - ((0))), <b>meeting_type_rid</b> Int NOT NULL, <b>meeting_type_txt</b> Varchar(50) NOT NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>MESSAGE</b>	<b>Primary Key:</b>	PK_message (messagecod)
	<b>Indexes:</b>	PK_message, _WA_Sys_date_maint_7A92169B, _WA_Sys_mess_ce1_7A92169B, _WA_Sys_mess_le1_7A92169B, _WA_Sys_mess_ne1_7A92169B, _WA_Sys_operator_7A92169B, _WA_Sys_time_maint_7A92169B, _WA_Sys_timestamp_column_7A92169B
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>mess_ce1</b> Char(10) NULL, <b>mess_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>mess_ne1</b> Int NULL, <b>message_ce1</b> Char(10) NULL, <b>message_ce2</b> Char(10) NULL, <b>message_ce3</b> Char(20) NULL, <b>message_de1</b> Date NULL, <b>message_fe1</b> Float NULL, <b>message_le1</b> Bit NULL, <b>message_ne1</b> Int NULL, <b>messagecod</b> Char(4) NOT NULL, <b>messagedef</b> Memo NULL, <b>messageusr</b> Memo NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL, <b>timestamp_column</b> Timestamp NULL
<b>MISC_MEMOS</b>	<b>Primary Key:</b>	PK_misc_memos_rid (misc_memos_rid)
	<b>Indexes:</b>	PK_misc_memos_rid, _WA_Sys_disabled_1492AB17, _WA_Sys_misc_memos_cod_1492AB17
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NOT NULL, <b>misc_memos_cod</b> Char(3) NULL, <b>misc_memos_memo</b> Memo NULL, <b>misc_memos_rid</b> Int NOT NULL, <b>misc_memos_txt</b> Char(35) NULL, <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>MMTEMP</b>		
	<b>Indexes:</b>	_WA_Sys_00000003_16700691
	<b>Columns:</b>	<b>Agency_txt</b> Char(60) NULL, <b>Date_maint</b> Date NULL, <b>Inqtypetxt</b> Char(30) NULL, <b>MMTemp_ce1</b> Char(10) NULL, <b>MMTemp_ce2</b> Char(10) NULL, <b>MMTemp_ce3</b> Char(20) NULL, <b>MMTemp_de1</b> Date NULL, <b>MMTemp_fe1</b> Float NULL, <b>MMTemp_le1</b> Bit NULL, <b>MMTemp_ne1</b> Int NULL, <b>MMTemp_rid</b> Int NOT NULL, <b>Operator</b> Char(8) NULL, <b>Time_maint</b> Char(8) NULL, <b>activity_cod</b> Char(3) NULL, <b>add_add2</b> Char(35) NULL, <b>add_addr</b> Char(35) NULL, <b>city</b> Char(35) NULL, <b>country</b> Char(25) NULL, <b>date_rec</b> Date NULL, <b>dept_cod</b> Char(4) NULL, <b>first_name</b> Char(30) NULL, <b>gender</b> Char(1) NULL, <b>last_name</b> Char(30) NULL, <b>major_ap</b> Char(30) NULL, <b>nickname</b> Char(30) NULL,

		<b>paradd_add2</b> Char(35) NULL , <b>paradd_addr</b> Char(35) NULL , <b>parcity</b> Char(35) NULL , <b>parcountry</b> Char(25) NULL , <b>parname</b> Char(50) NULL , <b>parsal</b> Char(75) NULL , <b>parst_addr</b> Char(35) NULL , <b>parstate</b> Char(2) NULL , <b>parzip</b> Char(10) NULL , <b>prefix</b> Char(20) NULL , <b>soc_sec</b> Char(9) NULL , <b>st_addr</b> Char(35) NULL , <b>state</b> Char(2) NULL , <b>term_int</b> Char(20) NULL , <b>zip</b> Char(10) NULL
<b>MODSTAT</b>	<b>Primary Key:</b>	<i>PK_modstat (mod_stat)</i>
	<b>Indexes:</b>	<i>PK_modstat</i> , <i>WA_Sys_00000011_7C7A5F0D</i> , <i>WA_Sys_date_maint_7C7A5F0D</i> , <i>WA_Sys_mod_ce1_7C7A5F0D</i> , <i>WA_Sys_mod_le1_7C7A5F0D</i> , <i>WA_Sys_mod_ne1_7C7A5F0D</i> , <i>WA_Sys_mod_txt_7C7A5F0D</i> , <i>WA_Sys_modstat_ce1_7C7A5F0D</i> , <i>WA_Sys_modstat_ce2_7C7A5F0D</i> , <i>WA_Sys_modstat_ce3_7C7A5F0D</i> , <i>WA_Sys_modstat_de1_7C7A5F0D</i> , <i>WA_Sys_modstat_fe1_7C7A5F0D</i> , <i>WA_Sys_modstat_le1_7C7A5F0D</i> , <i>WA_Sys_modstat_ne1_7C7A5F0D</i> , <i>WA_Sys_operator_7C7A5F0D</i> , <i>WA_Sys_sortorder_7C7A5F0D</i> , <i>WA_Sys_time_maint_7C7A5F0D</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>mod_ce1</b> Char(10) NULL , <b>mod_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>mod_ne1</b> Int NULL , <b>mod_stat</b> Char(2) NOT NULL , <b>mod_txt</b> Char(12) NULL , <b>modstat_ce1</b> Char(10) NULL , <b>modstat_ce2</b> Char(10) NULL , <b>modstat_ce3</b> Char(20) NULL , <b>modstat_de1</b> Date NULL , <b>modstat_fe1</b> Float NULL , <b>modstat_le1</b> Bit NULL , <b>modstat_ne1</b> Int NULL , <b>operator</b> Char(8) NULL , <b>reserved</b> Bit NOT NULL (DF_modstat_reserve_5EEB92D4 - ((0))) , <b>sortorder</b> Int NULL , <b>time_maint</b> Char(8) NULL
<b>MULTI_NSLC</b>	<b>Primary Key:</b>	<i>PK_Multi_NSLC (prg_cod)</i>
	<b>Foreign Keys:</b>	<i>FK_Multi_NSLC_program</i>
	<b>Indexes:</b>	<i>PK_Multi_NSLC</i>
	<b>Columns:</b>	<b>Multi_NSLC_ce1</b> Char(10) NULL , <b>Multi_NSLC_ce2</b> Char(10) NULL , <b>Multi_NSLC_ce3</b> Char(20) NULL , <b>Multi_NSLC_de1</b> Date NULL , <b>Multi_NSLC_fe1</b> Float NULL , <b>Multi_NSLC_le1</b> Bit NULL , <b>Multi_NSLC_ne1</b> Int NULL , <b>branch_code</b> Char(2) NOT NULL (DF_Multi_NSL_branc_0AB43B22 - ('00')) , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>prg_cod</b> Char(10) NOT NULL , <b>school_code</b> Char(6) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>NAME</b>	<b>Primary Key:</b>	<i>PK_name (soc_sec)</i>
	<b>Foreign Keys:</b>	<i>FK_name_acadstat</i> , <i>FK_name_affiliation</i> , <i>FK_name_campus</i> , <i>FK_name_dept</i> , <i>FK_name_division</i> , <i>FK_name_ethnic</i> , <i>FK_name_gender</i> , <i>FK_name_ipedstat</i> , <i>FK_name_level</i> , <i>FK_name_marital</i> , <i>FK_name_prefix</i> , <i>FK_name_suffix</i>
	<b>Triggers:</b>	<i>tr_card_id</i> , <i>tr_name_U</i> , <i>tr_name_isir_U</i> , <i>tr_online_hld_U</i>
	<b>Indexes:</b>	<i>PK_name</i> , <i>WA_Sys_00000010_09DF4723</i> , <i>WA_Sys_00000057_09DF4723</i> , <i>WA_Sys_00000058_09DF4723</i> , <i>WA_Sys_BA_Degree_09DF4723</i> , <i>WA_Sys_Card_ID_09DF4723</i> , <i>WA_Sys_DL_STATE_09DF4723</i> , <i>WA_Sys_Driver_License_09DF4723</i> , <i>WA_Sys_acadstat_cod_09DF4723</i> , <i>WA_Sys_affiliation_cod_09DF4723</i> , <i>WA_Sys_birthdate_09DF4723</i> , <i>WA_Sys_bookstore_09DF4723</i> , <i>WA_Sys_camp_cod_09DF4723</i> , <i>WA_Sys_citizen_09DF4723</i> , <i>WA_Sys_corporate_09DF4723</i> , <i>WA_Sys_date_maint_09DF4723</i> , <i>WA_Sys_dec_date_09DF4723</i> , <i>WA_Sys_deceased_09DF4723</i> , <i>WA_Sys_dept_cod_09DF4723</i> , <i>WA_Sys_disabled_09DF4723</i> , <i>WA_Sys_div_cod_09DF4723</i> , <i>WA_Sys_ethnic_cod_09DF4723</i> , <i>WA_Sys_exam_id_09DF4723</i> , <i>WA_Sys_excl_billing_09DF4723</i> , <i>WA_Sys_excl_blk_trans_09DF4723</i> , <i>WA_Sys_excl_mailing_09DF4723</i> , <i>WA_Sys_first_name_09DF4723</i> , <i>WA_Sys_fund_stat_09DF4723</i> , <i>WA_Sys_gender_09DF4723</i> , <i>WA_Sys_incl_directory_09DF4723</i> , <i>WA_Sys_iped_stat_09DF4723</i> , <i>WA_Sys_ldap_id_09DF4723</i> , <i>WA_Sys_level_09DF4723</i> , <i>WA_Sys_maiden_09DF4723</i> , <i>WA_Sys_mar_cod_09DF4723</i> , <i>WA_Sys_mi_09DF4723</i> , <i>WA_Sys_name_ce1_09DF4723</i> , <i>WA_Sys_name_ce2_09DF4723</i> , <i>WA_Sys_name_ce3_09DF4723</i> , <i>WA_Sys_name_ce4_09DF4723</i> , <i>WA_Sys_name_de1_09DF4723</i> , <i>WA_Sys_name_fe1_09DF4723</i> , <i>WA_Sys_name_le1_09DF4723</i> , <i>WA_Sys_name_ne1_09DF4723</i> , <i>WA_Sys_namebit1_09DF4723</i> , <i>WA_Sys_namebit2_09DF4723</i> , <i>WA_Sys_namebit3_09DF4723</i> , <i>WA_Sys_namebit4_09DF4723</i> , <i>WA_Sys_namebit5_09DF4723</i> , <i>WA_Sys_namebit6_09DF4723</i> , <i>WA_Sys_namebit7_09DF4723</i> , <i>WA_Sys_nickname_09DF4723</i> , <i>WA_Sys_notpubname_09DF4723</i> , <i>WA_Sys_nslch_block_09DF4723</i> , <i>WA_Sys_nslch_block_date_09DF4723</i> , <i>WA_Sys_online_hld_09DF4723</i> , <i>WA_Sys_operator_09DF4723</i> , <i>WA_Sys_other_name_09DF4723</i> , <i>WA_Sys_photo_09DF4723</i> , <i>WA_Sys_pin_09DF4723</i> , <i>WA_Sys_pin_changed_date_09DF4723</i> , <i>WA_Sys_prefix_09DF4723</i> , <i>WA_Sys_releas_dt_09DF4723</i> , <i>WA_Sys_releas_inf_09DF4723</i> ,

		<i>WA_Sys_res_date_09DF4723</i> , <i>WA_Sys_residency_09DF4723</i> , <i>WA_Sys_retries_09DF4723</i> , <i>WA_Sys_sallie_mae_export_09DF4723</i> , <i>WA_Sys_sallie_mae_export_date_09DF4723</i> , <i>WA_Sys_show_addr_09DF4723</i> , <i>WA_Sys_show_email_09DF4723</i> , <i>WA_Sys_show_my_profile_09DF4723</i> , <i>WA_Sys_show_phone_09DF4723</i> , <i>WA_Sys_show_photo_09DF4723</i> , <i>WA_Sys_show_wkphn_09DF4723</i> , <i>WA_Sys_sonis_id_09DF4723</i> , <i>WA_Sys_ssn_09DF4723</i> , <i>WA_Sys_suffix_09DF4723</i> , <i>WA_Sys_time_maint_09DF4723</i> , <i>WA_Sys_timestamp_column_09DF4723</i> , <i>WA_Sys_tuit_stat_09DF4723</i> , <i>WA_Sys_undoc_alien_09DF4723</i> , <i>WA_Sys_veteran_09DF4723</i> , <i>birthdate</i> , <i>first_name</i> , <i>last_name</i> , <i>name_camp_cod</i> , <i>name_dept</i> , <i>name_div_cod</i> , <i>name_level</i> , <i>ssn</i>
	<b>Columns:</b>	<b>BA_Degree</b> <i>Bit</i> NOT NULL ( <i>DF_name_BA_Degree_7CD0301F</i> - (0)), <b>Card_ID</b> <i>Char</i> (16) NULL, <b>DL_STATE</b> <i>Char</i> (2) NULL, <b>Driver_License</b> <i>Char</i> (35) NULL, <b>acadstat_cod</b> <i>Char</i> (8) NOT NULL ( <i>DF_name_acadstat_cod</i> - ('TBD')), <b>affiliation_cod</b> <i>Char</i> (2) NULL, <b>birthdate</b> <i>Date</i> NOT NULL, <b>bookstore</b> <i>Bit</i> NOT NULL ( <i>DF_name_bookstore_711464B0</i> - (0)), <b>camp_cod</b> <i>Char</i> (10) NULL, <b>career_place</b> <i>Bit</i> NULL ( <i>DF_name_career_pla_70B53D54</i> - ((0))), <b>citizen</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault</i> - CREATE DEFAULT <i>UW_ZeroDefault</i> AS 0), <b>corporate</b> <i>Bit</i> NOT NULL ( <i>DF_name_corporate_2864999A</i> - (0)), <b>date_maint</b> <i>Date</i> NULL, <b>dec_date</b> <i>Date</i> NULL, <b>deceased</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault</i> - CREATE DEFAULT <i>UW_ZeroDefault</i> AS 0), <b>dept_cod</b> <i>Char</i> (4) NULL, <b>disabled</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault</i> - CREATE DEFAULT <i>UW_ZeroDefault</i> AS 0), <b>div_cod</b> <i>Char</i> (2) NULL, <b>ethnic_cod</b> <i>Char</i> (2) NULL, <b>exam_id</b> <i>Char</i> (9) NULL, <b>excl_billing</b> <i>Bit</i> NOT NULL ( <i>DF_name_excl_bill_03A74AE0</i> - (0)), <b>excl_blk_trans</b> <i>Bit</i> NOT NULL ( <i>DF_name_excl_blk_t_6D82FF97</i> - (0)), <b>excl_mailing</b> <i>Bit</i> NOT NULL ( <i>DF_name_excl_mails_0C3C90E1</i> - (0)), <b>first_name</b> <i>Char</i> (30) NULL, <b>fund_stat</b> <i>Char</i> (2) NULL, <b>gender</b> <i>Char</i> (1) NULL, <b>incl_directory</b> <i>Bit</i> NOT NULL ( <i>DF_name_incl_dirac_129F75AD</i> - (1)), <b>iped_stat</b> <i>Char</i> (2) NULL ( <i>DF_iped_stat</i> - ('TB')), <b>last_name</b> <i>Varchar</i> (60) NULL, <b>ldap_id</b> <i>Varchar</i> (25) NULL, <b>level_</b> <i>Char</i> (1) NULL, <b>maiden</b> <i>Char</i> (22) NULL, <b>mar_cod</b> <i>Char</i> (2) NULL, <b>mi</b> <i>Char</i> (15) NULL, <b>my_profile</b> <i>Memo</i> NULL, <b>name_ce1</b> <i>Char</i> (10) NULL, <b>name_ce2</b> <i>Char</i> (10) NULL, <b>name_ce3</b> <i>Char</i> (10) NULL, <b>name_ce4</b> <i>Varchar</i> (40) NULL, <b>name_de1</b> <i>Date</i> NULL, <b>name_fe1</b> <i>Float</i> NULL, <b>name_le1</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault</i> - CREATE DEFAULT <i>UW_ZeroDefault</i> AS 0), <b>name_mem</b> <i>Memo</i> NULL, <b>name_ne1</b> <i>Int</i> NULL, <b>namebit1</b> <i>Bit</i> NULL, <b>namebit2</b> <i>Bit</i> NULL, <b>namebit3</b> <i>Bit</i> NULL, <b>namebit4</b> <i>Bit</i> NULL, <b>namebit5</b> <i>Bit</i> NULL, <b>namebit6</b> <i>Bit</i> NULL ( <i>DF_name_namebit6_3AA34566</i> - (0)), <b>namebit7</b> <i>Bit</i> NULL ( <i>DF_name_namebit7_3B97699F</i> - (0)), <b>nickname</b> <i>Char</i> (20) NULL, <b>notpubname</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault</i> - CREATE DEFAULT <i>UW_ZeroDefault</i> AS 0), <b>nsrch_block</b> <i>Bit</i> NULL, <b>nsrch_block_date</b> <i>Date</i> NULL, <b>online_hld</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault</i> - CREATE DEFAULT <i>UW_ZeroDefault</i> AS 0), <b>operator</b> <i>Char</i> (8) NULL, <b>other_name</b> <i>Varchar</i> (30) NULL, <b>photo</b> <i>Char</i> (25) NULL, <b>pin</b> <i>Varchar</i> (250) NULL ( <i>DF_name_pin</i> - ('')), <b>pin_changed_date</b> <i>Date</i> NOT NULL ( <i>DF_name_pin_change_4FB370E5</i> - ('12/31/1899')), <b>prefix</b> <i>Char</i> (20) NULL, <b>prevent_photo_upload</b> <i>Bit</i> NOT NULL ( <i>DF_name_prevent_ph_0269D93B</i> - ((0))), <b>releas_dt</b> <i>Date</i> NULL, <b>releas_inf</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault</i> - CREATE DEFAULT <i>UW_ZeroDefault</i> AS 0), <b>res_date</b> <i>Date</i> NULL, <b>residency</b> <i>Bit</i> NOT NULL ( <i>DF_name_residency_76AD4275</i> - (0)), <b>retries</b> <i>Float</i> NULL, <b>sallie_mae_export</b> <i>Bit</i> NOT NULL ( <i>DF_name_sallie_mae_3198FE19</i> - (0)), <b>sallie_mae_export_date</b> <i>Date</i> NOT NULL ( <i>DF_name_sallie_mae_328D2252</i> - ('12/30/1899')), <b>show_addr</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault</i> - CREATE DEFAULT <i>UW_ZeroDefault</i> AS 0), <b>show_email</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault</i> - CREATE DEFAULT <i>UW_ZeroDefault</i> AS 0), <b>show_my_profile</b> <i>Bit</i> NOT NULL ( <i>DF_name_show_my_pr_3F47FEF2</i> - (0)), <b>show_phone</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault</i> - CREATE DEFAULT <i>UW_ZeroDefault</i> AS 0), <b>show_photo</b> <i>Bit</i> NOT NULL ( <i>DF_name_show_photo_60A8F2BD</i> - (0)), <b>show_wkphn</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault</i> - CREATE DEFAULT <i>UW_ZeroDefault</i> AS 0), <b>soc_sec</b> <i>Char</i> (9) NOT NULL, <b>sonis_id</b> <i>Char</i> (9) NOT NULL, <b>ssn</b> <i>Char</i> (9) NULL, <b>staff_meetings</b> <i>Bit</i> NOT NULL ( <i>DF_name_staff_meet_377CBFF8</i> - ((0))), <b>suffix</b> <i>Char</i> (20) NULL, <b>time_maint</b> <i>Char</i> (8) NULL, <b>timestamp_column</b> <i>Timestamp</i> NULL, <b>transmem</b> <i>Memo</i> NULL, <b>tuit_stat</b> <i>Char</i> (2) NULL, <b>undoc_alien</b> <i>Bit</i> NOT NULL ( <i>DF_name_undoc_alie_5FFEE747</i> - (0)), <b>veteran</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault</i> - CREATE DEFAULT <i>UW_ZeroDefault</i> AS 0)
<b>NAMEADD</b>		
	<b>Indexes:</b>	<i>WA_Sys_00000036_65ECCAC7</i> , <i>WA_Sys_soc_sec_65ECCAC7</i>

	<b>Columns:</b>	<b>BA_Degree</b> <i>Bit</i> NOT NULL , <b>Driver_License</b> <i>Char(35)</i> NULL , <b>acadstat_cod</b> <i>Char(8)</i> NOT NULL , <b>affiliation_cod</b> <i>Char(2)</i> NULL , <b>birthdate</b> <i>Date</i> NOT NULL , <b>camp_cod</b> <i>Char(10)</i> NULL , <b>citizen</b> <i>Bit</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>dec_date</b> <i>Date</i> NULL , <b>deceased</b> <i>Bit</i> NULL , <b>dept_cod</b> <i>Char(4)</i> NULL , <b>disabled</b> <i>Bit</i> NULL , <b>div_cod</b> <i>Char(2)</i> NULL , <b>ethnic_cod</b> <i>Char(2)</i> NULL , <b>exam_id</b> <i>Char(9)</i> NULL , <b>excl_billing</b> <i>Bit</i> NOT NULL , <b>excl_blk_trans</b> <i>Bit</i> NOT NULL , <b>excl_mailing</b> <i>Bit</i> NOT NULL , <b>first_name</b> <i>Char(30)</i> NULL , <b>fund_stat</b> <i>Char(2)</i> NULL , <b>gender</b> <i>Char(1)</i> NULL , <b>incl_directory</b> <i>Bit</i> NOT NULL , <b>iped_stat</b> <i>Char(2)</i> NULL , <b>last_name</b> <i>Char(30)</i> NULL , <b>level</b> <i>Char(1)</i> NULL , <b>maiden</b> <i>Char(22)</i> NULL , <b>mar_cod</b> <i>Char(2)</i> NULL , <b>mi</b> <i>Char(15)</i> NULL , <b>name_ce1</b> <i>Char(10)</i> NULL , <b>name_ce2</b> <i>Char(10)</i> NULL , <b>name_ce3</b> <i>Char(10)</i> NULL , <b>name_ce4</b> <i>Varchar(40)</i> NULL , <b>name_de1</b> <i>Date</i> NULL , <b>name_fe1</b> <i>Float</i> NULL , <b>name_le1</b> <i>Bit</i> NULL , <b>name_mem</b> <i>Memo</i> NULL , <b>name_ne1</b> <i>Int</i> NULL , <b>namebit1</b> <i>Bit</i> NULL , <b>namebit2</b> <i>Bit</i> NULL , <b>namebit3</b> <i>Bit</i> NULL , <b>namebit4</b> <i>Bit</i> NULL , <b>namebit5</b> <i>Bit</i> NULL , <b>nickname</b> <i>Char(20)</i> NULL , <b>notpubname</b> <i>Bit</i> NULL , <b>nsrch_block</b> <i>Bit</i> NULL , <b>nsrch_block_date</b> <i>Date</i> NULL , <b>online_hld</b> <i>Bit</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>photo</b> <i>Char(25)</i> NULL , <b>pin</b> <i>Varchar(250)</i> NULL , <b>prefix</b> <i>Char(20)</i> NULL , <b>releas_dt</b> <i>Date</i> NULL , <b>releas_inf</b> <i>Bit</i> NULL , <b>retries</b> <i>Float</i> NULL , <b>show_addr</b> <i>Bit</i> NULL , <b>show_email</b> <i>Bit</i> NULL , <b>show_phone</b> <i>Bit</i> NULL , <b>show_wkphn</b> <i>Bit</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>sonis_id</b> <i>Char(9)</i> NOT NULL , <b>ssn</b> <i>Char(9)</i> NULL , <b>suffix</b> <i>Char(20)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>timestamp_column</b> <i>Timestamp</i> NULL , <b>transmem</b> <i>Memo</i> NULL , <b>tuit_stat</b> <i>Char(2)</i> NULL , <b>veteran</b> <i>Bit</i> NULL
NAMEDUP		
	<b>Indexes:</b>	<i>_WA_Sys_00000003_66E0EF00</i> , <i>_WA_Sys_00000004_66E0EF00</i> , <i>_WA_Sys_00000014_66E0EF00</i> , <i>_WA_Sys_0000001A_66E0EF00</i> , <i>_WA_Sys_birthdate_66E0EF00</i> , <i>_WA_Sys_soc_sec_66E0EF00</i>
	<b>Columns:</b>	<b>BA_Degree</b> <i>Bit</i> NOT NULL , <b>Driver_License</b> <i>Char(35)</i> NULL , <b>acadstat_cod</b> <i>Char(8)</i> NOT NULL , <b>affiliation_cod</b> <i>Char(2)</i> NULL , <b>birthdate</b> <i>Date</i> NOT NULL , <b>camp_cod</b> <i>Char(10)</i> NULL , <b>citizen</b> <i>Bit</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>dec_date</b> <i>Date</i> NULL , <b>deceased</b> <i>Bit</i> NULL , <b>dept_cod</b> <i>Char(4)</i> NULL , <b>disabled</b> <i>Bit</i> NULL , <b>div_cod</b> <i>Char(2)</i> NULL , <b>ethnic_cod</b> <i>Char(2)</i> NULL , <b>exam_id</b> <i>Char(9)</i> NULL , <b>excl_billing</b> <i>Bit</i> NOT NULL , <b>excl_blk_trans</b> <i>Bit</i> NOT NULL , <b>excl_mailing</b> <i>Bit</i> NOT NULL , <b>first_name</b> <i>Char(30)</i> NULL , <b>fund_stat</b> <i>Char(2)</i> NULL , <b>gender</b> <i>Char(1)</i> NULL , <b>incl_directory</b> <i>Bit</i> NOT NULL , <b>iped_stat</b> <i>Char(2)</i> NULL , <b>last_name</b> <i>Char(30)</i> NULL , <b>level</b> <i>Char(1)</i> NULL , <b>maiden</b> <i>Char(22)</i> NULL , <b>mar_cod</b> <i>Char(2)</i> NULL , <b>mi</b> <i>Char(15)</i> NULL , <b>name_ce1</b> <i>Char(10)</i> NULL , <b>name_ce2</b> <i>Char(10)</i> NULL , <b>name_ce3</b> <i>Char(10)</i> NULL , <b>name_ce4</b> <i>Varchar(40)</i> NULL , <b>name_de1</b> <i>Date</i> NULL , <b>name_fe1</b> <i>Float</i> NULL , <b>name_le1</b> <i>Bit</i> NULL , <b>name_mem</b> <i>Memo</i> NULL , <b>name_ne1</b> <i>Int</i> NULL , <b>namebit1</b> <i>Bit</i> NULL , <b>namebit2</b> <i>Bit</i> NULL , <b>namebit3</b> <i>Bit</i> NULL , <b>namebit4</b> <i>Bit</i> NULL , <b>namebit5</b> <i>Bit</i> NULL , <b>nickname</b> <i>Char(20)</i> NULL , <b>notpubname</b> <i>Bit</i> NULL , <b>nsrch_block</b> <i>Bit</i> NULL , <b>nsrch_block_date</b> <i>Date</i> NULL , <b>online_hld</b> <i>Bit</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>photo</b> <i>Char(25)</i> NULL , <b>pin</b> <i>Varchar(250)</i> NULL , <b>prefix</b> <i>Char(20)</i> NULL , <b>releas_dt</b> <i>Date</i> NULL , <b>releas_inf</b> <i>Bit</i> NULL , <b>retries</b> <i>Float</i> NULL , <b>show_addr</b> <i>Bit</i> NULL , <b>show_email</b> <i>Bit</i> NULL , <b>show_phone</b> <i>Bit</i> NULL , <b>show_wkphn</b> <i>Bit</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>sonis_id</b> <i>Char(9)</i> NOT NULL , <b>ssn</b> <i>Char(9)</i> NULL , <b>suffix</b> <i>Char(20)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>timestamp_column</b> <i>Timestamp</i> NULL , <b>transmem</b> <i>Memo</i> NULL , <b>tuit_stat</b> <i>Char(2)</i> NULL , <b>veteran</b> <i>Bit</i> NULL
NMACT	<b>Primary Key:</b>	<i>PK_nmact (nmact_cod)</i>
	<b>Foreign Keys:</b>	<i>FK_nmact_activity</i> , <i>FK_nmact_ev_rid</i> , <i>FK_nmact_name</i>
	<b>Indexes:</b>	<i>PK_nmact</i> , <i>_WA_Sys_00000001_092A4EB5</i> , <i>_WA_Sys_00000008_092A4EB5</i> , <i>_WA_Sys_0000001A_092A4EB5</i> , <i>_WA_Sys_0000001B_092A4EB5</i> , <i>_WA_Sys_act_date_092A4EB5</i> , <i>_WA_Sys_act_desc_092A4EB5</i> , <i>_WA_Sys_act_done_092A4EB5</i> , <i>_WA_Sys_activity_cod_092A4EB5</i> , <i>_WA_Sys_date_maint_092A4EB5</i> , <i>_WA_Sys_done_date_092A4EB5</i> , <i>_WA_Sys_ev_rid_092A4EB5</i> , <i>_WA_Sys_nmact_ce1_092A4EB5</i> , <i>_WA_Sys_nmact_ce2_092A4EB5</i> , <i>_WA_Sys_nmact_ce3_092A4EB5</i> , <i>_WA_Sys_nmact_de1_092A4EB5</i> , <i>_WA_Sys_nmact_fe1_092A4EB5</i> , <i>_WA_Sys_nmact_le1_092A4EB5</i> , <i>_WA_Sys_nmact_ne1_092A4EB5</i> , <i>_WA_Sys_operator_092A4EB5</i> , <i>_WA_Sys_quantity_092A4EB5</i> , <i>_WA_Sys_stop_date_092A4EB5</i> , <i>_WA_Sys_time_maint_092A4EB5</i> , <i>_WA_Sys_timestamp_column_092A4EB5</i> , <i>nmact_act_date</i> , <i>nmact_activity_cod</i> , <i>soc_sec</i>

	<b>Columns:</b>	<b>act_date</b> Date NULL , <b>act_desc</b> Char(30) NULL , <b>act_done</b> Bit NULL (DF_nmact_act_done - (0)) , <b>act_memo</b> Memo NULL , <b>activity_cod</b> Char(3) NULL , <b>activity_owner</b> Char(9) NULL , <b>date_maint</b> Date NULL , <b>done_date</b> Date NULL , <b>ev_rid</b> Int NULL , <b>nmact_ce1</b> Char(10) NULL , <b>nmact_ce2</b> Char(10) NULL , <b>nmact_ce3</b> Char(20) NULL , <b>nmact_cod</b> Int NOT NULL , <b>nmact_cod_bu</b> Char(16) NULL , <b>nmact_de1</b> Date NULL , <b>nmact_fe1</b> Float NULL , <b>nmact_le1</b> Bit NULL , <b>nmact_ne1</b> Int NULL , <b>operator</b> Char(8) NULL , <b>prospect_rid</b> Int NULL , <b>quantity</b> Int NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>stop_date</b> Date NULL , <b>time_maint</b> Char(8) NULL , <b>timestamp_column</b> Timestamp NULL
<b>NMACT_RESPONSE</b>	<b>Primary Key:</b>	<b>PK_nmact_response_nmact_response_rid</b> (nmact_response_RID)
	<b>Foreign Keys:</b>	<b>FK_nmact_response_AR_cod</b> , <b>FK_nmact_response_activity_cod</b> , <b>FK_nmact_response_nmact_cod</b> , <b>FK_nmact_response_owner_soc_sec</b>
	<b>Indexes:</b>	<b>PK_nmact_response_nmact_response_rid</b> , <b>_WA_Sys_00000002_76A3EC2B</b> , <b>_WA_Sys_00000004_76A3EC2B</b> , <b>_WA_Sys_00000007_76A3EC2B</b>
	<b>Columns:</b>	<b>AR_cod</b> Varchar(10) NOT NULL , <b>Owner_soc_sec</b> Char(9) NOT NULL , <b>activity_cod</b> Char(3) NOT NULL , <b>date_maint</b> Date NULL , <b>nmact_cod</b> Int NOT NULL , <b>nmact_response_RID</b> Int NOT NULL , <b>nmact_response_act_date</b> Date NOT NULL (DF_nmact_res_nmact_788C349D - (getdate())) , <b>nmact_response_current</b> Bit NOT NULL (DF_nmact_res_nmact_798058D6 - ((0))) , <b>nmact_response_date</b> Date NOT NULL (DF_nmact_res_nmact_77981064 - (getdate())) , <b>nmact_response_memo</b> Nvarchar(6000) NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>NMADV</b>	<b>Primary Key:</b>	<b>PK_nmadv</b> (adv_rid)
	<b>Foreign Keys:</b>	<b>FK_nmadv_name2</b>
	<b>Indexes:</b>	<b>PK_nmadv</b> , <b>_WA_Sys_0000000D_30792600</b> , <b>_WA_Sys_active_30792600</b> , <b>_WA_Sys_adv_rid_30792600</b> , <b>_WA_Sys_adv_ssn_30792600</b> , <b>_WA_Sys_advisor_bit_1_30792600</b> , <b>_WA_Sys_date_maint_30792600</b> , <b>_WA_Sys_nmadv_ce1_30792600</b> , <b>_WA_Sys_nmadv_le1_30792600</b> , <b>_WA_Sys_nmadv_ne1_30792600</b> , <b>_WA_Sys_operator_30792600</b> , <b>_WA_Sys_registration_30792600</b> , <b>_WA_Sys_start_dt_30792600</b> , <b>_WA_Sys_stop_dt_30792600</b> , <b>_WA_Sys_time_maint_30792600</b> , <b>soc_sec</b>
	<b>Columns:</b>	<b>active</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>adv_rid</b> Char(16) NOT NULL , <b>adv_ssn</b> Char(9) NULL , <b>advisor_bit_1</b> Bit NOT NULL (DF_nmadv_advisor_b_39E42B57 - (0)) , <b>advisor_bit_2</b> Bit NOT NULL (DF_nmadv_advisor_b_3AD84F90 - (0)) , <b>date_maint</b> Date NULL , <b>memo</b> Memo NULL , <b>nmadv_ce1</b> Char(10) NULL , <b>nmadv_ce2</b> Char(10) NULL , <b>nmadv_ce3</b> Char(20) NULL , <b>nmadv_de1</b> Date NULL , <b>nmadv_fe1</b> Float NULL , <b>nmadv_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>nmadv_ne1</b> Float NULL , <b>operator</b> Char(8) NULL , <b>registration</b> Bit NOT NULL (DF_nmadv_registrat_6E02EDDB - (1)) , <b>soc_sec</b> Char(9) NOT NULL , <b>start_dt</b> Date NULL , <b>stop_dt</b> Date NULL , <b>time_maint</b> Char(8) NULL
<b>NMAPPCHK</b>	<b>Primary Key:</b>	<b>PK_nmappchk</b> (nmappchk_rid)
	<b>Foreign Keys:</b>	<b>FK_nmappchk_appchk</b> , <b>FK_nmappchk_appchk_cod</b> , <b>FK_nmappchk_institut</b> , <b>FK_nmappchk_name</b> , <b>FK_nmappchk_nmedu</b> , <b>FK_nmappchk_nmref</b> , <b>FK_nmappchk_nmsatact</b>
	<b>Triggers:</b>	<b>tr_NMAPPCHK_REF_U</b> , <b>tr_NMAPPCHK_TRANS_U</b>
	<b>Indexes:</b>	<b>PK_nmappchk</b> , <b>_WA_Sys_00000007_6423B28F</b> , <b>_WA_Sys_0000000B_6423B28F</b> , <b>_WA_Sys_0000000C_6423B28F</b> , <b>_WA_Sys_appchk_cod_6423B28F</b> , <b>_WA_Sys_chk_comp_6423B28F</b> , <b>_WA_Sys_comp_dt_6423B28F</b> , <b>_WA_Sys_edu_rid_6423B28F</b> , <b>_WA_Sys_entry_dt_6423B28F</b> , <b>_WA_Sys_inst_cod_6423B28F</b> , <b>_WA_Sys_inst_txt_6423B28F</b> , <b>_WA_Sys_nmappchk_ce1_6423B28F</b> , <b>_WA_Sys_nmappchk_ce2_6423B28F</b> , <b>_WA_Sys_nmappchk_ce3_6423B28F</b> , <b>_WA_Sys_nmappchk_de1_6423B28F</b> , <b>_WA_Sys_nmappchk_fe1_6423B28F</b> , <b>_WA_Sys_nmappchk_le1_6423B28F</b> , <b>_WA_Sys_nmappchk_ne1_6423B28F</b> , <b>_WA_Sys_operator_6423B28F</b> , <b>_WA_Sys_prgr_cod_6423B28F</b> , <b>_WA_Sys_ref_rid_6423B28F</b> , <b>_WA_Sys_sat_rid_6423B28F</b> , <b>_WA_Sys_soc_sec_6423B28F</b> , <b>_WA_Sys_test_rid_6423B28F</b> , <b>soc_sec</b>

	<b>Columns:</b>	<b>appchk_cod</b> Char(2) NULL, <b>chk_comp</b> Bit NULL ( <i>chk_comp</i> - (0)), <b>comp_dt</b> Date NULL, <b>date_maint</b> Date NULL, <b>edu_rid</b> Char(16) NULL, <b>entry_dt</b> Date NULL, <b>inst_cod</b> Char(16) NULL, <b>inst_txt</b> Char(50) NULL, <b>memo</b> Memo NULL, <b>nmappchk_ce1</b> Char(10) NULL, <b>nmappchk_ce2</b> Char(10) NULL, <b>nmappchk_ce3</b> Char(20) NULL, <b>nmappchk_de1</b> Date NULL, <b>nmappchk_fe1</b> Float NULL, <b>nmappchk_le1</b> Bit NULL, <b>nmappchk_ne1</b> Int NULL, <b>nmappchk_rid</b> Int NOT NULL, <b>operator</b> Char(8) NULL, <b>prg_cod</b> Char(10) NULL, <b>ref_rid</b> Char(16) NULL, <b>sat_rid</b> Char(16) NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>test_rid</b> Char(16) NULL, <b>time_maint</b> Char(8) NULL
<b>NMATTEND</b>	<b>Primary Key:</b>	<i>PK_nmattend</i> ( <i>nmattend_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_nmattend_name</i>
	<b>Indexes:</b>	<i>PK_nmattend</i> , <i>_WA_Sys_00000009_4317C47F</i> , <i>_WA_Sys_0000000A_4317C47F</i> , <i>_WA_Sys_attend_txt_4317C47F</i> , <i>_WA_Sys_date_of_cl_4317C47F</i> , <i>_WA_Sys_sid_4317C47F</i> , <i>_WA_Sys_soc_sec_4317C47F</i> , <i>nmattend_attend_txt</i> , <i>nmattend_date_of_cl</i> , <i>nmattend_sid</i> , <i>nmattend_soc_sec</i>
	<b>Columns:</b>	<b>attend_txt</b> Varchar(80) NOT NULL, <b>date_maint</b> Date NULL, <b>date_of_cl</b> Date NULL, <b>nmattend_ce1</b> Char(10) NULL, <b>nmattend_ce2</b> Char(10) NULL, <b>nmattend_ce3</b> Char(20) NULL, <b>nmattend_de1</b> Date NULL, <b>nmattend_fe1</b> Float NULL, <b>nmattend_le1</b> Bit NULL, <b>nmattend_ne1</b> Int NULL, <b>nmattend_rid</b> Bigint NOT NULL, <b>operator</b> Char(8) NULL, <b>sid</b> Char(16) NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>time_maint</b> Char(8) NULL
<b>NMBIO_ADDR_ARCH</b>	<b>Primary Key:</b>	<i>PK_nmbio_addr_arch</i> ( <i>nmbio_addr_arch_rid</i> )
	<b>Indexes:</b>	<i>PK_nmbio_addr_arch</i> , <i>_WA_Sys_00000002_1B9F9B59</i>
	<b>Columns:</b>	<b>add_add2</b> Char(35) NULL, <b>add_addr</b> Char(35) NULL, <b>address_date_maint</b> Date NULL, <b>address_operator</b> Char(8) NULL, <b>address_time_maint</b> Char(8) NULL, <b>cell_Phone</b> Char(25) NULL, <b>cell_provider</b> Varchar(35) NULL, <b>city</b> Char(35) NULL, <b>country</b> Char(25) NULL, <b>date_maint</b> Date NULL, <b>e_mail</b> Char(50) NULL, <b>fax</b> Char(15) NULL, <b>first_name</b> Char(30) NULL, <b>last_name</b> Char(30) NULL, <b>mi</b> Char(15) NULL, <b>my_profile</b> Memo NULL, <b>name_date_maint</b> Date NULL, <b>name_operator</b> Char(8) NULL, <b>name_time_maint</b> Char(8) NULL, <b>nmbio_addr_arch_ce1</b> Char(11) NULL, <b>nmbio_addr_arch_ce2</b> Char(10) NULL, <b>nmbio_addr_arch_ce3</b> Char(20) NULL, <b>nmbio_addr_arch_de1</b> Date NULL, <b>nmbio_addr_arch_fe1</b> Float NULL, <b>nmbio_addr_arch_le1</b> Bit NULL, <b>nmbio_addr_arch_ne1</b> Int NULL, <b>nmbio_addr_arch_rid</b> Int NOT NULL, <b>notpubname</b> Bit NULL, <b>nslch_block</b> Bit NULL, <b>operator</b> Char(8) NULL, <b>phone</b> Char(25) NULL, <b>pin</b> Varchar(250) NULL, <b>pin_changed_date</b> Date NOT NULL, <b>show_addr</b> Bit NULL, <b>show_email</b> Bit NULL, <b>show_my_profile</b> Bit NOT NULL, <b>show_phone</b> Bit NULL, <b>show_photo</b> Bit NOT NULL, <b>show_wkphn</b> Bit NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>st_addr</b> Char(35) NULL, <b>state</b> Char(2) NULL, <b>text_me</b> Bit NOT NULL, <b>time_maint</b> Char(8) NULL, <b>type</b> Char(10) NULL, <b>work_phone</b> Char(25) NULL, <b>zip</b> Char(10) NULL
<b>NMBLDTASK</b>	<b>Primary Key:</b>	<i>PK_nmbldtask</i> ( <i>nmbldtask_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_nmbldtask_bldtask</i> , <i>FK_nmbldtask_name</i> , <i>FK_nmbldtask_security</i> , <i>FK_nmbldtask_webprof</i>
	<b>Indexes:</b>	<i>PK_nmbldtask</i> , <i>_WA_Sys_bldtask_cod_7D3A4473</i> , <i>_WA_Sys_prof_cod_7D3A4473</i> , <i>_WA_Sys_soc_sec_7D3A4473</i> , <i>_WA_Sys_user_id_7D3A4473</i>
	<b>Columns:</b>	<b>bldtask_cod</b> Char(3) NULL, <b>date_maint</b> Date NULL, <b>nmbldtask_ce1</b> Char(10) NULL, <b>nmbldtask_ce2</b> Char(10) NULL, <b>nmbldtask_ce3</b> Char(20) NULL, <b>nmbldtask_de1</b> Date NULL, <b>nmbldtask_fe1</b> Float NULL, <b>nmbldtask_le1</b> Bit NULL, <b>nmbldtask_ne1</b> Float NULL, <b>nmbldtask_rid</b> Int NOT NULL, <b>operator</b> Char(8) NULL, <b>prof_cod</b> Char(10) NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>time_maint</b> Char(8) NULL, <b>user_id</b> Char(8) NULL
<b>NMBUDGET</b>	<b>Primary Key:</b>	<i>PK_nmbudget_nmbudget_rid</i> ( <i>nmbudget_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_nmbudget_name</i>
	<b>Indexes:</b>	<i>PK_nmbudget_nmbudget_rid</i> , <i>_WA_Sys_0000000B_76233290</i> , <i>_WA_Sys_0000000D_76233290</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>nmbudget_ATF</b> Float NULL, <b>nmbudget_RM_BRD</b> Float NULL, <b>nmbudget_Stud_Ser</b> Float NULL, <b>nmbudget_allowance</b> Float NULL, <b>nmbudget_books</b> Float NULL, <b>nmbudget_ce1</b> Char(10) NULL, <b>nmbudget_ce2</b> Char(10) NULL, <b>nmbudget_ce3</b> Char(20) NULL, <b>nmbudget_de1</b> Date NULL, <b>nmbudget_fe1</b> Float NULL, <b>nmbudget_fe2</b> Float NULL, <b>nmbudget_fe3</b> Float NULL, <b>nmbudget_fe4</b> Float NULL, <b>nmbudget_fe5</b> Float NULL, <b>nmbudget_fe6</b> Float NULL, <b>nmbudget_fe7</b> Float NULL, <b>nmbudget_hlth_fee</b> Float

		NULL , <b>nmbudget_le1</b> <i>Bit</i> NULL , <b>nmbudget_ne1</b> <i>Int</i> NULL , <b>nmbudget_rid</b> <i>Int</i> NOT NULL , <b>nmbudget_sch_year</b> <i>Char(9)</i> NULL , <b>nmbudget_tot_amt</b> <i>Float</i> NULL , <b>nmbudget_transport</b> <i>Float</i> NULL , <b>nmbudget_tuition</b> <i>Float</i> NULL , <b>nmbudget_txt</b> <i>Char(30)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>NMCAREER</b>		
	<b>Foreign Keys:</b>	<i>FK_nmcareer_name</i>
	<b>Indexes:</b>	<i>_WA_Sys_00000002_44D6BB16</i> , <i>_WA_Sys_00000003_44D6BB16</i> , <i>_WA_Sys_00000006_44D6BB16</i>
	<b>Columns:</b>	<b>active</b> <i>Bit</i> NOT NULL (DF <i>_nmcareer_active_45CADF4F - ((0))</i> ) , <b>date_maint</b> <i>Date</i> NULL , <b>memo</b> <i>Memo</i> NULL , <b>nmcareer_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>staff_ssn</b> <i>Char(9)</i> NULL , <b>start_dt</b> <i>Date</i> NULL , <b>stop_dt</b> <i>Date</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>NMCAROBJ</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000002_43AD8CB3</i>
	<b>Columns:</b>	<b>carobj_rid</b> <i>Char(16)</i> NOT NULL , <b>carobj_txt</b> <b>99 - 16</b> NULL , <b>mod_date</b> <i>Date</i> NOT NULL , <b>operator</b> <i>Char(20)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>NMCAT</b>	<b>Primary Key:</b>	<i>PK_nmcat_rid (nmcat_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmcat_category</i> , <i>FK_nmcat_name</i>
	<b>Indexes:</b>	<i>PK_nmcat_rid</i> , <i>_WA_Sys_0000000E_2D887613</i> , <i>_WA_Sys_categr_cod_2D887613</i> , <i>_WA_Sys_soc_sec_2D887613</i>
	<b>Columns:</b>	<b>categr_cod</b> <i>Char(15)</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>nmcat_ce1</b> <i>Char(10)</i> NULL , <b>nmcat_ce2</b> <i>Char(10)</i> NULL , <b>nmcat_ce3</b> <i>Char(20)</i> NULL , <b>nmcat_de1</b> <i>Date</i> NULL , <b>nmcat_fe1</b> <i>Float</i> NULL , <b>nmcat_le1</b> <i>Bit</i> NULL , <b>nmcat_ne1</b> <i>Int</i> NULL , <b>nmcat_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>prospect_rid</b> <i>Int</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>NMCAT_RESTORE</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000001_04FC2D23</i> , <i>_WA_Sys_00000002_04FC2D23</i> , <i>_WA_Sys_00000003_04FC2D23</i>
	<b>Columns:</b>	<b>categr_cod</b> <i>Char(15)</i> NULL , <b>nmcat_rid</b> <i>Int</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL
<b>NMCIT</b>	<b>Primary Key:</b>	<i>PK_nmcit_rid (nmcit_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmcit_name</i> , <i>FK_nmcit_visa</i>
	<b>Indexes:</b>	<i>PK_nmcit_rid</i> , <i>_WA_Sys_00000006_4B2DE793</i> , <i>_WA_Sys_citizen_country_4B2DE793</i> , <i>_WA_Sys_soc_sec_4B2DE793</i>
	<b>Columns:</b>	<b>ISEAS_no</b> <i>Char(25)</i> NULL , <b>birth_country</b> <i>Char(25)</i> NOT NULL , <b>citizen_country</b> <i>Char(25)</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>nmcit_ce1</b> <i>Char(10)</i> NULL , <b>nmcit_ce2</b> <i>Char(10)</i> NULL , <b>nmcit_ce3</b> <i>Char(20)</i> NULL , <b>nmcit_de1</b> <i>Date</i> NULL , <b>nmcit_fe1</b> <i>Float</i> NULL , <b>nmcit_le1</b> <i>Bit</i> NULL , <b>nmcit_ne1</b> <i>Int</i> NULL , <b>nmcit_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>visa_cod</b> <i>Char(3)</i> NULL , <b>visa_issue_date</b> <i>Date</i> NULL
<b>NMCITIZEN</b>	<b>Primary Key:</b>	<i>PK_nmcitizen_rid (nmcitizen_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_Nmcitizen_name</i>
	<b>Indexes:</b>	<i>PK_nmcitizen_rid</i> , <i>_WA_Sys_00000002_5244F976</i>
	<b>Columns:</b>	<b>ISEAS_no</b> <i>Char(25)</i> NULL , <b>birth_country</b> <i>Char(25)</i> NULL , <b>citizen_country</b> <i>Char(25)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>nmcitizen_ce1</b> <i>Char(10)</i> NULL , <b>nmcitizen_ce2</b> <i>Char(10)</i> NULL , <b>nmcitizen_ce3</b> <i>Char(20)</i> NULL , <b>nmcitizen_de1</b> <i>Date</i> NULL , <b>nmcitizen_fe1</b> <i>Float</i> NULL , <b>nmcitizen_le1</b> <i>Bit</i> NULL , <b>nmcitizen_ne1</b> <i>Int</i> NULL , <b>nmcitizen_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>visa_issue_date</b> <i>Date</i> NULL , <b>visa_type</b> <i>Char(20)</i> NULL
<b>NMCONSTIT</b>	<b>Primary Key:</b>	<i>PK_nmconstit_rid (nmconstit_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmconstit_constit_rating</i> , <i>FK_nmconstit_giving_level</i> , <i>FK_nmconstit_name</i>

	<b>Indexes:</b>	<i>PK nmconstit rid , _WA Sys assets 1B34BBAE , _WA Sys attorney_phone 1B34BBAE , _WA Sys constit rating 1B34BBAE , _WA Sys executor 1B34BBAE , _WA Sys executor_phone 1B34BBAE , _WA Sys giving_level 1B34BBAE , _WA Sys income_level 1B34BBAE , _WA Sys potential_pledge 1B34BBAE , _WA Sys power_of_attorney 1B34BBAE , _WA Sys soc_sec 1B34BBAE , _WA Sys staff_soc_sec 1B34BBAE</i>
	<b>Columns:</b>	<i>assets Float NOT NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , attorney_phone Char(50) NULL , attorney_phone Char(15) NULL , constit_rating Char(10) NOT NULL (DF_nmconstit_const_1E112859 - ('No Data')) , executor Bit NOT NULL (DF_nmconstit_execu_21E1B93D - (0)) , executor_phone Char(15) NULL , giving_level Char(30) NULL (DF_nmconstit_givin_1F054C92 - ('No Data')) , income_level Float NOT NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , memo Memo NULL , nmconstit_ce1 Char(10) NULL , nmconstit_ce2 Char(10) NULL , nmconstit_ce3 Char(20) NULL , nmconstit_de1 Date NULL , nmconstit_fe1 Float NULL , nmconstit_le1 Bit NULL , nmconstit_ne1 Int NULL , nmconstit_rid Int NOT NULL , potential_pledge Float NOT NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , power_of_attorney Bit NOT NULL (DF_nmconstit_power_20ED9504 - (0)) , soc_sec Char(9) NOT NULL , staff_soc_sec Char(9) NOT NULL</i>
<b>NMCONSTIT_COD</b>	<b>Primary Key:</b>	<i>PK nmconstit_cod rid (nmconstit_cod rid)</i>
	<b>Foreign Keys:</b>	<i>FK nmconstit_cod_constit_type , FK nmconstit_cod_name</i>
	<b>Indexes:</b>	<i>PK nmconstit_cod rid , _WA Sys constit_type_cod 4BD7F309 , _WA Sys date_maint 4BD7F309 , _WA Sys operator 4BD7F309 , _WA Sys soc_sec 4BD7F309 , _WA Sys time_maint 4BD7F309</i>
	<b>Columns:</b>	<i>constit_type_cod Char(2) NOT NULL , date_maint Date NULL , nmconstit_cod_ce1 Char(10) NULL , nmconstit_cod_ce2 Char(10) NULL , nmconstit_cod_ce3 Char(20) NULL , nmconstit_cod_de1 Date NULL , nmconstit_cod_fe1 Float NULL , nmconstit_cod_le1 Bit NULL , nmconstit_cod_ne1 Int NULL , nmconstit_cod_rid Int NOT NULL , operator Char(8) NULL , soc_sec Char(9) NOT NULL , time_maint Char(8) NULL</i>
<b>NMCRS</b>	<b>Primary Key:</b>	<i>PK nmcrs (nmcrs rid)</i>
	<b>Foreign Keys:</b>	<i>FK nmcrs_campus , FK nmcrs_crs_authorize_cod , FK nmcrs_crssect , FK nmcrs_dept , FK nmcrs_division , FK nmcrs_grades , FK nmcrs_grades1 , FK nmcrs_level , FK nmcrs_name1 , FK nmcrs_nmedu , FK nmcrs_program , FK nmcrs_section , FK nmcrs_semester , FK nmcrs_weight</i>
	<b>Triggers:</b>	<i>DEL_NMCRS_LOG , TRANSACT_prebill_delete , TRANSACT_prebill_insert , nmcrs_insert , nmcrs_officialg , wd_process_dt</i>
	<b>Indexes:</b>	<i>PK nmcrs , _WA Sys 00000019 7D7A3B95 , _WA Sys 0000001F 7D7A3B95 , _WA Sys 0000002D 7D7A3B95 , _WA Sys 00000031 7D7A3B95 , _WA Sys 00000036 7D7A3B95 , _WA Sys 00000048 7D7A3B95 , _WA Sys 0000004D 7D7A3B95 , _WA Sys 0000004F 7D7A3B95 , _WA Sys 00000057 7D7A3B95 , _WA Sys 0000005A 7D7A3B95 , _WA Sys_GPA_group 7D7A3B95 , _WA Sys_auth_received 7D7A3B95 , _WA Sys_camp_cod 7D7A3B95 , _WA Sys_ce_creds 7D7A3B95 , _WA Sys_class_hrs 7D7A3B95 , _WA Sys_course 7D7A3B95 , _WA Sys_cred_rec 7D7A3B95 , _WA Sys_crs_authorize_cod 7D7A3B95 , _WA Sys_crs_txt 7D7A3B95 , _WA Sys_date_comp 7D7A3B95 , _WA Sys_date_maint 7D7A3B95 , _WA Sys_div_cod 7D7A3B95 , _WA Sys_edu_rid 7D7A3B95 , _WA Sys_enrol_date 7D7A3B95 , _WA Sys_eval_rq 7D7A3B95 , _WA Sys_incqpa 7D7A3B95 , _WA Sys_institut 7D7A3B95 , _WA Sys_invoice_no 7D7A3B95 , _WA Sys_level 7D7A3B95 , _WA Sys_mid_term 7D7A3B95 , _WA Sys_nmcrs_ce1 7D7A3B95 , _WA Sys_nmcrs_ce2 7D7A3B95 , _WA Sys_nmcrs_de1 7D7A3B95 , _WA Sys_no_repeat 7D7A3B95 , _WA Sys_occurance 7D7A3B95 , _WA Sys_officialg 7D7A3B95 , _WA Sys_operator 7D7A3B95 , _WA Sys_pf 7D7A3B95 , _WA Sys_posted 7D7A3B95 , _WA Sys_practice 7D7A3B95 , _WA Sys_prg_cod 7D7A3B95 , _WA Sys_remedial 7D7A3B95 , _WA Sys_replace_id 7D7A3B95 , _WA Sys_rpt_grd 7D7A3B95 , _WA Sys_rpt_schlyr 7D7A3B95 , _WA Sys_rpt_sem 7D7A3B95 , _WA Sys_rpt_semyr 7D7A3B95 , _WA Sys_rpt_sid 7D7A3B95 , _WA Sys_rpt_with_sid 7D7A3B95 , _WA Sys_rtr 7D7A3B95 , _WA Sys_section 7D7A3B95 , _WA Sys_sm_desc 7D7A3B95 , _WA Sys_timeout 7D7A3B95 , _WA Sys_transfer 7D7A3B95 , _WA Sys_weight_id 7D7A3B95 , _WA Sys_with_date 7D7A3B95 , crstypcod , enrollcode , grade , sch_yr , semester , sid , soc_sec , trans_no</i>



	<b>Columns:</b>	<b>GPA_group</b> Int NOT NULL (DF_nmcrs_gpa_group_3A8349D5 - (0)), <b>Honors</b> Bit NOT NULL (DF_NMCRS_Honors_491B81EF - (0)), <b>acad_forgive</b> Bit NOT NULL (DF_nmcrs_acad_forg_6760DD44 - ((0))), <b>aclas_grad</b> Char(2) NULL, <b>addfee</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>auth_date</b> Date NOT NULL (DF_nmcrs_auth_date - ('12/30/1899')), <b>auth_received</b> Bit NULL, <b>camp_cod</b> Char(10) NULL, <b>ce_creds</b> Float NULL, <b>class_grad</b> Float NULL, <b>class_hrs</b> Float NULL, <b>clin_grade</b> Char(3) NULL, <b>course</b> Char(10) NULL, <b>cred_rec</b> Float NULL, <b>crs_authorize_cod</b> Char(1) NOT NULL (DF_nmcrs_crs_authorize_cod - ('N')), <b>crs_txt</b> Varchar(100) NULL, <b>crstypcod</b> Char(2) NULL, <b>da_exclude</b> Bit NOT NULL (DF_nmcrs_da_exclud_7C7BF5BB - ((0))), <b>date_comp</b> Date NOT NULL (DF_nmcrs_date_comp - ('12/30/1899')), <b>date_maint</b> Date NOT NULL (DF_nmcrs_date_maint - ('12/30/1899')), <b>del_flag</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>dept_cod</b> Char(4) NULL, <b>div_cod</b> Char(2) NULL, <b>dropfee</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>edu_rid</b> Char(16) NOT NULL (DF_nmcrs_edu_rid_554161B2 - ('')), <b>enrol_date</b> Date NOT NULL (DF_nmcrs_enrol_date - ('12/30/1899')), <b>enrol_time</b> Char(19) NOT NULL (DF_nmcrs_enrol_tim_79FEB06C - ('12/30/1899 12:00:00')), <b>enrollcode</b> Char(2) NULL, <b>eval_extension</b> Bit NOT NULL (DF_nmcrs_eval_exte_14C7B541 - (0)), <b>eval_rqd</b> Bit NOT NULL (DF_nmcrs_eval_rqd_13D39108 - (0)), <b>gainful_employment</b> Bit NOT NULL (DF_nmcrs_gainful_e_045221AD - ((0))), <b>grade</b> Char(5) NULL (DF_nmcrs_grade - ('')), <b>grade_import_dt</b> Date NULL, <b>imported_grade</b> Varchar(5) NULL, <b>incqpa</b> Bit NOT NULL (DF_nmcrs_incqpa_4F88885C - (1)), <b>institut</b> Char(50) NULL, <b>invoice_no</b> Char(16) NULL, <b>level</b> Char(1) NULL, <b>mid_term</b> Char(5) NULL, <b>nmcrs_ce1</b> Char(10) NULL, <b>nmcrs_ce2</b> Char(10) NULL, <b>nmcrs_ce3</b> Char(10) NULL, <b>nmcrs_de1</b> Date NOT NULL (DF_nmcrs_nmcrs_de1 - ('12/30/1899')), <b>nmcrs_fe1</b> Float NULL, <b>nmcrs_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>nmcrs_mem</b> Memo NULL, <b>nmcrs_ne1</b> Float NULL, <b>nmcrs_rid</b> Char(16) NOT NULL, <b>no_repeat</b> Bit NOT NULL (DF_nmcrs_no_repeat_3131 - (0)), <b>occurance</b> Float NULL, <b>ocp</b> Char(6) NULL, <b>officialg</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>operator</b> Char(8) NULL, <b>orig_cred</b> Float NULL, <b>pf</b> Bit NOT NULL (DF_nmcrs_pf_124A6FF2 - (0)), <b>post_date</b> Date NOT NULL (DF_nmcrs_post_date - ('12/30/1899')), <b>posted</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>practice</b> Float NULL, <b>prg_cod</b> Char(10) NULL, <b>qlty_pnts</b> Float NOT NULL (DF_nmcrs_qlty_pnts - (0)), <b>qtr_credits</b> Float NOT NULL (DF_nmcrs_qtr_credi_00C0BC94 - (0)), <b>qtr_points</b> Float NOT NULL (DF_nmcrs_qtr_point_01B4E0CD - (0)), <b>remedial</b> Bit NOT NULL (DF_nmcrs_remedial_790A8C33 - (0)), <b>replace_course</b> Char(10) NULL, <b>replace_id</b> Char(16) NULL, <b>replace_txt</b> Varchar(100) NULL, <b>rpt_grd</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>rpt_schlyr</b> Char(7) NULL, <b>rpt_sem</b> Char(2) NULL, <b>rpt_semyr</b> Char(9) NULL, <b>rpt_sid</b> Char(16) NULL, <b>rpt_with_sid</b> Char(16) NULL, <b>rtr</b> Bit NULL (DF_nmcrs_rtr_4891720A - (0)), <b>rtr_completed</b> Date NULL, <b>rtr_requested</b> Date NULL, <b>sch_yr</b> Char(6) NULL, <b>section</b> Char(6) NOT NULL, <b>semester</b> Char(2) NOT NULL, <b>sid</b> Char(16) NULL, <b>sm_desc</b> Char(10) NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>time_maint</b> Char(8) NULL, <b>timeout</b> Date NOT NULL (DF_NMCRS_timeout_591CDF8E - ('12/30/1899')), <b>timestamp_column</b> Timestamp NULL, <b>trans_no</b> Char(16) NULL, <b>transfer</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>wait_date</b> Date NOT NULL (DF_nmcrs_wait_date - ('12/30/1899')), <b>wd_process_dt</b> Date NOT NULL (DF_nmcrs_wd_proces_16900222 - ('12/30/1899')), <b>weight_id</b> Char(10) NULL, <b>with_date</b> Date NOT NULL (DF_nmcrs_with_date - ('12/30/1899'))
<b>NMCRSTYPE</b>	<b>Primary Key:</b>	PK_nmcrstype (nmcrstype_rid)
	<b>Foreign Keys:</b>	FK_nmcrstype_crstype, FK_nmcrstype_name, FK_nmcrstype_security, FK_nmcrstype_webprof
	<b>Indexes:</b>	PK_nmcrstype, _WA_Sys_crstypcod_30D918B3, _WA_Sys_date_maint_30D918B3, _WA_Sys_disabled_30D918B3, _WA_Sys_nmcrstype_ce1_30D918B3, _WA_Sys_nmcrstype_le1_30D918B3, _WA_Sys_nmcrstype_ne1_30D918B3, _WA_Sys_operator_30D918B3, _WA_Sys_prof_cod_30D918B3, _WA_Sys_soc_sec_30D918B3, _WA_Sys_time_maint_30D918B3, _WA_Sys_user_id_30D918B3, soc_sec

	<b>Columns:</b>	<b>crstypcod</b> Char(2) NOT NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL , <b>nmcstype_ce1</b> Char(10) NULL , <b>nmcstype_ce2</b> Char(10) NULL , <b>nmcstype_ce3</b> Char(20) NULL , <b>nmcstype_de1</b> Date NULL , <b>nmcstype_fe1</b> Float NULL , <b>nmcstype_le1</b> Bit NULL , <b>nmcstype_ne1</b> Int NULL , <b>nmcstype_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>prof_cod</b> Char(10) NOT NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>time_maint</b> Char(8) NULL , <b>user_id</b> Char(8) NOT NULL
<b>NMCULACTIVITIES</b>	<b>Primary Key:</b>	<b>PK_nmculactivities</b> (nmcul_rid)
	<b>Foreign Keys:</b>	<b>FK_nmculactivities_culactivities</b> , <b>FK_nmculactivities_name</b>
	<b>Indexes:</b>	<b>PK_nmculactivities</b> , <b>_WA_Sys_00000006_79A8DF5A</b> , <b>_WA_Sys_active_79A8DF5A</b> , <b>_WA_Sys_ca_rid_79A8DF5A</b> , <b>_WA_Sys_nmcul_rid_79A8DF5A</b> , <b>_WA_Sys_soc_sec_79A8DF5A</b> , <b>_WA_Sys_start_dt_79A8DF5A</b> , <b>_WA_Sys_stop_dt_79A8DF5A</b> , <b>soc_sec</b>
	<b>Columns:</b>	<b>active</b> Bit NULL , <b>ca_rid</b> Int NULL , <b>date_maint</b> Date NULL , <b>nmcul_ce1</b> Char(10) NULL , <b>nmcul_de</b> Memo NULL , <b>nmcul_le1</b> Bit NULL , <b>nmcul_ne1</b> Float NULL , <b>nmcul_rid</b> Int NOT NULL , <b>nmculactivities_ce1</b> Char(10) NULL , <b>nmculactivities_ce2</b> Char(10) NULL , <b>nmculactivities_ce3</b> Char(20) NULL , <b>nmculactivities_de1</b> Date NULL , <b>nmculactivities_fe1</b> Float NULL , <b>nmculactivities_le1</b> Bit NULL , <b>nmculactivities_ne1</b> Int NULL , <b>operator</b> Char(8) NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>start_dt</b> Date NULL , <b>stop_dt</b> Date NULL , <b>time_maint</b> Char(8) NULL
<b>NMDETAILQB</b>	<b>Primary Key:</b>	<b>PK_NMDetailQB</b> (NMDetailQB_rid)
	<b>Indexes:</b>	<b>PK_NMDetailQB</b> , <b>_WA_Sys_00000005_4A84A774</b> , <b>_WA_Sys_NMSavedQB_cod_4A84A774</b> , <b>_WA_Sys_QB_Field_4A84A774</b> , <b>_WA_Sys_disabled_4A84A774</b> , <b>_WA_Sys_soc_sec_4A84A774</b>
	<b>Columns:</b>	<b>NMDetailQB_rid</b> Int NOT NULL , <b>NMSavedQB_cod</b> Int NULL , <b>QB_Field</b> Nvarchar(500) NOT NULL , <b>QB_Val</b> Memo NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NOT NULL (DF_NMDetailQ_disab_4B78CBAD - (0)) , <b>operator</b> Char(8) NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>NMDISPCHK</b>	<b>Primary Key:</b>	<b>PK_nmdispchk</b> (nmdispchk_rid)
	<b>Foreign Keys:</b>	<b>FK_nmdispchk_dispchk</b> , <b>FK_nmdispchk_dispcode</b> , <b>FK_nmdispchk_name</b>
	<b>Indexes:</b>	<b>PK_nmdispchk</b> , <b>_WA_Sys_00000006_40FB3D3A</b> , <b>_WA_Sys_00000007_40FB3D3A</b> , <b>_WA_Sys_00000010_40FB3D3A</b> , <b>_WA_Sys_dispchk_cod_40FB3D3A</b> , <b>_WA_Sys_dispos_40FB3D3A</b> , <b>_WA_Sys_soc_sec_40FB3D3A</b>
	<b>Columns:</b>	<b>chk_comp</b> Bit NOT NULL (DF_nmdispchk_chk_c_41EF6173 - (0)) , <b>comp_dt</b> Date NULL , <b>date_maint</b> Date NULL , <b>dispchk_cod</b> Nvarchar(4) NOT NULL , <b>dispos</b> Varchar(30) NOT NULL , <b>memo</b> Memo NULL , <b>nmdispchk_ce1</b> Char(10) NULL , <b>nmdispchk_ce2</b> Char(20) NULL , <b>nmdispchk_ce3</b> Char(30) NULL , <b>nmdispchk_de1</b> Date NULL , <b>nmdispchk_fe1</b> Float NULL , <b>nmdispchk_le1</b> Bit NULL , <b>nmdispchk_ne1</b> Float NULL , <b>nmdispchk_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>NMEDU</b>	<b>Primary Key:</b>	<b>PK_nmedu</b> (edu_rid)
	<b>Foreign Keys:</b>	<b>FK_nmedu_cohort</b> , <b>FK_nmedu_curriculumcode</b> , <b>FK_nmedu_degree</b> , <b>FK_nmedu_degree_sought</b> , <b>FK_nmedu_institut</b> , <b>FK_nmedu_name</b> , <b>FK_nmedu_prg_sought</b>
	<b>Indexes:</b>	<b>PK_nmedu</b> , <b>_WA_Sys_00000039_04266DCD</b> , <b>_WA_Sys_0000003A_04266DCD</b> , <b>_WA_Sys_0000003F_04266DCD</b> , <b>_WA_Sys_OA_inprocess_04266DCD</b> , <b>_WA_Sys_active_04266DCD</b> , <b>_WA_Sys_ant_grad_date_04266DCD</b> , <b>_WA_Sys_cqpa_04266DCD</b> , <b>_WA_Sys_credits_04266DCD</b> , <b>_WA_Sys_cur_cod_04266DCD</b> , <b>_WA_Sys_date_maint_04266DCD</b> , <b>_WA_Sys_degree_04266DCD</b> , <b>_WA_Sys_diploma_04266DCD</b> , <b>_WA_Sys_edu_active_04266DCD</b> , <b>_WA_Sys_eduinstyp_04266DCD</b> , <b>_WA_Sys_enter_date_04266DCD</b> , <b>_WA_Sys_grad_date_04266DCD</b> , <b>_WA_Sys_grad_mo_04266DCD</b> , <b>_WA_Sys_grad_stud_04266DCD</b> , <b>_WA_Sys_grad_year_04266DCD</b> , <b>_WA_Sys_graduated_04266DCD</b> , <b>_WA_Sys_inst_cod_04266DCD</b> , <b>_WA_Sys_matric_dt_04266DCD</b> , <b>_WA_Sys_nmedu_ce1_04266DCD</b> , <b>_WA_Sys_nmedu_ce2_04266DCD</b> , <b>_WA_Sys_nmedu_ce3_04266DCD</b> , <b>_WA_Sys_operator_04266DCD</b> , <b>_WA_Sys_orig_grad_04266DCD</b> , <b>_WA_Sys_override_04266DCD</b> , <b>_WA_Sys_prog_desc_04266DCD</b> , <b>_WA_Sys_qlty_pnts_04266DCD</b> , <b>_WA_Sys_time_maint_04266DCD</b> , <b>_WA_Sys_trans_rec_04266DCD</b> , <b>_WA_Sys_transferred_04266DCD</b> , <b>nmedu_cohort_cod</b> , <b>nmedu_inst_cod</b> , <b>soc_sec</b>

	<b>Columns:</b>	<b>OA_inprocess</b> Bit NOT NULL (DF_nmedu_OA_inproc_7DCF4150 - (0)), <b>active</b> Bit NOT NULL (DF_nmedu_active_544D3D79 - (0)), <b>ant_grad_date</b> Date NOT NULL (DF_nmedu_ant_grad_date - ('12/30/1899')), <b>cohort_cod</b> Char(10) NOT NULL (DF_nmedu_cohort_cod - ('TBD')), <b>cqpa</b> Float NULL, <b>credits</b> Float NULL, <b>cur_cod</b> Char(10) NULL, <b>date_maint</b> Date NOT NULL (DF_nmedu_date_maint - ('12/30/1899')), <b>date_rec</b> Date NOT NULL (DF_nmedu_date_rec - ('12/30/1899')), <b>degree</b> Char(35) NULL, <b>degree_sought</b> Char(35) NULL, <b>diploma</b> Varchar(60) NULL, <b>edu_active</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>edu_rid</b> Char(16) NOT NULL, <b>educmem</b> Memo NULL, <b>eduinsttyp</b> Char(1) NULL, <b>employ_waiver</b> Bit NOT NULL (DF_nmedu_employ_wa_78565F1C - ((0))), <b>employ_waiver_type</b> Varchar(100) NULL, <b>enr_age</b> Int NULL, <b>enter_date</b> Date NOT NULL (DF_nmedu_enter_date - ('12/30/1899')), <b>gpa_creds</b> Float NULL, <b>grad_date</b> Date NOT NULL (DF_nmedu_grad_date - ('12/30/1899')), <b>grad_honors</b> Char(100) NULL, <b>grad_mo</b> Char(2) NULL (DF_nmedu_grad_mo - ('')), <b>grad_stud</b> Bit NOT NULL (DF_nmedu_grad_stud_0FC30902 - (0)), <b>grad_year</b> Char(4) NULL (DF_nmedu_grad_year - ('')), <b>graduated</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>inst_cod</b> Char(16) NULL, <b>leav_date</b> Date NOT NULL (DF_nmedu_leav_date - ('12/30/1899')), <b>matric_dt</b> Date NOT NULL (DF_nmedu_matric_dt - ('12/30/1899')), <b>nmedu_ce1</b> Char(10) NULL, <b>nmedu_ce2</b> Char(10) NULL, <b>nmedu_ce3</b> Char(20) NULL, <b>nmedu_ce4</b> Varchar(40) NULL, <b>nmedu_ce5</b> Varchar(20) NULL, <b>nmedu_ce6</b> Varchar(20) NULL, <b>nmedu_ce7</b> Varchar(20) NULL, <b>nmedu_de1</b> Date NOT NULL (DF_nmedu_nmedu_de1 - ('12/30/1899')), <b>nmedu_de2</b> Date NULL, <b>nmedu_fe1</b> Float NULL, <b>nmedu_fe2</b> Float NOT NULL (DF_nmedu_nmedu_fe2_21ECA635 - (0)), <b>nmedu_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>nmedu_le2</b> Bit NOT NULL (DF_nmedu_nmedu_le2_1E1C1551 - (0)), <b>nmedu_le3</b> Bit NOT NULL (DF_nmedu_nmedu_le3_1F10398A - (0)), <b>nmedu_le4</b> Bit NOT NULL (DF_nmedu_nmedu_le4_20045DC3 - (0)), <b>nmedu_ne1</b> Float NULL, <b>nmedu_ne2</b> Int NOT NULL (DF_nmedu_nmedu_ne2_20F881FC - (0)), <b>operator</b> Char(8) NULL, <b>orig_grad</b> Char(4) NULL, <b>override</b> Bit NOT NULL (DF_nmedu_override_12D47FD7 - (0)), <b>prg_sought</b> Char(10) NULL, <b>prog_desc</b> Char(35) NULL, <b>qlty_pnts</b> Float NULL, <b>rankclass</b> Float NULL, <b>rankstud</b> Float NULL, <b>soc_sec</b> Char(9) NULL, <b>time_maint</b> Char(8) NULL, <b>timestamp_column</b> Timestamp NULL, <b>trans_rec</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>transferred</b> Bit NULL
<b>NMEMC</b>		
	<b>Foreign Keys:</b>	<i>FK_nmcmc_name</i>
	<b>Indexes:</b>	<i>_WA_Sys_00000008_3B57727D</i> , <i>_WA_Sys_00000009_3B57727D</i> , <i>_WA_Sys_inactive_3B57727D</i> , <i>_WA_Sys_nmcmc_rid_3B57727D</i> , <i>_WA_Sys_soc_sec_3B57727D</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>end_date</b> Date NULL, <b>inactive</b> Bit NOT NULL (DF_nmcmc_inactive_3C4B96B6 - (0)), <b>memo</b> Memo NULL, <b>nmcmc_ce1</b> Char(10) NULL, <b>nmcmc_ce2</b> Char(10) NULL, <b>nmcmc_ce3</b> Char(20) NULL, <b>nmcmc_ce4</b> Char(20) NULL, <b>nmcmc_de1</b> Date NULL, <b>nmcmc_de2</b> Date NULL, <b>nmcmc_fe1</b> Float NULL (DF_nmcmc_nmcmc_fe1_176F17C2 - (0)), <b>nmcmc_fe2</b> Float NULL (DF_nmcmc_nmcmc_fe2_18633BFB - (0)), <b>nmcmc_le1</b> Bit NULL (DF_nmcmc_nmcmc_le1_19576034 - (0)), <b>nmcmc_le2</b> Bit NULL (DF_nmcmc_nmcmc_le2_1A4B846D - (0)), <b>nmcmc_name</b> Varchar(75) NULL, <b>nmcmc_ne1</b> Int NULL (DF_nmcmc_nmcmc_ne1_1B3FA8A6 - (0)), <b>nmcmc_ne2</b> Int NULL (DF_nmcmc_nmcmc_ne2_1C33CCDF - (0)), <b>nmcmc_phone1</b> Varchar(25) NOT NULL, <b>nmcmc_phone2</b> Varchar(25) NULL, <b>nmcmc_relation</b> Varchar(25) NULL, <b>nmcmc_rid</b> Int NOT NULL, <b>operator</b> Char(8) NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>start_date</b> Date NULL, <b>time_maint</b> Char(8) NULL
<b>NMEMP</b>	<b>Primary Key:</b>	<i>PK_nmemp (emp_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmemp_employ_type</i> , <i>FK_nmemp_name</i> , <i>FK_nmemp_when</i>
	<b>Indexes:</b>	<i>PK_nmemp</i> , <i>_WA_Sys_0000000F_7FC0E00C</i> , <i>_WA_Sys_00000029_7FC0E00C</i> , <i>_WA_Sys_contact_7FC0E00C</i> , <i>_WA_Sys_emp_employ_7FC0E00C</i> , <i>_WA_Sys_employ_type_rid_7FC0E00C</i> , <i>_WA_Sys_homeinst_7FC0E00C</i> , <i>_WA_Sys_n_area_7FC0E00C</i> , <i>_WA_Sys_placement_cod_7FC0E00C</i> , <i>_WA_Sys_when_code_7FC0E00C</i> , <i>soc_sec</i>

	<b>Columns:</b>	<b>contact</b> <i>Bit</i> NULL, <b>contact_title</b> <i>Char(30)</i> NULL, <b>date_maint</b> <i>Date</i> NULL, <b>emp_add1</b> <i>Char(35)</i> NULL, <b>emp_add2</b> <i>Char(35)</i> NULL, <b>emp_add3</b> <i>Char(35)</i> NULL, <b>emp_city</b> <i>Char(20)</i> NULL, <b>emp_county</b> <i>Char(3)</i> NULL, <b>emp_email</b> <i>Char(50)</i> NULL, <b>emp_employ</b> <i>Char(50)</i> NULL, <b>emp_fax</b> <i>Char(15)</i> NULL, <b>emp_mem</b> <i>Memo</i> NULL, <b>emp_phone</b> <i>Char(15)</i> NULL, <b>emp_pos</b> <i>Varchar(60)</i> NULL, <b>emp_rid</b> <i>Char(16)</i> NOT NULL, <b>emp_state</b> <i>Char(2)</i> NULL, <b>emp_super</b> <i>Char(25)</i> NULL, <b>emp_zip</b> <i>Char(10)</i> NULL, <b>empcountry</b> <i>Char(25)</i> NULL, <b>employ_type_rid</b> <i>Int</i> NOT NULL ( <i>DF_employ_type_rid</i> - (1)), <b>employer_rid</b> <i>Int</i> NULL, <b>eval_done</b> <i>Bit</i> NOT NULL ( <i>DF_nmemp_eval_done</i> 5F2ABE9F - (0)), <b>homeinst</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault</i> - CREATE DEFAULT <i>UW_ZeroDefault</i> AS 0), <b>hrly_rate</b> <i>Float</i> NULL, <b>hrs_week</b> <i>Float</i> NULL, <b>inprofession</b> <i>Bit</i> NOT NULL ( <i>DF_nmemp_inprofess</i> 03B237D8 - (0)), <b>n_area</b> <i>Char(15)</i> NULL, <b>nmemp_ce1</b> <i>Char(10)</i> NULL, <b>nmemp_ce2</b> <i>Char(10)</i> NULL, <b>nmemp_ce3</b> <i>Char(20)</i> NULL, <b>nmemp_de1</b> <i>Date</i> NULL, <b>nmemp_fe1</b> <i>Float</i> NULL, <b>nmemp_le1</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault</i> - CREATE DEFAULT <i>UW_ZeroDefault</i> AS 0), <b>nmemp_ne1</b> <i>Float</i> NULL, <b>operator</b> <i>Char(8)</i> NULL, <b>placement_cod</b> <i>Char(3)</i> NULL, <b>salary</b> <i>Float</i> NULL, <b>soc_sec</b> <i>Char(9)</i> NOT NULL, <b>start_dt</b> <i>Date</i> NULL, <b>stop_dt</b> <i>Date</i> NULL, <b>time_maint</b> <i>Char(8)</i> NULL, <b>timestamp_column</b> <i>Timestamp</i> NULL, <b>when_code</b> <i>Char(3)</i> NOT NULL ( <i>DF_nmemp_when_code</i> 22EAEC0F - ('UNK'))
NMESSAY		
	<b>Foreign Keys:</b>	<i>FK_nmessay_name</i>
	<b>Indexes:</b>	<i>_WA_Sys_soc_sec_4E0A543E</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL, <b>nmessay_ce1</b> <i>Char(10)</i> NULL, <b>nmessay_ce2</b> <i>Char(10)</i> NULL, <b>nmessay_ce3</b> <i>Char(20)</i> NULL, <b>nmessay_de1</b> <i>Date</i> NULL, <b>nmessay_fe1</b> <i>Float</i> NULL, <b>nmessay_le1</b> <i>Bit</i> NULL, <b>nmessay_memo</b> <i>Memo</i> NULL, <b>nmessay_ne1</b> <i>Int</i> NULL, <b>nmessay_rid</b> <i>Int</i> NOT NULL, <b>operator</b> <i>Char(8)</i> NULL, <b>soc_sec</b> <i>Char(9)</i> NOT NULL, <b>time_maint</b> <i>Char(8)</i> NULL
NMETHNIC_RESP	<b>Primary Key:</b>	<i>PK_nmethnic_resp</i> ( <i>nmethnic_resp_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_nmethnic_resp_name</i>
	<b>Indexes:</b>	<i>PK_nmethnic_resp</i> , <i>_WA_Sys_00000002_30CFC269</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL, <b>ethnic_cod</b> <i>Char(2)</i> NULL, <b>ethnic_grp</b> <i>Int</i> NULL, <b>nmethnic_resp_rid</b> <i>Int</i> NOT NULL, <b>operator</b> <i>Char(8)</i> NULL, <b>soc_sec</b> <i>Char(9)</i> NOT NULL, <b>time_maint</b> <i>Char(8)</i> NULL
NMEVAL	<b>Primary Key:</b>	<i>PK_nmeval</i> ( <i>nmeval_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_nmeval_name</i>
	<b>Indexes:</b>	<i>PK_nmeval</i> , <i>_WA_Sys_00000007_33EB5ADF</i> , <i>_WA_Sys_00000010_33EB5ADF</i> , <i>_WA_Sys_MC_response_33EB5ADF</i> , <i>_WA_Sys_eval_cod_33EB5ADF</i> , <i>_WA_Sys_fac_soc_sec_33EB5ADF</i> , <i>_WA_Sys_q_rid_33EB5ADF</i> , <i>_WA_Sys_r_num_33EB5ADF</i> , <i>_WA_Sys_sid_33EB5ADF</i> , <i>_WA_Sys_soc_sec_33EB5ADF</i> , <i>_WA_Sys_type_cod_33EB5ADF</i>
	<b>Columns:</b>	<b>MC_response</b> <i>Int</i> NULL ( <i>DF_nmeval_MC_response</i> - (0)), <b>date_maint</b> <i>Date</i> NULL, <b>employer_rid</b> <i>Int</i> NULL, <b>eval_cod</b> <i>Char(10)</i> NULL, <b>fac_soc_sec</b> <i>Char(9)</i> NULL, <b>nmeval_ce2</b> <i>Char(10)</i> NULL, <b>nmeval_ce3</b> <i>Char(20)</i> NULL, <b>nmeval_de1</b> <i>Date</i> NULL, <b>nmeval_fe1</b> <i>Float</i> NULL, <b>nmeval_rid</b> <i>Int</i> NOT NULL, <b>operator</b> <i>Char(8)</i> NULL, <b>q_rid</b> <i>Int</i> NULL, <b>r_num</b> <i>Int</i> NULL, <b>response</b> <i>Varchar(7000)</i> NULL, <b>sid</b> <i>Char(16)</i> NOT NULL ( <i>DF_sid</i> - ('')), <b>soc_sec</b> <i>Char(9)</i> NOT NULL, <b>time_maint</b> <i>Char(8)</i> NULL, <b>type_cod</b> <i>Char(2)</i> NULL
NMEVENT		
	<b>Foreign Keys:</b>	<i>FK_nmevent_soc_sec</i>
	<b>Indexes:</b>	<i>_WA_Sys_ev_attended_76CD3E06</i> , <i>_WA_Sys_ev_rid_76CD3E06</i> , <i>_WA_Sys_soc_sec_76CD3E06</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL, <b>ev_attended</b> <i>Bit</i> NOT NULL ( <i>DF_nmevent_ev_atte</i> 77C1623F - (0)), <b>ev_rid</b> <i>Int</i> NOT NULL, <b>nmevent_ce1</b> <i>Char(10)</i> NULL, <b>nmevent_ce2</b> <i>Char(10)</i> NULL, <b>nmevent_ce3</b> <i>Char(20)</i> NULL, <b>nmevent_de1</b> <i>Date</i> NULL, <b>nmevent_fe1</b> <i>Float</i> NULL, <b>nmevent_le1</b> <i>Bit</i> NULL, <b>nmevent_memo</b> <i>Varchar(1000)</i> NULL, <b>nmevent_ne1</b> <i>Int</i> NULL, <b>nmevent_rid</b> <i>Int</i> NOT NULL, <b>operator</b> <i>Char(8)</i> NULL, <b>soc_sec</b> <i>Char(9)</i> NOT NULL, <b>time_maint</b> <i>Char(8)</i> NULL
NMFACEVNT		
	<b>Indexes:</b>	<i>_WA_Sys_00000002_69A84D12</i>

	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>evnt_rid</b> <i>Int</i> NULL , <b>nmfacevnt_ce1</b> <i>Varchar(25)</i> NULL , <b>nmfacevnt_ce2</b> <i>Varchar(25)</i> NULL , <b>nmfacevnt_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>NMFINAID</b>	<b>Primary Key:</b>	<b>PK_nmfinaid_rid</b> (nmfinaid_rid)
	<b>Foreign Keys:</b>	<b>FK_nmfinaid_depend_stat</b> , <b>FK_nmfinaid_house_stat</b> , <b>FK_nmfinaid_level</b> , <b>FK_nmfinaid_name</b>
	<b>Triggers:</b>	<b>tr_nmfinaid_isir_U</b>
	<b>Indexes:</b>	<b>PK_nmfinaid_rid</b> , <b>_WA_Sys_00000016_261C5E75</b> , <b>_WA_Sys_00000017_261C5E75</b> , <b>_WA_Sys_NEED_261C5E75</b> , <b>_WA_Sys_adjustment_261C5E75</b> , <b>_WA_Sys_agi_261C5E75</b> , <b>_WA_Sys_auto_zero_efc_261C5E75</b> , <b>_WA_Sys_budget_261C5E75</b> , <b>_WA_Sys_depend_stat_cod_261C5E75</b> , <b>_WA_Sys_efc_261C5E75</b> , <b>_WA_Sys_house_stat_cod_261C5E75</b> , <b>_WA_Sys_level_261C5E75</b> , <b>_WA_Sys_ln_fees_261C5E75</b> , <b>_WA_Sys_sch_yr_261C5E75</b> , <b>_WA_Sys_soc_sec_261C5E75</b>
	<b>Columns:</b>	<b>CBPell_Eligible</b> <i>Bit</i> NOT NULL (DF nmfinaid CBPell_02890975 - (0)) , <b>CBSoc_Security</b> <i>Bit</i> NOT NULL (DF nmfinaid CBSoc_0194E53C - (0)) , <b>NEED</b> <i>Float</i> NOT NULL (DF nmfinaid_NEED_25D245B2 - (0)) , <b>adjustment</b> <i>Money</i> NOT NULL , <b>agi</b> <i>Money</i> NOT NULL (DF nmfinaid_agi_5C4364FC - (0)) , <b>auto_zero_efc</b> <i>Bit</i> NOT NULL (DF nmfinaid_auto_z_326D26C1 - (0)) , <b>budget</b> <i>Money</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>depend_stat_cod</b> <i>Char(1)</i> NULL , <b>efc</b> <i>Money</i> NOT NULL , <b>house_stat_cod</b> <i>Char(1)</i> NULL , <b>level</b> <i>Char(1)</i> NULL , <b>ln_fees</b> <i>Money</i> NOT NULL , <b>memo</b> <i>Memo</i> NULL , <b>nmfinaid_ce1</b> <i>Char(10)</i> NULL , <b>nmfinaid_ce2</b> <i>Char(20)</i> NULL , <b>nmfinaid_ce3</b> <i>Char(30)</i> NULL , <b>nmfinaid_de1</b> <i>Date</i> NULL , <b>nmfinaid_de2</b> <i>Date</i> NOT NULL (DF nmfinaid_nmfinaid_57A99868 - ('12/30/1899')) , <b>nmfinaid_fe1</b> <i>Float</i> NULL , <b>nmfinaid_le1</b> <i>Bit</i> NULL , <b>nmfinaid_le2</b> <i>Bit</i> NOT NULL (DF nmfinaid_nmfinaid_55C14FF6 - (0)) , <b>nmfinaid_le3</b> <i>Bit</i> NOT NULL (DF nmfinaid_nmfinaid_56B5742F - (0)) , <b>nmfinaid_ne1</b> <i>Int</i> NOT NULL (DF nmfinaid_nmfinaid_589DBC41 - (0)) , <b>nmfinaid_ne2</b> <i>Int</i> NOT NULL (DF nmfinaid_nmfinaid_5991E0DA - (0)) , <b>nmfinaid_rid</b> <i>Char(16)</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>sch_yr</b> <i>Char(6)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>NMFINMEMO</b>	<b>Primary Key:</b>	<b>PK_finmemo_rid</b> (finmemo_rid)
	<b>Foreign Keys:</b>	<b>FK_nmfinmemo_name</b>
	<b>Indexes:</b>	<b>PK_finmemo_rid</b> , <b>_WA_Sys_00000004_1AF4C48C</b> , <b>_WA_Sys_00000008_1AF4C48C</b> , <b>_WA_Sys_00000009_1AF4C48C</b> , <b>_WA_Sys_0000000D_1AF4C48C</b> , <b>_WA_Sys_0000000E_1AF4C48C</b> , <b>_WA_Sys_0000000F_1AF4C48C</b> , <b>_WA_Sys_00000012_1AF4C48C</b> , <b>_WA_Sys_CBLEN_1AF4C48C</b> , <b>_WA_Sys_CBLEX_1AF4C48C</b> , <b>_WA_Sys_LENT_1AF4C48C</b> , <b>_WA_Sys_LEX_1AF4C48C</b> , <b>_WA_Sys_soc_sec_1AF4C48C</b>
	<b>Columns:</b>	<b>CBLEN</b> <i>Bit</i> NOT NULL (DF nmfinmemo_CBLEN_7DC45458 - (0)) , <b>CBLEX</b> <i>Bit</i> NOT NULL (DF nmfinmemo_CBLEX_7EB87891 - (0)) , <b>LENT</b> <i>Date</i> NOT NULL (DF nmfinmemo_LENT_7FAC9CCA - ('12/30/1899')) , <b>LEX</b> <i>Date</i> NOT NULL (DF nmfinmemo_LEX_00A0C103 - ('12/30/1899')) , <b>LoanD</b> <i>Bit</i> NOT NULL (DF nmfinmemo_LoanD_12555CEA - (0)) , <b>date_maint</b> <i>Date</i> NULL , <b>fam_cont</b> <i>Float</i> NULL , <b>finmemo</b> <i>Memo</i> NULL , <b>finmemo_ce1</b> <i>Char(10)</i> NULL , <b>finmemo_de1</b> <i>Date</i> NULL , <b>finmemo_fe1</b> <i>Float</i> NULL , <b>finmemo_le1</b> <i>Bit</i> NULL , <b>finmemo_ne1</b> <i>Int</i> NULL , <b>finmemo_rid</b> <i>Int</i> NOT NULL , <b>last_contact</b> <i>Date</i> NOT NULL (DF nmfinmemo_last_1527A7F4 - ('12/30/1899')) , <b>nmfinmemo_ce1</b> <i>Char(10)</i> NULL , <b>nmfinmemo_ce2</b> <i>Char(10)</i> NULL , <b>nmfinmemo_ce3</b> <i>Char(20)</i> NULL , <b>nmfinmemo_de1</b> <i>Date</i> NULL , <b>nmfinmemo_fe1</b> <i>Float</i> NULL , <b>nmfinmemo_le1</b> <i>Bit</i> NULL , <b>nmfinmemo_ne1</b> <i>Int</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>skip_trace_confrm</b> <i>Date</i> NOT NULL (DF nmfinmemo_skip_170FF066 - ('12/30/1899')) , <b>skip_trace_start</b> <i>Date</i> NOT NULL (DF nmfinmemo_skip_161BCC2D - ('12/30/1899')) , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>NMFUNDRAISING</b>		
	<b>Foreign Keys:</b>	<b>FK_nmfundraising_name</b>
	<b>Indexes:</b>	<b>_WA_Sys_00000002_2A76FF3E</b> , <b>_WA_Sys_00000005_2A76FF3E</b>

	<b>Columns:</b>	<b>active</b> Bit NOT NULL (DF nmfundrai_activ_2B6B2377 - (0)), <b>end_dt</b> Date NULL, <b>nmfundraising_ce1</b> Char(10) NULL, <b>nmfundraising_ce2</b> Char(10) NULL, <b>nmfundraising_ce3</b> Char(20) NULL, <b>nmfundraising_de1</b> Date NULL, <b>nmfundraising_fe1</b> Float NULL, <b>nmfundraising_le1</b> Bit NULL, <b>nmfundraising_ne1</b> Int NULL, <b>nmfundraising_rid</b> Int NOT NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>start_dt</b> Date NULL
<b>NMGPA</b>	<b>Primary Key:</b>	<b>PK_nmga</b> (nmga_rid)
	<b>Foreign Keys:</b>	<b>FK_nmga_name</b>
	<b>Indexes:</b>	<b>PK_nmga</b> , <b>_WA_Sys_00000002_0CB25D84</b> , <b>_WA_Sys_00000003_0CB25D84</b> , <b>_WA_Sys_00000004_0CB25D84</b> , <b>_WA_Sys_00000005_0CB25D84</b> , <b>_WA_Sys_00000006_0CB25D84</b> , <b>_WA_Sys_00000008_0CB25D84</b> , <b>_WA_Sys_00000009_0CB25D84</b> , <b>_WA_Sys_0000000B_0CB25D84</b> , <b>_WA_Sys_0000000C_0CB25D84</b> , <b>_WA_Sys_0000000F_0CB25D84</b>
	<b>Columns:</b>	<b>cum_creds</b> Float NULL, <b>cum_gpa</b> Decimal NULL, <b>cum_pnts</b> Float NULL, <b>ecreds</b> Float NULL, <b>edu_rid</b> Char(16) NULL, <b>gpa_group</b> Int NULL, <b>nmga_rid</b> Int NOT NULL, <b>sch_yr</b> Char(6) NULL, <b>sem_creds</b> Float NULL, <b>sem_ecreds</b> Float NULL, <b>sem_gpa</b> Decimal NULL, <b>sem_pnts</b> Float NULL, <b>semester</b> Char(2) NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>transfer</b> Bit NULL
<b>NMGROUPS</b>	<b>Primary Key:</b>	<b>PK_nmgroups</b> (nmgrp_rid)
	<b>Foreign Keys:</b>	<b>FK_nmgroups_groups</b>
	<b>Indexes:</b>	<b>PK_nmgroups</b> , <b>_WA_Sys_00000002_4D36F6ED</b> , <b>_WA_Sys_00000003_4D36F6ED</b> , <b>_WA_Sys_00000004_4D36F6ED</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NULL, <b>grp_id</b> Int NOT NULL, <b>nmgroups_ce1</b> 239 - 22 NULL, <b>nmgroups_ce2</b> 239 - 20 NULL, <b>nmgroups_ce3</b> 239 - 40 NULL, <b>nmgroups_de1</b> Date NULL, <b>nmgroups_fe1</b> Float NULL, <b>nmgroups_le1</b> Bit NULL, <b>nmgroups_ne1</b> Int NULL, <b>nmgrp_memo</b> Memo NULL, <b>nmgrp_rid</b> Char(16) NOT NULL, <b>nmgrp_start</b> Date NULL, <b>nmgrp_stop</b> Date NULL, <b>operator</b> Char(10) NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>time_maint</b> Char(10) NULL
<b>NMHEAL</b>	<b>Primary Key:</b>	<b>PK_nmheal</b> (nmheal_rid)
	<b>Foreign Keys:</b>	<b>FK_nmheal_health</b> , <b>FK_nmheal_name</b>
	<b>Indexes:</b>	<b>PK_nmheal</b> , <b>_WA_Sys_00000003_068DD92C</b> , <b>_WA_Sys_00000006_068DD92C</b> , <b>_WA_Sys_00000007_068DD92C</b> , <b>_WA_Sys_00000009_068DD92C</b> , <b>_WA_Sys_item_no_068DD92C</b> , <b>soc_sec</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>exp_date</b> Date NULL, <b>hlthmem</b> Memo NULL, <b>item</b> Char(30) NULL, <b>item_dt</b> Date NULL, <b>item_no</b> Int NOT NULL, <b>nmheal_ce1</b> Char(10) NULL, <b>nmheal_ce2</b> Char(10) NULL, <b>nmheal_ce3</b> Char(20) NULL, <b>nmheal_de1</b> Date NULL, <b>nmheal_fe1</b> Float NULL, <b>nmheal_le1</b> Bit NULL, <b>nmheal_ne1</b> Int NULL, <b>nmheal_rid</b> Int NOT NULL, <b>operator</b> Char(8) NULL, <b>received</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>result</b> Char(40) NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>time_maint</b> Char(8) NULL, <b>timestamp_column</b> Timestamp NULL
<b>NMHOLD</b>	<b>Primary Key:</b>	<b>PK_nmhold</b> (hld_rid)
	<b>Foreign Keys:</b>	<b>FK_nmhold_hold</b> , <b>FK_nmhold_name</b>
	<b>Triggers:</b>	<b>tr_nmhold_U</b>
	<b>Indexes:</b>	<b>PK_nmhold</b> , <b>_WA_Sys_active_79B300FB</b> , <b>_WA_Sys_authorized_79B300FB</b> , <b>_WA_Sys_date_maint_79B300FB</b> , <b>_WA_Sys_hld_rid_79B300FB</b> , <b>_WA_Sys_nmhold_ce1_79B300FB</b> , <b>_WA_Sys_nmhold_le1_79B300FB</b> , <b>_WA_Sys_nmhold_ne1_79B300FB</b> , <b>_WA_Sys_operator_79B300FB</b> , <b>_WA_Sys_start_dt_79B300FB</b> , <b>_WA_Sys_stop_dt_79B300FB</b> , <b>_WA_Sys_time_maint_79B300FB</b> , <b>_WA_Sys_timestamp_column_79B300FB</b> , <b>hld_cod</b> , <b>soc_sec</b>
	<b>Columns:</b>	<b>active</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>authorized</b> Char(9) NULL, <b>date_maint</b> Date NULL, <b>hld_cod</b> Char(12) NULL, <b>hld_mem</b> Memo NULL, <b>hld_rid</b> Char(16) NOT NULL, <b>nmhold_ce1</b> Char(10) NULL, <b>nmhold_ce2</b> Char(10) NULL, <b>nmhold_ce3</b> Char(20) NULL, <b>nmhold_de1</b> Date NULL, <b>nmhold_fe1</b> Float NULL, <b>nmhold_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>nmhold_ne1</b> Float NULL, <b>operator</b> Char(8) NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>start_dt</b> Date NULL, <b>stop_dt</b> Date NULL, <b>student_message</b> Varchar(500) NULL, <b>time_maint</b> Char(8) NULL, <b>timestamp_column</b> Timestamp NULL

<b>NMHONPROB</b>	<b>Primary Key:</b>	<i>PK_NMHONPROB (NMHONPROB_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_NMHONPROB_Honors_Prob , FK_nmhonprob_name</i>
	<b>Indexes:</b>	<i>PK_NMHONPROB , _WA_Sys_00000002_6E8CFDC0 , _WA_Sys_00000003_6E8CFDC0 , _WA_Sys_00000004_6E8CFDC0 , _WA_Sys_00000005_6E8CFDC0</i>
	<b>Columns:</b>	<b>Honors_Prob_cod</b> Char(8) NOT NULL , <b>NMHONPROB_ce1</b> Char(10) NULL , <b>NMHONPROB_ce2</b> Char(10) NULL , <b>NMHONPROB_ce3</b> Char(20) NULL , <b>NMHONPROB_de1</b> Date NOT NULL , <b>NMHONPROB_dt</b> Date NOT NULL , <b>NMHONPROB_fe1</b> Float NULL , <b>NMHONPROB_le1</b> Bit NOT NULL (DF_NMHONPROB_NMHON_6F8121F9 - (0)) , <b>NMHONPROB_ne1</b> Int NULL , <b>NMHONPROB_rid</b> Int NOT NULL , <b>date_maint</b> Date NULL , <b>memo</b> Memo NULL , <b>operator</b> Char(8) NULL , <b>sch_yr</b> Char(6) NULL , <b>semester</b> Char(2) NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>NMHOUSE</b>	<b>Primary Key:</b>	<i>PK_nmhouse (nmhouse_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmhouse_house , FK_nmhouse_name</i>
	<b>Indexes:</b>	<i>PK_nmhouse , _WA_Sys_date_maint_51CFF82A , _WA_Sys_disabled_51CFF82A , _WA_Sys_house_cod_51CFF82A , _WA_Sys_invoice_no_51CFF82A , _WA_Sys_moved_51CFF82A , _WA_Sys_operator_51CFF82A , _WA_Sys_post_date_51CFF82A , _WA_Sys_posted_51CFF82A , _WA_Sys_sch_yr_51CFF82A , _WA_Sys_semester_51CFF82A , _WA_Sys_soc_sec_51CFF82A , _WA_Sys_time_maint_51CFF82A , _WA_Sys_trans_no_51CFF82A , soc_sec</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>disabled</b> Bit NOT NULL , <b>house_cod</b> Char(10) NOT NULL , <b>invoice_no</b> Char(16) NULL , <b>moved</b> Int NULL , <b>nmhouse_ce1</b> Char(10) NULL , <b>nmhouse_ce2</b> Char(10) NULL , <b>nmhouse_ce3</b> Char(20) NULL , <b>nmhouse_de1</b> Date NULL , <b>nmhouse_fe1</b> Float NULL , <b>nmhouse_le1</b> Bit NULL , <b>nmhouse_ne1</b> Int NULL , <b>nmhouse_rid</b> Numeric NOT NULL , <b>operator</b> Char(8) NULL , <b>post_date</b> Date NULL , <b>posted</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>sch_yr</b> Char(6) NOT NULL , <b>semester</b> Char(2) NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>time_maint</b> Char(8) NULL , <b>trans_no</b> Char(16) NULL
<b>NMHOUSENOTES</b>	<b>Primary Key:</b>	<i>PK_nmhousesnotes (nmhousesnotes_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmhousesnotes_name</i>
	<b>Indexes:</b>	<i>PK_nmhousesnotes , _WA_Sys_soc_sec_77368703 , soc_sec</i>
	<b>Columns:</b>	<b>nmhousesnotes_ce1</b> Char(10) NULL , <b>nmhousesnotes_ce2</b> Char(10) NULL , <b>nmhousesnotes_ce3</b> Char(20) NULL , <b>nmhousesnotes_de1</b> Date NULL , <b>nmhousesnotes_fe1</b> Float NULL , <b>nmhousesnotes_le1</b> Bit NULL , <b>nmhousesnotes_ne1</b> Int NULL , <b>nmhousesnotes_rid</b> Numeric NOT NULL , <b>notes1</b> Memo NULL , <b>notes2</b> Memo NULL , <b>soc_sec</b> Char(9) NOT NULL
<b>NMHOUSEPREF</b>	<b>Primary Key:</b>	<i>PK_nmhousepref (nmhousepref_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmhousepref_houseattr , FK_nmhousepref_name</i>
	<b>Indexes:</b>	<i>PK_nmhousepref , _WA_Sys_housattr_cod_02A839AF , _WA_Sys_soc_sec_02A839AF , soc_sec</i>
	<b>Columns:</b>	<b>houseattr_cod</b> Char(2) NULL , <b>nmhousepref_ce1</b> Char(10) NULL , <b>nmhousepref_ce2</b> Char(10) NULL , <b>nmhousepref_ce3</b> Char(20) NULL , <b>nmhousepref_de1</b> Date NULL , <b>nmhousepref_fe1</b> Float NULL , <b>nmhousepref_le1</b> Bit NULL , <b>nmhousepref_ne1</b> Int NULL , <b>nmhousepref_rid</b> Numeric NOT NULL , <b>soc_sec</b> Char(9) NOT NULL
<b>NMHOUSERM</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000002_27A57F8B , _WA_Sys_00000003_27A57F8B</i>
	<b>Columns:</b>	<b>RM</b> Char(9) NULL , <b>RM_First_name</b> Char(30) NULL , <b>RM_last_name</b> Char(30) NULL , <b>date_maint</b> Date NULL , <b>nmhouseRM_ce1</b> Varchar(25) NULL , <b>nmhouseRM_ce2</b> Varchar(25) NULL , <b>nmhouseRM_fe2</b> Real NULL , <b>nmhouseRM_le1</b> Bit NOT NULL (DF_nmhouseRM_nmhou_2899A3C4 - ('0')) , <b>nmhouseRM_ne2</b> Int NULL , <b>nmhouseRM_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>soc_sec</b> Char(9) NULL , <b>time_maint</b> Char(8) NULL
<b>NMHOUSE_INC</b>	<b>Primary Key:</b>	<i>PK_nmhouse_inc (nmhouse_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmhouse_inc_house_inc , FK_nmhouse_inc_name , FK_nmhouse_inc_semester</i>
	<b>Indexes:</b>	<i>PK_nmhouse_inc , _WA_Sys_house_inc_rid_322242A7 , _WA_Sys_soc_sec_322242A7 , soc_sec</i>

	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>end_date</b> Date NULL, <b>house_inc_rid</b> Int NOT NULL, <b>nmhouse_inc_ce1</b> Char(10) NULL, <b>nmhouse_inc_ce2</b> Char(10) NULL, <b>nmhouse_inc_ce3</b> Char(20) NULL, <b>nmhouse_inc_de1</b> Date NULL, <b>nmhouse_inc_fe1</b> Float NULL, <b>nmhouse_inc_le1</b> Bit NULL, <b>nmhouse_inc_memo</b> Memo NULL, <b>nmhouse_inc_ne1</b> Int NULL, <b>nmhouse_rid</b> Int NOT NULL, <b>operator</b> Char(8) NULL, <b>sch_yr</b> Char(6) NULL, <b>semester</b> Char(2) NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>start_date</b> Date NULL, <b>time_maint</b> Char(8) NULL
<b>NMINT</b>	<b>Primary Key:</b>	<b>PK_nmint</b> (int_rid)
	<b>Foreign Keys:</b>	<b>FK_nmint_intrsts</b> , <b>FK_nmint_name</b> , <b>FK_nmint_semester</b>
	<b>Indexes:</b>	<b>PK_nmint</b> , <b>_WA_Sys_date_maint</b> 13A7DD28, <b>_WA_Sys_int_from</b> 13A7DD28, <b>_WA_Sys_int_to</b> 13A7DD28, <b>_WA_Sys_interest</b> 13A7DD28, <b>_WA_Sys_nmint_de1</b> 13A7DD28, <b>_WA_Sys_operator</b> 13A7DD28, <b>_WA_Sys_posn_held</b> 13A7DD28, <b>_WA_Sys_sch_yr</b> 13A7DD28, <b>_WA_Sys_semester</b> 13A7DD28, <b>_WA_Sys_time_maint</b> 13A7DD28, <b>soc_sec</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>int_from</b> Date NULL, <b>int_mem</b> Memo NULL, <b>int_rid</b> Char(16) NOT NULL, <b>int_to</b> Date NULL, <b>interest</b> Char(30) NULL, <b>nmint_ce1</b> Char(10) NULL, <b>nmint_ce2</b> Char(10) NULL, <b>nmint_ce3</b> Char(20) NULL, <b>nmint_de1</b> Date NULL, <b>nmint_fe1</b> Float NULL, <b>nmint_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>nmint_ne1</b> Float NULL, <b>operator</b> Char(8) NULL, <b>posn_held</b> Char(30) NULL, <b>sch_yr</b> Char(6) NULL, <b>semester</b> Char(2) NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>time_maint</b> Char(8) NULL, <b>timestamp_column</b> Timestamp NULL
<b>NMINTERVIEW</b>	<b>Primary Key:</b>	<b>PK_nminterview</b> (nminterview_rid)
	<b>Indexes:</b>	<b>PK_nminterview</b> , <b>_WA_Sys_00000002_7544E847</b> , <b>_WA_Sys_00000003_7544E847</b> , <b>_WA_Sys_00000004_7544E847</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>emp_rid</b> Char(16) NULL, <b>employ_type_rid</b> Int NOT NULL, <b>employer_contact_rid</b> Int NOT NULL, <b>hired</b> Bit NULL, <b>homeinst</b> Bit NULL, <b>hrly_rate</b> Float NULL, <b>hrs_week</b> Float NULL, <b>int_add1</b> Char(35) NULL, <b>int_add2</b> Char(35) NULL, <b>int_add3</b> Char(35) NULL, <b>int_city</b> Char(20) NULL, <b>int_county</b> Char(3) NULL, <b>int_date</b> Date NULL, <b>int_email</b> Char(50) NULL, <b>int_fax</b> Char(15) NULL, <b>int_loc</b> Char(60) NULL, <b>int_notes</b> Memo NULL, <b>int_phone</b> Char(15) NULL, <b>int_pos</b> Varchar(60) NULL, <b>int_state</b> Char(2) NULL, <b>int_time</b> Char(12) NULL, <b>int_zip</b> Char(10) NULL, <b>intcountry</b> Char(25) NULL, <b>interviewer</b> Char(60) NULL, <b>nminterview_ce1</b> Char(10) NULL, <b>nminterview_ce2</b> Char(11) NULL, <b>nminterview_ce3</b> Char(20) NULL, <b>nminterview_de1</b> Date NULL, <b>nminterview_fe1</b> Float NULL, <b>nminterview_le1</b> Bit NULL, <b>nminterview_ne1</b> Float NULL, <b>nminterview_rid</b> Char(16) NOT NULL, <b>operator</b> Char(8) NULL, <b>placement_cod</b> Char(3) NULL, <b>salary</b> Float NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>time_maint</b> Char(8) NULL
<b>NMISIR</b>		
	<b>Indexes:</b>	<b>_WA_Sys_00000002_4A2FA1B9</b> , <b>_WA_Sys_00000003_4A2FA1B9</b>
	<b>Columns:</b>	<b>Dependency</b> Varchar(150) NULL, <b>EFC</b> Varchar(150) NULL, <b>EFC_flag</b> Varchar(150) NULL, <b>FISAP_inc</b> Real NOT NULL (DF_nmisir_FISAP_in_312EE9C5 - (0)), <b>Father_inc</b> Varchar(150) NULL, <b>Fed_housing</b> Char(1) NULL, <b>Level_college</b> Varchar(150) NULL, <b>NMISIR_rid</b> Int NOT NULL, <b>Or_ID</b> Varchar(150) NULL, <b>Or_ssn</b> Varchar(150) NULL, <b>PDegree</b> Varchar(150) NULL, <b>Par_Marital_status</b> Varchar(150) NULL, <b>Par_agi</b> Varchar(150) NULL, <b>Par_inc_tax</b> Varchar(150) NULL, <b>Par_num_Family</b> Varchar(150) NULL, <b>Par_num_college</b> Varchar(150) NULL, <b>Par_tax_rtn</b> Varchar(150) NULL, <b>Par_type_tax</b> Varchar(150) NULL, <b>SS_payments</b> Bit NOT NULL (DF_nmisir_SS_payme_32230DFE - (0)), <b>Soc_sec</b> Char(9) NULL, <b>Stu_agi</b> Varchar(150) NULL, <b>Stu_exemptions</b> Varchar(150) NULL, <b>Stu_inc_earn</b> Varchar(150) NULL, <b>Stu_inc_tax</b> Varchar(150) NULL, <b>Stu_num_Family</b> Varchar(150) NULL, <b>Stu_num_VA</b> Varchar(150) NULL, <b>Stu_num_college</b> Varchar(150) NULL, <b>Stu_sp_inc_earn</b> Varchar(150) NULL, <b>Stu_tax_Status</b> Varchar(150) NULL, <b>Stu_tax_rtn</b> Varchar(150) NULL, <b>Stu_worksheet_A</b> Varchar(150) NULL, <b>Stu_worksheet_B</b> Varchar(150) NULL, <b>VA_Benefit_type</b> Varchar(150) NULL, <b>auto_zero_efc</b> Bit NOT NULL (DF_nmisir_auto_zer_303AC58C - (0)), <b>citizen</b> Varchar(150) NULL, <b>city</b> Char(35) NULL, <b>date_maint</b> Date NULL, <b>degree_cert</b> Varchar(150) NULL, <b>dl_number</b> Char(35) NULL, <b>dl_state</b> Char(2) NULL, <b>enroll_stat</b> Varchar(150) NULL, <b>isir_Year</b> Varchar(150) NULL, <b>isir_incomplete</b> Bit NOT NULL (DF_nmisir_isir_inc_74AFEB6A - (0)), <b>isir_trans</b> Varchar(150) NULL, <b>mother_inc</b> Varchar(150) NULL, <b>nmISIR_ce1</b> Varchar(25) NULL, <b>nmISIR_ce2</b> Varchar(25) NULL, <b>operator</b> Char(8) NULL, <b>par_addl_financial</b> Varchar(150)



		NULL , <b>par_exemptions</b> Varchar(150) NULL , <b>par_state</b> Varchar(150) NULL , <b>par_untaxed_income</b> Varchar(150) NULL , <b>par_worksheet_A</b> Varchar(150) NULL , <b>par_worksheet_B</b> Varchar(150) NULL , <b>par_worksheet_C</b> Varchar(150) NULL , <b>sch_yr</b> Char(6) NULL , <b>state</b> Char(2) NULL , <b>str_addr</b> Char(35) NULL , <b>stu_Marital_status</b> Varchar(150) NULL , <b>stu_addl_financial</b> Varchar(150) NULL , <b>stu_monthly_VA</b> Varchar(150) NULL , <b>stu_recv_ben</b> Varchar(150) NULL , <b>stu_untaxed_income</b> Varchar(150) NULL , <b>stu_worksheet_C</b> Varchar(150) NULL , <b>time_maint</b> Char(8) NULL , <b>trans_num</b> Varchar(150) NULL , <b>verif_stat</b> Varchar(150) NULL , <b>verification</b> Varchar(150) NULL , <b>veteran</b> Varchar(150) NULL , <b>zip_code</b> Char(10) NULL
<b>NMJOBAPPLY</b>	<b>Primary Key:</b>	<i>PK_nmjobapply (nmjobapply_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmjobapply_job , FK_nmjobapply_name</i>
	<b>Indexes:</b>	<i>PK_nmjobapply , _WA_Sys_job_rid_72BCB600 , _WA_Sys_soc_sec_72BCB600</i>
	<b>Columns:</b>	<b>app_date</b> Date NULL , <b>avail_date</b> Date NULL , <b>contact_time</b> Char(75) NULL , <b>contacted_date</b> Date NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL , <b>e_mail</b> Char(50) NULL , <b>interview1_date</b> Date NULL , <b>interview2_date</b> Date NULL , <b>intro_memo</b> Memo NULL , <b>job_rid</b> Int NULL , <b>nmjobapply_cel</b> Char(10) NULL , <b>nmjobapply_del</b> Date NULL , <b>nmjobapply_fe1</b> Float NULL , <b>nmjobapply_le1</b> Bit NULL , <b>nmjobapply_ne1</b> Int NULL , <b>nmjobapply_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>phone</b> Char(15) NULL , <b>soc_sec</b> Char(9) NULL , <b>time_maint</b> Char(8) NULL , <b>train_memo</b> Memo NULL
<b>NMLENDERS</b>	<b>Primary Key:</b>	<i>PK_nmLenders_nmLenders_rid (nmLenders_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_loan_default_source , FK_loan_servicer , FK_nmLenders_name , FK_nmlenders_guarantor ,</i> <i>FK_nmlenders_lender , FK_nmlenders_loan_cohort , FK_nmlenders_loan_status ,</i> <i>FK_nmlenders_ltype , FK_nmlenders_pnote_deliv , FK_nmlenders_pro_type ,</i> <i>FK_nmlenders_serial_l_code</i>
	<b>Indexes:</b>	<i>PK_nmLenders_nmLenders_rid , _WA_Sys_00000004_037D2DAE , _WA_Sys_00000017_037D2DAE</i> <i>, _WA_Sys_0000002C_037D2DAE , _WA_Sys_0000002D_037D2DAE ,</i> <i>_WA_Sys_0000002E_037D2DAE , _WA_Sys_0000002F_037D2DAE ,</i> <i>_WA_Sys_00000030_037D2DAE , _WA_Sys_00000031_037D2DAE ,</i> <i>_WA_Sys_00000038_037D2DAE</i>
	<b>Columns:</b>	<b>CBLEN</b> Bit NOT NULL (DF_nmLenders_CBLEN_7E44429C - ((0))), <b>CBLEX</b> Bit NOT NULL (DF_nmLenders_CBLEX_7F3866D5 - ((0))), <b>Cert_Date</b> Date NOT NULL (DF_nmLenders_Cert_0DFABC21 - ('12/30/1899')), <b>Completion</b> Float NULL , <b>DA_Amt1</b> Float NULL , <b>DA_Amt2</b> Float NULL , <b>DA_Amt3</b> Float NULL , <b>DA_Amt4</b> Float NULL , <b>Dis_Date1</b> Date NOT NULL (DF_nmLenders_Dis_D_06599A59 - ('12/30/1899')), <b>Dis_Date1_Hold</b> Bit NOT NULL (DF_nmLenders_Dis_D_0A2A2B3D - ('0')), <b>Dis_Date2</b> Date NOT NULL (DF_nmLenders_Dis_D_074DBE92 - ('12/30/1899')), <b>Dis_Date2_Hold</b> Bit NOT NULL (DF_nmLenders_Dis_D_0B1E4F76 - ('0')), <b>Dis_Date3</b> Date NOT NULL (DF_nmLenders_Dis_D_0841E2CB - ('12/30/1899')), <b>Dis_Date3_Hold</b> Bit NOT NULL (DF_nmLenders_Dis_D_0C1273AF - ('0')), <b>Dis_Date4</b> Date NOT NULL (DF_nmLenders_Dis_D_09360704 - ('12/30/1899')), <b>Dis_Date4_Hold</b> Bit NOT NULL (DF_nmLenders_Dis_D_0D0697E8 - ('0')), <b>Enroll_cod</b> Char(25) NULL , <b>Guarantor_ID</b> Char(20) NULL , <b>LDA</b> Date NOT NULL (DF_nmLenders_LDA_0308F7B9 - ('12/30/1899')), <b>LENT</b> Date NOT NULL (DF_nmLenders_LENT_002C8B0E - ('12/30/1899')), <b>LEX</b> Date NOT NULL (DF_nmLenders_LEX_0120AF47 - ('12/30/1899')), <b>LType_ID</b> Char(20) NULL , <b>Loan_Begin</b> Date NOT NULL (DF_nmLenders_Loan_047151E7 - ('12/30/1899')), <b>Loan_END</b> Date NOT NULL (DF_nmLenders_Loan_05657620 - ('12/30/1899')), <b>PNote_Deliv</b> Char(20) NULL , <b>Pro_Type</b> Char(20) NULL , <b>Request_EFT</b> Char(3) NULL , <b>Sch_yr</b> Char(9) NULL , <b>Serial_L_Code</b> Char(20) NULL , <b>Sub_Amt</b> Float NULL , <b>UnSub_AMT</b> Float NULL , <b>account</b> Char(25) NULL , <b>amt_delinquent</b> Float NOT NULL (DF_nmLenders_amt_d_07CDACD6 - ((0))), <b>date_maint</b> Date NULL , <b>default_dt</b> Date NOT NULL (DF_nmLenders_defau_08C1D10F - ('12/30/1899')), <b>defer_from</b> Date NOT NULL (DF_nmLenders_defer_0F6ECE9E - ('12/30/1899')), <b>defer_to</b> Date NOT NULL (DF_nmLenders_defer_1062F2D7 - ('12/30/1899')), <b>delinquent_start</b> Date NOT NULL (DF_nmLenders_delin_06D9889D - ('12/30/1899')), <b>forbearance_approved</b> Date NOT NULL (DF_nmLenders_forbe_0E7AAA65 - ('12/30/1899')), <b>forbearance_sent</b> Date NOT NULL (DF_nmLenders_forbe_0D86862C - ('12/30/1899')), <b>gradDate</b> Date NOT NULL (DF_nmLenders_gradD_0EEEE05A - ('12/30/1899')), <b>guarantor_rid</b> Int NULL , <b>lender_rid</b>

		<i>Int</i> NULL , <i>loan_balance</i> <i>Float</i> NOT NULL (DF <i>nmLenders_loan_0AAA1981</i> - ((0))), <i>loan_cohort</i> <i>Char</i> (4) NOT NULL (DF <i>nmLenders_loan_09B5F548</i> - ('')), <i>loan_comments</i> <i>Memo</i> NULL , <i>loan_default_remark</i> <i>Varchar</i> (25) NULL , <i>loan_default_source_rid</i> <i>Int</i> NOT NULL (DF <i>nmLenders_loan_0B9E3DBA</i> - ((1))), <i>loan_servicer_rid</i> <i>Int</i> NOT NULL (DF <i>nmLenders_loan_0214D380</i> - ((1))), <i>loan_status_rid</i> <i>Int</i> NOT NULL (DF <i>nmLenders_loan_03FD1BF2</i> - ((1))), <i>ltype_rid</i> <i>Int</i> NULL , <i>monthly_payment</i> <i>Float</i> NOT NULL (DF <i>nmLenders_month_05E56464</i> - ((0))), <i>nmLenders_Branch_ID</i> <i>Char</i> (25) NULL , <i>nmLenders_ID</i> <i>Int</i> NULL , <i>nmLenders_ce1</i> <i>Char</i> (10) NULL , <i>nmLenders_ce2</i> <i>Char</i> (10) NULL , <i>nmLenders_ce3</i> <i>Char</i> (20) NULL , <i>nmLenders_de1</i> <i>Date</i> NULL , <i>nmLenders_fe1</i> <i>Float</i> NULL , <i>nmLenders_le1</i> <i>Bit</i> NOT NULL (DF <i>nmLenders_nmLen_0FE30493</i> - ('0')), <i>nmLenders_ne1</i> <i>Int</i> NULL , <i>nmLenders_rid</i> <i>Int</i> NOT NULL , <i>nmLenders_txt</i> <i>Char</i> (30) NULL , <i>no_payments</i> <i>Tinyint</i> NULL , <i>operator</i> <i>Char</i> (8) NULL , <i>pnote_deliv_rid</i> <i>Int</i> NULL , <i>pro_type_rid</i> <i>Int</i> NULL , <i>repayment_dt</i> <i>Date</i> NOT NULL (DF <i>nmLenders_repay_04F1402B</i> - ('12/30/1899')), <i>serial_l_code_rid</i> <i>Int</i> NULL , <i>soc_sec</i> <i>Char</i> (9) NULL , <i>source_dt</i> <i>Date</i> NOT NULL (DF <i>nmLenders_sourc_0C9261F3</i> - ('12/30/1899')), <i>time_maint</i> <i>Char</i> (8) NULL
<b>NMLIC</b>	<b>Primary Key:</b>	<i>PK_nmlic</i> ( <i>lic_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_nmlic_licenses</i> , <i>FK_nmlic_name</i>
	<b>Indexes:</b>	<i>PK_nmlic</i> , <i>_WA_Sys_license_1A2ABD85</i> , <i>_WA_Sys_soc_sec_1A2ABD85</i> , <i>soc_sec</i>
	<b>Columns:</b>	<i>date_exp</i> <i>Date</i> NULL , <i>date_maint</i> <i>Date</i> NULL , <i>date_rec</i> <i>Date</i> NULL , <i>lic_mem</i> <i>Memo</i> NULL , <i>lic_rid</i> <i>Char</i> (16) NOT NULL , <i>license</i> <i>Char</i> (20) NULL , <i>nmlic_ce1</i> <i>Char</i> (10) NULL , <i>nmlic_ce2</i> <i>Char</i> (10) NULL , <i>nmlic_ce3</i> <i>Char</i> (20) NULL , <i>nmlic_de1</i> <i>Date</i> NULL , <i>nmlic_fe1</i> <i>Float</i> NULL , <i>nmlic_le1</i> <i>Bit</i> NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <i>nmlic_ne1</i> <i>Float</i> NULL , <i>operator</i> <i>Char</i> (8) NULL , <i>soc_sec</i> <i>Char</i> (9) NOT NULL , <i>time_maint</i> <i>Char</i> (8) NULL , <i>timestamp_column</i> <i>Timestamp</i> NULL
<b>NMLOA</b>	<b>Primary Key:</b>	<i>PK_nmloa</i> ( <i>loa_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_nmloa_name</i>
	<b>Indexes:</b>	<i>PK_nmloa</i> , <i>_WA_Sys_00000008_475C8B58</i> , <i>_WA_Sys_00000019_475C8B58</i> , <i>_WA_Sys_active_475C8B58</i> , <i>_WA_Sys_from_dt_475C8B58</i> , <i>_WA_Sys_loa_cod_475C8B58</i> , <i>_WA_Sys_operator_475C8B58</i> , <i>_WA_Sys_prg_cod_475C8B58</i> , <i>_WA_Sys_sch_yr_475C8B58</i> , <i>_WA_Sys_semester_475C8B58</i> , <i>_WA_Sys_to_dt_475C8B58</i> , <i>soc_sec</i>
	<b>Columns:</b>	<i>active</i> <i>Bit</i> NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <i>date_maint</i> <i>Date</i> NULL , <i>edu_rid</i> <i>Char</i> (16) NOT NULL (DF <i>nmloa_edu_rid_6755F04C</i> - ('')), <i>from_dt</i> <i>Date</i> NULL , <i>loa_cod</i> <i>Varchar</i> (50) NULL , <i>loa_mem</i> <i>Memo</i> NULL , <i>loa_rid</i> <i>Char</i> (16) NOT NULL , <i>nmloa_ce1</i> <i>Char</i> (10) NULL , <i>nmloa_ce2</i> <i>Char</i> (10) NULL , <i>nmloa_ce3</i> <i>Char</i> (20) NULL , <i>nmloa_de1</i> <i>Date</i> NULL , <i>nmloa_fe1</i> <i>Float</i> NULL , <i>nmloa_le1</i> <i>Bit</i> NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <i>nmloa_ne1</i> <i>Float</i> NULL , <i>nslch_approved</i> <i>Bit</i> NOT NULL (DF <i>nmloa_nslch_app_08E1CCA0</i> - ((0))), <i>operator</i> <i>Char</i> (8) NULL , <i>prg_cod</i> <i>Char</i> (10) NULL , <i>prj_dt</i> <i>Date</i> NULL , <i>reason_cod</i> <i>Varchar</i> (50) NULL , <i>sch_yr</i> <i>Char</i> (6) NULL , <i>semester</i> <i>Char</i> (2) NULL , <i>soc_sec</i> <i>Char</i> (9) NOT NULL , <i>time_maint</i> <i>Char</i> (8) NULL , <i>timestamp_column</i> <i>Timestamp</i> NULL , <i>to_dt</i> <i>Date</i> NULL
<b>NMMAJ</b>	<b>Primary Key:</b>	<i>PK_nmmaj</i> ( <i>maj_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_nmmaj1_major</i> , <i>FK_nmmaj2_major</i> , <i>FK_nmmaj_name</i>
	<b>Indexes:</b>	<i>PK_nmmaj</i> , <i>_WA_Sys_00000003_4944D3CA</i> , <i>_WA_Sys_00000004_4944D3CA</i> , <i>_WA_Sys_00000005_4944D3CA</i> , <i>_WA_Sys_00000007_4944D3CA</i> , <i>_WA_Sys_00000008_4944D3CA</i> , <i>_WA_Sys_00000013_4944D3CA</i> , <i>soc_sec</i>
	<b>Columns:</b>	<i>active</i> <i>Bit</i> NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <i>adv_ssn</i> <i>Char</i> (9) NULL , <i>date_maint</i> <i>Date</i> NULL , <i>edu_rid</i> <i>Char</i> (16) NOT NULL (DF <i>nmmaj_edu_rid_581DCE5D</i> - ('')), <i>maj_rid</i> <i>Int</i> NOT NULL , <i>major</i> <i>Varchar</i> (60) NULL , <i>minor</i> <i>Varchar</i> (60) NULL , <i>nmmaj_ce1</i> <i>Char</i> (10) NULL , <i>nmmaj_ce2</i> <i>Char</i> (10) NULL , <i>nmmaj_ce3</i> <i>Char</i> (20) NULL , <i>nmmaj_de1</i> <i>Date</i> NULL , <i>nmmaj_fe1</i> <i>Float</i> NULL , <i>nmmaj_le1</i> <i>Bit</i> NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <i>nmmaj_ne1</i> <i>Float</i> NULL , <i>operator</i> <i>Char</i> (8) NULL , <i>soc_sec</i> <i>Char</i> (9) NOT NULL , <i>start_dt</i> <i>Date</i> NULL , <i>stop_dt</i> <i>Date</i> NULL , <i>time_maint</i> <i>Char</i> (8) NULL
<b>NMMEETING</b>	<b>Primary Key:</b>	<i>PK_nmmeeting</i> ( <i>nmmeeting_rid</i> )

	<b>Foreign Keys:</b>	<i>FK_nmmeeting_name , FK_nmmeetings_meeting</i>
	<b>Indexes:</b>	<i>PK_nmmeeting , nmmeeting_meeting_rid , nmmeeting_soc_sec</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>meeting_rid</b> <i>Int</i> NULL , <b>nmmeeting_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>role</b> <i>Varchar(50)</i> NOT NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>NMMEETING_ATTENDEE_LIMIT</b>	<b>Primary Key:</b>	<i>PK_nmmeeting_attendee_limit (nmmeeting_attendee_limit_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmmeeting_attendee_limit_meeting_attendee , FK_nmmeeting_attendee_limit_name</i>
	<b>Indexes:</b>	<i>PK_nmmeeting_attendee_limit , _WA_Sys_00000003_3A242279 , _WA_Sys_00000004_3A242279</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>meeting_attendee_rid</b> <i>Int</i> NOT NULL , <b>nmmeeting_attendee_limit_ce1</b> <i>Char(10)</i> NULL , <b>nmmeeting_attendee_limit_ce2</b> <i>Char(20)</i> NULL , <b>nmmeeting_attendee_limit_ce3</b> <i>Char(30)</i> NULL , <b>nmmeeting_attendee_limit_de1</b> <i>Date</i> NULL , <b>nmmeeting_attendee_limit_fe1</b> <i>Float</i> NULL , <b>nmmeeting_attendee_limit_le1</b> <i>Bit</i> NULL , <b>nmmeeting_attendee_limit_ne1</b> <i>Float</i> NULL , <b>nmmeeting_attendee_limit_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>prof_cod</b> <i>Char(10)</i> NOT NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>user_id</b> <i>Char(8)</i> NOT NULL
<b>NMMISC</b>	<b>Primary Key:</b>	<i>PK_nmmisc (nmmisc_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmmisc_name</i>
	<b>Indexes:</b>	<i>PK_nmmisc , soc_sec</i>
	<b>Columns:</b>	<b>card_no</b> <i>Float</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>flag</b> <i>Char(10)</i> NULL , <b>flag2</b> <i>Char(1)</i> NULL , <b>k_card</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>locker</b> <i>Char(5)</i> NULL , <b>mailbox</b> <i>Char(5)</i> NULL , <b>nmmisc_ce1</b> <i>Char(10)</i> NULL , <b>nmmisc_ce2</b> <i>Char(10)</i> NULL , <b>nmmisc_ce3</b> <i>Char(20)</i> NULL , <b>nmmisc_de1</b> <i>Date</i> NULL , <b>nmmisc_fe1</b> <i>Float</i> NULL , <b>nmmisc_le1</b> <i>Bit</i> NULL , <b>nmmisc_ne1</b> <i>Int</i> NULL , <b>nmmisc_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>status</b> <i>Char(1)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>NMMODST</b>	<b>Primary Key:</b>	<i>PK_nmmodst (nmmod_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmmodst_modstat , FK_nmmodst_name1</i>
	<b>Triggers:</b>	<i>trCreateEmailAddr , tr_nmmodst_CO</i>
	<b>Indexes:</b>	<i>PK_nmmodst , _WA_Sys_00000003_1D314762 , _WA_Sys_date_maint_1D314762 , _WA_Sys_end_date_1D314762 , _WA_Sys_nmmod_ce1_1D314762 , _WA_Sys_nmmod_le1_1D314762 , _WA_Sys_nmmod_ne1_1D314762 , _WA_Sys_nmmodst_ce1_1D314762 , _WA_Sys_nmmodst_ce2_1D314762 , _WA_Sys_nmmodst_ce3_1D314762 , _WA_Sys_nmmodst_de1_1D314762 , _WA_Sys_nmmodst_fe1_1D314762 , _WA_Sys_nmmodst_le1_1D314762 , _WA_Sys_nmmodst_ne1_1D314762 , _WA_Sys_operator_1D314762 , _WA_Sys_start_date_1D314762 , _WA_Sys_time_maint_1D314762 , soc_sec</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>end_date</b> <i>Date</i> NULL , <b>mod_stat</b> <i>Char(2)</i> NULL , <b>nmmod_ce1</b> <i>Char(10)</i> NULL , <b>nmmod_le1</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>nmmod_ne1</b> <i>Float</i> NULL , <b>nmmod_rid</b> <i>Char(16)</i> NOT NULL , <b>nmmodst_ce1</b> <i>Char(10)</i> NULL , <b>nmmodst_ce2</b> <i>Char(10)</i> NULL , <b>nmmodst_ce3</b> <i>Char(20)</i> NULL , <b>nmmodst_de1</b> <i>Date</i> NULL , <b>nmmodst_fe1</b> <i>Float</i> NULL , <b>nmmodst_le1</b> <i>Bit</i> NULL , <b>nmmodst_ne1</b> <i>Int</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>start_date</b> <i>Date</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>NMMODSTADD</b>		
	<b>Indexes:</b>	<i>_WA_Sys_mod_stat_69BD5BAB , _WA_Sys_soc_sec_69BD5BAB</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>end_date</b> <i>Date</i> NULL , <b>mod_stat</b> <i>Char(2)</i> NULL , <b>nmmod_ce1</b> <i>Char(10)</i> NULL , <b>nmmod_le1</b> <i>Bit</i> NULL , <b>nmmod_ne1</b> <i>Float</i> NULL , <b>nmmod_rid</b> <i>Char(16)</i> NOT NULL , <b>nmmodst_ce1</b> <i>Char(10)</i> NULL , <b>nmmodst_ce2</b> <i>Char(10)</i> NULL , <b>nmmodst_ce3</b> <i>Char(20)</i> NULL , <b>nmmodst_de1</b> <i>Date</i> NULL , <b>nmmodst_fe1</b> <i>Float</i> NULL , <b>nmmodst_le1</b> <i>Bit</i> NULL , <b>nmmodst_ne1</b> <i>Int</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>start_date</b> <i>Date</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>NMOA</b>	<b>Primary Key:</b>	<i>PK_NMOA (nmoa_id)</i>

	<b>Indexes:</b>	<i>PK_NMOA , _WA_Sys_00000002_49F075EE , _WA_Sys_00000007_49F075EE , _WA_Sys_00000009_49F075EE , _WA_Sys_0000000A_49F075EE , _WA_Sys_0000000E_49F075EE , _WA_Sys_0000000F_49F075EE , _WA_Sys_00000010_49F075EE , _WA_Sys_00000011_49F075EE</i>
	<b>Columns:</b>	<i>app_deleted Bit NOT NULL (DF_NMOA_app_delete_4EB52B0B - ((0))), app_start_date Date NOT NULL (DF_NMOA_app_start_4CCCE299 - ('12/30/1899')), app_submitted Bit NOT NULL (DF_NMOA_app_submit_509D737D - ((0))), birthdate Date NULL , date_maint Date NULL , delete_date Date NOT NULL (DF_NMOA_delete_dat_4FA94F44 - ('12/30/1899')), e_mail Varchar(50) NULL , first_name Varchar(30) NOT NULL , last_name Varchar(60) NOT NULL , login_attempts Tinyint NOT NULL (DF_NMOA_login_atte_4AE49A27 - ((0))), merge_date Date NOT NULL (DF_NMOA_merge_date_4DC106D2 - ('12/30/1899')), merge_id Char(9) NULL , merge_operator Char(8) NULL , merged Bit NOT NULL (DF_NMOA_merged_4BD8BE60 - ((0))), mi Varchar(15) NULL , nmoa_id Char(9) NOT NULL , oa_pin Varchar(250) NULL , operator Char(10) NULL , security_question_answer Varchar(50) NULL , security_question_rid Int NULL , submit_date Date NOT NULL (DF_NMOA_submit_dat_519197B6 - ('12/30/1899')), sw_id Char(9) NULL , time_maint Char(8) NULL</i>
<b>NMOCA</b>	<b>Primary Key:</b>	<i>PK_NMOCA (NMOCA_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_NMOCA_SID , FK_OCA_RID2 , FK_nmoca_soc</i>
	<b>Indexes:</b>	<i>PK_NMOCA , _WA_Sys_00000003_0E45A03B , _WA_Sys_00000004_0E45A03B</i>
	<b>Columns:</b>	<i>Assign_DT Date NOT NULL (DF_NMOCA_Assign_DT_0F39C474 - ('12/30/1899')) , Assign_Time Char(8) NULL , Due_DT Date NOT NULL (DF_NMOCA_Due_DT_102DE8AD - ('12/30/1899')), Due_Time Char(8) NULL , NMOCA_Grade Int NULL , NMOCA_ce1 Char(10) NULL , NMOCA_ce2 Char(20) NULL , NMOCA_ce3 Char(30) NULL , NMOCA_de1 Date NULL , NMOCA_fe1 Float NULL , NMOCA_le1 Bit NULL , NMOCA_ne1 Float NULL , NMOCA_rid Int NOT NULL , OCA_rid Int NULL , Poss_Score Int NULL , Req_File Bit NOT NULL (DF_NMOCA_Req_File_11220CE6 - ((0))), Sid Char(16) NULL , Soc_sec Char(9) NULL , Stat_Mess Memo NULL , assignment_Title Varchar(30) NULL , assignment_message Memo NULL , date_maint Date NULL , disable Bit NOT NULL (DF_NMOCA_disable_1216311F - ((0))), operator Char(8) NULL , time_maint Char(8) NULL</i>
<b>NMOCA_FILE</b>	<b>Primary Key:</b>	<i>PK_NMOCA_FILE (NMOCA_FILE_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_NMOCA_RID , FK_nmoca_Soc2</i>
	<b>Indexes:</b>	<i>PK_NMOCA_FILE , _WA_Sys_00000004_13FE7991 , _WA_Sys_00000005_13FE7991</i>
	<b>Columns:</b>	<i>NMOCA_FILE_path Varchar(300) NULL , NMOCA_FILE_rid Int NOT NULL , NMOCA_FILE_txt Varchar(150) NULL , NMOCA_ce1 Char(10) NULL , NMOCA_ce2 Char(20) NULL , NMOCA_ce3 Char(30) NULL , NMOCA_de1 Date NULL , NMOCA_fe1 Float NULL , NMOCA_le1 Bit NULL , NMOCA_ne1 Float NULL , NMOCA_rid Int NULL , date_maint Date NULL , disable Bit NOT NULL (DF_NMOCA_FIL_disab_14F29DCA - ((0))), operator Char(8) NULL , soc_sec Char(9) NULL , time_maint Char(8) NULL</i>
<b>NMPARK</b>	<b>Primary Key:</b>	<i>PK_nmpark (nmpark_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmpark_name , FK_nmpark_zone</i>
	<b>Indexes:</b>	<i>PK_nmpark , _WA_Sys_0000000A_331666E0 , _WA_Sys_nmpark_active_331666E0 , _WA_Sys_permit_num_331666E0 , _WA_Sys_sch_yr_331666E0 , _WA_Sys_semester_331666E0 , _WA_Sys_zone_rid_331666E0 , soc_sec</i>
	<b>Columns:</b>	<i>date_maint Date NULL , license_number Char(10) NULL , nmpark_active Bit NULL , nmpark_ce1 Char(10) NULL , nmpark_ce2 Char(10) NULL , nmpark_ce3 Char(20) NULL , nmpark_de1 Date NULL , nmpark_fe1 Float NULL , nmpark_le1 Bit NULL , nmpark_memo Memo NULL , nmpark_ne1 Int NULL , nmpark_rid Int NOT NULL , operator Char(8) NULL , permit_num Char(20) NULL , sch_yr Char(6) NULL , semester Char(2) NULL , soc_sec Char(9) NOT NULL , st Char(10) NULL , time_maint Char(8) NULL , vehicle_color Varchar(25) NULL , vehicle_make Varchar(25) NULL , vehicle_model Varchar(25) NULL , vehicle_year Char(4) NULL , zone_rid Int NULL</i>
<b>NMPARK_INC</b>	<b>Primary Key:</b>	<i>PK_nmpark_inc (nmpark_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmpark_inc_name , FK_nmpark_inc_park_inc , FK_nmpark_inc_semester</i>

	<b>Indexes:</b>	<i>PK_nmpark_inc, _WA_Sys_00000011_340A8B19, _WA_Sys_00000012_340A8B19, _WA_Sys_00000014_340A8B19, _WA_Sys_park_inc_rid_340A8B19, soc_sec</i>
	<b>Columns:</b>	<i>date_maint Date NULL, end_date Date NULL, nmpark_inc_ce1 Char(10) NULL, nmpark_inc_ce2 Char(10) NULL, nmpark_inc_ce3 Char(20) NULL, nmpark_inc_de1 Date NULL, nmpark_inc_fe1 Float NULL, nmpark_inc_le1 Bit NULL, nmpark_inc_memo Memo NULL, nmpark_inc_ne1 Int NULL, nmpark_rid Int NOT NULL, operator Char(8) NULL, park_inc_rid Int NOT NULL, sch_yr Char(6) NULL, semester Char(2) NULL, soc_sec Char(9) NOT NULL, start_date Date NULL, time_maint Char(8) NULL</i>
<b>NMPAYPLAN</b>	<b>Primary Key:</b>	<i>PK_nmpayplan_rid (nmpayplan_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmpayplan_name</i>
	<b>Indexes:</b>	<i>PK_nmpayplan_rid, _WA_Sys_00000002_5BD950A8</i>
	<b>Columns:</b>	<i>date_maint Date NULL, nmpayplan_ce1 Char(10) NULL, nmpayplan_ce2 Char(10) NULL, nmpayplan_ce3 Char(10) NULL, nmpayplan_de1 Date NULL, nmpayplan_le1 Bit NULL, nmpayplan_ne1 Int NULL, nmpayplan_rid Int NOT NULL, operator Char(8) NULL, payplan_amt Float NULL, payplan_code Char(9) NULL, payplan_date Date NULL, payplan_percent Float NULL, soc_sec Char(9) NOT NULL, time_maint Char(8) NULL</i>
<b>NMPAYPLAN_DETAIL</b>	<b>Primary Key:</b>	<i>PK_nmpayplan_detail_nmpayplan_detail_rid (nmpayplan_detail_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmpayplan_detail_name</i>
	<b>Indexes:</b>	<i>PK_nmpayplan_detail_nmpayplan_detail_rid, _WA_Sys_00000002_42D898B4</i>
	<b>Columns:</b>	<i>date_maint Date NULL, nmpayplan_PAmnt Float NOT NULL (DF_nmpayplan_nmpay_174F1C31 - (0)), nmpayplan_detail_AGREE_AMT Float NULL, nmpayplan_detail_PP_code Char(5) NULL, nmpayplan_detail_SD Date NULL, nmpayplan_detail_ce1 Char(10) NULL, nmpayplan_detail_ce2 Char(10) NULL, nmpayplan_detail_ce3 Char(20) NULL, nmpayplan_detail_de1 Date NULL, nmpayplan_detail_fe1 Float NULL, nmpayplan_detail_le1 Bit NULL, nmpayplan_detail_rid Int NOT NULL, nmpayplan_plan_ne1 Int NULL, nmpayplan_plan_rid Bigint NULL, operator Char(8) NULL, soc_sec Char(9) NULL, time_maint Char(8) NULL</i>
<b>NMPAYPLAN_PLAN</b>	<b>Primary Key:</b>	<i>PK_nmpayplan_plan_nmpayplan_plan_rid (nmpayplan_plan_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmpayplan_plan_name</i>
	<b>Indexes:</b>	<i>PK_nmpayplan_plan_nmpayplan_plan_rid, _WA_Sys_00000002_40F05042, _WA_Sys_00000005_40F05042, _WA_Sys_00000013_40F05042</i>
	<b>Columns:</b>	<i>date_maint Date NULL, nmpayplan_plan_AD Date NULL, nmpayplan_plan_AGREE_AMT Float NULL, nmpayplan_plan_PP_code Char(5) NULL, nmpayplan_plan_PP_txt Char(35) NULL, nmpayplan_plan_SD Date NULL, nmpayplan_plan_YEAR Char(6) NULL, nmpayplan_plan_ce1 Char(10) NULL, nmpayplan_plan_ce2 Char(10) NULL, nmpayplan_plan_ce3 Char(20) NULL, nmpayplan_plan_de1 Date NULL, nmpayplan_plan_fe1 Float NULL, nmpayplan_plan_le1 Bit NULL, nmpayplan_plan_ne1 Int NULL, nmpayplan_plan_rid Bigint NOT NULL, operator Char(8) NULL, semester Char(2) NOT NULL (DF_nmpayplan_semes_0273FADC - ('')), soc_sec Char(9) NULL, time_maint Char(8) NULL, void Bit NOT NULL (DF_nmpayplan_void_652DB0B8 - (0))</i>
<b>NMPRG</b>	<b>Primary Key:</b>	<i>PK_nmprg (prg_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmprg_name1, FK_nmprg_nmedu, FK_nmprg_program</i>
	<b>Indexes:</b>	<i>PK_nmprg, _WA_Sys_active_1B48FEF0, _WA_Sys_approg_1B48FEF0, _WA_Sys_date_maint_1B48FEF0, _WA_Sys_edu_rid_1B48FEF0, _WA_Sys_grad_prog_1B48FEF0, _WA_Sys_nmprg_ce1_1B48FEF0, _WA_Sys_nmprg_ce2_1B48FEF0, _WA_Sys_nmprg_ce3_1B48FEF0, _WA_Sys_nmprg_de1_1B48FEF0, _WA_Sys_nmprg_fe1_1B48FEF0, _WA_Sys_nmprg_le1_1B48FEF0, _WA_Sys_nmprg_ne1_1B48FEF0, _WA_Sys_operator_1B48FEF0, _WA_Sys_prs_cod_1B48FEF0, _WA_Sys_prs_stat_1B48FEF0, _WA_Sys_start_dt_1B48FEF0, _WA_Sys_stop_dt_1B48FEF0, _WA_Sys_time_maint_1B48FEF0, soc_sec</i>

	<b>Columns:</b>	<b>active</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ), <b>approg</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ), <b>date_maint</b> <i>Date</i> NULL, <b>edu_rid</b> <i>Char(16)</i> NOT NULL ( <i>DF_nmprg_edu_rid_5264F507 - ('')</i> ), <b>grad_prog</b> <i>Bit</i> NOT NULL ( <i>DF_nmprg_grad_prog_57E8C433 - (0)</i> ), <b>nmprg_ce1</b> <i>Char(10)</i> NULL, <b>nmprg_ce2</b> <i>Char(10)</i> NULL, <b>nmprg_ce3</b> <i>Char(20)</i> NULL, <b>nmprg_de1</b> <i>Date</i> NULL, <b>nmprg_fe1</b> <i>Float</i> NULL, <b>nmprg_le1</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ), <b>nmprg_ne1</b> <i>Float</i> NULL, <b>operator</b> <i>Char(8)</i> NULL, <b>prg_cod</b> <i>Char(10)</i> NULL, <b>prg_rid</b> <i>Char(16)</i> NOT NULL, <b>prg_stat</b> <i>Char(2)</i> NULL, <b>soc_sec</b> <i>Char(9)</i> NOT NULL, <b>start_dt</b> <i>Date</i> NULL, <b>stop_dt</b> <i>Date</i> NULL, <b>time_maint</b> <i>Char(8)</i> NULL
<b>NMPROBONO</b>	<b>Primary Key:</b>	<i>PK_nmprobono_rid (nmprobono_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmprobono_name</i>
	<b>Indexes:</b>	<i>PK_nmprobono_rid, _WA_Sys_00000002_0ED9D1C1</i>
	<b>Columns:</b>	<b>add_add2</b> <i>Char(35)</i> NULL, <b>add_addr</b> <i>Char(35)</i> NULL, <b>cell_phone</b> <i>Char(15)</i> NULL, <b>city</b> <i>Char(35)</i> NULL, <b>contact_title</b> <i>Char(30)</i> NULL, <b>date_maint</b> <i>Date</i> NULL, <b>e_mail</b> <i>Char(50)</i> NOT NULL ( <i>DF_nmprobono_e_mai_7C510D32 - ('?')</i> ), <b>employer_rid</b> <i>Int</i> NULL, <b>ext</b> <i>Char(5)</i> NULL, <b>fax</b> <i>Char(15)</i> NULL, <b>nmprobono_ce1</b> <i>Char(10)</i> NULL, <b>nmprobono_ce2</b> <i>Char(20)</i> NULL, <b>nmprobono_ce3</b> <i>Char(30)</i> NULL, <b>nmprobono_de1</b> <i>Date</i> NULL, <b>nmprobono_fe1</b> <i>Float</i> NULL, <b>nmprobono_le1</b> <i>Bit</i> NULL, <b>nmprobono_memo</b> <i>Varchar(1000)</i> NULL, <b>nmprobono_ne1</b> <i>Float</i> NULL, <b>nmprobono_rid</b> <i>Int</i> NOT NULL, <b>operator</b> <i>Char(8)</i> NULL, <b>probono_employer</b> <i>Char(60)</i> NULL, <b>probono_hours</b> <i>Float</i> NULL, <b>probono_supervisor</b> <i>Char(50)</i> NULL, <b>sch_yr</b> <i>Char(6)</i> NULL, <b>semester</b> <i>Char(2)</i> NULL, <b>soc_sec</b> <i>Char(9)</i> NOT NULL, <b>st_addr</b> <i>Char(35)</i> NULL, <b>start_dt</b> <i>Date</i> NULL, <b>state_abbr</b> <i>Char(2)</i> NULL, <b>stop_dt</b> <i>Date</i> NULL, <b>time_maint</b> <i>Char(8)</i> NULL, <b>work_phone</b> <i>Char(15)</i> NULL, <b>zip</b> <i>Char(10)</i> NULL
<b>NMPROBONO_MEMO</b>	<b>Primary Key:</b>	<i>PK_probono_memo_rid (probono_memo_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmprobono_memo_name</i>
	<b>Indexes:</b>	<i>PK_probono_memo_rid, _WA_Sys_00000002_11B63E6C</i>
	<b>Columns:</b>	<b>completed</b> <i>Bit</i> NULL, <b>date_maint</b> <i>Date</i> NULL, <b>hours</b> <i>Float</i> NULL, <b>operator</b> <i>Char(8)</i> NULL, <b>probono_memo</b> <i>Memo</i> NULL, <b>probono_memo_rid</b> <i>Int</i> NOT NULL, <b>soc_sec</b> <i>Char(9)</i> NOT NULL, <b>time_maint</b> <i>Char(8)</i> NULL
<b>NMPROJ_ENRL</b>	<b>Primary Key:</b>	<i>PK_nmproj_enrl_rid (nmproj_enrl_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmproj_enrl_enrlstat, FK_nmproj_enrl_name, FK_nmproj_enrl_semester</i>
	<b>Indexes:</b>	<i>PK_nmproj_enrl_rid, _WA_Sys_enstat_cod_3282355A, _WA_Sys_sch_yr_3282355A, _WA_Sys_semester_3282355A, _WA_Sys_soc_sec_3282355A</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL, <b>enstat_cod</b> <i>Char(2)</i> NULL, <b>nmproj_enrl_ce1</b> <i>Char(10)</i> NULL, <b>nmproj_enrl_ce2</b> <i>Char(20)</i> NULL, <b>nmproj_enrl_ce3</b> <i>Char(30)</i> NULL, <b>nmproj_enrl_de1</b> <i>Date</i> NULL, <b>nmproj_enrl_fe1</b> <i>Float</i> NULL, <b>nmproj_enrl_le1</b> <i>Bit</i> NULL, <b>nmproj_enrl_ne1</b> <i>Float</i> NULL, <b>nmproj_enrl_rid</b> <i>Int</i> NOT NULL, <b>operator</b> <i>Char(8)</i> NULL, <b>sch_yr</b> <i>Char(6)</i> NULL, <b>semester</b> <i>Char(2)</i> NULL, <b>soc_sec</b> <i>Char(9)</i> NOT NULL, <b>time_maint</b> <i>Char(8)</i> NULL
<b>NMQB_PREV</b>	<b>Primary Key:</b>	<i>PK_NMQB_prev (NMQB_prev_rid)</i>
	<b>Indexes:</b>	<i>PK_NMQB_prev, _WA_Sys_NMSavedQB_cod_4D61141F, _WA_Sys_QB_Prev_4D61141F, _WA_Sys_soc_sec_4D61141F</i>
	<b>Columns:</b>	<b>NMQB_prev_rid</b> <i>Int</i> NOT NULL, <b>NMSavedQB_cod</b> <i>Int</i> NULL, <b>QB_Prev</b> <i>Char(3)</i> NOT NULL, <b>QB_Prev_txt</b> <i>Char(30)</i> NOT NULL, <b>date_maint</b> <i>Date</i> NULL, <b>operator</b> <i>Char(8)</i> NULL, <b>soc_sec</b> <i>Char(9)</i> NOT NULL, <b>time_maint</b> <i>Char(8)</i> NULL
<b>NMQUESTION</b>	<b>Primary Key:</b>	<i>PK_nmquestion (nmquestion_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmquestion_name</i>
	<b>Indexes:</b>	<i>PK_nmquestion, _WA_Sys_column_6735F4BB, _WA_Sys_soc_sec_6735F4BB</i>
	<b>Columns:</b>	<b>column</b> <i>Char(30)</i> NOT NULL, <b>date_maint</b> <i>Date</i> NULL, <b>disabled</b> <i>Bit</i> NOT NULL ( <i>DF_nmquestio_disab_682A18F4 - (0)</i> ), <b>nmquestion_bit</b> <i>Bit</i> NULL, <b>nmquestion_dec</b> <i>Float</i> NULL, <b>nmquestion_dt</b> <i>Date</i> NULL, <b>nmquestion_int</b> <i>Int</i> NULL, <b>nmquestion_memo</b> <i>Memo</i> NULL, <b>nmquestion_rad</b> <i>Varchar(100)</i> NULL, <b>nmquestion_rid</b> <i>Int</i> NOT NULL, <b>nmquestion_txt</b> <i>Varchar(500)</i> NULL, <b>operator</b> <i>Char(8)</i> NULL, <b>soc_sec</b> <i>Char(9)</i> NOT NULL, <b>time_maint</b> <i>Char(8)</i> NULL

<b>NMQUIZ</b>	<b>Primary Key:</b>	<i>PK_nmquiz (nmquiz_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmquiz_quiz_questions</i>
	<b>Indexes:</b>	<i>PK_nmquiz , _WA_Sys_00000002_21E28494</i>
	<b>Columns:</b>	<b>MC_response</b> <i>Int</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>fac_soc_sec</b> <i>Char(9)</i> NULL , <b>final_score</b> <i>Float</i> NULL , <b>finalized</b> <i>Bit</i> NULL , <b>init_score</b> <i>Float</i> NULL , <b>instr_fb</b> <i>Nvarchar(8000)</i> NULL , <b>match_rset</b> <i>Varchar(500)</i> NULL , <b>nmquiz_attemptcod</b> <i>Char(16)</i> NULL , <b>nmquiz_ce2</b> <i>Char(11)</i> NULL , <b>nmquiz_ce3</b> <i>Char(20)</i> NULL , <b>nmquiz_curattempt</b> <i>Bit</i> NULL , <b>nmquiz_de1</b> <i>Date</i> NULL , <b>nmquiz_fe1</b> <i>Float</i> NULL , <b>nmquiz_finished</b> <i>Date</i> NULL , <b>nmquiz_numattempt</b> <i>Int</i> NULL , <b>nmquiz_rid</b> <i>Int</i> NOT NULL , <b>nmquiz_started</b> <i>Date</i> NULL , <b>num_response</b> <i>Float</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>overall_fb</b> <i>Nvarchar(8000)</i> NULL , <b>questions_rid</b> <i>Int</i> NULL , <b>questions_type</b> <i>Char(10)</i> NULL , <b>quiz_cod</b> <i>Char(16)</i> NULL , <b>sid</b> <i>Char(16)</i> NOT NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>tf_response</b> <i>Bit</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>txt_response</b> <i>Nvarchar(8000)</i> NULL
<b>NMREC</b>	<b>Primary Key:</b>	<i>PK_nmrec (rec_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmrec_name1</i>
	<b>Indexes:</b>	<i>PK_nmrec , _WA_Sys_00000003_20A2B0EA , soc_sec</i>
	<b>Columns:</b>	<b>active</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>date_maint</b> <i>Date</i> NULL , <b>nmrec_ce1</b> <i>Char(10)</i> NULL , <b>nmrec_ce2</b> <i>Char(10)</i> NULL , <b>nmrec_ce3</b> <i>Char(20)</i> NULL , <b>nmrec_de1</b> <i>Date</i> NULL , <b>nmrec_fe1</b> <i>Float</i> NULL , <b>nmrec_le1</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>nmrec_ne1</b> <i>Float</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>rec_rid</b> <i>Char(16)</i> NOT NULL , <b>rec_ssn</b> <i>Char(9)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>start_dt</b> <i>Date</i> NULL , <b>stop_dt</b> <i>Date</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>NMRECSRCH</b>	<b>Primary Key:</b>	<i>PK_nmrecsrch (nmrecsrch_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmrecsrch_recsrcrgroups , FK_nmrecsrch_security</i>
	<b>Indexes:</b>	<i>PK_nmrecsrch , _WA_Sys_00000003_71201CFF</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>nmrecsrch_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>recsrcrgroups_rid</b> <i>Int</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>user_id</b> <i>Char(8)</i> NOT NULL
<b>NMRECSRCHWG</b>	<b>Primary Key:</b>	<i>PK_nmrecsrchw (nmrecsrchw_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmrecsrchw_agency , FK_nmrecsrchw_security</i>
	<b>Indexes:</b>	<i>PK_nmrecsrchw , _WA_Sys_00000002_74F0ADE3 , _WA_Sys_00000003_74F0ADE3</i>
	<b>Columns:</b>	<b>agency_cod</b> <i>Char(10)</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>nmrecsrchw_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>user_id</b> <i>Char(8)</i> NOT NULL
<b>NMREF</b>	<b>Primary Key:</b>	<i>PK_nmref (ref_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmref_name1 , FK_nmref_webrecom</i>
	<b>Indexes:</b>	<i>PK_nmref , _WA_Sys_00000014_5AAF56EE , _WA_Sys_00000015_5AAF56EE , _WA_Sys_00000019_5AAF56EE , _WA_Sys_operator_5AAF56EE , soc_sec</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>date_rec</b> <i>Date</i> NULL , <b>nmref_ce1</b> <i>Char(10)</i> NULL , <b>nmref_ce2</b> <i>Char(10)</i> NULL , <b>nmref_ce3</b> <i>Char(20)</i> NULL , <b>nmref_de1</b> <i>Date</i> NULL , <b>nmref_fe1</b> <i>Float</i> NULL , <b>nmref_le1</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>nmref_ne1</b> <i>Float</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>rec_cod</b> <i>Int</i> NULL , <b>ref_add1</b> <i>Char(35)</i> NULL , <b>ref_add2</b> <i>Char(35)</i> NULL , <b>ref_add3</b> <i>Char(35)</i> NULL , <b>ref_city</b> <i>Char(20)</i> NULL , <b>ref_county</b> <i>Char(3)</i> NULL , <b>ref_email</b> <i>Char(50)</i> NULL , <b>ref_fax</b> <i>Char(15)</i> NULL , <b>ref_inst</b> <i>Char(50)</i> NULL , <b>ref_mem</b> <i>Memo</i> NULL , <b>ref_name</b> <i>Char(35)</i> NULL , <b>ref_phone</b> <i>Char(15)</i> NULL , <b>ref_rec</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>ref_rid</b> <i>Char(16)</i> NOT NULL , <b>ref_state</b> <i>Char(2)</i> NULL , <b>ref_title</b> <i>Char(35)</i> NULL , <b>ref_type</b> <i>Char(20)</i> NULL , <b>ref_zip</b> <i>Char(10)</i> NULL , <b>refcountry</b> <i>Char(25)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>timestamp_column</b> <i>Timestamp</i> NULL
<b>NMREFBY</b>	<b>Primary Key:</b>	<i>PK_nmrefby (nmrefby_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmrefby_name</i>
	<b>Indexes:</b>	<i>PK_nmrefby , _WA_Sys_0000000F_0020D2BF , _WA_Sys_refer_by_0020D2BF , soc_sec</i>

	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL , <b>nmrefby_ce1</b> Char(10) NULL , <b>nmrefby_ce2</b> Char(10) NULL , <b>nmrefby_ce3</b> Char(20) NULL , <b>nmrefby_de1</b> Date NULL , <b>nmrefby_fe1</b> Float NULL , <b>nmrefby_le1</b> Bit NULL , <b>nmrefby_ne1</b> Int NULL , <b>nmrefby_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>prospect_rid</b> Int NULL , <b>refer_by</b> Char(30) NOT NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>NMREGHOLDSEM</b>	<b>Primary Key:</b>	<b>PK_NMRegHoldSem_NMRHS_RID</b> (NMRHS_RID)
	<b>Foreign Keys:</b>	<b>FK_NMRegHoldSem_RHS_RID</b> , <b>FK_NMRegHoldSem_semester</b> , <b>FK_NMRegHoldSem_soc_sec</b>
	<b>Indexes:</b>	<b>PK_NMRegHoldSem_NMRHS_RID</b> , <b>_WA_Sys_DATE_SIGNED_5166AF2D</b> , <b>_WA_Sys_RHS_RID_5166AF2D</b> , <b>_WA_Sys_SCH_YR_5166AF2D</b> , <b>_WA_Sys_SEMESTER_5166AF2D</b> , <b>_WA_Sys_SOC_SEC_5166AF2D</b> , <b>_WA_Sys_TIME_SIGNED_5166AF2D</b>
	<b>Columns:</b>	<b>DATE_SIGNED</b> Date NULL , <b>NMRHS_RID</b> Numeric NOT NULL , <b>RHS_RID</b> Numeric NOT NULL , <b>SCH_YR</b> Char(6) NULL , <b>SEMESTER</b> Char(2) NULL , <b>SOC_SEC</b> Char(9) NOT NULL , <b>TIME_SIGNED</b> Char(8) NULL
<b>NMREL</b>	<b>Primary Key:</b>	<b>PK_nmrel</b> (nmrel_rid)
	<b>Foreign Keys:</b>	<b>FK_nmrel_name</b> , <b>FK_nmrel_reljoin</b>
	<b>Indexes:</b>	<b>PK_nmrel</b> , <b>_WA_Sys_0000000E_21A1C21B</b> , <b>_WA_Sys_nmrel_ce1_21A1C21B</b> , <b>_WA_Sys_nmrel_le1_21A1C21B</b> , <b>_WA_Sys_reljoin_rid_21A1C21B</b> , <b>_WA_Sys_soc_sec2_21A1C21B</b> , <b>_WA_Sys_soc_sec_21A1C21B</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>nmrel_ce1</b> Char(10) NULL , <b>nmrel_ce2</b> Char(10) NULL , <b>nmrel_ce3</b> Char(20) NULL , <b>nmrel_de1</b> Date NULL , <b>nmrel_fe1</b> Float NULL , <b>nmrel_le1</b> Bit NULL , <b>nmrel_mem</b> Memo NULL , <b>nmrel_ne1</b> Int NULL , <b>nmrel_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>reljoin_rid</b> Int NOT NULL (DF_nmrel_reljoin_r_2942E3E3 - (0)) , <b>soc_sec</b> Char(9) NOT NULL , <b>soc_sec2</b> Char(9) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>NMSAP</b>	<b>Primary Key:</b>	<b>PK_nmsap</b> (nmsap_rid)
	<b>Foreign Keys:</b>	<b>FK_nmsap_enrlstat</b> , <b>FK_nmsap_name</b>
	<b>Indexes:</b>	<b>PK_nmsap</b> , <b>_WA_Sys_sch_yr_31F82575</b> , <b>_WA_Sys_semester_31F82575</b> , <b>_WA_Sys_soc_sec_31F82575</b>
	<b>Columns:</b>	<b>comp_pcent</b> Float NULL , <b>cum_creds</b> Float NULL , <b>cum_gpa</b> Float NULL , <b>date_maint</b> Date NULL , <b>date_ran</b> Date NULL , <b>degree</b> Char(35) NULL , <b>ecreds</b> Float NULL , <b>enstat_cod</b> Char(2) NULL , <b>good_standing</b> Bit NULL , <b>nmsap_ce1</b> Char(10) NULL , <b>nmsap_ce2</b> Char(10) NULL , <b>nmsap_ce3</b> Char(10) NULL , <b>nmsap_de1</b> Date NULL , <b>nmsap_fe1</b> Float NULL , <b>nmsap_le1</b> Bit NULL , <b>nmsap_memo</b> Memo NULL , <b>nmsap_ne1</b> Int NULL , <b>nmsap_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>required_pcent</b> Float NULL , <b>sch_yr</b> Char(6) NULL , <b>semester</b> Char(2) NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>NMSATACT</b>	<b>Primary Key:</b>	<b>PK_nmsatact</b> (sat_rid)
	<b>Foreign Keys:</b>	<b>FK_nmsatact_name1</b>
	<b>Indexes:</b>	<b>PK_nmsatact</b> , <b>_WA_Sys_00000021_1960B67E</b> , <b>_WA_Sys_00000022_1960B67E</b> , <b>_WA_Sys_SAT_writing_1960B67E</b> , <b>_WA_Sys_act_comp_1960B67E</b> , <b>_WA_Sys_act_eng_1960B67E</b> , <b>_WA_Sys_act_math_1960B67E</b> , <b>_WA_Sys_act_sci_1960B67E</b> , <b>_WA_Sys_act_soc_1960B67E</b> , <b>_WA_Sys_date_maint_1960B67E</b> , <b>_WA_Sys_nmsat_ce1_1960B67E</b> , <b>_WA_Sys_nmsat_le1_1960B67E</b> , <b>_WA_Sys_nmsat_ne1_1960B67E</b> , <b>_WA_Sys_operator_1960B67E</b> , <b>_WA_Sys_sat_1960B67E</b> , <b>_WA_Sys_sat_dt_1960B67E</b> , <b>_WA_Sys_sat_math_1960B67E</b> , <b>_WA_Sys_sat_recent_1960B67E</b> , <b>_WA_Sys_sat_verb_1960B67E</b> , <b>_WA_Sys_time_maint_1960B67E</b> , <b>soc_sec</b>
	<b>Columns:</b>	<b>SAT_writing</b> Int NOT NULL (DF_nmsatact_SAT_wr_66C0F36F - (0)) , <b>SAT_writing_essay</b> Int NOT NULL (DF_nmsatact_SAT_wr_68A93BE1 - (0)) , <b>SAT_writing_mc</b> Int NOT NULL (DF_nmsatact_SAT_wr_67B517A8 - (0)) , <b>act_comp</b> Int NULL , <b>act_comp_pc</b> Float NULL , <b>act_cumm</b> Int NOT NULL (DF_nmsatact_act_cu_11E05B9E - (0)) , <b>act_eng</b> Int NULL , <b>act_eng_pc</b> Float NULL , <b>act_math</b> Int NULL , <b>act_math_pc</b> Float NULL , <b>act_nat_rank_comp</b> Int NOT NULL (DF_nmsatact_act_na_06399EC8 - (0)) , <b>act_nat_rank_eng</b> Int NOT NULL (DF_nmsatact_act_na_02690DE4 - (0)) , <b>act_nat_rank_math</b> Int NOT NULL (DF_nmsatact_act_na_035D321D - (0)) , <b>act_nat_rank_sci</b> Int NOT NULL (DF_nmsatact_act_na_05457A8F - (0)) , <b>act_nat_rank_soc</b> Int NOT NULL (DF_nmsatact_act_na_04515656 - (0)) , <b>act_sci</b> Int NULL , <b>act_sci_pc</b> Float NULL , <b>act_soc</b> Int NULL , <b>act_soc_pc</b> Float NULL , <b>date_maint</b> Date NULL , <b>nmsat_ce1</b> Char(10) NULL ,



		<b>nmsat_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>nmsat_ne1</b> Int NULL , <b>nmsatact_ce1</b> Char(10) NULL , <b>nmsatact_ce2</b> Char(10) NULL , <b>nmsatact_ce3</b> Char(20) NULL , <b>nmsatact_de1</b> Date NULL , <b>nmsatact_fe1</b> Float NULL , <b>nmsatact_le1</b> Bit NULL , <b>nmsatact_ne1</b> Int NULL , <b>operator</b> Char(8) NULL , <b>sat</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>sat_dt</b> Date NULL , <b>sat_math</b> Int NULL , <b>sat_recent</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>sat_rid</b> Char(16) NOT NULL , <b>sat_verb</b> Int NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>NMSAVEDQB</b>	<b>Primary Key:</b>	<b>PK_NMSavedQB</b> (NMSavedQB_rid)
	<b>Indexes:</b>	<b>PK_NMSavedQB</b> , <b>_WA_Sys_operator</b> 47A83AC9 , <b>_WA_Sys_soc_sec</b> 47A83AC9
	<b>Columns:</b>	<b>NMSavedQB_rid</b> Int NOT NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NOT NULL (DF_NMSavedQB_disab 489C5F02 - (0)) , <b>nmsavedQB_txt</b> Char(150) NOT NULL , <b>operator</b> Char(8) NULL , <b>privileges</b> Int NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>NMSPNEED</b>	<b>Primary Key:</b>	<b>PK_nmspneed</b> (spn_rid)
	<b>Foreign Keys:</b>	<b>FK_nmspneed_name</b> , <b>FK_nmspneed_spped</b>
	<b>Indexes:</b>	<b>PK_nmspneed</b> , <b>_WA_Sys_date_maint</b> 17786E0C , <b>_WA_Sys_nmspnecel</b> 17786E0C , <b>_WA_Sys_nmspnecle1</b> 17786E0C , <b>_WA_Sys_nmspnecne1</b> 17786E0C , <b>_WA_Sys_operator</b> 17786E0C , <b>_WA_Sys_spn_active</b> 17786E0C , <b>_WA_Sys_spped_cod</b> 17786E0C , <b>_WA_Sys_time_maint</b> 17786E0C , <b>_WA_Sys_timestamp_column</b> 17786E0C , <b>soc_sec</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>nmspnecel</b> Char(10) NULL , <b>nmspnecle1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>nmspnecne1</b> Float NULL , <b>nmspneed_ce1</b> Char(10) NULL , <b>nmspneed_ce2</b> Char(10) NULL , <b>nmspneed_ce3</b> Char(20) NULL , <b>nmspneed_de1</b> Date NULL , <b>nmspneed_fe1</b> Float NULL , <b>nmspneed_le1</b> Bit NULL , <b>nmspneed_ne1</b> Int NULL , <b>operator</b> Char(8) NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>spn_active</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>spn_mem</b> Memo NULL , <b>spn_rid</b> Char(16) NOT NULL , <b>spped_cod</b> Char(2) NULL , <b>time_maint</b> Char(8) NULL , <b>timestamp_column</b> Timestamp NULL
<b>NMTASK</b>	<b>Primary Key:</b>	<b>PK_nmtask</b> (nmtask_rid)
	<b>Foreign Keys:</b>	<b>FK_nmtask_name</b> , <b>FK_nmtask_sectask</b> , <b>FK_nmtask_security</b> , <b>FK_nmtask_webprof</b>
	<b>Indexes:</b>	<b>PK_nmtask</b> , <b>_WA_Sys_date_maint</b> 5B638405 , <b>_WA_Sys_nmtask_ce1</b> 5B638405 , <b>_WA_Sys_nmtask_le1</b> 5B638405 , <b>_WA_Sys_nmtask_ne1</b> 5B638405 , <b>_WA_Sys_operator</b> 5B638405 , <b>_WA_Sys_prof_cod</b> 5B638405 , <b>_WA_Sys_time_maint</b> 5B638405 , <b>_WA_Sys_user_id</b> 5B638405 , <b>soc_sec</b> , <b>task_cod</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>nmtask_ce1</b> Char(10) NULL , <b>nmtask_ce2</b> Char(10) NULL , <b>nmtask_ce3</b> Char(20) NULL , <b>nmtask_de1</b> Date NULL , <b>nmtask_fe1</b> Float NULL , <b>nmtask_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>nmtask_ne1</b> Float NULL , <b>nmtask_rid</b> Char(16) NOT NULL , <b>operator</b> Char(8) NULL , <b>prof_cod</b> Char(10) NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>task_cod</b> Char(3) NULL , <b>time_maint</b> Char(8) NULL , <b>user_id</b> Char(8) NULL
<b>NMTEST</b>	<b>Primary Key:</b>	<b>PK_nmtest</b> (test_rid)
	<b>Foreign Keys:</b>	<b>FK_nmtest_name</b> , <b>FK_nmtest_state</b> , <b>FK_nmtest_test</b>
	<b>Indexes:</b>	<b>PK_nmtest</b> , <b>_WA_Sys_00000004_611C5D5B</b> , <b>_WA_Sys_0000000A_611C5D5B</b> , <b>_WA_Sys_dt_taken</b> 611C5D5B , <b>_WA_Sys_pass</b> 611C5D5B , <b>_WA_Sys_per_cent</b> 611C5D5B , <b>_WA_Sys_score</b> 611C5D5B , <b>_WA_Sys_state_abbr</b> 611C5D5B , <b>_WA_Sys_test_cod</b> 611C5D5B , <b>_WA_Sys_test_stat</b> 611C5D5B , <b>soc_sec</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>dt_taken</b> Date NULL , <b>nmtest_ce1</b> Char(10) NULL , <b>nmtest_ce2</b> Char(10) NULL , <b>nmtest_ce3</b> Char(20) NULL , <b>nmtest_de1</b> Date NULL , <b>nmtest_fe1</b> Float NULL , <b>nmtest_le1</b> Bit NULL , <b>nmtest_ne1</b> Int NULL , <b>nmtst_ce1</b> Char(10) NULL , <b>nmtst_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>nmtst_ne1</b> Float NULL , <b>operator</b> Char(8) NULL , <b>pass</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>per_cent</b> Float NULL , <b>remarks</b> Char(12) NULL , <b>score</b> Float NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>state_abbr</b> Char(2) NULL , <b>test_cod</b> Char(2) NULL , <b>test_rid</b> Char(16) NOT NULL , <b>test_stat</b> Char(20) NULL , <b>test_txt</b> Char(15) NULL , <b>testmemo</b> Memo NULL , <b>time_maint</b> Char(8) NULL , <b>timestamp_column</b> Timestamp NULL

<b>NMTMP</b>	<b>Primary Key:</b>	<i>PK_nmtmp (nmtmp_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmtmp_country, FK_nmtmp_degree, FK_nmtmp_gender, FK_nmtmp_name, FK_nmtmp_prefix, FK_nmtmp_state</i>
	<b>Indexes:</b>	<i>PK_nmtmp, _WA_Sys_00000044_54C1736E, soc_sec</i>
	<b>Columns:</b>	<i>act_comp Float NULL, act_eng Float NULL, act_math Float NULL, act_sci Float NULL, act_soc Float NULL, add_add2 Char(35) NULL, add_addr Char(35) NULL, birthdate Date NULL, bs_degree Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), card_no Float NULL, citizen Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), city Char(35) NULL, country Char(25) NULL, county Char(15) NULL, degree Char(35) NULL, depart Char(30) NULL, division Char(1) NULL, e_mail Char(50) NULL, emer_cont Char(25) NULL, emer_phone Char(15) NULL, enr_age Float NULL, entry_dt Date NULL, ethnic Char(1) NULL, fac_ssn Char(9) NULL, fax Char(15) NULL, fin_aid Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), first_name Char(10) NULL, ged Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), gender Char(1) NULL, grad_mo Char(2) NULL, grad_year Char(4) NULL, graduated Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), hs_grad Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), inactive Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), k_card Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), last_name Char(15) NULL, level_ Char(1) NULL, locker Char(5) NULL, maiden Char(22) NULL, mailbox Char(5) NULL, major Char(30) NULL, married Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), mi Char(15) NULL, nmtmp_ce1 Char(10) NULL, nmtmp_ce2 Char(10) NULL, nmtmp_ce3 Char(20) NULL, nmtmp_de1 Date NULL, nmtmp_fe1 Float NULL, nmtmp_le1 Bit NULL, nmtmp_ne1 Int NULL, nmtmp_rid Int NOT NULL, orig_grad Char(4) NULL, prefix Char(20) NOT NULL, program Char(20) NULL, reentry_dt Date NULL, sat Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), sat_dt Date NULL, sat_math Float NULL, sat_verb Float NULL, selected Char(1) NULL, slp_code Float NULL, soc_sec Char(9) NOT NULL, st_memo Memo NULL, st_name Char(30) NULL, st_num Char(6) NULL, state Char(2) NULL, suffix Char(3) NULL, telephone Char(15) NULL, timestamp_column Timestamp NULL, unsap Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), with_dt Date NULL, with_memo Memo NULL, with_oth Char(3) NULL, with_reas Float NULL, withdrawn Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), work_phone Char(15) NULL, zip Char(10) NULL</i>
<b>NMTRAITS</b>		
	<b>Foreign Keys:</b>	<i>FK_traits_name</i>
	<b>Indexes:</b>	<i>_WA_Sys_00000001_405C1EBC</i>
	<b>Columns:</b>	<i>date_maint Date NULL, operator Char(8) NULL, soc_sec Char(9) NOT NULL, time_maint Char(8) NULL, trait Varchar(75) NOT NULL</i>
<b>NMVC</b>	<b>Primary Key:</b>	<i>NMVC_rid (NMVC_rid)</i>
	<b>Indexes:</b>	<i>NMVC_rid, _WA_Sys_nmvc_ind_7CBB2186, _WA_Sys_schyr_7CBB2186, _WA_Sys_soc_sec_7CBB2186</i>
	<b>Columns:</b>	<i>NMVC_rid Int NOT NULL, VC_Status Char(20) NULL, date_added Date NULL, date_maint Date NULL, drs Date NULL, isir_tc Char(20) NULL, nmvc_auth Char(50) NULL, nmvc_ind Char(2) NULL, operator Char(8) NULL, schyr Char(6) NULL, soc_sec Char(9) NOT NULL, time_maint Char(8) NULL</i>
<b>NMVC_DOC</b>	<b>Primary Key:</b>	<i>NMVC_doc_rid (NMVC_doc_rid)</i>
	<b>Indexes:</b>	<i>NMVC_doc_rid, _WA_Sys_00000002_7EA369F8, _WA_Sys_00000005_7EA369F8, _WA_Sys_00000006_7EA369F8</i>
	<b>Columns:</b>	<i>NMVC_doc_rid Int NOT NULL, date_maint Date NULL, doc_rec Date NULL, document Varchar(100) NULL, nmvc_rid Int NULL, operator Char(8) NULL, schyr Char(6) NULL, soc_sec Char(9) NOT NULL, time_maint Char(8) NULL</i>
<b>NMVC_ITEM</b>	<b>Primary Key:</b>	<i>NMVC_item_rid (NMVC_item_rid)</i>
	<b>Indexes:</b>	<i>NMVC_item_rid, _WA_Sys_00000002_008BB26A, _WA_Sys_00000006_008BB26A, _WA_Sys_00000007_008BB26A</i>

	<b>Columns:</b>	<b>NMVC_item_rid</b> <i>Int</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>isir_value</b> <i>Varchar(100)</i> NULL , <b>item</b> <i>Varchar(100)</i> NULL , <b>item_value</b> <i>Varchar(100)</i> NULL , <b>nmvc_rid</b> <i>Int</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>schyr</b> <i>Char(6)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>NMVOLUNTEER</b>	<b>Primary Key:</b>	<i>PK_nmvolunteer (nmvol_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmvolunteer_events , FK_nmvolunteer_name</i>
	<b>Indexes:</b>	<i>PK_nmvolunteer , _WA_Sys_active_334B710A , _WA_Sys_date_maint_334B710A , _WA_Sys_ev_cod_334B710A , _WA_Sys_nmvol_ce1_334B710A , _WA_Sys_nmvol_le1_334B710A , _WA_Sys_nmvol_ne1_334B710A , _WA_Sys_nmvol_rid_334B710A , _WA_Sys_operator_334B710A , _WA_Sys_soc_sec_334B710A , _WA_Sys_start_dt_334B710A , _WA_Sys_stop_dt_334B710A , _WA_Sys_time_maint_334B710A , soc_sec</i>
	<b>Columns:</b>	<b>active</b> <i>Bit</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>ev_rid</b> <i>Int</i> NULL , <b>nmvol_ce1</b> <i>Char(10)</i> NULL , <b>nmvol_le1</b> <i>Bit</i> NULL , <b>nmvol_ne1</b> <i>Float</i> NULL , <b>nmvol_rid</b> <i>Int</i> NOT NULL , <b>nmvolunteer_ce1</b> <i>Char(10)</i> NULL , <b>nmvolunteer_ce2</b> <i>Char(10)</i> NULL , <b>nmvolunteer_ce3</b> <i>Char(20)</i> NULL , <b>nmvolunteer_de1</b> <i>Date</i> NULL , <b>nmvolunteer_fe1</b> <i>Float</i> NULL , <b>nmvolunteer_le1</b> <i>Bit</i> NULL , <b>nmvolunteer_ne1</b> <i>Int</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>start_dt</b> <i>Date</i> NULL , <b>stop_dt</b> <i>Date</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>NMWAIT</b>	<b>Primary Key:</b>	<i>PK_nmwait (nmwait_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmwait_crssect , FK_nmwait_name</i>
	<b>Indexes:</b>	<i>PK_nmwait , _WA_Sys_date_maint_0B7289DA , _WA_Sys_nmwait_rid_0B7289DA , _WA_Sys_notified_0B7289DA , _WA_Sys_notified_dt_0B7289DA , _WA_Sys_operator_0B7289DA , _WA_Sys_sid_0B7289DA , _WA_Sys_soc_sec_0B7289DA , _WA_Sys_time_maint_0B7289DA , _WA_Sys_wait_dt_0B7289DA , _WA_Sys_wait_time_0B7289DA , soc_sec</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NOT NULL , <b>nmwait_ce1</b> <i>Char(10)</i> NULL , <b>nmwait_ce2</b> <i>Char(10)</i> NULL , <b>nmwait_ce3</b> <i>Char(20)</i> NULL , <b>nmwait_de1</b> <i>Date</i> NULL , <b>nmwait_fe1</b> <i>Float</i> NULL , <b>nmwait_le1</b> <i>Bit</i> NULL , <b>nmwait_ne1</b> <i>Int</i> NULL , <b>nmwait_rid</b> <i>Int</i> NOT NULL , <b>notified</b> <i>Bit</i> NULL , <b>notified_dt</b> <i>Date</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NOT NULL , <b>sid</b> <i>Char(16)</i> NOT NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NOT NULL , <b>wait_dt</b> <i>Date</i> NOT NULL , <b>wait_time</b> <i>Char(8)</i> NOT NULL
<b>NMWAIVER</b>	<b>Primary Key:</b>	<i>PK_nmwaiver (nmwaiver_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nmwaiver_course , FK_nmwaiver_name</i>
	<b>Indexes:</b>	<i>PK_nmwaiver , _WA_Sys_00000002_76C31C65 , _WA_Sys_00000003_76C31C65</i>
	<b>Columns:</b>	<b>crs_id</b> <i>Char(16)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NOT NULL (DF_nmwaiver_disabl_77B7409E - ('0')) , <b>memo</b> <i>Memo</i> NULL , <b>nmwaiver_ce1</b> <i>Char(10)</i> NULL , <b>nmwaiver_ce2</b> <i>Char(10)</i> NULL , <b>nmwaiver_ce3</b> <i>Char(20)</i> NULL , <b>nmwaiver_de1</b> <i>Date</i> NULL , <b>nmwaiver_fe1</b> <i>Float</i> NULL , <b>nmwaiver_le1</b> <i>Bit</i> NOT NULL (DF_nmwaiver_nmwaiv_78AB64D7 - ('0')) , <b>nmwaiver_ne1</b> <i>Int</i> NULL , <b>nmwaiver_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>NM_GMAT_GRE</b>	<b>Primary Key:</b>	<i>PK_NM_GMAT_GRE (nm_gmat_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_NM_GMAT_GRE_name</i>
	<b>Indexes:</b>	<i>PK_NM_GMAT_GRE , _WA_Sys_00000002_172FEBF7</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>gmat_quant_pcnt</b> <i>Float</i> NULL , <b>gmat_quant_score</b> <b>52 - 2</b> NULL , <b>gmat_total_pcnt</b> <i>Float</i> NULL , <b>gmat_total_score</b> <i>Float</i> NULL , <b>gmat_verbal_pcnt</b> <i>Float</i> NULL , <b>gmat_verbal_score</b> <b>52 - 2</b> NULL , <b>gmat_write_pcnt</b> <i>Float</i> NULL , <b>gmat_write_score</b> <i>Float</i> NULL , <b>gmatgre_test_date</b> <i>Date</i> NULL , <b>gre_cnvrt_total</b> <i>Float</i> NULL , <b>gre_quant_pcnt</b> <i>Float</i> NULL , <b>gre_quant_score</b> <b>52 - 2</b> NULL , <b>gre_verbal_pcnt</b> <i>Float</i> NULL , <b>gre_verbal_score</b> <b>52 - 2</b> NULL , <b>gre_write_pcnt</b> <i>Float</i> NULL , <b>gre_write_score</b> <i>Float</i> NULL , <b>is_gmat</b> <i>Bit</i> NOT NULL (DF_NM_GMAT_G_is_gm_18241030 - ((1))) , <b>nm_gmat_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(10)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>NONRPT_DATE_RANGE</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000001_1B74B2D0 , _WA_Sys_00000002_1B74B2D0</i>
	<b>Columns:</b>	<b>date_range_from</b> <i>Date</i> NULL , <b>date_range_to</b> <i>Date</i> NULL , <b>date_txt</b> <i>Varchar(150)</i> NULL , <b>l_rid</b> <i>Char(16)</i> NOT NULL , <b>page</b> <i>Varchar(50)</i> NOT NULL
<b>NOT_METHOD</b>	<b>Primary Key:</b>	<i>PK_not_method (not_method_id)</i>

	<b>Indexes:</b>	<i>PK_not_method , _WA_Sys_00000003_5A90F20B</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NULL , <b>not_method_desc</b> <i>Char(25)</i> NOT NULL , <b>not_method_id</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>NSC_CREDENTIALS</b>	<b>Primary Key:</b>	<i>PK_nsc_credential (nsc_credential)</i>
	<b>Indexes:</b>	<i>PK_nsc_credential , _WA_Sys_00000004_4AFA7417</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NOT NULL ( <i>DF_nsc_crede_disab_4BEE9850 - ((0))</i> ) , <b>nsc_credential</b> <i>Char(1)</i> NOT NULL , <b>nsc_credential_level</b> <i>Decimal</i> NOT NULL , <b>nsc_credential_txt</b> <i>Varchar(50)</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>NSLCH</b>	<b>Primary Key:</b>	<i>PK_nslch (nslch_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_nslch_name , FK_nslch_state</i>
	<b>Indexes:</b>	<i>PK_nslch , _WA_Sys_00000011_3E3E00C9 , _WA_Sys_0000001A_3E3E00C9 , _WA_Sys_0000001B_3E3E00C9 , _WA_Sys_0000001C_3E3E00C9 , _WA_Sys_0000001D_3E3E00C9 , _WA_Sys_0000001E_3E3E00C9 , _WA_Sys_00000020_3E3E00C9 , _WA_Sys_country_3E3E00C9 , _WA_Sys_end_term_3E3E00C9 , _WA_Sys_enroll_status_3E3E00C9 , _WA_Sys_first_name_3E3E00C9 , _WA_Sys_last_name_3E3E00C9 , _WA_Sys_sch_yr_3E3E00C9 , _WA_Sys_semester_3E3E00C9 , _WA_Sys_soc_sec_3E3E00C9 , _WA_Sys_ssn_3E3E00C9 , _WA_Sys_st_stat_3E3E00C9 , _WA_Sys_st_term_3E3E00C9 , _WA_Sys_state_3E3E00C9</i>
	<b>Columns:</b>	<b>add_addr</b> <i>Char(30)</i> NULL , <b>antic_grad</b> <i>Date</i> NULL , <b>birthdate</b> <i>Date</i> NULL , <b>city</b> <i>Char(20)</i> NULL , <b>country</b> <i>Char(25)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>end_term</b> <i>Date</i> NULL , <b>enroll_status</b> <i>Char(1)</i> NULL , <b>first_name</b> <i>Char(20)</i> NULL , <b>last_name</b> <i>Char(20)</i> NULL , <b>maiden</b> <i>Char(20)</i> NULL , <b>mi</b> <i>Varchar(15)</i> NULL , <b>nsc_credential</b> <i>Char(1)</i> NULL , <b>nslch_block</b> <i>Bit</i> NULL , <b>nslch_ce1</b> <i>Char(10)</i> NULL , <b>nslch_ce2</b> <i>Char(10)</i> NULL , <b>nslch_ce3</b> <i>Char(20)</i> NULL , <b>nslch_de1</b> <i>Date</i> NULL , <b>nslch_fe1</b> <i>Float</i> NULL , <b>nslch_le1</b> <i>Bit</i> NULL , <b>nslch_ne1</b> <i>Int</i> NULL , <b>nslch_rid</b> <i>Bigint</i> NOT NULL , <b>operator</b> <i>Char(9)</i> NULL , <b>sch_yr</b> <i>Char(6)</i> NULL , <b>semester</b> <i>Char(2)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>ssn</b> <i>Char(9)</i> NULL , <b>st_addr</b> <i>Char(30)</i> NULL , <b>st_stat</b> <i>Date</i> NULL , <b>st_term</b> <i>Date</i> NULL , <b>state</b> <i>Char(2)</i> NULL , <b>suffix</b> <i>Char(5)</i> NULL , <b>time_maint</b> <i>Date</i> NULL , <b>zip</b> <i>Char(9)</i> NULL
<b>NSLCH_UTILITY</b>	<b>Primary Key:</b>	<i>PK_NSLCH_Utility (utility_cod)</i>
	<b>Indexes:</b>	<i>PK_NSLCH_Utility , _WA_Sys_00000003_05113BBC</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NOT NULL ( <i>DF_NSLCH_Uti_disab_06055FF5 - ((0))</i> ) , <b>operator</b> <i>Char(10)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>utility_cod</b> <i>Varchar(10)</i> NOT NULL , <b>utility_item</b> <i>Varchar(50)</i> NULL
<b>OA_CHKLST</b>		
<b>OA_EMAIL</b>	<b>Primary Key:</b>	<i>PK_OA_Email_OA_Email_cod (OA_Email_cod)</i>
	<b>Indexes:</b>	<i>PK_OA_Email_OA_Email_cod</i>
	<b>Columns:</b>	<b>OA_Email_ce1</b> <i>Char(10)</i> NULL , <b>OA_Email_ce2</b> <i>Char(10)</i> NULL , <b>OA_Email_ce3</b> <i>Char(20)</i> NULL , <b>OA_Email_cod</b> <i>Int</i> NOT NULL , <b>OA_Email_de1</b> <i>Date</i> NULL , <b>OA_Email_fe1</b> <i>Float</i> NULL , <b>OA_Email_from</b> <i>Varchar(100)</i> NULL , <b>OA_Email_le1</b> <i>Bit</i> NOT NULL ( <i>DF_OA_Email_OA_Ema_0C284D9F - ('0')</i> ) , <b>OA_Email_ne1</b> <i>Int</i> NULL , <b>OA_Email_title</b> <i>Varchar(100)</i> NULL , <b>OA_Email_txt</b> <i>Memo</i> NULL , <b>OA_disable</b> <i>Bit</i> NOT NULL ( <i>DF_OA_Email_OA_dis_0B342966 - ('0')</i> ) , <b>OA_email_Bcc</b> <i>Varchar(100)</i> NULL , <b>OA_email_cc</b> <i>Varchar(100)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>OA_PROGRAM</b>	<b>Primary Key:</b>	<i>PK_OA_program (oa_program_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OA_program</i>
	<b>Indexes:</b>	<i>PK_OA_program , _WA_Sys_00000003_5C0F2629 , oa_program_column</i>
	<b>Columns:</b>	<b>column</b> <i>Varchar(30)</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>oa_program_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(10)</i> NULL , <b>prg_cod</b> <i>Char(10)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>OA_QUESTIONS</b>	<b>Primary Key:</b>	<i>PK_oa_questions (column_)</i>
	<b>Indexes:</b>	<i>PK_oa_questions , _WA_Sys_oa_questions_col_654DAC49 , _WA_Sys_oa_questions_row_654DAC49</i>
	<b>Columns:</b>	<b>column</b> <i>Char(30)</i> NOT NULL , <b>oa_questions_col</b> <i>Int</i> NULL , <b>oa_questions_row</b> <i>Int</i> NULL

<b>OA_SETUP</b>		
<b>OCA</b>	<b>Primary Key:</b>	<i>PK_OCA (OCA_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCA_Cat_Cod , FK_OCA_SID , FK_OCA_soc , FK_element_rid</i>
	<b>Indexes:</b>	<i>PK_OCA , _WA_Sys_00000002_7E0F3872 , _WA_Sys_00000005_7E0F3872</i>
	<b>Columns:</b>	<i>Assign_DT Date NOT NULL (DF_OCA_Assign_DT_7F035CAB - ('12/30/1899')) , Assign_Time Char(8) NULL , Comp_stat Int NULL , Due_DT Date NOT NULL (DF_OCA_Due_DT_7FF780E4 - ('12/30/1899')) , Due_Time Char(8) NULL , OCA_Cat_cod Int NULL , OCA_ce1 Char(10) NULL , OCA_ce2 Char(20) NULL , OCA_ce3 Char(30) NULL , OCA_de1 Date NULL , OCA_fe1 Float NULL , OCA_le1 Bit NULL , OCA_ne1 Float NULL , OCA_rid Int NOT NULL , Poss_Score Int NULL , Req_File Bit NOT NULL (DF_OCA_Req_File_00EBA51D - ((0))) , Sid Char(16) NULL , Soc_sec Char(9) NULL , assignment_Title Varchar(30) NULL , assignment_message Memo NULL , date_maint Date NULL , disable Bit NOT NULL (DF_OCA_disable_01DFC956 - ((0))) , element_rid Int NULL , operator Char(9) NULL , time_maint Char(8) NULL</i>
<b>OCA_CAT</b>	<b>Primary Key:</b>	<i>PK_OCA_cat_OCA_cat_cod (OCA_cat_cod)</i>
	<b>Indexes:</b>	<i>PK_OCA_cat_OCA_cat_cod</i>
	<b>Columns:</b>	<i>OCA_cat_ce1 Char(10) NULL , OCA_cat_ce2 Char(10) NULL , OCA_cat_ce3 Char(20) NULL , OCA_cat_cod Int NOT NULL , OCA_cat_de1 Date NULL , OCA_cat_fe1 Float NULL , OCA_cat_le1 Bit NOT NULL (DF_OCA_cat_OCA_cat_7B32CBC7 - ('0')) , OCA_cat_ne1 Int NULL , OCA_cat_txt Char(50) NULL , OCA_disable Bit NOT NULL (DF_OCA_cat_OCA_dis_7A3EA78E - ('0')) , date_maint Date NULL , operator Char(8) NULL , time_maint Char(8) NULL</i>
<b>OCA_FILE</b>	<b>Primary Key:</b>	<i>PK_OCA_FILE (OCA_FILE_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCA_Soc2</i>
	<b>Indexes:</b>	<i>PK_OCA_FILE , _WA_Sys_00000004_03C811C8 , _WA_Sys_00000005_03C811C8</i>
	<b>Columns:</b>	<i>OCA_FILE_path Varchar(300) NULL , OCA_FILE_rid Int NOT NULL , OCA_FILE_txt Varchar(150) NULL , OCA_ce1 Char(10) NULL , OCA_ce2 Char(20) NULL , OCA_ce3 Char(30) NULL , OCA_de1 Date NULL , OCA_fe1 Float NULL , OCA_le1 Bit NULL , OCA_ne1 Float NULL , OCA_rid Int NOT NULL , date_maint Date NULL , disable Bit NOT NULL (DF_OCA_FILE_disabl_04BC3601 - ((0))) , operator Char(8) NULL , soc_sec Char(9) NULL , time_maint Char(8) NULL</i>
<b>OCU_ADDRESS_ARCHIVE</b>	<b>Primary Key:</b>	<i>PK_OCU_Address_Archive (rid)</i>
	<b>Indexes:</b>	<i>PK_OCU_Address_Archive , _WA_Sys_00000004_39BA0E25 , _WA_Sys_00000005_39BA0E25 , _WA_Sys_00000006_39BA0E25 , _WA_Sys_0000001E_39BA0E25</i>
	<b>Columns:</b>	<i>IPED_addr Bit NULL , add_add2 Char(35) NULL , add_addr Char(35) NULL , add_rid Char(16) NOT NULL , addr_ce1 Char(10) NULL , addr_ce2 Char(10) NULL , addr_ce3 Char(10) NULL , addr_de1 Date NULL , addr_de2 Date NULL , addr_le1 Bit NULL , addr_ne1 Int NULL , address_ce1 Char(10) NULL , address_ce2 Char(10) NULL , address_ce3 Char(20) NULL , address_de1 Date NULL , address_fe1 Float NULL , address_le1 Bit NULL , address_ne1 Int NULL , archive_date_maint Date NULL , archive_operator Char(8) NULL , archive_time_maint Char(8) NULL , bad Bit NULL , cell_phone Char(15) NULL , cell_provider Varchar(35) NULL , city Char(35) NULL , country Char(25) NULL , county_cod Char(3) NULL , date_maint Date NULL , e_mail Char(50) NULL , e_mail2 Char(50) NULL , fax Char(15) NULL , labels Bit NULL , labels2 Bit NULL , labels3 Bit NULL , memo Memo NULL , operator Char(8) NULL , phone Char(15) NULL , preferred Bit NULL , rid Int NOT NULL , salutation Char(75) NULL , soc_sec Char(9) NOT NULL , st_addr Char(35) NULL , state Char(2) NULL , text_me Bit NOT NULL , time_maint Char(8) NULL , type Char(10) NULL , work_phone Char(25) NULL , zip Char(10) NULL</i>
<b>OCU_ADDRESS_CHECK</b>		
<b>OCU_ADVANCEMENT</b>	<b>Primary Key:</b>	<i>PK_OCU_Advancement (rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Advancement_name</i>
	<b>Indexes:</b>	<i>PK_OCU_Advancement , _WA_Sys_00000002_5E2C78C5 , _WA_Sys_00000006_5E2C78C5 , _WA_Sys_00000007_5E2C78C5</i>

	<b>Columns:</b>	<b>anniversary</b> <i>Date</i> NULL , <b>board_member</b> <i>Bit</i> NULL , <b>full_time_faculty</b> <i>Bit</i> NULL , <b>full_time_staff</b> <i>Bit</i> NULL , <b>pref_grad_year</b> <i>Char(4)</i> NULL , <b>rid</b> <i>Int</i> NOT NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL
<b>OCU_AD_REASON</b>	<b>Primary Key:</b>	<i>PK_OCU_AD_Reason (ad_reason_rid)</i>
	<b>Indexes:</b>	<i>PK_OCU_AD_Reason</i>
	<b>Columns:</b>	<b>ad_reason_desc</b> <i>Varchar(50)</i> NOT NULL , <b>ad_reason_order</b> <i>Int</i> NOT NULL , <b>ad_reason_rid</b> <i>Int</i> NOT NULL
<b>OCU_ASSIGN_RECRUITER</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000001_452BC0D1</i> , <i>_WA_Sys_00000002_452BC0D1</i> , <i>_WA_Sys_00000003_452BC0D1</i>
	<b>Columns:</b>	<b>last_assign</b> <i>Int</i> NULL , <b>mod_stat</b> <i>Char(2)</i> NULL , <b>recruiter_type</b> <i>Char(10)</i> NULL
<b>OCU_ASSIGN_RECRUITER_EXTRA</b>	<b>Primary Key:</b>	<i>PK_OCU_Assign_Recruiter_Extra (assign_recruiter_extra_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Assign_Recruiter_Extra_agency</i> , <i>FK_OCU_Assign_Recruiter_Extra_inqtype</i>
	<b>Indexes:</b>	<i>PK_OCU_Assign_Recruiter_Extra</i> , <i>_WA_Sys_00000002_1D13ADD6</i> , <i>_WA_Sys_00000003_1D13ADD6</i> , <i>_WA_Sys_00000004_1D13ADD6</i>
	<b>Columns:</b>	<b>agency_cod</b> <i>Char(10)</i> NOT NULL , <b>assign_recruiter_extra_rid</b> <i>Int</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>extra</b> <i>Int</i> NOT NULL , <b>inqtypecod</b> <i>Char(2)</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>OCU_ASSIGN_RECRUITER_EXTRA_CREDITS</b>		
	<b>Foreign Keys:</b>	<i>FK_OCU_Assign_Recruiter_Extra_Credits_OCU_Assign_Recruiter_Extra</i>
	<b>Indexes:</b>	<i>_WA_Sys_00000001_3E2A88DE</i> , <i>_WA_Sys_00000002_3E2A88DE</i>
	<b>Columns:</b>	<b>PS_credits</b> <i>Char(20)</i> NOT NULL , <b>assign_recruiter_extra_rid</b> <i>Int</i> NOT NULL
<b>OCU_ASSIGN_RECRUITER_SOURCE</b>	<b>Primary Key:</b>	<i>PK_OCU_Assign_Recruiter_Source (assign_recruiter_source_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Assign_Recruiter_Source_inqtype</i>
	<b>Indexes:</b>	<i>PK_OCU_Assign_Recruiter_Source</i> , <i>_WA_Sys_00000002_20E43EBA</i> , <i>_WA_Sys_00000003_20E43EBA</i>
	<b>Columns:</b>	<b>assign_recruiter_source_rid</b> <i>Int</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>delay</b> <i>Int</i> NOT NULL ( <i>DF_OCU_Assign_Recruiter_Source_delay - ((0))</i> ) , <b>inqtypecod</b> <i>Char(2)</i> NOT NULL , <b>last_assign</b> <i>Int</i> NOT NULL ( <i>DF_OCU_Assign_Recruiter_Source_last_assign - ((0))</i> ) , <b>operator</b> <i>Char(8)</i> NULL , <b>recruiter_type</b> <i>Char(10)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>wait</b> <i>Int</i> NOT NULL ( <i>DF_OCU_Assign_Recruiter_Source_wait - ((0))</i> )
<b>OCU_BOOKSTORE</b>	<b>Primary Key:</b>	<i>PK_OCU_Bookstore (rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Bookstore_name</i>
	<b>Indexes:</b>	<i>PK_OCU_Bookstore</i> , <i>_WA_Sys_00000002_568B56FD</i> , <i>_WA_Sys_00000003_568B56FD</i> , <i>_WA_Sys_00000006_568B56FD</i> , <i>_WA_Sys_00000008_568B56FD</i> , <i>_WA_Sys_0000000A_568B56FD</i> , <i>_WA_Sys_0000000C_568B56FD</i>
	<b>Columns:</b>	<b>address_confirmed</b> <i>Bit</i> NOT NULL ( <i>DF_OCU_Bookstore_address_confirmed - ((0))</i> ) , <b>address_confirmed_log</b> <i>Memo</i> NULL , <b>book_preference</b> <i>Char(4)</i> NOT NULL ( <i>DF_OCU_Bookstore_book_preference - ('New')</i> ) , <b>book_preference_log</b> <i>Memo</i> NULL , <b>ms_office</b> <i>Char(3)</i> NULL , <b>ms_office_log</b> <i>Memo</i> NULL , <b>ms_office_nmcrs_rid</b> <i>Char(16)</i> NULL , <b>opt_out</b> <i>Bit</i> NOT NULL ( <i>DF_OCU_Bookstore_opt_out - ((0))</i> ) , <b>opt_out_log</b> <i>Memo</i> NULL , <b>rid</b> <i>Int</i> NOT NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL
<b>OCU_BOOKSTORE_STUDENT_PAGE</b>		
<b>OCU_BRIVO_ID</b>	<b>Primary Key:</b>	<i>PK_OCU_Brivo_ID (brivo_id)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Brivo_ID_name</i>
	<b>Indexes:</b>	<i>PK_OCU_Brivo_ID</i> , <i>_WA_Sys_00000002_188E2484</i> , <i>_WA_Sys_00000003_188E2484</i>
	<b>Columns:</b>	<b>brivo_id</b> <i>Char(5)</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>OCU_CHAPEL_ATTENDANCE</b>	<b>Primary Key:</b>	<i>PK_OCU_Chapel_Attendance (chapel_attendance_rid)</i>
	<b>Indexes:</b>	<i>PK_OCU_Chapel_Attendance</i> , <i>_WA_Sys_00000002_37E79FA3</i> , <i>_WA_Sys_00000004_37E79FA3</i>

	<b>Columns:</b>	<b>chapel_attendance_active</b> <i>Bit</i> NOT NULL , <b>chapel_attendance_date</b> <i>Date</i> NOT NULL , <b>chapel_attendance_desc</b> <i>Varchar(50)</i> NOT NULL , <b>chapel_attendance_end_time</b> <i>Char(8)</i> NOT NULL , <b>chapel_attendance_rid</b> <i>Int</i> NOT NULL , <b>chapel_attendance_start_time</b> <i>Char(8)</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>OCU_CHAPEL_ATTENDANCE_NAME</b>	<b>Primary Key:</b>	<i>PK_OCU_Chapel_Attendance_Name (chapel_attendance_name_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Chapel_Attendance_Name_OCU_Chapel_Attendance , FK_OCU_Chapel_Attendance_Name_name</i>
	<b>Indexes:</b>	<i>PK_OCU_Chapel_Attendance_Name , _WA_Sys_00000002_39CFE815 , _WA_Sys_00000003_39CFE815 , _WA_Sys_00000004_39CFE815</i>
	<b>Columns:</b>	<b>chapel_attendance_name_date</b> <i>Date</i> NOT NULL , <b>chapel_attendance_name_note</b> <i>Varchar(50)</i> NULL , <b>chapel_attendance_name_rid</b> <i>Int</i> NOT NULL , <b>chapel_attendance_rid</b> <i>Int</i> NOT NULL , <b>soc_sec</b> <i>Char(9)</i> NULL
<b>OCU_CHURCH</b>	<b>Primary Key:</b>	<i>PK_ocu_church_id (church_id)</i>
	<b>Indexes:</b>	<i>PK_ocu_church_id , _WA_Sys_00000003_3810F17E , _WA_Sys_00000005_3810F17E , _WA_Sys_00000007_3810F17E , _WA_Sys_00000008_3810F17E , _WA_Sys_0000000A_3810F17E , _WA_Sys_0000000E_3810F17E , _WA_Sys_church_3810F17E , _WA_Sys_church_state_3810F17E , _WA_Sys_denom_id_3810F17E</i>
	<b>Columns:</b>	<b>church</b> <i>Varchar(75)</i> NOT NULL , <b>church_addr</b> <i>Varchar(50)</i> NULL , <b>church_addr2</b> <i>Varchar(50)</i> NULL , <b>church_city</b> <i>Varchar(50)</i> NULL , <b>church_email</b> <i>Varchar(100)</i> NULL , <b>church_fax</b> <i>Varchar(25)</i> NULL , <b>church_id</b> <i>Int</i> NOT NULL , <b>church_memo</b> <i>Varchar(2000)</i> NULL , <b>church_phone</b> <i>Varchar(25)</i> NULL , <b>church_state</b> <i>Char(2)</i> NULL , <b>church_url</b> <i>Varchar(100)</i> NULL , <b>church_zip</b> <i>Char(10)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>denom_id</b> <i>Int</i> NULL , <b>disabled</b> <i>Bit</i> NULL ( <i>DF_ocu_chure_disab_390515B7 - (0)</i> ) , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>OCU_CLEARINGHOUSE</b>	<b>Primary Key:</b>	<i>PK_OCU_Clearinghouse (OCU_Clearinghouse_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Clearinghouse_OCU_Clearinghouse_Submission , FK_OCU_Clearinghouse_name</i>
	<b>Indexes:</b>	<i>PK_OCU_Clearinghouse , _WA_Sys_00000002_4D6CCC6E , _WA_Sys_00000003_4D6CCC6E , _WA_Sys_00000004_4D6CCC6E , _WA_Sys_00000005_4D6CCC6E , _WA_Sys_00000006_4D6CCC6E , _WA_Sys_00000007_4D6CCC6E , _WA_Sys_00000008_4D6CCC6E , _WA_Sys_00000009_4D6CCC6E , _WA_Sys_0000000A_4D6CCC6E , _WA_Sys_0000000C_4D6CCC6E , _WA_Sys_0000000D_4D6CCC6E , _WA_Sys_0000000E_4D6CCC6E , _WA_Sys_0000000F_4D6CCC6E , _WA_Sys_00000010_4D6CCC6E , _WA_Sys_00000011_4D6CCC6E , _WA_Sys_00000012_4D6CCC6E , _WA_Sys_00000013_4D6CCC6E , _WA_Sys_0000001B_4D6CCC6E , _WA_Sys_0000001E_4D6CCC6E , _WA_Sys_00000020_4D6CCC6E , _WA_Sys_00000021_4D6CCC6E , _WA_Sys_00000022_4D6CCC6E</i>
	<b>Columns:</b>	<b>OCU_Clearinghouse_Submission_rid</b> <i>Int</i> NOT NULL , <b>OCU_Clearinghouse_rid</b> <i>Bigint</i> NOT NULL , <b>add_addr</b> <i>Char(30)</i> NULL , <b>antic_grad</b> <i>Date</i> NULL , <b>audit_needed</b> <i>Bit</i> NULL , <b>birthdate</b> <i>Date</i> NULL , <b>campus_type</b> <i>Char(10)</i> NULL , <b>cert_date</b> <i>Date</i> NULL , <b>city</b> <i>Char(20)</i> NULL , <b>country</b> <i>Char(25)</i> NULL , <b>credits</b> <i>Float</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>end_term</b> <i>Date</i> NULL , <b>enroll_status</b> <i>Char(1)</i> NULL , <b>first_name</b> <i>Char(20)</i> NULL , <b>import_sch_yr</b> <i>Char(10)</i> NULL , <b>import_semester</b> <i>Char(20)</i> NULL , <b>last_error</b> <i>Int</i> NULL , <b>last_name</b> <i>Char(20)</i> NULL , <b>maiden</b> <i>Char(20)</i> NULL , <b>mi</b> <i>Varchar(15)</i> NULL , <b>nsrch_block</b> <i>Bit</i> NULL , <b>operator</b> <i>Char(9)</i> NULL , <b>sch_yr</b> <i>Char(6)</i> NULL , <b>semester</b> <i>Char(2)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>ssn</b> <i>Char(9)</i> NULL , <b>st_addr</b> <i>Char(30)</i> NULL , <b>st_stat</b> <i>Date</i> NULL , <b>st_term</b> <i>Date</i> NULL , <b>state</b> <i>Char(2)</i> NULL , <b>suffix</b> <i>Char(5)</i> NULL , <b>time_maint</b> <i>Date</i> NULL , <b>zip</b> <i>Char(9)</i> NULL
<b>OCU_CLEARINGHOUSE_SUBMISSION</b>	<b>Primary Key:</b>	<i>PK_OCU_Clearinghouse_Submission (OCU_Clearinghouse_Submission_rid)</i>
	<b>Indexes:</b>	<i>PK_OCU_Clearinghouse_Submission , _WA_Sys_00000002_4B8483FC , _WA_Sys_00000003_4B8483FC , _WA_Sys_00000004_4B8483FC , _WA_Sys_00000005_4B8483FC , _WA_Sys_00000006_4B8483FC , _WA_Sys_00000007_4B8483FC , _WA_Sys_00000008_4B8483FC , _WA_Sys_00000009_4B8483FC , _WA_Sys_0000000A_4B8483FC , _WA_Sys_0000000B_4B8483FC , _WA_Sys_0000000C_4B8483FC , _WA_Sys_0000000D_4B8483FC</i>

	<b>Columns:</b>	<b>OCU_Clearinghouse_Submission_rid</b> <i>Int</i> NOT NULL , <b>cert_date</b> <i>Date</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>report_flag</b> <i>Bit</i> NOT NULL , <b>report_level</b> <i>Char(1)</i> NOT NULL , <b>sch_yr</b> <i>Char(6)</i> NOT NULL , <b>semester</b> <i>Char(2)</i> NOT NULL , <b>submission_no</b> <i>Int</i> NOT NULL , <b>term</b> <i>Varchar(15)</i> NOT NULL , <b>term_end_dt</b> <i>Date</i> NOT NULL , <b>term_start_dt</b> <i>Date</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>OCU_COMMUNICATIONS</b>	<b>Primary Key:</b>	<i>PK_OCU_Communications (comm_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Communications_name</i>
	<b>Indexes:</b>	<i>PK_OCU_Communications , _WA_Sys_00000002_26DC43DB , _WA_Sys_00000003_26DC43DB , _WA_Sys_00000004_26DC43DB , _WA_Sys_00000005_26DC43DB</i>
	<b>Columns:</b>	<b>comm_date</b> <i>Date</i> NOT NULL , <b>comm_rid</b> <i>Int</i> NOT NULL , <b>comm_soc_sec</b> <i>Char(9)</i> NOT NULL , <b>comm_txt</b> <i>Memo</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL
<b>OCU_COURSE_SCHEDULE</b>	<b>Primary Key:</b>	<i>PK_OCU_Course_Schedule (course_schedule_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Course_Schedule_campus , FK_OCU_Course_Schedule_cohort</i>
	<b>Indexes:</b>	<i>PK_OCU_Course_Schedule , _WA_Sys_00000002_292F6BF8 , _WA_Sys_00000003_292F6BF8</i>
	<b>Columns:</b>	<b>camp_cod</b> <i>Char(10)</i> NOT NULL , <b>cohort_cod</b> <i>Char(10)</i> NOT NULL , <b>concentration</b> <i>Varchar(60)</i> NOT NULL , <b>course_schedule_rid</b> <i>Int</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>day_cod</b> <i>Char(3)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>schedule_memo</b> <i>Varchar(8000)</i> NULL , <b>start_dt</b> <i>Date</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>OCU_COURSE_SCHEDULE_COURSE</b>	<b>Primary Key:</b>	<i>PK_OCU_Course_Schedule_Course (course_schedule_course_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Course_Schedule_Course_OCU_Course_Schedule</i>
	<b>Indexes:</b>	<i>PK_OCU_Course_Schedule_Course , _WA_Sys_00000002_2CFFFCDC , _WA_Sys_00000003_2CFFFCDC , _WA_Sys_00000004_2CFFFCDC</i>
	<b>Columns:</b>	<b>course_schedule_course_rid</b> <i>Int</i> NOT NULL , <b>course_schedule_rid</b> <i>Int</i> NOT NULL , <b>crs_id</b> <i>Char(16)</i> NOT NULL , <b>main_section</b> <i>Char(8)</i> NOT NULL
<b>OCU_COURSE_SCHEDULE_CRSECT</b>	<b>Primary Key:</b>	<i>PK_OCU_Course_Schedule_Crssect (course_schedule_crssect_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Course_Schedule_Crssect_OCU_Course_Schedule_Course , FK_OCU_Course_Schedule_Crssect_crssect</i>
	<b>Indexes:</b>	<i>PK_OCU_Course_Schedule_Crssect , _WA_Sys_00000002_2FDC6987 , _WA_Sys_00000003_2FDC6987</i>
	<b>Columns:</b>	<b>course_schedule_course_rid</b> <i>Int</i> NOT NULL , <b>course_schedule_crssect_rid</b> <i>Int</i> NOT NULL , <b>sid</b> <i>Char(16)</i> NOT NULL
<b>OCU_COURSE_SCHEDULE_TEMPLATE</b>	<b>Primary Key:</b>	<i>PK_OCU_Course_Schedule_Template (course_schedule_template_rid)</i>
	<b>Indexes:</b>	<i>PK_OCU_Course_Schedule_Template , _WA_Sys_00000002_22826E69 , _WA_Sys_00000003_22826E69 , _WA_Sys_00000008_22826E69</i>
	<b>Columns:</b>	<b>concentration</b> <i>Varchar(60)</i> NOT NULL , <b>course_schedule_template_rid</b> <i>Int</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>online</b> <i>Bit</i> NOT NULL ( <i>DF_OCU_Course_Schedule_Template_online - ((0))</i> ) , <b>operator</b> <i>Char(8)</i> NULL , <b>sch_yr</b> <i>Char(6)</i> NULL , <b>schedule_memo</b> <i>Varchar(8000)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>OCU_COURSE_SCHEDULE_TEMPLATE_COURSE</b>	<b>Primary Key:</b>	<i>PK_OCU_Course_Schedule_Template_Course (course_schedule_template_course_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Course_Schedule_Template_Course_OCU_Course_Schedule_Template , FK_OCU_Course_Schedule_Template_Course_course</i>
	<b>Indexes:</b>	<i>PK_OCU_Course_Schedule_Template_Course , _WA_Sys_00000002_255EDB14 , _WA_Sys_00000003_255EDB14 , _WA_Sys_00000004_255EDB14 , _WA_Sys_00000005_255EDB14</i>
	<b>Columns:</b>	<b>course_order</b> <i>Int</i> NOT NULL , <b>course_schedule_template_course_rid</b> <i>Int</i> NOT NULL , <b>course_schedule_template_rid</b> <i>Int</i> NOT NULL , <b>crs_id</b> <i>Char(16)</i> NOT NULL , <b>semester_order</b> <i>Int</i> NOT NULL
<b>OCU_CREDENTIALS</b>	<b>Primary Key:</b>	<i>PK_OCU_Credentials (system)</i>
	<b>Indexes:</b>	<i>PK_OCU_Credentials</i>
	<b>Columns:</b>	<b>host</b> <i>Varchar(50)</i> NOT NULL , <b>password</b> <i>Varchar(50)</i> NOT NULL , <b>port</b> <i>Varchar(10)</i> NOT NULL , <b>system</b> <i>Varchar(50)</i> NOT NULL , <b>username</b> <i>Varchar(50)</i> NOT NULL
<b>OCU_CRSECT_DATE</b>	<b>Primary Key:</b>	<i>PK_OCU_Crssect_Date (crssect_date_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Crssect_Date_crssect</i>



	<b>Indexes:</b>	<i>PK_OCU_Crssect_Date , _WA_Sys_00000002_27B137DA , _WA_Sys_00000004_27B137DA</i>
	<b>Columns:</b>	<i>crssect_date Date NOT NULL , crssect_date_rid Int NOT NULL , note Varchar(50) NULL , sid Char(16) NOT NULL , skip Bit NOT NULL (DF_OCU_Crssect_Date_skip - ((0)))</i>
<b>OCU_DASHBOARD</b>	<b>Primary Key:</b>	<i>PK_OCU_Dashboard (dashboard_rid)</i>
	<b>Indexes:</b>	<i>PK_OCU_Dashboard , _WA_Sys_00000002_0FA4A41F , _WA_Sys_00000003_0FA4A41F , _WA_Sys_00000004_0FA4A41F , _WA_Sys_00000005_0FA4A41F , _WA_Sys_00000006_0FA4A41F , _WA_Sys_00000007_0FA4A41F , _WA_Sys_00000008_0FA4A41F</i>
	<b>Columns:</b>	<i>dashboard_name Varchar(50) NULL , dashboard_page Varchar(50) NULL , dashboard_rid Int NOT NULL , grp_name 239 - 50 NULL , menu_item Varchar(50) NULL , menu_order Varchar(50) NULL , submenu Bit NULL , template Varchar(50) NULL</i>
<b>OCU_DASHBOARD_GRID</b>	<b>Primary Key:</b>	<i>PK_OCU_Dashboard_Grid (dashboard_grid_rid)</i>
	<b>Indexes:</b>	<i>PK_OCU_Dashboard_Grid , _WA_Sys_00000002_002D5665 , _WA_Sys_00000003_002D5665 , _WA_Sys_00000006_002D5665</i>
	<b>Columns:</b>	<i>col_disp Varchar(50) NULL , col_name Varchar(50) NULL , col_pos Int NULL , col_size Int NULL , col_type Varchar(50) NULL , col_vis Bit NULL , dashboard_grid_rid Int NOT NULL , grid_name Varchar(50) NULL</i>
<b>OCU_DELETED_CRSECT</b>	<b>Primary Key:</b>	<i>PK_OCU_Deleted_crssect (deleted_crssect_rid)</i>
	<b>Indexes:</b>	<i>PK_OCU_Deleted_crssect , _WA_Sys_00000002_2E3E39D8 , _WA_Sys_00000003_2E3E39D8 , _WA_Sys_00000004_2E3E39D8 , _WA_Sys_00000005_2E3E39D8 , _WA_Sys_00000006_2E3E39D8 , _WA_Sys_00000007_2E3E39D8 , _WA_Sys_00000008_2E3E39D8 , _WA_Sys_00000009_2E3E39D8 , _WA_Sys_0000000A_2E3E39D8 , _WA_Sys_0000000B_2E3E39D8</i>
	<b>Columns:</b>	<i>camp_cod Char(10) NULL , crs_id Char(16) NULL , deleted_crssect_rid Int NOT NULL , deleted_date Date NOT NULL (DF_OCU_Deleted_crssect_deleted_date - (getdate())) , end_dt Date NULL , lead_fac Char(9) NULL , sch_yr Char(6) NULL , section Char(6) NULL , semester Char(2) NULL , sid Char(16) NULL , start_dt Date NULL</i>
<b>OCU_DENOMINATION</b>	<b>Primary Key:</b>	<i>PK_ocu_denomination_id (denom_id)</i>
	<b>Indexes:</b>	<i>PK_ocu_denomination_id , _WA_Sys_date_maint_3163F3EF , _WA_Sys_denomination_3163F3EF , _WA_Sys_disabled_3163F3EF , _WA_Sys_operator_3163F3EF , _WA_Sys_time_maint_3163F3EF</i>
	<b>Columns:</b>	<i>date_maint Date NULL , denom_id Int NOT NULL , denomination Varchar(50) NOT NULL , disabled Bit NULL (DF_ocu_denom_disab_32581828 - (0)) , operator Char(8) NULL , time_maint Char(8) NULL</i>
<b>OCU_DOCUMENTATION</b>	<b>Primary Key:</b>	<i>PK_OCU_Documentation (doc_rid)</i>
	<b>Indexes:</b>	<i>PK_OCU_Documentation</i>
	<b>Columns:</b>	<i>date_maint Date NULL , doc_date Date NOT NULL , doc_desc Varchar(255) NOT NULL , doc_name Varchar(50) NOT NULL , doc_pdf Varchar(50) NULL , doc_rid Int NOT NULL , doc_ver Int NOT NULL , doc_vid Varchar(50) NULL , grp_name 239 - 50 NULL , operator Char(8) NULL , time_maint Char(8) NULL</i>
<b>OCU_E360</b>	<b>Primary Key:</b>	<i>PK_OCU_E360 (e360_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_E360_crssect</i>
	<b>Indexes:</b>	<i>PK_OCU_E360 , _WA_Sys_00000002_2F3C7FB2 , _WA_Sys_00000003_2F3C7FB2</i>
	<b>Columns:</b>	<i>date_maint Date NOT NULL , e360_rid Int NOT NULL , export Bit NOT NULL (DF_OCU_E360_export - ((0))) , operator Char(8) NOT NULL , sid Char(16) NOT NULL , time_maint Char(8) NOT NULL</i>
<b>OCU_FACULTY_CAMPUS</b>	<b>Primary Key:</b>	<i>PK_OCU_Faculty_Campus (faculty_campus_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Faculty_Campus_campus , FK_OCU_Faculty_Campus_name</i>
	<b>Indexes:</b>	<i>PK_OCU_Faculty_Campus , _WA_Sys_00000002_7BC7C8A4 , _WA_Sys_00000003_7BC7C8A4</i>
	<b>Columns:</b>	<i>camp_cod Char(10) NOT NULL , date_maint Date NULL , faculty_campus_rid Int NOT NULL , home_campus Bit NOT NULL (DF_OCU_Faculty_Campus_offer_other - ((0))) , operator Char(8) NULL , soc_sec Char(9) NOT NULL , time_maint Char(8) NULL</i>
<b>OCU_FACULTY_CAMPUS_OTHER</b>	<b>Primary Key:</b>	<i>PK_OCU_Faculty_Campus_Other (faculty_campus_other_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Faculty_Campus_Other_name</i>
	<b>Indexes:</b>	<i>PK_OCU_Faculty_Campus_Other , _WA_Sys_00000002_79CA7199 , _WA_Sys_00000003_79CA7199</i>

	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>faculty_campus_other_rid</b> Int NOT NULL , <b>offer_other</b> Bit NOT NULL (DF OCU Faculty Campus Other offer other - ((0))) , <b>operator</b> Char(8) NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>OCU_FACULTY_COURSE</b>	<b>Primary Key:</b>	<b>PK_OCU_Faculty_Course</b> (faculty_course_rid)
	<b>Foreign Keys:</b>	<b>FK_OCU_Faculty_Course_course</b> , <b>FK_OCU_Faculty_Course_name</b>
	<b>Indexes:</b>	<b>PK_OCU_Faculty_Course</b> , <b>_WA_Sys_00000002_008C7DC1</b> , <b>_WA_Sys_00000003_008C7DC1</b> , <b>_WA_Sys_00000004_008C7DC1</b>
	<b>Columns:</b>	<b>crs_id</b> Char(16) NOT NULL , <b>date_maint</b> Date NULL , <b>eligibility</b> Varchar(10) NULL , <b>faculty_course_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>OCU_FINAID_SCH_YR</b>	<b>Primary Key:</b>	<b>PK_OCU_FinAid_sch_yr</b> (finaid_sch_yr)
	<b>Indexes:</b>	<b>PK_OCU_FinAid_sch_yr</b> , <b>_WA_Sys_00000002_25B31578</b>
	<b>Columns:</b>	<b>disabled</b> Bit NOT NULL (DF OCU FinAid_sch_yr_disabled - ((0))) , <b>finaid_sch_yr</b> Char(7) NOT NULL
<b>OCU_FORM_COURSESIGNUP</b>	<b>Primary Key:</b>	<b>PK_OCU_Form_CourseSignup</b> (coursesignup_rid)
	<b>Foreign Keys:</b>	<b>FK_OCU_Form_CourseSignup_name</b>
	<b>Indexes:</b>	<b>PK_OCU_Form_CourseSignup</b> , <b>_WA_Sys_00000002_43E36234</b> , <b>_WA_Sys_00000003_43E36234</b>
	<b>Columns:</b>	<b>coursesignup_rid</b> Int NOT NULL , <b>created_at</b> Date NOT NULL (DF OCU Form_CourseSignup_created_at - (getdate())) , <b>locations</b> Varchar(255) NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>waive_mileage</b> Bit NULL
<b>OCU_FORM_COURSESIGNUP_CRSECT</b>	<b>Primary Key:</b>	<b>PK_OCU_Form_CourseSignup_crssect</b> (coursesignup_crssect_rid)
	<b>Foreign Keys:</b>	<b>FK_OCU_Form_CourseSignup_crssect_OCU_Form_CourseSignup</b> , <b>FK_OCU_Form_CourseSignup_crssect_crssect</b>
	<b>Indexes:</b>	<b>PK_OCU_Form_CourseSignup_crssect</b> , <b>_WA_Sys_00000002_47B3F318</b> , <b>_WA_Sys_00000003_47B3F318</b>
	<b>Columns:</b>	<b>coursesignup_crssect_rid</b> Int NOT NULL , <b>coursesignup_rid</b> Int NOT NULL , <b>sid</b> Char(16) NOT NULL
<b>OCU_FORM_GRADAPP</b>	<b>Primary Key:</b>	<b>PK_OCU_Form_GradApp</b> (gradapp_id)
	<b>Indexes:</b>	<b>PK_OCU_Form_GradApp</b> , <b>_WA_Sys_00000002_34363EF9</b> , <b>_WA_Sys_00000003_34363EF9</b> , <b>_WA_Sys_00000004_34363EF9</b> , <b>_WA_Sys_00000005_34363EF9</b> , <b>_WA_Sys_00000006_34363EF9</b> , <b>_WA_Sys_00000007_34363EF9</b> , <b>_WA_Sys_00000008_34363EF9</b> , <b>_WA_Sys_00000009_34363EF9</b> , <b>_WA_Sys_0000000A_34363EF9</b> , <b>_WA_Sys_0000000B_34363EF9</b> , <b>_WA_Sys_0000000C_34363EF9</b> , <b>_WA_Sys_0000000D_34363EF9</b> , <b>_WA_Sys_0000000E_34363EF9</b> , <b>_WA_Sys_0000000F_34363EF9</b> , <b>_WA_Sys_00000010_34363EF9</b> , <b>_WA_Sys_00000011_34363EF9</b> , <b>_WA_Sys_00000012_34363EF9</b> , <b>_WA_Sys_00000013_34363EF9</b> , <b>_WA_Sys_00000014_34363EF9</b> , <b>_WA_Sys_00000015_34363EF9</b> , <b>_WA_Sys_00000016_34363EF9</b> , <b>_WA_Sys_00000017_34363EF9</b> , <b>_WA_Sys_00000018_34363EF9</b> , <b>_WA_Sys_00000019_34363EF9</b> , <b>_WA_Sys_0000001A_34363EF9</b> , <b>_WA_Sys_0000001B_34363EF9</b> , <b>_WA_Sys_0000001C_34363EF9</b> , <b>_WA_Sys_0000001D_34363EF9</b> , <b>_WA_Sys_0000001E_34363EF9</b> , <b>_WA_Sys_0000001F_34363EF9</b> , <b>_WA_Sys_00000020_34363EF9</b> , <b>_WA_Sys_00000021_34363EF9</b> , <b>_WA_Sys_00000022_34363EF9</b> , <b>_WA_Sys_00000023_34363EF9</b> , <b>_WA_Sys_00000024_34363EF9</b> , <b>_WA_Sys_00000025_34363EF9</b> , <b>_WA_Sys_00000026_34363EF9</b> , <b>_WA_Sys_00000027_34363EF9</b> , <b>_WA_Sys_00000028_34363EF9</b> , <b>_WA_Sys_00000029_34363EF9</b> , <b>_WA_Sys_0000002A_34363EF9</b> , <b>_WA_Sys_0000002B_34363EF9</b> , <b>_WA_Sys_0000002C_34363EF9</b> , <b>_WA_Sys_0000002D_34363EF9</b> , <b>_WA_Sys_0000002E_34363EF9</b> , <b>_WA_Sys_0000002F_34363EF9</b>
	<b>Columns:</b>	<b>alumni_address1</b> Varchar(50) NULL , <b>alumni_address2</b> Varchar(50) NULL , <b>alumni_address3</b> Varchar(50) NULL , <b>alumni_address4</b> Varchar(50) NULL , <b>alumni_address5</b> Varchar(50) NULL , <b>alumni_name1</b> Varchar(50) NULL , <b>alumni_name2</b> Varchar(50) NULL , <b>alumni_name3</b> Varchar(50) NULL , <b>alumni_name4</b> Varchar(50) NULL , <b>alumni_name5</b> Varchar(50) NULL , <b>alumni_phone1</b> Char(15) NULL , <b>alumni_phone2</b> Char(15) NULL , <b>alumni_phone3</b> Char(15) NULL , <b>alumni_phone4</b> Char(15) NULL , <b>alumni_phone5</b> Char(15) NULL , <b>commencement_date</b> Varchar(50) NULL , <b>commencement_name</b> Varchar(50) NULL , <b>commencement_participate</b> Bit NULL , <b>concentration</b> Varchar(75) NULL , <b>concentration2</b> Varchar(75) NULL , <b>degree</b> Char(2) NULL , <b>double_major</b> Bit NULL , <b>gown_height</b> Char(10) NULL , <b>gown_size</b> Char(10) NULL , <b>gradapp_id</b> Int NOT NULL , <b>new_address</b> Bit NULL , <b>new_cell_phone_number</b> Varchar(50) NULL , <b>new_city</b> Varchar(50) NULL , <b>new_email</b>

		<i>Varchar(50) NULL , new_phone_number Varchar(50) NULL , new_state Char(2) NULL , new_street_address Varchar(50) NULL , new_zip Char(10) NULL , phonetic Varchar(75) NULL , posted_date Date NOT NULL , processed Bit NOT NULL (DF_OCU_Form_proce_361E876B - ((0))) , processed_date Date NULL , processed_operator Char(8) NULL , signature Varchar(50) NULL , signed_date Char(15) NULL , soc_sec Char(9) NOT NULL , type Char(3) NULL , update_address Bit NULL , update_cell_phone_number Char(15) NULL , update_city Varchar(50) NULL , update_phone_number Varchar(50) NULL , update_state Char(2) NULL , update_street_address Varchar(50) NULL , update_zip Char(10) NULL</i>
<b>OCU_FORM_GRADAPP_SETUP</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000001_1B1656CB , _WA_Sys_00000002_1B1656CB</i>
	<b>Columns:</b>	<i>AGS_Shutoff_Date Date NULL , Trad_Shutoff_Date Date NULL</i>
<b>OCU_FORM_GRADAPP_SETUP_LEVEL</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000001_1C0A7B04</i>
	<b>Columns:</b>	<i>level_ Char(1) NOT NULL</i>
<b>OCU_FORM_REGFORM</b>	<b>Primary Key:</b>	<i>PK_OCU_Form_Regform (regform_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Form_Regform_name</i>
	<b>Indexes:</b>	<i>PK_OCU_Form_Regform , _WA_Sys_00000002_04F20B82 , _WA_Sys_00000008_04F20B82 , _WA_Sys_00000009_04F20B82</i>
	<b>Columns:</b>	<i>acadstat_cod Char(8) NULL , billing_address Char(35) NULL , billing_city Char(35) NULL , billing_state Char(2) NULL , billing_zip Char(10) NULL , birthdate Date NULL , booklist Varchar(-1) NULL , camp_cod Char(10) NULL , cell_phone Char(15) NULL , citizen Bit NULL , cohort_cod Char(10) NULL , concentration Varchar(60) NULL , country Char(25) NULL , created_at Date NOT NULL (DF_OCU_Form_Regform_created_at - (getdate())) , crs1_cohort Char(10) NULL , crs1_dt Date NULL , crs1_hours Int NULL , crs1_name Varchar(50) NULL , crs1_number Char(10) NULL , crs1_semester Char(6) NULL , crs2_cohort Char(10) NULL , crs2_dt Date NULL , crs2_hours Int NULL , crs2_name Varchar(50) NULL , crs2_number Char(10) NULL , crs2_semester Char(6) NULL , crs3_cohort Char(10) NULL , crs3_dt Date NULL , crs3_hours Int NULL , crs3_name Varchar(50) NULL , crs3_number Char(10) NULL , crs3_semester Char(6) NULL , crs4_cohort Char(10) NULL , crs4_dt Date NULL , crs4_hours Int NULL , crs4_name Varchar(50) NULL , crs4_number Char(10) NULL , crs4_semester Char(6) NULL , crs5_cohort Char(10) NULL , crs5_dt Date NULL , crs5_hours Int NULL , crs5_name Varchar(50) NULL , crs5_number Char(10) NULL , crs5_semester Char(6) NULL , crs_hours_total Int NULL , date_maint Date NULL , degree Char(35) NULL , e_mail Char(50) NULL , enrolled_last Varchar(50) NULL , ethnic_cod Char(2) NULL , fafsa1_chk Bit NULL , fafsa1_dt Date NULL , fafsa1_schy Char(10) NULL , fafsa2_chk Bit NULL , fafsa2_dt Date NULL , fafsa2_schy Char(10) NULL , fafsa3_chk Bit NULL , fafsa3_dt Date NULL , fafsa3_schy Char(10) NULL , fax Char(15) NULL , first_name Char(30) NULL , former_student Varchar(50) NULL , gender Char(1) NULL , hear_about Varchar(50) NULL , last_name Varchar(60) NULL , mar_cod Char(2) NULL , mi Char(15) NULL , ms_office_os Char(1) NULL , ms_office_yn Char(1) NULL , new_prior Varchar(50) NULL , new_student Varchar(50) NULL , occupation Varchar(50) NULL , operator Char(8) NULL , phone Char(15) NULL , prg_cod Char(10) NULL , regform_rid Int NOT NULL , registrar_notes Varchar(8000) NULL , religion Varchar(100) NULL , sch_yr Char(6) NULL , semester Char(2) NULL , semester1 Varchar(-1) NULL , semester1_chk Bit NULL , semester2 Varchar(-1) NULL , semester2_chk Bit NULL , semester3 Varchar(-1) NULL , semester3_chk Bit NULL , semester4 Varchar(-1) NULL , semester4_chk Bit NULL , semester5 Varchar(-1) NULL , semester5_chk Bit NULL , shipping_address Char(35) NULL , shipping_city Char(35) NULL , shipping_state Char(2) NULL , shipping_zip Char(10) NULL , signature1 Varchar(50) NULL , signature1_dt Date NULL , signature2 Varchar(50) NULL , signature2_dt Date NULL , soc_sec Char(9) NOT NULL , ssn Char(11) NULL , standing Varchar(50) NULL , submitted Bit NULL , submitted_at Date NULL , time_maint Char(8) NULL , work_phone Char(25) NULL</i>
<b>OCU_GRADUATION</b>	<b>Primary Key:</b>	<i>PK_OCU_Graduation (graduation_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Graduation_name</i>

	<b>Indexes:</b>	<i>PK_OCU_Graduation</i> , <i>_WA_Sys_00000002_313AA214</i> , <i>_WA_Sys_00000005_313AA214</i> , <i>_WA_Sys_0000000A_313AA214</i> , <i>_WA_Sys_0000000B_313AA214</i> , <i>_WA_Sys_0000000C_313AA214</i> , <i>_WA_Sys_0000000D_313AA214</i> , <i>_WA_Sys_0000000E_313AA214</i>
	<b>Columns:</b>	<b>commencement_participate</b> <i>Bit</i> NULL , <b>comp_date</b> <i>Date</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>diploma_mailed</b> <i>Bit</i> NOT NULL ( <i>DF_OCU_Graduation_diploma_mailed</i> - ((0))) , <b>grad_month</b> <i>Int</i> NOT NULL ( <i>DF_OCU_Graduation_grad_month</i> - ((0))) , <b>grad_notes</b> <i>Varchar(-1)</i> NULL , <b>grad_progress</b> <i>Char(1)</i> NOT NULL , <b>grad_type</b> <i>Char(8)</i> NULL , <b>grad_year</b> <i>Char(4)</i> NULL , <b>gradapp_allow</b> <i>Bit</i> NULL , <b>graduation_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>OCU_GRADUATION_TYPE</b>	<b>Primary Key:</b>	<i>PK_OCU_Graduation_Type</i> ( <i>graduation_type_rid</i> )
	<b>Indexes:</b>	<i>PK_OCU_Graduation_Type</i> , <i>_WA_Sys_00000002_2F5259A2</i> , <i>_WA_Sys_00000003_2F5259A2</i> , <i>_WA_Sys_00000004_2F5259A2</i> , <i>_WA_Sys_00000005_2F5259A2</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>end_dt</b> <i>Date</i> NOT NULL , <b>grad_type</b> <i>Char(8)</i> NOT NULL , <b>grad_year</b> <i>Char(4)</i> NOT NULL , <b>graduation_type_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>start_dt</b> <i>Date</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>OCU_GRID</b>	<b>Primary Key:</b>	<i>PK_OCU_Grid</i> ( <i>grid_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_OCU_Grid_name</i>
	<b>Indexes:</b>	<i>PK_OCU_Grid</i> , <i>_WA_Sys_00000002_02159ED7</i> , <i>_WA_Sys_00000003_02159ED7</i> , <i>_WA_Sys_00000004_02159ED7</i> , <i>_WA_Sys_00000007_02159ED7</i>
	<b>Columns:</b>	<b>col_disp</b> <i>Varchar(50)</i> NULL , <b>col_name</b> <i>Varchar(50)</i> NULL , <b>col_pos</b> <i>Int</i> NULL , <b>col_size</b> <i>Int</i> NULL , <b>col_type</b> <i>Varchar(50)</i> NULL , <b>col_vis</b> <i>Bit</i> NULL , <b>grid_name</b> <i>Varchar(50)</i> NOT NULL , <b>grid_rid</b> <i>Int</i> NOT NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL
<b>OCU_HOLIDAY</b>	<b>Primary Key:</b>	<i>PK_OCU_Holiday</i> ( <i>holiday_rid</i> )
	<b>Indexes:</b>	<i>PK_OCU_Holiday</i> , <i>_WA_Sys_00000002_10CDD282</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>holiday_desc</b> <i>Varchar(50)</i> NOT NULL , <b>holiday_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>OCU_HOLIDAY_CAMPUS</b>	<b>Primary Key:</b>	<i>PK_OCU_Holiday_Campus</i> ( <i>holiday_campus_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_OCU_Holiday_Campus_OCU_Holiday</i> , <i>FK_OCU_Holiday_Campus_campus</i>
	<b>Indexes:</b>	<i>PK_OCU_Holiday_Campus</i> , <i>_WA_Sys_00000002_12B61AF4</i> , <i>_WA_Sys_00000003_12B61AF4</i> , <i>_WA_Sys_00000004_12B61AF4</i>
	<b>Columns:</b>	<b>camp_cod</b> <i>Char(10)</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>holiday_campus_rid</b> <i>Int</i> NOT NULL , <b>holiday_end</b> <i>Date</i> NOT NULL , <b>holiday_rid</b> <i>Int</i> NOT NULL , <b>holiday_start</b> <i>Date</i> NOT NULL , <b>holiday_year</b> <i>Char(4)</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>OCU_INCIDENT</b>	<b>Primary Key:</b>	<i>PK_OCU_Incident</i> ( <i>incident_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_OCU_Incident_OCU_Incident_Type</i> , <i>FK_OCU_Incident_name</i>
	<b>Indexes:</b>	<i>PK_OCU_Incident</i> , <i>_WA_Sys_00000002_23AB9CCC</i> , <i>_WA_Sys_00000003_23AB9CCC</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>decision_dt</b> <i>Date</i> NULL , <b>incident_rid</b> <i>Int</i> NOT NULL , <b>incident_type_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>received_dt</b> <i>Date</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>staff_note</b> <i>Varchar(-1)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>OCU_INCIDENT_TYPE</b>	<b>Primary Key:</b>	<i>PK_OCU_Incident_Type</i> ( <i>incident_type_rid</i> )
	<b>Indexes:</b>	<i>PK_OCU_Incident_Type</i> , <i>_WA_Sys_00000003_20CF3021</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NOT NULL ( <i>DF_OCU_Incident_Type_disabled</i> - ((0))) , <b>incident_type</b> <i>Varchar(50)</i> NOT NULL , <b>incident_type_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>OCU_ITICKETS</b>	<b>Primary Key:</b>	<i>PK_OCU_iTickets</i> ( <i>iTickets_id</i> )
	<b>Foreign Keys:</b>	<i>FK_OCU_iTickets_name</i>
	<b>Indexes:</b>	<i>PK_OCU_iTickets</i> , <i>_WA_Sys_00000002_6A283B56</i> , <i>_WA_Sys_00000003_6A283B56</i> , <i>_WA_Sys_00000004_6A283B56</i> , <i>_WA_Sys_00000005_6A283B56</i> , <i>_WA_Sys_00000006_6A283B56</i> , <i>_WA_Sys_00000007_6A283B56</i> , <i>_WA_Sys_00000008_6A283B56</i> , <i>_WA_Sys_00000009_6A283B56</i> , <i>_WA_Sys_0000000A_6A283B56</i>

	<b>Columns:</b>	<b>address</b> <i>Varchar(35)</i> NULL , <b>city</b> <i>Varchar(35)</i> NULL , <b>email</b> <i>Varchar(50)</i> NULL , <b>first_name</b> <i>Varchar(30)</i> NULL , <b>iTickets_id</b> <i>Char(7)</i> NOT NULL , <b>last_name</b> <i>Varchar(60)</i> NULL , <b>phone</b> <i>Char(15)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>state</b> <i>Char(2)</i> NULL , <b>zip</b> <i>Char(10)</i> NULL
<b>OCU_ITICKETS_TICKETS</b>	<b>Primary Key:</b>	<i>PK_OCU_iTickets_tickets (ticket_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_iTickets_tickets_OCU_iTickets , FK_OCU_iTickets_tickets_events</i>
	<b>Indexes:</b>	<i>PK_OCU_iTickets_tickets , _WA_Sys_00000002_6D04A801 , _WA_Sys_00000003_6D04A801</i>
	<b>Columns:</b>	<b>ev_rid</b> <i>Int</i> NULL , <b>iTickets_id</b> <i>Char(7)</i> NOT NULL , <b>ticket_comments</b> <i>Varchar(255)</i> NULL , <b>ticket_delivery</b> <i>Varchar(50)</i> NULL , <b>ticket_description</b> <i>Varchar(50)</i> NULL , <b>ticket_nos</b> <i>Varchar(50)</i> NULL , <b>ticket_qty</b> <i>Int</i> NULL , <b>ticket_rate</b> <i>Int</i> NULL , <b>ticket_rid</b> <i>Int</i> NOT NULL
<b>OCU_LASTRUN</b>	<b>Primary Key:</b>	<i>PK_OCU_LastRun (task)</i>
	<b>Indexes:</b>	<i>PK_OCU_LastRun , _WA_Sys_00000002_2489E715</i>
	<b>Columns:</b>	<b>date_time</b> <i>Date</i> NOT NULL , <b>task</b> <i>Varchar(50)</i> NOT NULL
<b>OCU_LEAD</b>	<b>Primary Key:</b>	<i>PK_OCU_Lead (lead_rid)</i>
	<b>Indexes:</b>	<i>PK_OCU_Lead , _WA_Sys_00000002_04DC3192 , _WA_Sys_00000003_04DC3192 , _WA_Sys_00000004_04DC3192 , _WA_Sys_00000005_04DC3192 , _WA_Sys_00000006_04DC3192 , _WA_Sys_00000007_04DC3192 , _WA_Sys_00000008_04DC3192 , _WA_Sys_00000009_04DC3192 , _WA_Sys_0000000A_04DC3192 , _WA_Sys_0000000B_04DC3192 , _WA_Sys_0000000C_04DC3192 , _WA_Sys_0000000D_04DC3192 , _WA_Sys_0000000F_04DC3192 , _WA_Sys_00000010_04DC3192 , _WA_Sys_00000014_04DC3192 , _WA_Sys_00000015_04DC3192 , _WA_Sys_0000001D_04DC3192 , _WA_Sys_0000001E_04DC3192</i>
	<b>Columns:</b>	<b>Address</b> <i>Varchar(100)</i> NULL , <b>Birthdate</b> <i>Date</i> NULL , <b>Campus</b> <i>Varchar(50)</i> NULL , <b>City</b> <i>Varchar(50)</i> NULL , <b>Country</b> <i>Varchar(50)</i> NULL , <b>Credit_Hours</b> <i>Varchar(50)</i> NULL , <b>Education_Level</b> <i>Varchar(50)</i> NULL , <b>Email</b> <i>Varchar(100)</i> NULL , <b>First_Name</b> <i>Varchar(50)</i> NULL , <b>Gender</b> <i>Char(1)</i> NULL , <b>HS_Grad_Year</b> <i>Char(4)</i> NULL , <b>HS_Name</b> <i>Varchar(50)</i> NULL , <b>Last_Name</b> <i>Varchar(50)</i> NULL , <b>Middle_Name</b> <i>Char(15)</i> NULL , <b>Phone</b> <i>Varchar(50)</i> NULL , <b>Program</b> <i>Varchar(100)</i> NULL , <b>Source</b> <i>Varchar(50)</i> NULL , <b>State</b> <i>Varchar(50)</i> NULL , <b>Unique_ID</b> <i>Varchar(50)</i> NULL , <b>Zip</b> <i>Varchar(50)</i> NULL , <b>created_at</b> <i>Date</i> NOT NULL , <b>(DF_OCU_Lead_created_at - (getdate()))</b> , <b>div_cod</b> <i>Char(2)</i> NULL , <b>lead_rid</b> <i>Int</i> NOT NULL , <b>lead_status</b> <i>Char(1)</i> NULL , <b>sonis_id</b> <i>Char(9)</i> NULL
<b>OCU_LIBRARY_CARD</b>	<b>Primary Key:</b>	<i>PK_OCU_Library_Card (library_barcode)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Library_Card_name</i>
	<b>Indexes:</b>	<i>PK_OCU_Library_Card , _WA_Sys_00000002_15B1B7D9</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>library_barcode</b> <i>Char(14)</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>OCU_MAPPING</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping (mapping_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_division</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping , _WA_Sys_00000002_14FD8AC2 , _WA_Sys_00000004_14FD8AC2 , _WA_Sys_00000014_14FD8AC2</i>
	<b>Columns:</b>	<b>column1</b> <i>Varchar(50)</i> NULL , <b>column2</b> <i>Varchar(50)</i> NULL , <b>column3</b> <i>Varchar(50)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NULL , <b>div_cod</b> <i>Char(2)</i> NULL , <b>mapping_name</b> <i>Varchar(50)</i> NOT NULL , <b>mapping_query</b> <i>Varchar(-1)</i> NOT NULL , <b>mapping_rid</b> <i>Int</i> NOT NULL , <b>mapping_type</b> <i>Varchar(50)</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>rid_column</b> <i>Varchar(50)</i> NOT NULL , <b>table_name</b> <i>Varchar(50)</i> NOT NULL , <b>template1</b> <i>Varchar(50)</i> NULL , <b>template2</b> <i>Varchar(50)</i> NULL , <b>template3</b> <i>Varchar(50)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>value1</b> <i>Varchar(50)</i> NULL , <b>value2</b> <i>Varchar(50)</i> NULL , <b>value3</b> <i>Varchar(50)</i> NULL
<b>OCU_MAPPING_CAMPUS</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_Campus (mapping_campus_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_Campus_campus</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_Campus , _WA_Sys_00000002_106DDFCF , _WA_Sys_00000003_106DDFCF , _WA_Sys_00000004_106DDFCF , _WA_Sys_00000007_106DDFCF</i>
	<b>Columns:</b>	<b>Campus</b> <i>Varchar(50)</i> NOT NULL , <b>Source</b> <i>Varchar(50)</i> NOT NULL , <b>camp_cod</b> <i>Char(10)</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>mapping_campus_rid</b> <i>Int</i> NOT NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>OCU_MAPPING_CAMPUS_CATEGORY</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_Campus_Category (mapping_campus_category_rid)</i>

	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_Campus_Category_campus , FK_OCU_Mapping_Campus_Category_category</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_Campus_Category , _WA_Sys_00000002_6D24A392 , _WA_Sys_00000003_6D24A392 , _WA_Sys_00000006_6D24A392</i>
	<b>Columns:</b>	<b>camp_cod</b> Char(10) NOT NULL , <b>categr_cod</b> Char(15) NOT NULL , <b>date_maint</b> Date NULL , <b>mapping_campus_category_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>OCU_MAPPING_CAMPUS_COHORT</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_Campus_Cohort (mapping_campus_cohort_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_Campus_Cohort_campus , FK_OCU_Mapping_Campus_Cohort_cohort</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_Campus_Cohort , _WA_Sys_00000002_17D9F76D , _WA_Sys_00000003_17D9F76D</i>
	<b>Columns:</b>	<b>camp_cod</b> Char(10) NOT NULL , <b>cohort_cod</b> Char(10) NOT NULL , <b>date_maint</b> Date NULL , <b>mapping_campus_cohort_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>OCU_MAPPING_CAMPUS_LAST_INITIAL_RECRUITER</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_Campus_Last_Initial_Recruiter (mapping_campus_last_initial_recruiter_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_Campus_Last_Initial_Recruiter_agency , FK_OCU_Mapping_Campus_Last_Initial_Recruiter_campus</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_Campus_Last_Initial_Recruiter , _WA_Sys_00000002_1E71E663 , _WA_Sys_00000003_1E71E663 , _WA_Sys_00000004_1E71E663</i>
	<b>Columns:</b>	<b>agency_cod</b> Char(10) NOT NULL , <b>camp_cod</b> Char(10) NOT NULL , <b>date_maint</b> Date NULL , <b>last_initial</b> Char(1) NOT NULL , <b>mapping_campus_last_initial_recruiter_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>OCU_MAPPING_CAMPUS_PROGRAM_CATEGORY</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_Campus_Program_Category (mapping_campus_program_category_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_Campus_Program_Category_campus , FK_OCU_Mapping_Campus_Program_Category_category , FK_OCU_Mapping_Campus_Program_Category_program</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_Campus_Program_Category , _WA_Sys_00000002_206F3D6E , _WA_Sys_00000003_206F3D6E , _WA_Sys_00000004_206F3D6E</i>
	<b>Columns:</b>	<b>camp_cod</b> Char(10) NOT NULL , <b>categr_cod</b> Char(15) NOT NULL , <b>date_maint</b> Date NULL , <b>mapping_campus_program_category_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>prg_cod</b> Char(10) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>OCU_MAPPING_CAMPUS_PROGRAM_RECRUITER</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_Campus_Program_Recruiter (mapping_campus_program_recruiter_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_Campus_Program_Recruiter_agency , FK_OCU_Mapping_Campus_Program_Recruiter_campus , FK_OCU_Mapping_Campus_Program_Recruiter_program</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_Campus_Program_Recruiter , _WA_Sys_00000002_1804DFF6 , _WA_Sys_00000003_1804DFF6 , _WA_Sys_00000004_1804DFF6</i>
	<b>Columns:</b>	<b>agency_cod</b> Char(10) NOT NULL , <b>camp_cod</b> Char(10) NOT NULL , <b>date_maint</b> Date NULL , <b>mapping_campus_program_recruiter_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>prg_cod</b> Char(10) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>OCU_MAPPING_CAMPUS_RECRUITER</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_Campus_Recruiter (mapping_campus_recruiter_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_Campus_Recruiter_agency , FK_OCU_Mapping_Campus_Recruiter_campus</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_Campus_Recruiter , _WA_Sys_00000002_70F53476 , _WA_Sys_00000003_70F53476</i>
	<b>Columns:</b>	<b>agency_cod</b> Char(10) NOT NULL , <b>camp_cod</b> Char(10) NOT NULL , <b>date_maint</b> Date NULL , <b>mapping_campus_recruiter_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>OCU_MAPPING_CAMPUS_ZIP_RECRUITER</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_Campus_Zip_Recruiter (mapping_campus_zip_recruiter_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_Campus_Zip_Recruiter_agency , FK_OCU_Mapping_Campus_Zip_Recruiter_campus</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_Campus_Zip_Recruiter , _WA_Sys_00000002_334D07B8 , _WA_Sys_00000004_334D07B8</i>

	<b>Columns:</b>	<b>agency_cod</b> Char(10) NOT NULL , <b>camp_cod</b> Char(10) NOT NULL , <b>date_maint</b> Date NULL , <b>mapping_campus_zip_recruiter_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL , <b>zip</b> Char(10) NOT NULL
<b>OCU_MAPPING_CREDITS_COHORT</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_Credits_Cohort (mapping_credits_cohort_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_Credits_Cohort_PS_credits , FK_OCU_Mapping_Credits_Cohort_cohort</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_Credits_Cohort , _WA_Sys_00000002_583473A4 , _WA_Sys_00000003_583473A4</i>
	<b>Columns:</b>	<b>PS_Credits</b> Char(20) NOT NULL , <b>cohort_cod</b> Char(10) NOT NULL , <b>date_maint</b> Date NULL , <b>mapping_credits_cohort_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>OCU_MAPPING_CREDITS_RECRUITER</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_Credits_Recruiter (mapping_credits_recruiter_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_Credits_Recruiter_PS_Credits , FK_OCU_Mapping_Credits_Recruiter_agency</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_Credits_Recruiter , _WA_Sys_00000002_74C5C55A , _WA_Sys_00000003_74C5C55A</i>
	<b>Columns:</b>	<b>PS_Credits</b> Char(20) NOT NULL , <b>agency_cod</b> Char(10) NOT NULL , <b>date_maint</b> Date NULL , <b>mapping_credits_recruiter_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>OCU_MAPPING_EDUCATION_LEVEL_CREDITS</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_Education_Level_Credits (mapping_education_level_credits_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_Education_Level_Credits_PS_credits</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_Education_Level_Credits , _WA_Sys_00000002_2533F28B</i>
	<b>Columns:</b>	<b>Education_Level</b> Varchar(50) NOT NULL , <b>PS_Credits</b> Char(20) NOT NULL , <b>date_maint</b> Date NULL , <b>mapping_education_level_credits_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>OCU_MAPPING_HIGH_SCHOOL_RECRUITER</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_High_School_Recruiter (mapping_high_school_recruiter_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_High_School_Recruiter_agency</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_High_School_Recruiter , _WA_Sys_00000002_28105F36 , _WA_Sys_00000003_28105F36</i>
	<b>Columns:</b>	<b>agency_cod</b> Char(10) NOT NULL , <b>date_maint</b> Date NULL , <b>high_school_code</b> Char(7) NOT NULL , <b>mapping_high_school_recruiter_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>OCU_MAPPING_HS_GRAD_YEAR_CATEGORY</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_HS_Grad_Year_Category (mapping_hs_grad_year_category_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_HS_Grad_Year_Category_category</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_HS_Grad_Year_Category , _WA_Sys_00000002_2AECCBE1 , _WA_Sys_00000003_2AECCBE1</i>
	<b>Columns:</b>	<b>categr_cod</b> Char(15) NOT NULL , <b>date_maint</b> Date NULL , <b>hs_grad_year</b> Char(4) NOT NULL , <b>mapping_hs_grad_year_category_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>OCU_MAPPING_HS_GRAD_YEAR_TERM_INT</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_HS_Grad_Year_Term_Int (mapping_hs_grad_year_term_int_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_HS_Grad_Year_Term_Int_trmint</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_HS_Grad_Year_Term_Int , _WA_Sys_00000002_2DC9388C</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>hs_grad_year</b> Char(4) NOT NULL , <b>mapping_hs_grad_year_term_int_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>term_int</b> Char(20) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>OCU_MAPPING_PROGRAM</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_Program (mapping_program_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_Program_program</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_Program , _WA_Sys_00000002_0AB50679 , _WA_Sys_00000003_0AB50679 , _WA_Sys_00000004_0AB50679 , _WA_Sys_00000007_0AB50679</i>
	<b>Columns:</b>	<b>Program</b> Varchar(100) NULL , <b>Source</b> Varchar(50) NOT NULL , <b>date_maint</b> Date NULL , <b>mapping_program_rid</b> Int NOT NULL , <b>operator</b> Char(8) NULL , <b>prg_cod</b> Char(10) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>OCU_MAPPING_PROGRAM_COHORT</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_Program_Cohort (mapping_program_cohort_rid)</i>

	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_Program_Cohort_cohort, FK_OCU_Mapping_Program_Cohort_program</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_Program_Cohort , _WA_Sys_00000002_30A5A537 , _WA_Sys_00000003_30A5A537</i>
	<b>Columns:</b>	<i>cohort_cod Char(10) NOT NULL , date_maint Date NULL , mapping_program_cohort_rid Int NOT NULL , operator Char(8) NULL , prg_cod Char(10) NOT NULL , time_maint Char(8) NULL</i>
<b>OCU_MAPPING_PROGRAM_RECRUITER</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_Program_Recruiter (mapping_program_recruiter_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_Program_Recruiter_agency, FK_OCU_Mapping_Program_Recruiter_program</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_Program_Recruiter , _WA_Sys_00000002_3476361B , _WA_Sys_00000003_3476361B</i>
	<b>Columns:</b>	<i>agency_cod Char(10) NOT NULL , date_maint Date NULL , mapping_program_recruiter_rid Int NOT NULL , operator Char(8) NULL , prg_cod Char(10) NOT NULL , time_maint Char(8) NULL</i>
<b>OCU_MAPPING_SOURCE</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_Source (mapping_source_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_Source_inqtype</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_Source , _WA_Sys_00000002_07D899CE , _WA_Sys_00000003_07D899CE , _WA_Sys_00000006_07D899CE</i>
	<b>Columns:</b>	<i>Source Varchar(50) NOT NULL , date_maint Date NULL , inqtypecod Char(2) NOT NULL , mapping_source_rid Int NOT NULL , operator Char(8) NULL , time_maint Char(8) NULL</i>
<b>OCU_MAPPING_STATE_RECRUITER</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_State_Recruiter (mapping_state_recruiter_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_State_Recruiter_agency, FK_OCU_Mapping_State_Recruiter_state</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_State_Recruiter , _WA_Sys_00000002_3846C6FF , _WA_Sys_00000003_3846C6FF</i>
	<b>Columns:</b>	<i>agency_cod Char(10) NOT NULL , date_maint Date NULL , mapping_state_recruiter_rid Int NOT NULL , operator Char(8) NULL , state Char(2) NOT NULL , time_maint Char(8) NULL</i>
<b>OCU_MAPPING_ZIP_COUNTY</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_Zip_County (mapping_zip_county_rid)</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_Zip_County , _WA_Sys_00000002_3C1757E3 , _WA_Sys_00000003_3C1757E3</i>
	<b>Columns:</b>	<i>county Varchar(50) NOT NULL , date_maint Date NULL , mapping_zip_county_rid Int NOT NULL , operator Char(8) NULL , time_maint Char(8) NULL , zip Char(10) NOT NULL</i>
<b>OCU_MAPPING_ZIP_RECRUITER</b>	<b>Primary Key:</b>	<i>PK_OCU_Mapping_Zip_Recruiter (mapping_zip_recruiter_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Mapping_Zip_Recruiter_agency</i>
	<b>Indexes:</b>	<i>PK_OCU_Mapping_Zip_Recruiter , _WA_Sys_00000002_7C66E722 , _WA_Sys_00000003_7C66E722</i>
	<b>Columns:</b>	<i>agency_cod Char(10) NOT NULL , date_maint Date NULL , mapping_zip_recruiter_rid Int NOT NULL , operator Char(8) NULL , time_maint Char(8) NULL , zip Char(10) NOT NULL</i>
<b>OCU_NEWUSER</b>	<b>Primary Key:</b>	<i>PK_OCU_Newuser (newuser_rid)</i>
	<b>Indexes:</b>	<i>PK_OCU_Newuser , _WA_Sys_00000002_05F0515C , _WA_Sys_00000003_05F0515C , _WA_Sys_00000004_05F0515C</i>
	<b>Columns:</b>	<i>ldap_id Varchar(25) NOT NULL , newuser_rid Int NOT NULL , six_digit Char(6) NOT NULL , sonis_id Char(9) NOT NULL</i>
<b>OCU_NOTIFY_ATTENDANCE_COURSE</b>	<b>Foreign Keys:</b>	<i>FK_OCU_Notify_Attendance_Course_course</i>
	<b>Indexes:</b>	<i>_WA_Sys_00000001_1CC99513</i>
	<b>Columns:</b>	<i>crs_id Char(16) NOT NULL</i>
<b>OCU_NOTIFY_TCW</b>	<b>Primary Key:</b>	<i>PK_OCU_Notify_TCW (notify_tcw_rid)</i>
	<b>Indexes:</b>	<i>PK_OCU_Notify_TCW , _WA_Sys_00000002_1528734B , _WA_Sys_00000008_1528734B , _WA_Sys_00000009_1528734B , _WA_Sys_0000000B_1528734B , _WA_Sys_0000000C_1528734B</i>
	<b>Columns:</b>	<i>camp_cod Char(10) NULL , crs_id Char(16) NULL , datetime_maint Date NOT NULL , end_dt Date NULL , lead_fac Char(9) NULL , notify_done Bit NOT NULL (DF_OCU_Notify_TCW_notify_done - ((0))), notify_tcw_rid Int NOT NULL , notify_type Char(1) NOT NULL , sch_yr Char(6) NULL , section Char(6) NULL , semester Char(2) NULL , sid Char(16) NULL , start_dt Date NULL</i>



<b>OCU_POWERFAIDS</b>	<b>Primary Key:</b>	<i>PK_OCU_PowerFAIDs (rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_PowerFAIDs_name</i>
	<b>Indexes:</b>	<i>PK_OCU_PowerFAIDs , _WA_Sys_00000002_6108E570 , _WA_Sys_00000003_6108E570 , _WA_Sys_00000008_6108E570 , _WA_Sys_00000009_6108E570</i>
	<b>Columns:</b>	<i>date_maint Date NULL , fall_poe Char(10) NULL , fall_yis Char(1) NULL , operator Char(8) NULL , rid Int NOT NULL , sch_yr Char(6) NULL , soc_sec Char(9) NOT NULL , spring_poe Char(10) NULL , spring_yis Char(1) NULL , time_maint Char(8) NULL</i>
<b>OCU_POWERFAIDS_EXPORT</b>	<b>Primary Key:</b>	<i>PK_OCU_PowerFAIDs_Export (rid)</i>
	<b>Indexes:</b>	<i>PK_OCU_PowerFAIDs_Export , _WA_Sys_00000002_2B6BEECE , _WA_Sys_00000003_2B6BEECE , _WA_Sys_00000005_2B6BEECE , _WA_Sys_00000006_2B6BEECE , _WA_Sys_0000001D_2B6BEECE , _WA_Sys_00000022_2B6BEECE , _WA_Sys_00000023_2B6BEECE , _WA_Sys_00000024_2B6BEECE , _WA_Sys_00000025_2B6BEECE , _WA_Sys_00000026_2B6BEECE</i>
	<b>Columns:</b>	<i>accum_credits Float NULL , email_address Char(50) NULL , email_address_2 Varchar(50) NULL , fall_aa_credits Int NULL , fall_ba_credits Int NULL , fall_bsn_credits Int NULL , fall_grad_credits Int NULL , fall_mbamm_credits Int NULL , fall_poe Char(10) NULL , fall_total_credits Int NULL , fall_trad_credits Int NULL , fall_yis Char(1) NULL , first_name Char(30) NULL , gpa Float NULL , last_name Varchar(60) NULL , middle_init Char(15) NULL , primary_city Char(35) NULL , primary_country Char(25) NULL , primary_state Char(2) NULL , primary_street1 Char(35) NULL , primary_street2 Char(35) NULL , primary_telephone Char(15) NULL , primary_zip Char(10) NULL , rid Int NOT NULL , sch_yr Char(6) NOT NULL , soc_sec Char(9) NOT NULL , spring_aa_credits Int NULL , spring_ba_credits Int NULL , spring_bsn_credits Int NULL , spring_grad_credits Int NULL , spring_mbamm_credits Int NULL , spring_poe Char(10) NULL , spring_total_credits Int NULL , spring_trad_credits Int NULL , spring_yis Char(1) NULL , ssn Char(9) NULL , student_type_fa Char(20) NULL , student_type_sp Char(20) NULL</i>
<b>OCU_POWERFAIDS_SETTINGS</b>		
<b>OCU_RECEIPT</b>	<b>Primary Key:</b>	<i>PK_ocu_receipt (id)</i>
	<b>Indexes:</b>	<i>PK_ocu_receipt , _WA_Sys_00000002_20AE6939 , _WA_Sys_00000003_20AE6939 , _WA_Sys_00000004_20AE6939</i>
	<b>Columns:</b>	<i>id Int NOT NULL , letter Memo NULL , letter_date Varchar(50) NULL , printed_name Memo NULL , signature_file Varchar(100) NULL</i>
<b>OCU_RECRUITER</b>	<b>Primary Key:</b>	<i>PK_OCU_Recruiter (recruiter_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_Recruiter_agency , FK_OCU_Recruiter_name</i>
	<b>Indexes:</b>	<i>PK_OCU_Recruiter , _WA_Sys_00000002_3871AF88 , _WA_Sys_00000003_3871AF88</i>
	<b>Columns:</b>	<i>agency_cod Char(10) NOT NULL , date_maint Date NULL , operator Char(8) NULL , recruiter_rid Int NOT NULL , soc_sec Char(9) NOT NULL , time_maint Char(8) NULL</i>
<b>OCU_RECRUITER_MODSTAT</b>		
	<b>Foreign Keys:</b>	<i>FK_OCU_Recruiter_Modstat_name</i>
	<b>Indexes:</b>	<i>_WA_Sys_00000001_3C42406C , _WA_Sys_00000002_3C42406C</i>
	<b>Columns:</b>	<i>mod_stat Char(2) NOT NULL , soc_sec Char(9) NOT NULL</i>
<b>OCU_REGFORM_TEMPLATE</b>	<b>Primary Key:</b>	<i>PK_OCU_RegForm_Template (regform_template_rid)</i>
	<b>Indexes:</b>	<i>PK_OCU_RegForm_Template</i>
	<b>Columns:</b>	<i>concentration Varchar(60) NOT NULL , date_maint Date NULL , degree Varchar(60) NOT NULL , fafsa1_schy Char(10) NULL , fafsa2_schy Char(10) NULL , fafsa3_schy Char(10) NULL , online Bit NULL , operator Char(8) NULL , prg_cod Char(10) NOT NULL , regform_template_rid Int NOT NULL , sch_yr Char(6) NOT NULL , semester Char(2) NOT NULL , semester1 Varchar(-1) NULL , semester2 Varchar(-1) NULL , semester3 Varchar(-1) NULL , semester4 Varchar(-1) NULL , semester5 Varchar(-1) NULL , time_maint Char(8) NULL</i>
<b>OCU_RPT_BIRTHDAYLIST</b>	<b>Primary Key:</b>	<i>PK_OCU_Rpt_BirthdayList (rid)</i>
	<b>Indexes:</b>	<i>PK_OCU_Rpt_BirthdayList , _WA_Sys_00000002_5C443053 , _WA_Sys_00000004_5C443053</i>

	<b>Columns:</b>	<b>notes</b> Memo NULL , <b>rid</b> Int NOT NULL , <b>soc_sec</b> Char(9) NULL , <b>token</b> Char(16) NULL
<b>OCU_RPT_FA_ENROLL_STUD</b>	<b>Primary Key:</b>	<b>PK_OCU_Rpt_FA_Enroll_Stud</b> (rpt_fa_enroll_stud_rid)
	<b>Foreign Keys:</b>	<b>FK_OCU_Rpt_FA_Enroll_Stud_name</b>
	<b>Indexes:</b>	<b>PK_OCU_Rpt_FA_Enroll_Stud</b> , <b>_WA_Sys_00000002_1651A1AE</b> , <b>_WA_Sys_00000003_1651A1AE</b> , <b>_WA_Sys_00000004_1651A1AE</b> , <b>_WA_Sys_00000005_1651A1AE</b> , <b>_WA_Sys_00000006_1651A1AE</b> , <b>_WA_Sys_00000007_1651A1AE</b> , <b>_WA_Sys_00000008_1651A1AE</b> , <b>_WA_Sys_00000009_1651A1AE</b> , <b>_WA_Sys_0000000A_1651A1AE</b> , <b>_WA_Sys_0000000B_1651A1AE</b> , <b>_WA_Sys_0000000C_1651A1AE</b> , <b>_WA_Sys_0000000D_1651A1AE</b> , <b>_WA_Sys_0000000E_1651A1AE</b> , <b>_WA_Sys_0000000F_1651A1AE</b> , <b>_WA_Sys_00000010_1651A1AE</b> , <b>_WA_Sys_00000011_1651A1AE</b> , <b>_WA_Sys_00000012_1651A1AE</b>
	<b>Columns:</b>	<b>FAFSA_CHK</b> Char(3) NULL , <b>FAFSA_CHK_NOTES</b> Varchar(-1) NULL , <b>FALL_CREDITS</b> Int NULL , <b>FALL_END_DT</b> Varchar(10) NULL , <b>FALL_OFFERED</b> Money NULL , <b>FALL_RECEIVED</b> Money NULL , <b>FALL_START_DT</b> Varchar(10) NULL , <b>FA_CHK</b> Char(3) NULL , <b>FA_CHK_NOTES</b> Varchar(-1) NULL , <b>SPRING_CREDITS</b> Int NULL , <b>SPRING_END_DT</b> Varchar(10) NULL , <b>SPRING_OFFERED</b> Money NULL , <b>SPRING_RECEIVED</b> Money NULL , <b>SPRING_START_DT</b> Varchar(10) NULL , <b>TUITION_DEFERMENT</b> Char(3) NULL , <b>rpt_fa_enroll_stud_rid</b> Int NOT NULL , <b>sch_yr</b> Char(6) NOT NULL , <b>soc_sec</b> Char(9) NOT NULL
<b>OCU_STAFF</b>	<b>Primary Key:</b>	<b>PK_OCU_Staff</b> (staff_rid)
	<b>Foreign Keys:</b>	<b>FK_OCU_Staff_OCU_Staff_Departments</b> , <b>FK_OCU_Staff_name</b>
	<b>Indexes:</b>	<b>PK_OCU_Staff</b> , <b>_WA_Sys_00000002_4E8020E1</b> , <b>_WA_Sys_00000003_4E8020E1</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>dept_rid</b> Int NULL , <b>operator</b> Char(8) NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>staff_rid</b> Int NOT NULL , <b>time_maint</b> Char(8) NULL
<b>OCU_STAFF_DEPARTMENTS</b>	<b>Primary Key:</b>	<b>PK_OCU_Staff_Departments</b> (dept_rid)
	<b>Indexes:</b>	<b>PK_OCU_Staff_Departments</b> , <b>_WA_Sys_00000002_48C7478B</b> , <b>_WA_Sys_00000003_48C7478B</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>dept_name</b> Varchar(50) NULL , <b>dept_rid</b> Int NOT NULL , <b>disabled</b> Bit NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>OCU_STUDENT_FORMS</b>		
	<b>Indexes:</b>	<b>_WA_Sys_00000001_29B8B086</b> , <b>_WA_Sys_00000002_29B8B086</b> , <b>_WA_Sys_00000003_29B8B086</b> , <b>_WA_Sys_00000004_29B8B086</b> , <b>_WA_Sys_00000005_29B8B086</b> , <b>_WA_Sys_00000006_29B8B086</b> , <b>_WA_Sys_00000007_29B8B086</b>
	<b>Columns:</b>	<b>disabled</b> Bit NOT NULL (DF OCU Student Forms disabled - ((0))) , <b>form_desc</b> Memo NULL , <b>form_id</b> Int NOT NULL , <b>form_name</b> Varchar(50) NULL , <b>form_type</b> Char(10) NULL , <b>form_url</b> Varchar(50) NULL , <b>level</b> Char(1) NULL
<b>OCU_STUDENT_RELIGION</b>	<b>Primary Key:</b>	<b>PK_ocu_student_religion_soc_sec</b> (soc_sec)
	<b>Foreign Keys:</b>	<b>FK_ocu_student_religion_name</b>
	<b>Indexes:</b>	<b>PK_ocu_student_religion_soc_sec</b> , <b>_WA_Sys_church_id_3440609A</b> , <b>_WA_Sys_member_3440609A</b>
	<b>Columns:</b>	<b>church_id</b> Int NOT NULL , <b>date_maint</b> Date NULL , <b>member</b> Bit NULL (DF_ocu_stude_membe_353484D3 - (0)) , <b>operator</b> Char(8) NULL , <b>pastor</b> Varchar(50) NULL , <b>religion_memo</b> Varchar(2000) NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>OCU_SYSTEM_ID</b>	<b>Primary Key:</b>	<b>PK_OCU_System_ID</b> (system_id_rid)
	<b>Foreign Keys:</b>	<b>FK_OCU_System_ID_name</b>
	<b>Indexes:</b>	<b>PK_OCU_System_ID</b> , <b>_WA_Sys_00000002_016B9361</b>
	<b>Columns:</b>	<b>soc_sec</b> Char(9) NOT NULL , <b>system_id_rid</b> Int NOT NULL
<b>OCU_TEMP_STUDACC</b>		
	<b>Indexes:</b>	<b>_WA_Sys_00000001_3C8C592F</b>
	<b>Columns:</b>	<b>user_name</b> Varchar(50) NULL
<b>OCU_USBANK_BATCH</b>	<b>Primary Key:</b>	<b>PK_OCU_USBank_Batch</b> (batch_id)
	<b>Indexes:</b>	<b>PK_OCU_USBank_Batch</b> , <b>_WA_Sys_00000003_26722F87</b>

	<b>Columns:</b>	<b>batch_id</b> <i>Int</i> NOT NULL , <b>batch_status</b> <i>Char(1)</i> NOT NULL , <b>current_batch</b> <i>Bit</i> NOT NULL (DF <i>OCU_USBank_Batch_current_batch - ((0))</i> ) , <b>receive_date</b> <i>Date</i> NULL , <b>send_date</b> <i>Date</i> NULL
<b>OCU_USBANK_ERRORLOG</b>	<b>Primary Key:</b>	<i>PK_OCU_USBank_ErrorLog (rid)</i>
	<b>Indexes:</b>	<i>PK_OCU_USBank_ErrorLog</i>
	<b>Columns:</b>	<b>error_date</b> <i>Date</i> NULL , <b>error_log</b> <i>Varchar(255)</i> NULL , <b>refund_id</b> <i>Int</i> NULL , <b>rid</b> <i>Int</i> NOT NULL , <b>task</b> <i>Varchar(50)</i> NULL , <b>user_id</b> <i>Char(16)</i> NULL
<b>OCU_USBANK_REFUND</b>	<b>Primary Key:</b>	<i>PK_OCU_USBank_Refund (refund_id)</i>
	<b>Foreign Keys:</b>	<i>FK_OCU_USBank_Refund_OCU_USBank_Batch , FK_OCU_USBank_Refund_OCU_USBank_User1</i>
	<b>Indexes:</b>	<i>PK_OCU_USBank_Refund , _WA_Sys_00000002_31E3E233 , _WA_Sys_00000006_31E3E233 , _WA_Sys_00000007_31E3E233 , _WA_Sys_00000009_31E3E233</i>
	<b>Columns:</b>	<b>batch_id</b> <i>Int</i> NOT NULL , <b>refund_amount</b> <i>Int</i> NULL , <b>refund_date</b> <i>Date</i> NULL , <b>refund_description</b> <i>Varchar(200)</i> NULL , <b>refund_id</b> <i>Int</i> NOT NULL , <b>refund_reason</b> <i>Varchar(32)</i> NULL , <b>refund_status</b> <i>Char(1)</i> NULL , <b>sch_yr</b> <i>Char(6)</i> NULL , <b>semester</b> <i>Char(2)</i> NULL , <b>user_id</b> <i>Char(16)</i> NOT NULL
<b>OCU_USBANK_USER</b>	<b>Primary Key:</b>	<i>PK_OCU_USBank_User (user_id)</i>
	<b>Indexes:</b>	<i>PK_OCU_USBank_User , _WA_Sys_00000002_2D1F2D16</i>
	<b>Columns:</b>	<b>contact_address1</b> <i>Varchar(35)</i> NULL , <b>contact_address2</b> <i>Varchar(35)</i> NULL , <b>contact_city</b> <i>Varchar(25)</i> NULL , <b>contact_state</b> <i>Char(5)</i> NULL , <b>contact_zip_code4</b> <i>Char(4)</i> NULL , <b>contact_zip_postal_code</b> <i>Char(11)</i> NULL , <b>country</b> <i>Char(2)</i> NULL , <b>date_of_birth</b> <i>Char(10)</i> NULL , <b>email_address</b> <i>Varchar(50)</i> NULL , <b>first_name</b> <i>Varchar(30)</i> NULL , <b>last_name</b> <i>Varchar(30)</i> NULL , <b>password</b> <i>Char(12)</i> NULL , <b>phone_number</b> <i>Char(15)</i> NULL , <b>recipient_id</b> <i>Char(9)</i> NULL , <b>social_security_number</b> <i>Char(11)</i> NULL , <b>unique_identifier</b> <i>Char(14)</i> NULL , <b>user_id</b> <i>Char(16)</i> NOT NULL , <b>user_status</b> <i>Char(1)</i> NULL
<b>OCU_WEBFORM_CAGS_PS</b>	<b>Primary Key:</b>	<i>PK_OCU_Webform_CAGS_PS (rid)</i>
	<b>Indexes:</b>	<i>PK_OCU_Webform_CAGS_PS</i>
	<b>Columns:</b>	<b>address</b> <i>Varchar(35)</i> NULL , <b>birthdate</b> <i>Date</i> NULL , <b>campus</b> <i>Varchar(40)</i> NULL , <b>cell_phone</b> <i>Char(15)</i> NULL , <b>city</b> <i>Varchar(35)</i> NULL , <b>country</b> <i>Varchar(25)</i> NULL , <b>created_at</b> <i>Date</i> NULL (DF <i>OCU_Webform_CAGS_PS_created_at - (getdate())</i> ) , <b>credit_hours</b> <i>Char(11)</i> NULL , <b>email</b> <i>Varchar(50)</i> NULL , <b>first_name</b> <i>Varchar(30)</i> NULL , <b>last_name</b> <i>Varchar(60)</i> NULL , <b>other_name</b> <i>Varchar(30)</i> NULL , <b>phone</b> <i>Char(15)</i> NULL , <b>program</b> <i>Varchar(40)</i> NULL , <b>recruiter</b> <i>Varchar(60)</i> NULL , <b>referby</b> <i>Varchar(30)</i> NULL , <b>reference_name</b> <i>Varchar(30)</i> NULL , <b>rid</b> <i>Int</i> NOT NULL , <b>sonis_id</b> <i>Char(9)</i> NULL , <b>ssn</b> <i>Char(11)</i> NULL , <b>state</b> <i>Char(2)</i> NULL , <b>zip</b> <i>Char(10)</i> NULL
<b>PAGENOTE</b>	<b>Primary Key:</b>	<i>PK_pagenote (pagenote_cod)</i>
	<b>Indexes:</b>	<i>PK_pagenote</i>
	<b>Columns:</b>	<b>OA_Page_txt</b> <i>Char(30)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>page_mem</b> <i>Memo</i> NULL , <b>pagenote_ce1</b> <i>Char(10)</i> NULL , <b>pagenote_ce2</b> <i>Char(10)</i> NULL , <b>pagenote_ce3</b> <i>Char(20)</i> NULL , <b>pagenote_cod</b> <i>Char(8)</i> NOT NULL , <b>pagenote_de1</b> <i>Date</i> NULL , <b>pagenote_fe1</b> <i>Float</i> NULL , <b>pagenote_le1</b> <i>Bit</i> NULL , <b>pagenote_memo</b> <i>Memo</i> NULL , <b>pagenote_ne1</b> <i>Int</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>PAGE_INSTRUCT_CUS</b>	<b>Primary Key:</b>	<i>PK_page_instruct_cus_cod (page_instruct_cus_cod)</i>
	<b>Indexes:</b>	<i>PK_page_instruct_cus_cod</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>page_instruct_cus_ce1</b> <i>Char(11)</i> NULL , <b>page_instruct_cus_ce2</b> <i>Char(10)</i> NULL , <b>page_instruct_cus_ce3</b> <i>Char(20)</i> NULL , <b>page_instruct_cus_cod</b> <i>Varchar(75)</i> NOT NULL , <b>page_instruct_cus_de1</b> <i>Date</i> NULL , <b>page_instruct_cus_desc</b> <i>Memo</i> NULL , <b>page_instruct_cus_fe1</b> <i>Float</i> NULL , <b>page_instruct_cus_le1</b> <i>Bit</i> NULL , <b>page_instruct_cus_loc</b> <i>Memo</i> NULL , <b>page_instruct_cus_ne1</b> <i>Int</i> NULL , <b>page_instruct_cus_txt</b> <i>Varchar(1000)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>PAGE_INSTRUCT_RJM</b>	<b>Primary Key:</b>	<i>PK_page_instruct_rjm_cod (page_instruct_rjm_cod)</i>
	<b>Indexes:</b>	<i>PK_page_instruct_rjm_cod</i>

	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>operator</b> Char(8) NULL, <b>page_instruct_rjm_ce1</b> Char(11) NULL, <b>page_instruct_rjm_ce2</b> Char(10) NULL, <b>page_instruct_rjm_ce3</b> Char(20) NULL, <b>page_instruct_rjm_cod</b> Varchar(75) NOT NULL, <b>page_instruct_rjm_de1</b> Date NULL, <b>page_instruct_rjm_desc</b> Memo NULL, <b>page_instruct_rjm_fe1</b> Float NULL, <b>page_instruct_rjm_le1</b> Bit NULL, <b>page_instruct_rjm_loc</b> Memo NULL, <b>page_instruct_rjm_ne1</b> Int NULL, <b>page_instruct_rjm_txt</b> Varchar(1500) NOT NULL, <b>time_maint</b> Char(8) NULL
<b>PARK_INC</b>	<b>Primary Key:</b>	<b>PK_park_inc</b> (park_inc_rid)
	<b>Indexes:</b>	<b>PK_park_inc</b> , <b>_WA_Sys_disabled_34FEAF52</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NULL (DF_park_inc_park_inc_disabled - (0)), <b>operator</b> Char(8) NULL, <b>park_inc_ce1</b> Char(10) NULL, <b>park_inc_ce2</b> Char(10) NULL, <b>park_inc_ce3</b> Char(20) NULL, <b>park_inc_de1</b> Date NULL, <b>park_inc_fe1</b> Float NULL, <b>park_inc_le1</b> Bit NULL, <b>park_inc_ne1</b> Int NULL, <b>park_inc_rid</b> Int NOT NULL, <b>park_inc_txt</b> Char(40) NULL, <b>time_maint</b> Char(8) NULL
<b>PAYEE</b>	<b>Primary Key:</b>	<b>PK_payee_rid</b> (payee_rid)
	<b>Foreign Keys:</b>	<b>FK_payee_name</b> , <b>FK_payee_state</b> , <b>FK_payee_tcodes</b>
	<b>Indexes:</b>	<b>PK_payee_rid</b> , <b>_WA_Sys_00000005_243F02FB</b>
	<b>Columns:</b>	<b>add_add2</b> Char(35) NULL, <b>add_addr</b> Char(35) NULL, <b>amt_1</b> Money NOT NULL, <b>batchnum_rc</b> Char(18) NOT NULL, <b>check_no</b> Char(30) NULL, <b>city</b> Char(35) NOT NULL, <b>date</b> Date NULL, <b>date_maint</b> Date NULL, <b>first_name</b> Char(30) NOT NULL, <b>last_name</b> Varchar(60) NOT NULL, <b>memo</b> Memo NULL, <b>mi</b> Char(15) NULL, <b>operator</b> Char(8) NULL, <b>payee_ce1</b> Char(10) NULL, <b>payee_ce2</b> Char(20) NULL, <b>payee_ce3</b> Char(30) NULL, <b>payee_de1</b> Date NULL, <b>payee_fe1</b> Float NULL, <b>payee_le1</b> Bit NULL, <b>payee_ne1</b> Float NULL, <b>payee_rid</b> Int NOT NULL, <b>post_date</b> Date NOT NULL, <b>pstd_2gl</b> Bit NULL, <b>ref_id</b> Char(50) NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>st_addr</b> Char(35) NOT NULL, <b>state</b> Char(2) NOT NULL, <b>tcodes</b> Char(2) NOT NULL, <b>time_maint</b> Char(8) NULL, <b>trans_no</b> Char(16) NOT NULL, <b>zip</b> Char(10) NOT NULL
<b>PAYPAL</b>		
<b>PAYPAL_RETURN</b>	<b>Primary Key:</b>	<b>PK_paypal_return_rid</b> (paypal_return_rid)
	<b>Foreign Keys:</b>	<b>FK_paypal_return_events</b> , <b>FK_paypal_return_funds</b> , <b>FK_paypal_return_name</b>
	<b>Indexes:</b>	<b>PK_paypal_return_rid</b> , <b>_WA_Sys_00000004_2C6A34A8</b> , <b>_WA_Sys_SW_validation_2C6A34A8</b> , <b>_WA_Sys_date_maint_2C6A34A8</b> , <b>_WA_Sys_dev_2C6A34A8</b> , <b>_WA_Sys_ev_rid_2C6A34A8</b> , <b>_WA_Sys_funds_cod_2C6A34A8</b> , <b>_WA_Sys_payment_status_2C6A34A8</b> , <b>_WA_Sys_process_txt_2C6A34A8</b> , <b>_WA_Sys_sch_yr_2C6A34A8</b> , <b>_WA_Sys_semester_2C6A34A8</b> , <b>_WA_Sys_soc_sec_2C6A34A8</b>
	<b>Columns:</b>	<b>CE_Return_Error</b> Varchar(1000) NULL, <b>SW_validation</b> Varchar(100) NULL, <b>amt_1</b> Float NOT NULL, <b>date_maint</b> Date NOT NULL, <b>descript</b> Varchar(35) NULL, <b>descript_charge</b> Varchar(35) NULL, <b>dev</b> Bit NOT NULL (DF_paypal_retu_dev_4BCDD168 - (0)), <b>ev_rid</b> Int NOT NULL, <b>funds_cod</b> Char(3) NULL, <b>operator</b> Char(8) NOT NULL, <b>payment_status</b> Varchar(20) NULL, <b>paypal_return_rid</b> Int NOT NULL, <b>process_txt</b> Varchar(75) NOT NULL, <b>request_memo</b> Memo NULL, <b>sch_yr</b> Char(6) NOT NULL, <b>sec_id</b> Char(16) NULL, <b>semester</b> Char(2) NOT NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>tcodes</b> Char(2) NOT NULL, <b>tcodes_charge</b> Char(2) NULL, <b>time_maint</b> Char(8) NOT NULL
<b>PAYPLAN_CODES</b>	<b>Primary Key:</b>	<b>PK_payplan</b> (payplan_code)
	<b>Indexes:</b>	<b>PK_payplan</b> , <b>_WA_Sys_00000003_57149B8B</b>
	<b>Columns:</b>	<b>FeeRequired</b> Bit NOT NULL (DF_PayPlan_c_FeeRe_781667FA - (0)), <b>date_maint</b> Date NULL, <b>disabled</b> Bit NULL, <b>operator</b> Char(8) NULL, <b>payplan_code</b> Char(5) NOT NULL, <b>payplan_code_ce1</b> Char(10) NULL, <b>payplan_code_ce2</b> Char(10) NULL, <b>payplan_code_ce3</b> Char(10) NULL, <b>payplan_code_de1</b> Date NULL, <b>payplan_code_le1</b> Bit NULL, <b>payplan_code_ne1</b> Int NULL, <b>payplan_txt</b> Char(35) NULL, <b>time_maint</b> Char(8) NULL
<b>PAYPLAN_DETAIL</b>	<b>Primary Key:</b>	<b>PK_payplan_detail_rid</b> (payplan_detail_rid)
	<b>Foreign Keys:</b>	<b>FK_payplan_detail_payplan_codes</b>
	<b>Indexes:</b>	<b>PK_payplan_detail_rid</b>

	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>days_from_StartDt</b> Int NULL, <b>operator</b> Char(8) NULL, <b>payplan_code</b> Char(5) NOT NULL, <b>payplan_detail_ce1</b> Char(10) NULL, <b>payplan_detail_ce2</b> Char(10) NULL, <b>payplan_detail_ce3</b> Char(10) NULL, <b>payplan_detail_de1</b> Date NULL, <b>payplan_detail_le1</b> Bit NULL, <b>payplan_detail_ne1</b> Int NULL, <b>payplan_detail_rid</b> Int NOT NULL, <b>payplan_percent</b> Float NULL, <b>time_maint</b> Char(8) NULL
<b>PAYPLAN_TCODES</b>	<b>Primary Key:</b>	<i>PK_payplan_tcodes_payplan_tcodes_rid</i> (payplan_tcodes_rid)
	<b>Indexes:</b>	<i>PK_payplan_tcodes_payplan_tcodes_rid</i>
	<b>Columns:</b>	<b>PP_FEE_Amt</b> Float NOT NULL (DF_payplan_t_PP_FE_762E1F88 - (0)), <b>PP_FE_Precent</b> Bit NOT NULL (DF_payplan_t_PP_FE_772243C1 - (0)), <b>PP_Fee</b> Bit NOT NULL (DF_payplan_t_PP_Fe_7539FB4F - (0)), <b>date_maint</b> Date NULL, <b>nmpayplan_detail_ce1</b> Char(10) NULL, <b>nmpayplan_detail_ce2</b> Char(10) NULL, <b>nmpayplan_detail_ce3</b> Char(20) NULL, <b>nmpayplan_detail_de1</b> Date NULL, <b>nmpayplan_detail_fe1</b> Float NULL, <b>nmpayplan_detail_le1</b> Bit NULL, <b>nmpayplan_plan_ne1</b> Int NULL, <b>operator</b> Char(8) NULL, <b>payplan_code</b> Char(5) NULL, <b>payplan_tcodes_rid</b> Int NOT NULL, <b>tcodes</b> Char(2) NULL, <b>time_maint</b> Char(8) NULL
<b>PELLFULL</b>		
	<b>Indexes:</b>	<i>WA_Sys_00000006_390F3758</i> , <i>WA_Sys_high_efc_390F3758</i> , <i>WA_Sys_low_efc_390F3758</i> , <i>WA_Sys_pell_rid_390F3758</i> , <i>WA_Sys_pellyr_390F3758</i>
	<b>Columns:</b>	<b>high_coe</b> Float NULL, <b>high_efc</b> Float NULL, <b>low_coe</b> Float NULL, <b>low_efc</b> Float NULL, <b>pell_amt</b> Float NULL, <b>pell_rid</b> Int NOT NULL, <b>pellfull_ce1</b> Char(10) NULL, <b>pellfull_ce2</b> Char(10) NULL, <b>pellfull_ce3</b> Char(20) NULL, <b>pellfull_de1</b> Date NULL, <b>pellfull_fe1</b> Float NULL, <b>pellfull_le1</b> Bit NULL, <b>pellfull_ne1</b> Int NULL, <b>pellyr</b> Char(1) NULL
<b>PELLHALF</b>		
	<b>Indexes:</b>	<i>WA_Sys_00000006_3A035B91</i> , <i>WA_Sys_high_efc_3A035B91</i> , <i>WA_Sys_low_efc_3A035B91</i> , <i>WA_Sys_pellyr_3A035B91</i>
	<b>Columns:</b>	<b>high_coe</b> Float NULL, <b>high_efc</b> Float NULL, <b>low_coe</b> Float NULL, <b>low_efc</b> Float NULL, <b>pell_amt</b> Float NULL, <b>pell_rid</b> Int NOT NULL, <b>pellhalf_ce1</b> Char(10) NULL, <b>pellhalf_ce2</b> Char(10) NULL, <b>pellhalf_ce3</b> Char(20) NULL, <b>pellhalf_de1</b> Date NULL, <b>pellhalf_fe1</b> Float NULL, <b>pellhalf_le1</b> Bit NULL, <b>pellhalf_ne1</b> Int NULL, <b>pellyr</b> Char(1) NULL
<b>PELLLESS</b>		
	<b>Indexes:</b>	<i>WA_Sys_00000006_3BEBA403</i> , <i>WA_Sys_high_efc_3BEBA403</i> , <i>WA_Sys_low_efc_3BEBA403</i> , <i>WA_Sys_pellyr_3BEBA403</i>
	<b>Columns:</b>	<b>high_coe</b> Float NULL, <b>high_efc</b> Float NULL, <b>low_coe</b> Float NULL, <b>low_efc</b> Float NULL, <b>pell_amt</b> Float NULL, <b>pell_rid</b> Int NOT NULL, <b>pellless_ce1</b> Char(10) NULL, <b>pellless_ce2</b> Char(10) NULL, <b>pellless_ce3</b> Char(20) NULL, <b>pellless_de1</b> Date NULL, <b>pellless_fe1</b> Float NULL, <b>pellless_le1</b> Bit NULL, <b>pellless_ne1</b> Int NULL, <b>pellyr</b> Char(1) NULL
<b>PELLTRE</b>		
	<b>Indexes:</b>	<i>WA_Sys_00000006_3AF77FCA</i> , <i>WA_Sys_high_efc_3AF77FCA</i> , <i>WA_Sys_low_efc_3AF77FCA</i> , <i>WA_Sys_pellyr_3AF77FCA</i>
	<b>Columns:</b>	<b>high_coe</b> Float NULL, <b>high_efc</b> Float NULL, <b>low_coe</b> Float NULL, <b>low_efc</b> Float NULL, <b>pell_amt</b> Float NULL, <b>pell_rid</b> Int NOT NULL, <b>pelltre_ce1</b> Char(10) NULL, <b>pelltre_ce2</b> Char(10) NULL, <b>pelltre_ce3</b> Char(20) NULL, <b>pelltre_de1</b> Date NULL, <b>pelltre_fe1</b> Float NULL, <b>pelltre_le1</b> Bit NULL, <b>pelltre_ne1</b> Int NULL, <b>pellyr</b> Char(1) NULL
<b>PFIMPORT</b>		
	<b>Indexes:</b>	<i>WA_Sys_00000001_6F01FF0C</i> , <i>WA_Sys_00000002_6F01FF0C</i> , <i>WA_Sys_00000006_6F01FF0C</i> , <i>WA_Sys_0000000B_6F01FF0C</i> , <i>WA_Sys_0000000D_6F01FF0C</i> , <i>WA_Sys_0000000E_6F01FF0C</i> , <i>WA_Sys_0000000F_6F01FF0C</i> , <i>WA_Sys_00000013_6F01FF0C</i> , <i>WA_Sys_00000014_6F01FF0C</i> , <i>WA_Sys_00000015_6F01FF0C</i> , <i>WA_Sys_00000017_6F01FF0C</i> , <i>WA_Sys_00000018_6F01FF0C</i> , <i>WA_Sys_0000001A_6F01FF0C</i>

	<b>Columns:</b>	<b>PF_id</b> Char(5) NOT NULL , <b>POE_token</b> Char(6) NOT NULL , <b>amount</b> Money NOT NULL , <b>as_of_date</b> Date NOT NULL , <b>awd_id</b> Varchar(50) NULL , <b>camp_cod</b> Char(20) NULL , <b>create_date</b> Date NOT NULL , <b>create_time</b> Char(8) NOT NULL , <b>description</b> Char(20) NULL , <b>disbursement_no</b> Int NULL , <b>div_cod</b> Char(2) NULL , <b>first_name</b> Varchar(50) NOT NULL , <b>imported</b> Bit NULL , <b>last_name</b> Varchar(50) NOT NULL , <b>mi</b> Char(1) NOT NULL , <b>offer_matched</b> Bit NULL (DF_pfimport_offer_00000000 - ((0))), <b>offered</b> Money NULL , <b>pfimport_rid</b> Int NOT NULL , <b>ref_id</b> Varchar(50) NULL , <b>sch_yr</b> Char(6) NOT NULL , <b>semester</b> Char(2) NOT NULL , <b>soc_sec</b> Char(10) NOT NULL , <b>ssn</b> Char(9) NOT NULL , <b>tcodes</b> Char(5) NULL , <b>trans_no</b> Varchar(50) NULL , <b>transact_date</b> Date NOT NULL
<b>PF_CUSTOM_TAGS</b>		
<b>PF_CUSTOM_TAGS_CENSUS</b>	<b>Primary Key:</b>	<i>PK_PF_Custom_Tags_Census (PF_session)</i>
	<b>Indexes:</b>	<i>PK_PF_Custom_Tags_Census</i>
	<b>Columns:</b>	<b>PF_session</b> Char(2) NOT NULL , <b>attend_tag</b> Char(6) NULL , <b>date_maint</b> Date NULL , <b>drop_dt</b> Date NOT NULL (DF_PF_Custom_drop_45419AC1 - ('1899-12-30')), <b>enroll_cred_tag</b> Char(6) NULL , <b>export_dt_tag</b> Char(6) NULL , <b>include_no_session</b> Bit NULL (DF_PF_Custom_inclu_1BF4A114 - ((0))), <b>operator</b> Char(8) NULL , <b>semester</b> Char(2) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>PF_ID</b>		
	<b>Indexes:</b>	<i>_WA_Sys_PF_ID_167AF389 , _WA_Sys_PF_rid_167AF389 , _WA_Sys_awd_cod_167AF389 , _WA_Sys_sch_yr_167AF389</i>
	<b>Columns:</b>	<b>PF_ID</b> Char(10) NULL , <b>PF_ce1</b> Varchar(25) NULL , <b>PF_ce2</b> Varchar(25) NULL , <b>PF_rid</b> Int NOT NULL , <b>awd_cod</b> Char(8) NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>sch_yr</b> Char(6) NULL , <b>time_maint</b> Char(8) NULL
<b>PF_IMPORT</b>	<b>Primary Key:</b>	<i>PK_PF_Import_PF_Import_rid (PF_Import_rid)</i>
	<b>Indexes:</b>	<i>PK_PF_Import_PF_Import_rid , _WA_Sys_00000002_6A3D49EF , _WA_Sys_00000006_6A3D49EF , _WA_Sys_00000009_6A3D49EF , _WA_Sys_0000000A_6A3D49EF , _WA_Sys_0000000B_6A3D49EF , _WA_Sys_0000000E_6A3D49EF , _WA_Sys_00000010_6A3D49EF , _WA_Sys_00000012_6A3D49EF , _WA_Sys_00000013_6A3D49EF , _WA_Sys_00000014_6A3D49EF</i>
	<b>Columns:</b>	<b>Alternate_ID</b> Char(9) NULL , <b>Award_Trans_token</b> Nvarchar(100) NULL , <b>Disbursed_AMT</b> Nvarchar(100) NULL , <b>Disbursement_number</b> Nvarchar(100) NULL , <b>FUND_AY_TOKEN</b> Nvarchar(100) NULL , <b>FUND_Name</b> Char(25) NULL , <b>Fund_Ledger_Number</b> Nvarchar(100) NULL , <b>Middle_Init</b> Char(30) NULL , <b>PF_Import_ce1</b> Char(10) NULL , <b>PF_Import_ce2</b> Char(10) NULL , <b>PF_Import_ce3</b> Char(20) NULL , <b>PF_Import_de1</b> Date NULL , <b>PF_Import_fe1</b> Float NULL , <b>PF_Import_le1</b> Bit NOT NULL (DF_PF_Import_PF_Im_6D19B69A - ('0')), <b>PF_Import_ne1</b> Int NULL , <b>PF_Import_rid</b> Int NOT NULL , <b>POE_Decycle_Seqn</b> Nvarchar(100) NULL , <b>POE_Token</b> Nvarchar(100) NULL , <b>Processing_Flag</b> Int NOT NULL (DF_PF_Import_Proce_6C259261 - ('0')), <b>Scheduled_amount</b> Nvarchar(100) NULL , <b>Scheduled_date</b> Char(10) NOT NULL (DF_PF_Import_Sched_6B316E28 - ('12/30/1899')), <b>Sonis_ID</b> Char(9) NULL , <b>Stu_Award_token</b> Nvarchar(100) NULL , <b>Student_ssn</b> Char(9) NULL , <b>date_maint</b> Date NULL , <b>first_name</b> Char(50) NULL , <b>last_name</b> Char(50) NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL , <b>transact_num</b> Int NULL
<b>PIN_PASSWORD_DAYS</b>		
<b>PLACEMENT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000001_78FF9F3B , _WA_Sys_disabled_78FF9F3B</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL , <b>drp_sequence</b> Int NULL , <b>operator</b> Char(8) NULL , <b>placement_ce1</b> Char(10) NULL , <b>placement_ce2</b> Char(10) NULL , <b>placement_ce3</b> Char(10) NULL , <b>placement_cod</b> Char(3) NOT NULL , <b>placement_de1</b> Date NULL , <b>placement_le1</b> Bit NULL , <b>placement_ne1</b> Int NULL , <b>placement_txt</b> Char(35) NULL , <b>time_maint</b> Char(8) NULL
<b>PLEDGEACTS</b>	<b>Primary Key:</b>	<i>PK_pledgeacts (pledgeacts_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_pledgeacts_activity , FK_pledgeacts_events , FK_pledgeacts_fd_tcodes</i>
	<b>Indexes:</b>	<i>PK_pledgeacts , _WA_Sys_activity_cod_353EA674 , _WA_Sys_ev_rid_353EA674 , _WA_Sys_fdtcodes_353EA674</i>

	<b>Columns:</b>	<b>activity_cod</b> Char(3) NOT NULL , <b>date_maint</b> Date NULL , <b>ev_rid</b> Int NOT NULL (DF_pledgeact_ev_rid_3EC810AE - (0)) , <b>fdtcodes</b> Char(2) NOT NULL , <b>operator</b> Char(8) NULL , <b>pledgeacts_ce1</b> Char(10) NULL , <b>pledgeacts_ce2</b> Char(10) NULL , <b>pledgeacts_ce3</b> Char(20) NULL , <b>pledgeacts_de1</b> Date NULL , <b>pledgeacts_fe1</b> Float NULL , <b>pledgeacts_le1</b> Bit NULL , <b>pledgeacts_ne1</b> Int NULL , <b>pledgeacts_rid</b> Int NOT NULL , <b>time_maint</b> Char(8) NULL
<b>PNOTE_DELIV</b>	<b>Primary Key:</b>	<i>PK_PNote_Deliv_PNote_Deliv_rid (PNote_Deliv_rid)</i>
	<b>Indexes:</b>	<i>PK_PNote_Deliv_PNote_Deliv_rid , _WA_Sys_PNote_Deliv_ID_1F254823 , _WA_Sys_PNote_Deliv_txt_1F254823 , _WA_Sys_disabled_1F254823</i>
	<b>Columns:</b>	<b>PNote_Deliv_ID</b> Char(2) NULL , <b>PNote_Deliv_ce1</b> Char(10) NULL , <b>PNote_Deliv_ce2</b> Char(10) NULL , <b>PNote_Deliv_ce3</b> Char(20) NULL , <b>PNote_Deliv_de1</b> Date NULL , <b>PNote_Deliv_fe1</b> Float NULL , <b>PNote_Deliv_le1</b> Bit NOT NULL (DF_PNote_Del_PNote_20196C5C - (0)) , <b>PNote_Deliv_ne1</b> Int NULL , <b>PNote_Deliv_rid</b> Int NOT NULL , <b>PNote_Deliv_txt</b> Char(30) NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NOT NULL (DF_pnote_del_disab_047C3EDF - (0)) , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>PRACTICL</b>	<b>Primary Key:</b>	<i>PK_practicl (pract_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_practicl_crssect , FK_practicl_name , FK_practicl_room , FK_practicl_section</i>
	<b>Indexes:</b>	<i>PK_practicl , _WA_Sys_date_maint_072CF7AA , _WA_Sys_day_cod_072CF7AA , _WA_Sys_end_ampm_072CF7AA , _WA_Sys_end_hr_072CF7AA , _WA_Sys_end_min_072CF7AA , _WA_Sys_end_time_072CF7AA , _WA_Sys_feature_072CF7AA , _WA_Sys_instrcpt_072CF7AA , _WA_Sys_operator_072CF7AA , _WA_Sys_room_cod_072CF7AA , _WA_Sys_section_072CF7AA , _WA_Sys_ssn_072CF7AA , _WA_Sys_start_ampm_072CF7AA , _WA_Sys_start_hr_072CF7AA , _WA_Sys_start_min_072CF7AA , _WA_Sys_start_time_072CF7AA , _WA_Sys_time_maint_072CF7AA , _WA_Sys_timestamp_column_072CF7AA , sid , ssn</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>day_cod</b> Char(3) NULL , <b>end_ampm</b> Char(2) NULL , <b>end_hr</b> Int NULL , <b>end_min</b> Int NULL , <b>end_time</b> Int NULL , <b>feature</b> Char(15) NULL , <b>instrcpt</b> Char(15) NULL , <b>operator</b> Char(10) NULL , <b>pract_mem</b> Memo NULL , <b>pract_rid</b> Char(16) NOT NULL , <b>practicl_ce1</b> Char(10) NULL , <b>practicl_ce2</b> Char(10) NULL , <b>practicl_ce3</b> Char(20) NULL , <b>practicl_de1</b> Date NULL , <b>practicl_fe1</b> Float NULL , <b>practicl_le1</b> Bit NULL , <b>practicl_ne1</b> Int NULL , <b>room_cod</b> Char(10) NULL , <b>section</b> Char(6) NOT NULL , <b>sid</b> Char(16) NULL , <b>ssn</b> Char(9) NULL , <b>start_ampm</b> Char(2) NULL , <b>start_hr</b> Int NULL , <b>start_min</b> Int NULL , <b>start_time</b> Int NULL , <b>time_maint</b> Char(10) NULL , <b>timestamp_column</b> Timestamp NULL
<b>PRACTSSN</b>	<b>Primary Key:</b>	<i>PK_practssn (practssn_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_practssn_crssect , FK_practssn_name</i>
	<b>Indexes:</b>	<i>PK_practssn , SID , SSN</i>
	<b>Columns:</b>	<b>CLASS</b> Char(10) NULL , <b>DATE_MAINT</b> Date NULL , <b>OPERATOR</b> Char(8) NULL , <b>SID</b> Char(16) NULL , <b>SSN</b> Char(9) NULL , <b>TIME_MAINT</b> Char(8) NULL , <b>practssn_ce1</b> Char(10) NULL , <b>practssn_ce2</b> Char(10) NULL , <b>practssn_ce3</b> Char(20) NULL , <b>practssn_de1</b> Date NULL , <b>practssn_fe1</b> Float NULL , <b>practssn_le1</b> Bit NULL , <b>practssn_ne1</b> Int NULL , <b>practssn_rid</b> Int NOT NULL
<b>PREFIX</b>	<b>Primary Key:</b>	<i>PK_prefix (prefix)</i>
	<b>Indexes:</b>	<i>PK_prefix , _WA_Sys_date_maint_3E48226A , _WA_Sys_disabled_3E48226A , _WA_Sys_operator_3E48226A , _WA_Sys_prefix_3E48226A , _WA_Sys_time_maint_3E48226A</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL (DF_prefix_disabled - (0)) , <b>operator</b> Char(8) NULL , <b>prefix</b> Char(20) NOT NULL (DF_prefix_prefix_34157811 - ('')) , <b>prefix_ce1</b> Char(10) NULL , <b>prefix_ce2</b> Char(10) NULL , <b>prefix_ce3</b> Char(20) NULL , <b>prefix_de1</b> Date NULL , <b>prefix_fe1</b> Float NULL , <b>prefix_le1</b> Bit NULL , <b>prefix_ne1</b> Int NULL , <b>time_maint</b> Char(8) NULL
<b>PREREQ</b>	<b>Primary Key:</b>	<i>PK_prereq (prereq_rid)</i>
	<b>Indexes:</b>	<i>PK_prereq , _WA_Sys_crs_id_208DA251 , _WA_Sys_prereq_208DA251 , _WA_Sys_skip_equivalents_208DA251</i>

	<b>Columns:</b>	<b>crs_id</b> Char(16) NOT NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL , <b>operator</b> Char(8) NULL , <b>prereq</b> Char(16) NOT NULL , <b>prereq_ce1</b> Char(10) NULL , <b>prereq_ce2</b> Char(10) NULL , <b>prereq_ce3</b> Char(20) NULL , <b>prereq_de1</b> Date NULL , <b>prereq_fe1</b> Float NULL , <b>prereq_le1</b> Bit NULL , <b>prereq_ne1</b> Int NULL , <b>prereq_rid</b> Int NOT NULL , <b>skip_equivalents</b> Bit NOT NULL (DF <i>prereq_skip_equ</i> 28F8CB20 - (0)) , <b>time_maint</b> Char(8) NULL
<b>PROCESS</b>	<b>Primary Key:</b>	<i>PK_process</i> ( <i>process_cod</i> )
	<b>Indexes:</b>	<i>PK_process</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL , <b>operator</b> Char(8) NULL , <b>process_cod</b> Nvarchar(60) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>PROGRAM</b>	<b>Primary Key:</b>	<i>PK_program</i> ( <i>prg_cod</i> )
	<b>Foreign Keys:</b>	<i>FK_program_ProgramType</i>
	<b>Triggers:</b>	<i>tr_app_prg_cod_D</i> , <i>tr_app_prg_cod_Delete</i> , <i>tr_prg_cod_D</i> , <i>tr_prg_cod_Delete</i> , <i>tr_sch_year_enstat_cod_Delete</i>
	<b>Indexes:</b>	<i>PK_program</i> , <i>WA Sys 00000017_4357BBA1</i> , <i>WA Sys 0000001A_4357BBA1</i> , <i>WA Sys charge_4357BBA1</i> , <i>WA Sys cip_code_4357BBA1</i> , <i>WA Sys date_maint_4357BBA1</i> , <i>WA Sys disabled_4357BBA1</i> , <i>WA Sys exclude_prg_4357BBA1</i> , <i>WA Sys operator_4357BBA1</i> , <i>WA Sys prg_ce1_4357BBA1</i> , <i>WA Sys prg_le1_4357BBA1</i> , <i>WA Sys prg_ne1_4357BBA1</i> , <i>WA Sys prg_txt_4357BBA1</i> , <i>WA Sys program_ce1_4357BBA1</i> , <i>WA Sys program_ce2_4357BBA1</i> , <i>WA Sys program_ce3_4357BBA1</i> , <i>WA Sys program_de1_4357BBA1</i> , <i>WA Sys program_fe1_4357BBA1</i> , <i>WA Sys program_le1_4357BBA1</i> , <i>WA Sys program_ne1_4357BBA1</i> , <i>WA Sys programtype_cod_4357BBA1</i> , <i>WA Sys programtype_rid_4357BBA1</i> , <i>WA Sys time_maint_4357BBA1</i>
	<b>Columns:</b>	<b>PF_prg_cod</b> Char(4) NULL , <b>charge</b> Float NULL , <b>cip_code</b> Char(7) NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL (DF <i>program_disabled</i> - (0)) , <b>display_program</b> Varchar(250) NULL , <b>exclude_prg</b> Bit NOT NULL (DF <i>program_exclude</i> 2DBD803D - (0)) , <b>gainful_employment</b> Bit NOT NULL (DF <i>program_gainful</i> 035DFD74 - ((0))) , <b>memo</b> Memo NULL , <b>operator</b> Char(8) NULL , <b>prg_ce1</b> Char(10) NULL , <b>prg_cod</b> Char(10) NOT NULL , <b>prg_hrs</b> Int NOT NULL (DF <i>program_prg_hrs</i> 135F5B13 - ((0))) , <b>prg_le1</b> Bit NULL (UW <i>ZeroDefault</i> - CREATE DEFAULT UW <i>ZeroDefault</i> AS 0) , <b>prg_ne1</b> Int NULL , <b>prg_txt</b> Char(40) NOT NULL , <b>prog_length</b> Int NOT NULL (DF <i>program_prog_le</i> 1E511F7B - (0)) , <b>program_ce1</b> Char(10) NULL , <b>program_ce2</b> Char(10) NULL , <b>program_ce3</b> Char(20) NULL , <b>program_de1</b> Date NULL , <b>program_fe1</b> Float NULL , <b>program_le1</b> Bit NULL , <b>program_ne1</b> Int NULL , <b>programtype_cod</b> Char(3) NOT NULL (DF <i>program_program</i> 6EE13824 - ('NF')) , <b>programtype_rid</b> Int NOT NULL (DF <i>program_programtype_rid</i> - (1)) , <b>time_maint</b> Char(8) NULL
<b>PROGRAMCATEGORY</b>	<b>Primary Key:</b>	<i>PK_programcategory_rid</i> ( <i>programcategory_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_programcategory_category</i> , <i>FK_programcategory_country</i> , <i>FK_programcategory_program</i> , <i>FK_programcategory_termint</i>
	<b>Indexes:</b>	<i>PK_programcategory_rid</i>
	<b>Columns:</b>	<b>categr_cod</b> Char(15) NULL , <b>country</b> Char(25) NULL , <b>prg_cod</b> Char(10) NULL , <b>programcategory_ce1</b> Char(10) NULL , <b>programcategory_ce2</b> Char(10) NULL , <b>programcategory_ce3</b> Char(20) NULL , <b>programcategory_de1</b> Date NULL , <b>programcategory_fe1</b> Float NULL , <b>programcategory_le1</b> Bit NULL , <b>programcategory_ne1</b> Int NULL , <b>programcategory_rid</b> Char(50) NOT NULL , <b>term_int</b> Char(20) NULL
<b>PROGRAMFILTER</b>	<b>Primary Key:</b>	<i>PK_programfilter_rid</i> ( <i>programfilter_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_programfilter_agency</i> , <i>FK_programfilter_dept</i> , <i>FK_programfilter_division</i> , <i>FK_programfilter_program</i>
	<b>Indexes:</b>	<i>PK_programfilter_rid</i> , <i>WA Sys 00000002_163AFC67</i> , <i>WA Sys 00000003_163AFC67</i> , <i>WA Sys 00000004_163AFC67</i> , <i>WA Sys 00000005_163AFC67</i>
	<b>Columns:</b>	<b>agency_cod</b> Char(10) NULL , <b>dept_cod</b> Char(4) NULL , <b>div_cod</b> Char(2) NULL , <b>prg_cod</b> Char(10) NULL , <b>programfilter_ce1</b> Char(10) NULL , <b>programfilter_ce2</b> Char(10) NULL , <b>programfilter_ce3</b> Char(20) NULL , <b>programfilter_de1</b> Date NULL , <b>programfilter_fe1</b> Float NULL , <b>programfilter_le1</b> Bit NULL , <b>programfilter_ne1</b> Int NULL , <b>programfilter_rid</b> Char(26) NOT NULL



<b>PROGRAMTYPE</b>	<b>Primary Key:</b>	<i>PK_ProgramType (ProgramType_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_PROGRAMTYPE_LEVEL_ , FK_ProgramType_Tcodes</i>
	<b>Indexes:</b>	<i>PK_ProgramType , _WA_Sys_ProgramType_amt_cred_538E236A , _WA_Sys_ProgramType_ce1_538E236A , _WA_Sys_ProgramType_ce2_538E236A , _WA_Sys_ProgramType_ce3_538E236A , _WA_Sys_ProgramType_cod_538E236A , _WA_Sys_ProgramType_de1_538E236A , _WA_Sys_ProgramType_fe1_538E236A , _WA_Sys_ProgramType_le1_538E236A , _WA_Sys_ProgramType_max_amt_sem_538E236A , _WA_Sys_ProgramType_ne1_538E236A , _WA_Sys_ProgramType_txt_538E236A , _WA_Sys_disabled_538E236A , _WA_Sys_level_538E236A , _WA_Sys_tcodes_538E236A</i>
	<b>Columns:</b>	<b>ProgramType_amt_cred</b> Float NOT NULL ( <i>DF_ProgramTy_Progr_68343A95 - (0)</i> ) , <b>ProgramType_ce1</b> Char(10) NULL , <b>ProgramType_ce2</b> Char(10) NULL , <b>ProgramType_ce3</b> Char(20) NULL , <b>ProgramType_cod</b> Char(3) NOT NULL ( <i>DF_programty_Progr_3F872ABD - ('NF')</i> ) , <b>ProgramType_de1</b> Date NULL , <b>ProgramType_fe1</b> Float NULL , <b>ProgramType_le1</b> Bit NULL , <b>ProgramType_max_amt_sem</b> Float NOT NULL ( <i>DF_ProgramTy_Progr_69285ECE - (0)</i> ) , <b>ProgramType_ne1</b> Int NULL , <b>ProgramType_rid</b> Int NOT NULL , <b>ProgramType_txt</b> Char(25) NOT NULL , <b>disabled</b> Bit NULL , <b>level_</b> Char(1) NULL , <b>pref_flag</b> Int NOT NULL ( <i>DF_programty_pref_3672C1CF - (1)</i> ) , <b>pref_txt</b> Char(50) NULL , <b>tcodes</b> Char(2) NULL
<b>PROSPECT</b>	<b>Primary Key:</b>	<i>PK_prospect (prospect_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_prospect_agency , FK_prospect_credits , FK_prospect_enrlstat , FK_prospect_inqtype , FK_prospect_interlev , FK_prospect_name , FK_prospect_trmint</i>
	<b>Triggers:</b>	<i>tr_OCU_Assign_Recruiter_1 , tr_OCU_Assign_Recruiter_U</i>
	<b>Indexes:</b>	<i>PK_prospect , _WA_Sys_00000001_1F4E99FE , _WA_Sys_00000019_1F4E99FE , _WA_Sys_0000002B_1F4E99FE , _WA_Sys_0000002C_1F4E99FE , _WA_Sys_0000002D_1F4E99FE , _WA_Sys_00000030_1F4E99FE , _WA_Sys_00000033_1F4E99FE , _WA_Sys_00000034_1F4E99FE , _WA_Sys_00000035_1F4E99FE , _WA_Sys_0000003B_1F4E99FE , _WA_Sys_agency_cod_1F4E99FE , _WA_Sys_app_rec_1F4E99FE , _WA_Sys_date_inq_1F4E99FE , _WA_Sys_date_maint_1F4E99FE , _WA_Sys_date_rec_1F4E99FE , _WA_Sys_enstat_cod_1F4E99FE , _WA_Sys_inqtypecod_1F4E99FE , _WA_Sys_intrlevcod_1F4E99FE , _WA_Sys_move2app_1F4E99FE , _WA_Sys_operator_1F4E99FE , _WA_Sys_prospectce1_1F4E99FE , _WA_Sys_prospectle1_1F4E99FE , _WA_Sys_prospectne1_1F4E99FE , _WA_Sys_prospect_ce1_1F4E99FE , _WA_Sys_prospect_de1_1F4E99FE , _WA_Sys_prospect_ne1_1F4E99FE , _WA_Sys_term_int_1F4E99FE , _WA_Sys_time_maint_1F4E99FE , _WA_Sys_timestamp_column_1F4E99FE</i>
	<b>Columns:</b>	<b>PS_credits</b> Char(20) NULL , <b>agency_cod</b> Char(10) NULL ( <i>DF_prospect_agency_cod - ('TBD')</i> ) , <b>app_rec</b> Bit NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>appoint_sched</b> Date NULL , <b>comments</b> Memo NULL , <b>date_inq</b> Date NULL , <b>date_maint</b> Date NULL , <b>date_rec</b> Date NULL , <b>discounts</b> Varchar(25) NULL , <b>enstat_cod</b> Char(2) NULL , <b>est_received</b> Date NULL , <b>est_requested</b> Date NULL , <b>financial_credit</b> Float NULL , <b>hs_grad_year</b> Varchar(20) NULL , <b>inqtypecod</b> Char(2) NULL , <b>intrlevcod</b> Char(10) NULL , <b>memo1</b> Varchar(-1) NULL , <b>memo2</b> Varchar(-1) NULL , <b>memo3</b> Varchar(-1) NULL , <b>move2app</b> Bit NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>off_2010</b> Bit NULL ( <i>DF_prospect_off_20_5A3CB7A7 - ((0))</i> ) , <b>operator</b> Char(8) NULL , <b>prospectce1</b> Char(10) NULL , <b>prospectle1</b> Bit NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>prospectne1</b> Int NULL , <b>prospect_ce1</b> Char(10) NULL , <b>prospect_ce10</b> Char(20) NULL , <b>prospect_ce11</b> Varchar(50) NULL , <b>prospect_ce12</b> Varchar(50) NULL , <b>prospect_ce13</b> Varchar(50) NULL , <b>prospect_ce14</b> Varchar(50) NULL , <b>prospect_ce15</b> Varchar(50) NULL , <b>prospect_ce2</b> Char(10) NULL , <b>prospect_ce3</b> Char(20) NULL , <b>prospect_ce4</b> Char(10) NULL , <b>prospect_ce5</b> Char(10) NULL , <b>prospect_ce6</b> Char(10) NULL , <b>prospect_ce7</b> Char(20) NULL , <b>prospect_ce8</b> Char(20) NULL , <b>prospect_ce9</b> Char(20) NULL , <b>prospect_de1</b> Date NULL , <b>prospect_de2</b> Date NULL , <b>prospect_de3</b> Date NULL , <b>prospect_de4</b> Date NULL , <b>prospect_de5</b> Date NULL , <b>prospect_de6</b> Date NULL , <b>prospect_fe1</b> Float NULL , <b>prospect_fe2</b> Float NULL , <b>prospect_fe3</b> Float NULL , <b>prospect_fe4</b> Float NULL , <b>prospect_fe5</b> Float NULL , <b>prospect_fe6</b> Float NULL , <b>prospect_le1</b> Bit NULL , <b>prospect_le2</b> Bit NULL , <b>prospect_le3</b> Bit NULL , <b>prospect_le4</b> Bit NULL , <b>prospect_le5</b> Bit NULL , <b>prospect_le6</b> Bit NULL , <b>prospect_ne1</b> Int NULL , <b>prospect_rid</b> Int NOT NULL ,

		<b>ps_cohort_cod</b> Char(10) NULL (DF_prospect_ps_coh_5B30DBE0 - ('TBD')), <b>ps_employer</b> Varchar(50) NULL, <b>ps_last_contact</b> Date NULL, <b>reg_form</b> Bit NULL (DF_prospect_reg_fo_5948936E - ((0))), <b>soc_sec</b> Char(9) NOT NULL, <b>term_int</b> Char(20) NULL, <b>time_maint</b> Char(8) NULL, <b>timestamp_column</b> Timestamp NULL
<b>PROSPECT_AREAS_OF_INTEREST</b>		
	<b>Foreign Keys:</b>	FK_prospect_areas_of_interest_areas_of_interest, FK_prospect_areas_of_interest_name
	<b>Indexes:</b>	_WA_Sys_00000001_1295540C
	<b>Columns:</b>	<b>areas_of_interest_rid</b> Int NOT NULL, <b>date_maint</b> Date NULL, <b>operator</b> Char(8) NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>time_maint</b> Char(8) NULL
<b>PRO_TYPE</b>	<b>Primary Key:</b>	PK_Pro_Type_Pro_Type_rid (Pro_Type_rid)
	<b>Indexes:</b>	PK_Pro_Type_Pro_Type_rid, _WA_Sys_Pro_Type_ID_196C6ECD, _WA_Sys_Pro_Type_txt_196C6ECD, _WA_Sys_disabled_196C6ECD
	<b>Columns:</b>	<b>Pro_Type_ID</b> Char(2) NULL, <b>Pro_Type_ce1</b> Char(10) NULL, <b>Pro_Type_ce2</b> Char(10) NULL, <b>Pro_Type_ce3</b> Char(20) NULL, <b>Pro_Type_de1</b> Date NULL, <b>Pro_Type_fe1</b> Float NULL, <b>Pro_Type_le1</b> Bit NOT NULL (DF_Pro_Type_Pro_Ty_1A609306 - ('0')), <b>Pro_Type_ne1</b> Int NULL, <b>Pro_Type_rid</b> Int NOT NULL, <b>Pro_Type_txt</b> Char(100) NULL, <b>date_maint</b> Date NULL, <b>disabled</b> Bit NOT NULL (DF_pro_type_disabl_03881AA6 - (0)), <b>operator</b> Char(8) NULL, <b>time_maint</b> Char(8) NULL
<b>PSEDU</b>		
	<b>Indexes:</b>	_WA_Sys_00000003_440CB40F, _WA_Sys_00000004_440CB40F
	<b>Columns:</b>	<b>PROG_DESC</b> Char(35) NULL, <b>PSedu_rid</b> Int NOT NULL, <b>cqpa</b> Real NULL, <b>credits</b> Real NULL, <b>date_maint</b> Date NULL, <b>date_rec</b> Date NOT NULL (DF_psedu_date_rec_48D1692C - ('12/30/1899')), <b>degree</b> Char(35) NULL, <b>edu_active</b> Bit NOT NULL (DF_psedu_edu_activ_4500D848 - (0)), <b>edu_rid</b> Char(16) NULL, <b>educmem</b> Memo NULL, <b>eduinsttyp</b> Char(1) NULL, <b>enr_age</b> Int NULL, <b>enter_date</b> Date NOT NULL (DF_psedu_enter_dat_46E920BA - ('12/30/1899')), <b>grad_date</b> Date NOT NULL (DF_psedu_grad_date_45F4FC81 - ('12/30/1899')), <b>grad_mo</b> Char(2) NULL, <b>grad_year</b> Char(4) NULL, <b>graduated</b> Bit NOT NULL (DF_psedu_graduated_4CA1FA10 - (0)), <b>inst_cod</b> Char(16) NULL, <b>leav_date</b> Date NOT NULL (DF_psedu_leav_date_47DD44F3 - ('12/30/1899')), <b>matric_dt</b> Date NOT NULL (DF_psedu_matric_dt_49C58D65 - ('12/30/1899')), <b>nmedu_ce1</b> Char(10) NULL, <b>nmedu_le1</b> Bit NOT NULL (DF_psedu_nmedu_le1_4D961E49 - (0)), <b>nmedu_ne1</b> Real NULL, <b>operator</b> Char(8) NULL, <b>orig_grad</b> Char(4) NULL, <b>qlty_pnts</b> Real NULL, <b>rankstud</b> Real NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>time_maint</b> Char(8) NULL, <b>trans_date</b> Date NOT NULL (DF_psedu_trans_dat_4AB9B19E - ('12/30/1899')), <b>trans_rec</b> Bit NOT NULL (DF_psedu_trans_rec_4BADD5D7 - (0))
<b>PSEXTRA</b>	<b>Primary Key:</b>	PK_psextra (psextra_rid)
	<b>Foreign Keys:</b>	FK_psextra_institut, FK_psextra_prospect
	<b>Indexes:</b>	PK_psextra, _WA_Sys_00000025_704A5DA9, _WA_Sys_enroll_yr_704A5DA9, _WA_Sys_soc_sec_704A5DA9
	<b>Columns:</b>	<b>LPN</b> Bit NULL, <b>LPN_years</b> Int NULL, <b>cl_prereq</b> Bit NULL, <b>contact</b> Bit NULL, <b>cur_emp</b> Bit NULL, <b>cur_emp_inst_cod</b> Char(16) NULL, <b>cur_emp_inst_txt</b> Char(50) NULL, <b>date_maint</b> Date NULL, <b>disabled</b> Bit NULL, <b>enroll_month</b> Char(2) NULL, <b>enroll_yr</b> Char(4) NULL, <b>hs_prereq</b> Bit NULL, <b>level_comp</b> Char(35) NULL, <b>memo</b> Memo NULL, <b>operator</b> Char(8) NULL, <b>pref_inst_cod</b> Char(16) NULL, <b>pref_inst_txt</b> Char(50) NULL, <b>prereqenrolled</b> Bit NULL, <b>prg_intrest</b> Char(35) NULL, <b>prospect_rid</b> Int NULL, <b>psextra_ce1</b> Char(10) NULL, <b>psextra_ce2</b> Char(10) NULL, <b>psextra_ce3</b> Char(20) NULL, <b>psextra_de1</b> Date NULL, <b>psextra_fe1</b> Float NULL, <b>psextra_le1</b> Bit NULL, <b>psextra_le2</b> Bit NOT NULL (DF_psextra_psextra_19C17488 - (0)), <b>psextra_le3</b> Bit NOT NULL (DF_psextra_psextra_1AB598C1 - (0)), <b>psextra_le4</b> Bit NOT NULL (DF_psextra_psextra_1BA9BCFA - (0)), <b>psextra_le5</b> Bit NOT NULL (DF_psextra_psextra_1C9DE133 - (0)), <b>psextra_le6</b> Bit NOT NULL (DF_psextra_psextra_1D92056C - (0)), <b>psextra_le7</b> Bit NOT NULL (DF_psextra_psextra_0C326F40 - (0)), <b>psextra_ne1</b> Int NULL, <b>psextra_rid</b> Int NOT NULL, <b>ref_other</b> Char(50) NULL, <b>soc_sec</b> Char(9) NULL, <b>time_maint</b> Char(8) NULL

<b>PSPREREQ</b>	<b>Primary Key:</b>	<i>PK_psprreq (psprreq_rid)</i>
	<b>Indexes:</b>	<i>PK_psprreq , _WA_Sys_00000002_6E621537</i>
	<b>Columns:</b>	<i>date_maint Date NULL , operator Char(8) NULL , psprreq_ce1 Char(10) NULL , psprreq_ce2 Char(10) NULL , psprreq_ce3 Char(20) NULL , psprreq_de1 Date NULL , psprreq_fe1 Float NULL , psprreq_le1 Bit NULL , psprreq_ne1 Int NULL , psprreq_rid Int NOT NULL , psprreqcrs_cod Char(4) NULL , soc_sec Char(9) NULL , time_maint Char(8) NULL</i>
<b>PSPREREQCRS</b>	<b>Primary Key:</b>	<i>PK_psprreqcrs (psprreqcrs_cod)</i>
	<b>Indexes:</b>	<i>PK_psprreqcrs , _WA_Sys_00000003_6C79CCC5</i>
	<b>Columns:</b>	<i>date_maint Date NULL , disabled Bit NULL , operator Char(8) NULL , psprreqcrs_ce1 Char(10) NULL , psprreqcrs_ce2 Char(10) NULL , psprreqcrs_ce3 Char(20) NULL , psprreqcrs_cod Char(4) NOT NULL , psprreqcrs_de1 Date NULL , psprreqcrs_fe1 Float NULL , psprreqcrs_le1 Bit NULL , psprreqcrs_ne1 Int NULL , psprreqcrs_txt Char(60) NULL , time_maint Char(8) NULL</i>
<b>PSPRG</b>	<b>Primary Key:</b>	<i>PK_psprg (prg_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_psprg_program</i>
	<b>Indexes:</b>	<i>PK_psprg , _WA_Sys_approg_3E2826D9 , _WA_Sys_prg_cod_3E2826D9 , _WA_Sys_psprg_ne1_3E2826D9 , soc_sec</i>
	<b>Columns:</b>	<i>active Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , approg Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , date_maint Date NULL , operator Char(8) NULL , prg_cod Char(10) NULL , prg_rid Char(16) NOT NULL , psprg_ce1 Char(10) NULL , psprg_ce2 Char(10) NULL , psprg_ce3 Char(20) NULL , psprg_de1 Date NULL , psprg_fe1 Float NULL , psprg_le1 Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , psprg_ne1 Int NULL , soc_sec Char(9) NOT NULL , start_dt Date NULL , stop_dt Date NULL , time_maint Char(8) NULL</i>
<b>PSREFBY</b>	<b>Primary Key:</b>	<i>PK_psrefby_rid (psrefby_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_psrefby_webps</i>
	<b>Indexes:</b>	<i>PK_psrefby_rid , _WA_Sys_soc_sec_6DD80552</i>
	<b>Columns:</b>	<i>psrefby_ce1 Char(10) NULL , psrefby_ce2 Char(10) NULL , psrefby_ce3 Char(20) NULL , psrefby_de1 Date NULL , psrefby_fe1 Float NULL , psrefby_le1 Bit NULL , psrefby_ne1 Int NULL , psrefby_rid Int NOT NULL , refer_by Char(30) NULL , soc_sec Char(9) NOT NULL</i>
<b>PS_CREDITS</b>	<b>Primary Key:</b>	<i>PK_PS_credits_PS_credits (PS_credits)</i>
	<b>Indexes:</b>	<i>PK_PS_credits_PS_credits , _WA_Sys_00000002_07B89E3D</i>
	<b>Columns:</b>	<i>PS_credits Char(20) NOT NULL , PS_credits_cat_ce1 Char(10) NULL , PS_credits_cat_ce2 Char(10) NULL , PS_credits_cat_ce3 Char(20) NULL , PS_credits_cat_de1 Date NULL , PS_credits_cat_fe1 Float NULL , PS_credits_cat_le1 Bit NOT NULL (DF_PS_credit_PS_cr_09A0E6AF - ('0')) , PS_credits_cat_ne1 Int NULL , PS_credits_disable Bit NOT NULL (DF_PS_credit_PS_cr_08ACC276 - ('0')) , date_maint Date NULL , operator Char(8) NULL , time_maint Char(8) NULL</i>
<b>PUBLISHER</b>	<b>Primary Key:</b>	<i>PK_publisher_rid (publisher_rid)</i>
	<b>Indexes:</b>	<i>PK_publisher_rid , _WA_Sys_disabled_3D74C519</i>
	<b>Columns:</b>	<i>date_maint Date NULL , disabled Bit NOT NULL (DF_publisher_disab_3F5D0D8B - (0)) , operator Char(8) NULL , publisher Char(30) NOT NULL (DF_publisher_publi_3E68E952 - ("")) , publisher_ce1 Char(10) NULL , publisher_ce2 Char(10) NULL , publisher_ce3 Char(20) NULL , publisher_de1 Date NULL , publisher_fe1 Float NULL , publisher_le1 Bit NULL , publisher_ne1 Int NULL , publisher_rid Int NOT NULL , time_maint Char(8) NULL</i>
<b>QUIZZES</b>	<b>Primary Key:</b>	<i>PK_quizzes (quizzes_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_quizzes_crssect</i>
	<b>Indexes:</b>	<i>PK_quizzes , _WA_Sys_00000002_14888976 , _WA_Sys_00000003_14888976 , _WA_Sys_00000004_14888976 , _WA_Sys_00000006_14888976 , _WA_Sys_00000007_14888976 , _WA_Sys_00000008_14888976 , _WA_Sys_0000000B_14888976 , _WA_Sys_00000010_14888976 , _WA_Sys_00000018_14888976 , _WA_Sys_00000020_14888976</i>

	<b>Columns:</b>	<b>addinst_edit</b> <i>Bit</i> NULL , <b>addinst_score</b> <i>Bit</i> NULL , <b>attempt_mode</b> <i>Int</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>display_num</b> <i>Int</i> NULL , <b>element_rid</b> <i>Int</i> NULL , <b>fac_soc_sec</b> <i>Char(9)</i> NULL , <b>general_copy</b> <i>Bit</i> NULL , <b>general_share</b> <i>Bit</i> NULL , <b>mark_final</b> <i>Bit</i> NULL , <b>master_sid</b> <i>Char(16)</i> NULL , <b>num_attempts</b> <i>Int</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>personal_copy</b> <i>Bit</i> NULL , <b>personal_share</b> <i>Bit</i> NULL , <b>question_fb_disp</b> <i>Int</i> NULL , <b>quiz_cod</b> <i>Char(16)</i> NULL , <b>quiz_end_dt</b> <i>Date</i> NULL , <b>quiz_pass</b> <b>239 - 30</b> NULL , <b>quiz_start_dt</b> <i>Date</i> NULL , <b>quizzes_ce2</b> <i>Char(11)</i> NULL , <b>quizzes_ce3</b> <i>Char(20)</i> NULL , <b>quizzes_de1</b> <i>Date</i> NULL , <b>quizzes_fe1</b> <i>Float</i> NULL , <b>quizzes_hidden</b> <i>Bit</i> NULL , <b>quizzes_memo</b> <i>Nvarchar(8000)</i> NULL , <b>quizzes_rid</b> <i>Int</i> NOT NULL , <b>quizzes_title</b> <i>Nvarchar(100)</i> NULL , <b>score_posted_gb</b> <i>Bit</i> NULL , <b>showanswer</b> <i>Bit</i> NULL , <b>shuffle_questions</b> <i>Bit</i> NULL , <b>shuffle_responses</b> <i>Bit</i> NULL , <b>sid</b> <i>Char(16)</i> NOT NULL , <b>time_limit</b> <i>Int</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>total_points</b> <i>Float</i> NULL , <b>view_setting</b> <i>Int</i> NULL
<b>QUIZ_GROUPS</b>	<b>Primary Key:</b>	<i>PK_quiz_groups (quiz_groups_rid)</i>
	<b>Indexes:</b>	<i>PK_quiz_groups</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>fac_soc_sec</b> <i>Char(9)</i> NULL , <b>instructions</b> <i>Nvarchar(5000)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>quiz_cod</b> <i>Char(16)</i> NULL , <b>quiz_group</b> <b>239 - 20</b> NULL , <b>quiz_group_instruct</b> <i>Nvarchar(3000)</i> NULL , <b>quiz_group_txt</b> <i>Nvarchar(500)</i> NULL , <b>quiz_groups_ce2</b> <i>Char(11)</i> NULL , <b>quiz_groups_ce3</b> <i>Char(20)</i> NULL , <b>quiz_groups_de1</b> <i>Date</i> NULL , <b>quiz_groups_fe1</b> <i>Float</i> NULL , <b>quiz_groups_image</b> <i>Varchar(100)</i> NULL , <b>quiz_groups_points</b> <i>Float</i> NULL , <b>quiz_groups_rid</b> <i>Int</i> NOT NULL , <b>quiz_groups_sequence</b> <i>Int</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>QUIZ_PLANS</b>	<b>Primary Key:</b>	<i>PK_quiz_plans (quiz_plans_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_quiz_plans_quiz_groups , FK_quiz_plans_quiz_questions</i>
	<b>Indexes:</b>	<i>PK_quiz_plans , _WA_Sys_00000002_1B358705</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>fac_soc_sec</b> <i>Char(9)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>question_points</b> <i>Float</i> NULL , <b>question_sequence</b> <i>Int</i> NULL , <b>questions_rid</b> <i>Int</i> NULL , <b>quiz_cod</b> <i>Char(16)</i> NULL , <b>quiz_group</b> <b>239 - 20</b> NULL , <b>quiz_groups_rid</b> <i>Int</i> NULL , <b>quiz_plans_ce2</b> <i>Char(11)</i> NULL , <b>quiz_plans_ce3</b> <i>Char(20)</i> NULL , <b>quiz_plans_de1</b> <i>Date</i> NULL , <b>quiz_plans_fe1</b> <i>Float</i> NULL , <b>quiz_plans_rid</b> <i>Int</i> NOT NULL , <b>quiz_plans_txt</b> <b>239 - 100</b> NULL , <b>quiz_r_group</b> <i>Char(10)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>QUIZ_QUESTIONS</b>	<b>Primary Key:</b>	<i>PK_quiz_questions (questions_rid)</i>
	<b>Indexes:</b>	<i>PK_quiz_questions</i>
	<b>Columns:</b>	<b>corr_resp_num</b> <i>Float</i> NULL , <b>corr_resp_tf</b> <i>Bit</i> NULL , <b>corr_resp_txt</b> <i>Nvarchar(8000)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>fac_soc_sec</b> <i>Char(9)</i> NULL , <b>general_copy</b> <i>Bit</i> NULL , <b>general_share</b> <i>Bit</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>questions_corr_fb</b> <i>Nvarchar(5000)</i> NULL , <b>questions_gen_fb</b> <i>Nvarchar(5000)</i> NULL , <b>questions_image</b> <i>Varchar(100)</i> NULL , <b>questions_incorr_fb</b> <i>Nvarchar(5000)</i> NULL , <b>questions_multresp</b> <i>Int</i> NULL , <b>questions_r_set</b> <i>Char(10)</i> NULL , <b>questions_rid</b> <i>Int</i> NOT NULL , <b>questions_sum_txt</b> <i>Nvarchar(200)</i> NULL , <b>questions_txt</b> <i>Nvarchar(5000)</i> NULL , <b>questions_type</b> <i>Char(10)</i> NULL , <b>quiz_questions_ce2</b> <i>Char(11)</i> NULL , <b>quiz_questions_ce3</b> <i>Char(20)</i> NULL , <b>quiz_questions_de1</b> <i>Date</i> NULL , <b>quiz_questions_fe1</b> <i>Float</i> NULL , <b>sid</b> <i>Char(16)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>QUIZ_RESPONSES</b>	<b>Primary Key:</b>	<i>PK_quiz_responses (quiz_r_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_quiz_responses_quiz_questions</i>
	<b>Indexes:</b>	<i>PK_quiz_responses</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>fac_soc_sec</b> <i>Char(9)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>questions_rid</b> <i>Int</i> NULL , <b>quiz_r_ansval</b> <i>Float</i> NULL , <b>quiz_r_answer</b> <i>Bit</i> NULL , <b>quiz_r_ce2</b> <i>Char(11)</i> NULL , <b>quiz_r_ce3</b> <i>Char(20)</i> NULL , <b>quiz_r_de1</b> <i>Date</i> NULL , <b>quiz_r_fe1</b> <i>Float</i> NULL , <b>quiz_r_feedback</b> <i>Nvarchar(5000)</i> NULL , <b>quiz_r_image</b> <i>Varchar(100)</i> NULL , <b>quiz_r_noshuffle</b> <i>Bit</i> NULL , <b>quiz_r_rid</b> <i>Int</i> NOT NULL , <b>quiz_r_sequence</b> <i>Int</i> NULL , <b>quiz_r_txt</b> <i>Nvarchar(2000)</i> NULL , <b>quiz_r_val</b> <i>Float</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>RECRUITPLAN</b>	<b>Primary Key:</b>	<i>PK_recruitplan (recruitplan_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_recruitplan_activity , FK_recruitplan_category</i>
	<b>Indexes:</b>	<i>PK_recruitplan , _WA_Sys_activity_cod_4E746892 , _WA_Sys_categr_cod_4E746892 , _WA_Sys_operator_4E746892</i>

	<b>Columns:</b>	<b>activity_cod</b> Char(3) NOT NULL , <b>categr_cod</b> Char(15) NOT NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>recruitplan_ce1</b> Char(10) NULL , <b>recruitplan_ce2</b> Char(10) NULL , <b>recruitplan_ce3</b> Char(20) NULL , <b>recruitplan_de1</b> Date NULL , <b>recruitplan_fe1</b> Float NULL , <b>recruitplan_le1</b> Bit NULL , <b>recruitplan_ne1</b> Int NULL , <b>recruitplan_rid</b> Int NOT NULL , <b>time_maint</b> Char(8) NULL
<b>RECSRCHFIELDS</b>	<b>Primary Key:</b>	<i>PK_recsrchfields (recsrchfields_rid)</i>
	<b>Indexes:</b>	<i>PK_recsrchfields , _WA_Sys_00000002_65AE6A53 , _WA_Sys_00000003_65AE6A53 , _WA_Sys_00000006_65AE6A53 , _WA_Sys_00000007_65AE6A53 , _WA_Sys_00000009_65AE6A53</i>
	<b>Columns:</b>	<b>columnname</b> Varchar(150) NOT NULL , <b>datatype</b> Varchar(15) NOT NULL , <b>defcolwidth</b> Int NULL , <b>defheader</b> Varchar(150) NULL , <b>disabled</b> Bit NULL (DF_recsrchfi_disab_688AD6FE - ((0))) , <b>recsrchfields_rid</b> Int NOT NULL , <b>required</b> Bit NULL (DF_recsrchfi_requi_6796B2C5 - ((0))) , <b>sortorder</b> Int NULL , <b>tablename</b> Varchar(150) NOT NULL
<b>RECSRCHGROUPS</b>	<b>Primary Key:</b>	<i>PK_recsrchgroups_recsrchgroups (recsrchgroups_rid)</i>
	<b>Indexes:</b>	<i>PK_recsrchgroups_recsrchgroups , _WA_Sys_00000003_5C250019</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL (DF_recsrchgr_disab_5D192452 - ((0))) , <b>operator</b> Char(8) NULL , <b>recsrchgroups_rid</b> Int NOT NULL , <b>recsrchgroups_txt</b> Nvarchar(600) NULL , <b>time_maint</b> Char(8) NULL
<b>RECSRCHGROUPSLINK</b>	<b>Primary Key:</b>	<i>PK_recsrchgroupslink (recsrchgroupslink_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_recsrchgroupslink_appchk , FK_recsrchgroupslink_dispchk , FK_recsrchgroupslink_recsrchfields , FK_recsrchgroupslink_recsrchgroups</i>
	<b>Indexes:</b>	<i>PK_recsrchgroupslink , _WA_Sys_00000002_697EFB37 , _WA_Sys_00000003_697EFB37 , _WA_Sys_00000004_697EFB37 , _WA_Sys_00000005_697EFB37 , _WA_Sys_00000006_697EFB37</i>
	<b>Columns:</b>	<b>appchk_cod</b> Char(2) NULL , <b>colwidth</b> Int NULL , <b>date_maint</b> Date NULL , <b>dispchk_cod</b> Nvarchar(4) NULL , <b>element_txt</b> Nvarchar(200) NULL , <b>element_type</b> Char(2) NOT NULL , <b>operator</b> Char(8) NULL , <b>recsrchfields_rid</b> Int NULL , <b>recsrchgroups_rid</b> Int NOT NULL , <b>recsrchgroupslink_rid</b> Int NOT NULL , <b>required</b> Bit NULL (DF_recsrchgr_requi_6C5B67E2 - ((0))) , <b>sortorder</b> Int NULL , <b>time_maint</b> Char(8) NULL , <b>viewonly</b> Bit NOT NULL (DF_recsrchgr_viewo_6B6743A9 - ((0)))
<b>REFERBY</b>	<b>Primary Key:</b>	<i>PK_referby (refer_by_cod)</i>
	<b>Indexes:</b>	<i>PK_referby , _WA_Sys_disabled_394E6323 , _WA_Sys_exclude_rfb_394E6323 , _WA_Sys_refer_by_394E6323</i>
	<b>Columns:</b>	<b>disabled</b> Bit NULL (DF_referby_disabled - (0)) , <b>exclude_rfb</b> Bit NOT NULL (DF_referby_exclude_2EB1A476 - (0)) , <b>refer_by</b> Char(30) NOT NULL , <b>refer_by_cod</b> Int NOT NULL , <b>referby_ce1</b> Char(10) NULL , <b>referby_ce2</b> Char(10) NULL , <b>referby_ce3</b> Char(20) NULL , <b>referby_de1</b> Date NULL , <b>referby_fe1</b> Float NULL , <b>referby_le1</b> Bit NULL , <b>referby_ne1</b> Int NULL , <b>sortorder</b> Int NULL
<b>REFERBY_ALLOC</b>	<b>Primary Key:</b>	<i>PK_referby_alloc (referby_alloc_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_referby_alloc_program</i>
	<b>Indexes:</b>	<i>PK_referby_alloc , _WA_Sys_00000002_75A40FA3 , _WA_Sys_00000003_75A40FA3 , _WA_Sys_00000004_75A40FA3 , _WA_Sys_00000005_75A40FA3</i>
	<b>Columns:</b>	<b>amount</b> Money NULL , <b>date_maint</b> Date NULL , <b>entry_date</b> Date NULL , <b>operator</b> Char(8) NULL , <b>prg_cod</b> Char(10) NOT NULL , <b>refer_by</b> Char(30) NOT NULL , <b>referby_alloc_ce1</b> Char(10) NULL , <b>referby_alloc_ce2</b> Char(20) NULL , <b>referby_alloc_ce3</b> Char(30) NULL , <b>referby_alloc_de1</b> Date NULL , <b>referby_alloc_fe1</b> Float NULL , <b>referby_alloc_le1</b> Bit NULL , <b>referby_alloc_ne1</b> Float NULL , <b>referby_alloc_rid</b> Int NOT NULL , <b>time_maint</b> Char(8) NULL
<b>REFUNDABLE</b>	<b>Primary Key:</b>	<i>PK_refundable (refundable_id)</i>
	<b>Foreign Keys:</b>	<i>FK_refundable_campus , FK_refundable_dept , FK_refundable_div , FK_refundable_level , FK_refundable_tcodes</i>
	<b>Indexes:</b>	<i>PK_refundable , _WA_Sys_00000003_641990EE , _WA_Sys_00000005_641990EE , _WA_Sys_0000000A_641990EE</i>

	<b>Columns:</b>	<b>camp_cod</b> Char(10) NULL , <b>date_maint</b> Date NULL , <b>dept_cod</b> Char(4) NULL , <b>div_cod</b> Char(2) NULL , <b>level</b> Char(1) NULL , <b>maximum_days</b> Int NULL , <b>minimum_days</b> Int NULL , <b>operator</b> Char(8) NULL , <b>refundable_ce1</b> Char(10) NULL , <b>refundable_ce2</b> Char(10) NULL , <b>refundable_ce3</b> Char(20) NULL , <b>refundable_de1</b> Date NULL , <b>refundable_fe1</b> Float NULL , <b>refundable_id</b> Char(30) NOT NULL , <b>refundable_le1</b> Bit NULL , <b>refundable_ne1</b> Int NULL , <b>refundable_percentage</b> Float NULL , <b>refundable_txt</b> Char(30) NOT NULL , <b>rtr</b> Bit NULL (DF_refundable_rtr_49859643 - (0)) , <b>tcodes</b> Char(2) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>REFUNDAFF</b>	<b>Primary Key:</b>	<b>PK_REFUNDAFF_rid</b> (REFUNDAFF_rid)
	<b>Foreign Keys:</b>	<b>FK_REFUNDAFF_affiliation</b> , <b>FK_REFUNDAFF_refundable</b> , <b>FK_REFUNDAFF_tcodes</b>
	<b>Indexes:</b>	<b>PK_REFUNDAFF_rid</b>
	<b>Columns:</b>	<b>REFUNDAFF_ce1</b> Char(10) NULL , <b>REFUNDAFF_ce2</b> Char(10) NULL , <b>REFUNDAFF_ce3</b> Char(20) NULL , <b>REFUNDAFF_de1</b> Date NULL , <b>REFUNDAFF_fe1</b> Float NULL , <b>REFUNDAFF_le1</b> Bit NULL , <b>REFUNDAFF_ne1</b> Int NULL , <b>REFUNDAFF_rid</b> Int NOT NULL , <b>affiliation_cod</b> Char(2) NOT NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL , <b>operator</b> Char(8) NULL , <b>refundable_id</b> Char(30) NOT NULL , <b>refundaff_percentage</b> Float NOT NULL (DF_REFUNDAFF_refun_6CAED6EF - (0)) , <b>tcodes</b> Char(2) NOT NULL (DF_refundaff_tcode_324D2B30 - ('AW')) , <b>time_maint</b> Char(8) NULL
<b>REFUND_FILTER</b>		
	<b>Indexes:</b>	<b>_WA_Sys_00000001_72F1C02A</b>
	<b>Columns:</b>	<b>camp_flag</b> Bit NULL (DF_refund_fi_camp_73E5E463 - (1)) , <b>dept_flag</b> Bit NULL (DF_refund_fi_dept_74DA089C - (1)) , <b>div_flag</b> Bit NULL (DF_refund_fi_div_f_75CE2CD5 - (1)) , <b>level_flag</b> Bit NULL (DF_refund_fi_level_76C2510E - (1)) , <b>refund_filter_ce1</b> Char(10) NULL , <b>refund_filter_ce2</b> Char(10) NULL , <b>refund_filter_ce3</b> Char(20) NULL , <b>refund_filter_de1</b> Date NULL , <b>refund_filter_fe1</b> Float NULL , <b>refund_filter_le1</b> Bit NULL , <b>refund_filter_ne1</b> Int NULL , <b>refund_filter_rid</b> Int NOT NULL
<b>REGACTS</b>	<b>Primary Key:</b>	<b>PK_regacts_rid</b> (regacts_rid)
	<b>Foreign Keys:</b>	<b>FK_regacts_activity</b>
	<b>Indexes:</b>	<b>PK_regacts_rid</b> , <b>_WA_Sys_00000002_4AC3D33F</b>
	<b>Columns:</b>	<b>activity_cod</b> Char(3) NOT NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>regacts_ce1</b> Char(10) NULL , <b>regacts_ce2</b> Char(10) NULL , <b>regacts_ce3</b> Char(20) NULL , <b>regacts_de1</b> Date NULL , <b>regacts_fe1</b> Float NULL , <b>regacts_le1</b> Bit NULL , <b>regacts_ne1</b> Int NOT NULL , <b>regacts_rid</b> Int NOT NULL , <b>time_maint</b> Char(8) NULL
<b>REGHOLDSEM</b>	<b>Primary Key:</b>	<b>PK_RegHoldSem_rhs_rid</b> (RHS_RID)
	<b>Indexes:</b>	<b>PK_RegHoldSem_rhs_rid</b> , <b>_WA_Sys_DISABLED_4E8A4282</b>
	<b>Columns:</b>	<b>DATE</b> Date NULL , <b>DISABLED</b> Bit NOT NULL (DF_RegHoldSe_DISAB_4F7E66BB - (0)) , <b>OPERATOR</b> Char(8) NULL , <b>RHS_MEMO</b> Memo NULL , <b>RHS_RID</b> Numeric NOT NULL , <b>RHS_TXT</b> Nvarchar(100) NULL , <b>TIME_MAINT</b> Char(8) NULL
<b>REGHOLDSEMDIV</b>	<b>Primary Key:</b>	<b>PK_RegHoldSemDiv</b> (RHSDIV_RID)
	<b>Foreign Keys:</b>	<b>FK_RegHoldSemDiv_Division</b> , <b>FK_RegHoldSemDiv_RegHoldSem</b>
	<b>Indexes:</b>	<b>PK_RegHoldSemDiv</b> , <b>_WA_Sys_DIV_COD_1AF58FE3</b> , <b>_WA_Sys_RHS_RID_1AF58FE3</b>
	<b>Columns:</b>	<b>DATE_MAINT</b> Date NULL , <b>DIV_COD</b> Char(2) NOT NULL , <b>OPERATOR</b> Char(8) NULL , <b>RHSDIV_RID</b> Numeric NOT NULL , <b>RHS_RID</b> Numeric NOT NULL , <b>TIME_MAINT</b> Char(8) NULL
<b>REGHOLDSEMLEVEL</b>	<b>Primary Key:</b>	<b>PK_RegHoldSemLevel_RHSLEVEL_RID</b> (RHSLEVEL_RID)
	<b>Foreign Keys:</b>	<b>FK_RegHoldSemLevel_RHS_RID</b> , <b>FK_RegHoldSemLevel_level</b>
	<b>Indexes:</b>	<b>PK_RegHoldSemLevel_RHSLEVEL_RID</b> , <b>_WA_Sys_LEVEL_50728AF4</b> , <b>_WA_Sys_RHS_RID_50728AF4</b>
	<b>Columns:</b>	<b>DATE_MAINT</b> Date NULL , <b>LEVEL</b> Char(1) NOT NULL , <b>OPERATOR</b> Char(8) NULL , <b>RHSLEVEL_RID</b> Numeric NOT NULL , <b>RHS_RID</b> Numeric NOT NULL , <b>TIME_MAINT</b> Char(8) NULL
<b>REG_ALPHAS</b>	<b>Primary Key:</b>	<b>PK_REG_Alphas</b> (REG_Alphas_rid)

	<b>Indexes:</b>	<i>PK_REG_Alphas , _WA_Sys_00000002_681FF753</i>
	<b>Columns:</b>	<b>REG_Alphas_rid</b> <i>Int</i> NOT NULL , <b>alphasp</b> <i>Char(1)</i> NULL , <b>alphast</b> <i>Char(1)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>reg_rid</b> <i>Int</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>REG_CAMP</b>	<b>Primary Key:</b>	<i>PK_REG_Camp (REG_Camp_rid)</i>
	<b>Indexes:</b>	<i>PK_REG_Camp , _WA_Sys_00000002_5E968D19</i>
	<b>Columns:</b>	<b>Camp_txt</b> <i>Char(40)</i> NULL , <b>REG_Camp_rid</b> <i>Int</i> NOT NULL , <b>camp_cod</b> <i>Char(10)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>reg_rid</b> <i>Int</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>REG_CAMPUS</b>	<b>Primary Key:</b>	<i>PK_reg_campus_rid (reg_campus_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_reg_campus_campus , FK_reg_campus_name</i>
	<b>Indexes:</b>	<i>PK_reg_campus_rid , _WA_Sys_camp_cod_109731AA , _WA_Sys_soc_sec_109731AA</i>
	<b>Columns:</b>	<b>camp_cod</b> <i>Char(10)</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>reg_campus_ce1</b> <i>Char(10)</i> NULL , <b>reg_campus_ce2</b> <i>Char(10)</i> NULL , <b>reg_campus_ce3</b> <i>Char(20)</i> NULL , <b>reg_campus_de1</b> <i>Date</i> NULL , <b>reg_campus_fe1</b> <i>Float</i> NULL , <b>reg_campus_le1</b> <i>Bit</i> NULL , <b>reg_campus_ne1</b> <i>Int</i> NULL , <b>reg_campus_rid</b> <i>Int</i> NOT NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>REG_COREQ_SECTION</b>	<b>Primary Key:</b>	<i>PK_reg_coreq_section (reg_coreq_section_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_reg_coreq_section_sid</i>
	<b>Indexes:</b>	<i>PK_reg_coreq_section , _WA_Sys_00000003_71A9618D , _WA_Sys_00000004_71A9618D</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NOT NULL ( <i>DF_reg_coreq_disab_729D85C6 - ((0))</i> ) , <b>operator</b> <i>Char(8)</i> NULL , <b>reg_coreq_column</b> <i>Int</i> NOT NULL , <b>reg_coreq_group</b> <i>Int</i> NOT NULL , <b>reg_coreq_section_rid</b> <i>Int</i> NOT NULL , <b>sid</b> <i>Char(16)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>REG_CRS</b>	<b>Primary Key:</b>	<i>PK_REG_crs (REG_Crs_rid)</i>
	<b>Indexes:</b>	<i>PK_REG_crs , _WA_Sys_00000002_6637AEE1</i>
	<b>Columns:</b>	<b>REG_Crs_rid</b> <i>Int</i> NOT NULL , <b>crstypcod</b> <i>Char(2)</i> NULL , <b>crstyptxt</b> <i>Char(35)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>reg_rid</b> <i>Int</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>REG_DEPT</b>	<b>Primary Key:</b>	<i>PK_REG_dept (REG_DEPT_rid)</i>
	<b>Indexes:</b>	<i>PK_REG_dept , _WA_Sys_00000002_607ED58B</i>
	<b>Columns:</b>	<b>REG_DEPT_rid</b> <i>Int</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>dept_cod</b> <i>Char(4)</i> NULL , <b>dept_txt</b> <i>Char(40)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>reg_rid</b> <i>Int</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>REG_DIV</b>	<b>Primary Key:</b>	<i>PK_REG_div (REG_div_rid)</i>
	<b>Indexes:</b>	<i>PK_REG_div , _WA_Sys_00000002_62671DFD</i>
	<b>Columns:</b>	<b>REG_div_rid</b> <i>Int</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>div_cod</b> <i>Char(2)</i> NULL , <b>div_txt</b> <i>Char(10)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>reg_rid</b> <i>Int</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>REG_EMAIL_REMIND</b>	<b>Primary Key:</b>	<i>PK_reg_email_remind (reg_email_remind_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_reg_email_remind_activity</i>
	<b>Indexes:</b>	<i>PK_reg_email_remind , _WA_Sys_activity_cod_7A88C051</i>
	<b>Columns:</b>	<b>activity_cod</b> <i>Char(3)</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NOT NULL ( <i>DF_reg_email_disab_7C7108C3 - (0)</i> ) , <b>operator</b> <i>Char(8)</i> NULL , <b>reg_email_remind_days</b> <i>Int</i> NOT NULL ( <i>DF_reg_email_reg_e_7B7CE48A - (0)</i> ) , <b>reg_email_remind_rid</b> <i>Int</i> NOT NULL , <b>reg_email_remind_txt</b> <i>Varchar(50)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL
<b>REG_LVL</b>	<b>Primary Key:</b>	<i>PK_REG_lvl (REG_lvl_rid)</i>
	<b>Indexes:</b>	<i>PK_REG_lvl , _WA_Sys_00000002_644F666F</i>
	<b>Columns:</b>	<b>REG_lvl_rid</b> <i>Int</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>level</b> <i>Char(1)</i> NULL , <b>level_txt</b> <i>Char(20)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>reg_rid</b> <i>Int</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL

<b>REG_REGISTRATIONS</b>	<b>Primary Key:</b>	<i>PK_REG_Registrations (reg_rid)</i>
	<b>Indexes:</b>	<i>PK_REG_Registrations</i>
	<b>Columns:</b>	<i>date_maint Date NULL, operator Char(8) NULL, reg_end_time Char(10) NULL, reg_rid Int NOT NULL, reg_st_time Char(10) NULL, regstart Date NULL, regstop Date NULL, time_maint Char(8) NULL</i>
<b>RELATED_ACCOUNTS</b>		
	<b>Indexes:</b>	<i>WA_Sys_00000002_66ABE4D6, WA_Sys_00000003_66ABE4D6, WA_Sys_00000004_66ABE4D6, WA_Sys_00000005_66ABE4D6, WA_Sys_00000006_66ABE4D6, WA_Sys_00000007_66ABE4D6, WA_Sys_00000008_66ABE4D6</i>
	<b>Columns:</b>	<i>first_name Char(30) NULL, last_name Char(30) NULL, mi Char(15) NULL, prefix Char(20) NULL, related_accounts_rid Int NOT NULL, soc_sec Char(9) NULL, suffix Char(20) NULL, token Char(16) NULL</i>
<b>RELATNSH</b>	<b>Primary Key:</b>	<i>PK_reltnsh (relation)</i>
	<b>Indexes:</b>	<i>PK_reltnsh, WA_Sys_date_maint_3C2ACFCE, WA_Sys_disabled_3C2ACFCE, WA_Sys_gender_cod_3C2ACFCE, WA_Sys_operator_3C2ACFCE, WA_Sys_relation_3C2ACFCE, WA_Sys_reltnsh_ce1_3C2ACFCE, WA_Sys_reltnsh_ce2_3C2ACFCE, WA_Sys_reltnsh_ce3_3C2ACFCE, WA_Sys_reltnsh_de1_3C2ACFCE, WA_Sys_reltnsh_fe1_3C2ACFCE, WA_Sys_reltnsh_le1_3C2ACFCE, WA_Sys_reltnsh_ne1_3C2ACFCE, WA_Sys_time_maint_3C2ACFCE</i>
	<b>Columns:</b>	<i>date_maint Date NULL, disabled Bit NULL (DF_reltnsh_disabled - (0)), gender_cod Char(1) NULL, operator Char(10) NULL, relation Char(10) NOT NULL, reltnsh_ce1 Char(10) NULL, reltnsh_ce2 Char(10) NULL, reltnsh_ce3 Char(20) NULL, reltnsh_de1 Date NULL, reltnsh_fe1 Float NULL, reltnsh_le1 Bit NULL, reltnsh_ne1 Int NULL, time_maint Char(10) NULL</i>
<b>RELJOIN</b>	<b>Primary Key:</b>	<i>PK_reljoin (reljoin_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_reljoin_reltnsh, FK_reljoin_reltnsh2</i>
	<b>Indexes:</b>	<i>PK_reljoin, WA_Sys_relation2_2A37081C, WA_Sys_relation_2A37081C, WA_Sys_reljoin_ce1_2A37081C, WA_Sys_reljoin_ce2_2A37081C, WA_Sys_reljoin_ce3_2A37081C, WA_Sys_reljoin_de1_2A37081C, WA_Sys_reljoin_fe1_2A37081C, WA_Sys_reljoin_le1_2A37081C, WA_Sys_reljoin_ne1_2A37081C</i>
	<b>Columns:</b>	<i>relation Char(10) NOT NULL, relation2 Char(10) NOT NULL, reljoin_ce1 Char(10) NULL, reljoin_ce2 Char(10) NULL, reljoin_ce3 Char(20) NULL, reljoin_de1 Date NULL, reljoin_fe1 Float NULL, reljoin_le1 Bit NULL, reljoin_ne1 Int NULL, reljoin_rid Int NOT NULL</i>
<b>REMINDERS</b>	<b>Primary Key:</b>	<i>PK_reminders (reminders_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_reminders_name, FK_reminders_reminderstype</i>
	<b>Indexes:</b>	<i>PK_reminders, WA_Sys_date_4F937554, WA_Sys_from_soc_sec_4F937554, WA_Sys_read_4F937554, WA_Sys_reminderstype_rid_4F937554, WA_Sys_soc_sec_4F937554</i>
	<b>Columns:</b>	<i>date Date NOT NULL, date_maint Date NULL, from_soc_sec Char(9) NULL, memo Memo NULL, operator Char(8) NULL, read Bit NOT NULL (DF_reminders_read_5087998D - (0)), reminders_ce1 Char(10) NULL, reminders_de1 Date NULL, reminders_fe1 Float NULL, reminders_le1 Bit NULL, reminders_ne1 Int NULL, reminders_rid Int NOT NULL, reminderstype_rid Int NOT NULL, soc_sec Char(9) NOT NULL, time_maint Char(8) NULL</i>
<b>REMINDERSTYPE</b>	<b>Primary Key:</b>	<i>PK_reminderstype (reminderstype_rid)</i>
	<b>Indexes:</b>	<i>PK_reminderstype, WA_Sys_00000002_4ACEC037, WA_Sys_disabled_4ACEC037</i>
	<b>Columns:</b>	<i>date_maint Date NULL, disabled Bit NOT NULL (DF_reminders_disab_4BC2E470 - (0)), operator Char(8) NULL, reminderstype Char(30) NOT NULL, reminderstype_ce1 Char(10) NULL, reminderstype_de1 Date NULL, reminderstype_fe1 Float NULL, reminderstype_le1 Bit NULL, reminderstype_ne1 Int NULL, reminderstype_rid Int NOT NULL, time_maint Char(8) NULL</i>
<b>REMINDERS_FROM</b>	<b>Primary Key:</b>	<i>PK_reminders_from (reminders_from_rid)</i>



	<b>Foreign Keys:</b>	<i>FK_reminders_from_name , FK_reminders_from_reminderstype</i>
	<b>Indexes:</b>	<i>PK_reminders_from , _WA_Sys_from_soc_sec_54582A71 , _WA_Sys_reminders_rid_54582A71 , _WA_Sys_reminderstype_rid_54582A71 , _WA_Sys_soc_sec_54582A71</i>
	<b>Columns:</b>	<i>date Date NOT NULL , date_maint Date NULL , from_soc_sec Char(9) NULL , memo Memo NULL , operator Char(8) NULL , read Bit NOT NULL (DF_reminders_read__554C4EAA-(0)) , reminders_from_ce1 Char(10) NULL , reminders_from_de1 Date NULL , reminders_from_fe1 Float NULL , reminders_from_le1 Bit NULL , reminders_from_ne1 Int NULL , reminders_from_rid Int NOT NULL , reminders_rid Int NOT NULL , reminderstype_rid Int NOT NULL , soc_sec Char(9) NOT NULL , time_maint Char(8) NULL</i>
<b>REPORT_SOC_SEC</b>		
	<b>Indexes:</b>	<i>_WA_Sys_operator_62913B2F , _WA_Sys_soc_sec_62913B2F</i>
	<b>Columns:</b>	<i>mod_txt Char(12) NOT NULL , operator Char(8) NOT NULL , soc_sec Char(9) NOT NULL</i>
<b>REQCODE</b>	<b>Primary Key:</b>	<i>PK_reqcode (req_cod)</i>
	<b>Indexes:</b>	<i>PK_reqcode , _WA_Sys_00000002_5773C2E7 , _WA_Sys_disabled_5773C2E7</i>
	<b>Columns:</b>	<i>date_maint Date NULL , disabled Bit NULL , operator Char(8) NULL , req_cod Char(4) NOT NULL , reqcod_ce1 Char(10) NULL , reqcod_le1 Bit NULL , reqcod_ne1 Int NULL , reqcod_txt Char(40) NULL , reqcode_ce1 Char(10) NULL , reqcode_ce2 Char(10) NULL , reqcode_ce3 Char(20) NULL , reqcode_de1 Date NULL , reqcode_fe1 Float NULL , reqcode_le1 Bit NULL , reqcode_ne1 Int NULL , time_maint Char(8) NULL</i>
<b>REQCODEOVERVIEW</b>	<b>Primary Key:</b>	<i>PK_reqcodeoverview (reqcodeoverview_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_reqcodeoverview_dept , FK_reqcodeoverview_req_cod , FK_reqcodeoverview_reqtype_cod</i>
	<b>Indexes:</b>	<i>PK_reqcodeoverview , _WA_Sys_00000006_5B4453CB , _WA_Sys_date_maint_5B4453CB , _WA_Sys_disabled_5B4453CB , _WA_Sys_operator_5B4453CB , _WA_Sys_reqcoddef_gpa_5B4453CB , _WA_Sys_reqcoddef_num_5B4453CB , crstypcod , dept_cod , req_cod , reqtype_cod</i>
	<b>Columns:</b>	<i>crstypcod Char(2) NULL , date_maint Date NULL , dept_cod Char(4) NULL , disabled Bit NULL , level_ Char(1) NULL , memo Memo NULL , multi_apply Bit NULL (DF_reqcodeov_multi_257D3FF7-(1)) , operator Char(8) NULL , rco_ce1 Char(10) NULL , rco_le1 Bit NULL , rco_ne1 Int NULL , req_cod Char(4) NULL , reqcoddef_gpa Float NULL , reqcoddef_num Float NULL , reqcodeoverview_ce1 Char(10) NULL , reqcodeoverview_ce2 Char(10) NULL , reqcodeoverview_ce3 Char(20) NULL , reqcodeoverview_de1 Date NULL , reqcodeoverview_fe1 Float NULL , reqcodeoverview_le1 Bit NULL , reqcodeoverview_ne1 Int NULL , reqcodeoverview_rid Int NOT NULL , reqtype_cod Char(2) NULL , skip_not_enrolled Bit NOT NULL (DF_REQCODEOV__skip__5EE0A5DC-(0)) , time_maint Char(8) NULL</i>
<b>REQTYPE</b>	<b>Primary Key:</b>	<i>PK_reqtype (reqtype_cod)</i>
	<b>Indexes:</b>	<i>PK_reqtype , _WA_Sys_disabled_64CDBE05</i>
	<b>Columns:</b>	<i>disabled Bit NULL , reqtype_ce1 Char(10) NULL , reqtype_ce2 Char(10) NULL , reqtype_ce3 Char(20) NULL , reqtype_cod Char(2) NOT NULL , reqtype_de1 Date NULL , reqtype_fe1 Float NULL , reqtype_le1 Bit NULL , reqtype_ne1 Int NULL , reqtype_txt Char(40) NOT NULL</i>
<b>RESULTS</b>	<b>Primary Key:</b>	<i>PK_Results (results_rid)</i>
	<b>Indexes:</b>	<i>PK_Results , _WA_Sys_00000002_343F9543</i>
	<b>Columns:</b>	<i>Results_ce1 Char(10) NULL , Results_ce2 Char(10) NULL , Results_ce3 Char(20) NULL , Results_de1 Date NULL , Results_fe1 Float NULL , Results_le1 Bit NULL , Results_ne1 Int NULL , ac_sem Char(50) NULL , ac_year Char(50) NULL , addr Char(50) NULL , amt_1 Float NULL , bal Float NULL , bill_memo Memo NULL , c_bal Float NULL , check_no Char(30) NULL , csz Char(254) NULL , d_bal Float NULL , date_maint Date NULL , due_date Date NULL , invoice_no Char(16) NULL , name Char(254) NULL , operator Char(8) NULL , p_bal Float NULL , posted Bit NULL , ref_id Char(35) NULL , results_rid Int NOT NULL , sch_addr1 Char(254) NULL , sch_addr2 Char(254) NULL , sch_addr3 Char(254) NULL , sch_yr Char(6) NULL , semester Char(2) NULL , soc_sec Char(9) NOT NULL , time_maint Char(8) NULL , timestamp_column 173 - 8 NULL , token Char(16) NULL , trans_date Date NULL</i>
<b>ROOM</b>	<b>Primary Key:</b>	<i>PK_room (room_cod)</i>

	<b>Foreign Keys:</b>	<i>FK_room_building</i>
	<b>Indexes:</b>	<i>PK_room</i> , <i>_WA_Sys_00000002_004AEFF1</i> , <i>_WA_Sys_00000005_004AEFF1</i> , <i>_WA_Sys_bldg_cod_004AEFF1</i> , <i>_WA_Sys_date_maint_004AEFF1</i> , <i>_WA_Sys_disabled_004AEFF1</i> , <i>_WA_Sys_hndcap_sts_004AEFF1</i> , <i>_WA_Sys_operator_004AEFF1</i> , <i>_WA_Sys_room_seats_004AEFF1</i> , <i>_WA_Sys_time_maint_004AEFF1</i>
	<b>Columns:</b>	<b>bldg_cod</b> Char(10) NOT NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NOT NULL (DF <i>_room_disabled_096B112E</i> - (0)) , <b>hndcap_fac</b> Bit NULL (UW ZeroDefault - CREATE DEFAULT UW ZeroDefault AS 0) , <b>hndcap_sts</b> Int NULL , <b>operator</b> Char(8) NULL , <b>room_ce1</b> Char(10) NULL , <b>room_ce2</b> Char(10) NULL , <b>room_ce3</b> Char(20) NULL , <b>room_cod</b> Char(10) NOT NULL , <b>room_de1</b> Date NULL , <b>room_fe1</b> Float NULL , <b>room_le1</b> Bit NULL (UW ZeroDefault - CREATE DEFAULT UW ZeroDefault AS 0) , <b>room_mem</b> Memo NULL , <b>room_ne1</b> Int NULL , <b>room_seats</b> Int NULL , <b>room_txt</b> Char(30) NOT NULL , <b>time_maint</b> Char(8) NULL , <b>timestamp_column</b> Timestamp NULL
<b>ROOMATTRIBUTES</b>	<b>Primary Key:</b>	<i>pk_roomattr_cod</i> (roomattr_cod)
	<b>Indexes:</b>	<i>_WA_Sys_00000003_4B6DDEB5</i> , <i>pk_roomattr_cod</i>
	<b>Columns:</b>	<b>disabled</b> Bit NOT NULL (DF <i>_roomattri_disab_4D562727</i> - (0)) , <b>roomattr_ce1</b> Char(10) NULL , <b>roomattr_ce2</b> Char(10) NULL , <b>roomattr_ce3</b> Char(20) NULL , <b>roomattr_cod</b> Char(2) NOT NULL , <b>roomattr_de1</b> Date NULL , <b>roomattr_fe1</b> Float NULL , <b>roomattr_le1</b> Bit NULL , <b>roomattr_ne1</b> Int NULL , <b>roomattr_txt</b> Varchar(40) NOT NULL
<b>ROOMROOMATTR</b>		
	<b>Foreign Keys:</b>	<i>fk_rrattr_room</i> , <i>fk_rrattr_roomattributes</i>
	<b>Indexes:</b>	<i>_WA_Sys_00000002_5126B80B</i> , <i>_WA_Sys_00000003_5126B80B</i>
	<b>Columns:</b>	<b>room_cod</b> Char(10) NOT NULL , <b>roomattr_cod</b> Char(2) NOT NULL , <b>rr_cod</b> Int NOT NULL , <b>rrattr_ce1</b> Char(10) NULL , <b>rrattr_ce2</b> Char(10) NULL , <b>rrattr_ce3</b> Char(20) NULL , <b>rrattr_de1</b> Date NULL , <b>rrattr_fe1</b> Float NULL , <b>rrattr_le1</b> Bit NULL , <b>rrattr_ne1</b> Int NULL
<b>RPT_1098T_HT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_soc_sec_6DED13EB</i> , <i>_WA_Sys_token_6DED13EB</i>
	<b>Columns:</b>	<b>HT</b> Bit NULL , <b>rpt_1098T_HT_ce1</b> Char(10) NULL , <b>rpt_1098T_HT_ce2</b> Char(10) NULL , <b>rpt_1098T_HT_ce3</b> Char(20) NULL , <b>rpt_1098T_HT_de1</b> Date NULL , <b>rpt_1098T_HT_fe1</b> Float NULL , <b>rpt_1098T_HT_le1</b> Bit NULL , <b>rpt_1098T_HT_ne1</b> Int NULL , <b>rpt_1098T_HT_rid</b> Int NOT NULL , <b>soc_sec</b> Char(9) NULL , <b>token</b> Char(16) NULL
<b>RPT_ACADSTAT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_rpt_institut_rid_3143F85E</i> , <i>_WA_Sys_sem_acad_stat_txt_3143F85E</i> , <i>_WA_Sys_token_3143F85E</i>
	<b>Columns:</b>	<b>rpt_institut_rid</b> Int NOT NULL , <b>sem_acad_stat_txt</b> Char(30) NULL , <b>token</b> Char(16) NULL
<b>RPT_ACADSTAT_COD</b>	<b>Primary Key:</b>	<i>PK_rpt_acadstat_cod</i> <i>rpt_acadstat_cod_rid</i> (rpt_acadstat_cod rid)
	<b>Indexes:</b>	<i>PK_rpt_acadstat_cod</i> <i>rpt_acadstat_cod_rid</i> , <i>_WA_Sys_acadstat_cod_17A421EC</i> , <i>_WA_Sys_token_17A421EC</i>
	<b>Columns:</b>	<b>acadstat_cod</b> Char(8) NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>rpt_acadstat_cod_ce1</b> Char(10) NULL , <b>rpt_acadstat_cod_ce2</b> Char(10) NULL , <b>rpt_acadstat_cod_ce3</b> Char(20) NULL , <b>rpt_acadstat_cod_de1</b> Date NULL , <b>rpt_acadstat_cod_fe1</b> Float NULL , <b>rpt_acadstat_cod_le1</b> Bit NULL , <b>rpt_acadstat_cod_ne1</b> Int NULL , <b>rpt_acadstat_cod_rid</b> Int NOT NULL , <b>time_maint</b> Char(8) NULL , <b>token</b> Char(16) NULL
<b>RPT_ACTV</b>	<b>Primary Key:</b>	<i>PK_rpt_actv</i> (rpt_actv rid)
	<b>Indexes:</b>	<i>PK_rpt_actv</i> , <i>_WA_Sys_activity_cod_04FA9675</i> , <i>_WA_Sys_token_04FA9675</i>
	<b>Columns:</b>	<b>activity_cod</b> Char(3) NULL , <b>rpt_actv_ce1</b> Char(10) NULL , <b>rpt_actv_ce2</b> Char(10) NULL , <b>rpt_actv_ce3</b> Char(20) NULL , <b>rpt_actv_de1</b> Date NULL , <b>rpt_actv_fe1</b> Float NULL , <b>rpt_actv_le1</b> Bit NULL , <b>rpt_actv_ne1</b> Int NULL , <b>rpt_actv_rid</b> Int NOT NULL , <b>token</b> Char(16) NULL
<b>RPT_ADDRATYPE</b>		
	<b>Indexes:</b>	<i>_WA_Sys_token_0D30B51A</i> , <i>_WA_Sys_type_0D30B51A</i>

	<b>Columns:</b>	<b>rpt_addrtype_ce1</b> Char(10) NULL , <b>rpt_addrtype_ce2</b> Char(10) NULL , <b>rpt_addrtype_ce3</b> Char(20) NULL , <b>rpt_addrtype_de1</b> Date NULL , <b>rpt_addrtype_fe1</b> Float NULL , <b>rpt_addrtype_le1</b> Bit NULL , <b>rpt_addrtype_ne1</b> Int NULL , <b>rpt_addrtype_rid</b> Int NOT NULL , <b>token</b> Char(16) NULL , <b>type</b> Char(10) NULL
<b>RPT_ADV</b>	<b>Primary Key:</b>	<b>PK_rpt_adv</b> (rpt_adv_rid)
	<b>Indexes:</b>	<b>PK_rpt_adv</b> , <b>_WA_Sys_rpt_adv_ce1</b> 17B8652E , <b>_WA_Sys_rpt_adv_ce2</b> 17B8652E , <b>_WA_Sys_rpt_adv_ce3</b> 17B8652E , <b>_WA_Sys_rpt_adv_de1</b> 17B8652E , <b>_WA_Sys_rpt_adv_fe1</b> 17B8652E , <b>_WA_Sys_rpt_adv_le1</b> 17B8652E , <b>_WA_Sys_rpt_adv_ne1</b> 17B8652E , <b>_WA_Sys_soc_sec</b> 17B8652E , <b>_WA_Sys_token</b> 17B8652E
	<b>Columns:</b>	<b>rpt_adv_ce1</b> Char(10) NULL , <b>rpt_adv_ce2</b> Char(10) NULL , <b>rpt_adv_ce3</b> Char(20) NULL , <b>rpt_adv_de1</b> Date NULL , <b>rpt_adv_fe1</b> Float NULL , <b>rpt_adv_le1</b> Bit NULL , <b>rpt_adv_ne1</b> Int NULL , <b>rpt_adv_rid</b> Int NOT NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>token</b> Char(16) NULL
<b>RPT_AGENCY</b>		
	<b>Indexes:</b>	<b>_WA_Sys_agency_cod</b> 5EDFDA85 , <b>_WA_Sys_token</b> 5EDFDA85
	<b>Columns:</b>	<b>agency_cod</b> Char(10) NULL , <b>rpt_agency_ce1</b> Char(10) NULL , <b>rpt_agency_ce2</b> Char(10) NULL , <b>rpt_agency_ce3</b> Char(20) NULL , <b>rpt_agency_de1</b> Date NULL , <b>rpt_agency_fe1</b> Float NULL , <b>rpt_agency_le1</b> Bit NULL , <b>rpt_agency_ne1</b> Int NULL , <b>rpt_date_rid</b> Int NOT NULL , <b>token</b> Char(16) NULL
<b>RPT_ANT_GRAD_DATE</b>		
	<b>Indexes:</b>	<b>_WA_Sys_ant_grad_date</b> 5B3A322A , <b>_WA_Sys_token</b> 5B3A322A
	<b>Columns:</b>	<b>ant_grad_date</b> Date NULL , <b>rpt_ant_grad_date_rid</b> Int NOT NULL , <b>token</b> Char(16) NULL
<b>RPT_APPENTRYDT</b>		
	<b>Indexes:</b>	<b>_WA_Sys_entry_date</b> 56F49FFA , <b>_WA_Sys_token</b> 56F49FFA
	<b>Columns:</b>	<b>entry_date</b> Date NULL , <b>rpt_appentrydt_ce1</b> Char(10) NULL , <b>rpt_appentrydt_ce2</b> Char(10) NULL , <b>rpt_appentrydt_ce3</b> Char(20) NULL , <b>rpt_appentrydt_de1</b> Date NULL , <b>rpt_appentrydt_fe1</b> Float NULL , <b>rpt_appentrydt_le1</b> Bit NULL , <b>rpt_appentrydt_ne1</b> Int NULL , <b>rpt_appentrydt_rid</b> Int NOT NULL , <b>token</b> Char(16) NULL
<b>RPT_ASOF</b>		
	<b>Indexes:</b>	<b>_WA_Sys_asofdate</b> 48DB8ACD , <b>_WA_Sys_token</b> 48DB8ACD
	<b>Columns:</b>	<b>asofdate</b> Date NULL , <b>rpt_asof_ce1</b> Char(10) NULL , <b>rpt_asof_ce2</b> Char(10) NULL , <b>rpt_asof_ce3</b> Char(20) NULL , <b>rpt_asof_de1</b> Date NULL , <b>rpt_asof_fe1</b> Float NULL , <b>rpt_asof_le1</b> Bit NULL , <b>rpt_asof_ne1</b> Int NULL , <b>rpt_asof_rid</b> Int NOT NULL , <b>token</b> Char(16) NULL
<b>RPT_AWARD</b>		
	<b>Indexes:</b>	<b>_WA_Sys_awd_cod</b> 01BF026E , <b>_WA_Sys_token</b> 01BF026E
	<b>Columns:</b>	<b>awd_cod</b> Char(9) NULL , <b>rpt_award_ce1</b> Char(10) NULL , <b>rpt_award_ce2</b> Char(10) NULL , <b>rpt_award_ce3</b> Char(20) NULL , <b>rpt_award_de1</b> Date NULL , <b>rpt_award_fe1</b> Float NULL , <b>rpt_award_le1</b> Bit NULL , <b>rpt_award_ne1</b> Int NULL , <b>rpt_award_rid</b> Int NOT NULL , <b>token</b> Char(16) NULL
<b>RPT_BDAYBOX</b>	<b>Primary Key:</b>	<b>PK_rpt_BDayBox</b> (rpt_BDayBox_rid)
	<b>Indexes:</b>	<b>PK_rpt_BDayBox</b> , <b>rpt_BDayBox_rid</b> , <b>_WA_Sys_BDayBox</b> 71297349 , <b>_WA_Sys_token</b> 71297349
	<b>Columns:</b>	<b>BDayBox</b> Int NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>rpt_BDayBox_ce1</b> Char(10) NULL , <b>rpt_BDayBox_ce2</b> Char(10) NULL , <b>rpt_BDayBox_ce3</b> Char(20) NULL , <b>rpt_BDayBox_de1</b> Date NULL , <b>rpt_BDayBox_fe1</b> Float NULL , <b>rpt_BDayBox_le1</b> Bit NULL , <b>rpt_BDayBox_ne1</b> Int NULL , <b>rpt_BDayBox_rid</b> Int NOT NULL , <b>time_maint</b> Char(8) NULL , <b>token</b> Char(16) NULL
<b>RPT_CALYEAR</b>		
	<b>Indexes:</b>	<b>_WA_Sys_calyear</b> 627B613F , <b>_WA_Sys_token</b> 627B613F
	<b>Columns:</b>	<b>calyear</b> Char(4) NULL , <b>rpt_calyear_ce1</b> Char(10) NULL , <b>rpt_calyear_ce2</b> Char(10) NULL , <b>rpt_calyear_ce3</b> Char(20) NULL , <b>rpt_calyear_de1</b> Date NULL , <b>rpt_calyear_fe1</b> Float NULL , <b>rpt_calyear_le1</b> Bit NULL , <b>rpt_calyear_ne1</b> Int NULL , <b>rpt_calyear_rid</b> Int NOT NULL , <b>token</b> Char(16) NULL

<b>RPT_CAMP</b>	<b>Primary Key:</b>	<i>PK_rpt_camp (rpt_camp_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_camp , _WA_Sys_camp_cod_1A94D1D9 , _WA_Sys_token_1A94D1D9</i>
	<b>Columns:</b>	<b>camp_cod</b> Char(10) NULL , <b>rpt_camp_ce1</b> Char(10) NULL , <b>rpt_camp_ce2</b> Char(10) NULL , <b>rpt_camp_ce3</b> Char(20) NULL , <b>rpt_camp_de1</b> Date NULL , <b>rpt_camp_fe1</b> Float NULL , <b>rpt_camp_le1</b> Bit NULL , <b>rpt_camp_ne1</b> Int NULL , <b>rpt_camp_rid</b> Int NOT NULL , <b>token</b> Char(16) NULL
<b>RPT_CAREER_STAFF</b>		
<b>RPT_CATEGORY</b>		
	<b>Indexes:</b>	<i>_WA_Sys_categr_cod_7C7B2A64 , _WA_Sys_token_7C7B2A64</i>
	<b>Columns:</b>	<b>categr_cod</b> Char(15) NULL , <b>rpt_category_ce1</b> Char(10) NULL , <b>rpt_category_ce2</b> Char(10) NULL , <b>rpt_category_ce3</b> Char(20) NULL , <b>rpt_category_de1</b> Date NULL , <b>rpt_category_fe1</b> Float NULL , <b>rpt_category_le1</b> Bit NULL , <b>rpt_category_ne1</b> Int NULL , <b>token</b> Char(16) NULL
<b>RPT_CEBOX</b>	<b>Primary Key:</b>	<i>PK_rpt_CEBox rpt_CEBox_rid (rpt_CEBox_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_CEBox rpt_CEBox_rid , _WA_Sys_token_7D2535DA</i>
	<b>Columns:</b>	<b>CEBox</b> Int NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>rpt_CEBox_ce1</b> Char(10) NULL , <b>rpt_CEBox_ce2</b> Char(10) NULL , <b>rpt_CEBox_ce3</b> Char(20) NULL , <b>rpt_CEBox_de1</b> Date NULL , <b>rpt_CEBox_fe1</b> Float NULL , <b>rpt_CEBox_le1</b> Bit NULL , <b>rpt_CEBox_ne1</b> Int NULL , <b>rpt_CEBox_rid</b> Int NOT NULL , <b>time_maint</b> Char(8) NULL , <b>token</b> Char(16) NULL
<b>RPT_COHORT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000002_76F8268F , _WA_Sys_00000003_76F8268F</i>
	<b>Columns:</b>	<b>cohort_cod</b> Char(16) NOT NULL , <b>rpt_cohort_rid</b> Int NOT NULL , <b>token</b> Char(16) NULL
<b>RPT_CONSTIT_TYPE</b>		
	<b>Indexes:</b>	<i>_WA_Sys_constit_type_cod_62DB53F2 , _WA_Sys_token_62DB53F2</i>
	<b>Columns:</b>	<b>constit_type_cod</b> Char(2) NULL , <b>rpt_constit_type_rid</b> Int NOT NULL , <b>token</b> Char(16) NULL
<b>RPT_CRAYEAR</b>	<b>Primary Key:</b>	<i>PK_rpt_CRAYear (rpt_CRAYear_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_CRAYear</i>
	<b>Columns:</b>	<b>cra_rprtyr</b> Char(4) NOT NULL , <b>rpt_CRAYear_rid</b> Int NOT NULL , <b>token</b> Varchar(16) NULL
<b>RPT_CROSSLIST</b>		
	<b>Indexes:</b>	<i>_WA_Sys_crosslist_course_5186AABE , _WA_Sys_crosslist_crs_txt_5186AABE , _WA_Sys_crosslist_rid_5186AABE , _WA_Sys_crosslist_sid1_5186AABE , _WA_Sys_crosslist_sid2_5186AABE , _WA_Sys_rpt_crosslist_rid_5186AABE , _WA_Sys_token_5186AABE</i>
	<b>Columns:</b>	<b>crosslist_course</b> Char(10) NOT NULL , <b>crosslist_crs_txt</b> Varchar(100) NOT NULL , <b>crosslist_rid</b> Int NULL , <b>crosslist_sid1</b> Varchar(16) NOT NULL , <b>crosslist_sid2</b> Varchar(16) NOT NULL , <b>rpt_crosslist_rid</b> Int NOT NULL , <b>token</b> Char(16) NULL
<b>RPT_CRS</b>	<b>Primary Key:</b>	<i>PK_rpt_crs (rpt_crs_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_crs</i>
	<b>Columns:</b>	<b>crs_id</b> Char(16) NULL , <b>rpt_crs_ce1</b> Char(10) NULL , <b>rpt_crs_ce2</b> Char(10) NULL , <b>rpt_crs_ce3</b> Char(20) NULL , <b>rpt_crs_de1</b> Date NULL , <b>rpt_crs_fe1</b> Float NULL , <b>rpt_crs_le1</b> Bit NULL , <b>rpt_crs_ne1</b> Int NULL , <b>rpt_crs_rid</b> Int NOT NULL , <b>token</b> Char(16) NULL
<b>RPT_CRS_SECTLIST</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000002_09CB03E1 , _WA_Sys_00000003_09CB03E1 , _WA_Sys_00000004_09CB03E1 , _WA_Sys_0000000A_09CB03E1 , _WA_Sys_au_ct_09CB03E1 , _WA_Sys_ce_ct_09CB03E1 , _WA_Sys_en_ct_09CB03E1 , _WA_Sys_soc_sec_09CB03E1 , _WA_Sys_token_09CB03E1</i>

	<b>Columns:</b>	<b>au_ct</b> <i>Int</i> NULL , <b>camp_cod</b> <i>Char(10)</i> NULL , <b>cancel</b> <i>Bit</i> NULL , <b>ce_ct</b> <i>Int</i> NULL , <b>course</b> <i>Char(10)</i> NOT NULL , <b>course2</b> <i>Char(10)</i> NULL , <b>crosslist_rid</b> <i>Int</i> NULL , <b>crs_txt</b> <i>Varchar(100)</i> NOT NULL , <b>en_ct</b> <i>Int</i> NULL , <b>enrollcode</b> <i>Char(2)</i> NULL , <b>first_name</b> <i>Char(30)</i> NULL , <b>instructor</b> <i>Char(9)</i> NULL , <b>last_name</b> <i>Char(30)</i> NULL , <b>mi</b> <i>Char(15)</i> NULL , <b>prefix</b> <i>Char(20)</i> NULL , <b>primary_sid</b> <i>Varchar(16)</i> NOT NULL , <b>room_cod</b> <i>Char(10)</i> NULL , <b>sch_yr</b> <i>Char(6)</i> NULL , <b>section</b> <i>Char(6)</i> NULL , <b>semester</b> <i>Char(2)</i> NULL , <b>semester2</b> <i>Char(2)</i> NULL , <b>session</b> <i>Char(2)</i> NULL , <b>sid</b> <i>Char(16)</i> NULL , <b>sm_desc</b> <i>Char(10)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>sp_taken</b> <i>Int</i> NULL , <b>spaces</b> <i>Int</i> NULL , <b>suffix</b> <i>Char(20)</i> NULL , <b>timedesc</b> <i>Varchar(211)</i> NULL , <b>title</b> <i>Varchar(60)</i> NULL , <b>token</b> <i>Char(16)</i> NULL , <b>transfer</b> <i>Bit</i> NULL
<b>RPT_CULT_ACTV</b>		
	<b>Indexes:</b>	<i>_WA_Sys_ca_rid_38D00B8D</i> , <i>_WA_Sys_token_38D00B8D</i>
	<b>Columns:</b>	<b>ca_rid</b> <i>Int</i> NULL , <b>rpt_cult_actv_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_CUR_COD</b>		
<b>RPT_DATE</b>		
<b>RPT_DEPT</b>	<b>Primary Key:</b>	<i>PK_rpt_dept (rpt_dept_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_dept</i> , <i>_WA_Sys_dept_cod_1F5986F6</i> , <i>_WA_Sys_token_1F5986F6</i>
	<b>Columns:</b>	<b>dept_cod</b> <i>Char(4)</i> NULL , <b>rpt_dept_ce1</b> <i>Char(10)</i> NULL , <b>rpt_dept_ce2</b> <i>Char(10)</i> NULL , <b>rpt_dept_ce3</b> <i>Char(20)</i> NULL , <b>rpt_dept_de1</b> <i>Date</i> NULL , <b>rpt_dept_fe1</b> <i>Float</i> NULL , <b>rpt_dept_le1</b> <i>Bit</i> NULL , <b>rpt_dept_ne1</b> <i>Int</i> NULL , <b>rpt_dept_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_DISP</b>		
	<b>Indexes:</b>	<i>_WA_Sys_dispos_5CF79213</i> , <i>_WA_Sys_token_5CF79213</i>
	<b>Columns:</b>	<b>dispos</b> <i>Varchar(30)</i> NULL , <b>rpt_date_rid</b> <i>Int</i> NOT NULL , <b>rpt_disp_ce1</b> <i>Char(10)</i> NULL , <b>rpt_disp_ce2</b> <i>Char(10)</i> NULL , <b>rpt_disp_ce3</b> <i>Char(20)</i> NULL , <b>rpt_disp_de1</b> <i>Date</i> NULL , <b>rpt_disp_fe1</b> <i>Float</i> NULL , <b>rpt_disp_le1</b> <i>Bit</i> NULL , <b>rpt_disp_ne1</b> <i>Int</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_DISPCHK</b>		
	<b>Indexes:</b>	<i>_WA_Sys_dispchk_cod_656DA7DA</i> , <i>_WA_Sys_token_656DA7DA</i>
	<b>Columns:</b>	<b>dispchk_cod</b> <i>Char(2)</i> NOT NULL , <b>rpt_dispchk_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_DIV</b>	<b>Primary Key:</b>	<i>PK_rpt_div (rpt_div_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_div</i> , <i>_WA_Sys_div_cod_7C9A5A9E</i> , <i>_WA_Sys_rpt_div_ce1_7C9A5A9E</i> , <i>_WA_Sys_token_7C9A5A9E</i>
	<b>Columns:</b>	<b>div_cod</b> <i>Char(2)</i> NULL , <b>rpt_div_ce1</b> <i>Char(10)</i> NULL , <b>rpt_div_ce2</b> <i>Char(10)</i> NULL , <b>rpt_div_ce3</b> <i>Char(20)</i> NULL , <b>rpt_div_de1</b> <i>Date</i> NULL , <b>rpt_div_fe1</b> <i>Float</i> NULL , <b>rpt_div_le1</b> <i>Bit</i> NULL , <b>rpt_div_ne1</b> <i>Int</i> NULL , <b>rpt_div_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_DMSCAT</b>		
<b>RPT_DTS</b>	<b>Primary Key:</b>	<i>PK_rpt_dts (rpt_dts_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_dts</i> , <i>_WA_Sys_from_dt_232A17DA</i> , <i>_WA_Sys_to_dt_232A17DA</i> , <i>_WA_Sys_token_232A17DA</i>
	<b>Columns:</b>	<b>from_dt</b> <i>Date</i> NULL , <b>rpt_dts_ce1</b> <i>Char(10)</i> NULL , <b>rpt_dts_ce2</b> <i>Char(10)</i> NULL , <b>rpt_dts_ce3</b> <i>Char(20)</i> NULL , <b>rpt_dts_de1</b> <i>Date</i> NULL , <b>rpt_dts_fe1</b> <i>Float</i> NULL , <b>rpt_dts_le1</b> <i>Bit</i> NULL , <b>rpt_dts_ne1</b> <i>Int</i> NULL , <b>rpt_dts_rid</b> <i>Int</i> NOT NULL , <b>to_dt</b> <i>Date</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_EMP</b>		
<b>RPT_EMPTYYPE</b>		
<b>RPT_ENTER_DT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_enter_date_298DC7FD</i> , <i>_WA_Sys_token_298DC7FD</i>
	<b>Columns:</b>	<b>enter_date</b> <i>Date</i> NULL , <b>rpt_enter_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_EVALUATION</b>		
	<b>Indexes:</b>	<i>_WA_Sys_eval_cod_1D5CFB42</i> , <i>_WA_Sys_token_1D5CFB42</i>

	<b>Columns:</b>	<b>eval_cod</b> Char(10) NULL , <b>rpt_evaluation_rid</b> Int NOT NULL , <b>token</b> Char(16) NULL
<b>RPT_EVENTS</b>		
	<b>Indexes:</b>	<b>_WA_Sys_ev_rid_4342AD08</b> , <b>_WA_Sys_token_4342AD08</b>
	<b>Columns:</b>	<b>ev_rid</b> Int NULL , <b>rpt_events_ce1</b> Char(10) NULL , <b>rpt_events_ce2</b> Char(10) NULL , <b>rpt_events_ce3</b> Char(20) NULL , <b>rpt_events_de1</b> Date NULL , <b>rpt_events_fe1</b> Float NULL , <b>rpt_events_le1</b> Bit NULL , <b>rpt_events_ne1</b> Int NULL , <b>rpt_events_rid</b> Int NOT NULL , <b>token</b> Char(16) NULL
<b>RPT_FDTCODES</b>		
	<b>Indexes:</b>	<b>_WA_Sys_fdtcodes_47133DEC</b> , <b>_WA_Sys_token_47133DEC</b>
	<b>Columns:</b>	<b>fdtcodes</b> Char(2) NULL , <b>rpt_fdtcodes_ce1</b> Char(10) NULL , <b>rpt_fdtcodes_ce2</b> Char(10) NULL , <b>rpt_fdtcodes_ce3</b> Char(20) NULL , <b>rpt_fdtcodes_de1</b> Date NULL , <b>rpt_fdtcodes_fe1</b> Float NULL , <b>rpt_fdtcodes_le1</b> Bit NULL , <b>rpt_fdtcodes_ne1</b> Int NULL , <b>rpt_fdtcodes_rid</b> Int NOT NULL , <b>token</b> Char(16) NULL
<b>RPT_FIELDNAME</b>	<b>Primary Key:</b>	<b>PK_rpt_fieldname_rpt_fieldname_rid</b> (rpt_fieldname_rid)
	<b>Indexes:</b>	<b>PK_rpt_fieldname_rpt_fieldname_rid</b> , <b>_WA_Sys_fieldname_code_110C32F6</b> , <b>_WA_Sys_token_110C32F6</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>fieldname_code</b> Char(300) NULL , <b>operator</b> Char(8) NULL , <b>rpt_fieldname_ce1</b> Char(10) NULL , <b>rpt_fieldname_ce2</b> Char(10) NULL , <b>rpt_fieldname_ce3</b> Char(20) NULL , <b>rpt_fieldname_de1</b> Date NULL , <b>rpt_fieldname_fe1</b> Float NULL , <b>rpt_fieldname_le1</b> Bit NULL , <b>rpt_fieldname_ne1</b> Int NULL , <b>rpt_fieldname_rid</b> Int NOT NULL , <b>time_maint</b> Char(8) NULL , <b>token</b> Char(16) NULL
<b>RPT_FUNDS</b>		
	<b>Indexes:</b>	<b>_WA_Sys_funds_cod_424E88CF</b> , <b>_WA_Sys_token_424E88CF</b>
	<b>Columns:</b>	<b>funds_cod</b> Char(3) NULL , <b>rpt_funds_ce1</b> Char(10) NULL , <b>rpt_funds_ce2</b> Char(10) NULL , <b>rpt_funds_ce3</b> Char(20) NULL , <b>rpt_funds_de1</b> Date NULL , <b>rpt_funds_fe1</b> Float NULL , <b>rpt_funds_le1</b> Bit NULL , <b>rpt_funds_ne1</b> Int NULL , <b>rpt_funds_rid</b> Int NOT NULL , <b>token</b> Char(16) NULL
<b>RPT_GIVING_LEVEL</b>		
	<b>Indexes:</b>	<b>_WA_Sys_giving_level_70354F10</b> , <b>_WA_Sys_token_70354F10</b>
	<b>Columns:</b>	<b>giving_level</b> Char(30) NULL , <b>rpt_giving_level_rid</b> Int NOT NULL , <b>token</b> Char(16) NULL
<b>RPT_GRADES</b>	<b>Primary Key:</b>	<b>PK_rpt_grades</b> (rpt_grades_rid)
	<b>Indexes:</b>	<b>PK_rpt_grades</b> , <b>_WA_Sys_00000002_4CC1F5A1</b>
	<b>Columns:</b>	<b>grade</b> Varchar(5) NULL , <b>rpt_grades_rid</b> Int NOT NULL , <b>token</b> Varchar(16) NULL
<b>RPT_GRADUATE</b>	<b>Primary Key:</b>	<b>PK_rpt_graduate_rpt_graduate_rid</b> (rpt_graduate_rid)
	<b>Indexes:</b>	<b>PK_rpt_graduate_rpt_graduate_rid</b> , <b>_WA_Sys_graduate_code_7D053A49</b> , <b>_WA_Sys_token_7D053A49</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>graduate_code</b> Bit NULL , <b>operator</b> Char(8) NULL , <b>rpt_grad_yr_ce1</b> Char(10) NULL , <b>rpt_grad_yr_ce2</b> Char(10) NULL , <b>rpt_grad_yr_ce3</b> Char(20) NULL , <b>rpt_grad_yr_de1</b> Date NULL , <b>rpt_grad_yr_fe1</b> Float NULL , <b>rpt_grad_yr_le1</b> Bit NULL , <b>rpt_grad_yr_plan_ne1</b> Int NULL , <b>rpt_graduate_rid</b> Int NOT NULL , <b>time_maint</b> Char(8) NULL , <b>token</b> Char(16) NULL
<b>RPT_GRAD_YR</b>	<b>Primary Key:</b>	<b>PK_rpt_grad_yr_rpt_grad_yr_rid</b> (rpt_grad_yr_rid)
	<b>Indexes:</b>	<b>PK_rpt_grad_yr_rpt_grad_yr_rid</b> , <b>_WA_Sys_date_maint_7EED82BB</b> , <b>_WA_Sys_grad_yr_code_7EED82BB</b> , <b>_WA_Sys_operator_7EED82BB</b> , <b>_WA_Sys_time_maint_7EED82BB</b> , <b>_WA_Sys_token_7EED82BB</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>grad_yr_code</b> Char(30) NULL , <b>operator</b> Char(8) NULL , <b>rpt_grad_yr_ce1</b> Char(10) NULL , <b>rpt_grad_yr_ce2</b> Char(10) NULL , <b>rpt_grad_yr_ce3</b> Char(20) NULL , <b>rpt_grad_yr_de1</b> Date NULL , <b>rpt_grad_yr_fe1</b> Float NULL , <b>rpt_grad_yr_le1</b> Bit NULL , <b>rpt_grad_yr_plan_ne1</b> Int NULL , <b>rpt_grad_yr_rid</b> Int NOT NULL , <b>time_maint</b> Char(8) NULL , <b>token</b> Char(16) NULL
<b>RPT_GROUPS</b>		
	<b>Indexes:</b>	<b>_WA_Sys_00000002_69D3359B</b> , <b>_WA_Sys_00000003_69D3359B</b>

	<b>Columns:</b>	<b>grp_id</b> <i>Int</i> NOT NULL , <b>rpt_groups_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_HEALTH</b>		
<b>RPT_HOLDS</b>		
	<b>Indexes:</b>	<i>_WA_Sys_hld_cod_2E279491</i> , <i>_WA_Sys_token_2E279491</i>
	<b>Columns:</b>	<b>hld_cod</b> <i>Char(12)</i> NULL , <b>rpt_holds_ce1</b> <i>Char(10)</i> NULL , <b>rpt_holds_ce2</b> <i>Char(10)</i> NULL , <b>rpt_holds_ce3</b> <i>Char(20)</i> NULL , <b>rpt_holds_de1</b> <i>Date</i> NULL , <b>rpt_holds_fe1</b> <i>Float</i> NULL , <b>rpt_holds_le1</b> <i>Bit</i> NULL , <b>rpt_holds_ne1</b> <i>Int</i> NULL , <b>rpt_holds_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_INQTYPECOD</b>	<b>Primary Key:</b>	<i>PK_rpt_inqtypecod_rpt_inqtypecod_rid</i> ( <i>rpt_inqtypecod_rid</i> )
	<b>Indexes:</b>	<i>PK_rpt_inqtypecod_rpt_inqtypecod_rid</i> , <i>_WA_Sys_inqtypecod_198C6A5E</i> , <i>_WA_Sys_token_198C6A5E</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>inqtypecod</b> <i>Char(2)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>rpt_inqtypecod_ce1</b> <i>Char(10)</i> NULL , <b>rpt_inqtypecod_ce2</b> <i>Char(10)</i> NULL , <b>rpt_inqtypecod_ce3</b> <i>Char(20)</i> NULL , <b>rpt_inqtypecod_de1</b> <i>Date</i> NULL , <b>rpt_inqtypecod_fe1</b> <i>Float</i> NULL , <b>rpt_inqtypecod_le1</b> <i>Bit</i> NULL , <b>rpt_inqtypecod_ne1</b> <i>Int</i> NULL , <b>rpt_inqtypecod_rid</b> <i>Int</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_INST</b>	<b>Primary Key:</b>	<i>PK_rpt_inst</i> ( <i>rpt_inst_rid</i> )
	<b>Indexes:</b>	<i>PK_rpt_inst</i> , <i>_WA_Sys_rpt_inst_ce1_2512604C</i> , <i>_WA_Sys_rpt_inst_le1_2512604C</i> , <i>_WA_Sys_soc_sec_2512604C</i> , <i>_WA_Sys_token_2512604C</i>
	<b>Columns:</b>	<b>rpt_inst_ce1</b> <i>Char(10)</i> NULL , <b>rpt_inst_ce2</b> <i>Char(10)</i> NULL , <b>rpt_inst_ce3</b> <i>Char(20)</i> NULL , <b>rpt_inst_de1</b> <i>Date</i> NULL , <b>rpt_inst_fe1</b> <i>Float</i> NULL , <b>rpt_inst_le1</b> <i>Bit</i> NULL , <b>rpt_inst_ne1</b> <i>Int</i> NULL , <b>rpt_inst_rid</b> <i>Int</i> NOT NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_INSTITUT</b>	<b>Primary Key:</b>	<i>PK_rpt_institut_rpt_institut_rid</i> ( <i>rpt_institut_rid</i> )
	<b>Indexes:</b>	<i>PK_rpt_institut_rpt_institut_rid</i> , <i>_WA_Sys_institut_code_2BC02932</i> , <i>_WA_Sys_token_2BC02932</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>institut_code</b> <i>Char(300)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>rpt_institut_ce1</b> <i>Char(10)</i> NULL , <b>rpt_institut_ce2</b> <i>Char(10)</i> NULL , <b>rpt_institut_ce3</b> <i>Char(20)</i> NULL , <b>rpt_institut_de1</b> <i>Date</i> NULL , <b>rpt_institut_fe1</b> <i>Float</i> NULL , <b>rpt_institut_le1</b> <i>Bit</i> NULL , <b>rpt_institut_ne1</b> <i>Int</i> NULL , <b>rpt_institut_rid</b> <i>Int</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_INSTTYPCOD</b>	<b>Primary Key:</b>	<i>PK_rpt_insttypcod_rpt_insttypcod_rid</i> ( <i>rpt_insttypcod_rid</i> )
	<b>Indexes:</b>	<i>PK_rpt_insttypcod_rpt_insttypcod_rid</i> , <i>_WA_Sys_insttypcod_0C477DD9</i> , <i>_WA_Sys_token_0C477DD9</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>insttypcod</b> <i>Char(1)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>rpt_insttypcod_ce1</b> <i>Char(10)</i> NULL , <b>rpt_insttypcod_ce2</b> <i>Char(10)</i> NULL , <b>rpt_insttypcod_ce3</b> <i>Char(20)</i> NULL , <b>rpt_insttypcod_de1</b> <i>Date</i> NULL , <b>rpt_insttypcod_fe1</b> <i>Float</i> NULL , <b>rpt_insttypcod_le1</b> <i>Bit</i> NULL , <b>rpt_insttypcod_ne1</b> <i>Int</i> NULL , <b>rpt_insttypcod_rid</b> <i>Int</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_INTEGER_RANGE</b>		
<b>RPT_INTERLEV</b>	<b>Primary Key:</b>	<i>PK_rpt_interlev</i> ( <i>rpt_interlev_rid</i> )
	<b>Indexes:</b>	<i>PK_rpt_interlev</i> , <i>_WA_Sys_intrlevcod_48E677C5</i> , <i>_WA_Sys_token_48E677C5</i>
	<b>Columns:</b>	<b>intrlevcod</b> <i>Char(10)</i> NULL , <b>rpt_interlev_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_INTRST</b>		
	<b>Indexes:</b>	<i>_WA_Sys_interest_3D49DC90</i> , <i>_WA_Sys_token_3D49DC90</i>
	<b>Columns:</b>	<b>interest</b> <i>Char(30)</i> NULL , <b>rpt_intrst_ce1</b> <i>Char(10)</i> NULL , <b>rpt_intrst_ce2</b> <i>Char(10)</i> NULL , <b>rpt_intrst_ce3</b> <i>Char(20)</i> NULL , <b>rpt_intrst_de1</b> <i>Date</i> NULL , <b>rpt_intrst_fe1</b> <i>Float</i> NULL , <b>rpt_intrst_le1</b> <i>Bit</i> NULL , <b>rpt_intrst_ne1</b> <i>Int</i> NULL , <b>rpt_intrst_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_IPEDSTAT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_iped_stat_5971E549</i> , <i>_WA_Sys_token_5971E549</i>
	<b>Columns:</b>	<b>iped_stat</b> <i>Char(2)</i> NULL , <b>rpt_ipedstat_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_JOBS</b>	<b>Primary Key:</b>	<i>PK_rpt_jobs_employer_rid</i> ( <i>rpt_jobs_rid</i> )

	<b>Indexes:</b>	<i>PK_rpt_jobs_employer_rid</i>
	<b>Columns:</b>	<b>employer_rid</b> <i>Int</i> NULL , <b>rpt_jobs_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_LABELS</b>		
	<b>Indexes:</b>	<i>_WA_Sys_labels_5A702B23</i> , <i>_WA_Sys_token_5A702B23</i>
	<b>Columns:</b>	<b>labels</b> <i>Bit</i> NULL , <b>rpt_labels_ce1</b> <i>Char(10)</i> NULL , <b>rpt_labels_ce2</b> <i>Char(10)</i> NULL , <b>rpt_labels_ce3</b> <i>Char(20)</i> NULL , <b>rpt_labels_de1</b> <i>Date</i> NULL , <b>rpt_labels_fe1</b> <i>Float</i> NULL , <b>rpt_labels_le1</b> <i>Bit</i> NULL , <b>rpt_labels_ne1</b> <i>Int</i> NULL , <b>rpt_labels_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_LABELS2</b>		
	<b>Indexes:</b>	<i>_WA_Sys_labels2_5B644F5C</i> , <i>_WA_Sys_token_5B644F5C</i>
	<b>Columns:</b>	<b>labels2</b> <i>Bit</i> NULL , <b>rpt_labels2_ce1</b> <i>Char(10)</i> NULL , <b>rpt_labels2_ce2</b> <i>Char(10)</i> NULL , <b>rpt_labels2_ce3</b> <i>Char(20)</i> NULL , <b>rpt_labels2_de1</b> <i>Date</i> NULL , <b>rpt_labels2_fe1</b> <i>Float</i> NULL , <b>rpt_labels2_le1</b> <i>Bit</i> NULL , <b>rpt_labels2_ne1</b> <i>Int</i> NULL , <b>rpt_labels2_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_LIC</b>		
	<b>Indexes:</b>	<i>_WA_Sys_license_09160B73</i> , <i>_WA_Sys_token_09160B73</i>
	<b>Columns:</b>	<b>license</b> <i>Char(20)</i> NULL , <b>rpt_lic_ce1</b> <i>Char(10)</i> NULL , <b>rpt_lic_ce2</b> <i>Char(10)</i> NULL , <b>rpt_lic_ce3</b> <i>Char(20)</i> NULL , <b>rpt_lic_de1</b> <i>Date</i> NULL , <b>rpt_lic_fe1</b> <i>Float</i> NULL , <b>rpt_lic_le1</b> <i>Bit</i> NULL , <b>rpt_lic_ne1</b> <i>Int</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_LOA</b>		
	<b>Indexes:</b>	<i>_WA_Sys_loa_cod_22E0CA6E</i> , <i>_WA_Sys_token_22E0CA6E</i>
	<b>Columns:</b>	<b>loa_cod</b> <i>Varchar(50)</i> NULL , <b>rpt_loa_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_LOAN_COHORT</b>		
<b>RPT_LOAN_SERVICER</b>		
<b>RPT_LOAN_STATUS</b>		
<b>RPT_LVL</b>	<b>Primary Key:</b>	<i>PK_rpt_lvl (rpt_lvl_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_lvl</i> , <i>_WA_Sys_level_27EECCF7</i> , <i>_WA_Sys_token_27EECCF7</i>
	<b>Columns:</b>	<b>level</b> <i>Char(1)</i> NULL , <b>rpt_lvl_ce1</b> <i>Char(10)</i> NULL , <b>rpt_lvl_ce2</b> <i>Char(10)</i> NULL , <b>rpt_lvl_ce3</b> <i>Char(20)</i> NULL , <b>rpt_lvl_de1</b> <i>Date</i> NULL , <b>rpt_lvl_fe1</b> <i>Float</i> NULL , <b>rpt_lvl_le1</b> <i>Bit</i> NULL , <b>rpt_lvl_ne1</b> <i>Int</i> NULL , <b>rpt_lvl_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_MATRIC_DT</b>		
<b>RPT_MDST</b>	<b>Primary Key:</b>	<i>PK_rpt_mdst (rpt_mdst_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_mdst</i> , <i>_WA_Sys_mod_stat_29D71569</i> , <i>_WA_Sys_rpt_mdst_ce1_29D71569</i> , <i>_WA_Sys_rpt_mdst_ce2_29D71569</i> , <i>_WA_Sys_rpt_mdst_ce3_29D71569</i> , <i>_WA_Sys_rpt_mdst_fe1_29D71569</i> , <i>_WA_Sys_token_29D71569</i>
	<b>Columns:</b>	<b>mod_stat</b> <i>Char(2)</i> NULL , <b>rpt_mdst_ce1</b> <i>Char(10)</i> NULL , <b>rpt_mdst_ce2</b> <i>Char(10)</i> NULL , <b>rpt_mdst_ce3</b> <i>Char(20)</i> NULL , <b>rpt_mdst_de1</b> <i>Date</i> NULL , <b>rpt_mdst_fe1</b> <i>Float</i> NULL , <b>rpt_mdst_le1</b> <i>Bit</i> NULL , <b>rpt_mdst_ne1</b> <i>Int</i> NULL , <b>rpt_mdst_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_MEETING</b>	<b>Primary Key:</b>	<i>PK_rpt_meeting (rpt_meeting_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_meeting</i>
	<b>Columns:</b>	<b>meeting_rid</b> <i>Int</i> NOT NULL , <b>rpt_meeting_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Varchar(16)</i> NULL
<b>RPT_MEETING_LOC</b>	<b>Primary Key:</b>	<i>PK_rpt_meeting_loc (rpt_meeting_loc_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_meeting_loc</i>
	<b>Columns:</b>	<b>meeting_loc_rid</b> <i>Int</i> NOT NULL , <b>rpt_meeting_loc_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Varchar(16)</i> NULL
<b>RPT_MEETING_STATUS</b>	<b>Primary Key:</b>	<i>PK_rpt_meeting_status (rpt_meeting_status_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_meeting_status</i>
	<b>Columns:</b>	<b>meeting_status_rid</b> <i>Int</i> NOT NULL , <b>rpt_meeting_status_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Varchar(16)</i> NULL



<b>RPT_MEETING_TYPE</b>	<b>Primary Key:</b>	<i>PK_rpt_meeting_type (rpt_meeting_type_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_meeting_type</i>
	<b>Columns:</b>	<b>meeting_type_rid</b> <i>Int</i> NOT NULL , <b>rpt_meeting_type_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Varchar(16)</i> NULL
<b>RPT_NMEMP_EMPTY</b>		
<b>RPT_OPERATOR</b>	<b>Primary Key:</b>	<i>PK_rpt_operator rpt_operator_rid (rpt_operator_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_operator rpt_operator_rid , _WA_Sys_operator_code_12F47B68 , _WA_Sys_token_12F47B68</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>operator_code</b> <i>Char(300)</i> NULL , <b>rpt_operator_ce1</b> <i>Char(10)</i> NULL , <b>rpt_operator_ce2</b> <i>Char(10)</i> NULL , <b>rpt_operator_ce3</b> <i>Char(20)</i> NULL , <b>rpt_operator_de1</b> <i>Date</i> NULL , <b>rpt_operator_fe1</b> <i>Float</i> NULL , <b>rpt_operator_le1</b> <i>Bit</i> NULL , <b>rpt_operator_ne1</b> <i>Int</i> NULL , <b>rpt_operator_rid</b> <i>Int</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_OP_NAME</b>		
	<b>Indexes:</b>	<i>_WA_Sys_operator_4535E272 , _WA_Sys_token_4535E272</i>
	<b>Columns:</b>	<b>operator</b> <i>Char(8)</i> NULL , <b>rpt_op_name_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL , <b>u_fname</b> <i>Char(30)</i> NULL , <b>u_lname</b> <i>Char(30)</i> NULL
<b>RPT_PASS</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000002_34A0534D</i>
	<b>Columns:</b>	<b>pass</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_PAYMENT_STATUS</b>		
	<b>Indexes:</b>	<i>_WA_Sys_payment_status_36E7C31B , _WA_Sys_token_36E7C31B</i>
	<b>Columns:</b>	<b>payment_status</b> <i>Varchar(20)</i> NULL , <b>rpt_payment_status</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_PAYPLAN</b>	<b>Primary Key:</b>	<i>PK_rpt_payplan rpt_payplan_rid (rpt_payplan_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_payplan rpt_payplan_rid</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>nmpayplan_plan_ne1</b> <i>Int</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>payplan_code</b> <i>Char(30)</i> NULL , <b>rpt_payplan_ce1</b> <i>Char(10)</i> NULL , <b>rpt_payplan_ce2</b> <i>Char(10)</i> NULL , <b>rpt_payplan_ce3</b> <i>Char(20)</i> NULL , <b>rpt_payplan_de1</b> <i>Date</i> NULL , <b>rpt_payplan_fe1</b> <i>Float</i> NULL , <b>rpt_payplan_le1</b> <i>Bit</i> NULL , <b>rpt_payplan_rid</b> <i>Int</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_PROCESS</b>		
<b>RPT_PROF_COD</b>		
	<b>Indexes:</b>	<i>_WA_Sys_prof_cod_6B3B8FC9 , _WA_Sys_token_6B3B8FC9</i>
	<b>Columns:</b>	<b>prof_cod</b> <i>Char(10)</i> NULL , <b>rpt_prof_cod_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_PROG</b>	<b>Primary Key:</b>	<i>PK_rpt_prog (rpt_prog_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_prog , _WA_Sys_prg_cod_2BBF5DDB , _WA_Sys_rpt_prog_ce2_2BBF5DDB , _WA_Sys_rpt_prog_le1_2BBF5DDB , _WA_Sys_token_2BBF5DDB</i>
	<b>Columns:</b>	<b>prg_cod</b> <i>Char(10)</i> NULL , <b>rpt_prog_ce1</b> <i>Char(10)</i> NULL , <b>rpt_prog_ce2</b> <i>Char(10)</i> NULL , <b>rpt_prog_ce3</b> <i>Char(20)</i> NULL , <b>rpt_prog_de1</b> <i>Date</i> NULL , <b>rpt_prog_fe1</b> <i>Float</i> NULL , <b>rpt_prog_le1</b> <i>Bit</i> NULL , <b>rpt_prog_ne1</b> <i>Int</i> NULL , <b>rpt_prog_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_PROGSTART_DT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_prog_start_dt_3CD5A69B , _WA_Sys_token_3CD5A69B</i>
	<b>Columns:</b>	<b>prog_start_dt</b> <i>Date</i> NULL , <b>rpt_progstart_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_RADIO</b>		
	<b>Indexes:</b>	<i>_WA_Sys_radio_off_5185DF67 , _WA_Sys_radio_on_5185DF67 , _WA_Sys_token_5185DF67</i>

	<b>Columns:</b>	<b>radio_off</b> <i>Bit</i> NULL , <b>radio_on</b> <i>Bit</i> NULL , <b>rpt_radio_ce1</b> <i>Char(10)</i> NULL , <b>rpt_radio_ce2</b> <i>Char(10)</i> NULL , <b>rpt_radio_ce3</b> <i>Char(20)</i> NULL , <b>rpt_radio_de1</b> <i>Date</i> NULL , <b>rpt_radio_fe1</b> <i>Float</i> NULL , <b>rpt_radio_le1</b> <i>Bit</i> NULL , <b>rpt_radio_ne1</b> <i>Int</i> NULL , <b>rpt_radio_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_REFER_BY_COD</b>		
	<b>Indexes:</b>	<i>_WA_Sys_refer_by_cod_5BF94C39</i> , <i>_WA_Sys_token_5BF94C39</i>
	<b>Columns:</b>	<b>refer_by_cod</b> <i>Int</i> NULL , <b>rpt_refer_by_cod_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_RELATION</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000002_63CF782B</i> , <i>_WA_Sys_00000003_63CF782B</i>
	<b>Columns:</b>	<b>relation</b> <i>Char(10)</i> NULL , <b>rpt_relation_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_RLTR</b>	<b>Primary Key:</b>	<i>PK_rpt_rltr (rpt_rltr_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_rltr</i> , <i>_WA_Sys_mod_stat_2DA7A64D</i> , <i>_WA_Sys_token_2DA7A64D</i> , <i>_WA_Sys_tr_ltr_2DA7A64D</i>
	<b>Columns:</b>	<b>mod_stat</b> <i>Char(2)</i> NULL , <b>rpt_rltr_ce1</b> <i>Char(10)</i> NULL , <b>rpt_rltr_ce2</b> <i>Char(10)</i> NULL , <b>rpt_rltr_ce3</b> <i>Char(20)</i> NULL , <b>rpt_rltr_de1</b> <i>Date</i> NULL , <b>rpt_rltr_fe1</b> <i>Float</i> NULL , <b>rpt_rltr_le1</b> <i>Bit</i> NULL , <b>rpt_rltr_ne1</b> <i>Int</i> NULL , <b>rpt_rltr_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL , <b>tr_ltr</b> <i>Char(8)</i> NULL
<b>RPT_SCHY</b>	<b>Primary Key:</b>	<i>PK_rpt_schy (rpt_schy_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_schy</i> , <i>_WA_Sys_sch_yr_2F8FEEBF</i> , <i>_WA_Sys_token_2F8FEEBF</i>
	<b>Columns:</b>	<b>rpt_schy_ce1</b> <i>Char(10)</i> NULL , <b>rpt_schy_ce2</b> <i>Char(10)</i> NULL , <b>rpt_schy_ce3</b> <i>Char(20)</i> NULL , <b>rpt_schy_de1</b> <i>Date</i> NULL , <b>rpt_schy_fe1</b> <i>Float</i> NULL , <b>rpt_schy_le1</b> <i>Bit</i> NULL , <b>rpt_schy_ne1</b> <i>Int</i> NULL , <b>rpt_schy_rid</b> <i>Int</i> NOT NULL , <b>sch_yr</b> <i>Char(6)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_SEM</b>	<b>Primary Key:</b>	<i>PK_rpt_sem (rpt_sem_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_sem</i> , <i>_WA_Sys_semester_31783731</i> , <i>_WA_Sys_token_31783731</i>
	<b>Columns:</b>	<b>rpt_sem_ce1</b> <i>Char(10)</i> NULL , <b>rpt_sem_ce2</b> <i>Char(10)</i> NULL , <b>rpt_sem_ce3</b> <i>Char(20)</i> NULL , <b>rpt_sem_de1</b> <i>Date</i> NULL , <b>rpt_sem_fe1</b> <i>Float</i> NULL , <b>rpt_sem_le1</b> <i>Bit</i> NULL , <b>rpt_sem_ne1</b> <i>Int</i> NULL , <b>rpt_sem_rid</b> <i>Int</i> NOT NULL , <b>semester</b> <i>Char(2)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_SESSION</b>	<b>Primary Key:</b>	<i>PK_rpt_session_rpt_session_rid (rpt_session_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_session_rpt_session_rid</i> , <i>_WA_Sys_session_code_01C9EF66</i> , <i>_WA_Sys_token_01C9EF66</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>rpt_session_ce1</b> <i>Char(10)</i> NULL , <b>rpt_session_ce2</b> <i>Char(10)</i> NULL , <b>rpt_session_ce3</b> <i>Char(20)</i> NULL , <b>rpt_session_de1</b> <i>Date</i> NULL , <b>rpt_session_fe1</b> <i>Float</i> NULL , <b>rpt_session_le1</b> <i>Bit</i> NULL , <b>rpt_session_ne1</b> <i>Int</i> NULL , <b>rpt_session_rid</b> <i>Int</i> NOT NULL , <b>session_code</b> <i>Char(10)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_SID</b>		
	<b>Indexes:</b>	<i>_WA_Sys_sid_2E328189</i> , <i>_WA_Sys_token_2E328189</i>
	<b>Columns:</b>	<b>rpt_state_rid</b> <i>Int</i> NOT NULL , <b>sid</b> <i>Char(16)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_SOCS</b>	<b>Primary Key:</b>	<i>PK_rpt_socs (rpt_socs_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_socs</i> , <i>_WA_Sys_00000002_33607FA3</i> , <i>_WA_Sys_00000003_33607FA3</i>
	<b>Columns:</b>	<b>edu_rid</b> <i>Char(16)</i> NULL , <b>gpa</b> <i>Decimal</i> NULL , <b>max_semyr</b> <i>Char(8)</i> NULL , <b>rpt_socs_ce1</b> <i>Char(10)</i> NULL , <b>rpt_socs_ce2</b> <i>Char(10)</i> NULL , <b>rpt_socs_ce3</b> <i>Char(20)</i> NULL , <b>rpt_socs_de1</b> <i>Date</i> NULL , <b>rpt_socs_fe1</b> <i>Float</i> NULL , <b>rpt_socs_le1</b> <i>Bit</i> NULL , <b>rpt_socs_ne1</b> <i>Int</i> NULL , <b>rpt_socs_rid</b> <i>Int</i> NOT NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_STARTDT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_rpt_startdt_rid_2374FBF4</i> , <i>_WA_Sys_start_date_2374FBF4</i> , <i>_WA_Sys_token_2374FBF4</i>
	<b>Columns:</b>	<b>rpt_startdt_ce1</b> <i>Char(10)</i> NULL , <b>rpt_startdt_ce2</b> <i>Char(10)</i> NULL , <b>rpt_startdt_ce3</b> <i>Char(20)</i> NULL , <b>rpt_startdt_de1</b> <i>Date</i> NULL , <b>rpt_startdt_fe1</b> <i>Float</i> NULL , <b>rpt_startdt_le1</b> <i>Bit</i> NULL , <b>rpt_startdt_ne1</b> <i>Int</i> NULL , <b>rpt_startdt_rid</b> <i>Int</i> NOT NULL , <b>start_date</b> <i>Date</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_STATE</b>		
	<b>Indexes:</b>	<i>_WA_Sys_state_7405DFF4</i> , <i>_WA_Sys_token_7405DFF4</i>

	<b>Columns:</b>	<b>rpt_state_rid</b> <i>Int</i> NOT NULL , <b>state</b> <i>Char(2)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_TCDS</b>	<b>Primary Key:</b>	<i>PK_rpt_tcds (rpt_tcds_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_tcds</i>
	<b>Columns:</b>	<b>rpt_tcds_ce1</b> <i>Char(10)</i> NULL , <b>rpt_tcds_ce2</b> <i>Char(10)</i> NULL , <b>rpt_tcds_ce3</b> <i>Char(20)</i> NULL , <b>rpt_tcds_de1</b> <i>Date</i> NULL , <b>rpt_tcds_fe1</b> <i>Float</i> NULL , <b>rpt_tcds_le1</b> <i>Bit</i> NULL , <b>rpt_tcds_ne1</b> <i>Int</i> NULL , <b>rpt_tcds_rid</b> <i>Int</i> NOT NULL , <b>tcodes</b> <i>Char(2)</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_TERM</b>	<b>Primary Key:</b>	<i>PK_rpt_term (rpt_term_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_term , _WA_Sys_term_int_391958F9 , _WA_Sys_token_391958F9</i>
	<b>Columns:</b>	<b>rpt_term_ce1</b> <i>Char(10)</i> NULL , <b>rpt_term_ce2</b> <i>Char(10)</i> NULL , <b>rpt_term_ce3</b> <i>Char(20)</i> NULL , <b>rpt_term_de1</b> <i>Date</i> NULL , <b>rpt_term_fe1</b> <i>Float</i> NULL , <b>rpt_term_le1</b> <i>Bit</i> NULL , <b>rpt_term_ne1</b> <i>Int</i> NULL , <b>rpt_term_rid</b> <i>Int</i> NOT NULL , <b>term_int</b> <i>Char(20)</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_TESTS</b>		
	<b>Indexes:</b>	<i>_WA_Sys_test_cod_7A68C4C0 , _WA_Sys_token_7A68C4C0</i>
	<b>Columns:</b>	<b>rpt_tests_rid</b> <i>Int</i> NOT NULL , <b>test_cod</b> <i>Char(2)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>RPT_TRANSCRIPT_REQS</b>		
	<b>Indexes:</b>	<i>_WA_Sys_nmact_cod_27CF9CBD , _WA_Sys_rpt_transcript_reqs_ce1_27CF9CBD , _WA_Sys_rpt_transcript_reqs_ce2_27CF9CBD , _WA_Sys_rpt_transcript_reqs_ce3_27CF9CBD , _WA_Sys_rpt_transcript_reqs_fe1_27CF9CBD , _WA_Sys_rpt_transcript_reqs_ne1_27CF9CBD , _WA_Sys_soc_sec_27CF9CBD , _WA_Sys_token_27CF9CBD</i>
	<b>Columns:</b>	<b>nmact_cod</b> <i>Char(16)</i> NULL , <b>rpt_transcript_reqs_ce1</b> <i>Char(10)</i> NULL , <b>rpt_transcript_reqs_ce2</b> <i>Char(10)</i> NULL , <b>rpt_transcript_reqs_ce3</b> <i>Char(20)</i> NULL , <b>rpt_transcript_reqs_de1</b> <i>Date</i> NULL , <b>rpt_transcript_reqs_fe1</b> <i>Float</i> NULL , <b>rpt_transcript_reqs_le1</b> <i>Bit</i> NULL , <b>rpt_transcript_reqs_ne1</b> <i>Int</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>token</b> <i>Char(16)</i> NULL , <b>transcript_reqs_memo</b> <i>Memo</i> NULL
<b>RPT_TRANSFER</b>	<b>Primary Key:</b>	<i>PK_rpt_transfer_rid (rpt_transfer_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_transfer_rid</i>
	<b>Columns:</b>	<b>rpt_transfer_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL , <b>transfer_off</b> <i>Bit</i> NULL , <b>transfer_on</b> <i>Bit</i> NULL
<b>RPT_TRANS_IMPORTS_DT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000002_2395C2DC , _WA_Sys_00000003_2395C2DC</i>
	<b>Columns:</b>	<b>rpt_trans_imports_dt_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL , <b>trans_imports_dt</b> <i>Date</i> NOT NULL
<b>RPT_YEAR</b>	<b>Primary Key:</b>	<i>PK_rpt_year_rpt_year_rid (rpt_year_rid)</i>
	<b>Indexes:</b>	<i>PK_rpt_year_rpt_year_rid , _WA_Sys_00000002_068EA483 , _WA_Sys_token_068EA483</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>rpt_year_ce1</b> <i>Char(10)</i> NULL , <b>rpt_year_ce2</b> <i>Char(10)</i> NULL , <b>rpt_year_ce3</b> <i>Char(20)</i> NULL , <b>rpt_year_de1</b> <i>Date</i> NULL , <b>rpt_year_fe1</b> <i>Float</i> NULL , <b>rpt_year_le1</b> <i>Bit</i> NULL , <b>rpt_year_ne1</b> <i>Int</i> NULL , <b>rpt_year_rid</b> <i>Int</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>token</b> <i>Char(16)</i> NULL , <b>year_code</b> <i>Char(10)</i> NULL
<b>RPT_YEARSEM</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000002_116138B1 , _WA_Sys_token_116138B1</i>
	<b>Columns:</b>	<b>rpt_yearsem_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL , <b>yearsem</b> <i>Char(8)</i> NULL
<b>RPT_YEARSEMTRANS</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000003_2805723E</i>
	<b>Columns:</b>	<b>rpt_yearsemtrans_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL , <b>yearsemtrans</b> <i>Char(8)</i> NULL
<b>SALLIE_MAE_EXPORT_SETUP</b>		
<b>SAPGPA</b>	<b>Primary Key:</b>	<i>PK_sapgpa (sapgpa_rid)</i>
	<b>Indexes:</b>	<i>PK_sapgpa , _WA_Sys_from_credit_33E06DE7 , _WA_Sys_to_credit_33E06DE7</i>

	<b>Columns:</b>	<b>comp_pcent</b> Float NULL , <b>date_maint</b> Date NULL , <b>degree_SAP</b> Char(35) NULL , <b>from_credit</b> Float NULL , <b>gpa</b> Float NULL , <b>operator</b> Char(8) NULL , <b>sapgpa_ce1</b> Char(10) NULL , <b>sapgpa_ce2</b> Char(10) NULL , <b>sapgpa_ce3</b> Char(10) NULL , <b>sapgpa_de1</b> Date NULL , <b>sapgpa_fe1</b> Float NULL , <b>sapgpa_le1</b> Bit NULL , <b>sapgpa_ne1</b> Int NULL , <b>sapgpa_rid</b> Int NOT NULL , <b>time_maint</b> Char(8) NULL , <b>to_credit</b> Float NULL
<b>SCHOOLVAR1098T</b>		
	<b>Foreign Keys:</b>	<i>FK_schoolvar1098T_state</i>
	<b>Indexes:</b>	<i>WA_Sys_00000005_4D804459</i> , <i>WA_Sys_00000016_4D804459</i>
	<b>Columns:</b>	<b>address</b> Char(40) NULL , <b>city</b> Char(40) NULL , <b>contact_email</b> Varchar(50) NULL , <b>contact_name</b> Char(40) NULL , <b>contact_phone</b> Char(19) NULL , <b>control_name</b> Char(4) NULL , <b>foreign_entity</b> Char(1) NULL , <b>name</b> Char(40) NULL , <b>name2</b> Char(40) NULL , <b>payfield</b> Char(1) NOT NULL (DF_schoolvar_payfi_128A6714 - (2)) , <b>rpt_method_chg</b> Bit NOT NULL (DF_schoolvar_rpt_m_137E8B4D - (0)) , <b>schoolvar1098T_ce1</b> Char(10) NULL , <b>schoolvar1098T_ce2</b> Char(10) NULL , <b>schoolvar1098T_ce3</b> Char(20) NULL , <b>schoolvar1098T_de1</b> Date NULL , <b>schoolvar1098T_fe1</b> Float NULL , <b>schoolvar1098T_le1</b> Bit NULL , <b>schoolvar1098T_ne1</b> Int NULL , <b>state</b> Char(2) NULL , <b>tcc</b> Char(5) NULL , <b>tin</b> Char(13) NULL , <b>zip</b> Char(10) NULL
<b>SCORES</b>	<b>Primary Key:</b>	<i>PK_scores (scores_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_scores_crssect</i> , <i>FK_scores_element</i> , <i>FK_scores_name</i>
	<b>Indexes:</b>	<i>PK_scores</i> , <i>WA_Sys_dt_taken_7D5974AD</i> , <i>WA_Sys_element_rid_7D5974AD</i> , <i>WA_Sys_exclude_7D5974AD</i> , <i>WA_Sys_scor_desc_7D5974AD</i> , <i>WA_Sys_sid_7D5974AD</i> , <i>WA_Sys_sid_element_ct_7D5974AD</i> , <i>WA_Sys_soc_sec_7D5974AD</i>
	<b>Columns:</b>	<b>course</b> Char(10) NULL , <b>date_maint</b> Date NULL , <b>dt_taken</b> Date NULL , <b>element_rid</b> Int NOT NULL , <b>exclude</b> Bit NULL , <b>operator</b> Char(8) NULL , <b>possible</b> Float NULL , <b>sch_yr</b> Char(6) NULL , <b>scor_desc</b> Char(25) NULL , <b>score</b> Float NULL , <b>scores_ce1</b> Char(10) NULL , <b>scores_ce2</b> Char(10) NULL , <b>scores_ce3</b> Char(20) NULL , <b>scores_de1</b> Date NULL , <b>scores_fe1</b> Float NULL , <b>scores_le1</b> Bit NULL , <b>scores_ne1</b> Int NULL , <b>scores_rid</b> Int NOT NULL , <b>section</b> Char(2) NULL , <b>semester</b> Char(2) NULL , <b>sid</b> Char(16) NULL , <b>sid_element_ct</b> Char(25) NOT NULL (DF_scores_sid_elem_46693276 - ('0')) , <b>soc_sec</b> Char(9) NOT NULL , <b>time_maint</b> Char(8) NULL
<b>SCRIPTS</b>	<b>Primary Key:</b>	<i>PK_script_rid (script_rid)</i>
	<b>Indexes:</b>	<i>PK_script_rid</i> , <i>WA_Sys_date_error_190C7C1A</i> , <i>WA_Sys_date_ran_190C7C1A</i> , <i>WA_Sys_error_flag_190C7C1A</i> , <i>WA_Sys_file_name_190C7C1A</i> , <i>WA_Sys_operator_190C7C1A</i> , <i>WA_Sys_scripts_ce1_190C7C1A</i> , <i>WA_Sys_scripts_ce2_190C7C1A</i> , <i>WA_Sys_scripts_ce3_190C7C1A</i> , <i>WA_Sys_scripts_de1_190C7C1A</i> , <i>WA_Sys_scripts_fe1_190C7C1A</i>
	<b>Columns:</b>	<b>date_error</b> Date NULL , <b>date_mod</b> Date NULL , <b>date_ran</b> Date NULL , <b>disable_bit</b> Bit NOT NULL (DF_scripts_disable_3C0B9F94 - (0)) , <b>disable_date</b> Date NULL , <b>disable_operator</b> Char(8) NULL , <b>error_flag</b> Bit NULL , <b>file_name</b> Char(50) NOT NULL , <b>operator</b> Char(8) NULL , <b>script_rid</b> Int NOT NULL , <b>scripts_ce1</b> Char(10) NULL , <b>scripts_ce2</b> Char(10) NULL , <b>scripts_ce3</b> Char(20) NULL , <b>scripts_de1</b> Date NULL , <b>scripts_fe1</b> Float NULL , <b>scripts_le1</b> Bit NULL , <b>scripts_memo</b> Memo NULL , <b>scripts_ne1</b> Int NULL
<b>SECTASK</b>	<b>Primary Key:</b>	<i>PK_sectask (task_cod)</i>
	<b>Indexes:</b>	<i>PK_sectask</i> , <i>WA_Sys_date_maint_02333863</i> , <i>WA_Sys_operator_02333863</i> , <i>WA_Sys_task_ce1_02333863</i> , <i>WA_Sys_task_le1_02333863</i> , <i>WA_Sys_task_ne1_02333863</i> , <i>WA_Sys_task_txt_02333863</i> , <i>WA_Sys_time_maint_02333863</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>sectask_ce1</b> Char(10) NULL , <b>sectask_ce2</b> Char(10) NULL , <b>sectask_ce3</b> Char(20) NULL , <b>sectask_de1</b> Date NULL , <b>sectask_fe1</b> Float NULL , <b>sectask_le1</b> Bit NULL , <b>sectask_ne1</b> Int NULL , <b>task_ce1</b> Char(10) NULL , <b>task_cod</b> Char(3) NOT NULL , <b>task_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>task_ne1</b> Int NULL , <b>task_txt</b> Char(30) NULL , <b>time_maint</b> Char(8) NULL
<b>SECTION</b>	<b>Primary Key:</b>	<i>PK_section (section)</i>

	<b>Indexes:</b>	<i>PK_section</i> , <i>_WA_Sys_date_maint</i> 3F073C79 , <i>_WA_Sys_disabled</i> 3F073C79 , <i>_WA_Sys_operator</i> 3F073C79 , <i>_WA_Sys_section_ce1</i> 3F073C79 , <i>_WA_Sys_section_ce3</i> 3F073C79 , <i>_WA_Sys_section_de1</i> 3F073C79 , <i>_WA_Sys_section_fe1</i> 3F073C79 , <i>_WA_Sys_section_le1</i> 3F073C79 , <i>_WA_Sys_section_ne1</i> 3F073C79 , <i>_WA_Sys_sortorder</i> 3F073C79 , <i>_WA_Sys_time_maint</i> 3F073C79
	<b>Columns:</b>	<i>date_maint</i> Date NULL , <i>disabled</i> Bit NULL (DF_section_disabled - (0)) , <i>operator</i> Char(8) NULL , <i>section</i> Char(6) NOT NULL , <i>section_ce1</i> Char(10) NULL , <i>section_ce2</i> Char(10) NULL , <i>section_ce3</i> Char(20) NULL , <i>section_de1</i> Date NULL , <i>section_fe1</i> Float NULL , <i>section_le1</i> Bit NULL , <i>section_ne1</i> Int NULL , <i>sortorder</i> Int NULL , <i>time_maint</i> Char(8) NULL
<b>SECTWGHT</b>	<b>Primary Key:</b>	<i>PK_sectwght</i> (sectwght_rid)
	<b>Foreign Keys:</b>	<i>FK_sectwght_crssect</i> , <i>FK_sectwght_weight</i>
	<b>Indexes:</b>	<i>PK_sectwght</i> , <i>_WA_Sys_sid</i> 3ED2324F , <i>_WA_Sys_weight_id</i> 3ED2324F
	<b>Columns:</b>	<i>sectwght_ce1</i> Char(10) NULL , <i>sectwght_ce2</i> Char(10) NULL , <i>sectwght_ce3</i> Char(20) NULL , <i>sectwght_de1</i> Date NULL , <i>sectwght_fe1</i> Float NULL , <i>sectwght_le1</i> Bit NULL , <i>sectwght_ne1</i> Int NULL , <i>sectwght_rid</i> Int NOT NULL , <i>sid</i> Char(16) NULL , <i>weight_id</i> Char(10) NULL
<b>SECURITY</b>	<b>Primary Key:</b>	<i>PK_security</i> (user_id)
	<b>Foreign Keys:</b>	<i>FK_security_name</i> , <i>FK_security_webprof</i>
	<b>Indexes:</b>	<i>PK_security</i> , <i>_WA_Sys</i> 00000013 37861642 , <i>_WA_Sys_date_maint</i> 37861642 , <i>_WA_Sys_disabled</i> 37861642 , <i>_WA_Sys_logged_in</i> 37861642 , <i>_WA_Sys_operator</i> 37861642 , <i>_WA_Sys_password</i> 37861642 , <i>_WA_Sys_prof_cod</i> 37861642 , <i>_WA_Sys_reg_prompt</i> 37861642 , <i>_WA_Sys_retries</i> 37861642 , <i>_WA_Sys_security_ce1</i> 37861642 , <i>_WA_Sys_security_ce2</i> 37861642 , <i>_WA_Sys_security_ce3</i> 37861642 , <i>_WA_Sys_security_de1</i> 37861642 , <i>_WA_Sys_security_fe1</i> 37861642 , <i>_WA_Sys_security_le1</i> 37861642 , <i>_WA_Sys_security_ne1</i> 37861642 , <i>_WA_Sys_time_maint</i> 37861642 , <i>soc_sec</i>
	<b>Columns:</b>	<i>addr_search</i> Int NULL , <i>date_maint</i> Date NULL , <i>disabled</i> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <i>ldap_id</i> Varchar(50) NULL , <i>logged_in</i> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <i>operator</i> Char(8) NULL , <i>password</i> Varchar(250) NULL , <i>password_changed_date</i> Date NOT NULL (DF_security_passwo 4EBF4CAC - ('12/31/1899')) , <i>prof_cod</i> Char(10) NULL , <i>reg_prompt</i> Bit NULL , <i>retries</i> Int NULL , <i>security_ce1</i> Char(10) NULL , <i>security_ce2</i> Char(10) NULL , <i>security_ce3</i> Char(20) NULL , <i>security_de1</i> Date NULL , <i>security_fe1</i> Float NULL , <i>security_le1</i> Bit NULL , <i>security_ne1</i> Int NULL , <i>soc_sec</i> Char(9) NOT NULL , <i>time_maint</i> Char(8) NULL , <i>user_id</i> Char(8) NOT NULL
<b>SEMESTER</b>	<b>Primary Key:</b>	<i>PK_semester</i> (semester)
	<b>Triggers:</b>	<i>tr_semester_D</i> , <i>tr_semester_Delete</i> , <i>tr_semester_crs_id_D</i> , <i>tr_semester_crs_id_Delete</i> , <i>tr_semester_enstat_cod_D</i> , <i>tr_semester_enstat_cod_Delete</i>
	<b>Indexes:</b>	<i>PK_semester</i> , <i>_WA_Sys_Dis_FinAid</i> 41E3A924 , <i>_WA_Sys_date_maint</i> 41E3A924 , <i>_WA_Sys_disabled</i> 41E3A924 , <i>_WA_Sys_operator</i> 41E3A924 , <i>_WA_Sys_report_skip</i> 41E3A924 , <i>_WA_Sys_semester_ce1</i> 41E3A924 , <i>_WA_Sys_semester_ce2</i> 41E3A924 , <i>_WA_Sys_semester_ce3</i> 41E3A924 , <i>_WA_Sys_semester_de1</i> 41E3A924 , <i>_WA_Sys_semester_fe1</i> 41E3A924 , <i>_WA_Sys_semester_le1</i> 41E3A924 , <i>_WA_Sys_semester_ne1</i> 41E3A924 , <i>_WA_Sys_sm_desc</i> 41E3A924 , <i>_WA_Sys_smend_dt</i> 41E3A924 , <i>_WA_Sys_smst_dt</i> 41E3A924 , <i>_WA_Sys_time_maint</i> 41E3A924
	<b>Columns:</b>	<i>Dis_FinAid</i> Int NOT NULL (DF_semester_Dis_Fi 3751D76F - (0)) , <i>date_maint</i> Date NULL , <i>disabled</i> Bit NULL (DF_semester_disabled - (0)) , <i>operator</i> Char(8) NULL , <i>report_skip</i> Bit NOT NULL (DF_semester_report 1E463283 - (0)) , <i>semester</i> Char(2) NOT NULL , <i>semester_ce1</i> Char(10) NULL , <i>semester_ce2</i> Char(10) NULL , <i>semester_ce3</i> Char(20) NULL , <i>semester_de1</i> Date NULL , <i>semester_fe1</i> Float NULL , <i>semester_le1</i> Bit NULL , <i>semester_ne1</i> Int NULL , <i>sm_desc</i> Char(10) NOT NULL , <i>smend_dt</i> Date NULL , <i>smst_dt</i> Date NULL , <i>time_maint</i> Char(8) NULL
<b>SEM_ACAD_STAT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_disabled</i> 2F5BAFEC , <i>_WA_Sys_sem_acad_stat_txt</i> 2F5BAFEC , <i>_WA_Sys_stat_type_cod</i> 2F5BAFEC

	<b>Columns:</b>	<b>disabled</b> <i>Bit</i> NOT NULL ( <i>DF sem_acad_disab_304FD425 - ('0')</i> ), <b>sem_acad_stat_rid</b> <i>Int</i> NOT NULL, <b>sem_acad_stat_txt</b> <i>Char(30)</i> NULL, <b>stat_type_cod</b> <i>Char(1)</i> NULL
<b>SERIAL_L_CODE</b>	<b>Primary Key:</b>	<i>PK_Serial_L_Code_Serial_L_Code_rid</i> ( <i>Serial_L_Code_rid</i> )
	<b>Indexes:</b>	<i>PK_Serial_L_Code_Serial_L_Code_rid</i> , <i>WA_Sys_Serial_L_Code_ID_1C48DB78</i> , <i>WA_Sys_Serial_L_Code_txt_1C48DB78</i>
	<b>Columns:</b>	<b>Serial_L_Code_ID</b> <i>Char(2)</i> NULL, <b>Serial_L_Code_ce1</b> <i>Char(10)</i> NULL, <b>Serial_L_Code_ce2</b> <i>Char(10)</i> NULL, <b>Serial_L_Code_ce3</b> <i>Char(20)</i> NULL, <b>Serial_L_Code_de1</b> <i>Date</i> NULL, <b>Serial_L_Code_fe1</b> <i>Float</i> NULL, <b>Serial_L_Code_le1</b> <i>Bit</i> NOT NULL ( <i>DF_Serial_L_Seria_1D3CFFB1 - ('0')</i> ), <b>Serial_L_Code_ne1</b> <i>Int</i> NULL, <b>Serial_L_Code_rid</b> <i>Int</i> NOT NULL, <b>Serial_L_Code_txt</b> <i>Char(30)</i> NULL, <b>date_maint</b> <i>Date</i> NULL, <b>operator</b> <i>Char(8)</i> NULL, <b>time_maint</b> <i>Char(8)</i> NULL
<b>SESSIONS</b>	<b>Primary Key:</b>	<i>PK_session</i> ( <i>session</i> )
	<b>Indexes:</b>	<i>PK_session</i> , <i>WA_Sys_disabled_249E2A57</i> , <i>WA_Sys_operator_249E2A57</i> , <i>WA_Sys_rpt_disable_249E2A57</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL, <b>disabled</b> <i>Bit</i> NULL, <b>operator</b> <i>Char(8)</i> NULL, <b>rpt_disable</b> <i>Bit</i> NOT NULL ( <i>DF_sessions_rpt_di_3C6B9247 - (0)</i> ), <b>session</b> <i>Char(2)</i> NOT NULL ( <i>DF_sessions_sessio_25924E90 - ('0')</i> ), <b>sessions_ce1</b> <i>Char(10)</i> NULL, <b>sessions_ce2</b> <i>Char(10)</i> NULL, <b>sessions_ce3</b> <i>Char(20)</i> NULL, <b>sessions_de1</b> <i>Date</i> NULL, <b>sessions_end_dt</b> <i>Date</i> NULL, <b>sessions_fe1</b> <i>Float</i> NULL, <b>sessions_le1</b> <i>Bit</i> NULL, <b>sessions_ne1</b> <i>Int</i> NULL, <b>sessions_start_dt</b> <i>Date</i> NULL, <b>time_maint</b> <i>Char(8)</i> NULL
<b>SLMIMPORT</b>		
	<b>Indexes:</b>	<i>WA_Sys_00000002_56757D0D</i>
	<b>Columns:</b>	<b>amt_1</b> <i>Float</i> NOT NULL, <b>awd_id</b> <i>Varchar(50)</i> NULL, <b>camp_cod</b> <i>Char(20)</i> NULL, <b>date</b> <i>Date</i> NOT NULL, <b>div_cod</b> <i>Char(2)</i> NULL, <b>first_name</b> <i>Varchar(50)</i> NOT NULL, <b>found</b> <i>Bit</i> NULL, <b>imported</b> <i>Bit</i> NULL, <b>last_name</b> <i>Varchar(50)</i> NOT NULL, <b>loan_cod</b> <i>Varchar(50)</i> NOT NULL, <b>loan_fees</b> <i>Float</i> NULL, <b>mi</b> <i>Varchar(50)</i> NOT NULL, <b>offered</b> <i>Float</i> NULL, <b>received</b> <i>Float</i> NULL, <b>ref_id</b> <i>Varchar(50)</i> NULL, <b>sch_yr</b> <i>Char(6)</i> NOT NULL, <b>semester</b> <i>Char(2)</i> NOT NULL, <b>slm_roster_id</b> <i>Char(7)</i> NULL, <b>slmid</b> <i>Int</i> NOT NULL, <b>soc_sec</b> <i>Char(9)</i> NOT NULL, <b>ssn</b> <i>Char(9)</i> NOT NULL, <b>tcodes</b> <i>Char(5)</i> NULL, <b>trans_no</b> <i>Varchar(50)</i> NULL
<b>SLMLOAN</b>	<b>Primary Key:</b>	<i>PK_SLMLoan_SLMLoan_cod</i> ( <i>SLMLoan_cod</i> )
	<b>Indexes:</b>	<i>PK_SLMLoan_SLMLoan_cod</i> , <i>WA_Sys_00000003_53991062</i>
	<b>Columns:</b>	<b>SLMLoan_ce1</b> <i>Char(10)</i> NULL, <b>SLMLoan_ce2</b> <i>Char(10)</i> NULL, <b>SLMLoan_ce3</b> <i>Char(10)</i> NULL, <b>SLMLoan_cod</b> <i>Char(2)</i> NOT NULL, <b>SLMLoan_de1</b> <i>Date</i> NULL, <b>SLMLoan_fe1</b> <i>Float</i> NULL, <b>SLMLoan_le1</b> <i>Bit</i> NULL, <b>SLMLoan_ne1</b> <i>Int</i> NULL, <b>SLMLoan_txt</b> <i>Char(20)</i> NOT NULL, <b>date_maint</b> <i>Date</i> NULL, <b>disabled</b> <i>Bit</i> NOT NULL ( <i>DF_SLMLoan_disable_548D349B - (0)</i> ), <b>operator</b> <i>Char(8)</i> NULL, <b>time_maint</b> <i>Char(8)</i> NULL
<b>SONREQUIREDFIELDS</b>	<b>Primary Key:</b>	<i>PK_sonrequiredfields</i> ( <i>sonrequiredfields_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_sonrequiredfields_OA_Email_cod</i> , <i>FK_sonrequiredfields_acadstat</i> , <i>FK_sonrequiredfields_activity</i> , <i>FK_sonrequiredfields_activity_cod</i> , <i>FK_sonrequiredfields_appchk_cod</i> , <i>FK_sonrequiredfields_award_type</i> , <i>FK_sonrequiredfields_awd_cod</i> , <i>FK_sonrequiredfields_bldgtype</i> , <i>FK_sonrequiredfields_bldtask</i> , <i>FK_sonrequiredfields_building</i> , <i>FK_sonrequiredfields_campus</i> , <i>FK_sonrequiredfields_caption_id</i> , <i>FK_sonrequiredfields_category</i> , <i>FK_sonrequiredfields_constit_rating</i> , <i>FK_sonrequiredfields_constit_type</i> , <i>FK_sonrequiredfields_day_rid</i> , <i>FK_sonrequiredfields_depend_stat</i> , <i>FK_sonrequiredfields_dept</i> , <i>FK_sonrequiredfields_division</i> , <i>FK_sonrequiredfields_dms_catlist_cod</i> , <i>FK_sonrequiredfields_dms_feedback_id</i> , <i>FK_sonrequiredfields_edition</i> , <i>FK_sonrequiredfields_employ_type_rid</i> , <i>FK_sonrequiredfields_enrlstat</i> , <i>FK_sonrequiredfields_enrollcode</i> , <i>FK_sonrequiredfields_funds_cod</i> , <i>FK_sonrequiredfields_giving_level</i> , <i>FK_sonrequiredfields_grades</i> , <i>FK_sonrequiredfields_hld_cod</i> , <i>FK_sonrequiredfields_ingtype</i> , <i>FK_sonrequiredfields_institut</i> , <i>FK_sonrequiredfields_interlev</i> , <i>FK_sonrequiredfields_ipedstat</i> , <i>FK_sonrequiredfields_job_class</i> , <i>FK_sonrequiredfields_level</i> , <i>FK_sonrequiredfields_loan_cohort</i> , <i>FK_sonrequiredfields_loan_default_source_rid</i> , <i>FK_sonrequiredfields_loan_servicer_rid</i> , <i>FK_sonrequiredfields_loan_status_rid</i> , <i>FK_sonrequiredfields_modstat</i> , <i>FK_sonrequiredfields_name</i> , <i>FK_sonrequiredfields_program</i> , <i>FK_sonrequiredfields_programtype</i> , <i>FK_sonrequiredfields_publisher</i> ,

		<i>FK_sonrequiredfields_reminderstype_rid ,FK_sonrequiredfields_room , FK_sonrequiredfields_section ,FK_sonrequiredfields_semester ,FK_sonrequiredfields_sessions , FK_sonrequiredfields_task_cod ,FK_sonrequiredfields_tcodes ,FK_sonrequiredfields_type , FK_sonrequiredfields_when_code</i>
	<b>Indexes:</b>	<i>PK_sonrequiredfields ,_WA_Sys_0000003A_2CDE6A9D ,_WA_Sys_0000003B_2CDE6A9D , _WA_Sys_0000003C_2CDE6A9D ,_WA_Sys_0000003D_2CDE6A9D , _WA_Sys_0000003F_2CDE6A9D ,_WA_Sys_00000040_2CDE6A9D , _WA_Sys_00000041_2CDE6A9D ,_WA_Sys_00000042_2CDE6A9D , _WA_Sys_acadstat_cod_2CDE6A9D ,_WA_Sys_activity_cod_2CDE6A9D , _WA_Sys_appchk_cod_2CDE6A9D ,_WA_Sys_awd_cod_2CDE6A9D , _WA_Sys_bldg_cod_2CDE6A9D ,_WA_Sys_bldgtype_cod_2CDE6A9D , _WA_Sys_bldtask_cod_2CDE6A9D ,_WA_Sys_calendar_event_type_cod_2CDE6A9D , _WA_Sys_camp_cod_2CDE6A9D ,_WA_Sys_caption_id_2CDE6A9D , _WA_Sys_categr_cod_2CDE6A9D ,_WA_Sys_constit_rating_2CDE6A9D , _WA_Sys_constit_type_cod_2CDE6A9D ,_WA_Sys_day_rid_2CDE6A9D , _WA_Sys_depend_stat_cod_2CDE6A9D ,_WA_Sys_dept_cod_2CDE6A9D , _WA_Sys_div_cod_2CDE6A9D ,_WA_Sys_edition_2CDE6A9D , _WA_Sys_employ_type_rid_2CDE6A9D ,_WA_Sys_enrollcode_2CDE6A9D , _WA_Sys_enstat_cod_2CDE6A9D ,_WA_Sys_funds_cod_2CDE6A9D , _WA_Sys_gender_cod_2CDE6A9D ,_WA_Sys_giving_level_2CDE6A9D , _WA_Sys_grade_2CDE6A9D ,_WA_Sys_hld_cod_2CDE6A9D ,_WA_Sys_inqtypecod_2CDE6A9D , _WA_Sys_inst_cod_2CDE6A9D ,_WA_Sys_intrlevcod_2CDE6A9D ,_WA_Sys_iped_stat_2CDE6A9D , _WA_Sys_job_class_cod_2CDE6A9D ,_WA_Sys_level_2CDE6A9D , _WA_Sys_mar_cod_2CDE6A9D ,_WA_Sys_mod_stat_2CDE6A9D ,_WA_Sys_prg_cod_2CDE6A9D , _WA_Sys_programtype_rid_2CDE6A9D ,_WA_Sys_publisher_rid_2CDE6A9D , _WA_Sys_reminderstype_rid_2CDE6A9D ,_WA_Sys_room_cod_2CDE6A9D , _WA_Sys_section_2CDE6A9D ,_WA_Sys_semester_2CDE6A9D ,_WA_Sys_session_2CDE6A9D , _WA_Sys_soc_sec_2CDE6A9D ,_WA_Sys_task_cod_2CDE6A9D ,_WA_Sys_tcodes_2CDE6A9D , _WA_Sys_type_2CDE6A9D ,_WA_Sys_when_code_2CDE6A9D</i>
	<b>Columns:</b>	<b>OA_Email_cod</b> Int NOT NULL (DF_sonrequir__OA_Em_0F04BA4A - ((1))), <b>acadstat_cod</b> Char(8) NOT NULL (DF_sonrequiredfields_acadstat_cod - ('TBD')), <b>activity_cod</b> Char(3) NOT NULL (DF_sonrequir_activity_cod - ('MM1')), <b>appchk_cod</b> Char(2) NOT NULL (DF_sonrequir_appch_5D378935 - ('TR')), <b>award_type_rid</b> Int NOT NULL (DF_sonrequir_award_054645E6 - ((1))), <b>awd_cod</b> Char(8) NOT NULL (DF_sonrequir_awd_c_5C23696B - ('TB')), <b>bldg_cod</b> Char(10) NOT NULL (DF_sonrequir_bldg_2DD28ED6 - ('TBD')), <b>bldgtype_cod</b> Char(2) NOT NULL (DF_sonrequir_bldgt_2EC6B30F - ('DR')), <b>bldtask_cod</b> Char(3) NOT NULL (DF_sonrequir_bldta_2DA871A4 - ('ADD')), <b>calendar_event_type_cod</b> Char(1) NOT NULL (DF_calendar_event_type_cod_sonrequiredfields - ('1')), <b>camp_cod</b> Char(10) NOT NULL (DF_sonrequir_camp_2FBAD748 - ('TBD')), <b>caption_id</b> Char(50) NOT NULL (DF_sonrequir_capti_3CFFC3CD - ('attend_txt1')), <b>categr_cod</b> Char(15) NOT NULL (DF_sonrequir_categ_30AEFB81 - ('WEBINQ')), <b>constit_rating</b> Char(10) NOT NULL (DF_sonrequir_const_288EB6CC - ('No Data')), <b>constit_type_cod</b> Char(2) NOT NULL (DF_sonrequir_const_49EFAA97 - ('TB')), <b>day_rid</b> Char(1) NOT NULL (DF_sonrequir_day_r_39444182 - ('1')), <b>depend_stat_cod</b> Char(1) NOT NULL (DF_sonrequir_depen_33614AFA - ('0')), <b>dept_cod</b> Char(4) NOT NULL (DF_sonrequir_dept_31A31FBA - ('TB')), <b>div_cod</b> Char(2) NOT NULL (DF_sonrequir_div_cod - ('TB')), <b>dms_catlist_cod</b> Char(16) NOT NULL (DF_sonrequir_dms_c_07639882 - ('NOCATEGORY')), <b>dms_feedback_id</b> Int NOT NULL (DF_sonrequir_dms_f_057B5010 - ((1))), <b>edition</b> Char(20) NOT NULL (DF_sonrequir_editi_3B8C7CA7 - (' ')), <b>employ_type_rid</b> Int NOT NULL (DF_sonrequir_emplo_6F612668 - (1)), <b>enrollcode</b> Char(2) NOT NULL (DF_sonrequir_enrol_3A3865BB - ('EN')), <b>enstat_cod</b> Char(2) NOT NULL (DF_sonrequiredfields_enstat_cod - (' ')), <b>funds_cod</b> Char(3) NOT NULL (DF_sonrequir_funds_3AAD6707 - ('GEN')), <b>gender_cod</b> Char(1) NOT NULL (DF_sonrequiredfields_gender_cod - ('T')), <b>giving_level</b> Char(30) NOT NULL (DF_sonrequir_givin_32182106 - ('No Data')), <b>grade</b> Char(5) NOT NULL (DF_sonrequiredfields_grade - (' ')), <b>hld_cod</b> Char(12) NOT NULL (DF_sonrequir_hld_c_3B2C89F4 - ('reg_hold')), <b>inqtypecod</b> Char(2) NOT NULL

		(DF_sonrequir_inqty_300FDD03 - ('04')), inst_cod Char(16) NULL, intrlevcod Char(10) NOT NULL (DF_sonrequir_intrl_71D37EBF - ('TBD')), iped_stat Char(2) NOT NULL (DF_sonrequir_iped_1F7A4DDE - ('FD')), job_class_cod Char(2) NOT NULL (DF_sonrequir_job_c_06C3AEAD - ('GN')), level_ Char(1) NOT NULL (DF_sonrequir_level_338B682C - ('0')), loan_cohort Char(4) NOT NULL (DF_sonrequir_loan_1BD4A583 - ('')), loan_default_source_rid Int NOT NULL (DF_sonrequir_loan_1DBCEDF5 - (('1'))), loan_servicer_rid Int NOT NULL (DF_sonrequir_loan_1804149F - (('1'))), loan_status_rid Int NOT NULL (DF_sonrequir_loan_19EC5D11 - (('1'))), mar_cod Char(2) NOT NULL (DF_sonrequiredfields_mar_cod - ('TB')), meeting_attendee_rid Int NOT NULL (DF_sonrequir_meeti_392FFE40 - (('1'))), mod_stat Char(2) NOT NULL (DF_sonrequir_mod_s_38501D49 - ('ST')), prg_cod Char(10) NOT NULL (DF_sonrequir_prg_c_3D14D266 - ('CORE')), programtype_rid Int NOT NULL (DF_sonrequir_progr_5A3B20F9 - (1)), publisher_rid Int NOT NULL (DF_sonrequir_publi_432D9E6F - (1)), reminderstype_rid Int NOT NULL (DF_sonrequiredfields_reminderstype_rid - (1)), room_cod Char(10) NOT NULL (DF_sonrequir_room_347F8C65 - ('TBD')), section Char(6) NOT NULL (DF_sonrequir_secti_42B89D23 - ('0')), semester Char(2) NOT NULL (DF_sonrequir_semes_5E0BB1DD - ('')), session Char(2) NOT NULL (DF_sonrequiredfields_session - ('')), soc_sec Char(9) NOT NULL (DF_sonrequir_soc_s_3573B09E - ('000000000')), sonrequiredfields_ce1 Char(10) NULL, sonrequiredfields_ce2 Char(10) NULL, sonrequiredfields_ce3 Char(20) NULL, sonrequiredfields_de1 Date NULL, sonrequiredfields_fe1 Float NULL, sonrequiredfields_le1 Bit NULL, sonrequiredfields_ne1 Int NULL, sonrequiredfields_rid Int NOT NULL, task_cod Char(3) NOT NULL (DF_sonrequir_task_375BF910 - ('OGR')), tcodes Char(2) NOT NULL (DF_sonrequir_tcode_3667D4D7 - ('TR')), type Char(10) NOT NULL (DF_sonrequire_type_5AC530DE - ('Primary')), when_code Char(3) NOT NULL (DF_sonrequiredfields_when_code - ('UNK'))
<b>SPNEED</b>	<b>Primary Key:</b>	PK_spneed (spneed_cod)
	<b>Triggers:</b>	tr_spneed_cod_D, tr_spneed_cod_Delete
	<b>Indexes:</b>	PK_spneed, _WA_Sys_disabled_44C015CF
	<b>Columns:</b>	date_maint Date NULL, disabled Bit NULL (DF_spneed_disabled - (0)), operator Char(8) NULL, spneed_ce1 Char(10) NULL, spneed_ce2 Char(10) NULL, spneed_ce3 Char(20) NULL, spneed_cod Char(2) NOT NULL, spneed_de1 Date NULL, spneed_fe1 Float NULL, spneed_le1 Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), spneed_ne1 Int NULL, spneed_txt Char(20) NOT NULL, time_maint Char(8) NULL
<b>SRHCAMP</b>	<b>Primary Key:</b>	PK_srhcamp (camp_rid)
	<b>Foreign Keys:</b>	FK_srhcamp_campus, FK_srhcamp_name, FK_srhcamp_security, FK_srhcamp_webprof
	<b>Indexes:</b>	PK_srhcamp, _WA_Sys_date_maint_46BD6CDA, _WA_Sys_operator_46BD6CDA, _WA_Sys_prof_cod_46BD6CDA, _WA_Sys_scamp_ce1_46BD6CDA, _WA_Sys_scamp_le1_46BD6CDA, _WA_Sys_scamp_ne1_46BD6CDA, _WA_Sys_time_maint_46BD6CDA, _WA_Sys_user_id_46BD6CDA, camp_cod, soc_sec
	<b>Columns:</b>	camp_cod Char(10) NULL, camp_rid Char(16) NOT NULL, date_maint Date NULL, operator Char(8) NULL, prof_cod Char(10) NULL, scamp_ce1 Char(10) NULL, scamp_le1 Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), scamp_ne1 Int NULL, soc_sec Char(9) NOT NULL, srhcamp_ce1 Char(10) NULL, srhcamp_ce2 Char(10) NULL, srhcamp_ce3 Char(20) NULL, srhcamp_de1 Date NULL, srhcamp_fe1 Float NULL, srhcamp_le1 Bit NULL, srhcamp_ne1 Int NULL, time_maint Char(8) NULL, user_id Char(8) NULL
<b>SRCHDEPT</b>	<b>Primary Key:</b>	PK_srchdept (dept_rid)
	<b>Foreign Keys:</b>	FK_srchdept_dept, FK_srchdept_name, FK_srchdept_security, FK_srchdept_webprof
	<b>Indexes:</b>	PK_srchdept, _WA_Sys_date_maint_47B19113, _WA_Sys_operator_47B19113, _WA_Sys_prof_cod_47B19113, _WA_Sys_sdept_ce1_47B19113, _WA_Sys_sdept_le1_47B19113, _WA_Sys_sdept_ne1_47B19113, _WA_Sys_time_maint_47B19113, _WA_Sys_user_id_47B19113, dept_cod, soc_sec



	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>dept_cod</b> Char(4) NULL , <b>dept_rid</b> Char(16) NOT NULL , <b>operator</b> Char(8) NULL , <b>prof_cod</b> Char(10) NULL , <b>sdept_ce1</b> Char(10) NULL , <b>sdept_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>sdept_ne1</b> Int NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>srchdept_ce1</b> Char(10) NULL , <b>srchdept_ce2</b> Char(10) NULL , <b>srchdept_ce3</b> Char(20) NULL , <b>srchdept_de1</b> Date NULL , <b>srchdept_fe1</b> Float NULL , <b>srchdept_le1</b> Bit NULL , <b>srchdept_ne1</b> Int NULL , <b>time_maint</b> Char(8) NULL , <b>user_id</b> Char(8) NULL
<b>SRCHDIV</b>	<b>Primary Key:</b>	<i>PK_srchdiv (div_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_srchdiv_division , FK_srchdiv_name , FK_srchdiv_security , FK_srchdiv_webprof</i>
	<b>Indexes:</b>	<i>PK_srchdiv , _WA_Sys_date_maint_48A5B54C , _WA_Sys_operator_48A5B54C , _WA_Sys_prof_cod_48A5B54C , _WA_Sys_sdiv_ce1_48A5B54C , _WA_Sys_sdiv_le1_48A5B54C , _WA_Sys_sdiv_ne1_48A5B54C , _WA_Sys_time_maint_48A5B54C , _WA_Sys_user_id_48A5B54C , div_cod , soc_sec</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>div_cod</b> Char(2) NULL , <b>div_rid</b> Char(16) NOT NULL , <b>operator</b> Char(8) NULL , <b>prof_cod</b> Char(10) NULL , <b>sdiv_ce1</b> Char(10) NULL , <b>sdiv_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>sdiv_ne1</b> Int NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>srchdiv_ce1</b> Char(10) NULL , <b>srchdiv_ce2</b> Char(10) NULL , <b>srchdiv_ce3</b> Char(20) NULL , <b>srchdiv_de1</b> Date NULL , <b>srchdiv_fe1</b> Float NULL , <b>srchdiv_le1</b> Bit NULL , <b>srchdiv_ne1</b> Int NULL , <b>time_maint</b> Char(8) NULL , <b>user_id</b> Char(8) NULL
<b>SRCHLEVEL</b>	<b>Primary Key:</b>	<i>PK_srchlevel (srchlevel_rid)</i>
	<b>Indexes:</b>	<i>PK_srchlevel , _WA_Sys_00000005_25882CEF , _WA_Sys_prof_cod_25882CEF , _WA_Sys_soc_sec_25882CEF , _WA_Sys_user_id_25882CEF</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>level_</b> Char(1) NOT NULL , <b>operator</b> Char(8) NULL , <b>prof_cod</b> Char(10) NOT NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>srchlevel_ce1</b> Char(10) NULL , <b>srchlevel_ce2</b> Char(20) NULL , <b>srchlevel_ce3</b> Char(30) NULL , <b>srchlevel_de1</b> Date NULL , <b>srchlevel_fe1</b> Float NULL , <b>srchlevel_le1</b> Bit NULL , <b>srchlevel_ne1</b> Float NULL , <b>srchlevel_rid</b> Int NOT NULL , <b>time_maint</b> Char(8) NULL , <b>user_id</b> Char(8) NOT NULL
<b>SRCHMOD</b>	<b>Primary Key:</b>	<i>PK_srchmod (mod_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_srchmod_modstat , FK_srchmod_name , FK_srchmod_security , FK_srchmod_webprof</i>
	<b>Indexes:</b>	<i>PK_srchmod , _WA_Sys_date_maint_4999D985 , _WA_Sys_operator_4999D985 , _WA_Sys_prof_cod_4999D985 , _WA_Sys_smod_ce1_4999D985 , _WA_Sys_smod_le1_4999D985 , _WA_Sys_smod_ne1_4999D985 , _WA_Sys_time_maint_4999D985 , _WA_Sys_user_id_4999D985 , mod_stat , soc_sec</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>default_ms</b> Bit NULL (DF_srchmod_default_78C13EC7 - ((0))), <b>mod_rid</b> Char(16) NOT NULL , <b>mod_stat</b> Char(2) NULL , <b>operator</b> Char(8) NULL , <b>prof_cod</b> Char(10) NULL , <b>smod_ce1</b> Char(10) NULL , <b>smod_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>smod_ne1</b> Int NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>srchmod_ce1</b> Char(10) NULL , <b>srchmod_ce2</b> Char(10) NULL , <b>srchmod_ce3</b> Char(20) NULL , <b>srchmod_de1</b> Date NULL , <b>srchmod_fe1</b> Float NULL , <b>srchmod_le1</b> Bit NULL , <b>srchmod_ne1</b> Int NULL , <b>time_maint</b> Char(8) NULL , <b>user_id</b> Char(8) NULL
<b>STATE</b>	<b>Primary Key:</b>	<i>PK_state (state_abbr)</i>
	<b>Triggers:</b>	<i>tr_state_D , tr_state_Delete</i>
	<b>Indexes:</b>	<i>PK_state , _WA_Sys_00000002_479C827A , _WA_Sys_disabled_479C827A , _WA_Sys_state_abbr_479C827A</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL (DF_state_disabled - (0)) , <b>operator</b> Char(8) NULL , <b>state_abbr</b> Char(2) NOT NULL (DF_state_state_abb_149CCCB8 - (' ')) , <b>state_ce1</b> Char(10) NULL , <b>state_ce2</b> Char(10) NULL , <b>state_ce3</b> Char(20) NULL , <b>state_de1</b> Date NULL , <b>state_fe1</b> Float NULL , <b>state_le1</b> Bit NULL , <b>state_name</b> Char(50) NULL , <b>state_ne1</b> Int NULL , <b>time_maint</b> Char(8) NULL
<b>STD_FEE</b>	<b>Primary Key:</b>	<i>PK_std_fee (std_cod)</i>
	<b>Indexes:</b>	<i>PK_std_fee</i>

	<b>Columns:</b>	<b>active</b> <i>Bit</i> NOT NULL ( <i>DF_std_fee_active_2C4A3917 - (1)</i> ), <b>amt_1</b> <i>Float</i> NULL, <b>date_maint</b> <i>Date</i> NULL, <b>disabled</b> <i>Bit</i> NULL, <b>operator</b> <i>Char(8)</i> NULL, <b>sch_yr</b> <i>Char(6)</i> NOT NULL ( <i>DF_std_fee_sch_yr_2B5614DE - (")</i> ), <b>std_cod</b> <i>Char(8)</i> NOT NULL, <b>std_fee_ce1</b> <i>Char(10)</i> NULL, <b>std_fee_ce2</b> <i>Char(10)</i> NULL, <b>std_fee_ce3</b> <i>Char(20)</i> NULL, <b>std_fee_de1</b> <i>Date</i> NULL, <b>std_fee_fe1</b> <i>Float</i> NULL, <b>std_fee_le1</b> <i>Bit</i> NULL, <b>std_fee_ne1</b> <i>Int</i> NULL, <b>std_fee_rid</b> <i>Int</i> NOT NULL, <b>std_txt</b> <i>Char(35)</i> NULL, <b>time_maint</b> <i>Char(8)</i> NULL
<b>SUBREQCODEDET</b>	<b>Primary Key:</b>	<i>PK_subreqcodedet (subreqcodedet_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_subreqcodedet_req_cod, FK_subreqcodedet_reqcodeoverview_rid</i>
	<b>Indexes:</b>	<i>PK_subreqcodedet, _WA_Sys_required_5F14E4AF, reqcodeoverview_rid, subreqcodedet_req_cod</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL, <b>operator</b> <i>Char(8)</i> NULL, <b>req_cod</b> <i>Char(4)</i> NULL, <b>reqcodeoverview_rid</b> <i>Int</i> NOT NULL, <b>required</b> <i>Bit</i> NULL, <b>subreqcodedet_ce1</b> <i>Char(10)</i> NULL, <b>subreqcodedet_ce2</b> <i>Char(10)</i> NULL, <b>subreqcodedet_ce3</b> <i>Char(20)</i> NULL, <b>subreqcodedet_de1</b> <i>Date</i> NULL, <b>subreqcodedet_fe1</b> <i>Float</i> NULL, <b>subreqcodedet_le1</b> <i>Bit</i> NULL, <b>subreqcodedet_ne1</b> <i>Int</i> NULL, <b>subreqcodedet_rid</b> <i>Int</i> NOT NULL, <b>time_maint</b> <i>Char(8)</i> NULL
<b>SUFFIX</b>	<b>Primary Key:</b>	<i>PK_suffix_suffix (suffix)</i>
	<b>Indexes:</b>	<i>PK_suffix_suffix, _WA_Sys_00000002_7BBCDBAC</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL, <b>operator</b> <i>Char(8)</i> NULL, <b>suffix</b> <i>Char(20)</i> NOT NULL, <b>suffix_cat_ce1</b> <i>Char(10)</i> NULL, <b>suffix_cat_ce2</b> <i>Char(10)</i> NULL, <b>suffix_cat_ce3</b> <i>Char(20)</i> NULL, <b>suffix_cat_de1</b> <i>Date</i> NULL, <b>suffix_cat_fe1</b> <i>Float</i> NULL, <b>suffix_cat_le1</b> <i>Bit</i> NOT NULL ( <i>DF_suffix_suffix_c_7DA5241E - ('0')</i> ), <b>suffix_cat_ne1</b> <i>Int</i> NULL, <b>suffix_disable</b> <i>Bit</i> NOT NULL ( <i>DF_suffix_suffix_d_7CB0FFE5 - ('0')</i> ), <b>time_maint</b> <i>Char(8)</i> NULL
<b>SYSVAR</b>	<b>Primary Key:</b>	<i>PK_sysvar (school_id)</i>
	<b>Foreign Keys:</b>	<i>FK_admiss_soc_sec, FK_dir_soc_sec, FK_fa_soc_sec, FK_regstr_soc_sec, FK_sysvar_appentrydate, FK_sysvar_semester</i>
	<b>Indexes:</b>	<i>PK_sysvar, _WA_Sys_00000002_4396E76C, _WA_Sys_00000005_4396E76C, _WA_Sys_00000006_4396E76C, _WA_Sys_00000007_4396E76C, _WA_Sys_00000008_4396E76C, _WA_Sys_00000009_4396E76C, _WA_Sys_0000000A_4396E76C, _WA_Sys_0000000C_4396E76C, _WA_Sys_0000001D_4396E76C, _WA_Sys_00000037_4396E76C, _WA_Sys_0000004A_4396E76C</i>
	<b>Columns:</b>	<b>CSS_Index_image</b> <i>Bit</i> NOT NULL ( <i>DF_sysvar_CSS_Inde_0D517C02 - ((0))</i> ), <b>CSS_Nav</b> <i>Bit</i> NOT NULL ( <i>DF_sysvar_CSS_Nav_0B693390 - ((0))</i> ), <b>CSS_logo</b> <i>Bit</i> NOT NULL ( <i>DF_sysvar_CSS_logo_0C5D57C9 - ((0))</i> ), <b>CurrencyLocale</b> <i>Char(25)</i> NULL, <b>DateFormatLocale</b> <i>Char(25)</i> NULL, <b>DateMask_Bit</b> <i>Bit</i> NOT NULL ( <i>DF_Sysvar_DateMask_55573BA2 - ('0')</i> ), <b>DateMask_report</b> <i>Char(25)</i> NULL, <b>GPA_grouping</b> <i>Bit</i> NOT NULL ( <i>DF_sysvar_GPA_grou_389B0163 - (0)</i> ), <b>ID_PREFIX</b> <i>Varchar(4)</i> NOT NULL ( <i>DF_sysvar_ID_PREFI_5324DA6D - (")</i> ), <b>ISBN_Admin</b> <i>Bit</i> NOT NULL ( <i>DF_sysvar_ISBN_Adm_3870E431 - ('1')</i> ), <b>ISBN_FAC</b> <i>Bit</i> NOT NULL ( <i>DF_sysvar_ISBN_FAC_3965086A - ('1')</i> ), <b>Prospect_ED</b> <i>Date</i> NULL, <b>SAP_comp_pcent</b> <i>Bit</i> NOT NULL ( <i>DF_sysvar_SAP_comp_0293F66D - (0)</i> ), <b>SAP_degree</b> <i>Bit</i> NOT NULL ( <i>DF_sysvar_SAP_degr_019FD234 - (0)</i> ), <b>Tax_free_Bit</b> <i>Bit</i> NOT NULL ( <i>DF_Sysvar_Tax_free_6D2EC533 - ('0')</i> ), <b>adm_email</b> <i>Char(50)</i> NULL, <b>adminlck</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ), <b>admiss_off</b> <i>Char(35)</i> NULL, <b>admiss_phn</b> <i>Char(15)</i> NULL, <b>admiss_soc_sec</b> <i>Char(9)</i> NULL, <b>admiss_ttl</b> <i>Char(35)</i> NULL, <b>best_rpt_grd</b> <i>Bit</i> NOT NULL ( <i>DF_sysvar_best_rpt_64398C7F - (0)</i> ), <b>bill_memo</b> <i>Memo</i> NULL, <b>bill_only</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ), <b>blnk_offic</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ), <b>ck_awdstat</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ), <b>clin_hrs</b> <i>Char(4)</i> NULL, <b>clin_incl</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ), <b>closed_date</b> <i>Date</i> NOT NULL ( <i>DF_sysvar_closed_d_1566D3BF - ('12/30/1899')</i> ), <b>comm_dt</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ), <b>crs_sect_fees_ref_id</b> <i>Bit</i> NOT NULL ( <i>DF_sysvar_crs_sect_79D4933A - ((1))</i> ), <b>cur_schyr</b> <i>Char(6)</i> NULL, <b>cur_sem</b> <i>Char(2)</i> NULL, <b>date_maint</b> <i>Date</i> NULL, <b>deans_list_credits</b> <i>Float</i> NULL, <b>deans_list_gpa</b> <i>Float</i> NULL, <b>def_bldt</b> <i>Date</i> NULL, <b>deg_tran</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ), <b>dir_email</b> <i>Char(50)</i> NULL, <b>dir_phn</b> <i>Char(15)</i> NULL, <b>dir_soc_sec</b> <i>Char(9)</i> NULL, <b>director</b> <i>Char(35)</i> NULL, <b>dirtitle</b> <i>Char(30)</i> NULL, <b>dorm_cost</b> <i>Float</i> NULL, <b>dup_namck</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT</i>

		<p> <i>UW_ZeroDefault AS 0</i> , <b>enter</b> <i>Date</i> NULL , <b>exclude_remedial</b> <i>Bit</i> NOT NULL  <i>(DF_sysvar_exclude_7AF2D4A5 - (0))</i> , <b>fa_email</b> <i>Char(50)</i> NULL , <b>fa_int</b> <i>Bit</i> NULL  <i>(UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0)</i> , <b>fa_officer</b> <i>Char(35)</i> NULL ,  <b>fa_phone</b> <i>Char(15)</i> NULL , <b>fa_soc_sec</b> <i>Char(9)</i> NULL , <b>fa_title</b> <i>Char(30)</i> NULL , <b>faculty</b> <i>Bit</i>  NULL <i>(UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0)</i> , <b>fax</b> <i>Char(15)</i> NULL , <b>fice</b>  <i>Char(7)</i> NULL , <b>flat_cred</b> <i>Float</i> NULL , <b>flat_fee</b> <i>Bit</i> NULL <i>(UW_ZeroDefault - CREATE</i>  <i>DEFAULT UW_ZeroDefault AS 0)</i> , <b>flatfee_ref</b> <i>Char(7)</i> NULL , <b>gen_examid</b> <i>Bit</i> NULL  <i>(UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0)</i> , <b>gen_id</b> <i>Bit</i> NULL  <i>(UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0)</i> , <b>gen_prosid</b> <i>Bit</i> NULL  <i>(UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0)</i> , <b>gl_int</b> <i>Bit</i> NULL  <i>(UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0)</i> , <b>grad_deactivate_advisors</b> <i>Bit</i>  NULL <i>(DF_sysvar_grad_dea_1E46FDDA - ((0)))</i> , <b>grad_leav_date_update</b> <i>Bit</i> NULL  <i>(DF_sysvar_grad_lea_1F3B2213 - ((0)))</i> , <b>html_letters</b> <i>Bit</i> NOT NULL  <i>(DF_sysvar_html_let_6D39B22B - ((0)))</i> , <b>include_signature</b> <i>Bit</i> NOT NULL  <i>(DF_sysvar_include_6DE2F24A - (0))</i> , <b>label_caps</b> <i>Bit</i> NULL <i>(UW_ZeroDefault - CREATE</i>  <i>DEFAULT UW_ZeroDefault AS 0)</i> , <b>label_code</b> <i>Char(4)</i> NULL , <b>lock_weight</b> <i>Bit</i> NOT NULL  <i>(DF_sysvar_lock_wei_70DF5A86 - (0))</i> , <b>multi_course_evals</b> <i>Bit</i> NOT NULL  <i>(DF_sysvar_multi_co_00ABADFB - (0))</i> , <b>multi_gpa</b> <i>Bit</i> NULL  <i>(DF_sysvar_multi_gp_2F45C8AF - (0))</i> , <b>nlm_pre</b> <i>Bit</i> NULL <i>(UW_ZeroDefault - CREATE</i>  <i>DEFAULT UW_ZeroDefault AS 0)</i> , <b>nmcrs_transfer_edits</b> <i>Bit</i> NOT NULL  <i>(DF_sysvar_nmcrs_tr_04A65C11 - (0))</i> , <b>noufta</b> <i>Float</i> NULL , <b>num_log</b> <i>Float</i> NULL , <b>ope_id</b>  <i>Char(8)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>pell_hours</b> <i>Bit</i> NULL <i>(UW_ZeroDefault - CREATE</i>  <i>DEFAULT UW_ZeroDefault AS 0)</i> , <b>phone</b> <i>Char(15)</i> NULL , <b>pintype</b> <i>Char(1)</i> NULL , <b>post92b</b> <i>Bit</i>  NULL <i>(UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0)</i> , <b>primary_url</b> <i>Varchar(75)</i>  NOT NULL <i>(DF_sysvar_primary_6B06859F - (' '))</i> , <b>probono_comp_hours</b> <i>Float</i> NOT  NULL <i>(DF_sysvar_probono_7D45316B - (30))</i> , <b>ref_id_crs_txt</b> <i>Bit</i> NOT NULL  <i>(DF_sysvar_ref_id_c_7AC8B773 - ((0)))</i> , <b>regstr_off</b> <i>Char(35)</i> NULL , <b>regstr_phn</b> <i>Char(15)</i>  NULL , <b>regstr_soc_sec</b> <i>Char(9)</i> NULL , <b>regstr_ttl</b> <i>Char(35)</i> NULL , <b>remarks</b> <i>Memo</i> NULL ,  <b>rgs_email</b> <i>Char(50)</i> NULL , <b>round_3_gpa</b> <i>Bit</i> NULL <i>(DF_sysvar_round_3_2D1E61BF - (0))</i>  , <b>round_4_gpa</b> <i>Bit</i> NULL <i>(DF_sysvar_round_4_2E1285F8 - (0))</i> , <b>schaddr1</b> <i>Char(60)</i> NULL  , <b>schaddr2</b> <i>Char(45)</i> NULL , <b>schaddr3</b> <i>Char(35)</i> NULL , <b>schaddr4</b> <i>Char(35)</i> NULL , <b>schl_email</b>  <i>Char(50)</i> NULL , <b>school_id</b> <i>Char(10)</i> NOT NULL , <b>score_file</b> <i>Varchar(25)</i> NOT NULL  <i>(DF_sysvar_score_fi_73BBC731 - ('Not Configured'))</i> , <b>showexpp</b> <i>Bit</i> NULL <i>(UW_ZeroDefault</i>  <i>- CREATE DEFAULT UW_ZeroDefault AS 0)</i> , <b>showexpt</b> <i>Bit</i> NULL <i>(UW_ZeroDefault - CREATE</i>  <i>DEFAULT UW_ZeroDefault AS 0)</i> , <b>span_courses</b> <i>Bit</i> NOT NULL  <i>(DF_sysvar_span_cou_14BD93A0 - ((0)))</i> , <b>spellcheck</b> <i>Bit</i> NOT NULL  <i>(DF_sysvar_spellche_5E369A66 - ('0'))</i> , <b>sql_password</b> <i>Char(20)</i> NULL , <b>sql_user</b> <i>Char(20)</i>  NULL , <b>sys_menu</b> <i>Bit</i> NULL <i>(UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0)</i> ,  <b>sysgrad</b> <i>Date</i> NOT NULL , <b>sysvar_ce1</b> <i>Char(10)</i> NULL , <b>sysvar_ce2</b> <i>Char(10)</i> NULL ,  <b>sysvar_ce3</b> <i>Char(20)</i> NULL , <b>sysvar_de1</b> <i>Date</i> NULL , <b>sysvar_fe1</b> <i>Float</i> NULL , <b>sysvar_le1</b> <i>Bit</i>  NULL , <b>sysvar_ne1</b> <i>Int</i> NULL , <b>terms</b> <i>Int</i> NULL , <b>three_dec</b> <i>Bit</i> NULL <i>(UW_ZeroDefault -</i>  <i>CREATE DEFAULT UW_ZeroDefault AS 0)</i> , <b>time_maint</b> <i>Char(8)</i> NULL , <b>timestamp_column</b>  <i>Timestamp</i> NULL , <b>title</b> <i>Char(60)</i> NULL , <b>trace</b> <i>Bit</i> NULL <i>(UW_ZeroDefault - CREATE</i>  <i>DEFAULT UW_ZeroDefault AS 0)</i> , <b>tran_order</b> <i>Char(1)</i> NULL , <b>transcript_IP</b> <i>Bit</i> NULL  <i>(DF_sysvar_transcri_2CC95C04 - (0))</i> , <b>transcript_ce</b> <i>Bit</i> NULL  <i>(DF_sysvar_transcri_52EF04EC - (0))</i> , <b>transcript_debug</b> <i>Bit</i> NULL  <i>(DF_sysvar_transcri_53E32925 - (0))</i> , <b>truncate_3_gpa</b> <i>Bit</i> NULL  <i>(DF_sysvar_truncate_51FAE0B3 - (0))</i> , <b>truncate_4_gpa</b> <i>Bit</i> NULL  <i>(DF_sysvar_truncate_28F99677 - ((0)))</i> , <b>truncate_gpa</b> <i>Bit</i> NULL  <i>(DF_sysvar_truncate_44A0E595 - (0))</i> , <b>tuition_ref_id</b> <i>Char(30)</i> NOT NULL  <i>(DF_sysvar_tuition_78E06F01 - ('Tuition for'))</i> , <b>version</b> <i>Char(5)</i> NOT NULL  <i>(DF_sysvar_version_6CE3E119 - ('1.3'))</i> , <b>xfergpa</b> <i>Bit</i> NULL <i>(UW_ZeroDefault - CREATE</i>  <i>DEFAULT UW_ZeroDefault AS 0)</i> , <b>year_over</b> <i>Bit</i> NULL <i>(UW_ZeroDefault - CREATE DEFAULT</i>  <i>UW_ZeroDefault AS 0)</i> , <b>zonediff</b> <b>52 - 2</b> NOT NULL <i>(DF_sysvar_zonediff_2340BD21 - ((0)))</i> </p>
<b>TCODES</b>	<b>Primary Key:</b>	<i>PK_tcodes (tcodes)</i>

	<b>Indexes:</b>	<i>PK tcodes , _WA Sys act_code 40306ADC , _WA Sys act_type 40306ADC ,  _WA Sys bulk void 40306ADC , _WA Sys chk refund 40306ADC ,  _WA Sys date maint 40306ADC , _WA Sys descript 40306ADC , _WA Sys disabled 40306ADC ,  _WA Sys exit_pth 40306ADC , _WA Sys exit_rtn 40306ADC , _WA Sys fed_rpt1 40306ADC ,  _WA Sys fed_rpt2 40306ADC , _WA Sys heading1 40306ADC , _WA Sys heading2 40306ADC ,  _WA Sys inc_bill 40306ADC , _WA Sys inc_sum 40306ADC , _WA Sys_operator 40306ADC ,  _WA Sys post_awd 40306ADC , _WA Sys refer_id 40306ADC ,  _WA Sys refund1098T 40306ADC , _WA Sys report_skip 40306ADC ,  _WA Sys_sequence 40306ADC , _WA Sys tcodes_ce1 40306ADC ,  _WA Sys tcodes_ce2 40306ADC , _WA Sys tcodes_ce3 40306ADC ,  _WA Sys tcodes_de1 40306ADC , _WA Sys tcodes_fe1 40306ADC ,  _WA Sys tcodes_le1 40306ADC , _WA Sys tcodes_ne1 40306ADC ,  _WA Sys time_maint 40306ADC</i>
	<b>Columns:</b>	<b>Bookstore_returns</b> Bit NOT NULL (DF <i>TCODES Bookstor_2F119729 - (0)</i> ) , <b>Course_Related</b> Bit NOT NULL (DF <i>TCODES Course_R_30F9DF9B - (0)</i> ) , <b>act_code</b> Char(1) NULL , <b>act_type</b> Char(1) NULL , <b>bookstore</b> Bit NOT NULL (DF <i>TCODES bookstor_6C4FAF93 - (0)</i> ) , <b>bulk_void</b> Bit NOT NULL (DF <i>TCODES bulk_voi_17D92C16 - (0)</i> ) , <b>chk_refund</b> Bit NULL , <b>date_maint</b> Date NULL , <b>descript</b> Char(35) NULL , <b>disabled</b> Bit NULL (DF <i>tcodes disabled - (0)</i> ) , <b>exit_pth</b> Char(50) NULL , <b>exit_rtn</b> Bit NULL (UW <i>ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>fed_rpt1</b> Bit NULL (UW <i>ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>fed_rpt2</b> Bit NULL (UW <i>ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>heading1</b> Char(8) NULL , <b>heading2</b> Char(8) NULL , <b>inc_bill</b> Bit NULL (UW <i>ZeroDefault - CREATE DEFAULT</i> <i>UW_ZeroDefault AS 0</i> ) , <b>inc_sum</b> Bit NULL (UW <i>ZeroDefault - CREATE DEFAULT</i> <i>UW_ZeroDefault AS 0</i> ) , <b>operator</b> Char(8) NULL , <b>post_awd</b> Bit NULL (UW <i>ZeroDefault -</i> <i>CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>refer_id</b> Char(35) NULL , <b>refund1098T</b> Bit NOT NULL (DF <i>tcodes_refund10_56BF95D0 - (0)</i> ) , <b>report_skip</b> Bit NOT NULL (DF <i>tcodes_report_s_1D520E4A - (0)</i> ) , <b>sequence</b> Int NULL , <b>tcodes</b> Char(2) NOT NULL , <b>tcodes_ce1</b> Char(10) NULL , <b>tcodes_ce2</b> Char(10) NULL , <b>tcodes_ce3</b> Char(20) NULL , <b>tcodes_de1</b> Date NULL , <b>tcodes_fe1</b> Float NULL , <b>tcodes_le1</b> Bit NULL , <b>tcodes_ne1</b> Int NULL , <b>time_maint</b> Char(8) NULL
<b>TEMP_NRCCUA</b>		
	<b>Indexes:</b>	<i>_WA Sys_00000001_6C7A981C , _WA Sys_00000002_6C7A981C , _WA Sys_00000003_6C7A981C  , _WA Sys_00000004_6C7A981C , _WA Sys_00000005_6C7A981C ,  _WA Sys_00000006_6C7A981C , _WA Sys_00000007_6C7A981C , _WA Sys_00000008_6C7A981C  , _WA Sys_00000009_6C7A981C , _WA Sys_0000000A_6C7A981C ,  _WA Sys_0000000B_6C7A981C , _WA Sys_0000000C_6C7A981C ,  _WA Sys_0000000D_6C7A981C , _WA Sys_0000000E_6C7A981C ,  _WA Sys_0000000F_6C7A981C , _WA Sys_00000010_6C7A981C , _WA Sys_00000011_6C7A981C  , _WA Sys_00000012_6C7A981C , _WA Sys_00000013_6C7A981C ,  _WA Sys_00000014_6C7A981C , _WA Sys_00000015_6C7A981C , _WA Sys_00000016_6C7A981C  , _WA Sys_00000017_6C7A981C , _WA Sys_00000018_6C7A981C ,  _WA Sys_00000019_6C7A981C , _WA Sys_0000001A_6C7A981C ,  _WA Sys_0000001B_6C7A981C , _WA Sys_0000001C_6C7A981C ,  _WA Sys_0000001D_6C7A981C , _WA Sys_0000001E_6C7A981C ,  _WA Sys_0000001F_6C7A981C , _WA Sys_00000020_6C7A981C , _WA Sys_00000021_6C7A981C  , _WA Sys_00000022_6C7A981C , _WA Sys_00000023_6C7A981C ,  _WA Sys_00000024_6C7A981C , _WA Sys_00000025_6C7A981C , _WA Sys_00000026_6C7A981C  , _WA Sys_00000027_6C7A981C , _WA Sys_00000028_6C7A981C ,  _WA Sys_00000029_6C7A981C , _WA Sys_0000002A_6C7A981C ,  _WA Sys_0000002B_6C7A981C , _WA Sys_0000002C_6C7A981C ,  _WA Sys_0000002D_6C7A981C , _WA Sys_0000002E_6C7A981C ,  _WA Sys_0000002F_6C7A981C , _WA Sys_00000030_6C7A981C , _WA Sys_00000031_6C7A981C  , _WA Sys_00000032_6C7A981C , _WA Sys_00000033_6C7A981C ,  _WA Sys_00000034_6C7A981C , _WA Sys_00000035_6C7A981C , _WA Sys_00000036_6C7A981C  , _WA Sys_00000037_6C7A981C , _WA Sys_00000038_6C7A981C ,  _WA Sys_00000039_6C7A981C , _WA Sys_0000003A_6C7A981C ,  _WA Sys_0000003B_6C7A981C , _WA Sys_0000003C_6C7A981C ,  _WA Sys_0000003D_6C7A981C , _WA Sys_0000003E_6C7A981C ,</i>

		_WA_Sys_0000003F_6C7A981C , _WA_Sys_00000040_6C7A981C , _WA_Sys_00000041_6C7A981C , _WA_Sys_00000042_6C7A981C , _WA_Sys_00000043_6C7A981C , _WA_Sys_00000044_6C7A981C , _WA_Sys_00000045_6C7A981C , _WA_Sys_00000046_6C7A981C , _WA_Sys_00000047_6C7A981C , _WA_Sys_00000048_6C7A981C , _WA_Sys_00000049_6C7A981C , _WA_Sys_0000004A_6C7A981C , _WA_Sys_0000004B_6C7A981C , _WA_Sys_0000004C_6C7A981C , _WA_Sys_0000004D_6C7A981C , _WA_Sys_0000004E_6C7A981C
	<b>Columns:</b>	<b>Enstat_cod</b> Nvarchar(510) NULL , <b>F78</b> Nvarchar(510) NULL , <b>IPED_addr</b> Nvarchar(510) NULL , <b>acadstat_cod</b> Nvarchar(510) NULL , <b>add_add2</b> Nvarchar(510) NULL , <b>add_addr</b> Nvarchar(510) NULL , <b>affiliation_cod</b> Nvarchar(510) NULL , <b>agency_cod</b> Nvarchar(510) NULL , <b>bad</b> Float NULL , <b>birthdate</b> Date NULL , <b>camp_cod</b> Nvarchar(510) NULL , <b>categr_cod</b> Nvarchar(510) NULL , <b>cell_phone</b> Nvarchar(510) NULL , <b>citizen</b> Float NULL , <b>city</b> Nvarchar(510) NULL , <b>country</b> Nvarchar(510) NULL , <b>county_cod</b> Nvarchar(510) NULL , <b>date_inq</b> Date NULL , <b>dec_date</b> Float NULL , <b>deceased</b> Float NULL , <b>dept_cod</b> Nvarchar(510) NULL , <b>disabled</b> Float NULL , <b>div_cod</b> Nvarchar(510) NULL , <b>e_mail</b> Nvarchar(510) NULL , <b>ethnic_cod</b> Nvarchar(510) NULL , <b>exam_id</b> Nvarchar(510) NULL , <b>excl_billing</b> Float NULL , <b>excl_blk_trans</b> Float NULL , <b>excl_mailing</b> Float NULL , <b>fax</b> Nvarchar(510) NULL , <b>first_name</b> Nvarchar(510) NULL , <b>fund_stat</b> Nvarchar(510) NULL , <b>gender</b> Nvarchar(510) NULL , <b>incl_directory</b> Float NULL , <b>inqtypcode</b> Nvarchar(510) NULL , <b>intrlevcod</b> Float NULL , <b>iped_stat</b> Nvarchar(510) NULL , <b>labels</b> Float NULL , <b>labels2</b> Float NULL , <b>labels3</b> Float NULL , <b>last_name</b> Nvarchar(510) NULL , <b>level_</b> Float NULL , <b>maiden</b> Nvarchar(510) NULL , <b>mar_cod</b> Nvarchar(510) NULL , <b>mi</b> Nvarchar(510) NULL , <b>mod_stat</b> Nvarchar(510) NULL , <b>nickname</b> Nvarchar(510) NULL , <b>notpubname</b> Float NULL , <b>nsrch_block</b> Float NULL , <b>nsrch_block_date</b> Float NULL , <b>online_hld</b> Float NULL , <b>phone</b> Nvarchar(510) NULL , <b>photo</b> Nvarchar(510) NULL , <b>pin</b> Nvarchar(510) NULL , <b>preferred</b> Float NULL , <b>prefix</b> Nvarchar(510) NULL , <b>recruit_plan</b> Float NULL , <b>refer_by</b> Nvarchar(510) NULL , <b>releas_dt</b> Nvarchar(510) NULL , <b>releas_inf</b> Float NULL , <b>retries</b> Nvarchar(510) NULL , <b>salutation</b> Nvarchar(510) NULL , <b>show_addr</b> Float NULL , <b>show_email</b> Float NULL , <b>show_phone</b> Float NULL , <b>show_wkphn</b> Float NULL , <b>soc_sec</b> Nvarchar(510) NULL , <b>sonis_id</b> Nvarchar(510) NULL , <b>ssn</b> Nvarchar(510) NULL , <b>st_addr</b> Nvarchar(510) NULL , <b>state</b> Nvarchar(510) NULL , <b>suffix</b> Nvarchar(510) NULL , <b>term_int</b> Nvarchar(510) NULL , <b>tuit_stat</b> Nvarchar(510) NULL , <b>type</b> Nvarchar(510) NULL , <b>veteran</b> Float NULL , <b>work_phone</b> Nvarchar(510) NULL , <b>zip</b> Float NULL
<b>TENURE_ACTIVITIES</b>	<b>Primary Key:</b>	<b>PK_tenure_activities_rid</b> (tenure_activities_rid)
	<b>Foreign Keys:</b>	<b>FK_tenure_activities_name</b>
	<b>Indexes:</b>	<b>PK_tenure_activities_rid</b> , _WA_Sys_00000001_5E60B798
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>start_dt</b> Date NULL , <b>stop_dt</b> Date NULL , <b>tenure_activities_ce1</b> Char(10) NULL , <b>tenure_activities_ce2</b> Char(10) NULL , <b>tenure_activities_ce3</b> Char(20) NULL , <b>tenure_activities_de1</b> Date NULL , <b>tenure_activities_fe1</b> Float NULL , <b>tenure_activities_le1</b> Bit NULL , <b>tenure_activities_memo</b> Memo NULL , <b>tenure_activities_ne1</b> Int NULL , <b>tenure_activities_rid</b> Int NOT NULL , <b>tenure_activities_txt</b> Char(50) NULL , <b>time_maint</b> Char(8) NULL
<b>TENURE_ADMIN_ASSIGN</b>	<b>Primary Key:</b>	<b>PK_tenure_admin_assign_rid</b> (tenure_admin_assign_rid)
	<b>Foreign Keys:</b>	<b>FK_tenure_admin_assign_name</b>
	<b>Indexes:</b>	<b>PK_tenure_admin_assign_rid</b> , _WA_Sys_soc_sec_6049000A , _WA_Sys_start_dt_6049000A
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>start_dt</b> Date NULL , <b>stop_dt</b> Date NULL , <b>tenure_admin_assign_ce1</b> Char(10) NULL , <b>tenure_admin_assign_ce2</b> Char(10) NULL , <b>tenure_admin_assign_ce3</b> Char(20) NULL , <b>tenure_admin_assign_de1</b> Date NULL , <b>tenure_admin_assign_fe1</b> Float NULL , <b>tenure_admin_assign_le1</b> Bit NULL , <b>tenure_admin_assign_memo</b> Memo NULL , <b>tenure_admin_assign_ne1</b> Int NULL , <b>tenure_admin_assign_rid</b> Int NOT NULL , <b>tenure_admin_assign_txt</b> Char(50) NULL , <b>time_maint</b> Char(8) NULL
<b>TENURE_AWARDS</b>	<b>Primary Key:</b>	<b>PK_tenure_awards_rid</b> (tenure_awards_rid)
	<b>Foreign Keys:</b>	<b>FK_tenure_awards_name</b>

	<b>Indexes:</b>	<i>PK_tenure_awards_rid</i> , <i>_WA_Sys_0000000E_58A7DE42</i> , <i>_WA_Sys_00000010_58A7DE42</i> , <i>WA_Sys_soc_sec_58A7DE42</i> , <i>WA_Sys_start_dt_58A7DE42</i>
	<b>Columns:</b>	<i>date_maint</i> Date NULL , <i>operator</i> Char(8) NULL , <i>soc_sec</i> Char(9) NOT NULL , <i>start_dt</i> Date NULL , <i>stop_dt</i> Date NULL , <i>tenure_awards_ce1</i> Char(10) NULL , <i>tenure_awards_ce2</i> Char(10) NULL , <i>tenure_awards_ce3</i> Char(20) NULL , <i>tenure_awards_de1</i> Date NULL , <i>tenure_awards_fe1</i> Float NULL , <i>tenure_awards_le1</i> Bit NULL , <i>tenure_awards_memo</i> Memo NULL , <i>tenure_awards_ne1</i> Int NULL , <i>tenure_awards_rid</i> Int NOT NULL , <i>tenure_awards_txt</i> Char(50) NULL , <i>time_maint</i> Char(8) NULL
<b>TENURE_COMMITTEES</b>	<b>Primary Key:</b>	<i>PK_tenure_committees_rid</i> ( <i>tenure_committees_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_tenure_committees_name</i>
	<b>Indexes:</b>	<i>PK_tenure_committees_rid</i> , <i>_WA_Sys_soc_sec_5C786F26</i> , <i>_WA_Sys_start_dt_5C786F26</i>
	<b>Columns:</b>	<i>date_maint</i> Date NULL , <i>operator</i> Char(8) NULL , <i>soc_sec</i> Char(9) NOT NULL , <i>start_dt</i> Date NULL , <i>stop_dt</i> Date NULL , <i>tenure_committees_ce1</i> Char(10) NULL , <i>tenure_committees_ce2</i> Char(10) NULL , <i>tenure_committees_ce3</i> Char(20) NULL , <i>tenure_committees_de1</i> Date NULL , <i>tenure_committees_fe1</i> Float NULL , <i>tenure_committees_le1</i> Bit NULL , <i>tenure_committees_memo</i> Memo NULL , <i>tenure_committees_ne1</i> Int NULL , <i>tenure_committees_rid</i> Int NOT NULL , <i>tenure_committees_txt</i> Char(50) NULL , <i>time_maint</i> Char(8) NULL
<b>TENURE_GRANTS</b>	<b>Primary Key:</b>	<i>PK_tenure_grants_rid</i> ( <i>tenure_grants_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_tenure_grants_name</i>
	<b>Indexes:</b>	<i>PK_tenure_grants_rid</i> , <i>_WA_Sys_soc_sec_5A9026B4</i> , <i>_WA_Sys_start_dt_5A9026B4</i>
	<b>Columns:</b>	<i>date_maint</i> Date NULL , <i>operator</i> Char(8) NULL , <i>soc_sec</i> Char(9) NOT NULL , <i>start_dt</i> Date NULL , <i>stop_dt</i> Date NULL , <i>tenure_grants_ce1</i> Char(10) NULL , <i>tenure_grants_ce2</i> Char(10) NULL , <i>tenure_grants_ce3</i> Char(20) NULL , <i>tenure_grants_de1</i> Date NULL , <i>tenure_grants_fe1</i> Float NULL , <i>tenure_grants_le1</i> Bit NULL , <i>tenure_grants_memo</i> Memo NULL , <i>tenure_grants_ne1</i> Int NULL , <i>tenure_grants_rid</i> Int NOT NULL , <i>tenure_grants_txt</i> Char(50) NULL , <i>time_maint</i> Char(8) NULL
<b>TENURE_PUBLICATIONS</b>	<b>Primary Key:</b>	<i>PK_tenure_publications_rid</i> ( <i>tenure_publications_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_tenure_publications_name</i>
	<b>Indexes:</b>	<i>PK_tenure_publications_rid</i> , <i>_WA_Sys_soc_sec_6231487C</i> , <i>_WA_Sys_start_dt_6231487C</i>
	<b>Columns:</b>	<i>date_maint</i> Date NULL , <i>operator</i> Char(8) NULL , <i>soc_sec</i> Char(9) NOT NULL , <i>start_dt</i> Date NULL , <i>stop_dt</i> Date NULL , <i>tenure_publications_ce1</i> Char(10) NULL , <i>tenure_publications_ce2</i> Char(10) NULL , <i>tenure_publications_ce3</i> Char(20) NULL , <i>tenure_publications_de1</i> Date NULL , <i>tenure_publications_fe1</i> Float NULL , <i>tenure_publications_le1</i> Bit NULL , <i>tenure_publications_memo</i> Memo NULL , <i>tenure_publications_ne1</i> Int NULL , <i>tenure_publications_rid</i> Int NOT NULL , <i>tenure_publications_txt</i> Char(50) NULL , <i>time_maint</i> Char(8) NULL
<b>TEST</b>	<b>Primary Key:</b>	<i>PK_test</i> ( <i>test_cod</i> )
	<b>Foreign Keys:</b>	<i>FK_test_state</i>
	<b>Indexes:</b>	<i>PK_test</i> , <i>_WA_Sys_date_maint_4A78EF25</i> , <i>_WA_Sys_disabled_4A78EF25</i> , <i>_WA_Sys_operator_4A78EF25</i> , <i>_WA_Sys_state_4A78EF25</i> , <i>_WA_Sys_time_maint_4A78EF25</i>
	<b>Columns:</b>	<i>date_maint</i> Date NULL , <i>disabled</i> Bit NULL ( <i>DF_test_disabled - (0)</i> ) , <i>operator</i> Char(8) NULL , <i>state</i> Char(2) NULL , <i>test_ce1</i> Char(10) NULL , <i>test_ce2</i> Char(10) NULL , <i>test_ce3</i> Char(20) NULL , <i>test_cod</i> Char(2) NOT NULL , <i>test_de1</i> Date NULL , <i>test_fe1</i> Float NULL , <i>test_le1</i> Bit NULL , <i>test_ne1</i> Int NULL , <i>test_txt</i> Char(15) NOT NULL , <i>time_maint</i> Char(8) NULL
<b>TEXTBOOKS</b>	<b>Primary Key:</b>	<i>PK_textbooks</i> ( <i>textbooks_rid</i> )
	<b>Foreign Keys:</b>	<i>FK_textbooks_edition</i> , <i>FK_textbooks_name</i> , <i>FK_textbooks_publisher</i>
	<b>Indexes:</b>	<i>PK_textbooks</i> , <i>_WA_Sys_00000005_2CA96073</i> , <i>_WA_Sys_00000007_2CA96073</i> , <i>_WA_Sys_00000031_2CA96073</i> , <i>_WA_Sys_DESCRIPT_2CA96073</i> , <i>_WA_Sys_ISBN_2CA96073</i> , <i>_WA_Sys_SKU_2CA96073</i> , <i>_WA_Sys_auth_first_name_2CA96073</i> , <i>_WA_Sys_auth_last_name_2CA96073</i> , <i>_WA_Sys_bookbit_2CA96073</i> , <i>_WA_Sys_date_maint_2CA96073</i> , <i>_WA_Sys_disabled_2CA96073</i> , <i>_WA_Sys_edition_2CA96073</i> , <i>_WA_Sys_fac_soc_sec_2CA96073</i> , <i>_WA_Sys_operator_2CA96073</i> , <i>_WA_Sys_publisher_rid_2CA96073</i> , <i>_WA_Sys_textbook_title_2CA96073</i> ,

		<i>WA_Sys_textbooks_ce1_2CA96073 , _WA_Sys_time_maint_2CA96073</i>
	<b>Columns:</b>	<b>ALT_SKU</b> Nvarchar(32) NULL , <b>ASIN</b> Varchar(50) NULL , <b>AUTHOR</b> Varchar(600) NULL , <b>BARCODE</b> Nvarchar(2) NULL , <b>BCat_cod</b> Int NOT NULL (D <i>F_textbooks_BCat_3E29BD87 - ('1')</i> ) , <b>BIN_NUM</b> Nvarchar(12) NULL , <b>COST</b> Money NOT NULL (D <i>F_textbooks_COST_5AF01967 - (0)</i> ) , <b>DATE_ST</b> Date NOT NULL (D <i>F_textbooks_DATE_5FB4CE84 - ('12/31/1899')</i> ) , <b>DESC2</b> Nvarchar(60) NULL , <b>DESCRIPT</b> Varchar(254) NULL , <b>IMAGEURLLARGE</b> Varchar(600) NULL , <b>IMAGEURLMEDIUM</b> Varchar(600) NULL , <b>IMAGEURLSMALL</b> Varchar(600) NULL , <b>ISBN</b> Char(30) NULL , <b>ListPrice</b> Varchar(100) NULL , <b>MANUFACTURER</b> Varchar(600) NULL , <b>NOTE1</b> Memo NULL , <b>NOTE2</b> Memo NULL , <b>PRICE_B</b> Float NOT NULL (D <i>F_textbooks_PRICE_5CD861D9 - (0)</i> ) , <b>PRICE_C</b> Float NOT NULL (D <i>F_textbooks_PRICE_5BE43DA0 - (0)</i> ) , <b>PRICE_D</b> Float NOT NULL (D <i>F_textbooks_PRICE_5DCC8612 - (0)</i> ) , <b>PRICE_E</b> Float NOT NULL (D <i>F_textbooks_PRICE_5EC0AA4B - (0)</i> ) , <b>QTY</b> Numeric NOT NULL (D <i>F_textbooks_QTY_59FBF52E - (0)</i> ) , <b>QTY_CASE</b> Float NULL , <b>RELEASEDATE</b> Varchar(600) NULL , <b>SET_PRICE</b> Nvarchar(2) NULL , <b>SKU</b> Varchar(50) NULL , <b>STATUS</b> Nvarchar(2) NULL , <b>STYLE</b> Nvarchar(20) NULL , <b>TAXABLE</b> Nvarchar(2) NULL , <b>TAXABLE2</b> Nvarchar(2) NULL , <b>TYPE</b> Nvarchar(2) NULL , <b>UNIT</b> Nvarchar(10) NULL , <b>VENDOR</b> Nvarchar(12) NULL , <b>VEND_ID</b> Nvarchar(32) NULL , <b>auth_first_name</b> Char(30) NULL , <b>auth_last_name</b> Char(30) NOT NULL , <b>bookbit</b> Bit NOT NULL (D <i>F_textbooks_bookb_2E1D72F0 - (1)</i> ) , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NOT NULL (D <i>F_textbooks_disab_3731DBDE - (0)</i> ) , <b>edition</b> Char(20) NULL , <b>fac_soc_sec</b> Char(9) NULL , <b>memo</b> Memo NULL , <b>operator</b> Char(8) NULL , <b>price</b> Float NOT NULL , <b>pub_year</b> Char(4) NULL , <b>publisher_address</b> Varchar(100) NULL , <b>publisher_city</b> Varchar(50) NULL , <b>publisher_notes</b> Memo NULL , <b>publisher_phone</b> Varchar(50) NULL , <b>publisher_rid</b> Int NOT NULL (D <i>F_textbooks_publi_414555FD - (1)</i> ) , <b>publisher_state</b> Varchar(2) NULL , <b>publisher_website</b> Varchar(254) NULL , <b>publisher_zip</b> Varchar(9) NULL , <b>textbook_title</b> Varchar(254) NULL , <b>textbooks_ce1</b> Char(10) NULL , <b>textbooks_ce2</b> Char(10) NULL , <b>textbooks_ce3</b> Char(20) NULL , <b>textbooks_de1</b> Date NULL , <b>textbooks_fe1</b> Float NULL , <b>textbooks_le1</b> Bit NULL , <b>textbooks_ne1</b> Int NULL , <b>textbooks_rid</b> Int NOT NULL , <b>time_maint</b> Char(8) NULL
<b>TEXTBOOKSCRS</b>	<b>Primary Key:</b>	<i>PK_textbookscrs (textbookscrs_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_textbookscrs_course , FK_textbookscrs_textbooks</i>
	<b>Indexes:</b>	<i>PK_textbookscrs , _WA_Sys_crs_id_25083EAB , _WA_Sys_textbooks_rid_25083EAB</i>
	<b>Columns:</b>	<b>crs_id</b> Char(16) NOT NULL , <b>textbooks_rid</b> Int NOT NULL , <b>textbookscrs_ce1</b> Char(10) NULL , <b>textbookscrs_ce2</b> Char(10) NULL , <b>textbookscrs_ce3</b> Char(20) NULL , <b>textbookscrs_de1</b> Date NULL , <b>textbookscrs_fe1</b> Float NULL , <b>textbookscrs_le1</b> Bit NULL , <b>textbookscrs_ne1</b> Int NULL , <b>textbookscrs_rid</b> Int NOT NULL
<b>TEXTBOOKSCRSSECT</b>	<b>Primary Key:</b>	<i>PK_textbookscrssect (textbookscrssect_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_textbookscrssect_crssect , FK_textbookscrssect_textbooks</i>
	<b>Indexes:</b>	<i>PK_textbookscrssect , _WA_Sys_sid_28D8CF8F , _WA_Sys_textbooks_rid_28D8CF8F</i>
	<b>Columns:</b>	<b>sid</b> Char(16) NOT NULL , <b>textbooks_rid</b> Int NOT NULL , <b>textbookscrssect_ce1</b> Char(10) NULL , <b>textbookscrssect_ce2</b> Char(10) NULL , <b>textbookscrssect_ce3</b> Char(20) NULL , <b>textbookscrssect_de1</b> Date NULL , <b>textbookscrssect_fe1</b> Float NULL , <b>textbookscrssect_le1</b> Bit NULL , <b>textbookscrssect_ne1</b> Int NULL , <b>textbookscrssect_rid</b> Int NOT NULL
<b>TIME</b>		
	<b>Indexes:</b>	<i>_WA_Sys_time_minutes_5A1BF0BF</i>
	<b>Columns:</b>	<b>ampm</b> Char(2) NOT NULL , <b>hour</b> Char(2) NOT NULL , <b>minute</b> Char(2) NOT NULL , <b>time_minutes</b> Int NOT NULL , <b>time_string</b> Char(8) NOT NULL
<b>TIMEDTASKS</b>	<b>Primary Key:</b>	<i>PK_timedtasks (timedtasks_cod)</i>
	<b>Indexes:</b>	<i>PK_timedtasks , _WA_Sys_00000004_10ED02BC , _WA_Sys_0000000D_10ED02BC</i>

	<b>Columns:</b>	<b>active</b> <i>Bit</i> NOT NULL , <b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NULL , <b>freq_secs</b> <i>Int</i> NULL , <b>frequency</b> <i>Char</i> (10) NULL , <b>operator</b> <i>Char</i> (8) NULL , <b>task_url</b> <i>Char</i> (100) NULL , <b>time</b> <i>Bit</i> NULL , <b>time_maint</b> <i>Char</i> (8) NULL , <b>timedtasks_cod</b> <i>Char</i> (20) NOT NULL , <b>timedtasks_fname</b> <i>Char</i> (50) NOT NULL , <b>timedtasks_txt</b> <i>Char</i> (50) NOT NULL , <b>tt_enddate</b> <i>Date</i> NULL , <b>tt_endtime</b> <i>Date</i> NULL , <b>tt_startdate</b> <i>Date</i> NULL , <b>tt_starttime</b> <i>Date</i> NULL
<b>TIME_INTERVAL</b>		
<b>TMPDA_COURSE1</b>		
	<b>Indexes:</b>	<i>WA_Sys_00000004_41104BD3</i> , <i>WA_Sys_00000005_41104BD3</i> , <i>WA_Sys_00000008_41104BD3</i> , <i>WA_Sys_00000009_41104BD3</i> , <i>WA_Sys_0000000A_41104BD3</i> , <i>WA_Sys_0000000B_41104BD3</i> , <i>WA_Sys_0000000C_41104BD3</i> , <i>WA_Sys_0000000D_41104BD3</i> , <i>WA_Sys_0000000E_41104BD3</i> , <i>WA_Sys_00000015_41104BD3</i> , <i>WA_Sys_00000016_41104BD3</i> , <i>WA_Sys_00000017_41104BD3</i> , <i>WA_Sys_0000001A_41104BD3</i> , <i>WA_Sys_0000001B_41104BD3</i> , <i>WA_Sys_00000023_41104BD3</i> , <i>WA_Sys_00000029_41104BD3</i> , <i>WA_Sys_0000002A_41104BD3</i> , <i>WA_Sys_0000002B_41104BD3</i> , <i>WA_Sys_0000002F_41104BD3</i> , <i>WA_Sys_00000032_41104BD3</i> , <i>WA_Sys_00000033_41104BD3</i> , <i>WA_Sys_00000035_41104BD3</i> , <i>WA_Sys_00000039_41104BD3</i> , <i>WA_Sys_crs_id_41104BD3</i> , <i>WA_Sys_level_41104BD3</i> , <i>WA_Sys_soc_sec_41104BD3</i> , <i>WA_Sys_token_41104BD3</i>
	<b>Columns:</b>	<b>ce_creds</b> <i>Float</i> NULL , <b>course</b> <i>Varchar</i> (10) NULL , <b>cred_rec</b> <i>Float</i> NULL , <b>credits</b> <i>Float</i> NULL , <b>crs_id</b> <i>Varchar</i> (16) NOT NULL , <b>crs_txt</b> <i>Varchar</i> (100) NULL , <b>crstypcod</b> <i>Char</i> (2) NULL , <b>crstyptxt</b> <i>Char</i> (35) NULL , <b>date_maint</b> <i>Date</i> NULL , <b>dept_cod</b> <i>Char</i> (4) NULL , <b>dept_txt</b> <i>Varchar</i> (40) NULL , <b>display_status</b> <i>Int</i> NULL (DF <i>tmpDA_cou_displ_45D500F0</i> - (0)) , <b>ecourse</b> <i>Char</i> (10) NULL , <b>ecrs_id</b> <i>Varchar</i> (16) NULL , <b>edu_rid</b> <i>Varchar</i> (16) NULL , <b>enrol_date</b> <i>Date</i> NULL , <b>enrollcode</b> <i>Char</i> (2) NULL , <b>enrolltext</b> <i>Varchar</i> (25) NULL , <b>grade</b> <i>Char</i> (5) NULL , <b>incomp_grd</b> <i>Bit</i> NULL , <b>incqpa</b> <i>Bit</i> NULL , <b>institut</b> <i>Varchar</i> (50) NULL , <b>level</b> <i>Char</i> (1) NULL , <b>level_txt</b> <i>Varchar</i> (20) NULL , <b>multi_apply</b> <i>Bit</i> NULL (DF <i>tmpDA_cou_multi_43ECB87E</i> - (1)) , <b>nmcrs_crstypcod</b> <i>Char</i> (2) NULL , <b>nmcrs_crstyptxt</b> <i>Char</i> (35) NULL , <b>nmcrs_txt</b> <i>Varchar</i> (100) NULL , <b>no_repeat</b> <i>Bit</i> NULL (DF <i>tmpDA_cou_no_re_44E0DCB7</i> - (1)) , <b>nocnt_cred</b> <i>Bit</i> NULL , <b>officialg</b> <i>Bit</i> NULL , <b>passing</b> <i>Bit</i> NULL , <b>pf</b> <i>Bit</i> NULL , <b>plan_level</b> <i>Char</i> (1) NULL , <b>points</b> <i>Float</i> NULL , <b>qlty_pnts</b> <i>Float</i> NULL , <b>replace_course</b> <i>Char</i> (10) NULL , <b>replace_id</b> <i>Varchar</i> (16) NULL , <b>req_cod</b> <i>Char</i> (4) NULL , <b>reqcod_txt</b> <i>Varchar</i> (40) NULL , <b>reqtype_cod</b> <i>Char</i> (2) NULL , <b>reqtype_txt</b> <i>Varchar</i> (40) NULL , <b>required</b> <i>Bit</i> NULL , <b>sch_yr</b> <i>Char</i> (6) NULL , <b>semester</b> <i>Char</i> (2) NULL , <b>sid</b> <i>Varchar</i> (16) NULL , <b>sid_used</b> <i>Int</i> NULL (DF <i>tmpDA_cou_sid_u_42F89445</i> - (0)) , <b>skip_not_enrolled</b> <i>Bit</i> NOT NULL (DF <i>TMPDA_COU_skip_5FD4CA15</i> - (0)) , <b>sm_desc</b> <i>Varchar</i> (10) NULL , <b>soc_sec</b> <i>Varchar</i> (9) NULL , <b>soc_sec_crs_id</b> <i>Varchar</i> (25) NULL , <b>time_maint</b> <i>Char</i> (8) NULL , <b>tmpDA_course1_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Varchar</i> (16) NULL , <b>top_req_cod</b> <i>Char</i> (4) NULL , <b>top_reqcod_txt</b> <i>Varchar</i> (40) NULL , <b>transfer</b> <i>Bit</i> NULL (DF <i>tmpDA_cou_trans_4204700C</i> - (1))
<b>TMPDA_COURSE2</b>		
	<b>Indexes:</b>	<i>WA_Sys_00000033_46C92529</i> , <i>WA_Sys_00000036_46C92529</i> , <i>WA_Sys_course_46C92529</i> , <i>WA_Sys_crs_id_46C92529</i> , <i>WA_Sys_display_status_46C92529</i> , <i>WA_Sys_incomp_grd_46C92529</i> , <i>WA_Sys_multi_apply_46C92529</i> , <i>WA_Sys_no_repeat_46C92529</i> , <i>WA_Sys_officialg_46C92529</i> , <i>WA_Sys_passing_46C92529</i> , <i>WA_Sys_plan_level_46C92529</i> , <i>WA_Sys_replace_id_46C92529</i> , <i>WA_Sys_req_cod_46C92529</i> , <i>WA_Sys_reqcod_txt_46C92529</i> , <i>WA_Sys_required_46C92529</i> , <i>WA_Sys_sid_46C92529</i> , <i>WA_Sys_sid_used_46C92529</i> , <i>WA_Sys_soc_sec_46C92529</i> , <i>WA_Sys_tmpDA_course2_rid_46C92529</i> , <i>WA_Sys_token_46C92529</i> , <i>WA_Sys_top_req_cod_46C92529</i> , <i>WA_Sys_transfer_46C92529</i> , <i>WA_Sys_transfer_crs_id_46C92529</i>
	<b>Columns:</b>	<b>ce_creds</b> <i>Float</i> NULL , <b>course</b> <i>Varchar</i> (10) NULL , <b>cred_rec</b> <i>Float</i> NULL , <b>credits</b> <i>Float</i> NULL , <b>crs_id</b> <i>Varchar</i> (16) NOT NULL , <b>crs_txt</b> <i>Varchar</i> (100) NULL , <b>crstypcod</b> <i>Char</i> (2) NULL , <b>crstyptxt</b> <i>Char</i> (35) NULL , <b>date_maint</b> <i>Date</i> NULL , <b>dept_cod</b> <i>Char</i> (4) NULL , <b>dept_cod2</b> <i>Char</i> (4) NULL , <b>dept_txt</b> <i>Varchar</i> (40) NULL , <b>dept_txt2</b> <i>Varchar</i> (40) NULL , <b>display_status</b> <i>Int</i> NULL (DF <i>tmpDA_cou_displ_4B8DDA46</i> - (0)) , <b>ecourse</b> <i>Char</i> (10) NULL , <b>ecrs_id</b> <i>Varchar</i> (16) NULL , <b>edu_rid</b> <i>Varchar</i> (16) NULL , <b>enrol_date</b> <i>Date</i> NULL , <b>enrollcode</b> <i>Char</i> (2) NULL , <b>enrolltext</b> <i>Varchar</i> (25) NULL , <b>grade</b> <i>Char</i> (5) NULL , <b>incomp_grd</b> <i>Bit</i> NULL , <b>incqpa</b> <i>Bit</i> NULL , <b>institut</b> <i>Varchar</i> (50) NULL , <b>level</b> <i>Char</i> (1) NULL , <b>level_2</b> <i>Char</i> (1) NULL , <b>level_txt</b> <i>Varchar</i> (20) NULL , <b>level_txt2</b> <i>Varchar</i> (20) NULL , <b>multi_apply</b> <i>Bit</i> NULL (DF <i>tmpDA_cou_multi_49A591D4</i> - (1)) , <b>nmcrs_crstypcod</b> <i>Char</i> (2) NULL , <b>nmcrs_crstyptxt</b>



		<i>Char(35) NULL , nmcrs_txt Varchar(100) NULL , no_repeat Bit NULL (DF tmpDA_cou_no_re 4A99B60D - (1)) , nocnt_cred Bit NULL , officialg Bit NULL , passing Bit NULL , pf Bit NULL , plan_level Char(1) NULL , points Float NULL , qlty_pnts Float NULL , replace_course Char(10) NULL , replace_id Varchar(16) NULL , req_cod Char(4) NULL , reqcod_txt Varchar(40) NULL , reqtype_cod Char(2) NULL , reqtype_txt Varchar(40) NULL , required Bit NULL , sch_yr Char(6) NULL , semester Char(2) NULL , sid Varchar(16) NULL , sid_used Int NULL (DF tmpDA_cou_sid u 48B16D9B - (0)) , skip_not_enrolled Bit NOT NULL (DF TMPDA_COU_skip 60C8EE4E - (0)) , sm_desc Varchar(10) NULL , soc_sec Varchar(9) NULL , soc_sec_crs_id Varchar(25) NULL , status_line Varchar(75) NULL , time_maint Char(8) NULL , tmpDA_course2_rid Int NOT NULL , token Varchar(16) NULL , top_req_cod Char(4) NULL , top_reqcod_txt Varchar(40) NULL , transfer Bit NULL (DF tmpDA_cou_trans 47BD4962 - (1)) , transfer_crs_id Varchar(16) NULL</i>
<b>TMPDA_NAME</b>		
	<b>Indexes:</b>	<i>WA_Sys_00000010_3099ECE8 , WA_Sys_cur_cod_3099ECE8 , WA_Sys_div_cod_3099ECE8 , WA_Sys_soc_sec_3099ECE8 , WA_Sys_token_3099ECE8</i>
	<b>Columns:</b>	<i>camp_cod Char(10) NULL , camp_txt Char(40) NULL , cur_cod Char(10) NULL , date_maint Date NULL , dept_cod Char(4) NULL , dept_txt Char(40) NULL , div_cod Char(2) NULL , div_txt Char(10) NULL , first_name Char(30) NULL , last_name Char(30) NULL , level Char(1) NULL , level_txt Char(20) NULL , mi Char(15) NULL , soc_sec Char(9) NULL , time_maint Char(8) NULL , tmpDA_Name_ce1 Char(10) NULL , tmpDA_Name_ce2 Char(10) NULL , tmpDA_Name_ce3 Char(20) NULL , tmpDA_Name_de1 Date NULL , tmpDA_Name_fe1 Float NULL , tmpDA_Name_le1 Bit NULL , tmpDA_Name_ne1 Int NULL , token Char(16) NULL</i>
<b>TMPENRLSTAT</b>		
	<b>Indexes:</b>	<i>WA_Sys_00000001_3B177B5B , WA_Sys_token_3B177B5B</i>
	<b>Columns:</b>	<i>sch_yr Char(6) NOT NULL , sem1_stat Char(20) NULL , sem2_stat Char(20) NULL , sem3_stat Char(20) NULL , sem4_stat Char(20) NULL , soc_sec Char(9) NOT NULL , tmpenrlstat_ce1 Char(10) NULL , tmpenrlstat_ce2 Char(10) NULL , tmpenrlstat_ce3 Char(20) NULL , tmpenrlstat_de1 Date NULL , tmpenrlstat_fe1 Float NULL , tmpenrlstat_le1 Bit NULL , tmpenrlstat_ne1 Int NULL , token Char(16) NOT NULL</i>
<b>TMPFINAID</b>		
	<b>Indexes:</b>	<i>WA_Sys_awd_id_2063851F , WA_Sys_ref_id_2063851F , WA_Sys_sch_yr_2063851F , WA_Sys_sem10_off_2063851F , WA_Sys_sem10_off_gross_2063851F , WA_Sys_sem10_rec_2063851F , WA_Sys_sem1_off_2063851F , WA_Sys_sem1_off_gross_2063851F , WA_Sys_sem1_rec_2063851F , WA_Sys_sem2_off_2063851F , WA_Sys_sem2_off_gross_2063851F , WA_Sys_sem2_rec_2063851F , WA_Sys_sem3_off_2063851F , WA_Sys_sem3_off_gross_2063851F , WA_Sys_sem3_rec_2063851F , WA_Sys_sem4_off_2063851F , WA_Sys_sem4_off_gross_2063851F , WA_Sys_sem4_rec_2063851F , WA_Sys_sem5_off_2063851F , WA_Sys_sem5_off_gross_2063851F , WA_Sys_sem5_rec_2063851F , WA_Sys_sem6_off_2063851F , WA_Sys_sem6_off_gross_2063851F , WA_Sys_sem6_rec_2063851F , WA_Sys_sem7_off_2063851F , WA_Sys_sem7_off_gross_2063851F , WA_Sys_sem7_rec_2063851F , WA_Sys_sem8_off_2063851F , WA_Sys_sem8_off_gross_2063851F , WA_Sys_sem8_rec_2063851F , WA_Sys_sem9_off_2063851F , WA_Sys_sem9_off_gross_2063851F , WA_Sys_sem9_rec_2063851F , WA_Sys_soc_sec_2063851F , WA_Sys_tmpfinaid_ce1_2063851F , WA_Sys_tmpfinaid_ce2_2063851F , WA_Sys_tmpfinaid_ce3_2063851F , WA_Sys_tmpfinaid_de1_2063851F , WA_Sys_tmpfinaid_fe1_2063851F , WA_Sys_tmpfinaid_le1_2063851F , WA_Sys_tmpfinaid_ne1_2063851F , WA_Sys_token_2063851F , WA_Sys_tot_off_2063851F , WA_Sys_tot_off_gross_2063851F , WA_Sys_totawd_rec_2063851F</i>

	<b>Columns:</b>	<b>awd_id</b> Char(8) NOT NULL , <b>ref_id</b> Char(50) NULL , <b>sch_yr</b> Char(6) NOT NULL , <b>sem10_off</b> Float NULL (DF tmpfinaid sem10 off - (0)) , <b>sem10_off_gross</b> Float NULL (DF tmpfinaid sem10 off_gross - (0)) , <b>sem10_rec</b> Float NULL (DF tmpfinaid sem10_rec - (0)) , <b>sem1_off</b> Float NULL (DF tmpfinaid sem1 off - (0)) , <b>sem1_off_gross</b> Float NULL (DF tmpfinaid sem1 off_gross - (0)) , <b>sem1_rec</b> Float NULL (DF tmpfinaid sem1_rec - (0)) , <b>sem2_off</b> Float NULL (DF tmpfinaid sem2 off - (0)) , <b>sem2_off_gross</b> Float NULL (DF tmpfinaid sem2 off_gross - (0)) , <b>sem2_rec</b> Float NULL (DF tmpfinaid sem2_rec - (0)) , <b>sem3_off</b> Float NULL (DF tmpfinaid sem3 off - (0)) , <b>sem3_off_gross</b> Float NULL (DF tmpfinaid sem3 off_gross - (0)) , <b>sem3_rec</b> Float NULL (DF tmpfinaid sem3_rec - (0)) , <b>sem4_off</b> Float NULL (DF tmpfinaid sem4 off - (0)) , <b>sem4_off_gross</b> Float NULL (DF tmpfinaid sem4 off_gross - (0)) , <b>sem4_rec</b> Float NULL (DF tmpfinaid sem4_rec - (0)) , <b>sem5_off</b> Float NULL (DF tmpfinaid sem5 off - (0)) , <b>sem5_off_gross</b> Float NULL (DF tmpfinaid sem5 off_gross - (0)) , <b>sem5_rec</b> Float NULL (DF tmpfinaid sem5_rec - (0)) , <b>sem6_off</b> Float NULL (DF tmpfinaid sem6 off - (0)) , <b>sem6_off_gross</b> Float NULL (DF tmpfinaid sem6 off_gross - (0)) , <b>sem6_rec</b> Float NULL (DF tmpfinaid sem6_rec - (0)) , <b>sem7_off</b> Float NULL (DF tmpfinaid sem7 off - (0)) , <b>sem7_off_gross</b> Float NULL (DF tmpfinaid sem7 off_gross - (0)) , <b>sem7_rec</b> Float NULL (DF tmpfinaid sem7_rec - (0)) , <b>sem8_off</b> Float NULL (DF tmpfinaid sem8 off - (0)) , <b>sem8_off_gross</b> Float NULL (DF tmpfinaid sem8 off_gross - (0)) , <b>sem8_rec</b> Float NULL (DF tmpfinaid sem8_rec - (0)) , <b>sem9_off</b> Float NULL (DF tmpfinaid sem9 off - (0)) , <b>sem9_off_gross</b> Float NULL (DF tmpfinaid sem9 off_gross - (0)) , <b>sem9_rec</b> Float NULL (DF tmpfinaid sem9_rec - (0)) , <b>soc_sec</b> Char(9) NOT NULL , <b>tmpfinaid_ce1</b> Char(10) NULL , <b>tmpfinaid_ce2</b> Char(10) NULL , <b>tmpfinaid_ce3</b> Char(20) NULL , <b>tmpfinaid_de1</b> Date NULL , <b>tmpfinaid_fe1</b> Float NULL , <b>tmpfinaid_le1</b> Bit NULL , <b>tmpfinaid_ne1</b> Int NULL , <b>token</b> Char(16) NOT NULL , <b>tot_off</b> Float NULL , <b>tot_off_gross</b> Float NULL , <b>totawd_rec</b> Float NULL
<b>TMPNMCRS</b>	<b>Primary Key:</b>	<b>PK_tmpnmcrs</b> (nmcrs rid)
	<b>Foreign Keys:</b>	<b>FK_tmpnmcrs_crs_authorize_cod</b> , <b>FK_tmpnmcrs_crssect</b> , <b>FK_tmpnmcrs_name</b>
	<b>Triggers:</b>	<b>tr_update_seats</b>
	<b>Indexes:</b>	<b>PK_tmpnmcrs</b> , <b>_WA_Sys_aclas_grad</b> 60683044 , <b>_WA_Sys_addfee</b> 60683044 , <b>_WA_Sys_ce_creds</b> 60683044 , <b>_WA_Sys_class_grad</b> 60683044 , <b>_WA_Sys_class_hrs</b> 60683044 , <b>_WA_Sys_clin_grade</b> 60683044 , <b>_WA_Sys_course</b> 60683044 , <b>_WA_Sys_cred_rec</b> 60683044 , <b>_WA_Sys_crs_authorize_cod</b> 60683044 , <b>_WA_Sys_crs_txt</b> 60683044 , <b>_WA_Sys_crstypcod</b> 60683044 , <b>_WA_Sys_date_comp</b> 60683044 , <b>_WA_Sys_date_maint</b> 60683044 , <b>_WA_Sys_del_flag</b> 60683044 , <b>_WA_Sys_dropfee</b> 60683044 , <b>_WA_Sys_edu_rid</b> 60683044 , <b>_WA_Sys_enrol_date</b> 60683044 , <b>_WA_Sys_enrollcode</b> 60683044 , <b>_WA_Sys_grade</b> 60683044 , <b>_WA_Sys_incqpa</b> 60683044 , <b>_WA_Sys_institut</b> 60683044 , <b>_WA_Sys_invoice_no</b> 60683044 , <b>_WA_Sys_nmcrs_ce1</b> 60683044 , <b>_WA_Sys_nmcrs_ce2</b> 60683044 , <b>_WA_Sys_nmcrs_ce3</b> 60683044 , <b>_WA_Sys_nmcrs_le1</b> 60683044 , <b>_WA_Sys_nmcrs_ne1</b> 60683044 , <b>_WA_Sys_no_repeat</b> 60683044 , <b>_WA_Sys_occurance</b> 60683044 , <b>_WA_Sys_officialg</b> 60683044 , <b>_WA_Sys_operator</b> 60683044 , <b>_WA_Sys_orig_cred</b> 60683044 , <b>_WA_Sys_pf</b> 60683044 , <b>_WA_Sys_post_date</b> 60683044 , <b>_WA_Sys_posted</b> 60683044 , <b>_WA_Sys_practice</b> 60683044 , <b>_WA_Sys_qlty_pnts</b> 60683044 , <b>_WA_Sys_rpt_grd</b> 60683044 , <b>_WA_Sys_rpt_schlyr</b> 60683044 , <b>_WA_Sys_rpt_sem</b> 60683044 , <b>_WA_Sys_rpt_semyr</b> 60683044 , <b>_WA_Sys_sch_yr</b> 60683044 , <b>_WA_Sys_sec_id</b> 60683044 , <b>_WA_Sys_section</b> 60683044 , <b>_WA_Sys_semester</b> 60683044 , <b>_WA_Sys_sid</b> 60683044 , <b>_WA_Sys_sm_desc</b> 60683044 , <b>_WA_Sys_time_maint</b> 60683044 , <b>_WA_Sys_timeout</b> 60683044 , <b>_WA_Sys_timestamp_column</b> 60683044 , <b>_WA_Sys_tmpnmcrs_ce1</b> 60683044 , <b>_WA_Sys_tmpnmcrs_ce2</b> 60683044 , <b>_WA_Sys_tmpnmcrs_ce3</b> 60683044 , <b>_WA_Sys_tmpnmcrs_de1</b> 60683044 , <b>_WA_Sys_tmpnmcrs_fe1</b> 60683044 , <b>_WA_Sys_tmpnmcrs_le1</b> 60683044 , <b>_WA_Sys_tmpnmcrs_ne1</b> 60683044 , <b>_WA_Sys_trans_no</b> 60683044 , <b>_WA_Sys_transfer</b> 60683044 , <b>_WA_Sys_wait_date</b> 60683044 , <b>_WA_Sys_weight_id</b> 60683044 , <b>_WA_Sys_with_date</b> 60683044 , <b>sec_id</b> , <b>soc_sec</b>
	<b>Columns:</b>	<b>aclas_grad</b> Char(2) NULL , <b>addfee</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>ce_creds</b> Float NULL , <b>class_grad</b> Float NULL , <b>class_hrs</b> Float NULL , <b>clin_grade</b> Char(2) NULL , <b>course</b> Char(10) NULL , <b>cred_rec</b> Float NULL , <b>crs_authorize_cod</b> Char(1) NOT NULL (DF tmpnmcrs_crs_authorize_cod - ('N')) , <b>crs_txt</b> Varchar(100) NULL , <b>crstypcod</b> Char(2) NULL , <b>date_comp</b> Date NULL , <b>date_maint</b> Date NULL , <b>del_flag</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>dropfee</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>edu_rid</b> Char(16) NOT NULL

		(DF tmpnmcrs_edu_rid_563585EB - (' ')), enrol_date Date NULL, enrol_time Char(19) NOT NULL (DF tmpnmcrs_enrol_7CDB1D17 - ('12/30/1899 12:00:00')), enrollcode Char(2) NULL, grade Char(5) NULL, incqpa Bit NOT NULL (DF tmpnmcrs_incqpa_507CAC95 - (1)), institut Char(50) NOT NULL, invoice_no Char(16) NULL, nmcrs_ce1 Char(10) NULL, nmcrs_ce2 Char(10) NULL, nmcrs_ce3 Char(10) NULL, nmcrs_le1 Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), nmcrs_mem Memo NULL, nmcrs_ne1 Float NULL, nmcrs_rid Char(16) NOT NULL, no_repeat Bit NULL, occurrence Float NULL, officialg Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), operator Char(8) NULL, orig_cred Float NULL, pf Bit NOT NULL (DF tmpnmcrs_pf_1526DC9D - (0)), post_date Date NULL, posted Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), practice Float NULL, qlty_pnts Float NULL, remedial Bit NOT NULL (DF tmpnmcrs_remedi_7BE6F8DE - (0)), rpt_grd Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), rpt_schlyr Char(7) NULL, rpt_sem Char(2) NULL, rpt_semyr Char(8) NULL, sch_yr Char(6) NULL, sec_id Char(25) NULL, section Char(6) NOT NULL, semester Char(2) NULL, sid Char(16) NULL, sm_desc Char(10) NULL, soc_sec Char(9) NULL, time_maint Char(8) NULL, timeout Date NULL, timestamp_column Timestamp NULL, tmpnmcrs_ce1 Char(10) NULL, tmpnmcrs_ce2 Char(10) NULL, tmpnmcrs_ce3 Char(20) NULL, tmpnmcrs_de1 Date NULL, tmpnmcrs_fe1 Float NULL, tmpnmcrs_le1 Bit NULL, tmpnmcrs_ne1 Int NULL, trans_no Char(16) NULL, transfer Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), wait_date Date NULL, weight_id Char(10) NULL, with_date Date NULL
<b>TMPSD</b>	<b>Primary Key:</b>	PK_tmpSD tmpSD_rid (tmpSD_rid)
	<b>Indexes:</b>	PK_tmpSD tmpSD_rid, _WA_Sys_0000000B_7678384B, _WA_Sys_photo_7678384B, _WA_Sys_soc_sec_7678384B, _WA_Sys_token_7678384B
	<b>Columns:</b>	date_maint Date NULL, photo Varchar(200) NULL, soc_sec Char(9) NULL, time_maint Char(8) NULL, tmpSD_ce1 Char(10) NULL, tmpSD_ce2 Char(10) NULL, tmpSD_ce3 Char(20) NULL, tmpSD_de1 Date NULL, tmpSD_fe1 Float NULL, tmpSD_le1 Bit NOT NULL (DF tmpSD tmpSD_le1_776C5C84 - ('0')), tmpSD_ne1 Int NULL, tmpSD_rid Int NOT NULL, tmpSD_txt1 Varchar(200) NULL, tmpSD_txt2 Varchar(200) NULL, tmpSD_txt3 Varchar(200) NULL, token Char(16) NULL
<b>TMPTRACT</b>		
	<b>Indexes:</b>	_WA_Sys_00000011_7D446614, _WA_Sys_0000001A_7D446614, _WA_Sys_asofdate_7D446614, _WA_Sys_bal_7D446614, _WA_Sys_p_bal_7D446614, _WA_Sys_sch_yr_7D446614, _WA_Sys_semester_7D446614, _WA_Sys_tmtract_fe1_7D446614, _WA_Sys_tmtract_le1_7D446614, _WA_Sys_token_7D446614, soc_sec
	<b>Columns:</b>	ac_sem Char(50) NULL, ac_year Char(50) NULL, addr Char(50) NULL, amt_1 Float NULL, asofdate Date NULL, bal Float NULL, bill_memo Memo NULL, c_bal Float NULL, check_no Char(30) NULL, csz Char(254) NULL, d_bal Float NULL, date_maint Date NULL, due_date Date NULL, invoice_no Char(16) NULL, name Char(254) NULL, operator Char(8) NULL, p_bal Float NULL, posted Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), ref_id Char(50) NULL, sch_addr1 Char(254) NULL, sch_addr2 Char(254) NULL, sch_addr3 Char(254) NULL, sch_yr Char(6) NULL, semester Char(2) NULL, soc_sec Char(9) NOT NULL, time_maint Char(8) NULL, timestamp_column Timestamp NULL, tmtract_ce1 Char(10) NULL, tmtract_ce2 Char(10) NULL, tmtract_ce3 Char(20) NULL, tmtract_de1 Date NULL, tmtract_fe1 Float NULL, tmtract_le1 Bit NULL, tmtract_ne1 Int NULL, token Char(16) NULL, trans_date Date NULL
<b>TMPTRANS</b>	<b>Primary Key:</b>	PK_tmpttrans (transact_rid)
	<b>Indexes:</b>	PK_tmpttrans, _WA_Sys_00000028_54D68207, _WA_Sys_accept_54D68207, _WA_Sys_accepted_54D68207, _WA_Sys_batchnum_54D68207, _WA_Sys_camp_cod_54D68207, _WA_Sys_course_54D68207, _WA_Sys_credits_54D68207, _WA_Sys_date_maint_54D68207, _WA_Sys_div_cod_54D68207, _WA_Sys_hours_54D68207, _WA_Sys_invoice_no_54D68207, _WA_Sys_loan_fees_54D68207, _WA_Sys_offered_54D68207, _WA_Sys_operator_54D68207, _WA_Sys_posted_54D68207, _WA_Sys_pstd_2gl_54D68207, _WA_Sys_received_54D68207, _WA_Sys_sch_yr_54D68207, _WA_Sys_sec_id_54D68207, _WA_Sys_semester_54D68207, _WA_Sys_sid_54D68207, _WA_Sys_icode_54D68207, _WA_Sys_time_maint_54D68207, _WA_Sys_tmpttrans_ce1_54D68207, sec_id, soc_sec

	<b>Columns:</b>	<b>accept</b> Char(1) NOT NULL , <b>accepted</b> Float NULL , <b>amt_1</b> Float NULL , <b>awd_id</b> Char(4) NULL , <b>batchnum</b> Char(16) NULL , <b>camp_cod</b> Char(10) NULL , <b>check_no</b> Char(30) NULL , <b>course</b> Char(10) NULL , <b>credits</b> Float NULL , <b>date</b> Date NULL , <b>date_maint</b> Date NULL , <b>div_cod</b> Char(2) NULL , <b>hours</b> Int NULL , <b>institut</b> Char(50) NULL , <b>invoice_no</b> Char(16) NULL , <b>loan_fees</b> Float NULL , <b>offered</b> Float NULL , <b>on_hold</b> Int NULL (DF tmptrans_on_hold - (0)) , <b>operator</b> Char(8) NULL , <b>posted</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>pstd_2gl</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>received</b> Float NULL , <b>ref_id</b> Char(50) NULL , <b>sch_yr</b> Char(6) NULL , <b>sec_id</b> Char(25) NULL , <b>semester</b> Char(2) NULL , <b>sid</b> Char(16) NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>tcodes</b> Char(2) NOT NULL , <b>time_maint</b> Char(8) NULL , <b>tmptrans_ce1</b> Char(10) NULL , <b>tmptrans_ce2</b> Char(10) NULL , <b>tmptrans_ce3</b> Char(20) NULL , <b>tmptrans_de1</b> Date NULL , <b>tmptrans_fe1</b> Float NULL , <b>tmptrans_le1</b> Bit NULL , <b>tmptrans_ne1</b> Int NULL , <b>trans_no</b> Char(16) NULL , <b>transact_rid</b> Int NOT NULL
<b>TMP_ACTMAP</b>		
	<b>Indexes:</b>	<b>_WA_Sys_actmap_id_3FDC3078</b> , <b>_WA_Sys_token_3FDC3078</b>
	<b>Columns:</b>	<b>actmap_id</b> Int NULL , <b>tmp_actmap_ce1</b> Char(10) NULL , <b>tmp_actmap_ce2</b> Char(10) NULL , <b>tmp_actmap_ce3</b> Char(20) NULL , <b>tmp_actmap_de1</b> Date NULL , <b>tmp_actmap_fe1</b> Float NULL , <b>tmp_actmap_id</b> Int NOT NULL , <b>tmp_actmap_le1</b> Bit NULL , <b>tmp_actmap_ne1</b> Int NULL , <b>token</b> Char(16) NULL
<b>TMP_ADDRESS</b>		
	<b>Indexes:</b>	<b>_WA_Sys_00000009_2FFACE6A</b> , <b>_WA_Sys_city_2FFACE6A</b> , <b>_WA_Sys_country_2FFACE6A</b> , <b>_WA_Sys_county_cod_2FFACE6A</b> , <b>_WA_Sys_county_txt_2FFACE6A</b> , <b>_WA_Sys_soc_sec_2FFACE6A</b> , <b>_WA_Sys_state_2FFACE6A</b> , <b>_WA_Sys_token_2FFACE6A</b> , <b>_WA_Sys_zip_2FFACE6A</b>
	<b>Columns:</b>	<b>Date_maint</b> Date NULL , <b>city</b> Char(35) NULL , <b>country</b> Char(25) NULL , <b>county_cod</b> Char(3) NULL , <b>county_txt</b> Char(30) NULL , <b>soc_sec</b> Char(9) NULL , <b>state</b> Char(2) NULL , <b>time_maint</b> Char(8) NULL , <b>token</b> Char(16) NULL , <b>zip</b> Char(10) NULL
<b>TMP_ADV</b>		
	<b>Indexes:</b>	<b>_WA_Sys_00000008_12356159</b> , <b>_WA_Sys_adv_ssn_12356159</b> , <b>_WA_Sys_advisor_name_12356159</b> , <b>_WA_Sys_soc_sec_12356159</b> , <b>_WA_Sys_token_12356159</b>
	<b>Columns:</b>	<b>Date_maint</b> Date NULL , <b>active</b> Bit NULL , <b>adv_ssn</b> Char(9) NULL , <b>advisor_name</b> Char(65) NULL , <b>soc_sec</b> Char(9) NULL , <b>start_dt</b> Date NULL , <b>stop_dt</b> Date NULL , <b>time_maint</b> Char(8) NULL , <b>token</b> Char(16) NULL
<b>TMP_ADVISOR</b>		
	<b>Indexes:</b>	<b>_WA_Sys_adv_ssn_398438A4</b> , <b>_WA_Sys_soc_sec_398438A4</b> , <b>_WA_Sys_token_398438A4</b>
	<b>Columns:</b>	<b>adv_ssn</b> Char(9) NULL , <b>soc_sec</b> Char(9) NULL , <b>token</b> Char(16) NULL
<b>TMP_AGENCY</b>		
	<b>Indexes:</b>	<b>_WA_Sys_agency_txt_1472AF86</b> , <b>_WA_Sys_soc_sec_1472AF86</b> , <b>_WA_Sys_token_1472AF86</b>
	<b>Columns:</b>	<b>agency_cod</b> Char(10) NULL , <b>agency_txt</b> Char(60) NULL , <b>soc_sec</b> Char(9) NULL , <b>token</b> Char(16) NULL
<b>TMP_APPROG</b>		
	<b>Indexes:</b>	<b>_WA_Sys_00000005_35B3A7C0</b> , <b>_WA_Sys_app_date_35B3A7C0</b> , <b>_WA_Sys_prg_txt_35B3A7C0</b> , <b>_WA_Sys_soc_sec_35B3A7C0</b> , <b>_WA_Sys_token_35B3A7C0</b>
	<b>Columns:</b>	<b>Date_maint</b> Date NULL , <b>app_date</b> Date NULL , <b>prg_txt</b> Char(40) NULL , <b>soc_sec</b> Char(9) NULL , <b>time_maint</b> Char(8) NULL , <b>token</b> Char(16) NULL
<b>TMP_ASSETS</b>		
	<b>Indexes:</b>	<b>_WA_Sys_00000003_2409F8D1</b>
	<b>Columns:</b>	<b>assets</b> Real NULL , <b>soc_sec</b> Char(9) NULL , <b>token</b> Char(16) NULL
<b>TMP_CONSTIT</b>		
	<b>Indexes:</b>	<b>_WA_Sys_constit_type_cod_1F4543B4</b> , <b>_WA_Sys_soc_sec_1F4543B4</b> , <b>_WA_Sys_token_1F4543B4</b>
	<b>Columns:</b>	<b>constit_rating</b> Char(10) NULL , <b>constit_type_cod</b> Char(2) NULL , <b>soc_sec</b> Char(9) NULL , <b>token</b> Char(16) NULL

<b>TMP_COURSE</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000005_3B6C8116 , _WA_Sys_course_3B6C8116 , _WA_Sys_soc_sec_3B6C8116 , _WA_Sys_token_3B6C8116</i>
	<b>Columns:</b>	<b>Date_maint</b> <i>Date</i> NULL , <b>course</b> <i>Char(10)</i> NULL , <b>crs_id</b> <i>Char(16)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_CREDS_CUMM</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000001_3E48EDC1 , _WA_Sys_00000002_3E48EDC1 , _WA_Sys_00000003_3E48EDC1</i>
	<b>Columns:</b>	<b>creds_cumm</b> <i>Float</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_CREDS_SEM</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000001_3D54C988 , _WA_Sys_00000002_3D54C988 , _WA_Sys_00000003_3D54C988 , _WA_Sys_00000004_3D54C988</i>
	<b>Columns:</b>	<b>Date_maint</b> <i>Date</i> NULL , <b>creds_sem</b> <i>Float</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_CULT_ACT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_cult_act_203967ED , _WA_Sys_soc_sec_203967ED , _WA_Sys_token_203967ED</i>
	<b>Columns:</b>	<b>cult_act</b> <i>Char(35)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_DISPOS</b>		
	<b>Indexes:</b>	<i>_WA_Sys_disp_date_33CB5F4E , _WA_Sys_dispos_33CB5F4E , _WA_Sys_soc_sec_33CB5F4E , _WA_Sys_token_33CB5F4E</i>
	<b>Columns:</b>	<b>disp_date</b> <i>Date</i> NULL , <b>dispos</b> <i>Varchar(30)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_EDU</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000005_32D73B15 , _WA_Sys_00000007_32D73B15 , _WA_Sys_degree_32D73B15 , _WA_Sys_enter_date_32D73B15 , _WA_Sys_soc_sec_32D73B15 , _WA_Sys_token_32D73B15</i>
	<b>Columns:</b>	<b>Date_maint</b> <i>Date</i> NULL , <b>cohort_cod</b> <i>Char(10)</i> NULL , <b>degree</b> <i>Char(35)</i> NULL , <b>enter_date</b> <i>Date</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_EMP</b>		
	<b>Indexes:</b>	<i>_WA_Sys_soc_sec_13298592 , _WA_Sys_token_13298592</i>
	<b>Columns:</b>	<b>contact</b> <i>Bit</i> NULL , <b>emp_empty</b> <i>Char(50)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>token</b> <i>Char(16)</i> NULL , <b>when_code</b> <i>Char(3)</i> NULL
<b>TMP_ENROLLSTAT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000005_3C60A54F , _WA_Sys_enstat_cod_3C60A54F , _WA_Sys_enstat_txt_3C60A54F , _WA_Sys_soc_sec_3C60A54F , _WA_Sys_token_3C60A54F</i>
	<b>Columns:</b>	<b>Date_maint</b> <i>Date</i> NULL , <b>enstat_cod</b> <i>Char(2)</i> NULL , <b>enstat_txt</b> <i>Char(20)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_FD_ACTMAP</b>	<b>Primary Key:</b>	<i>PK_tmp_fd_actmap (tmp_fd_actmap_id)</i>
	<b>Indexes:</b>	<i>PK_tmp_fd_actmap</i>
	<b>Columns:</b>	<b>fd_actmap_id</b> <i>Int</i> NULL , <b>tmp_fd_actmap_ce1</b> <i>Char(10)</i> NULL , <b>tmp_fd_actmap_ce2</b> <i>Char(10)</i> NULL , <b>tmp_fd_actmap_ce3</b> <i>Char(20)</i> NULL , <b>tmp_fd_actmap_de1</b> <i>Date</i> NULL , <b>tmp_fd_actmap_fe1</b> <i>Float</i> NULL , <b>tmp_fd_actmap_id</b> <i>Int</i> NOT NULL , <b>tmp_fd_actmap_le1</b> <i>Bit</i> NULL , <b>tmp_fd_actmap_ne1</b> <i>Int</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_FD_USER_ID</b>		
	<b>Indexes:</b>	<i>_WA_Sys_acct_token_735BD47E , _WA_Sys_user_id_735BD47E</i>
	<b>Columns:</b>	<b>acct_token</b> <i>Char(16)</i> NOT NULL , <b>tmp_fd_user_id_ce1</b> <i>Char(10)</i> NULL , <b>tmp_fd_user_id_ce2</b> <i>Char(10)</i> NULL , <b>tmp_fd_user_id_ce3</b> <i>Char(20)</i> NULL , <b>tmp_fd_user_id_de1</b> <i>Date</i> NULL , <b>tmp_fd_user_id_fe1</b> <i>Float</i> NULL , <b>tmp_fd_user_id_le1</b> <i>Bit</i> NULL , <b>tmp_fd_user_id_ne1</b> <i>Int</i> NULL , <b>user_id</b> <i>Char(8)</i> NOT NULL
<b>TMP_GIVING_LEVEL</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000002_24FE1D0A , _WA_Sys_00000003_24FE1D0A</i>
	<b>Columns:</b>	<b>giving_level</b> <i>Char(30)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>token</b> <i>Char(16)</i> NULL

<b>TMP_GPA_CUMM</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000003_40313633 , _WA_Sys_00000004_40313633 , _WA_Sys_soc_sec_40313633 , _WA_Sys_token_40313633</i>
	<b>Columns:</b>	<b>Date_maint</b> <i>Date</i> NULL , <b>gpa_cumm</b> <i>Float</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_GPA_SEM</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000003_3F3D11FA , _WA_Sys_00000004_3F3D11FA , _WA_Sys_soc_sec_3F3D11FA , _WA_Sys_token_3F3D11FA</i>
	<b>Columns:</b>	<b>Date_maint</b> <i>Date</i> NULL , <b>gpa_sem</b> <i>Float</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_HEALTH</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000001_0E64D075</i>
	<b>Columns:</b>	<b>exp_date</b> <i>Date</i> NULL , <b>item</b> <i>Char(30)</i> NULL , <b>item_no</b> <i>Int</i> NULL , <b>received</b> <i>Bit</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_INCOME_LEVEL</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000003_2221B05F</i>
	<b>Columns:</b>	<b>income_level</b> <i>Real</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_INT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_interest_0F58F4AE , _WA_Sys_posn_held_0F58F4AE , _WA_Sys_soc_sec_0F58F4AE , _WA_Sys_token_0F58F4AE</i>
	<b>Columns:</b>	<b>int_from</b> <i>Date</i> NULL , <b>int_to</b> <i>Date</i> NULL , <b>interest</b> <i>Char(30)</i> NULL , <b>posn_held</b> <i>Char(30)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_INTEREST</b>		
	<b>Indexes:</b>	<i>_WA_Sys_interest_3A785CDD , _WA_Sys_soc_sec_3A785CDD , _WA_Sys_token_3A785CDD</i>
	<b>Columns:</b>	<b>interest</b> <i>Char(30)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_INTRLEVCOD</b>		
	<b>Indexes:</b>	<i>_WA_Sys_intrlevcod_2A61F0A5 , _WA_Sys_soc_sec_2A61F0A5 , _WA_Sys_token_2A61F0A5</i>
	<b>Columns:</b>	<b>intrlevcod</b> <i>Char(10)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_LIC</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000001_11413D20 , _WA_Sys_00000007_11413D20</i>
	<b>Columns:</b>	<b>Date_maint</b> <i>Date</i> NULL , <b>date_exp</b> <i>Date</i> NULL , <b>date_rec</b> <i>Date</i> NULL , <b>desc_</b> <i>Char(25)</i> NULL , <b>license</b> <i>Char(20)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_MAJOR</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000001_31E316DC</i>
	<b>Columns:</b>	<b>major</b> <i>Char(30)</i> NULL , <b>minor</b> <i>Char(30)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_MAXDISPOS</b>		
	<b>Indexes:</b>	<i>_WA_Sys_0000000D_537914D1 , _WA_Sys_app_rid_537914D1 , _WA_Sys_maxdispsdate_537914D1 , _WA_Sys_soc_sec_537914D1 , _WA_Sys_token_537914D1</i>
	<b>Columns:</b>	<b>Date_maint</b> <i>Date</i> NULL , <b>app_rid</b> <i>Char(16)</i> NULL , <b>maxdispsdate</b> <i>Date</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>tmp_maxdispos_ce1</b> <i>Char(10)</i> NULL , <b>tmp_maxdispos_ce2</b> <i>Char(10)</i> NULL , <b>tmp_maxdispos_ce3</b> <i>Char(20)</i> NULL , <b>tmp_maxdispos_de1</b> <i>Date</i> NULL , <b>tmp_maxdispos_fe1</b> <i>Float</i> NULL , <b>tmp_maxdispos_le1</b> <i>Bit</i> NULL , <b>tmp_maxdispos_ne1</b> <i>Int</i> NULL , <b>tmp_maxdispos_rid</b> <i>Int</i> NOT NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_MAX_GIFT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_Max_gift_25F24143 , _WA_Sys_gift_ranged_25F24143 , _WA_Sys_soc_sec_25F24143 , _WA_Sys_token_25F24143</i>

	<b>Columns:</b>	<b>Max_gift</b> Money NULL , <b>gift_ranged</b> Date NULL , <b>soc_sec</b> Char(9) NULL , <b>token</b> Char(16) NULL
<b>TMP_MODST</b>		
	<b>Indexes:</b>	<i>WA_Sys_00000005_36A7CBF9</i> , <i>WA_Sys_mod_stat_36A7CBF9</i> , <i>WA_Sys_mod_txt_36A7CBF9</i> , <i>WA_Sys_soc_sec_36A7CBF9</i> , <i>WA_Sys_token_36A7CBF9</i>
	<b>Columns:</b>	<b>Date_maint</b> Date NULL , <b>mod_stat</b> Char(2) NULL , <b>mod_txt</b> Char(12) NULL , <b>soc_sec</b> Char(9) NULL , <b>time_maint</b> Char(8) NULL , <b>token</b> Char(16) NULL
<b>TMP_NAME</b>		
	<b>Indexes:</b>	<i>WA_Sys_00000014_2F06AA31</i> , <i>WA_Sys_birthdate_2F06AA31</i> , <i>WA_Sys_camp_cod_2F06AA31</i> , <i>WA_Sys_camp_txt_2F06AA31</i> , <i>WA_Sys_deceased_2F06AA31</i> , <i>WA_Sys_dept_cod_2F06AA31</i> , <i>WA_Sys_dept_txt_2F06AA31</i> , <i>WA_Sys_div_cod_2F06AA31</i> , <i>WA_Sys_div_txt_2F06AA31</i> , <i>WA_Sys_ethnic_cod_2F06AA31</i> , <i>WA_Sys_ethnic_txt_2F06AA31</i> , <i>WA_Sys_excl_mailing_2F06AA31</i> , <i>WA_Sys_first_name_2F06AA31</i> , <i>WA_Sys_gender_2F06AA31</i> , <i>WA_Sys_last_name_2F06AA31</i> , <i>WA_Sys_level_2F06AA31</i> , <i>WA_Sys_level_txt_2F06AA31</i> , <i>WA_Sys_soc_sec_2F06AA31</i> , <i>WA_Sys_token_2F06AA31</i>
	<b>Columns:</b>	<b>Date_maint</b> Date NULL , <b>birthdate</b> Date NULL , <b>camp_cod</b> Char(10) NULL , <b>camp_txt</b> Char(40) NULL , <b>citizen</b> Char(1) NULL , <b>deceased</b> Bit NOT NULL (DF tmp_name deceas 70FF5617 - (0)) , <b>dept_cod</b> Char(4) NULL , <b>dept_txt</b> Char(40) NULL , <b>div_cod</b> Char(2) NULL , <b>div_txt</b> Char(10) NULL , <b>ethnic_cod</b> Char(2) NULL , <b>ethnic_txt</b> Varchar(60) NULL , <b>excl_mailing</b> Bit NOT NULL (DF tmp_name excl_m 700B31DE - (0)) , <b>first_name</b> Char(50) NULL , <b>gender</b> Char(1) NULL , <b>last_name</b> Varchar(60) NULL , <b>level</b> Char(1) NULL , <b>level_txt</b> Char(20) NULL , <b>soc_sec</b> Char(9) NULL , <b>time_maint</b> Char(8) NULL , <b>token</b> Char(16) NULL
<b>TMP_POTENTIAL_PLEDGE</b>		
	<b>Indexes:</b>	<i>WA_Sys_00000003_2315D498</i>
	<b>Columns:</b>	<b>Potential_pledge</b> Real NULL , <b>soc_sec</b> Char(9) NULL , <b>token</b> Char(16) NULL
<b>TMP_PROGRAM</b>		
	<b>Indexes:</b>	<i>WA_Sys_00000005_30EEF2A3</i> , <i>WA_Sys_prg_cod_30EEF2A3</i> , <i>WA_Sys_prg_txt_30EEF2A3</i> , <i>WA_Sys_soc_sec_30EEF2A3</i> , <i>WA_Sys_token_30EEF2A3</i>
	<b>Columns:</b>	<b>Date_maint</b> Date NULL , <b>prg_cod</b> Char(10) NULL , <b>prg_txt</b> Char(40) NULL , <b>soc_sec</b> Char(9) NULL , <b>time_maint</b> Char(8) NULL , <b>token</b> Char(16) NULL
<b>TMP_PROSPECT</b>		
	<b>Indexes:</b>	<i>WA_Sys_00000004_34BF8387</i> , <i>WA_Sys_date_inq_34BF8387</i> , <i>WA_Sys_soc_sec_34BF8387</i> , <i>WA_Sys_token_34BF8387</i>
	<b>Columns:</b>	<b>Date_maint</b> Date NULL , <b>date_inq</b> Date NULL , <b>soc_sec</b> Char(9) NULL , <b>time_maint</b> Char(8) NULL , <b>token</b> Char(16) NULL
<b>TMP_R2T4_AWARDS</b>		
	<b>Indexes:</b>	<i>WA_Sys_00000002_3DA078F9</i>
	<b>Columns:</b>	<b>awd_id</b> Char(8) NULL , <b>awd_txt</b> Varchar(50) NULL , <b>class_loa_dates</b> Varchar(8000) NULL , <b>days_loa</b> Int NULL , <b>days_loa_class</b> Int NULL , <b>days_loa_noclass</b> Int NULL , <b>days_sem</b> Int NULL , <b>days_sem_class</b> Int NULL , <b>days_sem_noclass</b> Int NULL , <b>days_sem_taken</b> Int NULL , <b>first_name</b> Nvarchar(60) NULL , <b>from_dt</b> Date NULL , <b>last_name</b> Nvarchar(60) NULL , <b>loa_cod</b> Varchar(50) NULL , <b>loa_end_dt</b> Date NULL , <b>loa_start_dt</b> Date NULL , <b>mi</b> Nvarchar(30) NULL , <b>noclass_loa_dates</b> Varchar(8000) NULL , <b>noclass_sem_dates</b> Varchar(8000) NULL , <b>offered</b> Float NULL , <b>received</b> Float NULL , <b>sch_yr</b> Char(6) NULL , <b>schaddr1</b> Varchar(60) NULL , <b>schaddr2</b> Varchar(45) NULL , <b>schaddr3</b> Varchar(35) NULL , <b>schaddr4</b> Varchar(35) NULL , <b>sem_end_dt</b> Date NULL , <b>sem_start_dt</b> Date NULL , <b>semester</b> Char(2) NULL , <b>sm_desc</b> Char(10) NULL , <b>soc_sec</b> Char(9) NULL , <b>tmp_R2T4_Awards_rid</b> Int NOT NULL , <b>to_dt</b> Date NULL , <b>token</b> Char(16) NULL
<b>TMP_R2T4_INST_CHARGES</b>		
	<b>Indexes:</b>	<i>WA_Sys_00000002_3E949D32</i>
	<b>Columns:</b>	<b>amt_1</b> Float NULL , <b>date</b> Date NULL , <b>ref_id</b> Varchar(35) NULL , <b>soc_sec</b> Char(9) NULL , <b>tcodes</b> Char(2) NULL , <b>tmp_R2T4_Inst_Charges_rid</b> Int NOT NULL , <b>token</b> Char(16) NULL

<b>TMP_REFER_BY</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000001_07EDA867</i> , <i>_WA_Sys_00000002_07EDA867</i> , <i>_WA_Sys_00000003_07EDA867</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>operator</b> <i>Char(10)</i> NULL , <b>refer_by</b> <i>Varchar(35)</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_SATACT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_0000000A_379BF032</i> , <i>_WA_Sys_act_eng_379BF032</i> , <i>_WA_Sys_act_math_379BF032</i> , <i>_WA_Sys_act_sci_379BF032</i> , <i>_WA_Sys_act_soc_379BF032</i> , <i>_WA_Sys_soc_sec_379BF032</i> , <i>_WA_Sys_token_379BF032</i>
	<b>Columns:</b>	<b>Date_maint</b> <i>Date</i> NULL , <b>act_eng</b> <i>Int</i> NULL , <b>act_math</b> <i>Int</i> NULL , <b>act_sci</b> <i>Int</i> NULL , <b>act_soc</b> <i>Int</i> NULL , <b>sat</b> <i>Bit</i> NULL , <b>sat_math</b> <i>Int</i> NULL , <b>sat_verb</b> <i>Int</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_SPNEED</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000001_104D18E7</i>
	<b>Columns:</b>	<b>soc_sec</b> <i>Char(9)</i> NULL , <b>spn_active</b> <i>Bit</i> NULL , <b>spneed_cod</b> <i>Char(2)</i> NULL , <b>spneed_txt</b> <i>Char(20)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_TERMINT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000003_3890146B</i> , <i>_WA_Sys_00000004_3890146B</i> , <i>_WA_Sys_soc_sec_3890146B</i> , <i>_WA_Sys_token_3890146B</i>
	<b>Columns:</b>	<b>Date_maint</b> <i>Date</i> NULL , <b>soc_sec</b> <i>Char(9)</i> NULL , <b>term_int</b> <i>Char(20)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>token</b> <i>Char(16)</i> NULL
<b>TMP_TRAIT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000003_442CAFA0</i>
	<b>Columns:</b>	<b>soc_sec</b> <i>Char(9)</i> NULL , <b>token</b> <i>Char(16)</i> NULL , <b>trait</b> <i>Varchar(75)</i> NULL
<b>TMP_USER_ID</b>		
	<b>Indexes:</b>	<i>_WA_Sys_acct_token_7267B045</i> , <i>_WA_Sys_user_id_7267B045</i>
	<b>Columns:</b>	<b>acct_token</b> <i>Char(16)</i> NOT NULL , <b>tmp_user_id_ce1</b> <i>Char(10)</i> NULL , <b>tmp_user_id_ce2</b> <i>Char(10)</i> NULL , <b>tmp_user_id_ce3</b> <i>Char(20)</i> NULL , <b>tmp_user_id_de1</b> <i>Date</i> NULL , <b>tmp_user_id_fe1</b> <i>Float</i> NULL , <b>tmp_user_id_le1</b> <i>Bit</i> NULL , <b>tmp_user_id_ne1</b> <i>Int</i> NULL , <b>user_id</b> <i>Char(8)</i> NOT NULL
<b>TMP_VOLUN</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000002_212D8C26</i> , <i>_WA_Sys_00000003_212D8C26</i>
	<b>Columns:</b>	<b>soc_sec</b> <i>Char(9)</i> NULL , <b>token</b> <i>Char(16)</i> NULL , <b>volun</b> <i>Char(35)</i> NULL
<b>TMSIMPORT</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000001_1B89C169</i>
	<b>Columns:</b>	<b>amount</b> <i>Float</i> NOT NULL , <b>first_name</b> <i>Varchar(50)</i> NOT NULL , <b>last_name</b> <i>Varchar(50)</i> NOT NULL , <b>mi</b> <i>Varchar(50)</i> NOT NULL , <b>sch_yr</b> <i>Char(6)</i> NOT NULL , <b>semester</b> <i>Char(1)</i> NOT NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>ssn</b> <i>Char(9)</i> NOT NULL , <b>tmsimport_ce1</b> <i>Char(10)</i> NULL , <b>tmsimport_ce2</b> <i>Char(10)</i> NULL , <b>tmsimport_ce3</b> <i>Char(20)</i> NULL , <b>tmsimport_de1</b> <i>Date</i> NULL , <b>tmsimport_fe1</b> <i>Float</i> NULL , <b>tmsimport_le1</b> <i>Bit</i> NULL , <b>tmsimport_ne1</b> <i>Int</i> NULL , <b>transact_date</b> <i>Date</i> NOT NULL
<b>TRAITS</b>	<b>Primary Key:</b>	<i>PK_trait (trait)</i>
	<b>Indexes:</b>	<i>PK_trait</i> , <i>_WA_Sys_00000002_3D7FB211</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NOT NULL ( <i>DF_traits_disabled_3E73D64A - (0)</i> ) , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>trait</b> <i>Varchar(75)</i> NOT NULL
<b>TRANSACT</b>	<b>Primary Key:</b>	<i>PK_transact (transact_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_transact_campus</i> , <i>FK_transact_division</i> , <i>FK_transact_name</i> , <i>FK_transact_semester</i> , <i>FK_transact_tcodes</i>



	<b>Indexes:</b>	<i>PK transact, _WA Sys 00000002 489B93AB, _WA Sys 0000000F 489B93AB, _WA Sys 00000017 489B93AB, _WA Sys 00000031 489B93AB, _WA Sys 00000032 489B93AB, _WA Sys 00000036 489B93AB, _WA Sys 00000037 489B93AB, _WA Sys 00000038 489B93AB, _WA Sys 0000003C 489B93AB, _WA Sys 0000003E 489B93AB, _WA Sys 0000003F 489B93AB, _WA Sys 00000040 489B93AB, _WA Sys 00000041 489B93AB, _WA Sys_accepted 489B93AB, _WA Sys_amt 1 489B93AB, _WA Sys_batchnum 489B93AB, _WA Sys_camp_cod 489B93AB, _WA Sys_check_no 489B93AB, _WA Sys_chk_created 489B93AB, _WA Sys_chk_preview 489B93AB, _WA Sys_chk_refund 489B93AB, _WA Sys_credits 489B93AB, _WA Sys_date_maint 489B93AB, _WA Sys_disbursement_no 489B93AB, _WA Sys_div_cod 489B93AB, _WA Sys_exclude_from_bill 489B93AB, _WA Sys_hours 489B93AB, _WA Sys_institut 489B93AB, _WA Sys_offered 489B93AB, _WA Sys_operator 489B93AB, _WA Sys_pay_trans_no 489B93AB, _WA Sys_posted 489B93AB, _WA Sys_pstd_2gl 489B93AB, _WA Sys_received 489B93AB, _WA Sys_ref_id 489B93AB, _WA Sys_semester 489B93AB, _WA Sys_sid 489B93AB, _WA Sys_slm_roster_id 489B93AB, _WA Sys_time_maint 489B93AB, _WA Sys_trans_no 489B93AB, _WA Sys_transact_ce1 489B93AB, _WA Sys_transact_ce2 489B93AB, _WA Sys_transact_ce3 489B93AB, _WA Sys_transact_de1 489B93AB, _WA Sys_transact_fe1 489B93AB, _WA Sys_transact_le1 489B93AB, _WA Sys_transact_ne1 489B93AB, accept, awd_id, date, sch_yr, semester, soc_sec, tcodes, trans_no</i>
	<b>Columns:</b>	<b>BookstoreUser</b> Char(9) NULL, <b>Extra_Field1</b> Char(30) NULL, <b>Extra_Field2</b> Char(30) NULL, <b>Import_BatchNum</b> Varchar(300) NULL, <b>Import_Date</b> Date NOT NULL (DF_transact_Import_355F6D5C - ('12/30/1899')), <b>PF_POE_Decycle</b> Varchar(200) NULL, <b>PF_Stu_awd_token</b> Varchar(200) NULL, <b>accept</b> Char(1) NOT NULL, <b>accepted</b> Money NOT NULL (DF_transact_accepted - (0)), <b>amt_1</b> Money NOT NULL (DF_transact_amt_1 - (0)), <b>awd_id</b> Char(8) NULL, <b>awd_pstd_date_maint</b> Date NULL, <b>awd_pstd_operator</b> Char(8) NULL, <b>awd_pstd_time_maint</b> Char(8) NULL, <b>batchnum</b> Char(18) NULL, <b>camp_cod</b> Char(10) NULL, <b>check_no</b> Char(30) NULL, <b>chk_created</b> Bit NOT NULL (DF_transact_chk_cr_77EB7F71 - (0)), <b>chk_preview</b> Bit NOT NULL (DF_transact_chk_pr_76F75B38 - (0)), <b>chk_refund</b> Bit NULL, <b>course</b> Char(10) NULL, <b>credits</b> Float NULL, <b>date</b> Date NULL, <b>date_maint</b> Date NULL, <b>disbursement_no</b> Int NULL, <b>div_cod</b> Char(2) NULL, <b>exclude_from_bill</b> Bit NOT NULL (DF_transact_exclud_7E437745 - (0)), <b>hours</b> Int NULL, <b>import_code</b> Varchar(10) NULL, <b>institut</b> Char(50) NULL, <b>invoice_no</b> Varchar(25) NULL, <b>loan_fees</b> Money NOT NULL (DF_transact_loan_fees - (0)), <b>offered</b> Money NOT NULL (DF_transact_offered - (0)), <b>operator</b> Char(8) NULL, <b>pay_trans_no</b> Char(16) NULL, <b>pf_AA_ID</b> Char(25) NULL, <b>pf_prev</b> Bit NOT NULL (DF_transact_pf_pre_70EA477E - ((0))), <b>posted</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>pstd_2acct_date_maint</b> Date NULL, <b>pstd_2acct_operator</b> Char(8) NULL, <b>pstd_2acct_time_maint</b> Char(8) NULL, <b>pstd_2gl</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>received</b> Money NOT NULL (DF_transact_received - (0)), <b>ref_id</b> Char(50) NULL, <b>sch_yr</b> Char(6) NULL, <b>semester</b> Char(2) NOT NULL, <b>sid</b> Char(16) NULL, <b>slm_roster_id</b> Char(7) NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>tcodes</b> Char(2) NOT NULL, <b>time_maint</b> Char(8) NULL, <b>trans_no</b> Char(16) NULL, <b>trans_no_bu</b> Char(16) NULL, <b>transact_ce1</b> Char(10) NULL, <b>transact_ce2</b> Char(10) NULL, <b>transact_ce3</b> Char(20) NULL, <b>transact_de1</b> Date NULL, <b>transact_fe1</b> Float NULL, <b>transact_le1</b> Bit NULL, <b>transact_ne1</b> Int NULL, <b>transact_rid</b> Int NOT NULL, <b>void_date_maint</b> Date NULL, <b>void_operator</b> Char(8) NULL, <b>void_time_maint</b> Char(8) NULL
<b>TRANSACT_PREBILL</b>	<b>Primary Key:</b>	<i>PK_transact_prebill (transact_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_transact_prebill_campus, FK_transact_prebill_division, FK_transact_prebill_name, FK_transact_prebill_semester, FK_transact_prebill_tcodes</i>
	<b>Indexes:</b>	<i>PK_transact_prebill, _WA Sys 00000002 2B010F23, _WA Sys 00000007 2B010F23, _WA Sys 0000000B 2B010F23, _WA Sys 0000000C 2B010F23, _WA Sys 0000000D 2B010F23, _WA Sys 00000018 2B010F23, _WA Sys 00000019 2B010F23, _WA Sys 0000001B 2B010F23, _WA Sys 0000002A 2B010F23, accept, awd_id, date, sch_yr, semester, soc_sec, tcodes, trans_no</i>

	<b>Columns:</b>	<b>accept</b> Char(1) NOT NULL , <b>accepted</b> Money NULL (DF_transact_prebill_accepted - (0)) , <b>amt_1</b> Money NULL (DF_transact_prebill_amt_1 - (0)) , <b>awd_id</b> Char(8) NULL , <b>batchnum</b> Char(18) NULL , <b>camp_cod</b> Char(10) NULL , <b>check_no</b> Char(30) NULL , <b>chk_refund</b> Bit NULL (DF_transact_prebill_chk_re_347F8C65 - (0)) , <b>course</b> Char(10) NULL , <b>credits</b> Float NULL (DF_transact_prebill_credits - (0)) , <b>date</b> Date NULL , <b>date_maint</b> Date NULL , <b>disbursement_no</b> Int NULL , <b>div_cod</b> Char(2) NULL , <b>exclude_from_bill</b> Bit NOT NULL (DF_transact_prebill_exclud_0D85BAD5 - (0)) , <b>hours</b> Int NULL (DF_transact_prebill_hours - (0)) , <b>institut</b> Char(50) NULL , <b>invoice_no</b> Char(16) NULL , <b>loan_fees</b> Money NULL (DF_transact_prebill_loan_fees - (0)) , <b>offered</b> Money NULL (DF_transact_prebill_offered - (0)) , <b>operator</b> Char(8) NULL , <b>pay_trans_no</b> Char(16) NULL , <b>posted</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>pstd_2gl</b> Bit NULL , <b>received</b> Money NULL (DF_transact_prebill_received - (0)) , <b>ref_id</b> Char(50) NULL , <b>sch_yr</b> Char(6) NULL , <b>semester</b> Char(2) NOT NULL , <b>sid</b> Char(16) NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>tcodes</b> Char(2) NOT NULL , <b>time_maint</b> Char(8) NULL , <b>trans_no</b> Char(16) NULL , <b>trans_no_bu</b> Char(16) NULL , <b>transact_ce1</b> Char(10) NULL , <b>transact_ce2</b> Char(10) NULL , <b>transact_ce3</b> Char(20) NULL , <b>transact_de1</b> Date NULL , <b>transact_fe1</b> Float NULL , <b>transact_le1</b> Bit NULL , <b>transact_ne1</b> Int NULL , <b>transact_rid</b> Int NOT NULL
<b>TRANSCRIPT_DEGREES</b>	<b>Primary Key:</b>	<i>PK_transcript_degrees_rid (transcript_degrees_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_transcript_degrees_name</i>
	<b>Indexes:</b>	<i>PK_transcript_degrees_rid</i> , <i>WA_Sys_00000005_33C07256</i> , <i>WA_Sys_00000006_33C07256</i> , <i>WA_Sys_00000008_33C07256</i> , <i>WA_Sys_00000009_33C07256</i> , <i>WA_Sys_0000000A_33C07256</i> , <i>WA_Sys_0000000C_33C07256</i> , <i>WA_Sys_0000000D_33C07256</i> , <i>WA_Sys_0000000E_33C07256</i> , <i>WA_Sys_00000021_33C07256</i> , <i>WA_Sys_00000022_33C07256</i> , <i>WA_Sys_degree1_33C07256</i> , <i>WA_Sys_soc_sec_33C07256</i> , <i>WA_Sys_token_33C07256</i>
	<b>Columns:</b>	<b>cgpa1</b> Float NULL , <b>cgpa10</b> Real NULL , <b>cgpa11</b> Real NULL , <b>cgpa12</b> Real NULL , <b>cgpa2</b> Float NULL , <b>cgpa3</b> Float NULL , <b>cgpa4</b> Float NULL , <b>cgpa5</b> Float NULL , <b>cgpa6</b> Float NULL , <b>cgpa7</b> Real NULL , <b>cgpa8</b> Real NULL , <b>cgpa9</b> Real NULL , <b>degree1</b> Char(35) NULL , <b>degree10</b> Char(35) NULL , <b>degree11</b> Char(35) NULL , <b>degree12</b> Char(35) NULL , <b>degree2</b> Char(35) NULL , <b>degree3</b> Char(35) NULL , <b>degree4</b> Char(35) NULL , <b>degree5</b> Char(35) NULL , <b>degree6</b> Char(35) NULL , <b>degree7</b> Char(35) NULL , <b>degree8</b> Char(35) NULL , <b>degree9</b> Char(35) NULL , <b>display_degree1</b> Varchar(250) NULL , <b>display_degree2</b> Varchar(250) NULL , <b>display_degree3</b> Varchar(250) NULL , <b>display_degree4</b> Varchar(250) NULL , <b>display_degree5</b> Varchar(250) NULL , <b>display_degree6</b> Varchar(250) NULL , <b>display_program1</b> Varchar(250) NULL , <b>display_program2</b> Varchar(250) NULL , <b>display_program3</b> Varchar(250) NULL , <b>display_program4</b> Varchar(250) NULL , <b>display_program5</b> Varchar(250) NULL , <b>display_program6</b> Varchar(250) NULL , <b>educ_memo1</b> Memo NULL , <b>educ_memo10</b> Memo NULL , <b>educ_memo11</b> Memo NULL , <b>educ_memo12</b> Memo NULL , <b>educ_memo2</b> Memo NULL , <b>educ_memo3</b> Memo NULL , <b>educ_memo4</b> Memo NULL , <b>educ_memo5</b> Memo NULL , <b>educ_memo6</b> Memo NULL , <b>educ_memo7</b> Memo NULL , <b>educ_memo8</b> Memo NULL , <b>educ_memo9</b> Memo NULL , <b>enter_date1</b> Date NULL , <b>enter_date10</b> Date NULL , <b>enter_date11</b> Date NULL , <b>enter_date12</b> Date NULL , <b>enter_date2</b> Date NULL , <b>enter_date3</b> Date NULL , <b>enter_date4</b> Date NULL , <b>enter_date5</b> Date NULL , <b>enter_date6</b> Date NULL , <b>enter_date7</b> Date NULL , <b>enter_date8</b> Date NULL , <b>enter_date9</b> Date NULL , <b>grad_date1</b> Date NULL , <b>grad_date10</b> Date NULL , <b>grad_date11</b> Date NULL , <b>grad_date12</b> Date NULL , <b>grad_date2</b> Date NULL , <b>grad_date3</b> Date NULL , <b>grad_date4</b> Date NULL , <b>grad_date5</b> Date NULL , <b>grad_date6</b> Date NULL , <b>grad_date7</b> Date NULL , <b>grad_date8</b> Date NULL , <b>grad_date9</b> Date NULL , <b>grad_honors1</b> Varchar(100) NULL , <b>grad_honors2</b> Varchar(100) NULL , <b>grad_honors3</b> Varchar(100) NULL , <b>grad_honors4</b> Varchar(100) NULL , <b>grad_honors5</b> Varchar(100) NULL , <b>grad_honors6</b> Varchar(100) NULL , <b>institut1</b> Char(50) NULL , <b>institut10</b> Char(50) NULL , <b>institut11</b> Char(50) NULL , <b>institut12</b> Char(50) NULL , <b>institut2</b> Char(50) NULL , <b>institut3</b> Char(50) NULL , <b>institut4</b> Char(50) NULL , <b>institut5</b> Char(50) NULL , <b>institut6</b> Char(50) NULL , <b>institut7</b> Char(50) NULL , <b>institut8</b> Char(50) NULL , <b>institut9</b> Char(50) NULL , <b>leav_date1</b> Date NULL , <b>leav_date2</b> Date NULL , <b>leav_date3</b> Date NULL , <b>leav_date4</b> Date NULL , <b>leav_date5</b> Date NULL , <b>leav_date6</b> Date NULL , <b>matric_date1</b> Date NULL , <b>matric_date2</b> Date NULL , <b>matric_date3</b> Date NULL , <b>matric_date4</b> Date NULL , <b>matric_date5</b> Date NULL , <b>matric_date6</b> Date NULL , <b>prog_desc1</b> Char(35) NULL , <b>prog_desc10</b> Char(35) NULL , <b>prog_desc11</b> Char(35) NULL , <b>prog_desc12</b> Char(35) NULL , <b>prog_desc2</b> Char(35) NULL , <b>prog_desc3</b> Char(35) NULL , <b>prog_desc4</b> Char(35) NULL ,

		<b>prog_desc5</b> Char(35) NULL, <b>prog_desc6</b> Char(35) NULL, <b>prog_desc7</b> Char(35) NULL, <b>prog_desc8</b> Char(35) NULL, <b>prog_desc9</b> Char(35) NULL, <b>program1</b> Char(40) NULL, <b>program10</b> Char(40) NULL, <b>program11</b> Char(40) NULL, <b>program12</b> Char(40) NULL, <b>program2</b> Char(40) NULL, <b>program3</b> Char(40) NULL, <b>program4</b> Char(40) NULL, <b>program5</b> Char(40) NULL, <b>program6</b> Char(40) NULL, <b>program7</b> Char(40) NULL, <b>program8</b> Char(40) NULL, <b>program9</b> Char(40) NULL, <b>rank1</b> Int NULL (DF_transcrip_rank1_283A7C68 - ((0))), <b>rank2</b> Int NULL (DF_transcrip_rank2_292EA0A1 - ((0))), <b>rank3</b> Int NULL (DF_transcrip_rank3_2A22C4DA - ((0))), <b>rank4</b> Int NULL (DF_transcrip_rank4_2B16E913 - ((0))), <b>rank5</b> Int NULL (DF_transcrip_rank5_2C0B0D4C - ((0))), <b>rank6</b> Int NULL (DF_transcrip_rank6_2CFF3185 - ((0))), <b>soc_sec</b> Char(9) NOT NULL, <b>token</b> Char(16) NULL, <b>transcript_degrees_ce1</b> Char(10) NULL, <b>transcript_degrees_ce2</b> Char(10) NULL, <b>transcript_degrees_ce3</b> Char(20) NULL, <b>transcript_degrees_de1</b> Date NULL, <b>transcript_degrees_fe1</b> Float NULL, <b>transcript_degrees_le1</b> Bit NULL, <b>transcript_degrees_ne1</b> Int NULL, <b>transcript_degrees_rid</b> Int NOT NULL
<b>TRANSCRIPT_HOME_EDUC</b>	<b>Primary Key:</b>	<i>PK_transcript_educ_rid (transcript_educ_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_transcript_home_educ_name</i>
	<b>Indexes:</b>	<i>PK_transcript_educ_rid , _WA_Sys_00000002_5D81A1F8</i>
	<b>Columns:</b>	<b>degree1</b> Char(35) NULL, <b>degree2</b> Char(35) NULL, <b>degree3</b> Char(35) NULL, <b>degree4</b> Char(35) NULL, <b>degree5</b> Char(35) NULL, <b>degree6</b> Char(35) NULL, <b>grad_date1</b> Date NULL, <b>grad_date2</b> Date NULL, <b>grad_date3</b> Date NULL, <b>grad_date4</b> Date NULL, <b>grad_date5</b> Date NULL, <b>grad_date6</b> Date NULL, <b>prog_desc1</b> Char(35) NULL, <b>prog_desc2</b> Char(35) NULL, <b>prog_desc3</b> Char(35) NULL, <b>prog_desc4</b> Char(35) NULL, <b>prog_desc5</b> Char(35) NULL, <b>prog_desc6</b> Char(35) NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>token</b> Char(16) NULL, <b>transcript_educ_rid</b> Int NOT NULL, <b>transcript_home_educ_ce1</b> Char(10) NULL, <b>transcript_home_educ_ce2</b> Char(10) NULL, <b>transcript_home_educ_ce3</b> Char(20) NULL, <b>transcript_home_educ_de1</b> Date NULL, <b>transcript_home_educ_fe1</b> Float NULL, <b>transcript_home_educ_le1</b> Bit NULL, <b>transcript_home_educ_ne1</b> Int NULL
<b>TRANSCRIPT_SUMMARY</b>		
	<b>Foreign Keys:</b>	<i>FK_transcript_summary_name</i>
	<b>Indexes:</b>	<i>_WA_Sys_00000001_3B61941E , _WA_Sys_00000008_3B61941E , _WA_Sys_00000009_3B61941E , _WA_Sys_00000019_3B61941E , _WA_Sys_AP_honors_3B61941E , _WA_Sys_activity_cod_3B61941E , _WA_Sys_cum_creds_3B61941E , _WA_Sys_cum_pnts_3B61941E , _WA_Sys_ecreds_3B61941E , _WA_Sys_edu_rid_3B61941E , _WA_Sys_sch_yr_3B61941E , _WA_Sys_sem_creds_3B61941E , _WA_Sys_sem_ecreds_3B61941E , _WA_Sys_sem_pnts_3B61941E , _WA_Sys_semester_3B61941E , _WA_Sys_soc_sec_3B61941E , _WA_Sys_token_3B61941E , _WA_Sys_transcript_summary_ce1_3B61941E , _WA_Sys_transcript_summary_ce2_3B61941E , _WA_Sys_transcript_summary_ce3_3B61941E , _WA_Sys_transcript_summary_de1_3B61941E , _WA_Sys_transcript_summary_fe1_3B61941E , _WA_Sys_transcript_summary_le1_3B61941E , _WA_Sys_transcript_summary_ne1_3B61941E , _WA_Sys_transfer_3B61941E</i>
	<b>Columns:</b>	<b>AP_honors</b> Char(30) NULL, <b>activity_cod</b> Char(16) NULL, <b>cum_creds</b> Float NULL, <b>cum_gpa</b> Decimal NULL, <b>cum_pnts</b> Float NULL, <b>ecreds</b> Float NULL (DF_transcrip_ecred_5F1FD1A7 - (0)), <b>edu_rid</b> Char(16) NULL, <b>gpa_group</b> Int NOT NULL (DF_transcrip_gpa_g_3B776E0E - (0)), <b>sch_yr</b> Char(6) NULL, <b>sem_creds</b> Float NULL, <b>sem_ecreds</b> Real NULL, <b>sem_gpa</b> Decimal NULL, <b>sem_pnts</b> Float NULL, <b>semester</b> Char(2) NULL, <b>soc_sec</b> Char(9) NOT NULL, <b>token</b> Char(16) NULL, <b>transcript_summary_ce1</b> Char(10) NULL, <b>transcript_summary_ce2</b> Char(10) NULL, <b>transcript_summary_ce3</b> Char(20) NULL, <b>transcript_summary_de1</b> Date NULL, <b>transcript_summary_fe1</b> Float NULL, <b>transcript_summary_le1</b> Bit NULL, <b>transcript_summary_ne1</b> Int NULL, <b>transcript_summary_rid</b> Int NOT NULL, <b>transfer</b> Bit NULL
<b>TRANS_ERRFLAG</b>	<b>Primary Key:</b>	<i>PK_Trans_ErrFlag (Trans_ErrFlag_rid)</i>
	<b>Indexes:</b>	<i>PK_Trans_ErrFlag , _WA_Sys_00000002_328300B1</i>

	<b>Columns:</b>	<b>Err_Flag</b> Int NULL , <b>Err_flag_txt</b> Varchar(300) NULL , <b>Trans_ErrFlag_ce1</b> Char(10) NULL , <b>Trans_ErrFlag_ce2</b> Char(20) NULL , <b>Trans_ErrFlag_ce3</b> Char(30) NULL , <b>Trans_ErrFlag_de1</b> Date NULL , <b>Trans_ErrFlag_fe1</b> Float NULL , <b>Trans_ErrFlag_le1</b> Bit NULL , <b>Trans_ErrFlag_ne1</b> Float NULL , <b>Trans_ErrFlag_rid</b> Int NOT NULL , <b>date_maint</b> Date NULL , <b>disable</b> Bit NOT NULL (DF_Trans_Err_disab__337724EA - ((0))) , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>TRIGCAMP</b>	<b>Primary Key:</b>	<b>PK_trigcamp</b> (tcamp_rid)
	<b>Foreign Keys:</b>	<b>FK_trigcamp_triggers</b>
	<b>Indexes:</b>	<b>PK_trigcamp</b> , <b>_WA_Sys_00000002_5C793A7D</b>
	<b>Columns:</b>	<b>camp_cod</b> Char(10) NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>tcamp_rid</b> Char(16) NOT NULL , <b>time_maint</b> Char(8) NULL , <b>trig_cod</b> Char(20) NOT NULL , <b>trigcamp_ce1</b> Char(10) NULL , <b>trigcamp_ce2</b> Char(10) NULL , <b>trigcamp_ce3</b> Char(20) NULL , <b>trigcamp_de1</b> Date NULL , <b>trigcamp_fe1</b> Float NULL , <b>trigcamp_le1</b> Bit NULL , <b>trigcamp_ne1</b> Int NULL
<b>TRIGCAT</b>	<b>Primary Key:</b>	<b>PK_trigcat</b> (tcat_rid)
	<b>Foreign Keys:</b>	<b>FK_trigcat_triggers</b>
	<b>Indexes:</b>	<b>PK_trigcat</b> , <b>_WA_Sys_00000002_6602A4B7</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>dms_catlist_cod</b> Char(16) NOT NULL , <b>operator</b> Char(8) NULL , <b>tcat_rid</b> Char(16) NOT NULL , <b>time_maint</b> Char(8) NULL , <b>trig_cod</b> Char(20) NOT NULL , <b>trigcat_ce1</b> Char(10) NULL , <b>trigcat_ce2</b> Char(10) NULL , <b>trigcat_ce3</b> Char(20) NULL , <b>trigcat_de1</b> Date NULL , <b>trigcat_fe1</b> Float NULL , <b>trigcat_le1</b> Bit NULL , <b>trigcat_ne1</b> Int NULL
<b>TRIGDEPT</b>	<b>Primary Key:</b>	<b>PK_trigdept</b> (tdept_rid)
	<b>Foreign Keys:</b>	<b>FK_trigdept_triggers</b>
	<b>Indexes:</b>	<b>PK_trigdept</b> , <b>_WA_Sys_00000002_5E6182EF</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>dept_cod</b> Char(4) NULL , <b>operator</b> Char(8) NULL , <b>tdept_rid</b> Char(16) NOT NULL , <b>time_maint</b> Char(8) NULL , <b>trig_cod</b> Char(20) NOT NULL , <b>trigdept_ce1</b> Char(10) NULL , <b>trigdept_ce2</b> Char(10) NULL , <b>trigdept_ce3</b> Char(20) NULL , <b>trigdept_de1</b> Date NULL , <b>trigdept_fe1</b> Float NULL , <b>trigdept_le1</b> Bit NULL , <b>trigdept_ne1</b> Int NULL
<b>TRIGDIV</b>	<b>Primary Key:</b>	<b>PK_trigdiv</b> (tdiv_rid)
	<b>Foreign Keys:</b>	<b>FK_trigdiv_triggers</b>
	<b>Indexes:</b>	<b>PK_trigdiv</b> , <b>_WA_Sys_00000002_6049CB61</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>div_cod</b> Char(2) NULL , <b>operator</b> Char(8) NULL , <b>tdiv_rid</b> Char(16) NOT NULL , <b>time_maint</b> Char(8) NULL , <b>trig_cod</b> Char(20) NOT NULL , <b>trigdiv_ce1</b> Char(10) NULL , <b>trigdiv_ce2</b> Char(10) NULL , <b>trigdiv_ce3</b> Char(20) NULL , <b>trigdiv_de1</b> Date NULL , <b>trigdiv_fe1</b> Float NULL , <b>trigdiv_le1</b> Bit NULL , <b>trigdiv_ne1</b> Int NULL
<b>TRIGGERS</b>	<b>Primary Key:</b>	<b>PK_triggers</b> (trig_cod)
	<b>Indexes:</b>	<b>PK_triggers</b> , <b>_WA_Sys_00000003_510787D1</b> , <b>_WA_Sys_00000005_510787D1</b> , <b>_WA_Sys_00000006_510787D1</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>datetime_exe</b> Date NULL , <b>disabled</b> Bit NULL , <b>dms_feedback</b> Bit NULL , <b>grp_id</b> Int NOT NULL , <b>grp_not_method_id</b> Int NULL , <b>grp_not_msg</b> Memo NULL , <b>grp_reminderstype_rid</b> Int NULL , <b>num_days</b> Int NULL , <b>operator</b> Char(10) NULL , <b>time_maint</b> Char(10) NULL , <b>trig_cod</b> Char(20) NOT NULL , <b>trig_name</b> 239 - 100 NOT NULL , <b>trig_owner</b> Char(9) NOT NULL , <b>trig_percent</b> Int NULL , <b>trig_type_id</b> Int NOT NULL , <b>type</b> Char(10) NULL , <b>user_not_method_id</b> Int NULL , <b>user_not_msg</b> Memo NULL , <b>user_reminderstype_rid</b> Int NULL , <b>wf_owner</b> Char(9) NULL
<b>TRIGLEVEL</b>	<b>Primary Key:</b>	<b>PK_triglevel</b> (tlevel_rid)
	<b>Foreign Keys:</b>	<b>FK_triglevel_triggers</b>
	<b>Indexes:</b>	<b>PK_triglevel</b> , <b>_WA_Sys_00000002_623213D3</b>

	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>level_</b> Char(1) NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL , <b>tlevel_rid</b> Char(16) NOT NULL , <b>trig_cod</b> Char(20) NOT NULL , <b>triglevel_ce1</b> Char(10) NULL , <b>triglevel_ce2</b> Char(10) NULL , <b>triglevel_ce3</b> Char(20) NULL , <b>triglevel_de1</b> Date NULL , <b>triglevel_fe1</b> Float NULL , <b>triglevel_le1</b> Bit NULL , <b>triglevel_ne1</b> Int NULL
<b>TRIGLOG</b>	<b>Primary Key:</b>	<i>PK_triglog (triglog_rid)</i>
	<b>Indexes:</b>	<i>PK_triglog</i>
	<b>Columns:</b>	<b>datetime_exe</b> Date NULL , <b>grp_id</b> Int NOT NULL , <b>grp_not_method_id</b> Int NULL , <b>grp_not_msg</b> Memo NULL , <b>grp_reminderstype_rid</b> Int NULL , <b>num_days</b> Int NULL , <b>status</b> Memo NULL , <b>trig_cod</b> Char(20) NOT NULL , <b>trig_owner</b> Char(9) NULL , <b>trig_percent</b> Int NULL , <b>triglog1_txt</b> Memo NULL , <b>triglog2_txt</b> Memo NULL , <b>triglog3_txt</b> Memo NULL , <b>triglog_ce1</b> Char(10) NULL , <b>triglog_ce2</b> Char(10) NULL , <b>triglog_ce3</b> Char(20) NULL , <b>triglog_de1</b> Date NULL , <b>triglog_fe1</b> Float NULL , <b>triglog_le1</b> Bit NULL , <b>triglog_ne1</b> Int NULL , <b>triglog_rid</b> Int NOT NULL , <b>user_not_method_id</b> Int NULL , <b>user_not_msg</b> Memo NULL , <b>user_reminderstype_rid</b> Int NULL , <b>wf_owner</b> Char(9) NULL
<b>TRIGMOD</b>	<b>Primary Key:</b>	<i>PK_trigmod (tmod_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_trigmod_triggers</i>
	<b>Indexes:</b>	<i>PK_trigmod , _WA_Sys_00000002_641A5C45</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>mod_stat</b> Char(2) NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL , <b>tmod_rid</b> Char(16) NOT NULL , <b>trig_cod</b> Char(20) NOT NULL , <b>trigmod_ce1</b> Char(10) NULL , <b>trigmod_ce2</b> Char(10) NULL , <b>trigmod_ce3</b> Char(20) NULL , <b>trigmod_de1</b> Date NULL , <b>trigmod_fe1</b> Float NULL , <b>trigmod_le1</b> Bit NULL , <b>trigmod_ne1</b> Int NULL
<b>TRIGNOT</b>	<b>Primary Key:</b>	<i>PK_trignot (trignot_rid)</i>
	<b>Indexes:</b>	<i>PK_trignot , _WA_Sys_00000006_56C06127</i>
	<b>Columns:</b>	<b>datetime_exe</b> Date NULL , <b>e_mail</b> Char(50) NULL , <b>e_mail_msg</b> Memo NULL , <b>not_method_id</b> Int NULL , <b>rem_msg</b> Memo NULL , <b>reminders_rid</b> Int NULL , <b>soc_sec</b> Char(9) NULL , <b>trig_cod</b> Char(20) NOT NULL , <b>trig_inst_id</b> Char(50) NULL , <b>trig_owner</b> Char(9) NULL , <b>trig_owner_email</b> Char(50) NULL , <b>trignot_ce1</b> Char(10) NULL , <b>trignot_ce2</b> Char(10) NULL , <b>trignot_ce3</b> Char(20) NULL , <b>trignot_de1</b> Date NULL , <b>trignot_fe1</b> Float NULL , <b>trignot_le1</b> Bit NULL , <b>trignot_ne1</b> Int NULL , <b>trignot_rid</b> Int NOT NULL
<b>TRIGPRG</b>	<b>Primary Key:</b>	<i>PK_trigprg (tprg_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_trigprg_triggers</i>
	<b>Indexes:</b>	<i>PK_trigprg , _WA_Sys_00000002_67EAE29</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>prg_cod</b> Char(10) NOT NULL , <b>time_maint</b> Char(8) NULL , <b>tprg_rid</b> Char(16) NOT NULL , <b>trig_cod</b> Char(20) NOT NULL , <b>trigprg_ce1</b> Char(10) NULL , <b>trigprg_ce2</b> Char(10) NULL , <b>trigprg_ce3</b> Char(20) NULL , <b>trigprg_de1</b> Date NULL , <b>trigprg_fe1</b> Float NULL , <b>trigprg_le1</b> Bit NULL , <b>trigprg_ne1</b> Int NULL
<b>TRIG_TYPE</b>	<b>Primary Key:</b>	<i>PK_trig_type (trig_type_id)</i>
	<b>Indexes:</b>	<i>PK_trig_type , _WA_Sys_00000004_52EFD043</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>default_grp_msg</b> Memo NULL , <b>default_user_msg</b> Memo NULL , <b>disabled</b> Bit NULL , <b>disp_addr_type</b> Bit NULL , <b>disp_campus</b> Bit NULL , <b>disp_catlist</b> Bit NULL , <b>disp_dept</b> Bit NULL , <b>disp_division</b> Bit NULL , <b>disp_dms_feedback</b> Bit NULL , <b>disp_grp_not_msg</b> Bit NULL , <b>disp_level</b> Bit NULL , <b>disp_num_days</b> Bit NULL , <b>disp_prs</b> Bit NULL , <b>disp_query_limit</b> Bit NULL , <b>disp_status</b> Bit NULL , <b>disp_trig_percent</b> Bit NULL , <b>disp_user_not_msg</b> Bit NULL , <b>disp_wfowner</b> Bit NULL , <b>operator</b> Char(10) NULL , <b>page_instruct_rjm_cod</b> Varchar(75) NULL , <b>time_maint</b> Char(10) NULL , <b>trig_file</b> Char(25) NULL , <b>trig_type_id</b> Int NOT NULL , <b>trig_type_name</b> Char(25) NOT NULL
<b>TRMINT</b>	<b>Primary Key:</b>	<i>PK_trmint (term_int)</i>
	<b>Triggers:</b>	<i>tr_term_int_D , tr_term_int_Delete</i>

	<b>Indexes:</b>	<i>PK_trmint</i> , <i>_WA_Sys_date_maint</i> 4F72AE6C , <i>_WA_Sys_disabled</i> 4F72AE6C , <i>_WA_Sys_exclude_trm</i> 4F72AE6C , <i>_WA_Sys_operator</i> 4F72AE6C , <i>_WA_Sys_time_maint</i> 4F72AE6C , <i>_WA_Sys_trmint_ce1</i> 4F72AE6C , <i>_WA_Sys_trmint_ce2</i> 4F72AE6C , <i>_WA_Sys_trmint_ce3</i> 4F72AE6C , <i>_WA_Sys_trmint_de1</i> 4F72AE6C , <i>_WA_Sys_trmint_fe1</i> 4F72AE6C , <i>_WA_Sys_trmint_le1</i> 4F72AE6C , <i>_WA_Sys_trmint_ne1</i> 4F72AE6C
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL (DF_trmint_disabled - (0)) , <b>exclude_trm</b> Bit NOT NULL (DF_trmint_exclude_135E8FBC - (0)) , <b>operator</b> Char(8) NULL , <b>term_int</b> Char(20) NOT NULL (DF_term_int - ("")) , <b>time_maint</b> Char(8) NULL , <b>trmint_ce1</b> Char(10) NULL , <b>trmint_ce2</b> Char(10) NULL , <b>trmint_ce3</b> Char(20) NULL , <b>trmint_de1</b> Date NULL , <b>trmint_fe1</b> Float NULL , <b>trmint_le1</b> Bit NULL , <b>trmint_ne1</b> Int NULL
<b>TUITSTAT</b>	<b>Primary Key:</b>	<i>PK_tuitstat</i> (tuit_stat)
	<b>Indexes:</b>	<i>PK_tuitstat</i> , <i>_WA_Sys_cost_cred</i> 5125ECB4 , <i>_WA_Sys_date_maint</i> 5125ECB4 , <i>_WA_Sys_disabled</i> 5125ECB4 , <i>_WA_Sys_operator</i> 5125ECB4 , <i>_WA_Sys_time_maint</i> 5125ECB4 , <i>_WA_Sys_tuit_stat_txt</i> 5125ECB4 , <i>_WA_Sys_tuitstat_ce1</i> 5125ECB4 , <i>_WA_Sys_tuitstat_ce2</i> 5125ECB4 , <i>_WA_Sys_tuitstat_ce3</i> 5125ECB4 , <i>_WA_Sys_tuitstat_de1</i> 5125ECB4 , <i>_WA_Sys_tuitstat_fe1</i> 5125ECB4 , <i>_WA_Sys_tuitstat_le1</i> 5125ECB4 , <i>_WA_Sys_tuitstat_ne1</i> 5125ECB4
	<b>Columns:</b>	<b>cost_cred</b> Float NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL (DF_tuitstat_disabled - (0)) , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL , <b>tuit_stat</b> Char(2) NOT NULL , <b>tuit_stat_txt</b> Char(20) NULL , <b>tuitstat_ce1</b> Char(10) NULL , <b>tuitstat_ce2</b> Char(10) NULL , <b>tuitstat_ce3</b> Char(20) NULL , <b>tuitstat_de1</b> Date NULL , <b>tuitstat_fe1</b> Float NULL , <b>tuitstat_le1</b> Bit NULL , <b>tuitstat_ne1</b> Int NULL
<b>TUT_TCODES</b>	<b>Primary Key:</b>	<i>PK_tut_tcodes</i> (tut_tcodes_rid)
	<b>Foreign Keys:</b>	<i>FK_tut_tcodes_tcodes</i>
	<b>Indexes:</b>	<i>PK_tut_tcodes</i> , <i>_WA_Sys_no_void</i> 62D066FA , <i>_WA_Sys_refundable</i> 62D066FA , <i>_WA_Sys_tcodes</i> 62D066FA
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>disabled</b> Bit NULL , <b>no_void</b> Bit NOT NULL (DF_tut_tcode_no_vo_550C5788 - (0)) , <b>operator</b> Char(8) NULL , <b>refundable</b> Bit NOT NULL (DF_tut_tcode_refun_6AC68E7D - (0)) , <b>tcodes</b> Char(2) NOT NULL , <b>time_maint</b> Char(8) NULL , <b>tut_tcodes_ce1</b> Char(10) NULL , <b>tut_tcodes_ce2</b> Char(10) NULL , <b>tut_tcodes_ce3</b> Char(20) NULL , <b>tut_tcodes_de1</b> Date NULL , <b>tut_tcodes_fe1</b> Float NULL , <b>tut_tcodes_le1</b> Bit NULL , <b>tut_tcodes_ne1</b> Int NULL , <b>tut_tcodes_rid</b> Int NOT NULL
<b>ULOAD</b>		
	<b>Foreign Keys:</b>	<i>FK_ULOAD_name</i>
	<b>Indexes:</b>	<i>_WA_Sys_Soc_sec</i> 4ED45B45 , <i>_WA_Sys_UDescript</i> 4ED45B45 , <i>_WA_Sys_ULoad_rid</i> 4ED45B45 , <i>_WA_Sys_URights</i> 4ED45B45 , <i>_WA_Sys_Ufilename</i> 4ED45B45
	<b>Columns:</b>	<b>Soc_sec</b> Char(9) NULL , <b>UDescript</b> Char(50) NULL , <b>ULoad_ce1</b> Char(10) NULL , <b>ULoad_ce2</b> Char(10) NULL , <b>ULoad_ce3</b> Char(20) NULL , <b>ULoad_de1</b> Date NULL , <b>ULoad_fe1</b> Float NULL , <b>ULoad_le1</b> Bit NULL , <b>ULoad_ne1</b> Int NULL , <b>ULoad_rid</b> Int NOT NULL , <b>URights</b> Int NULL , <b>Ufilename</b> Varchar(250) NULL , <b>date_maint</b> Date NULL , <b>time_maint</b> Char(8) NULL
<b>UNAUTH</b>	<b>Primary Key:</b>	<i>PK_unauth</i> (unauth_rid)
	<b>Foreign Keys:</b>	<i>FK_unauth_name</i>
	<b>Indexes:</b>	<i>PK_unauth</i> , <i>_WA_Sys_soc_sec</i> 457F2FDE
	<b>Columns:</b>	<b>datedone</b> Date NULL , <b>ip</b> Char(25) NULL , <b>page</b> Char(50) NULL , <b>soc_sec</b> Char(9) NULL , <b>timedone</b> Char(8) NULL , <b>unauth_ce1</b> Char(10) NULL , <b>unauth_ce2</b> Char(10) NULL , <b>unauth_ce3</b> Char(20) NULL , <b>unauth_de1</b> Date NULL , <b>unauth_fe1</b> Float NULL , <b>unauth_le1</b> Bit NULL , <b>unauth_ne1</b> Int NULL , <b>unauth_rid</b> Int NOT NULL
<b>VC_DOC</b>	<b>Primary Key:</b>	<i>VC_Doc_rid</i> (VC_Doc_rid)
	<b>Indexes:</b>	<i>VC_Doc_rid</i> , <i>_WA_Sys</i> 00000003_7425DB85
	<b>Columns:</b>	<b>VC_Doc_rid</b> Int NOT NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NOT NULL (DF_VC_Doc_disabled_7519FFBE - ('0')) , <b>doc</b> Char(100) NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL

<b>VC_ITEM</b>	<b>Primary Key:</b>	<i>VC_item_rid (VC_item_rid)</i>
	<b>Indexes:</b>	<i>VC_item_rid , _WA_Sys_00000003_77024830 , _WA_Sys_00000007_77024830</i>
	<b>Columns:</b>	<b>VC_item_rid</b> Int NOT NULL , <b>date_maint</b> Date NULL , <b>disabled</b> Bit NOT NULL (DF VC_item_disable 77F66C69 - (0)) , <b>isir_revision</b> Char(6) NULL , <b>item</b> Char(100) NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL
<b>VENDOR</b>		
	<b>Foreign Keys:</b>	<i>FK_vendor_state</i>
<b>VISA</b>	<b>Primary Key:</b>	<i>PK_visa (visa_cod)</i>
	<b>Indexes:</b>	<i>PK_visa , _WA_Sys_00000002_49459F21 , _WA_Sys_00000003_49459F21 , _WA_Sys_00000004_49459F21 , _WA_Sys_00000005_49459F21 , _WA_Sys_00000006_49459F21 , _WA_Sys_00000007_49459F21 , _WA_Sys_00000008_49459F21 , _WA_Sys_00000009_49459F21 , _WA_Sys_0000000A_49459F21 , _WA_Sys_0000000C_49459F21 , _WA_Sys_disabled_49459F21</i>
	<b>Columns:</b>	<b>disabled</b> Bit NOT NULL (DF_visa_disabled_6ABC6CDC - (0)) , <b>resident</b> Bit NOT NULL (DF_visa_resident_4B83B8A5 - ((0))) , <b>visa_ce1</b> Char(10) NULL , <b>visa_ce2</b> Char(10) NULL , <b>visa_ce3</b> Char(20) NULL , <b>visa_class</b> Char(20) NOT NULL , <b>visa_cod</b> Char(3) NOT NULL , <b>visa_de1</b> Date NULL , <b>visa_desc</b> Char(50) NOT NULL , <b>visa_fe1</b> Float NULL , <b>visa_le1</b> Bit NULL , <b>visa_ne1</b> Int NULL
<b>WAGEDBL</b>	<b>Primary Key:</b>	<i>PK_wagedbl (wagedbl_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_wagedbl_name</i>
	<b>Indexes:</b>	<i>PK_wagedbl , _WA_Sys_soc_sec_485B9C89</i>
	<b>Columns:</b>	<b>bal30</b> Float NULL , <b>bal60</b> Float NULL , <b>bal90</b> Float NULL , <b>bal90p</b> Float NULL , <b>date_maint</b> Date NULL , <b>first_name</b> Char(30) NULL , <b>last_name</b> Char(30) NULL , <b>mi</b> Char(15) NULL , <b>operator</b> Char(8) NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>time_maint</b> Char(8) NULL , <b>total</b> Float NULL , <b>wagedbl_ce1</b> Char(10) NULL , <b>wagedbl_ce2</b> Char(10) NULL , <b>wagedbl_ce3</b> Char(20) NULL , <b>wagedbl_de1</b> Date NULL , <b>wagedbl_fe1</b> Float NULL , <b>wagedbl_le1</b> Bit NULL , <b>wagedbl_ne1</b> Int NULL , <b>wagedbl_rid</b> Int NOT NULL
<b>WAITLIST</b>	<b>Primary Key:</b>	<i>PK_waitlist (wait_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_waitlist_course , FK_waitlist_name , FK_waitlist_semester</i>
	<b>Indexes:</b>	<i>PK_waitlist , crs_id , semester , soc_sec</i>
	<b>Columns:</b>	<b>crs_id</b> Char(16) NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>sch_yr</b> Char(6) NULL , <b>semester</b> Char(2) NOT NULL , <b>soc_sec</b> Char(9) NOT NULL , <b>time_maint</b> Char(8) NULL , <b>wait_rid</b> Char(16) NOT NULL , <b>waitlist_ce1</b> Char(10) NULL , <b>waitlist_ce2</b> Char(10) NULL , <b>waitlist_ce3</b> Char(20) NULL , <b>waitlist_de1</b> Date NULL , <b>waitlist_fe1</b> Float NULL , <b>waitlist_le1</b> Bit NULL , <b>waitlist_ne1</b> Int NULL
<b>WEBADMC</b>	<b>Primary Key:</b>	<i>PK_webadmc_1 (webadmc_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_webadmc_webadmt</i>
	<b>Indexes:</b>	<i>PK_webadmc_1 , _WA_Sys_00000002_26E59A25 , _WA_Sys_col_26E59A25 , _WA_Sys_dtype_26E59A25 , _WA_Sys_keycol_26E59A25 , _WA_Sys_skip_26E59A25 , _WA_Sys_sortcol_26E59A25 , _WA_Sys_sys_26E59A25 , _WA_Sys_txt_26E59A25 , _WA_Sys_width_26E59A25</i>
	<b>Columns:</b>	<b>col</b> Char(25) NULL , <b>dtype</b> Char(5) NULL , <b>keycol</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>skip</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>sortcol</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>sys</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>table_</b> Varchar(25) NOT NULL , <b>txt</b> Char(35) NULL , <b>webadmc_ce1</b> Char(10) NULL , <b>webadmc_ce2</b> Char(10) NULL , <b>webadmc_ce3</b> Char(20) NULL , <b>webadmc_de1</b> Date NULL , <b>webadmc_fe1</b> Float NULL , <b>webadmc_le1</b> Bit NULL , <b>webadmc_ne1</b> Int NULL , <b>webadmc_rid</b> Int NOT NULL , <b>width</b> Int NULL
<b>WEBADMT</b>	<b>Primary Key:</b>	<i>PK_webadmt (table_)</i>
	<b>Indexes:</b>	<i>PK_webadmt , _WA_Sys_00000001_0DA4EB0F , _WA_Sys_blnk_rqd_0DA4EB0F , _WA_Sys_txt_0DA4EB0F</i>

	<b>Columns:</b>	<b>blnk_rqd</b> Char(10) NULL , <b>table_</b> Varchar(25) NOT NULL , <b>txt</b> Char(35) NULL , <b>webadmt_ce1</b> Char(10) NULL , <b>webadmt_ce2</b> Char(10) NULL , <b>webadmt_ce3</b> Char(20) NULL , <b>webadmt_de1</b> Date NULL , <b>webadmt_fe1</b> Float NULL , <b>webadmt_le1</b> Bit NULL , <b>webadmt_ne1</b> Int NULL
<b>WEBBAR</b>	<b>Primary Key:</b>	<b>PK_webbar</b> (webbar_rid)
	<b>Indexes:</b>	<b>PK_webbar</b> , <b>_WA_Sys_bar_4C2C2D6D</b> , <b>_WA_Sys_link_4C2C2D6D</b> , <b>_WA_Sys_name_4C2C2D6D</b> , <b>_WA_Sys_skip_4C2C2D6D</b> , <b>_WA_Sys_tabname_4C2C2D6D</b>
	<b>Columns:</b>	<b>bar</b> Char(20) NULL , <b>link</b> Char(50) NULL , <b>name</b> Char(50) NULL , <b>skip</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>tabname</b> Char(50) NULL , <b>webbar_ce1</b> Char(10) NULL , <b>webbar_ce2</b> Char(10) NULL , <b>webbar_ce3</b> Char(20) NULL , <b>webbar_de1</b> Date NULL , <b>webbar_fe1</b> Float NULL , <b>webbar_le1</b> Bit NULL , <b>webbar_ne1</b> Int NULL , <b>webbar_rid</b> Int NOT NULL
<b>WEBBIO</b>	<b>Primary Key:</b>	<b>PK_webbio</b> (soc_sec)
	<b>Foreign Keys:</b>	<b>FK_webbio_country</b> , <b>FK_webbio_name</b> , <b>FK_webbio_state</b>
	<b>Triggers:</b>	<b>tr_WEB_cell_provider_I</b> , <b>tr_WEB_cell_provider_U</b>
	<b>Indexes:</b>	<b>PK_webbio</b> , <b>_WA_Sys_country_579DE019</b> , <b>_WA_Sys_last_name_579DE019</b> , <b>_WA_Sys_mod_stat_579DE019</b> , <b>_WA_Sys_state_579DE019</b>
	<b>Columns:</b>	<b>add_add2</b> Char(35) NULL , <b>add_addr</b> Char(35) NULL , <b>cell_Phone</b> Char(15) NULL , <b>cell_provider</b> Varchar(35) NULL , <b>city</b> Char(35) NULL , <b>country</b> Char(25) NULL , <b>e_mail</b> Char(50) NULL , <b>fax</b> Char(15) NULL , <b>first_name</b> Char(30) NULL , <b>hide_name</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>last_name</b> Char(30) NULL , <b>mi</b> Char(15) NULL , <b>mod_stat</b> Char(2) NULL , <b>my_profile</b> Memo NULL , <b>nickname</b> Char(100) NULL (DF_webbio_nickname_6F21FA9D - (NULL)) , <b>notpubname</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>nsrch_block</b> Bit NULL (DF_webbio_nsrch_block - (0)) , <b>operator</b> Varchar(8) NULL , <b>phone</b> Char(15) NULL , <b>pin</b> Varchar(250) NULL , <b>pin_changed_date</b> Date NOT NULL (DF_webbio_pin_chan_50A7951E - ('12/31/1899')) , <b>show_addr</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>show_email</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>show_my_profile</b> Bit NOT NULL (DF_webbio_show_my_403C232B - (0)) , <b>show_phone</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>show_photo</b> Bit NOT NULL (DF_webbio_show_pho_619D16F6 - (0)) , <b>show_wkphn</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>soc_sec</b> Char(9) NOT NULL , <b>st_addr</b> Char(35) NULL , <b>st_name</b> Char(30) NULL , <b>st_num</b> Char(6) NULL , <b>state</b> Char(2) NULL , <b>text_me</b> Bit NOT NULL (DF_webbio_text_me_067995EA - (0)) , <b>type</b> Char(10) NULL , <b>webbio_ce1</b> Char(10) NULL , <b>webbio_ce2</b> Char(10) NULL , <b>webbio_ce3</b> Char(20) NULL , <b>webbio_de1</b> Date NULL , <b>webbio_fe1</b> Float NULL , <b>webbio_le1</b> Bit NULL , <b>webbio_ne1</b> Int NULL , <b>work_phone</b> Varchar(25) NULL , <b>zip</b> Char(10) NULL
<b>WEBCOL</b>	<b>Primary Key:</b>	<b>PK_webcol</b> (column_)
	<b>Indexes:</b>	<b>PK_webcol</b> , <b>_WA_Sys_00000008_0F8D3381</b> , <b>_WA_Sys_default_0F8D3381</b> , <b>_WA_Sys_desc_0F8D3381</b> , <b>_WA_Sys_dname_0F8D3381</b> , <b>_WA_Sys_dropfile_0F8D3381</b> , <b>_WA_Sys_dtype_0F8D3381</b> , <b>_WA_Sys_gridselect_0F8D3381</b> , <b>_WA_Sys_itype_0F8D3381</b> , <b>_WA_Sys_keycol_0F8D3381</b> , <b>_WA_Sys_maxlength_0F8D3381</b> , <b>_WA_Sys_r_set_0F8D3381</b> , <b>_WA_Sys_required_0F8D3381</b> , <b>_WA_Sys_size_0F8D3381</b> , <b>_WA_Sys_skip_0F8D3381</b> , <b>_WA_Sys_sortcol_0F8D3381</b> , <b>_WA_Sys_uname_0F8D3381</b> , <b>_WA_Sys_webcol_ce1_0F8D3381</b> , <b>_WA_Sys_webcol_ce2_0F8D3381</b> , <b>_WA_Sys_webcol_ce3_0F8D3381</b> , <b>_WA_Sys_webcol_de1_0F8D3381</b> , <b>_WA_Sys_webcol_fe1_0F8D3381</b> , <b>_WA_Sys_webcol_le1_0F8D3381</b> , <b>_WA_Sys_webcol_ne1_0F8D3381</b>
	<b>Columns:</b>	<b>column_</b> Char(30) NOT NULL , <b>corp_name</b> Varchar(30) NULL , <b>def_val</b> Varchar(500) NULL , <b>default</b> Bit NULL , <b>desc</b> Char(75) NULL , <b>dname</b> Char(35) NULL , <b>dropfile</b> Char(30) NULL , <b>dtype</b> Char(4) NULL , <b>gridselect</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>itype</b> Char(8) NULL , <b>keycol</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>maxlength</b> Int NULL , <b>qpercent</b> Int NOT NULL (DF_webcol_qpercent_748FEFD9 - (60)) , <b>r_set</b> Char(10) NULL , <b>required</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>size</b> Int NULL , <b>skip</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>sortcol</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>uname</b> Char(35) NULL , <b>webcol_ce1</b> Char(10) NULL , <b>webcol_ce2</b> Char(10) NULL , <b>webcol_ce3</b> Char(20) NULL ,



		<b>webcol_de1</b> Date NULL , <b>webcol_fe1</b> Float NULL , <b>webcol_le1</b> Bit NULL , <b>webcol_ne1</b> Int NULL
<b>WEBCOLOR</b>	<b>Primary Key:</b>	<i>PK_webcolor (display)</i>
	<b>Indexes:</b>	<i>PK_webcolor</i>
	<b>Columns:</b>	<b>color</b> Char(50) NULL , <b>display</b> Char(50) NOT NULL , <b>webcolor_ce1</b> Char(10) NULL , <b>webcolor_ce2</b> Char(10) NULL , <b>webcolor_ce3</b> Char(20) NULL , <b>webcolor_de1</b> Date NULL , <b>webcolor_fe1</b> Float NULL , <b>webcolor_le1</b> Bit NULL , <b>webcolor_ne1</b> Int NULL
<b>WEBCONV</b>	<b>Primary Key:</b>	<i>PK_webconv (ref)</i>
	<b>Indexes:</b>	<i>PK_webconv</i>
	<b>Columns:</b>	<b>desc</b> Char(50) NULL , <b>newname</b> Char(50) NULL , <b>orig</b> Char(50) NULL , <b>ref</b> Char(50) NOT NULL , <b>webconv_ce1</b> Char(10) NULL , <b>webconv_ce2</b> Char(10) NULL , <b>webconv_ce3</b> Char(20) NULL , <b>webconv_de1</b> Date NULL , <b>webconv_fe1</b> Float NULL , <b>webconv_le1</b> Bit NULL , <b>webconv_ne1</b> Int NULL
<b>WEBEDIT</b>	<b>Primary Key:</b>	<i>PK_webedit (webedit rid)</i>
	<b>Indexes:</b>	<i>PK_webedit , _WA_Sys_alumn_6033261A , _WA_Sys_display_6033261A , _WA_Sys_fac_6033261A , _WA_Sys_ref_6033261A , _WA_Sys_user_edit_6033261A</i>
	<b>Columns:</b>	<b>alumn</b> Bit NULL (DF webedit_alumn - (0)) , <b>display</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>fac</b> Int NOT NULL (DF_webedit_fac_4E6A46F1 - (0)) , <b>ref</b> Char(50) NOT NULL , <b>user_edit</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>webedit_ce1</b> Char(10) NULL , <b>webedit_ce2</b> Char(10) NULL , <b>webedit_ce3</b> Char(20) NULL , <b>webedit_de1</b> Date NULL , <b>webedit_fe1</b> Float NULL , <b>webedit_le1</b> Bit NULL , <b>webedit_ne1</b> Int NULL , <b>webedit_rid</b> Int NOT NULL
<b>WEBFIN</b>	<b>Primary Key:</b>	<i>PK_webfin (l rid)</i>
	<b>Foreign Keys:</b>	<i>FK_webfin_weblist0</i>
	<b>Indexes:</b>	<i>PK_webfin , _WA_Sys_00000003_11757BF3 , _WA_Sys_date_maint_11757BF3 , _WA_Sys_fin_ce1_11757BF3 , _WA_Sys_fin_le1_11757BF3 , _WA_Sys_fin_mes_11757BF3 , _WA_Sys_fin_ne1_11757BF3 , _WA_Sys_operator_11757BF3 , _WA_Sys_time_maint_11757BF3</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>fin_ce1</b> Char(10) NULL , <b>fin_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>fin_mes</b> Char(75) NULL , <b>fin_ne1</b> Float NULL , <b>fin_page</b> Char(40) NULL , <b>fin_txt</b> Char(40) NULL , <b>l_rid</b> Char(16) NOT NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL , <b>webfin_ce1</b> Char(10) NULL , <b>webfin_ce2</b> Char(10) NULL , <b>webfin_ce3</b> Char(20) NULL , <b>webfin_de1</b> Date NULL , <b>webfin_fe1</b> Float NULL , <b>webfin_le1</b> Bit NULL , <b>webfin_ne1</b> Int NULL
<b>WEBFUNCS</b>	<b>Primary Key:</b>	<i>PK_webfuncs (wtspage)</i>
	<b>Indexes:</b>	<i>PK_webfuncs</i>
	<b>Columns:</b>	<b>addpage</b> Char(50) NULL , <b>date</b> Char(50) NULL , <b>operator</b> Char(50) NULL , <b>webfuncs_ce1</b> Char(10) NULL , <b>webfuncs_ce2</b> Char(10) NULL , <b>webfuncs_ce3</b> Char(20) NULL , <b>webfuncs_de1</b> Date NULL , <b>webfuncs_fe1</b> Float NULL , <b>webfuncs_le1</b> Bit NULL , <b>webfuncs_ne1</b> Int NULL , <b>wtspage</b> Char(50) NOT NULL
<b>WEBFUNCT</b>	<b>Primary Key:</b>	<i>PK_webfunct (id)</i>
	<b>Indexes:</b>	<i>PK_webfunct</i>
	<b>Columns:</b>	<b>function</b> Char(15) NULL , <b>id</b> Float NOT NULL , <b>page</b> Char(25) NULL , <b>webfunct_ce1</b> Char(10) NULL , <b>webfunct_ce2</b> Char(10) NULL , <b>webfunct_ce3</b> Char(20) NULL , <b>webfunct_de1</b> Date NULL , <b>webfunct_fe1</b> Float NULL , <b>webfunct_le1</b> Bit NULL , <b>webfunct_ne1</b> Int NULL
<b>WEBHELP</b>	<b>Primary Key:</b>	<i>PK_webhelp (page)</i>
	<b>Indexes:</b>	<i>PK_webhelp , _WA_Sys_allow_em_15460CD7 , _WA_Sys_skip_15460CD7 , _WA_Sys_timestamp_column_15460CD7</i>
	<b>Columns:</b>	<b>allow_em</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>desc</b> Memo NULL , <b>page</b> Char(50) NOT NULL , <b>skip</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>timestamp_column</b> Timestamp NULL , <b>webhelp_ce1</b> Char(10) NULL , <b>webhelp_ce2</b> Char(10) NULL , <b>webhelp_ce3</b> Char(20) NULL , <b>webhelp_de1</b> Date NULL , <b>webhelp_fe1</b> Float NULL , <b>webhelp_le1</b> Bit NULL , <b>webhelp_ne1</b> Int NULL

<b>WEBHOME</b>	<b>Primary Key:</b>	<i>PK_webhome (webhome_rid)</i>
	<b>Indexes:</b>	<i>PK_webhome , _WA_Sys_00000002_49666609 , _WA_Sys_00000003_49666609 , _WA_Sys_00000004_49666609 , _WA_Sys_00000007_49666609</i>
	<b>Columns:</b>	<i>call_func 239 - 100 NULL , column_239 - 60 NOT NULL , column_num Int NOT NULL , date_maint Date NULL , disp_order Int NOT NULL , disp_text Memo NULL , disp_top Bit NULL , el_cod Char(20) NOT NULL , el_txt 239 - 60 NULL , hide_border Bit NOT NULL , hide_border_chkbx Bit NOT NULL , home_type Char(20) NOT NULL , html_edit Bit NULL , operator Char(20) NULL , row Int NULL , skip Bit NOT NULL , subitem Char(20) NOT NULL , time_maint Char(8) NULL , webhome_rid Int NOT NULL</i>
<b>WEBHOMELAYOUT</b>	<b>Primary Key:</b>	<i>PK_webhomelayout (web_layout_id)</i>
	<b>Indexes:</b>	<i>PK_webhomelayout , _WA_Sys_00000006_4689F95E</i>
	<b>Columns:</b>	<i>default_layout Bit NULL , description Nvarchar(400) NOT NULL , disabled Bit NOT NULL , maxcols Int NOT NULL , maxrows Int NOT NULL , name 239 - 40 NOT NULL , web_layout_id Char(15) NOT NULL</i>
<b>WEBHOMELAYOUTDETAIL</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000002_487241D0</i>
	<b>Columns:</b>	<i>colnum Int NOT NULL , colwidth Int NOT NULL , layoutdetail_rid Int NOT NULL , rownum Int NOT NULL , rownumcolumns Int NOT NULL , web_layout_id Char(15) NOT NULL</i>
<b>WEBHOMEOPTS</b>	<b>Primary Key:</b>	<i>PK_webhomeopts (webhomeopts_rid)</i>
	<b>Indexes:</b>	<i>PK_webhomeopts , _WA_Sys_00000002_44A1B0EC , _WA_Sys_00000004_44A1B0EC , _WA_Sys_00000009_44A1B0EC</i>
	<b>Columns:</b>	<i>date_maint Date NULL , default_page Bit NOT NULL , disabled Bit NULL , home_desc 239 - 40 NULL , home_type Char(20) NOT NULL , operator Char(20) NULL , time_maint Char(8) NULL , web_layout_id Char(15) NOT NULL , webhomeopts_rid Int NOT NULL</i>
<b>WEBICONS</b>	<b>Primary Key:</b>	<i>PK_webicons (webicons_rid)</i>
	<b>Indexes:</b>	<i>PK_webicons , _WA_Sys_custom_icon_6403B6FE , _WA_Sys_image_6403B6FE , _WA_Sys_link_6403B6FE , _WA_Sys_page_6403B6FE , _WA_Sys_skip_6403B6FE , _WA_Sys_title_6403B6FE</i>
	<b>Columns:</b>	<i>custom_icon Bit NOT NULL (DF_webicons_custom_593CDB1F - (0)) , image Char(50) NULL , link Char(254) NULL , page Char(50) NULL , skip Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , title Char(50) NULL , webicons_ce1 Char(10) NULL , webicons_ce2 Char(10) NULL , webicons_ce3 Char(20) NULL , webicons_de1 Date NULL , webicons_fe1 Float NULL , webicons_le1 Bit NULL , webicons_ne1 Int NULL , webicons_rid Int NOT NULL</i>
<b>WEBLIST</b>	<b>Primary Key:</b>	<i>PK_weblist (weblist_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_weblist_weblist0 , FK_weblist_webprof</i>
	<b>Triggers:</b>	<i>tr_profiles_disabled_U , tr_profiles_ldisp_only_U</i>
	<b>Indexes:</b>	<i>PK_weblist , _WA_Sys_date_maint_65EBFF70 , _WA_Sys_disabled_65EBFF70 , _WA_Sys_dismessage_65EBFF70 , _WA_Sys_l_page_65EBFF70 , _WA_Sys_l_rid_65EBFF70 , _WA_Sys_l_txt_65EBFF70 , _WA_Sys_ldisp_only_65EBFF70 , _WA_Sys_list_65EBFF70 , _WA_Sys_mod_stat_65EBFF70 , _WA_Sys_operator_65EBFF70 , _WA_Sys_position_65EBFF70 , _WA_Sys_time_maint_65EBFF70 , _WA_Sys_weblist_ce1_65EBFF70 , _WA_Sys_weblist_ce2_65EBFF70 , _WA_Sys_weblist_ce3_65EBFF70 , _WA_Sys_weblist_de1_65EBFF70 , _WA_Sys_weblist_fe1_65EBFF70 , _WA_Sys_weblist_le1_65EBFF70 , _WA_Sys_weblist_ne1_65EBFF70 , _WA_Sys_weblst_ce1_65EBFF70 , _WA_Sys_weblst_le1_65EBFF70 , _WA_Sys_weblst_ne1_65EBFF70 , weblist</i>
	<b>Columns:</b>	<i>date_maint Date NULL , disabled Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , dismessage Char(50) NULL , l_page Char(40) NULL , l_rid Char(16) NULL , l_txt Char(40) NULL , ldisp_only Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , list Char(2) NULL , mod_stat Char(2) NULL , operator Char(8) NULL , position Char(2) NULL , prof_cod Char(10) NULL , time_maint Char(8) NULL , weblist_ce1 Char(10) NULL , weblist_ce2 Char(10) NULL , weblist_ce3 Char(20) NULL , weblist_de1 Date NULL , weblist_fe1 Float NULL , weblist_le1 Bit NULL , weblist_ne1 Int NULL , weblist_rid</i>

		<i>Int</i> NOT NULL , <b>weblst_ce1</b> <i>Char(10)</i> NULL , <b>weblst_le1</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>weblst_ne1</b> <i>Int</i> NULL
<b>WEBLIST0</b>	<b>Primary Key:</b>	<i>PK_weblst0 (l_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_weblst0_webprof</i>
	<b>Indexes:</b>	<i>PK_weblst0 , _WA_Sys_date_maint_1AFEE62D , _WA_Sys_disabled_1AFEE62D , _WA_Sys_dismessage_1AFEE62D , _WA_Sys_l_page_1AFEE62D , _WA_Sys_l_txt_1AFEE62D , _WA_Sys_ldisp_only_1AFEE62D , _WA_Sys_list_1AFEE62D , _WA_Sys_mod_stat_1AFEE62D , _WA_Sys_operator_1AFEE62D , _WA_Sys_position_1AFEE62D , _WA_Sys_prof_cod_1AFEE62D , _WA_Sys_time_maint_1AFEE62D , _WA_Sys_user_page_1AFEE62D , _WA_Sys_weblst0_ce1_1AFEE62D , _WA_Sys_weblst0_ce2_1AFEE62D , _WA_Sys_weblst0_ce3_1AFEE62D , _WA_Sys_weblst0_de1_1AFEE62D , _WA_Sys_weblst0_fe1_1AFEE62D , _WA_Sys_weblst0_le1_1AFEE62D , _WA_Sys_weblst0_ne1_1AFEE62D , _WA_Sys_weblst_ce1_1AFEE62D , _WA_Sys_weblst_le1_1AFEE62D , _WA_Sys_weblst_ne1_1AFEE62D , weblst0</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>disabled_off</b> <i>Int</i> NOT NULL ( <i>DF_weblst0_disabl_6582B673 - (0)</i> ) , <b>disabled_on</b> <i>Int</i> NOT NULL ( <i>DF_weblst0_disabl_648E923A - (0)</i> ) , <b>dismessage</b> <i>Char(50)</i> NULL , <b>l_page</b> <i>Char(40)</i> NULL , <b>l_rid</b> <i>Char(16)</i> NOT NULL , <b>l_txt</b> <i>Char(40)</i> NULL , <b>ldisp_only</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>ldisp_only_off</b> <i>Int</i> NOT NULL ( <i>DF_weblst0_ldisp_676AFEE5 - (0)</i> ) , <b>ldisp_only_on</b> <i>Int</i> NOT NULL ( <i>DF_weblst0_ldisp_6676DAAC - (0)</i> ) , <b>list</b> <i>Char(2)</i> NULL , <b>mod_stat</b> <i>Char(2)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>position</b> <i>Char(2)</i> NULL , <b>prof_cod</b> <i>Char(10)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>user_page</b> <i>Bit</i> NULL , <b>weblst0_ce1</b> <i>Char(10)</i> NULL , <b>weblst0_ce2</b> <i>Char(10)</i> NULL , <b>weblst0_ce3</b> <i>Char(20)</i> NULL , <b>weblst0_de1</b> <i>Date</i> NULL , <b>weblst0_fe1</b> <i>Float</i> NULL , <b>weblst0_le1</b> <i>Bit</i> NULL , <b>weblst0_ne1</b> <i>Int</i> NULL , <b>weblst_ce1</b> <i>Char(10)</i> NULL , <b>weblst_le1</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>weblst_ne1</b> <i>Int</i> NULL
<b>WEBLOG</b>	<b>Primary Key:</b>	<i>PK_weblog (weblog_rid)</i>
	<b>Indexes:</b>	<i>PK_weblog , _WA_Sys_00000006_71E7C201 , _WA_Sys_0000000F_71E7C201 , _WA_Sys_date_maint_71E7C201 , action , user_id</i>
	<b>Columns:</b>	<b>action</b> <i>Char(2)</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>descript</b> <i>Char(250)</i> NULL , <b>ldap_id</b> <i>Varchar(50)</i> NULL , <b>sessionid</b> <i>Varchar(100)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>user_id</b> <i>Char(50)</i> NULL , <b>weblog_ce1</b> <i>Char(10)</i> NULL , <b>weblog_ce2</b> <i>Char(10)</i> NULL , <b>weblog_ce3</b> <i>Char(20)</i> NULL , <b>weblog_de1</b> <i>Date</i> NULL , <b>weblog_fe1</b> <i>Float</i> NULL , <b>weblog_le1</b> <i>Bit</i> NULL , <b>weblog_ne1</b> <i>Int</i> NULL , <b>weblog_rid</b> <i>Int</i> NOT NULL
<b>WEBLOGIN</b>	<b>Primary Key:</b>	<i>PK_weblogin (loginpage)</i>
	<b>Indexes:</b>	<i>PK_weblogin , _WA_Sys_date_maint_172E5549 , _WA_Sys_dismessage_172E5549 , _WA_Sys_enable_172E5549 , _WA_Sys_operator_172E5549 , _WA_Sys_sepcolor_172E5549 , _WA_Sys_sess_mod_172E5549 , _WA_Sys_tabcolor_172E5549 , _WA_Sys_text_172E5549 , _WA_Sys_time_maint_172E5549 , _WA_Sys_web_rtn_172E5549</i>
	<b>Columns:</b>	<b>CSSFile</b> <i>Char(50)</i> NULL , <b>CSSFile2</b> <i>Char(50)</i> NULL , <b>Home_Sep_Color</b> <i>Char(15)</i> NOT NULL ( <i>DF_weblogin_Home_S_1DDC1E2F - ('lightgrey')</i> ) , <b>Title_Banner_color</b> <i>Char(15)</i> NOT NULL ( <i>DF_weblogin_Title_1CE7F9F6 - ('lightgrey')</i> ) , <b>UD_Page</b> <i>Char(50)</i> NOT NULL ( <i>DF_weblogin_UD_Pag_24891BBE - (")</i> ) , <b>date_maint</b> <i>Date</i> NULL , <b>dismessage</b> <i>Char(50)</i> NULL , <b>enable</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>feedback_memo</b> <i>Memo</i> NULL , <b>home</b> <i>Bit</i> NULL , <b>loginpage</b> <i>Char(20)</i> NOT NULL , <b>module</b> <i>Char(20)</i> NULL , <b>operator</b> <i>Char(8)</i> NULL , <b>page_color</b> <i>Char(15)</i> NULL , <b>remove_footer</b> <i>Bit</i> NOT NULL ( <i>DF_weblogin_remove_3D3FBAEF - (0)</i> ) , <b>remove_side_photo</b> <i>Bit</i> NOT NULL ( <i>DF_weblogin_remove_3E33DF28 - (0)</i> ) , <b>sepcolor</b> <i>Char(15)</i> NULL , <b>sess_mod</b> <i>Char(20)</i> NULL , <b>standard_banner</b> <i>Bit</i> NOT NULL ( <i>DF_weblogin_stand_126B36DA - ((1))</i> ) , <b>tabcolor</b> <i>Char(15)</i> NULL , <b>text</b> <i>Char(50)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>web_rtn</b> <i>Char(75)</i> NULL , <b>weblogin_ce1</b> <i>Char(10)</i> NULL , <b>weblogin_ce2</b> <i>Char(10)</i> NULL , <b>weblogin_ce3</b> <i>Char(20)</i> NULL , <b>weblogin_de1</b> <i>Date</i> NULL , <b>weblogin_fe1</b> <i>Float</i> NULL , <b>weblogin_le1</b> <i>Bit</i> NULL , <b>weblogin_ne1</b> <i>Int</i> NULL
<b>WEBMODS</b>	<b>Primary Key:</b>	<i>PK_webmods (module)</i>
	<b>Indexes:</b>	<i>PK_webmods</i>

	<b>Columns:</b>	<b>enable</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>module</b> Char(20) NOT NULL , <b>secpage</b> Char(50) NULL , <b>sepcolor</b> Char(30) NULL , <b>tabcolor</b> Char(30) NULL , <b>text</b> Char(50) NULL , <b>webmods_ce1</b> Char(10) NULL , <b>webmods_ce2</b> Char(10) NULL , <b>webmods_ce3</b> Char(20) NULL , <b>webmods_de1</b> Date NULL , <b>webmods_fe1</b> Float NULL , <b>webmods_le1</b> Bit NULL , <b>webmods_ne1</b> Int NULL
<b>WEBNOTES</b>	<b>Primary Key:</b>	<i>PK_webnotes (page)</i>
	<b>Indexes:</b>	<i>PK_webnotes , _WA_Sys_active_6BA4D8C6</i>
	<b>Columns:</b>	<b>active</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>date_maint</b> Date NULL , <b>memo</b> Memo NULL , <b>operator</b> Char(8) NULL , <b>page</b> Char(50) NOT NULL , <b>time_maint</b> Char(8) NULL , <b>timestamp_column</b> Timestamp NULL , <b>webnotes_ce1</b> Char(10) NULL , <b>webnotes_ce2</b> Char(10) NULL , <b>webnotes_ce3</b> Char(20) NULL , <b>webnotes_de1</b> Date NULL , <b>webnotes_fe1</b> Float NULL , <b>webnotes_le1</b> Bit NULL , <b>webnotes_ne1</b> Int NULL
<b>WEBOPTS</b>	<b>Primary Key:</b>	<i>PK_webopts (webopts rid)</i>
	<b>Foreign Keys:</b>	<i>FK_webopts_grades</i>
	<b>Triggers:</b>	<i>tr_pin_min_U</i>
	<b>Indexes:</b>	<i>PK_webopts , _WA_Sys_00000074_4A83DC1D</i>
	<b>Columns:</b>	<b>API_LOG</b> Bit NOT NULL (DF_webopts_API_LOG_041D1783 - ((0))) , <b>BITL_Dir</b> Varchar(150) NULL , <b>Bodysize</b> Int NOT NULL (DF_webopts_Bodysize_12D54B2E - ((10))) , <b>CE_regsem</b> Char(2) NULL , <b>CE_regyr</b> Char(6) NULL , <b>FAC_REGCE</b> Bit NOT NULL (DF_webopts_FAC_REG_0FF8132C - (0)) , <b>QB_Return_No</b> Int NOT NULL (DF_webopts_QB_Retu_42EE72A4 - ('3500')) , <b>TextbookBSInput</b> Bit NOT NULL (DF_webopts_Textboo_413B345C - ('0')) , <b>activity_ct</b> Int NOT NULL (DF_webopts_activit_75B91E3C - (0)) , <b>adv_transcript</b> Bit NOT NULL (DF_webopts_adv_tra_417A6027 - ('1')) , <b>adv_vw_all</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>advisee_health</b> Bit NOT NULL (DF_webopts_advisee_647983A1 - ('0')) , <b>all_color</b> Char(15) NOT NULL (DF_webopts_all_col_6EF71214 - ('silver')) , <b>allowwd</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>alphasp</b> Char(1) NULL , <b>alphast</b> Char(1) NULL , <b>aluupd</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>appupd</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>archgrade</b> Int NOT NULL (DF_webopts_archgra_4362A899 - ('0')) , <b>auto_repeat</b> Bit NULL , <b>batch_dir</b> Char(150) NULL , <b>blackbaud</b> Bit NULL , <b>bodycolor</b> Char(15) NULL , <b>bodyfont</b> Char(25) NULL , <b>cachtime</b> Int NULL , <b>cal_on</b> Bit NOT NULL (DF_webopts_cal_on_471E2AE4 - (1)) , <b>cereg_end_time</b> Char(10) NULL (DF_webopts_cereg_e_3E5EC7B1 - ('10:00 PM')) , <b>cereg_st_time</b> Char(10) NULL (DF_webopts_cereg_s_3D6AA378 - ('08:00 AM')) , <b>ceregstart</b> Date NULL , <b>ceregstop</b> Date NULL , <b>crs_num_start</b> Int NULL , <b>crystalrpt</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>date_maint</b> Date NULL , <b>def_ys</b> Char(3) NULL , <b>demo</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>display_ID_in_fac</b> Bit NOT NULL (DF_webopts_display_694925B6 - ((1))) , <b>e_cashier</b> Bit NOT NULL (DF_webopts_e_cashi_1E7B3CAD - (0)) , <b>e_cashier_name</b> Char(50) NULL , <b>enrld_only</b> Bit NOT NULL (DF_webopts_enrld_o_4FE87B0F - (0)) , <b>enroll_option</b> Bit NULL , <b>err_sender_email</b> Char(100) NULL , <b>exam_id</b> Bit NULL , <b>fac_eval</b> Bit NOT NULL (DF_webopts_fac_eva_12DF6CCF - (0)) , <b>fac_regAU</b> Bit NOT NULL (DF_webopts_fac_reg_10EC3765 - (0)) , <b>fac_regmulti</b> Bit NULL , <b>faculty_photo_upload</b> Bit NOT NULL (DF_webopts_faculty_0175B502 - ((0))) , <b>facupd</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>fill_char</b> Char(1) NOT NULL (DF_WEBOPTS_fill_ch_72DCB191 - ('x')) , <b>finaidimport</b> Char(1) NULL (DF_webopts_finaidimport - (0)) , <b>final_grade_path</b> Varchar(100) NULL , <b>gen_ap</b> Int NOT NULL , <b>gen_inv_no</b> Bit NULL , <b>gen_st</b> Int NOT NULL , <b>gradebook_finalgrades</b> Bit NOT NULL (DF_webopts_gradebo_6FC1191B - ((0))) , <b>home</b> Char(75) NULL , <b>incl_excluded</b> Bit NOT NULL (DF_webopts_incl_ex_4EF456D6 - (0)) , <b>incl_neg</b> Bit NOT NULL (DF_webopts_incl_ne_4D0C0E64 - (0)) , <b>incl_pos</b> Bit NOT NULL (DF_webopts_incl_po_4E00329D - (1)) , <b>key</b> Char(50) NULL , <b>login_order</b> Bit NULL , <b>login_retries</b> Int NOT NULL (DF_webopts_login_r_10622780 - (3)) , <b>loginid</b> Char(2) NULL , <b>max_attachment</b> Int NOT NULL (DF_webopts_max_att_75CEF82C - ('10')) , <b>maxr</b> Int NULL , <b>maxr2</b> Int NULL , <b>maxregrow</b> Int NULL , <b>maxrsrch</b> Int NULL , <b>namesearch_pages</b> Int NOT NULL (DF_webopts_namesea_7F39322C - ((40))) , <b>new_pin_set</b> Int NOT NULL

(DF WEBOPTS\_new\_pin\_73D0D5CA - (0)), no\_drop\_all\_crs Bit NOT NULL  
 (DF\_webopts\_no\_drop\_342B5201 - ('0')), operator Char(8) NULL, pass\_max Int NOT NULL (DF WEBOPTS\_pass\_ma\_71E88D58 - (6)), pass\_max\_prev Int NULL, pass\_min Int NOT NULL (DF WEBOPTS\_pass\_mi\_70F4691F - (6)), pass\_min\_prev Int NULL, pin\_max Int NOT NULL (DF WEBOPTS\_pin\_max\_700044E6 - (6)), pin\_max\_prev Int NULL, pin\_min Int NOT NULL (DF WEBOPTS\_pin\_min\_6F0C20AD - (3)), pin\_min\_prev Int NULL, pin\_type Char(2) NULL, postbill Bit NULL (UW\_ZeroDefault - CREATE DEFAULT UW\_ZeroDefault AS 0), postprebill Bit NOT NULL (DF\_webopts\_postpre\_5C043931 - (0)), posttran\_preview Int NOT NULL (DF\_webopts\_posttra\_10F7245D - (500)), prt\_zbal Bit NOT NULL (DF\_webopts\_prt\_zba\_4C17EA2B - (0)), reg\_by\_campus Bit NULL (DF\_webopts\_reg\_by\_0CC6A0C6 - (0)), reg\_cart\_timeout Int NOT NULL (DF\_webopts\_reg\_car\_02B326A7 - (30)), reg\_end\_time Char(10) NULL (DF\_webopts\_reg\_end\_7989AF20 - ('10:00 PM')), reg\_express Bit NOT NULL (DF\_webopts\_reg\_exp\_11EB4896 - (0)), reg\_repeat\_max Int NOT NULL (DF\_reg\_repeat\_max - ((0))), reg\_repeat\_permission Int NOT NULL (DF\_reg\_repeat\_permission - ((0))), reg\_repeat\_permission\_txt Varchar(200) NULL, reg\_st\_time Char(10) NULL (DF\_webopts\_reg\_st\_78958AE7 - ('08:00 AM')), regavailablemessage Char(12) NOT NULL (DF\_webopts\_regavai\_58C7D9D3 - ('Enroll Now')), reglimit Int NULL, reglink Int NOT NULL (DF\_webopts\_reglink\_57D3B59A - (1)), regnotavailablemessage Char(12) NOT NULL (DF\_webopts\_regnota\_59BBFE0C - ('Full')), regsem Char(2) NULL, regstart Date NULL, regstop Date NULL, regyr Char(6) NULL, run\_sems Bit NULL, sa\_email Char(100) NULL, scripts\_all Int NULL, sem\_disp Char(2) NULL, show\_wdcourses Bit NOT NULL (DF\_webopts\_show\_wd\_74DAD3F3 - ((0))), skip\_actx Bit NOT NULL (DF\_webopts\_skip\_ac\_750F12C6 - (0)), sonistimeout Int NOT NULL (DF\_webopts\_sonisti\_32CC4E1D - (45)), sql\_srv Char(50) NULL, statuslinkcolor Char(12) NULL (DF\_webopts\_statusl\_0D85BAD5 - ('red')), stu\_regAU Bit NOT NULL (DF\_webopts\_stu\_reg\_0E0FCABA - (0)), stu\_regCE Bit NOT NULL (DF\_webopts\_stu\_reg\_0F03EEF3 - (0)), stu\_regmulti Bit NULL, stud\_awd\_letter Bit NOT NULL (DF\_webopts\_stud\_aw\_40471023 - ('0')), stud\_examID Bit NOT NULL (DF\_webopts\_stud\_ex\_351F763A - (0)), stud\_fac\_waitlist Bit NULL, stud\_reg\_email\_memo Memo NULL, stud\_transcript Bit NOT NULL (DF\_webopts\_stud\_tr\_48124F1D - ('0')), student\_billduedate Bit NOT NULL (DF\_webopts\_student\_782154F2 - ((1))), student\_photo\_upload Bit NOT NULL (DF\_webopts\_student\_008190C9 - ((0))), student\_topics Bit NOT NULL (DF\_webopts\_student\_3BC186D1 - (1)), stuupd Bit NULL (UW\_ZeroDefault - CREATE DEFAULT UW\_ZeroDefault AS 0), syllabus Char(150) NULL, sysgenid Bit NOT NULL (DF\_webopts\_sysgeni\_3A4352B3 - (1)), toolbar Bit NULL, unoff\_grd\_display Bit NOT NULL (DF\_webopts\_unoff\_g\_032827F3 - (1)), verify\_namechange Bit NOT NULL (DF\_webopts\_verify\_094BE0F4 - ((0))), waitlimit Int NOT NULL (DF\_webopts\_waitlimit - (0)), wd\_login Bit NOT NULL (DF\_webopts\_wd\_logi\_446BDB6B - (0)), wdgrade Char(5) NOT NULL (DF\_webopts\_wdgrade\_013FDF81 - (' ')), wdgradeflag Bit NOT NULL (DF\_webopts\_wdgrade\_004BBB48 - (0)), weblistdrop Int NOT NULL (DF\_webopts\_weblist\_3F9217B5 - ('0')), webopts\_ce1 Char(10) NULL, webopts\_ce2 Char(10) NULL, webopts\_ce3 Char(20) NULL, webopts\_de1 Date NULL, webopts\_fe1 Float NULL, webopts\_le1 Bit NULL, webopts\_ne1 Int NULL, webopts\_rid Int NOT NULL

<b>WEBOPTS_REG_CAMPS</b>	<b>Primary Key:</b>	<i>PK_webopts_reg_camps_RID (webopts_reg_camps_RID)</i>
	<b>Foreign Keys:</b>	<i>FK_webopts_reg_camps_campus</i>
	<b>Indexes:</b>	<i>PK_webopts_reg_camps_RID , _WA_Sys_00000002_7F0D7E4C</i>
	<b>Columns:</b>	<i>camp_cod Char(10) NULL , webopts_reg_camps_RID Int NOT NULL</i>
<b>WEBOPTS_REG_CRSTYPE</b>	<b>Primary Key:</b>	<i>PK_webopts_reg_crstype_rid (webopts_reg_crstype_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_webopts_reg_crstype_crstype</i>
	<b>Indexes:</b>	<i>PK_webopts_reg_crstype_rid</i>

	<b>Columns:</b>	<b>crstypcod</b> Char(2) NOT NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL , <b>webopts_reg_crstype_ce1</b> Char(10) NULL , <b>webopts_reg_crstype_ce2</b> Char(10) NULL , <b>webopts_reg_crstype_ce3</b> Char(20) NULL , <b>webopts_reg_crstype_de1</b> Date NULL , <b>webopts_reg_crstype_fe1</b> Float NULL , <b>webopts_reg_crstype_le1</b> Bit NULL , <b>webopts_reg_crstype_ne1</b> Int NULL , <b>webopts_reg_crstype_rid</b> Int NOT NULL
<b>WEBOPTS_REG_DEPTS</b>	<b>Primary Key:</b>	<b>PK_webopts_reg_depts_RID</b> (webopts_reg_depts_RID)
	<b>Foreign Keys:</b>	<b>FK_webopts_reg_depts_dept</b>
	<b>Indexes:</b>	<b>PK_webopts_reg_depts_RID</b>
	<b>Columns:</b>	<b>dept_cod</b> Char(4) NULL , <b>webopts_reg_depts_RID</b> Int NOT NULL
<b>WEBOPTS_REG_DIVS</b>	<b>Primary Key:</b>	<b>PK_webopts_reg_divs_RID</b> (webopts_reg_divs_RID)
	<b>Foreign Keys:</b>	<b>FK_webopts_reg_divs_div</b>
	<b>Indexes:</b>	<b>PK_webopts_reg_divs_RID</b> , <b>_WA_Sys_div_cod_02DE0F30</b>
	<b>Columns:</b>	<b>div_cod</b> Char(2) NULL , <b>webopts_reg_divs_RID</b> Int NOT NULL
<b>WEBOPTS_REG_LEVELS</b>	<b>Primary Key:</b>	<b>PK_webopts_reg_levels_rid</b> (webopts_reg_levels_rid)
	<b>Foreign Keys:</b>	<b>FK_webopts_reg_levels_level</b>
	<b>Indexes:</b>	<b>PK_webopts_reg_levels_rid</b> , <b>_WA_Sys_level_0DBAC4FF</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>level_</b> Char(1) NOT NULL , <b>operator</b> Char(8) NULL , <b>time_maint</b> Char(8) NULL , <b>webopts_reg_levels_ce1</b> Char(10) NULL , <b>webopts_reg_levels_ce2</b> Char(10) NULL , <b>webopts_reg_levels_ce3</b> Char(20) NULL , <b>webopts_reg_levels_de1</b> Date NULL , <b>webopts_reg_levels_fe1</b> Float NULL , <b>webopts_reg_levels_le1</b> Bit NULL , <b>webopts_reg_levels_ne1</b> Int NULL , <b>webopts_reg_levels_rid</b> Int NOT NULL
<b>WEBPAGE</b>	<b>Primary Key:</b>	<b>PK_webpage</b> (page)
	<b>Indexes:</b>	<b>PK_webpage</b> , <b>_WA_Sys_background_47BC7E0B</b> , <b>_WA_Sys_bar_47BC7E0B</b> , <b>_WA_Sys_bgcolor_47BC7E0B</b> , <b>_WA_Sys_date_maint_47BC7E0B</b> , <b>_WA_Sys_operator_47BC7E0B</b> , <b>_WA_Sys_skipicons_47BC7E0B</b> , <b>_WA_Sys_time_maint_47BC7E0B</b> , <b>_WA_Sys_title_47BC7E0B</b> , <b>_WA_Sys_webpage_ce1_47BC7E0B</b> , <b>_WA_Sys_webpage_ce2_47BC7E0B</b> , <b>_WA_Sys_webpage_ce3_47BC7E0B</b> , <b>_WA_Sys_webpage_de1_47BC7E0B</b> , <b>_WA_Sys_webpage_fe1_47BC7E0B</b> , <b>_WA_Sys_webpage_le1_47BC7E0B</b> , <b>_WA_Sys_webpage_ne1_47BC7E0B</b> , <b>_WA_Sys_webpg_ce1_47BC7E0B</b> , <b>_WA_Sys_webpg_le1_47BC7E0B</b> , <b>_WA_Sys_webpg_ne1_47BC7E0B</b>
	<b>Columns:</b>	<b>background</b> Char(30) NULL , <b>bar</b> Char(20) NULL , <b>bgcolor</b> Char(15) NULL , <b>date_maint</b> Date NULL , <b>operator</b> Char(8) NULL , <b>page</b> Char(40) NOT NULL , <b>skipicons</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>time_maint</b> Char(8) NULL , <b>title</b> Char(40) NULL , <b>webpage_ce1</b> Char(10) NULL , <b>webpage_ce2</b> Char(10) NULL , <b>webpage_ce3</b> Char(20) NULL , <b>webpage_de1</b> Date NULL , <b>webpage_fe1</b> Float NULL , <b>webpage_le1</b> Bit NULL , <b>webpage_ne1</b> Int NULL , <b>webpg_ce1</b> Char(10) NULL , <b>webpg_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>webpg_ne1</b> Int NULL
<b>WEBPROF</b>	<b>Primary Key:</b>	<b>PK_webprof</b> (prof_cod)
	<b>Indexes:</b>	<b>PK_webprof</b> , <b>_WA_Sys_date_maint_49A4C67D</b> , <b>_WA_Sys_l_list_49A4C67D</b> , <b>_WA_Sys_l_page_49A4C67D</b> , <b>_WA_Sys_l_rid_49A4C67D</b> , <b>_WA_Sys_ldisp_only_49A4C67D</b> , <b>_WA_Sys_operator_49A4C67D</b> , <b>_WA_Sys_profile_49A4C67D</b> , <b>_WA_Sys_s_list_49A4C67D</b> , <b>_WA_Sys_s_page_49A4C67D</b> , <b>_WA_Sys_sdisp_only_49A4C67D</b> , <b>_WA_Sys_time_maint_49A4C67D</b> , <b>_WA_Sys_webpro_ce1_49A4C67D</b> , <b>_WA_Sys_webpro_le1_49A4C67D</b> , <b>_WA_Sys_webpro_ne1_49A4C67D</b> , <b>_WA_Sys_webprof_ce1_49A4C67D</b> , <b>_WA_Sys_webprof_ce2_49A4C67D</b> , <b>_WA_Sys_webprof_ce3_49A4C67D</b> , <b>_WA_Sys_webprof_de1_49A4C67D</b> , <b>_WA_Sys_webprof_fe1_49A4C67D</b> , <b>_WA_Sys_webprof_le1_49A4C67D</b> , <b>_WA_Sys_webprof_ne1_49A4C67D</b>
	<b>Columns:</b>	<b>date_maint</b> Date NULL , <b>l_list</b> Char(50) NULL , <b>l_page</b> Char(50) NULL , <b>l_rid</b> Char(16) NULL , <b>ldisp_only</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>operator</b> Char(8) NULL , <b>prof_cod</b> Char(10) NOT NULL , <b>profile</b> Char(20) NULL , <b>s_list</b> Char(50) NULL , <b>s_page</b> Char(30) NULL , <b>sdisp_only</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , <b>time_maint</b> Char(10) NULL , <b>webpro_ce1</b> Char(10) NULL , <b>webpro_le1</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) ,

		<b>webpro_ne1</b> <i>Int</i> NULL , <b>webprof_ce1</b> <i>Char(10)</i> NULL , <b>webprof_ce2</b> <i>Char(10)</i> NULL , <b>webprof_ce3</b> <i>Char(20)</i> NULL , <b>webprof_de1</b> <i>Date</i> NULL , <b>webprof_fe1</b> <i>Float</i> NULL , <b>webprof_le1</b> <i>Bit</i> NULL , <b>webprof_ne1</b> <i>Int</i> NULL
<b>WEBPS</b>	<b>Primary Key:</b>	<i>PK_webps (soc_sec)</i>
	<b>Foreign Keys:</b>	<i>FK_webps_campus , FK_webps_country , FK_webps_state , FK_webps_trmint</i>
	<b>Indexes:</b>	<i>PK_webps , _WA_Sys_add_add2_5986288B , _WA_Sys_add_addr_5986288B , _WA_Sys_camp_cod_5986288B , _WA_Sys_city_5986288B , _WA_Sys_contact_5986288B , _WA_Sys_country_5986288B , _WA_Sys_date_inq_5986288B , _WA_Sys_date_maint_5986288B , _WA_Sys_e_mail_5986288B , _WA_Sys_enstat_cod_5986288B , _WA_Sys_first_name_5986288B , _WA_Sys_inqtypecod_5986288B , _WA_Sys_institut_5986288B , _WA_Sys_last_name_5986288B , _WA_Sys_move2app_5986288B , _WA_Sys_moved_dt_5986288B , _WA_Sys_operator_5986288B , _WA_Sys_phone_5986288B , _WA_Sys_skip_imp_5986288B , _WA_Sys_snd_app_5986288B , _WA_Sys_snd_brch_5986288B , _WA_Sys_snd_cat_5986288B , _WA_Sys_snd_f4_5986288B , _WA_Sys_snd_f5_5986288B , _WA_Sys_snd_f6_5986288B , _WA_Sys_st_addr_5986288B , _WA_Sys_state_5986288B , _WA_Sys_term_int_5986288B , _WA_Sys_time_maint_5986288B , _WA_Sys_timestamp_column_5986288B , _WA_Sys_webps_ce1_5986288B , _WA_Sys_webps_ce2_5986288B , _WA_Sys_webps_ce3_5986288B , _WA_Sys_webps_de1_5986288B , _WA_Sys_webps_fe1_5986288B , _WA_Sys_webps_le1_5986288B , _WA_Sys_webps_ne1_5986288B , _WA_Sys_zip_5986288B</i>
	<b>Columns:</b>	<b>add_add2</b> <i>Char(35)</i> NULL , <b>add_addr</b> <i>Char(35)</i> NULL , <b>birthdate</b> <i>Date</i> NULL , <b>camp_cod</b> <i>Char(10)</i> NULL , <b>cell_Phone</b> <i>Char(15)</i> NULL , <b>city</b> <i>Char(35)</i> NULL , <b>comments</b> <i>Memo</i> NULL , <b>contact</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>country</b> <i>Char(25)</i> NULL , <b>date_inq</b> <i>Date</i> NULL , <b>date_maint</b> <i>Date</i> NULL , <b>e_mail</b> <i>Char(50)</i> NULL , <b>enstat_cod</b> <i>Char(2)</i> NULL , <b>first_name</b> <i>Char(30)</i> NULL , <b>incomplete</b> <i>Bit</i> NOT NULL ( <i>DF_webps_incomplet_41304764 - (0)</i> ) , <b>inqtypecod</b> <i>Char(2)</i> NULL , <b>institut</b> <i>Char(50)</i> NULL , <b>last_name</b> <i>Char(30)</i> NULL , <b>memo1</b> <i>Memo</i> NULL , <b>memo2</b> <i>Memo</i> NULL , <b>memo3</b> <i>Memo</i> NULL , <b>mi</b> <i>Char(15)</i> NULL , <b>move2app</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>moved_dt</b> <i>Date</i> NULL , <b>nickname</b> <i>Char(100)</i> NULL ( <i>DF_webps_nickname_6E2DD664 - (NULL)</i> ) , <b>operator</b> <i>Char(8)</i> NULL , <b>phone</b> <i>Char(15)</i> NULL , <b>skip_imp</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>snd_app</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>snd_brch</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>snd_cat</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>snd_f4</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>snd_f5</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>snd_f6</b> <i>Bit</i> NULL ( <i>UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0</i> ) , <b>soc_sec</b> <i>Char(9)</i> NOT NULL , <b>st_addr</b> <i>Char(35)</i> NULL , <b>state</b> <i>Char(2)</i> NULL , <b>term_int</b> <i>Char(20)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>timestamp_column</b> <i>Timestamp</i> NULL , <b>webps_ce1</b> <i>Char(10)</i> NULL , <b>webps_ce2</b> <i>Char(10)</i> NULL , <b>webps_ce3</b> <i>Char(20)</i> NULL , <b>webps_de1</b> <i>Date</i> NULL , <b>webps_fe1</b> <i>Float</i> NULL , <b>webps_le1</b> <i>Bit</i> NULL , <b>webps_ne1</b> <i>Int</i> NULL , <b>work_phone</b> <i>Char(25)</i> NULL , <b>zip</b> <i>Char(10)</i> NULL
<b>WEBPS_AREAS_OF_INTEREST</b>		
	<b>Indexes:</b>	<i>_WA_Sys_00000001_11A12FD3</i>
	<b>Columns:</b>	<b>areas_of_interest_rid</b> <i>Int</i> NOT NULL , <b>soc_sec</b> <i>Char(9)</i> NOT NULL
<b>WEBRECOM</b>	<b>Primary Key:</b>	<i>PK_webrecom (rec_cod)</i>
	<b>Indexes:</b>	<i>PK_webrecom , _WA_Sys_disabled_339589CD , _WA_Sys_operator_339589CD , _WA_Sys_recomm_339589CD</i>
	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NULL ( <i>DF_webrecom_disabled - (0)</i> ) , <b>operator</b> <i>Char(8)</i> NULL , <b>rec_cod</b> <i>Int</i> NOT NULL , <b>recomm</b> <i>Char(25)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>webrecom_ce1</b> <i>Char(10)</i> NULL , <b>webrecom_ce2</b> <i>Char(10)</i> NULL , <b>webrecom_ce3</b> <i>Char(20)</i> NULL , <b>webrecom_de1</b> <i>Date</i> NULL , <b>webrecom_fe1</b> <i>Float</i> NULL , <b>webrecom_le1</b> <i>Bit</i> NULL , <b>webrecom_ne1</b> <i>Int</i> NULL
<b>WEBRETRN</b>	<b>Primary Key:</b>	<i>PK_webretrn (module)</i>
	<b>Indexes:</b>	<i>PK_webretrn , _WA_Sys_sess_mod_70698DE3 , _WA_Sys_web_rtn_70698DE3</i>

	<b>Columns:</b>	<b>module</b> Char(20) NOT NULL , <b>sess_mod</b> Char(20) NULL , <b>web_rtn</b> Char(75) NULL , <b>webretrn_ce1</b> Char(10) NULL , <b>webretrn_ce2</b> Char(10) NULL , <b>webretrn_ce3</b> Char(20) NULL , <b>webretrn_de1</b> Date NULL , <b>webretrn_fe1</b> Float NULL , <b>webretrn_le1</b> Bit NULL , <b>webretrn_ne1</b> Int NULL
<b>WEBRPTS</b>	<b>Primary Key:</b>	<b>PK_webrpts</b> (l_rid)
	<b>Foreign Keys:</b>	<b>FK_webrpts_weblst0</b>
	<b>Indexes:</b>	<b>PK_webrpts</b> , <b>_WA_Sys_00000080_0C9BB83D</b> , <b>_WA_Sys_BDayBox_0C9BB83D</b> , <b>_WA_Sys_CEBOX_0C9BB83D</b> , <b>_WA_Sys_CE_transcript_0C9BB83D</b> , <b>_WA_Sys_FieldName_0C9BB83D</b> , <b>_WA_Sys_Grad_YR_0C9BB83D</b> , <b>_WA_Sys_Graduate_0C9BB83D</b> , <b>_WA_Sys_IP_gpas_0C9BB83D</b> , <b>_WA_Sys_Operator_0C9BB83D</b> , <b>_WA_Sys_OutputSelect_0C9BB83D</b> , <b>_WA_Sys_Sessions_0C9BB83D</b> , <b>_WA_Sys_acadstat_cod_0C9BB83D</b> , <b>_WA_Sys_active_0C9BB83D</b> , <b>_WA_Sys_activity_0C9BB83D</b> , <b>_WA_Sys_addr_type_0C9BB83D</b> , <b>_WA_Sys_admin_sec_0C9BB83D</b> , <b>_WA_Sys_advisor_0C9BB83D</b> , <b>_WA_Sys_agency_0C9BB83D</b> , <b>_WA_Sys_all_degrees_0C9BB83D</b> , <b>_WA_Sys_alum_sec_0C9BB83D</b> , <b>_WA_Sys_ant_grad_date_0C9BB83D</b> , <b>_WA_Sys_app_entry_date_0C9BB83D</b> , <b>_WA_Sys_app_sec_0C9BB83D</b> , <b>_WA_Sys_asofdate_0C9BB83D</b> , <b>_WA_Sys_awd_type_0C9BB83D</b> , <b>_WA_Sys_campus_0C9BB83D</b> , <b>_WA_Sys_category_0C9BB83D</b> , <b>_WA_Sys_constit_type_0C9BB83D</b> , <b>_WA_Sys_course_0C9BB83D</b> , <b>_WA_Sys_crosslist_0C9BB83D</b> , <b>_WA_Sys_crssect_0C9BB83D</b> , <b>_WA_Sys_crystalpg_0C9BB83D</b> , <b>_WA_Sys_crystalpg_user_0C9BB83D</b> , <b>_WA_Sys_cultivation_actv_0C9BB83D</b> , <b>_WA_Sys_cur_cod_0C9BB83D</b> , <b>_WA_Sys_date_range_0C9BB83D</b> , <b>_WA_Sys_date_range_from_0C9BB83D</b> , <b>_WA_Sys_date_range_to_0C9BB83D</b> , <b>_WA_Sys_date_txt_0C9BB83D</b> , <b>_WA_Sys_dept_0C9BB83D</b> , <b>_WA_Sys_dispchk_0C9BB83D</b> , <b>_WA_Sys_dispos_0C9BB83D</b> , <b>_WA_Sys_division_0C9BB83D</b> , <b>_WA_Sys_dow_0C9BB83D</b> , <b>_WA_Sys_email_0C9BB83D</b> , <b>_WA_Sys_enter_date_0C9BB83D</b> , <b>_WA_Sys_envelope_0C9BB83D</b> , <b>_WA_Sys_ev_rid_0C9BB83D</b> , <b>_WA_Sys_evaluation_0C9BB83D</b> , <b>_WA_Sys_excel_rpt_0C9BB83D</b> , <b>_WA_Sys_excel_rpt_user_0C9BB83D</b> , <b>_WA_Sys_fdtcodes_0C9BB83D</b> , <b>_WA_Sys_funds_cod_0C9BB83D</b> , <b>_WA_Sys_giving_level_0C9BB83D</b> , <b>_WA_Sys_health_0C9BB83D</b> , <b>_WA_Sys_holds_0C9BB83D</b> , <b>_WA_Sys_home_degrees_0C9BB83D</b> , <b>_WA_Sys_inqtypecod_0C9BB83D</b> , <b>_WA_Sys_institut_0C9BB83D</b> , <b>_WA_Sys_instructor_0C9BB83D</b> , <b>_WA_Sys_insttype_0C9BB83D</b> , <b>_WA_Sys_interest_0C9BB83D</b> , <b>_WA_Sys_intrlevcod_0C9BB83D</b> , <b>_WA_Sys_iped_stat_0C9BB83D</b> , <b>_WA_Sys_jobs_0C9BB83D</b> , <b>_WA_Sys_labels2_0C9BB83D</b> , <b>_WA_Sys_labels_0C9BB83D</b> , <b>_WA_Sys_lbls_rpt_0C9BB83D</b> , <b>_WA_Sys_letter_0C9BB83D</b> , <b>_WA_Sys_letters_0C9BB83D</b> , <b>_WA_Sys_level_0C9BB83D</b> , <b>_WA_Sys_licenses_0C9BB83D</b> , <b>_WA_Sys_loa_0C9BB83D</b> , <b>_WA_Sys_location_0C9BB83D</b> , <b>_WA_Sys_matric_dt_0C9BB83D</b> , <b>_WA_Sys_maxdispos_0C9BB83D</b> , <b>_WA_Sys_modstat_0C9BB83D</b> , <b>_WA_Sys_modstat_default_0C9BB83D</b> , <b>_WA_Sys_operator_name_0C9BB83D</b> , <b>_WA_Sys_payment_status_0C9BB83D</b> , <b>_WA_Sys_payplan_0C9BB83D</b> , <b>_WA_Sys_prof_cod_0C9BB83D</b> , <b>_WA_Sys_prog_start_dt_0C9BB83D</b> , <b>_WA_Sys_program_0C9BB83D</b> , <b>_WA_Sys_refer_by_cod_0C9BB83D</b> , <b>_WA_Sys_relation_0C9BB83D</b> , <b>_WA_Sys_request_activity_0C9BB83D</b> , <b>_WA_Sys_room_0C9BB83D</b> , <b>_WA_Sys_rpt_page_0C9BB83D</b> , <b>_WA_Sys_rpt_txt_0C9BB83D</b> , <b>_WA_Sys_rundate_0C9BB83D</b> , <b>_WA_Sys_sch_yr_0C9BB83D</b> , <b>_WA_Sys_sem_acad_stat_0C9BB83D</b> , <b>_WA_Sys_sem_single_0C9BB83D</b> , <b>_WA_Sys_sem_year_all_0C9BB83D</b> , <b>_WA_Sys_semester_0C9BB83D</b> , <b>_WA_Sys_show_detail_0C9BB83D</b> , <b>_WA_Sys_sms_sec_0C9BB83D</b> , <b>_WA_Sys_start_date_0C9BB83D</b> , <b>_WA_Sys_state_0C9BB83D</b> , <b>_WA_Sys_student_0C9BB83D</b> , <b>_WA_Sys_subrpt1_0C9BB83D</b> , <b>_WA_Sys_subrpt2_0C9BB83D</b> , <b>_WA_Sys_subrpt3_0C9BB83D</b> , <b>_WA_Sys_subrpt4_0C9BB83D</b> , <b>_WA_Sys_termofint_0C9BB83D</b> , <b>_WA_Sys_tests_0C9BB83D</b> , <b>_WA_Sys_trans_hold_0C9BB83D</b> , <b>_WA_Sys_transact_0C9BB83D</b> , <b>_WA_Sys_transcript_0C9BB83D</b> , <b>_WA_Sys_transfer_0C9BB83D</b> , <b>_WA_Sys_webrpts_ce1_0C9BB83D</b> , <b>_WA_Sys_webrpts_ce2_0C9BB83D</b> , <b>_WA_Sys_webrpts_ce3_0C9BB83D</b> , <b>_WA_Sys_webrpts_de1_0C9BB83D</b> , <b>_WA_Sys_webrpts_fe1_0C9BB83D</b> , <b>_WA_Sys_webrpts_le1_0C9BB83D</b> , <b>_WA_Sys_webrpts_ne1_0C9BB83D</b> , <b>_WA_Sys_year_0C9BB83D</b> , <b>_WA_Sys_year_single_0C9BB83D</b> , <b>_WA_Sys_yearsem_0C9BB83D</b> , <b>_WA_Sys_zero_balances_0C9BB83D</b>



	<p><b>Columns:</b></p> <p><b>BDayBox</b> Bit NOT NULL (DF_webrpts_BDayBox_6E4D069E - (0)), <b>CEBOX</b> Bit NOT NULL (DF_webrpts_CEBOX_7C3111A1 - (0)), <b>CE_transcript</b> Bit NOT NULL (DF_webrpts_CE_tran_18784A94 - (0)), <b>CRAYear</b> Bit NOT NULL (DF_webrpts_CRAYear_59D1D7FC - (0)), <b>DR_REQ</b> Bit NOT NULL (DF_webrpts_DR_REQ_5927CC86 - (1)), <b>FieldName</b> Bit NOT NULL (DF_webrpts_FieldNa_0F23EA84 - (0)), <b>Grad_YR</b> Int NOT NULL (DF_webrpts_Grad_YR_6BDAAE47 - (0)), <b>Graduate</b> Bit NOT NULL (DF_webrpts_Graduat_6AE68A0E - (0)), <b>IP_gpas</b> Bit NOT NULL (DF_webrpts_IP_gpas_21629650 - (0)), <b>Operator</b> Bit NOT NULL (DF_webrpts_Operato_10180EBD - (0)), <b>OutputSelect</b> Int NOT NULL (DF_webrpts_OutputS_6251440D - (0)), <b>Sessions</b> Bit NOT NULL (DF_webrpts_Session_00D5CB2D - (0)), <b>acadstat_cod</b> Bit NULL (DF_webrpts_acadsta_15BBD97A - (0)), <b>active</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>activity</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>addr_type</b> Bit NOT NULL (DF_webrpts_addr_ty_0E24D953 - (0)), <b>admin_sec</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>advisor</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>agency</b> Bit NULL, <b>all_degrees</b> Bit NULL, <b>alum_sec</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>ant_grad_date</b> Bit NOT NULL (DF_webrpts_ant_gra_5769A146 - (0)), <b>app_entry_date</b> Bit NULL (DF_webrpts_app_ent_56007BC1 - (0)), <b>app_sec</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>asofdate</b> Bit NULL (DF_webrpts_asofdat_47E76694 - (0)), <b>awd_type</b> Bit NULL, <b>campus</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>career_staff</b> Bit NOT NULL (DF_webrpts_career_766E16AA - ((0))), <b>category</b> Bit NULL (DF_webrpts_categor_7B87062B - (0)), <b>cohort</b> Bit NOT NULL (DF_webrpts_cohort_750FDE1D - ((0))), <b>cohort_single</b> Bit NOT NULL (DF_webrpts_cohort_76040256 - ((0))), <b>consec_abs</b> Bit NOT NULL (DF_webrpts_consec_2F3192BA - (0)), <b>constit_type</b> Bit NOT NULL (DF_webrpts_constit_60F30B80 - (0)), <b>course</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>crosslist</b> Bit NOT NULL (DF_WEBRPTS_crossli_4F9E624C - (0)), <b>crssect</b> Bit NOT NULL (DF_webrpts_crssect_2D3E5D50 - (0)), <b>crssect_single</b> Bit NOT NULL (DF_webrpts_crssect_3F52EBEA - ((0))), <b>crystalpg</b> Char(40) NULL, <b>crystalpg_user</b> Char(40) NULL, <b>cultivation_actv</b> Bit NOT NULL (DF_webrpts_cultiva_39C42FC6 - (0)), <b>cum_transcript</b> Bit NULL (DF_webrpts_cum_tra_5578028A - ((0))), <b>cur_cod</b> Bit NOT NULL (DF_webrpts_cur_cod_51F0BF12 - (0)), <b>date_range</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>date_range_from</b> Date NULL, <b>date_range_to</b> Date NULL, <b>date_txt</b> Varchar(150) NULL, <b>dept</b> Bit NOT NULL (DF_webrpts_dept_1EB046D7 - (0)), <b>dispch</b> Bit NOT NULL (DF_webrpts_dispch_6661CC13 - (0)), <b>dispcodetype</b> Int NULL (DF_webrpts_dispcod_61DDD96F - ((0))), <b>dispos</b> Bit NULL, <b>division</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>dmscat</b> Bit NOT NULL (DF_webrpts_dmscat_6CAFA246 - ((0))), <b>dow</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>email</b> Bit NULL (DF_webrpts_email_2BA02DA1 - (0)), <b>employer</b> Bit NOT NULL (DF_webrpts_employe_7080332A - ((0))), <b>emptytype</b> Bit NOT NULL (DF_webrpts_emptytype_72687B9C - ((0))), <b>enter_date</b> Bit NOT NULL (DF_webrpts_enter_d_2A81EC36 - (0)), <b>envelope</b> Bit NOT NULL (DF_webrpts_envelop_07A2C44D - (0)), <b>ev_rid</b> Bit NOT NULL (DF_webrpts_ev_rid_4436D141 - (0)), <b>evaluation</b> Bit NOT NULL (DF_webrpts_evaluat_1C68D709 - (0)), <b>excel_rpt</b> Char(40) NULL, <b>excel_rpt_user</b> Char(40) NULL, <b>fdtcodes</b> Bit NOT NULL (DF_webrpts_fdtcode_461F19B3 - (0)), <b>funds_cod</b> Bit NOT NULL (DF_webrpts_funds_c_452AF57A - (0)), <b>giving_level</b> Bit NOT NULL (DF_webrpts_giving_6F412AD7 - (0)), <b>grades</b> Bit NOT NULL (DF_webrpts_grades_4EAA3E13 - (0)), <b>groups</b> Bit NOT NULL (DF_webrpts_groups_6AC759D4 - ((0))), <b>health</b> Bit NULL (DF_webrpts_health_0DDAC090 - (0)), <b>holds</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>home_degrees</b> Bit NULL, <b>inqtypecod</b> Bit NULL (DF_webrpts_inqtype_16AFFDB3 - (0)), <b>institut</b> Bit NOT NULL (DF_webrpts_institu_29D7E0C0 - (0)), <b>instructor</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>insttype</b> Bit NOT NULL (DF_webrpts_insttyp_0876ECF5 - (0)), <b>integer_range</b> Bit NOT NULL (DF_webrpts_integer_2281A312 - ((0))),</p>
--	--

```

integer_range_txt Varchar(150) NULL, interest Bit NULL, intrlevcod Bit NULL
(DF_webrpts_intrlev_47F2538C - (0)), iped_stat Bit NOT NULL
(DF_webrpts_iped_st_57899CD7 - (0)), jobs Bit NULL (DF_webrpts_jobs_1BBECB93 -
(0)), l_rid Char(16) NOT NULL, labels Bit NOT NULL (DF_webrpts_labels_5887E2B1 -
(0)), labels2 Bit NOT NULL (DF_webrpts_labels2_597C06EA - (0)), lbls_rpt Bit NOT
NULL (DF_webrpts_lbls_rp_7D4F530C - (0)), letter Bit NULL
(DF_webrpts_letter_2C9451DA - (0)), letters Bit NULL (UW_ZeroDefault - CREATE
DEFAULT UW_ZeroDefault AS 0), level Bit NULL, licenses Bit NULL
(DF_webrpts_license_0A0A2FAC - (0)), loa Bit NOT NULL (DF_webrpts_loa_1D27F118
- (0)), loan_cohort Bit NOT NULL (DF_webrpts_loan_co_1FA53667 - ((0))), loan_servicer
Bit NOT NULL (DF_webrpts_loan_se_218D7ED9 - ((0))), loan_status Bit NOT NULL
(DF_webrpts_loan_st_20995AA0 - ((0))), location Bit NULL (UW_ZeroDefault - CREATE
DEFAULT UW_ZeroDefault AS 0), matric_dt Bit NOT NULL
(DF_webrpts_matric_53D90784 - (0)), maxdispos Bit NULL
(DF_webrpts_maxdisp_546D390A - (0)), meeting_loc Bit NULL
(DF_webrpts_meeting_5ECB9743 - ((0))), meeting_status Bit NULL
(DF_webrpts_meeting_5FBFB7C - ((0))), meeting_type Bit NULL
(DF_webrpts_meeting_60B3DFB5 - ((0))), modstat Bit NULL (UW_ZeroDefault - CREATE
DEFAULT UW_ZeroDefault AS 0), modstat_default Char(20) NULL, msa Bit NOT NULL
(DF_webrpts_msa_37FBE2E5 - (0)), multi_st_dt Bit NOT NULL
(DF_webrpts_multi_s_710A430F - ((0))), nmemp_empty Bit NOT NULL
(DF_webrpts_nmemp_e_7450C40E - ((0))), operator_name Bit NOT NULL
(DF_webrpts_operato_462A06AB - (0)), pass Bit NOT NULL
(DF_webrpts_pass_33AC2F14 - ((0))), payment_status Bit NOT NULL
(DF_webrpts_payment_37DBE754 - (0)), payplan Bit NOT NULL
(DF_webrpts_payplan_4A79BA7C - (0)), pc_abs Bit NOT NULL
(DF_webrpts_pc_abs_3025B6F3 - (0)), process Bit NULL
(DF_webrpts_process_62D1FDA8 - ((0))), prof_cod Bit NOT NULL
(DF_webrpts_prof_co_6A476B90 - (0)), prog_start_dt Bit NOT NULL
(DF_webrpts_prog_st_26E6657C - (0)), program Bit NULL (UW_ZeroDefault - CREATE
DEFAULT UW_ZeroDefault AS 0), refer_by_cod Bit NOT NULL
(DF_webrpts_refer_b_5B052800 - (0)), relation Bit NOT NULL
(DF_webrpts_relatio_61E72FB9 - (0)), request_activity Bit NOT NULL
(DF_webrpts_request_26DB7884 - (0)), room Bit NULL (UW_ZeroDefault - CREATE
DEFAULT UW_ZeroDefault AS 0), rpt_page Char(40) NULL, rpt_txt Char(40) NULL, rundate
Bit NULL, sch_yr Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0),
sem_acad_stat Bit NOT NULL (DF_webrpts_sem_aca_26C669EB - (0)), sem_single Bit
NULL (DF_webrpts_sem_sin_28C3C0F6 - (0)), sem_year_all Bit NOT NULL
(DF_webrpts_sem_yea_7A48C92F - (0)), semester Bit NULL (UW_ZeroDefault - CREATE
DEFAULT UW_ZeroDefault AS 0), show_detail Bit NOT NULL
(DF_webrpts_show_de_359E9927 - (0)), sms_sec Bit NULL (UW_ZeroDefault - CREATE
DEFAULT UW_ZeroDefault AS 0), ssn_display Bit NOT NULL
(DF_webrpts_ssn_dis_35947786 - ((0))), start_date Bit NOT NULL (DF_webrpts_start_date -
(0)), state Bit NOT NULL (DF_webrpts_state_7311BBBB - (0)), student Bit NULL
(UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), subrpt1 Char(30) NULL,
subrpt2 Char(30) NULL, subrpt3 Char(30) NULL, subrpt4 Char(30) NULL, termofint Bit
NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), tests Bit NOT NULL
(DF_webrpts_tests_7B5CE8F9 - (0)), trans_hold Bit NOT NULL
(DF_webrpts_trans_h_23AA061E - (0)), trans_imports_drp Bit NOT NULL
(DF_webrpts_trans_i_22A19EA3 - ((0))), transact Bit NULL (UW_ZeroDefault - CREATE
DEFAULT UW_ZeroDefault AS 0), transcript Bit NULL, transfer Bit NOT NULL
(DF_webrpts_transfe_3D1FBF5E - (0)), webrpts_ce1 Char(10) NULL, webrpts_ce2
Char(10) NULL, webrpts_ce3 Char(20) NULL, webrpts_de1 Date NULL, webrpts_fe1 Float
NULL, webrpts_le1 Bit NULL, webrpts_ne1 Int NULL, year Bit NOT NULL
(DF_webrpts_year_059A804A - (0)), year_single Bit NULL
(DF_webrpts_year_si_29B7E52F - (0)), yearsem Bit NOT NULL
(DF_webrpts_yearsem_106D1478 - (0)), yearsemtrans Bit NOT NULL
(DF_webrpts_yearsem_27114E05 - ((0))), zero_balances Bit NOT NULL
(DF_webrpts_zero_ba_77B67547 - (0))

```

<b>WEBSEC</b>	<b>Primary Key:</b>	<i>PK_websec (sec_id)</i>
	<b>Indexes:</b>	<i>PK_websec , _WA_Sys_date_maint_267098D9 , _WA_Sys_logout_267098D9 , _WA_Sys_sessionid_267098D9 , _WA_Sys_time_maint_267098D9</i>
	<b>Columns:</b>	<i>date_maint Date NULL , logout Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , operator Char(9) NULL (DF_websec_operator - ('missing')) , sec_id Char(50) NOT NULL , sessionid Char(50) NOT NULL (DF_websec_sessionid - ('missing')) , time_maint Char(8) NULL , websec_ce1 Char(10) NULL , websec_ce2 Char(10) NULL , websec_ce3 Char(20) NULL , websec_de1 Date NULL , websec_fe1 Float NULL , websec_le1 Bit NULL , websec_ne1 Int NULL</i>
<b>WEBTOOLB</b>	<b>Primary Key:</b>	<i>PK_webtoolb (webtoolb_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_webtoolb_webprof</i>
	<b>Indexes:</b>	<i>PK_webtoolb , _WA_Sys_b_page_7345FA8E , _WA_Sys_b_rid_7345FA8E , _WA_Sys_b_txt_7345FA8E , _WA_Sys_date_maint_7345FA8E , _WA_Sys_disabled_7345FA8E , _WA_Sys_list_7345FA8E , _WA_Sys_operator_7345FA8E , _WA_Sys_position_7345FA8E , _WA_Sys_prof_cod_7345FA8E , _WA_Sys_time_maint_7345FA8E , _WA_Sys_webtolbce1_7345FA8E , _WA_Sys_webtolble1_7345FA8E , _WA_Sys_webtolbne1_7345FA8E</i>
	<b>Columns:</b>	<i>b_page Char(60) NULL , b_rid Char(16) NOT NULL , b_txt Char(20) NULL , date_maint Date NULL , disabled Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , list Char(2) NULL , operator Char(8) NULL , position Char(2) NULL , prof_cod Char(10) NULL , time_maint Char(8) NULL , webtolbce1 Char(10) NULL , webtolble1 Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , webtolbne1 Int NULL , webtoolb_ce1 Char(10) NULL , webtoolb_ce2 Char(10) NULL , webtoolb_ce3 Char(20) NULL , webtoolb_de1 Date NULL , webtoolb_fe1 Float NULL , webtoolb_le1 Bit NULL , webtoolb_ne1 Int NULL , webtoolb_rid Int NOT NULL</i>
<b>WEIGHT</b>	<b>Primary Key:</b>	<i>PK_weight (weight_id)</i>
	<b>Foreign Keys:</b>	<i>FK_weight_name</i>
	<b>Indexes:</b>	<i>PK_weight , _WA_Sys_complete_55808D7D , _WA_Sys_disabled_55808D7D , _WA_Sys_weight_ce1_55808D7D , _WA_Sys_weight_ce2_55808D7D , _WA_Sys_weight_ce3_55808D7D , _WA_Sys_weight_de1_55808D7D , _WA_Sys_weight_fe1_55808D7D , _WA_Sys_weight_le1_55808D7D , _WA_Sys_weight_ne1_55808D7D , _WA_Sys_wght_desc_55808D7D , _WA_Sys_wght_ssn_55808D7D</i>
	<b>Columns:</b>	<i>complete Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , disabled Bit NULL (DF_weight_disabled - (0)) , soc_sec Char(9) NULL , weight_ce1 Char(10) NULL , weight_ce2 Char(10) NULL , weight_ce3 Char(20) NULL , weight_de1 Date NULL , weight_fe1 Float NULL , weight_id Char(10) NOT NULL , weight_le1 Bit NULL , weight_ne1 Int NULL , wght_desc Char(30) NULL</i>
<b>WGHTDET</b>	<b>Primary Key:</b>	<i>PK_wghtdet (wghtdet_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_wghtdet_element , FK_wghtdet_weight</i>
	<b>Indexes:</b>	<i>PK_wghtdet , _WA_Sys_direct_74C42EAC , _WA_Sys_element_rid_74C42EAC , _WA_Sys_per_cent_74C42EAC , _WA_Sys_skip_lowest_74C42EAC , _WA_Sys_weight_id_74C42EAC</i>
	<b>Columns:</b>	<i>direct Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0) , element_rid Int NULL , per_cent Float NULL , skip_lowest Int NOT NULL (DF_wghtdet_skip_lowest - (0)) , weight_id Char(10) NULL , wghtdet_ce1 Char(10) NULL , wghtdet_ce2 Char(10) NULL , wghtdet_ce3 Char(20) NULL , wghtdet_de1 Date NULL , wghtdet_fe1 Float NULL , wghtdet_le1 Bit NULL , wghtdet_ne1 Int NULL , wghtdet_rid Int NOT NULL</i>
<b>WHEN_</b>	<b>Primary Key:</b>	<i>PK_when_ (when_code)</i>
	<b>Triggers:</b>	<i>tr_when_code_D , tr_when_code_Delete</i>
	<b>Indexes:</b>	<i>PK_when_ , _WA_Sys_disabled_5402595F , _WA_Sys_inc_placement_rpt_5402595F , _WA_Sys_when_txt_5402595F</i>

	<b>Columns:</b>	<b>disabled</b> Bit NULL (DF_when_disabled - (0)), <b>inc_placement_rpt</b> Bit NULL (DF_when_inc_place_12BF713E - (0)), <b>when_ce1</b> Char(10) NULL, <b>when_ce2</b> Char(10) NULL, <b>when_ce3</b> Char(20) NULL, <b>when_de1</b> Date NULL, <b>when_fe1</b> Float NULL, <b>when_le1</b> Bit NULL, <b>when_ne1</b> Int NULL, <b>when_code</b> Char(3) NOT NULL (DF_when_when_code_21F6C7D6 - ('UNK')), <b>when_txt</b> Char(25) NULL
<b>WREGFEES</b>	<b>Primary Key:</b>	<i>PK_wregfees (wregfees_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_wregfees_dept, FK_wregfees_tcodes</i>
	<b>Indexes:</b>	<i>PK_wregfees, _WA_Sys_00000003_77168B72, _WA_Sys_00000006_77168B72, _WA_Sys_00000008_77168B72, _WA_Sys_00000009_77168B72, _WA_Sys_0000000B_77168B72, _WA_Sys_0000000D_77168B72, _WA_Sys_0000000E_77168B72, _WA_Sys_0000000F_77168B72, _WA_Sys_00000010_77168B72, _WA_Sys_00000011_77168B72, _WA_Sys_00000012_77168B72, _WA_Sys_00000013_77168B72, _WA_Sys_camp_cod_77168B72, _WA_Sys_credfrom_77168B72, _WA_Sys_credto_77168B72, _WA_Sys_crg_type_77168B72, _WA_Sys_dept_cod_77168B72, _WA_Sys_inactive_77168B72, _WA_Sys_level_77168B72, _WA_Sys_tcodes_77168B72</i>
	<b>Columns:</b>	<b>amount</b> Float NULL, <b>camp_cod</b> Char(10) NULL, <b>credfrom</b> Float NOT NULL (DF_wregfees_credfr_465423DD - (0)), <b>credto</b> Float NOT NULL (DF_wregfees_credto_47484816 - (999)), <b>crg_type</b> Char(50) NULL, <b>crs_type</b> Char(1) NULL, <b>dept_cod</b> Char(4) NULL, <b>div_cod</b> Char(2) NULL, <b>inactive</b> Bit NULL (UW_ZeroDefault - CREATE DEFAULT UW_ZeroDefault AS 0), <b>included</b> Char(50) NULL, <b>level</b> Char(1) NOT NULL (DF_wregfees_level_3C55B857 - (*)), <b>max_amt</b> Char(50) NULL, <b>tcodes</b> Char(2) NOT NULL, <b>wregfees_ce1</b> Char(10) NULL, <b>wregfees_ce2</b> Char(10) NULL, <b>wregfees_ce3</b> Char(20) NULL, <b>wregfees_de1</b> Date NULL, <b>wregfees_fe1</b> Float NULL, <b>wregfees_le1</b> Bit NULL, <b>wregfees_ne1</b> Int NULL, <b>wregfees_rid</b> Int NOT NULL
<b>WREGFEES_SEM</b>	<b>Primary Key:</b>	<i>PK_wregfees_sem_rid (wregfees_sem_rid)</i>
	<b>Foreign Keys:</b>	<i>FK_wregfees_sem_wregfees</i>
	<b>Indexes:</b>	<i>PK_wregfees_sem_rid, _WA_Sys_semester_720888E9, _WA_Sys_wregfees_rid_720888E9</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NOT NULL, <b>operator</b> Char(8) NULL, <b>semester</b> Char(2) NOT NULL, <b>time_maint</b> Char(8) NULL, <b>wregfees_rid</b> Int NOT NULL, <b>wregfees_sem_rid</b> Int NOT NULL
<b>YEARS</b>	<b>Primary Key:</b>	<i>PK_years (sch_years_id)</i>
	<b>Triggers:</b>	<i>tr_sch_years_D, tr_sch_years_Delete, tr_sch_years_Enstat_cod_D, tr_sch_years_crs_ID_D, tr_sch_years_crs_ID_Delete</i>
	<b>Indexes:</b>	<i>PK_years, _WA_Sys_date_maint_56DEC60A, _WA_Sys_disabled_56DEC60A, _WA_Sys_operator_56DEC60A, _WA_Sys_report_skip_56DEC60A, _WA_Sys_sch_years_56DEC60A, _WA_Sys_time_maint_56DEC60A</i>
	<b>Columns:</b>	<b>date_maint</b> Date NULL, <b>disabled</b> Bit NULL (DF_years_disabled - (0)), <b>operator</b> Char(8) NULL, <b>report_skip</b> Bit NOT NULL (DF_years_report_sk_1F3A56BC - (0)), <b>sch_years</b> Char(6) NOT NULL, <b>sch_years_id</b> Int NOT NULL, <b>time_maint</b> Char(8) NULL, <b>years_ce1</b> Char(10) NULL, <b>years_ce2</b> Char(10) NULL, <b>years_ce3</b> Char(20) NULL, <b>years_de1</b> Date NULL, <b>years_fe1</b> Float NULL, <b>years_le1</b> Bit NULL, <b>years_ne1</b> Int NULL
<b>ZIPCODE</b>	<b>Primary Key:</b>	<i>PK_zipcode (zip_code)</i>
	<b>Foreign Keys:</b>	<i>FK_zipcode_state</i>
	<b>Indexes:</b>	<i>PK_zipcode, _WA_Sys_state_5A7A4CC4</i>
	<b>Columns:</b>	<b>city</b> Char(35) NULL, <b>date_maint</b> Date NULL, <b>filler1</b> Char(5) NULL, <b>filler2</b> Char(5) NULL, <b>operator</b> Char(8) NULL, <b>state</b> Char(2) NULL, <b>time_maint</b> Char(8) NULL, <b>zip_code</b> Char(5) NOT NULL, <b>zipcode_ce1</b> Char(10) NULL, <b>zipcode_ce2</b> Char(10) NULL, <b>zipcode_ce3</b> Char(20) NULL, <b>zipcode_de1</b> Date NULL, <b>zipcode_fe1</b> Float NULL, <b>zipcode_le1</b> Bit NULL, <b>zipcode_ne1</b> Int NULL
<b>ZONE</b>	<b>Primary Key:</b>	<i>PK_zone (zone_rid)</i>
	<b>Indexes:</b>	<i>PK_zone, _WA_Sys_date_maint_49F9CC38, _WA_Sys_disabled_49F9CC38, _WA_Sys_operator_49F9CC38, _WA_Sys_time_maint_49F9CC38</i>

	<b>Columns:</b>	<b>date_maint</b> <i>Date</i> NULL , <b>disabled</b> <i>Bit</i> NULL ( <i>DF_zone_zone_disabled - (0)</i> ) , <b>operator</b> <i>Char(8)</i> NULL , <b>time_maint</b> <i>Char(8)</i> NULL , <b>zone_ce1</b> <i>Char(10)</i> NULL , <b>zone_ce2</b> <i>Char(10)</i> NULL , <b>zone_ce3</b> <i>Char(20)</i> NULL , <b>zone_de1</b> <i>Date</i> NULL , <b>zone_fe1</b> <i>Float</i> NULL , <b>zone_le1</b> <i>Bit</i> NULL , <b>zone_ne1</b> <i>Int</i> NULL , <b>zone_rid</b> <i>Int</i> NOT NULL , <b>zone_txt</b> <i>Char(40)</i> NULL
<b>Stored Procedures</b>		AffiliationRptRB , ApplicationRB , AppList , AppList2 , AppListRB , birthday , birthday_MM , Chk_Pending_Non_Sy_Sem , Chk_Pending_Non_Sy_Sem_Courses , CitizenRptRB , CRS_LIST , CrsCurCnt , DAqry_name , DE_Receipt_MM , dispos_all , dispositions , enroll_data_collection , export_data , FacUtilization , GetCredTot1 , GetCredTot2 , GetResults , GetResults2 , GetSetUpName , gpa_rpt , gpa_rpt2 , insert_finaidimport , mailinglabels , mailinglabelsps , mailinglabelsRB , MM_Alumni , MM_StudsApps , MM_StudsAppspsRB , MM_StudsAppsRB , Nm_Waitlist , OCU_UR_AppListRB , ocu_ur_studdirectory , ocu_ur_studdirectory_lvls , ocu_ur_studlist , qry_billing_tots , qry_credits_sapgpa , qry_credits_sapgpa_2 , qry_enrlstat , qry_enroll , qry_enrollment , qry_finaidimport_award , qry_finaidimport_awardPF , qry_finaidimport_multitrans , qry_finaidimport_ssn , qry_finaidimport_transno , qry_finaidimport_transnoPF , qry_gpa_status , qry_gpa_status_2 , qry_insert_enrollment , qry_insert_pass_fail , qry_insert_pass_fail_2 , qry_insert_pass_fail_enroll , qry_max_cuml_gpa , qry_name1 , qry_name10 , qry_name11 , qry_name12 , qry_name13 , qry_name2 , qry_name20 , qry_name3 , qry_name4 , qry_name5 , qry_name5b , qry_name6 , qry_name6b , qry_name7 , qry_name7b , qry_name8 , qry_name9 , qry_nmsap_delete , qry_nmwait , qry_pass_fail , reg_cart_timeout , sp_taken , stud_booklists , stud_profile , studdirectory , studdirectory_lvls , StudentCourses_DG_RB , StudentCoursesRB , studlist