

Wireless Lockset Integration

Allegion NDEB and LEB Lockset Integration

[On-Premise](#) | [Cloud](#) | [Video Directory Intercom](#) | [CCTV](#) | [Wireless Locks](#) | [Elevator Control](#) | [Multi Site](#) | [Mobile Credentials](#) | [Mobile App](#)



SWG-5D



NDE / NDEB



LE / LEB

Overview

Schlage® NDEB and LEB locks with ENGAGE™ technology seamlessly integrate with Sicunet Neptune Access System to provide a cost effective and scalable access control solution to meet your security needs. The Schlage NDE/LE wireless locks with Sicunet technology are designed to be easy to install, connect, manage and use. Developed specifically for facilities that want to utilize credentials for improved security and efficiency, it is ideal for interior office doors, doors with lower traffic and less sensitive storage spaces.

Adding the Allegion family of lock products now provides a cost effective, flexible way to add door control without all the labor of a traditional system. Purchase our version of gateway and a license for each lock. (one-time license). Our standard panels support up to 128 hardwire doors, 102 gateways and 512 wireless locks, 12 cabs with 96 floors of access control with video intercom directory units. Our common hardware / system is flexible and functions as an on-premise, hybrid (cloud and on-premise) or “True” cloud ecosystem. Our all-in-one software application provides a discovery function for the gateways and locks. Simple method to incorporate wireless locks in your systems.

Mobile App, Desk Top Icon displays status and provides action for lock and unlock. These icons can be positioned on a floor plan or an Icon tray for visual status and management. Threat level integration can be triggered via mobile app, button on the wall or a sensor input. In addition, you can add the ability to create a push notification for any events. For larger applications or requirements consult the factory.

The NDE and LE design packages the cylindrical lock, credential reader, and access control sensors together into a small footprint that is both easy to install and affordable. NDE enables the use of both proximity (125 kHz) and/or smart (13.56 MHz) credentials which feature a much higher level of security and versatility.


[On-Premise](#) | [Cloud](#) | [Video Directory Intercom](#) | [CCTV](#) | [Wireless Locks](#) | [Elevator Control](#) | [Multi Site](#) | [Mobile Credentials](#) | [Mobile App](#)

Wireless Lockset Integration

Allegion NDEB and LEB Lockset Integration

On-Premise | Cloud | Video Directory Intercom | CCTV | Wireless Locks | Elevator Control | Multi Site | Mobile Credentials | Mobile App

Mobile App



- Log Report - View logs real time
- Person - Add, delete, modify users, add an image
- Door - door status and control your doors, lock and unlock
- Channel - View your cameras live
- Threat - View and change your threat levels
- Notification - Turn on or off push notifications*
- Log out – exit the application


* Notifications requires a service plan



Floor Plan

Icons show (Locked, Unlocked) status (Propped or Secure) and support actions (Lock, Unlock, Data sync)

Click on shows status and action, right click action buttons



On-Premise | Cloud | Video Directory Intercom | CCTV | Wireless Locks | Elevator Control | Multi Site | Mobile Credentials | Mobile App

Wireless Lockset Integration

Allegion NDEB and LEB Lockset Integration

On-Premise | Cloud | Video Directory Intercom | CCTV | Wireless Locks | Elevator Control | Multi Site | Mobile Credentials | Mobile App

Dashboard Icon Tray

[Home](#) - Dashboard [?](#) [▶](#)

[Hide Floor](#) [Show Floor](#) [Icon Widget](#)

Floor >

Device Type >

Device >

Door

House Inside

Warehouse

Status

Is

Key Sw

Tech

Account

Set

Trill

Snow Day

Exterior Dr

All Doors L

Easy to Add your Gateways

[Home](#) - Gateway [?](#)

No

Name

Node >

IP Address

[Apply](#) [Reset](#) [+ Add](#) [Delete](#)

☐	No ↑↓	Name ↑↓	Description ↑↓	Node ↑↓	IP Address ↑↓	Online ↑↓
☐	1	Tech Gateway	Tech room gateway	Node 1	192.168.1.182	Yes

Discover your Locks and apply them to your gateway

[Home](#) - Lockset - Edit [?](#) [Discover](#) [Apply](#) [Cancel](#)

Device

Partition

All Sites >

Description

Tech Hallway Lockset

Link ID*

dev00000

Model Type*

ndeb

Name*

Tech

Gateway*

Tech Gateway X >

Device Name*

Tech Hallway Lockset

Device ID*

a20000000f14b5d1

On-Premise | Cloud | Video Directory Intercom | CCTV | Wireless Locks | Elevator Control | Multi Site | Mobile Credentials | Mobile App

Wireless Lockset Integration

Allegion NDEB and LEB Lockset Integration

On-Premise | Cloud | Video Directory Intercom | CCTV | Wireless Locks | Elevator Control | Multi Site | Mobile Credentials | Mobile App

Access levels are easy

[Home](#) > [Access Level](#) > [Information](#)  

[Edit](#) [Delete](#) [List](#)

Access Level

Partition
All Sites

Description

Access Type
Lockset

Name*
Lockset Access

Schedule*
Always

Access Device

Select Type
Individual

Access Item
Tech, Account, Brass Lockset

Easy to add schedules unlocks

[Home](#) > [Schedule Action](#) > [Add](#)  

[Apply](#) [Cancel](#)

Partition
All Sites

Description

Action Type
Lockset

Name*

Schedule*
Workdays

Start Only
☐

Schedule Action Item

Select Type
Individual

Schedule Action Item

Account
Brass Lockset
Tech

>

<

On-Premise | Cloud | Video Directory Intercom | CCTV | Wireless Locks | Elevator Control | Multi Site | Mobile Credentials | Mobile App

Wireless Lockset Integration

Allegion NDEB and LEB Lockset Integration

On-Premise | Cloud | Video Directory Intercom | CCTV | Wireless Locks | Elevator Control | Multi Site | Mobile Credentials | Mobile App

Easy to add users is fast – Apply the access level to a user

Person

Information

Person

Partition

All Sites

First Name

John

Middle Name

Last Name*

Android

Email

johnrlafond@gmail.com

Person Image



Credential

Edit

Credential

Scan

Format Type*

Card

Format*

32-Bit FC213

Credential Number*

13202

Sub Key Number

Credential Type

Normal

Credential Stat

Active

Never Expire

☒

No	Format Type	Format	Credential Num
30	Wavelynx Mobile Credential	Mobile Credential	46142587
56	Card	32-Bit FC213	13202

On-Premise | Cloud | Video Directory Intercom | CCTV | Wireless Locks | Elevator Control | Multi Site | Mobile Credentials | Mobile App

Wireless Lockset Integration

Allegion NDEB and LEB Lockset Integration

On-Premise | Cloud | Video Directory Intercom | CCTV | Wireless Locks | Elevator Control | Multi Site | Mobile Credentials | Mobile App

EditDeleteList

Defined Fields

Phone

5082723623

School

Car Number

Company

SSID

f2c688ce-9d56-4b60-b8d2-3a561dcc0295

Option

ADA

Invite

Exempt

Threat Level

Low

ApplyCancel

Credential Access

Select Type

Individual

Credential Access

Workdays

Lockset Access

Sicunet Intercom Access 1

Users can be bulk loaded with an integrated bulk loading utility or flat file (CSV) import utility. Both are standard features.

On-Premise | Cloud | Video Directory Intercom | CCTV | Wireless Locks | Elevator Control | Multi Site | Mobile Credentials | Mobile App

 **SICUNET**

Tel: 857-346-0130 | www.sicunet.com

NDE/B & LE/B Spec Sheet 12.25

Wireless Lockset Integration

Allegion NDEB and LEB Lockset Integration

On-Premise | Cloud | Video Directory Intercom | CCTV | Wireless Locks | Elevator Control | Multi Site | Mobile Credentials | Mobile App

Create actions based on events

Code ↑↓	Name ↑↓	Event Type ↑↓	Event Level ↑↓	✓ Log Save ↑↓	✓ Log Display ↑↓
1224	Lockset Lockdown	Lockset	Notification	✓	✓
1223	Lockset Magnetic Tamper	Lockset	Alert	✓	✓
1222	Lockset LockCover Tamper	Lockset	Alert	✓	✓
1221	Lockset Propped Door	Lockset	Alert	✓	✓
1220	Lockset Forced Door	Lockset	Alert	✓	✓
1219	Lockset Buffer Overrun	Lockset	Alert	✓	✓
1218	Lockset Database Corrupt	Lockset	Alert	✓	✓
1217	Lockset BLE Tamper	Lockset	Alert	✓	✓
1216	Lockset Critical Battery	Lockset	Alert	✓	✓
1215	Lockset Low Battery	Lockset	Alert	✓	✓
1214	Lockset Audit	Lockset	Audit	✓	✓
1212	Lockset Accessed	Lockset	Notification	✓	✓
1211	Lockset Open	Lockset	Notification	✓	✓
1210	Lockset Close	Lockset	Notification	✓	✓
1209	Lockset Control - Initialize	Lockset	Audit	✓	✓
1208	Lockset Control - Update	Lockset	Audit	✓	✓
1207	Lockset Control - M-Unlock	Lockset	Audit	✓	✓
1206	Lockset Control - Unlock	Lockset	Audit	✓	✓
1205	Lockset Control - Lock	Lockset	Audit	✓	✓
1204	Lockset Unlocked	Lockset	Notification	✓	✓
1203	Lockset Locked	Lockset	Notification	✓	✓
1202	Lockset Connected	Lockset	Notification	✓	✓
1201	Lockset Disconnected	Lockset	Notification	✓	✓

On-Premise | Cloud | Video Directory Intercom | CCTV | Wireless Locks | Elevator Control | Multi Site | Mobile Credentials | Mobile App

Wireless Lockset Integration

Allegion NDEB and LEB Lockset Integration

[On-Premise](#) | [Cloud](#) | [Video Directory Intercom](#) | [CCTV](#) | [Wireless Locks](#) | [Elevator Control](#) | [Multi Site](#) | [Mobile Credentials](#) | [Mobile App](#)

Gateway IP (PoE) – Sicunet Part Number: SGW-5D

System Integration: Sicunet 1DC, 2DM, 4DM, 2DMPL, 4DMPL

Software Model Compatibility: Neptune

Software version: 2.0 or greater

License is required – Note: Sicunet panel must support door count to lock ratio.

Connectivity

TCIP / Wi-Fi access point - ENGAGE™ Gateway allows real time communication via TCIP to ACS Server.

BLE and WIFI to Locksets

Communication standards

2.4 GHz Wi-Fi (IEEE 802.11b/g), WPA2, WPA, WEP, 802.1x

Bluetooth low energy (version 4.0)

Transport Layer Security (TLS) version 1.0

Advanced Encryption Standard (AES), 256-bit

Wake-Up on Radio Responds to command from host in less than 5 seconds

Additionally

Gateway communication range - up to 30 feet

Data rate - up to 54 Mbps via Wi-Fi

Gateway Features

Maximum number of gateways per system - Limited only by the door count capacity of the system

Maximum number of locks per Gateway - 5

Maximum # of locks supported - Limited only by the door count capacity of the system.

Access control decision made by Host software or by lock database - Lock

[On-Premise](#) | [Cloud](#) | [Video Directory Intercom](#) | [CCTV](#) | [Wireless Locks](#) | [Elevator Control](#) | [Multi Site](#) | [Mobile Credentials](#) | [Mobile App](#)



Wireless Lockset Integration

Allegion NDEB and LEB Lockset Integration

[On-Premise](#) | [Cloud](#) | [Video Directory Intercom](#) | [CCTV](#) | [Wireless Locks](#) | [Elevator Control](#) | [Multi Site](#) | [Mobile Credentials](#) | [Mobile App](#)

Remote lockdown - Not supported

Real-time updates and event reporting - Yes

Schedules - Yes

Holidays – No

Remote unlock via User Interface and or mobile App - Yes

Supported Credentials: Multi-tech – 125 kHz proximity and 13.56 MHz smart credentials.

NDE / NDEB Locks



Specification:

Battery life - up to 2 years with 4 AA batteries – supervised with event notification – Life varies by the number of transactions

Exterior Temp: -31° to 151°F (-35° to 66°C), Interior Temp: 32° to 120°F (0° to 49°C) (battery)

Humidity: 0 - 100% non-condensing

Supported Credentials - Multi-tech – 125 kHz proximity and 13.56 MHz smart credentials.

Status Monitors

Request-to-exit - Yes

Door Position - Yes

Deadbolt position - N/A

Interior push button – NDE No, NDEB Yes

Low battery status - Yes

Communication status – No (Log event for disconnect and connect)

[On-Premise](#) | [Cloud](#) | [Video Directory Intercom](#) | [CCTV](#) | [Wireless Locks](#) | [Elevator Control](#) | [Multi Site](#) | [Mobile Credentials](#) | [Mobile App](#)

Wireless Lockset Integration

Allegion NDEB and LEB Lockset Integration

[On-Premise](#) | [Cloud](#) | [Video Directory Intercom](#) | [CCTV](#) | [Wireless Locks](#) | [Elevator Control](#) | [Multi Site](#) | [Mobile Credentials](#) | [Mobile App](#)

Lock Function

Classroom/storeroom – NDE Yes, NDEB Yes

Privacy – NDE No, NDEB Yes

Office – NDE No, NDEB Yes

Apartment - NDE No, NDEB Yes

LE locks



Specification:

Battery life - up to 2 years with 4 AA batteries – supervised with event notification – Life varies by the number of transactions

Exterior Temp: -31° to 151°F (-35° to 66°C), Interior Temp: 32° to 120°F (0° to 49°C) (battery)

Humidity: 0 - 100% non-condensing

Supported Credentials: Multi-tech – 125 kHz proximity and 13.56 MHz smart credentials

Status Monitors

Request-to-exit - Yes

Door Position - Yes

Deadbolt position - Yes

Interior push button - Yes

Remote Lockdown/unlock - Not supported.

Low battery status - Yes

[On-Premise](#) | [Cloud](#) | [Video Directory Intercom](#) | [CCTV](#) | [Wireless Locks](#) | [Elevator Control](#) | [Multi Site](#) | [Mobile Credentials](#) | [Mobile App](#)

Allegion NDEB and LEB Lockset Integration

Lock Function

Apartment – LE Yes, LEB Yes

SICUNET
ACCESS CONTROL SOLUTIONS



NDE/B & LE/B Spec Sheet 12.25