

```

import { useState, useEffect } from "react";

// — Mock Data —————
const MOCK_USERS = [
  { id: 1, name: "Alex Rivera", email: "alex@email.com", password: "pass123", bal
  { id: 2, name: "Jordan Lee", email: "jordan@email.com", password: "pass123", ba
  { id: 3, name: "Admin", email: "admin@canyons.com", password: "admin123", balan
];

const MOCK_DEPOSITS = [
  { id: 1, userId: 1, amount: 10000, currency: "USDT", txHash: "0xabc123...def456
  { id: 2, userId: 2, amount: 5000, currency: "BTC", txHash: "0x789xyz...123abc",
  { id: 3, userId: 2, amount: 500, currency: "USDT", txHash: "0xpending...", date
];

const MOCK_TRADES = [
  { id: 1, symbol: "BTC/USD", side: "buy", qty: 0.5, price: 62400, pnl: +1240, da
  { id: 2, symbol: "ETH/USD", side: "sell", qty: 2, price: 3180, pnl: +420, date:
  { id: 3, symbol: "LTC/USD", side: "buy", qty: 10, price: 89, pnl: -130, date: "
  { id: 4, symbol: "BTC/USD", side: "buy", qty: 0.25, price: 65200, pnl: +920, da
  { id: 5, symbol: "ETH/USD", side: "buy", qty: 1.5, price: 3320, pnl: +210, date
];

const ALPACA = { totalValue: 148320.75, cash: 42100.00, positions: [
  { symbol: "BTC/USD", qty: 1.25, avgEntry: 63200, currentPrice: 67400, pnl: 5250
  { symbol: "ETH/USD", qty: 4.5, avgEntry: 3180, currentPrice: 3420, pnl: 1080 },
  { symbol: "LTC/USD", qty: 25, avgEntry: 87, currentPrice: 91, pnl: 100 },
]];

// — Utility —————
const fmt = (n) => new Intl.NumberFormat("en-US", { style: "currency", currency:
const fmtPct = (n, d) => ((n / d) * 100).toFixed(2) + "%";

// — Icons —————
const Icon = ({ d, size = 20, color = "currentColor" }) => (
  <svg width={size} height={size} viewBox="0 0 24 24" fill="none" stroke={color}
    <path d={d} />
  </svg>
);

// — Styles —————
const styles = `
  @import url('https://fonts.googleapis.com/css2?family=Cormorant+Garamond:wght@3

```

```
*, *::before, *::after { box-sizing: border-box; margin: 0; padding: 0; }
```

```
:root {  
  --gold: #C9A84C;  
  --gold-light: #E8C96A;  
  --gold-dim: rgba(201,168,76,0.15);  
  --bg: #080B10;  
  --surface: #0E1219;  
  --surface2: #141820;  
  --surface3: #1C2230;  
  --border: rgba(201,168,76,0.2);  
  --text: #E8E4D9;  
  --text-dim: #7A7568;  
  --green: #4CAF7D;  
  --red: #E05454;  
  --blue: #4A9EFF;  
}
```

```
body { background: var(--bg); color: var(--text); font-family: 'DM Sans', sans-
```

```
h1,h2,h3 { font-family: 'Cormorant Garamond', serif; }
```

```
/* Auth */
```

```
.auth-wrap {  
  min-height: 100vh; display: flex; align-items: center; justify-content: center;  
  background: radial-gradient(ellipse 80% 60% at 50% 0%, rgba(201,168,76,0.08)  
}
```

```
.auth-card {  
  width: 420px; background: var(--surface); border: 1px solid var(--border);  
  border-radius: 2px; padding: 48px 40px; position: relative;  
}
```

```
.auth-card::before {  
  content: ''; position: absolute; top: 0; left: 40px; right: 40px; height: 1px  
  background: linear-gradient(90deg, transparent, var(--gold), transparent);  
}
```

```
.auth-logo { text-align: center; margin-bottom: 36px; }
```

```
.auth-logo h1 { font-size: 32px; font-weight: 300; color: var(--gold); letter-s
```

```
.auth-logo span { font-size: 11px; letter-spacing: 0.3em; text-transform: upper
```

```
.auth-tabs { display: flex; margin-bottom: 32px; border-bottom: 1px solid var(-
```

```
.auth-tab {  
  flex: 1; padding: 10px; background: none; border: none; font-family: 'DM Sans'  
  font-size: 13px; letter-spacing: 0.1em; text-transform: uppercase; cursor: po  
  color: var(--text-dim); transition: color 0.2s; padding-bottom: 12px;  
}
```

```
.auth-tab.active { color: var(--gold); border-bottom: 1px solid var(--gold); ma
```

```
.field { margin-bottom: 18px; }
```

```
.field label { display: block; font-size: 11px; letter-spacing: 0.2em; text-tra
```

```

.field input {
  width: 100%; background: var(--surface2); border: 1px solid var(--border); border-radius: 4px; padding: 12px 14px; color: var(--text); font-family: 'DM Sans', sans-serif; font-size: 13px; font-weight: 400; outline: none; transition: border-color 0.2s; }
.field input:focus { border-color: var(--gold); }
.btn-primary {
  width: 100%; background: var(--gold); color: #000; border: none; padding: 14px 16px; font-family: 'DM Sans', sans-serif; font-size: 13px; font-weight: 600; letter-spacing: 0.02em; text-transform: uppercase; cursor: pointer; border-radius: 2px; margin-top: 8px; }
.btn-primary:hover { background: var(--gold-light); }
.error-msg { background: rgba(224,84,84,0.1); border: 1px solid rgba(224,84,84,0.2); padding: 10px 12px; font-size: 12px; color: var(--red); font-weight: 400; }

/* Layout */
.app-layout { display: flex; min-height: 100vh; }
.sidebar {
  width: 240px; background: var(--surface); border-right: 1px solid var(--border); padding: 28px 12px; display: flex; flex-direction: column; position: fixed; top: 0; left: 0; bottom: 0; }
.sidebar-logo { padding: 28px 24px; border-bottom: 1px solid var(--border); }
.sidebar-logo h2 { font-size: 22px; font-weight: 300; color: var(--gold); }
.sidebar-logo span { font-size: 9px; letter-spacing: 0.3em; text-transform: uppercase; }
.sidebar-nav { flex: 1; padding: 16px 12px; }
.nav-item {
  display: flex; align-items: center; gap: 12px; padding: 11px 14px; border-radius: 4px; margin-bottom: 8px; cursor: pointer; color: var(--text-dim); font-size: 13px; transition: all 0.2s; background: none; border: none; width: 100%; text-align: left; font-family: 'DM Sans'; }
.nav-item:hover { color: var(--text); background: var(--surface2); }
.nav-item.active { color: var(--gold); background: var(--gold-dim); }
.nav-section { font-size: 9px; letter-spacing: 0.3em; text-transform: uppercase; margin-top: 16px; }
.sidebar-footer { padding: 16px 12px; border-top: 1px solid var(--border); }
.user-badge { display: flex; align-items: center; gap: 10px; padding: 10px 14px; }
.avatar { width: 32px; height: 32px; border-radius: 50%; background: var(--gold); }
.user-info p { font-size: 13px; font-weight: 500; }
.user-info span { font-size: 11px; color: var(--text-dim); }
.logout-btn { display: flex; align-items: center; gap: 8px; padding: 9px 14px; }
.logout-btn:hover { color: var(--red); }

/* Main */
.main { margin-left: 240px; flex: 1; padding: 32px 36px; }
.page-header { margin-bottom: 32px; }
.page-title { font-size: 34px; font-weight: 300; letter-spacing: 0.02em; color: var(--text); }
.page-sub { font-size: 12px; color: var(--text-dim); letter-spacing: 0.1em; text-align: left; }

/* Cards */

```

```

.card { background: var(--surface); border: 1px solid var(--border); border-rad
.card-title { font-size: 11px; letter-spacing: 0.2em; text-transform: uppercase

/* Stats Grid */
.stats-grid { display: grid; grid-template-columns: repeat(4, 1fr); gap: 16px;
.stat-card { background: var(--surface); border: 1px solid var(--border); borde
.stat-card::after { content: ''; position: absolute; top: 0; left: 0; right: 0;
.stat-label { font-size: 10px; letter-spacing: 0.25em; text-transform: uppercas
.stat-value { font-family: 'Cormorant Garamond', serif; font-size: 28px; font-w
.stat-sub { font-size: 12px; color: var(--text-dim); margin-top: 6px; }
.stat-sub.up { color: var(--green); }
.stat-sub.down { color: var(--red); }

/* Table */
.table-wrap { overflow-x: auto; }
table { width: 100%; border-collapse: collapse; }
th { font-size: 10px; letter-spacing: 0.2em; text-transform: uppercase; color:
td { padding: 13px 14px; font-size: 13px; border-bottom: 1px solid rgba(255,255
tr:hover td { background: var(--surface2); }
.badge { display: inline-block; padding: 3px 10px; border-radius: 2px; font-siz
.badge-green { background: rgba(76,175,125,0.12); color: var(--green); border:
.badge-yellow { background: rgba(201,168,76,0.12); color: var(--gold); border:
.badge-red { background: rgba(224,84,84,0.12); color: var(--red); border: 1px s

.grid-2 { display: grid; grid-template-columns: 1fr 1fr; gap: 20px; }
.grid-3 { display: grid; grid-template-columns: 1fr 1fr 1fr; gap: 20px; }

/* Deposit */
.wallet-box { background: var(--surface2); border: 1px dashed var(--border); bo
.wallet-addr { font-size: 12px; color: var(--gold); letter-spacing: 0.05em; wor
.copy-btn { background: var(--gold-dim); border: 1px solid var(--border); color
.copy-btn:hover { background: var(--gold); color: #000; }
.deposit-form input, .deposit-form select { width: 100%; background: var(--surf
.deposit-form input:focus, .deposit-form select:focus { border-color: var(--gol
.deposit-form select option { background: var(--surface2); }
.submit-btn { background: var(--gold); color: #000; border: none; padding: 13px
.submit-btn:hover { background: var(--gold-light); }

/* Admin */
.admin-action-btn { background: var(--gold-dim); border: 1px solid var(--border
.admin-action-btn:hover { background: var(--gold); color: #000; }
.admin-action-btn.danger { color: var(--red); border-color: rgba(224,84,84,0.3)
.admin-action-btn.danger:hover { background: var(--red); color: #fff; }

/* Positions */
.pos-row { display: flex; align-items: center; justify-content: space-between;
.pos-row:last-child { border-bottom: none; }

```

```

.pos-symbol { font-family: 'Cormorant Garamond', serif; font-size: 18px; color:
.pos-qty { font-size: 12px; color: var(--text-dim); }
.pnl-pos { color: var(--green); font-size: 14px; font-weight: 500; }
.pnl-neg { color: var(--red); font-size: 14px; font-weight: 500; }

/* Chart bars */
.bar-chart { display: flex; align-items: flex-end; gap: 6px; height: 80px; padding: 10px; }
.bar { flex: 1; border-radius: 2px 2px 0 0; transition: opacity 0.2s; cursor: pointer; }
.bar:hover { opacity: 0.8; }

/* Notification */
.toast { position: fixed; bottom: 24px; right: 24px; background: var(--surface); padding: 10px; border: 1px solid var(--border); }
@keyframes fadeIn { from { opacity: 0; transform: translateY(8px); } to { opacity: 1; transform: translateY(0); } }

/* Modal */
.modal-overlay { position: fixed; inset: 0; background: rgba(0,0,0,0.7); z-index: 1000; }
.modal { background: var(--surface); border: 1px solid var(--border); border-radius: 12px; padding: 16px; }
.modal h3 { font-size: 22px; font-weight: 300; color: var(--gold); margin-bottom: 16px; }
.modal-close { position: absolute; top: 16px; right: 16px; background: none; border: none; font-size: 24px; color: var(--text-dim); }
.credit-input { width: 100%; background: var(--surface2); border: 1px solid var(--border); padding: 8px; }
.credit-input:focus { border-color: var(--gold); }

@media (max-width: 900px) {
  .stats-grid { grid-template-columns: repeat(2, 1fr); }
  .grid-2 { grid-template-columns: 1fr; }
}

// — Components —————

function Toast({ msg, onClose }) {
  useEffect(() => { const t = setTimeout(onClose, 3000); return () => clearTimeout(t); }, [onClose]);
  return <div className="toast">{msg}</div>;
}

function CreditModal({ user, onClose, onCredit }) {
  const [amount, setAmount] = useState("");
  const [type, setType] = useState("credit");
  return (
    <div className="modal-overlay" onClick={onClose}>
      <div className="modal" onClick={e => e.stopPropagation()}>
        <h3>Adjust Balance</h3>
        <button className="modal-close" onClick={onClose}>✕</button>
        <p style={{ fontSize: 13, color: "var(--text-dim)", marginBottom: 16 }}>Enter amount</p>
        <div style={{ marginBottom: 12 }}>
          <label style={{ fontSize: 11, letterSpacing: "0.2em", textTransform: "uppercase" }}>Type</label>
          <select className="credit-input" value={type} onChange={e => setType(e.target.value)}>
            <option value="credit">Credit</option>
            <option value="debit">Debit</option>
          </select>
        </div>
        <input type="text" value={amount} onChange={setAmount} style={{ width: 100%; }}/>
        <button onClick={onCredit}>Adjust</button>
      </div>
    </div>
  );
}

```

```

        <option value="credit">Credit (Add)</option>
        <option value="debit">Debit (Remove)</option>
    </select>
</div>
<div>
    <label style={{ fontSize: 11, letterSpacing: "0.2em", textTransform: "u
    <input className="credit-input" type="number" placeholder="0.00" value=
</div>
    <button className="submit-btn" onClick={() => { onCredit(user.id, parseFl
</div>
</div>
);
}

```

// — Pages —————

```

function UserDashboard({ user }) {
    const profitPct = ((user.profit / user.deposited) * 100).toFixed(2);
    const months = ["Oct", "Nov", "Dec", "Jan", "Feb", "Mar"];
    const bars = [320, 580, 490, 820, 670, 940];
    const maxBar = Math.max(...bars);

    return (
        <div>
            <div className="page-header">
                <div className="page-title">Welcome back, {user.name.split(" ")[0]}</div>
                <div className="page-sub">Portfolio Overview · Live via Alpaca</div>
            </div>

            <div className="stats-grid">
                <div className="stat-card">
                    <div className="stat-label">Total Balance</div>
                    <div className="stat-value">{fmt(user.balance)}</div>
                    <div className="stat-sub up">↑ {fmtPct(user.profit, user.deposited)} al
                </div>
                <div className="stat-card">
                    <div className="stat-label">Total Deposited</div>
                    <div className="stat-value">{fmt(user.deposited)}</div>
                    <div className="stat-sub">Principal invested</div>
                </div>
                <div className="stat-card">
                    <div className="stat-label">Total Profit</div>
                    <div className="stat-value" style={{ color: "var(--green)" }}>+{fmt(use
                    <div className="stat-sub up">+{profitPct}% return</div>
                </div>
                <div className="stat-card">
                    <div className="stat-label">ROI Rate</div>

```

```

    <div className="stat-value">{profitPct}%</div>
    <div className="stat-sub">Since inception</div>
  </div>
</div>

<div className="grid-2" style={{ marginBottom: 20 }}>
  <div className="card">
    <div className="card-title">Monthly Returns</div>
    <div className="bar-chart">
      {bars.map((v, i) => (
        <div key={i} style={{ display: "flex", flexDirection: "column", ali
          <div className="bar" style={{ height: `${(v / maxBar) * 64}px`, b
            <span style={{ fontSize: 10, color: "var(--text-dim)" }}>{months[
          </div>
        )})
      )}
    </div>
  </div>
  <div className="card">
    <div className="card-title">Live Positions (Alpaca)</div>
    {ALPACA.positions.map(p => (
      <div className="pos-row" key={p.symbol}>
        <div>
          <div className="pos-symbol">{p.symbol}</div>
          <div className="pos-qty">{p.qty} units @ {fmt(p.avgEntry)}</div>
        </div>
        <div style={{ textAlign: "right" }}>
          <div style={{ fontSize: 14 }}>{fmt(p.currentPrice)}</div>
          <div className={p.pnl >= 0 ? "pnl-pos" : "pnl-neg"}>{p.pnl >= 0 ?
        </div>
      </div>
    )})
  </div>
</div>

<div className="card">
  <div className="card-title">Recent Trades</div>
  <div className="table-wrap">
    <table>
      <thead><tr><th>Date</th><th>Pair</th><th>Side</th><th>Qty</th><th>Pri
    <tbody>
      {MOCK_TRADES.map(t => (
        <tr key={t.id}>
          <td style={{ color: "var(--text-dim)" }}>{t.date}</td>
          <td style={{ fontFamily: "'Cormorant Garamond', serif", fontSiz
          <td><span className={`badge ${t.side === "buy" ? "badge-green"
          <td>{t.qty}</td>
          <td>{fmt(t.price)}</td>
        )})
      )}
    </tbody>
  </table>
  </div>
</div>

```

```

        <td className={t.pnl >= 0 ? "pnl-pos" : "pnl-neg"}>{t.pnl >= 0
      </td>
    </tr>
  </tbody>
</table>
</div>
</div>
</div>
);
}

```

```

function DepositPage({ user, onDeposit }) {
  const [currency, setCurrency] = useState("USDT");
  const [amount, setAmount] = useState("");
  const [txHash, setTxHash] = useState("");
  const [submitted, setSubmitted] = useState(false);
  const wallets = { USDT: "TQn8VFkVKnD7aPcUX3J8sZLwRMY5QXhYD8", BTC: "bc1qxy2kgdy

  const handleSubmit = () => {
    if (!amount || !txHash) return;
    setSubmitted(true);
    setTimeout(() => setSubmitted(false), 4000);
  };

  return (
    <div>
      <div className="page-header">
        <div className="page-title">Make a Deposit</div>
        <div className="page-sub">Fund your account via crypto</div>
      </div>

      <div className="grid-2">
        <div className="card">
          <div className="card-title">Step 1 – Select Currency</div>
          <div style={{ display: "flex", gap: 10, marginTop: 12 }}>
            {[ "USDT", "BTC" ].map(c => (
              <button key={c} onClick={() => setCurrency(c)} style={{ flex: 1, pa
            ))}
          </div>

          <div className="card-title" style={{ marginTop: 24 }}>Step 2 – Send to
          <div className="wallet-box">
            <div style={{ fontSize: 11, color: "var(--text-dim)", letterSpacing:
            <div className="wallet-addr">{wallets[currency]}</div>
            <button className="copy-btn" onClick={() => navigator.clipboard?.writ
          </div>

```



```

<div className="card-title" style={{ marginTop: 20 }}>Step 3 – Submit C
<div className="deposit-form">
  <label style={{ fontSize: 11, color: "var(--text-dim)", letterSpacing
  <input type="number" placeholder="0.00" value={amount} onChange={e =>
  <label style={{ fontSize: 11, color: "var(--text-dim)", letterSpacing
  <input type="text" placeholder="Paste your tx hash here..." value={tx
  <button className="submit-btn" onClick={handleSubmit}>Submit Deposit<
</div>
  {submitted && <div style={{ marginTop: 14, padding: "10px 14px", backgr
</div>

<div>
  <div className="card" style={{ marginBottom: 16 }}>
    <div className="card-title">Your Deposit History</div>
    <div className="table-wrap">
      <table>
        <thead><tr><th>Date</th><th>Amount</th><th>Currency</th><th>Statu
        <tbody>
          {MOCK_DEPOSITS.filter(d => d.userId === user.id).map(d => (
            <tr key={d.id}>
              <td style={{ color: "var(--text-dim)" }}>{d.date}</td>
              <td style={{ fontFamily: "'Cormorant Garamond', serif", fon
              <td>{d.currency}</td>
              <td><span className={`badge ${d.status === "confirmed" ? "b
            </tr>
          )}}
        </tbody>
      </table>
    </div>
  </div>

  <div className="card">
    <div className="card-title">Deposit Information</div>
    {[["Min. Deposit", "$100 USD equivalent"], ["Confirmation Time", "15-30
    <div key={k} style={{ display: "flex", justifyContent: "space-betwe
      <span style={{ color: "var(--text-dim)" }}>{k}</span>
      <span>{v}</span>
    </div>
    )}}
  </div>
</div>
</div>
</div>
);
}

function ProfilePage({ user }) {

```

```

return (
  <div>
    <div className="page-header">
      <div className="page-title">Account Profile</div>
      <div className="page-sub">Your account details</div>
    </div>
    <div className="grid-2">
      <div className="card">
        <div className="card-title">Personal Information</div>
        {[["Full Name", user.name], ["Email", user.email], ["Member Since", use
          <div key={k} style={{ display: "flex", justifyContent: "space-between
            <span style={{ color: "var(--text-dim)" }}>{k}</span>
            <span style={{ color: k === "Account Status" ? "var(--green)" : "va
          </div>
        ]]}
      </div>
      <div className="card">
        <div className="card-title">Account Summary</div>
        {[["Total Deposited", fmt(user.deposited)], ["Current Balance", fmt(use
          <div key={k} style={{ display: "flex", justifyContent: "space-between
            <span style={{ color: "var(--text-dim)" }}>{k}</span>
            <span style={{ color: "var(--gold)", fontFamily: "'Cormorant Garamo
          </div>
        ]]}
      </div>
    </div>
  </div>
);
}

```

// — Admin Pages —————

```

function AdminDashboard({ users }) {
  const totalDeposited = users.filter(u => u.role !== "admin").reduce((s, u) => s +
  const totalBalance = users.filter(u => u.role !== "admin").reduce((s, u) => s +
  const totalProfit = users.filter(u => u.role !== "admin").reduce((s, u) => s +
  const activeUsers = users.filter(u => u.role !== "admin" && u.status === "activ

  return (
    <div>
      <div className="page-header">
        <div className="page-title">Admin Overview</div>
        <div className="page-sub">Platform management</div>
      </div>

      <div className="stats-grid">
        <div className="stat-card">

```

```

    <div className="stat-label">Active Users</div>
    <div className="stat-value">{activeUsers}</div>
    <div className="stat-sub">Registered accounts</div>
  </div>
  <div className="stat-card">
    <div className="stat-label">Total Deposited</div>
    <div className="stat-value">{fmt(totalDeposited)}</div>
    <div className="stat-sub">All users combined</div>
  </div>
  <div className="stat-card">
    <div className="stat-label">Total AUM</div>
    <div className="stat-value">{fmt(totalBalance)}</div>
    <div className="stat-sub">Assets under management</div>
  </div>
  <div className="stat-card">
    <div className="stat-label">Alpaca Account</div>
    <div className="stat-value">{fmt(ALPACA.totalValue)}</div>
    <div className="stat-sub up">Cash: {fmt(ALPACA.cash)}</div>
  </div>
</div>

<div className="card" style={{ marginBottom: 20 }}>
  <div className="card-title">Alpaca Live Positions</div>
  <div className="table-wrap">
    <table>
      <thead><tr><th>Symbol</th><th>Qty</th><th>Avg Entry</th><th>Current</th>
      <tbody>
        {ALPACA.positions.map(p => (
          <tr key={p.symbol}>
            <td style={{ fontFamily: "'Cormorant Garamond', serif", fontSize: 14 }}>{p.symbol}</td>
            <td>{p.qty}</td>
            <td>{fmt(p.avgEntry)}</td>
            <td>{fmt(p.currentPrice)}</td>
            <td className={p.pnl >= 0 ? "pnl-pos" : "pnl-neg"}>{p.pnl >= 0
              ? `+${fmt(p.pnl)}` : `-${fmt(Math.abs(p.pnl))}`
            }</td>
          </tr>
        ))}
      </tbody>
    </table>
  </div>
</div>
</div>
);
}

```

```

function AdminUsers({ users, onCredit }) {
  const [modal, setModal] = useState(null);
  return (

```

```

<div>
  <div className="page-header">
    <div className="page-title">Manage Users</div>
    <div className="page-sub">View and adjust user accounts</div>
  </div>
  <div className="card">
    <div className="table-wrap">
      <table>
        <thead><tr><th>Name</th><th>Email</th><th>Deposited</th><th>Balance</th>
        <tbody>
          {users.filter(u => u.role !== "admin").map(u => (
            <tr key={u.id}>
              <td style={{ fontWeight: 500 }}>{u.name}</td>
              <td style={{ color: "var(--text-dim)" }}>{u.email}</td>
              <td>{fmt(u.deposited)}</td>
              <td style={{ color: "var(--gold)", fontFamily: "'Cormorant Gara
              <td className={u.profit >= 0 ? "pnl-pos" : "pnl-neg"}>{u.profit
              <td><span className={`badge ${u.status === "active" ? "badge-gr
              <td>
                <button className="admin-action-btn" onClick={() => setModal(
              </td>
            </tr>
          )})
        </tbody>
      </table>
    </div>
  </div>
  {modal && <CreditModal user={modal} onClose={() => setModal(null)} onCredit
</div>
);
}

```

```

      {deps.map(d => (
        <tr key={d.id}>
          <td style={{ color: "var(--text-dim)" }}>{d.date}</td>
          <td>User #{d.userId}</td>
          <td style={{ fontFamily: "'Cormorant Garamond', serif", fontSize: 11 }}>{d.currency}</td>
          <td style={{ color: "var(--text-dim)", fontSize: 11 }}>{d.txHas
            <td><span className={`badge ${d.status === "confirmed" ? "badge
              <td>{d.status === "pending" && <button className="admin-action-
                </tr>
              )}}
            </tbody>
          </table>
        </div>
      </div>
    </div>
  );
}

```

// — Sidebar —————

```

const USER_NAV = [
  { id: "dashboard", label: "Dashboard", icon: "M3 919-7 9 7v11a2 2 0 01-2 2H5a2
  { id: "deposit", label: "Deposit", icon: "M12 5v14M5 1217-7 7 7" },
  { id: "profile", label: "Profile", icon: "M20 21v-2a4 4 0 00-4-4H8a4 4 0 00-4 4
];
const ADMIN_NAV = [
  { id: "admin-dashboard", label: "Overview", icon: "M3 919-7 9 7v11a2 2 0 01-2 2
  { id: "admin-users", label: "Users", icon: "M17 21v-2a4 4 0 00-4-4H5a4 4 0 00-4
  { id: "admin-deposits", label: "Deposits", icon: "M12 5v14M5 1217-7 7 7" },
];

```

// — Main App —————

```

export default function App() {
  const [users, setUsers] = useState(MOCK_USERS);
  const [currentUser, setCurrentUser] = useState(null);
  const [page, setPage] = useState("dashboard");
  const [authTab, setAuthTab] = useState("login");
  const [form, setForm] = useState({ name: "", email: "", password: "" });
  const [error, setError] = useState("");
  const [toast, setToast] = useState(null);

  const showToast = (msg) => { setToast(msg); setTimeout(() => setToast(null), 30

  const login = () => {
    const u = users.find(u => u.email === form.email && u.password === form.passw

```

```

    if (!u) { setError("Invalid email or password."); return; }
    setCurrentUser(u);
    setPage(u.role === "admin" ? "admin-dashboard" : "dashboard");
    setError("");
  };

const register = () => {
  if (!form.name || !form.email || !form.password) { setError("All fields requi
  if (users.find(u => u.email === form.email)) { setError("Email already regist
  const newUser = { id: users.length + 1, name: form.name, email: form.email, p
  setUsers(prev => [...prev, newUser]);
  setCurrentUser(newUser);
  setPage("dashboard");
  setError("");
};

const creditUser = (id, amt, type) => {
  if (!amt || isNaN(amt)) return;
  setUsers(prev => prev.map(u => {
    if (u.id !== id) return u;
    const delta = type === "credit" ? amt : -amt;
    return { ...u, balance: u.balance + delta, profit: u.profit + delta };
  }));
  if (currentUser?.id === id) setCurrentUser(prev => ({ ...prev, balance: prev.
  showToast(`Balance ${type === "credit" ? "credited" : "debited"}: ${fmt(amt)}`
};

if (!currentUser) {
  return (
    <>
    <style>{styles}</style>
    <div className="auth-wrap">
      <div className="auth-card">
        <div className="auth-logo">
          <h1>Canyon's</h1>
          <span>Investment Platform</span>
        </div>
        <div className="auth-tabs">
          {[ "login", "register" ].map(t => (
            <button key={t} className={`auth-tab ${authTab === t ? "active" :
          )]}
        </div>
        {error && <div className="error-msg">{error}</div>}
        {authTab === "register" && (
          <div className="field">
            <label>Full Name</label>
            <input type="text" placeholder="John Doe" value={form.name} onCha

```

```

        </div>
    )}
    <div className="field">
        <label>Email Address</label>
        <input type="email" placeholder="you@email.com" value={form.email}>
    </div>
    <div className="field">
        <label>Password</label>
        <input type="password" placeholder="....." value={form.password}>
    </div>
    <button className="btn-primary" onClick={authTab === "login" ? login
    <p style={{ textAlign: "center", fontSize: 12, color: "var(--text-dim
        Demo: <span style={{ color: "var(--gold)" }}>alex@email.com</span>
    </p>
    </div>
</div>
</>
    );
}

```

```
const isAdmin = currentUser.role === "admin";
```

```
const nav = isAdmin ? ADMIN_NAV : USER_NAV;
```

```

return (
    <>
        <style>{styles}</style>
        <div className="app-layout">
            <div className="sidebar">
                <div className="sidebar-logo">
                    <h2>Canyon's</h2>
                    <span>Investment</span>
                </div>
                <nav className="sidebar-nav">
                    <div className="nav-section">{isAdmin ? "Admin" : "Account"}</div>
                    {nav.map(n => (
                        <button key={n.id} className={`nav-item ${page === n.id ? "active"
                            <Icon d={n.icon} size={16} />
                            {n.label}
                        </button>
                    ))}
                </nav>
                <div className="sidebar-footer">
                    <div className="user-badge">
                        <div className="avatar">{currentUser.name[0]}</div>
                        <div className="user-info">
                            <p>{currentUser.name.split(" ")[0]}</p>
                            <span>{isAdmin ? "Administrator" : "Investor"}</span>

```

```

        </div>
    </div>
    <button className="logout-btn" onClick={() => { setCurrentUser(null);
        <Icon d="M17 16l4-4m0 0l-4-4m4 4H7m6 4v1a3 3 0 01-3 3H6a3 3 0 01-3-
        Sign Out
    </button>
</div>
</div>

<main className="main">
    {page === "dashboard" && <UserDashboard user={currentUser} />}
    {page === "deposit" && <DepositPage user={currentUser} />}
    {page === "profile" && <ProfilePage user={currentUser} />}
    {page === "admin-dashboard" && <AdminDashboard users={users} />}
    {page === "admin-users" && <AdminUsers users={users} onCredit={creditUs
    {page === "admin-deposits" && <AdminDeposits />}
</main>
</div>
    {toast && <Toast msg={toast} onClose={() => setToast(null)} />}
</>
);
}

```