

PRIXIAL

Website Copy Deck

Complete, verbatim copy from every page of the current site — extracted for the redesign.

Source	C:\Users\JC\prixial\landing-page
Pages covered	8 HTML pages (index, about, + 6 journal notes)
Copy blocks extracted	640
Words of copy	3,817 (approx.)
Links & buttons	252 (approx.)
Extraction	verbatim text nodes, order preserved, no rewriting

How to read this deck

- Every string is the exact text in the HTML, nothing rewritten.
- Grey monospace tags above each block name the element (**H1**, **H2**, **P**, **LI**, **CTA**, **eyebrow**) and the section it sits in.
- Part A is copy shared across all pages (nav + footer) — edit once.
- Part B is page-by-page copy, in DOM order, so nothing is missed.
- Appendices list metadata, the full CTA inventory and the heading architecture (the message skeleton for the redesign).

Contents

Page	File	Document title (<title>)	Words
1. Home	index.html	Prixial — Deploy Durable AI Apps Faster	903
2. About	about.html	About Prixial — AI Product Architecture Studio	220
3. Journal 01 - How we validate ideas	how-we-validate-ideas.html	How We Validate Ideas Before Building Them — Prixial Journal	436
4. Journal 02 - AI product architecture	ai-product-architecture.html	AI Product Architecture Is a New Discipline — Prixial Journal	450
5. Journal 03 - Thinking in systems	systems-thinking.html	The Founder's Guide to Thinking in Systems — Prixial Journal	448
6. Journal 04 - Building faster	building-faster.html	What Building Faster Actually Requires — Prixial Journal	467
7. Journal 05 - AI workflows	ai-workflows.html	Designing Useful AI Workflows — Prixial Journal	434
8. Journal 06 - The first version	first-version.html	The First Version Is a Conversation — Prixial Journal	459

Structure inside each page

Part A · Site-wide copy (header, mobile nav, footer — appears on all 8 pages)

Part B · Page-by-page copy

Appendix A · Page metadata

Appendix B · CTA & link inventory

Appendix C · Heading architecture (H1–H3 by page)

Appendix D · Brand, contact & repeated strings

Part A · Site-wide copy

These blocks appear on every page of the site. Identical strings are repeated verbatim in each HTML file, so a redesign can change them once.

Header / Navigation

→ [Prixial home](#) #top [aria-label: Prixial home]

Header / Navigation (links)

→ [Method](#) #method
 → [Services](#) #services
 → [About](#) about.html
 → [Projects](#) #projects
 → [Journal](#) #journal
 → [Pricing](#) #pricing

Header / Navigation

→ [Book Sprint](#) → #contact
 → [Open menu](#) [aria-label: Open menu]

Header / Navigation (mobile)

→ [Method](#) #method
 → [Services](#) #services
 → [About](#) about.html
 → [Projects](#) #projects
 → [Journal](#) #journal
 → [Pricing](#) #pricing
 → [Book a sprint](#) → #contact

Footer

→ [PRIXIAL](#). #top

AI product architecture
 for ambitious founders.

EYEBROW · FOOTER

COMPANY

→ [About](#) about.html
 → [Projects](#) #projects
 → [Journal](#) #journal
 → [Careers](#) #contact

EYEBROW · FOOTER

SERVICES

→ [Architecture](#) #services
 → [AI development](#) #services
 → [Automation](#) #services
 → [Product design](#) #services

EYEBROW · FOOTER

RESOURCES

→ [Blog](#) #journal

- [Guides](#) #journal
- [Open source](#) #contact
- [Documentation](#) #contact

EYEBROW · FOOTER

CONTACT

- hello@prixial.com mailto:hello@prixial.com
- [GitHub](#) #contact
- [LinkedIn](#) #contact
- [X / Twitter](#) #contact

© 2026 Prixial. All rights reserved.

Built with intent.

- [Back to top](#) ↑ #top

Footer wordmark note

Rendered as: PRIXIAL. (trailing dot is a styled span). Brand mark glyph used as a decorative element: IXI.

Part B · Page-by-page copy

Verbatim copy in DOM order, with the element type and section for each block.

B1 · Home

index.html · <title>: Prixial — Deploy Durable AI Apps Faster · 903 words of on-page copy

Hero

H1 · HERO

Ideas deserve architecture before code.

We partner with founders to research, architect, design, and launch production-ready AI software in days, not months. We make your apps faster to validate, clearer to build, and ready to grow.

→ [Start a product sprint](#) → #contact
→ [View our work](#) □ #projects

Hero · Product mockup

image alt Prixial app product mockup

DIV · HERO · PRODUCT MOCKUP
neph ...

Sam.

DIV · HERO · PRODUCT MOCKUP
72readiness
score

DIV · HERO · PRODUCT MOCKUP
Recovery · **Good**

DIV · HERO · PRODUCT MOCKUP
Sleep quality · **86%**

DIV · HERO · PRODUCT MOCKUP
Today · Explore · Profile

What we do

DIV · WHAT WE DO
01 · What we do

H2 · WHAT WE DO

We don't build apps. We architect products.

Most teams move from idea to interface too quickly. Prixial creates the thinking layer in between, so every screen, system, and decision has a reason to exist.

Capabilities · Grid

01 / 04

H3 · CAPABILITIES · GRID

Research

Understand people before software.

→ [Market validation](#) → [#contact](#)

02 / 04

H3 · CAPABILITIES · GRID

Architecture

Make the invisible system visible.

→ [System design](#) → [#contact](#)

03 / 04

H3 · CAPABILITIES · GRID

Build

Rapid AI-assisted engineering.

→ [Production code](#) → [#contact](#)

04 / 04

H3 · CAPABILITIES · GRID

Launch

Ship, measure, and evolve.

→ [Continuous improvement](#) → [#contact](#)

Our process

DIV · OUR PROCESS

02 · Our process

H2 · OUR PROCESS

**From idea to launch
in three days.**

Our process · Timeline

01

H3 · OUR PROCESS · TIMELINE

Idea

Bring the signal. Leave the assumptions.

02

H3 · OUR PROCESS · TIMELINE

Discovery

Align on the problem worth solving.

03

H3 · OUR PROCESS · TIMELINE

Research

Find the truth in the market and the user.

04

H3 · OUR PROCESS · TIMELINE

Architecture

Map the product, data, and AI system.

05

H3 · OUR PROCESS · TIMELINE

Build

Turn decisions into working software.

06

H3 · OUR PROCESS · TIMELINE

Deploy

Put it in the world. Start learning.

Our methodology

DIV · OUR METHODOLOGY

03 · Our methodology

Five modes of thinking
for building what matters.

F

H3 · OUR METHODOLOGY

Find

Discover real user problems.

Research / Opportunities

R

H3 · OUR METHODOLOGY

Reason

Give the product a strategic edge.

Strategy / Validation

A

H3 · OUR METHODOLOGY

Architect

Design the system behind the experience.

UX / AI / Data

M

H3 · OUR METHODOLOGY

Make

Build the smallest useful version.

Development / Testing

E

H3 · OUR METHODOLOGY

Evolve

Turn feedback into momentum.

Metrics / Growth

Selected work

DIV · SELECTED WORK

04 · Selected work

H2 · SELECTED WORK

Products we've architected.

→ ← [aria-label: Previous project]

→ → [aria-label: Next project]

Selected work · Projects

image alt Neph logo

Neph

Journey intelligence

EYEBROW · SELECTED WORK · PROJECTS

[HEALTH / AI COMPANION](#)

H3 · SELECTED WORK · PROJECTS

Neph

Journey intelligence for a more resilient life.

01

image alt Flee app artwork

Flee

EYEBROW · SELECTED WORK · PROJECTS

[FORMATION / MOBILE](#)

H3 · SELECTED WORK · PROJECTS

Flee

A pilgrimage toward freedom through prayer and practice.

02

image alt Regula logo artwork

Regula

A rule for life

EYEBROW · SELECTED WORK · PROJECTS

[SPIRITUALITY / COMPANION](#)

H3 · SELECTED WORK · PROJECTS

Regula

A personal rhythm grounded in the wisdom of the Church.

03

image alt Agapetoi logo

EYEBROW · SELECTED WORK · PROJECTS

[SELF KNOWLEDGE / AI](#)

H3 · SELECTED WORK · PROJECTS

Agapetoi

A living system for inner clarity.

04

image alt Custody logo

Custody

A practice of attention

EYEBROW · SELECTED WORK · PROJECTS

[FORMATION / MOBILE](#)

H3 · SELECTED WORK · PROJECTS

Custody

A quiet practice for guarding the senses and receiving the world.

05

image alt Christable logo

Christable

Event operations

EYEBROW · SELECTED WORK · PROJECTS

[EVENTS / WORKSPACE](#)

H3 · SELECTED WORK · PROJECTS

Christable

One clear workspace for teams bringing people together.

06

Technology

DIV · TECHNOLOGY

06 · Technology

H2 · TECHNOLOGY

Tech Stacks

DIV · TECHNOLOGY

React · Next.js · TypeScript · Expo · React Native · Supabase · Postgres · OpenAI · Claude · Gemini · Docker · n8n · Cloudflare · Vercel · GitHub · Tailwind

Testimonial

BLOCKQUOTE · TESTIMONIAL

"Prixiial helps businesses launch durable, production-ready apps faster and at a fraction of the usual development cost."

image alt John Yongco

DIV · TESTIMONIAL

John Yongco Founder

Manifesto

EYEBROW · MANIFESTO

[A WORKING MANIFESTO](#)

H2 · MANIFESTO

**Software
should not
take**

six months.

DIV · MANIFESTO

Ideas deserve architecture. · Think first. · Build second. · Launch faster.

Journal

DIV · JOURNAL

08 · Journal

H2 · JOURNAL

Notes from the lab.

→ [View all notes](#) → #journal

Journal · Notes

01

EYEBROW · JOURNAL · NOTES

[VALIDATION / 6 MIN READ](#)

H3 · JOURNAL · NOTES

How we validate ideas before building them

→ [Read note](#) → [how-we-validate-ideas.html](#)

02

EYEBROW · JOURNAL · NOTES

[SYSTEMS / 8 MIN READ](#)

H3 · JOURNAL · NOTES

AI product architecture is a new discipline

→ [Read note](#) → [ai-product-architecture.html](#)

03

EYEBROW · JOURNAL · NOTES

[STRATEGY / 5 MIN READ](#)

H3 · JOURNAL · NOTES

The founder's guide to thinking in systems

→ [Read note](#) → [systems-thinking.html](#)

04

EYEBROW · JOURNAL · NOTES

[BUILD / 7 MIN READ](#)

H3 · JOURNAL · NOTES

What building faster actually requires

→ [Read note](#) → [building-faster.html](#)

05

EYEBROW · JOURNAL · NOTES

[AI / 4 MIN READ](#)

H3 · JOURNAL · NOTES

Designing useful AI workflows

→ [Read note](#) → [ai-workflows.html](#)

06

EYEBROW · JOURNAL · NOTES

LAUNCH / 6 MIN READ

H3 · JOURNAL · NOTES

The first version is a conversation

→ [Read note](#) → [first-version.html](#)

Pricing

DIV · PRICING

09 · Pricing

H2 · PRICING

Choose your starting point.

Pricing · Plans

EYEBROW · PRICING · PLANS

SPRINT

H3 · PRICING · PLANS

3 days

Turn your initial concept into a clear direction and a working prototype.

- Product strategy
- Research and validation
- Architecture map
- Clickable prototype

→ [Start sprint](#) → [#contact](#)

Next step

EYEBROW · PRICING · PLANS

STUDIO

H3 · PRICING · PLANS

1 week

Deploy the prototype into a production-ready first version with the right foundation.

- Everything in Sprint
- AI-assisted development
- Integrations and QA
- Deployment and handoff

→ [Deploy with us](#) → [#contact](#)

EYEBROW · PRICING · PLANS

PARTNER

H3 · PRICING · PLANS

Monthly

Keep improving the product with a focused team and a flexible monthly retainer.

- Ongoing product development
- Weekly roadmap reviews
- Monitoring and iteration
- Dedicated support

→ [Start a retainer](#) → [#contact](#)

Questions, answered

DIV · QUESTIONS, ANSWERED

10 · Questions, answered

H2 · QUESTIONS, ANSWERED

**Before we
begin.**

Questions · List

QUESTION · QUESTIONS · LIST

How do you build in three days?

We don't attempt to finish an entire product in three days. We compress the highest-leverage thinking: research, product decisions, architecture, and a working prototype that makes the next move obvious.

QUESTION · QUESTIONS · LIST

What technologies do you use?

We choose the lightest reliable stack for the problem, usually React, Next.js, TypeScript, Postgres, and a mix of OpenAI, Claude, or Gemini.

QUESTION · QUESTIONS · LIST

Do you use AI?

Yes, where it creates leverage. AI helps us explore, test, and build faster, but product judgment and engineering quality stay human-led.

QUESTION · QUESTIONS · LIST

Do I own the code?

Yes. You own the product, the code, the designs, and the decisions we make together.

QUESTION · QUESTIONS · LIST

Can you scale later?

That is the point of architecture. We start small without creating a dead end, so the product can grow with its users.

Final CTA

EYEBROW · FINAL CTA

[HAVE AN IDEA?](#)

H2 · FINAL CTA

**Let's architect it
before we build it.**

→ [Book a sprint](#) → <mailto:hello@prixial.com>

DIV · FINAL CTA

IXI

B2 · About

about.html · <title>: About Prialxial — AI Product Architecture Studio · 220 words of on-page copy

About hero

DIV · ABOUT HERO

About Prialxial

H1 · ABOUT HERO

We build around the way you work.

Prialxial helps businesses turn real processes into useful, durable apps that make everyday work clearer and faster.

What we work from

EYEBROW · WHAT WE WORK FROM

[WHAT WE WORK FROM](#)

H2 · WHAT WE WORK FROM

Built from what is true.

No invented personas. No decorative strategy. We work from the evidence already present in the business and make the next decision visible.

01

Customer calls

What people say, repeat, and avoid.

02

Existing workflows

The tools and workarounds already in use.

03

Working prototypes

Something real enough to react to.

04

Production feedback

What happens after the launch.

Team / Profile

DIV · TEAM / PROFILE

IXI

H2 · TEAM / PROFILE

A focused team for your real work.

We stay small so the people who understand your process are the people designing and building your product. No handoff between strategy and code. One team, one system, one clear next step.

→ [Work with us](#) → [index.html#contact](#)

Final CTA

EYEBROW · FINAL CTA

[HAVE AN IDEA?](#)

H2 · FINAL CTA

**Let's architect it
before we build it.**

→ [Book a sprint](#) → <mailto:hello@prixial.com>

DIV · FINAL CTA

IXI

B3 · Journal 01 - How we validate ideas

how-we-validate-ideas.html · <title>: How We Validate Ideas Before Building Them — Prixial Journal · 436 words of on-page copy

Article

→ [Back to journal](#) ← [index.html#journal](#)

Validation is not asking people whether they like your idea. People are generous, optimistic, and very good at imagining a future they will never pay for. Validation is looking for evidence that a problem is real, repeated, and important enough to change behavior.

H2 · ARTICLE

Start with the moment, not the market

We begin with the last time the problem happened. What triggered it? What did the person do next? What did the workaround cost in time, money, attention, or confidence? Specific recent behavior is more useful than a prediction about future behavior.

Good interviews stay close to the lived sequence. We listen for language the user actually uses, the tools already in the workflow, and the point where the existing solution stops being good enough.

DIV · ARTICLE

The strongest signal is not enthusiasm. It is an existing workaround.

H2 · ARTICLE

An evidence ladder

Not every signal has the same weight. We move from low-cost evidence to high-commitment evidence:

- **Context.** Talk to people who experienced the problem recently.
- **Pattern.** Compare conversations until the same friction appears without prompting.
- **Alternative.** Map what people do today, including spreadsheets, messages, memory, and manual labor.
- **Commitment.** Look for time, access, data, a referral, a pilot, or money. Action is stronger than approval.
- **Prototype.** Put one narrow workflow in front of real users and observe what they do without explanation.

H2 · ARTICLE

What we want to know after three days

DIV · ARTICLE

01 Problem clarity

DIV · ARTICLE

02 User signal

DIV · ARTICLE

03 Next bet

At the end of a sprint, the output is not a market-sized promise. It is a sharper decision. We should know who feels the pain, what they do today, where a product can create leverage, and what the smallest useful next experiment looks like.

A useful validation sprint can end in a “no.” That is not a failure. It is a cheap, high-quality answer that protects the team from building the wrong thing beautifully.

H3 · ARTICLE

Research notes

Paul Graham, “How to Get Startup Ideas”
Strategyzer, Value Proposition Canvas

Read next

Next note

→ [AI product architecture is a new discipline](#) → ai-product-architecture.html

B4 · Journal 02 - AI product architecture

ai-product-architecture.html · <title>: AI Product Architecture Is a New Discipline — Prixial Journal · 450 words of on-page copy

Article

→ [Back to journal](#) ← [index.html#journal](#)

A conventional product can often be described as a set of screens connected to a database. An AI product is more like a living system: a user gives context, a model interprets it, tools change the world, and feedback determines what the system should do next.

H2 · ARTICLE

The interface is the visible tip

The most important decisions sit beneath the interface. What context does the model receive? Which sources can it trust? What actions is it allowed to take? How do we know when the answer is good enough? What happens when the model is uncertain?

These are architecture questions, not prompt polish. They shape the experience just as much as typography, navigation, or motion.

DIV · ARTICLE

An AI feature is only as reliable as the system around the model.

H2 · ARTICLE

Choose the simplest useful pattern

Anthropic's research on effective agents makes a useful distinction between workflows and agents. A workflow follows a defined path. An agent decides its own path. Both can be valuable, but they carry different costs in latency, reliability, observability, and failure recovery.

- Use a single model call when a well-scoped instruction is enough.
- Use retrieval when the product needs grounded, current context.
- Use a workflow when the steps are known and consistency matters.
- Use an agent only when flexible planning creates enough value to justify the uncertainty.

H2 · ARTICLE

Design the trust loop

Every AI product needs a way to observe its own behavior. We define representative tasks, expected outcomes, failure categories, and a review loop before we ship. Evaluation is not a final QA gate. It is part of the product architecture.

The system should also show its boundaries. Users need to know what the product knows, what it is doing, when it needs confirmation, and how to correct it. Trust grows from legibility, not from pretending the model is infallible.

H2 · ARTICLE

The new product brief

For AI products, a useful brief includes the user job, the context contract, the tool boundary, the evaluation plan, and the fallback behavior. The result is a product that can learn without becoming mysterious.

H3 · ARTICLE

Research notes

Anthropic, "Building effective agents"

OpenAI, "Prompt engineering"

Read next

Next note

→ [The founder's guide to thinking in systems](#) → systems-thinking.html

B5 · Journal 03 - Thinking in systems

systems-thinking.html · <title>: The Founder's Guide to Thinking in Systems — Prial Journal · 448 words of on-page copy

Article

→ [Back to journal](#) ← [index.html#journal](#)

A founder usually starts with a feature because features are easy to name. A calendar. A feed. An AI assistant. But the user does not experience a feature in isolation. They experience a system of actions, expectations, delays, rewards, and consequences.

H2 · ARTICLE

Look for the flow

Systems thinking starts by asking what moves. Information moves from a user to a product and back again. Trust accumulates or drains. Attention enters through one screen and leaves through another. Money, work, and responsibility pass between people.

Draw the flow before you draw the interface. Who provides the input? Who makes the decision? What changes because the action happened? The gaps between those answers are where product opportunities usually live.

DIV · ARTICLE

If you cannot draw the loop, you probably do not understand the product yet.

H2 · ARTICLE

Find the feedback

Donella Meadows described feedback as one of the places where a small intervention can change a larger system. In products, feedback can be explicit, like an analytics event or a status message, or social, like a user returning because the last outcome was useful.

- **Positive loops** amplify behavior: more useful content creates more use, which creates more data.
- **Negative loops** correct behavior: a limit, reminder, or review keeps the system inside a healthy boundary.
- **Missing loops** create confusion: the person acts but never learns whether the action mattered.

H2 · ARTICLE

Design the delay

Every system has delays. A user submits a request, waits for an approval, and receives an outcome later. When the delay is invisible, people invent their own explanation. A good product makes the wait legible and gives the user a useful next action.

H2 · ARTICLE

Change the leverage point

Founders often change parameters first: add a button, lower a price, send another notification. Sometimes that helps. But deeper leverage usually sits in the goal, the rule, the information flow, or the ownership of a decision.

Before adding another feature, ask which part of the system is producing the behavior you dislike. Change the cause, not only the symptom.

H3 · ARTICLE

Research notes

Donella Meadows, "Leverage Points"

Martin Fowler, "The Agile Fluency Model"

Read next

Next note

→ [What building faster actually requires](#) → `building-faster.html`

B6 · Journal 04 - Building faster

building-faster.html · <title>: What Building Faster Actually Requires — Prial Journal · 467 words of on-page copy

Article

→ [Back to journal](#) ← [index.html#journal](#)

Teams rarely move slowly because engineers cannot write code fast enough. They move slowly because the next decision is unclear, feedback arrives late, and every change feels dangerous. The fastest teams are not rushing. They are removing friction from the path between a decision and what a user can experience.

H2 · ARTICLE

Front-load the expensive thinking

Ambiguity is cheap in a conversation and expensive in a codebase. A short architecture session can expose a missing decision about ownership, data, permissions, or edge cases before it becomes a week of rework.

We do not try to design every future state. We decide what must be true for the first useful version, make those constraints visible, and leave intentional seams for what we do not know yet.

DIV · ARTICLE

The fastest path is usually the one with the fewest unknowns, not the fewest lines of code.

H2 · ARTICLE

Work in thin vertical slices

A slice is valuable when it travels through the whole product: input, decision, data, interface, and outcome. A polished screen without a real loop is a picture. A thin vertical slice is something a user can actually react to.

- Choose one user and one job.
- Connect the smallest real data path.
- Make the outcome observable.
- Put it in front of someone before adding breadth.

H2 · ARTICLE

Keep the delivery loop healthy

Martin Fowler's work on agile fluency emphasizes a progression from focusing on business value to delivering reliably and then optimizing decisions. The lesson is practical: a team cannot sustainably move faster if it cannot release, test, and recover with confidence.

Automated checks, small changes, clear ownership, and a production-equivalent environment are not bureaucracy. They are the infrastructure of speed.

H2 · ARTICLE

Use AI as leverage, not a steering wheel

AI can compress exploration, generate a first pass, explain unfamiliar code, and make repetitive work cheaper. It does not decide what deserves to exist. Product judgment still comes from understanding the user, the system, and the tradeoff.

Give AI narrow, inspectable tasks. Keep the human responsible for the acceptance criteria. Review the output at the boundary where it can affect users, data, money, or trust.

H3 · ARTICLE

Research notes

Paul Graham, "Do Things that Don't Scale"

James Shore and Diana Larsen, "The Agile Fluency Model"

Read next

Next note

→ [Designing useful AI workflows](#) → [ai-workflows.html](#)

B7 · Journal 05 - AI workflows

ai-workflows.html · <title>: Designing Useful AI Workflows — Prial Journal · 434 words of on-page copy

Article

→ [Back to journal](#) ← [index.html#journal](#)

AI is easy to add and surprisingly hard to make useful. A model can summarize, classify, generate, route, and plan. The product question is not what the model can do. It is where a model can remove a real point of friction without creating a new one.

H2 · ARTICLE

Start with the job

Describe the workflow without mentioning AI. Who is trying to accomplish what? What information do they need? Where do they hesitate? Which step is repetitive, slow, or dependent on specialist knowledge?

Only then decide where a model belongs. Sometimes it is a drafting layer. Sometimes it is a classifier that routes work. Sometimes it should not be there at all.

DIV · ARTICLE

Do not automate the sentence. Improve the job the sentence is part of.

H2 · ARTICLE

Match the pattern to the uncertainty

Anthropic's practical taxonomy is useful here. Prompt chaining works when a job can be decomposed into known steps. Routing works when different inputs need different specialists. Parallelization helps when independent perspectives can be gathered at once. Agents are appropriate when the path cannot be known in advance and the system can safely inspect its environment.

- **Known path:** use a workflow with explicit steps and checks.
- **Many categories:** route the request to a focused path.
- **Independent work:** parallelize and combine the results.
- **Open-ended task:** use an agent with clear tools, limits, and stopping conditions.

H2 · ARTICLE

Make the boundary obvious

Useful AI products make context visible. They tell the user what information was used, what action is about to happen, and where confirmation is required. The product should make correction easy instead of making the user negotiate with a black box.

H2 · ARTICLE

Evaluate the whole workflow

A good output is not enough. Measure time saved, correction rate, completion rate, escalation quality, and the cost of wrong answers. Evaluate the workflow with representative examples before you optimize the prompt. A more eloquent response that does not improve the job is not progress.

H3 · ARTICLE

Research notes

Anthropic, "Building effective agents"
OpenAI, "Prompt engineering"

Read next

Next note

→ [The first version is a conversation](#) → `first-version.html`

B8 · Journal 06 - The first version

first-version.html · <title>: The First Version Is a Conversation — Prial Journal · 459 words of on-page copy

Article

→ [Back to journal](#) ← [index.html#journal](#)

Founders often treat launch as a ceremony. The product is polished, the announcement is prepared, and the team waits for the market to deliver a verdict. But a first release is not a verdict. It is an instrument for asking a better question.

H2 · ARTICLE

Small is not the same as incomplete

A small first version has a narrow promise and a complete loop. It lets one kind of user do one meaningful thing from beginning to end. It can be simple, manual behind the scenes, or intentionally limited. What matters is that the user can experience the value and the team can observe the result.

An incomplete version has missing decisions. It pushes complexity onto the user and calls the confusion feedback. Scope is a product decision. Neglect is not.

DIV · ARTICLE

The first release should be small enough to change and real enough to teach.

H2 · ARTICLE

Make the conversation easy

Paul Graham's advice to early founders is direct: recruit users manually, make them unusually happy, and learn from the work. That is not a temporary substitute for growth. It is how the product discovers what it is.

- Put the first version in the hands of a specific group, not an abstract audience.
- Watch what people do before asking what they think.
- Respond quickly enough that users can see their feedback become product behavior.
- Track retention and repeated use before celebrating reach.

H2 · ARTICLE

Design the next question

Every release should have a learning objective. Are people returning? Can they complete the core action without help? Does the outcome solve the problem well enough to earn another attempt?

Write the question before the release. Define what evidence would change your plan. Otherwise a launch becomes a referendum on your identity, and no amount of data will feel clear.

H2 · ARTICLE

Launch is a practice

The best teams make shipping ordinary. They create a rhythm of small releases, direct conversations, review, and correction. Over time, the product becomes less like a bet and more like a shared understanding between the team and the people it serves.

H3 · ARTICLE

Research notes

Paul Graham, "Do Things that Don't Scale"

James Shore and Diana Larsen, "The Agile Fluency Model"

Read next

Back to journal

→ [Read the other notes](#) → [index.html#journal](#)

Appendix A · Page metadata

File	<title>	Meta description
index.html	Prixial — Deploy Durable AI Apps Faster	Deploy Durable AI Apps Faster
about.html	About Prixial — AI Product Architecture Studio	Prixial is a focused product studio for founders building at the edge of what is possible.
how-we-validate-ideas.html	How We Validate Ideas Before Building Them — Prixial Journal	Validation is not asking people if they like your idea. It is looking for evidence that a problem is real, repeated, and worth solving.
ai-product-architecture.html	AI Product Architecture Is a New Discipline — Prixial Journal	AI changes the product architecture equation. The interface is only one layer of a system that includes models, context, tools, evaluation, and trust.
systems-thinking.html	The Founder's Guide to Thinking in Systems — Prixial Journal	A practical guide to seeing products as systems of people, incentives, feedback, delays, and decisions.
building-faster.html	What Building Faster Actually Requires — Prixial Journal	Speed is not typing faster. It is reducing uncertainty, shortening feedback loops, and keeping the system healthy enough to change.
ai-workflows.html	Designing Useful AI Workflows — Prixial Journal	Useful AI workflows are clear about the job, the context, the boundary, and the moment a human should take over.
first-version.html	The First Version Is a Conversation — Prixial Journal	The first version of a product is not a verdict. It is a way to start a better conversation with the people you want to serve.

Appendix B · CTA & link inventory

Every anchor and button label with its destination, in DOM order.

index.html · Home

#	Label	Element	Destination
1	Prixial home	link	#top
2	Method	link	#method
3	Services	link	#services
4	About	link	about.html
5	Projects	link	#projects
6	Journal	link	#journal
7	Pricing	link	#pricing
8	Book Sprint →	link	#contact
9	Open menu	button	—
10	Method	link	#method
11	Services	link	#services
12	About	link	about.html
13	Projects	link	#projects
14	Journal	link	#journal
15	Pricing	link	#pricing
16	Book a sprint →	link	#contact
17	Start a product sprint →	link	#contact
18	View our work ↗	link	#projects
19	Market validation →	link	#contact
20	System design →	link	#contact
21	Production code →	link	#contact
22	Continuous improvement →	link	#contact
23	←	button	—
24	→	button	—
25	View all notes →	link	#journal
26	Read note →	link	how-we-validate-ideas.html
27	Read note →	link	ai-product-architecture.html
28	Read note →	link	systems-thinking.html
29	Read note →	link	building-faster.html
30	Read note →	link	ai-workflows.html
31	Read note →	link	first-version.html
32	Start sprint →	link	#contact
33	Deploy with us →	link	#contact
34	Start a retainer →	link	#contact
35	Book a sprint →	link	mailto:hello@prixial.com

#	Label	Element	Destination
36	PRIXIAL.	link	#top
37	About	link	about.html
38	Projects	link	#projects
39	Journal	link	#journal
40	Careers	link	#contact
41	Architecture	link	#services
42	AI development	link	#services
43	Automation	link	#services
44	Product design	link	#services
45	Blog	link	#journal
46	Guides	link	#journal
47	Open source	link	#contact
48	Documentation	link	#contact
49	hello@prixial.com	link	mailto:hello@prixial.com
50	GitHub	link	#contact
51	LinkedIn	link	#contact
52	X / Twitter	link	#contact
53	Back to top ↑	link	#top

about.html · About

#	Label	Element	Destination
1	Prixial home	link	index.html#top
2	Method	link	index.html#method
3	Services	link	index.html#services
4	About	link	about.html
5	Projects	link	index.html#projects
6	Journal	link	index.html#journal
7	Pricing	link	index.html#pricing
8	Book Sprint →	link	index.html#contact
9	Open menu	button	—
10	Method	link	index.html#method
11	Services	link	index.html#services
12	About	link	about.html
13	Projects	link	index.html#projects
14	Journal	link	index.html#journal
15	Pricing	link	index.html#pricing
16	Book a sprint →	link	index.html#contact
17	Work with us →	link	index.html#contact
18	Book a sprint →	link	mailto:hello@prixial.com
19	PRIXIAL.	link	index.html#top

#	Label	Element	Destination
20	About	link	about.html
21	Projects	link	index.html#projects
22	Journal	link	index.html#journal
23	Careers	link	index.html#contact
24	Architecture	link	index.html#services
25	AI development	link	index.html#services
26	Automation	link	index.html#services
27	Product design	link	index.html#services
28	Blog	link	index.html#journal
29	Guides	link	index.html#journal
30	Open source	link	index.html#contact
31	Documentation	link	index.html#contact
32	hello@prixial.com	link	mailto:hello@prixial.com
33	GitHub	link	index.html#contact
34	LinkedIn	link	index.html#contact
35	X / Twitter	link	index.html#contact
36	Back to top ↑	link	#top

how-we-validate-ideas.html · Journal 01 - How we validate ideas

#	Label	Element	Destination
1	Prixial home	link	index.html#top
2	Method	link	index.html#method
3	Services	link	index.html#services
4	About	link	about.html
5	Projects	link	index.html#projects
6	Journal	link	index.html#journal
7	Pricing	link	index.html#pricing
8	Book Sprint →	link	index.html#contact
9	Open menu	button	—
10	Method	link	index.html#method
11	Services	link	index.html#services
12	About	link	about.html
13	Projects	link	index.html#projects
14	Journal	link	index.html#journal
15	Pricing	link	index.html#pricing
16	Book a sprint →	link	index.html#contact
17	Back to journal ←	link	index.html#journal
18	AI product architecture is a new discipline →	link	ai-product-architecture.html
19	PRIXIAL.	link	index.html#top

#	Label	Element	Destination
20	About	link	about.html
21	Projects	link	index.html#projects
22	Journal	link	index.html#journal
23	Architecture	link	index.html#services
24	AI development	link	index.html#services
25	Product design	link	index.html#services
26	hello@prixial.com	link	mailto:hello@prixial.com
27	Book Sprint	link	index.html#contact
28	Back to top ↑	link	#top

ai-product-architecture.html · Journal 02 - AI product architecture

#	Label	Element	Destination
1	Method	link	index.html#method
2	Services	link	index.html#services
3	About	link	about.html
4	Projects	link	index.html#projects
5	Journal	link	index.html#journal
6	Pricing	link	index.html#pricing
7	Book Sprint →	link	index.html#contact
8	Open menu	button	—
9	Method	link	index.html#method
10	Services	link	index.html#services
11	About	link	about.html
12	Projects	link	index.html#projects
13	Journal	link	index.html#journal
14	Pricing	link	index.html#pricing
15	Book a sprint →	link	index.html#contact
16	Back to journal ←	link	index.html#journal
17	The founder's guide to thinking in systems →	link	systems-thinking.html
18	PRIXIAL.	link	index.html#top
19	About	link	about.html
20	Projects	link	index.html#projects
21	Journal	link	index.html#journal
22	Architecture	link	index.html#services
23	AI development	link	index.html#services
24	Product design	link	index.html#services
25	hello@prixial.com	link	mailto:hello@prixial.com
26	Book Sprint	link	index.html#contact
27	Back to top ↑	link	#top

systems-thinking.html · Journal 03 - Thinking in systems

#	Label	Element	Destination
1	Method	link	index.html#method
2	Services	link	index.html#services
3	About	link	about.html
4	Projects	link	index.html#projects
5	Journal	link	index.html#journal
6	Pricing	link	index.html#pricing
7	Book Sprint →	link	index.html#contact
8	Open menu	button	—
9	Method	link	index.html#method
10	Services	link	index.html#services
11	About	link	about.html
12	Projects	link	index.html#projects
13	Journal	link	index.html#journal
14	Pricing	link	index.html#pricing
15	Book a sprint →	link	index.html#contact
16	Back to journal ←	link	index.html#journal
17	What building faster actually requires →	link	building-faster.html
18	PRIXIAL.	link	index.html#top
19	About	link	about.html
20	Projects	link	index.html#projects
21	Journal	link	index.html#journal
22	Architecture	link	index.html#services
23	AI development	link	index.html#services
24	Product design	link	index.html#services
25	hello@prixial.com	link	mailto:hello@prixial.com
26	Book Sprint	link	index.html#contact
27	Back to top ↑	link	#top

building-faster.html · Journal 04 - Building faster

#	Label	Element	Destination
1	Method	link	index.html#method
2	Services	link	index.html#services
3	About	link	about.html
4	Projects	link	index.html#projects
5	Journal	link	index.html#journal
6	Pricing	link	index.html#pricing
7	Book Sprint →	link	index.html#contact
8	Open menu	button	—
9	Method	link	index.html#method

#	Label	Element	Destination
10	Services	link	index.html#services
11	About	link	about.html
12	Projects	link	index.html#projects
13	Journal	link	index.html#journal
14	Pricing	link	index.html#pricing
15	Book a sprint →	link	index.html#contact
16	Back to journal ←	link	index.html#journal
17	Designing useful AI workflows →	link	ai-workflows.html
18	PRIXIAL.	link	index.html#top
19	About	link	about.html
20	Projects	link	index.html#projects
21	Journal	link	index.html#journal
22	Architecture	link	index.html#services
23	AI development	link	index.html#services
24	Product design	link	index.html#services
25	hello@prixial.com	link	mailto:hello@prixial.com
26	Book Sprint	link	index.html#contact
27	Back to top ↑	link	#top

ai-workflows.html · Journal 05 - AI workflows

#	Label	Element	Destination
1	Method	link	index.html#method
2	Services	link	index.html#services
3	About	link	about.html
4	Projects	link	index.html#projects
5	Journal	link	index.html#journal
6	Pricing	link	index.html#pricing
7	Book Sprint →	link	index.html#contact
8	Open menu	button	—
9	Method	link	index.html#method
10	Services	link	index.html#services
11	About	link	about.html
12	Projects	link	index.html#projects
13	Journal	link	index.html#journal
14	Pricing	link	index.html#pricing
15	Book a sprint →	link	index.html#contact
16	Back to journal ←	link	index.html#journal
17	The first version is a conversation →	link	first-version.html
18	PRIXIAL.	link	index.html#top
19	About	link	about.html

#	Label	Element	Destination
20	Projects	link	index.html#projects
21	Journal	link	index.html#journal
22	Architecture	link	index.html#services
23	AI development	link	index.html#services
24	Product design	link	index.html#services
25	hello@prixial.com	link	mailto:hello@prixial.com
26	Book Sprint	link	index.html#contact
27	Back to top ↑	link	#top

first-version.html · Journal 06 - The first version

#	Label	Element	Destination
1	Method	link	index.html#method
2	Services	link	index.html#services
3	About	link	about.html
4	Projects	link	index.html#projects
5	Journal	link	index.html#journal
6	Pricing	link	index.html#pricing
7	Book Sprint →	link	index.html#contact
8	Open menu	button	—
9	Method	link	index.html#method
10	Services	link	index.html#services
11	About	link	about.html
12	Projects	link	index.html#projects
13	Journal	link	index.html#journal
14	Pricing	link	index.html#pricing
15	Book a sprint →	link	index.html#contact
16	Back to journal ←	link	index.html#journal
17	Read the other notes →	link	index.html#journal
18	PRIXIAL.	link	index.html#top
19	About	link	about.html
20	Projects	link	index.html#projects
21	Journal	link	index.html#journal
22	Architecture	link	index.html#services
23	AI development	link	index.html#services
24	Product design	link	index.html#services
25	hello@prixial.com	link	mailto:hello@prixial.com
26	Book Sprint	link	index.html#contact
27	Back to top ↑	link	#top

Appendix C · Heading architecture

The message skeleton: every H1–H3 on the site, page by page. Use this to check the redesign keeps the same information hierarchy.

index.html · Home

H1 Ideas deserve architecture before code.

H2 We don't build apps. We architect products.

H3 Research

H3 Architecture

H3 Build

H3 Launch

H2 From idea to launch in three days.

H3 Idea

H3 Discovery

H3 Research

H3 Architecture

H3 Build

H3 Deploy

H3 Find

H3 Reason

H3 Architect

H3 Make

H3 Evolve

H2 Products we've architected.

H3 Neph

H3 Flee

H3 Regula

H3 Agapetoi

H3 Custody

H3 Christable

H2 Tech Stacks

H2 Software should not take six months.

H2 Notes from the lab.

H3 How we validate ideas before building them

H3 AI product architecture is a new discipline

H3 The founder's guide to thinking in systems

H3 What building faster actually requires

H3 Designing useful AI workflows

H3 The first version is a conversation

H2 Choose your starting point.

H3 3 days

H3 1 week

H3 Monthly

H2 Before we begin.

H2 Let's architect it before we build it.

about.html · About

- H1 We build around the way you work.
- H2 Built from what is true.
- H2 A focused team for your real work.
- H2 Let's architect it before we build it.

how-we-validate-ideas.html · Journal 01 - How we validate ideas

- H1 How we validate ideas before building them.
- H2 Start with the moment, not the market
- H2 An evidence ladder
- H2 What we want to know after three days
 - H3 Research notes

ai-product-architecture.html · Journal 02 - AI product architecture

- H1 AI product architecture is a new discipline.
- H2 The interface is the visible tip
- H2 Choose the simplest useful pattern
- H2 Design the trust loop
- H2 The new product brief
 - H3 Research notes

systems-thinking.html · Journal 03 - Thinking in systems

- H1 The founder's guide to thinking in systems.
- H2 Look for the flow
- H2 Find the feedback
- H2 Design the delay
- H2 Change the leverage point
 - H3 Research notes

building-faster.html · Journal 04 - Building faster

- H1 What building faster actually requires.
- H2 Front-load the expensive thinking
- H2 Work in thin vertical slices
- H2 Keep the delivery loop healthy
- H2 Use AI as leverage, not a steering wheel
 - H3 Research notes

ai-workflows.html · Journal 05 - AI workflows

- H1 Designing useful AI workflows.
- H2 Start with the job
- H2 Match the pattern to the uncertainty
- H2 Make the boundary obvious
- H2 Evaluate the whole workflow
 - H3 Research notes

first-version.html · Journal 06 - The first version

- H1 The first version is a conversation.
- H2 Small is not the same as incomplete
- H2 Make the conversation easy
- H2 Design the next question

H2 Launch is a practice

H3 Research notes

Appendix D · Brand, contact & repeated strings

Strings that repeat across pages — single source of truth for the redesign.

Repeated CTAs

Label	Uses	Points to
About	24	about.html
Journal	24	#journal, index.html#journal
Projects	24	#projects, index.html#projects
Method	16	#method, index.html#method
Pricing	16	#pricing, index.html#pricing
Services	16	#services, index.html#services
Book a sprint →	10	#contact, index.html#contact, mailto:hello@prixial.com
AI development	8	#services, index.html#services
Architecture	8	#services, index.html#services
Back to top ↑	8	#top
Book Sprint →	8	#contact, index.html#contact
Open menu	8	—
PRIXIAL.	8	#top, index.html#top
Product design	8	#services, index.html#services
hello@prixial.com	8	mailto:hello@prixial.com
Back to journal ←	6	index.html#journal
Book Sprint	6	index.html#contact
Read note →	6	ai-product-architecture.html, ai-workflows.html, building-faster.html, first-version.html, how-we-validate-ideas.html, systems-thinking.html
Prixial home	3	#top, index.html#top
Automation	2	#services, index.html#services
Blog	2	#journal, index.html#journal
Careers	2	#contact, index.html#contact
Documentation	2	#contact, index.html#contact
GitHub	2	#contact, index.html#contact
Guides	2	#journal, index.html#journal
LinkedIn	2	#contact, index.html#contact
Open source	2	#contact, index.html#contact
X / Twitter	2	#contact, index.html#contact
AI product architecture is a new discipline →	1	ai-product-architecture.html
Continuous improvement →	1	#contact
Deploy with us →	1	#contact
Designing useful AI workflows →	1	ai-workflows.html
Market validation →	1	#contact

Label	Uses	Points to
Production code →	1	#contact
Read the other notes →	1	index.html#journal
Start a product sprint →	1	#contact
Start a retainer →	1	#contact
Start sprint →	1	#contact
System design →	1	#contact
The first version is a conversation →	1	first-version.html
The founder's guide to thinking in systems →	1	systems-thinking.html
View all notes →	1	#journal
View our work ↗	1	#projects
What building faster actually requires →	1	building-faster.html
Work with us →	1	index.html#contact
←	1	—
→	1	—

Contact & identity

Key	Value
Brand name	PRIXIAL. (wordmark); Prixial in running copy
Decorative mark	IXI (used in hero-adjacent and final CTA areas)
Email	hello@prixial.com (mailto, hero CTA and footer)
Tagline (footer)	AI product architecture / for ambitious founders.
Copyright	© 2026 Prixial. All rights reserved.
Footer sign-off	Built with intent.
Nav CTA	Book Sprint → (header) / Book a sprint → (mobile menu)
Primary CTA cluster	Start a product sprint · Book a sprint · Deploy with us · Start a retainer

Section numbering as it appears on the home page

The site labels its sections with a two-digit meta prefix. Two numbers are skipped in the current markup (05 and 07 are unused) — worth deciding deliberately in the redesign.

Number	Printed label	Section block
01	What we do	What we do
02	Our process	Our process
03	Our methodology	Our methodology
04	Selected work	Selected work
06	Technology	Technology
08	Journal	Journal
09	Pricing	Pricing
10	Questions, answered	Questions, answered