

ATM

Coding Exercise

Two accounts, persisted locally,
covered by 143 tests.

ATM

Checking
\$949.50

Savings
\$900.35

OPERATIONS

Deposit

Withdraw

Transfer

From

To

Checking

Savings

Amount

\$ 0.00

Transfer

TRANSACTION HISTORY

Time	Type	Amount	Accounts	Resulting balance
Sep 22, 2026, 03:08:54 UTC	Transfer	\$300.75	Checking → Savings	Checking \$949.50 · Savings \$900.35
Sep 22, 2026, 03:08:54 UTC	Withdrawal	-\$400.40	Savings	\$599.60
Sep 22, 2026, 03:08:54 UTC	Deposit	+\$250.25	Checking	\$1,250.25

Hint: try the Konami code.

Technology stack

FRONTEND

Razor Pages, vanilla JavaScript, CSS

No client framework or packages

BACKEND

C# 14 on .NET 10

ASP.NET Core

DATABASE

SQLite via EF Core 10

Code-first migrations

TESTING

xUnit, WebApplicationFactory, coverlet

Decisions and costs

DECISION	COST
Razor Pages	Full page reload per action
Modular monolith	One feature spans four projects
SQLite + EF Core	Single-writer ceiling
2-decimal USD	Single-currency support

Datastore choice

In-memory would suffice.

CHOSEN

SQLite file

Survives restarts

CONSIDERED

SQLite in-memory

Lost on restart

Hand-written store

Owns atomicity

EF Core InMemory

No transactions

Redis

Extra process

Best framework for the model

CHOSEN

ASP.NET Core

Compile-time checks but fewer examples

RUNNER-UP

Django

Most examples but runtime-only errors

Spring Boot

Typed but slow tests

Node.js

Popular but fast-changing

RANKED BY

How soon LLM mistakes surface

| How I AI'ed

FRAME

GPT-5.6 Sol

I approved spec, plan, ADRs

BUILD

Fable 5.1

Six phases, tests green per commit

Chose to minimize rework over tokens

REFINE

Opus 5.5, GPT-6 Sol

Docs, deck, fixes

Roadmap

OMITTED

Identity

Banking breadth

**Distributed
operations**

NOW

**Idempotency keys, cross-model review,
authentication**

NEXT

Accessibility, observability

LATER

Deployment