

**HARVIANA: A GIS-INTEGRATED DECISION SUPPORT SYSTEM FOR
VISUALIZING VEGETABLE PRODUCTION TRENDS IN BENGUET**

A Capstone Project Presented to the Faculty of the
College of Information Technology and Computer Sciences
University of the Cordilleras

In Partial Fulfillment
of the Requirements for the Degree
BACHELOR OF SCIENCE IN INFORMATION TECHNOLOGY

by

LORD ALFREY TONGNAWA BATERINA

JOHNDOE AMIEL ISIT DELA CRUZ

JOJEMAY MAGALSO TAGALOG

July 2026

APPROVAL SHEET

This project study entitled HARVIANA: A GIS-INTEGRATED DECISION SUPPORT SYSTEM FOR VISUALIZING VEGETABLE PRODUCTION TRENDS IN BENGUET prepared and submitted by LORD ALFREY T. BATERINA, JOHNDOE AMIEL I. DELA CRUZ, and JOJEMAY M. TAGALOG in partial fulfillment of the requirements for the degree BACHELOR OF SCIENCE IN INFORMATION TECHNOLOGY, has been examined and is recommended for acceptance and approval for oral examination.

ANNA RHODORA M. QUITALEG, MIT
Adviser

Project Study Committee

ANNA RHODORA M. QUITALEG, MIT
Member

RAZIELLE JEYNA MAE F. BERNALDEZ, BSCS
Member

GEM A. BALAY-ODAO, BSCS
Chairperson

PANEL OF EXAMINERS

APPROVED by the Committee on Oral Examination on
_____ with a grade of _____.

GEM A. BALAY-ODAO, BSCS
Chairperson

ANNA RHODORA M. QUITALEG, MIT
Member

RAZIELLE JEYNA MAE F. BERNALDEZ, BSCS
Member

ACCEPTED AND APPROVED in partial fulfillment of the requirements for the degree BACHELOR OF SCIENCE IN INFORMATION TECHNOLOGY.

MELINDA A. BENINSIG, MIT
IT Program Chair
College of Information Technology
and Computer Science

JEFFREY S. INGOSAN, DIT
Dean, College of
Information Technology
and Computer Science



ABSTRACT

1. Title: HARVIANA: A GIS-INTEGRATED DECISION SUPPORT SYSTEM FOR VISUALIZING VEGETABLE PRODUCTION TRENDS IN BENGUET
 - 1.1. Total No. of Pages: 165
 - 1.2. Text No. of Pages: 120
2. Authors: BATERINA, LORD AFLREY T.
DELA CRUZ, JOHNDOE AMIEL I.
TAGALOG, JOJEMAY M.
3. Type of Document: Capstone Project
4. Type of Publication: Unpublished
5. Accrediting Institution: University of the
Cordilleras, Gov. Pack Rd.
Baguio City
6. Keywords: Harviana, Geographic Information System,
Agricultural Decision-Support, Vegetable
Production, Benguet
7. Abstracts:

7.1 Rationale/Background of the Study

Vegetable production is essential to Benguet's economy, agricultural livelihoods, and contribution to the regional food supply. However, crop plans, damage reports, and actual-harvest records can be difficult to consolidate when information is handled through separate or uncoordinated processes. Fragmented and delayed records may affect report validation, production monitoring, and the availability of timely information for municipal agricultural planning. These limitations also make it difficult to compare expected production with actual harvest outcomes and identify possible changes in vegetable supply. Farmers therefore need an organized way to manage crop activities and submit farm records, while agricultural offices require updated, validated, and location-based information for monitoring and decision-making. To address these needs, the researchers developed Harviana, a GIS-integrated decision-support system connecting Farmers, LGU



Validators, and DA Administrators through submission, validation, monitoring, forecasting, and reporting.

7.2 Summary

This study aimed to design and develop Harviana: A GIS-Integrated Decision Support System for Visualizing Vegetable Production Trends in Benguet. Specifically, the researchers sought to:

1. to identify the information requirements of proposed system;
2. to determine the architectural framework of the proposed system;
3. to identify the features of the proposed system; and
4. to measure the extent of usability of Harviana among participating Farmers and DA Administrators.

The researchers employed Scrum through five fixed-length Sprints, each involving Sprint Planning, Daily Scrums, iterative development and testing, a Sprint Review, and a Sprint Retrospective. Each Sprint produced a usable Increment that progressively contributed to the completion of Harviana.

7.3 Findings

Based on the data gathered and analyzed in relation to the objectives of the study, the researchers identified the following findings:

1. Harviana's information requirements cover Farmer crop plans, damage reports, and actual-harvest records, LGU validation data, DA monitoring and reporting information, and the technical requirements necessary to support forecasting, GIS-based visualization, validation, and decision-support functions.
2. The "4+1" View Model described Harviana's users, structure, workflows, components, and Railway deployment with its machine-learning service and PostgreSQL database.
3. Harviana provides role-based features for Farmers, LGU Validators, and DA Administrators. Farmers can plan crops, track activities, generate machine learning-based production estimates, submit reports, record harvests, and access maps and weather data. LGU Validators review, approve, or return reports for correction, while DA Administrators manage records, GIS data, forecasts, analytics, and reports. Together, these



features support agricultural monitoring and decision-making in Benguet.

4. The 132 valid Farmer respondents gave Harviana a mean SUS score of 71.55, interpreted as "OK to Good" and "Marginal to Acceptable." Meanwhile, 18 DA Administrator respondents gave an overall USE weighted mean of 6.32, interpreted as "Strongly Agree." Overall, the results show that Harviana is usable and acceptable to its intended users.

7.4. Conclusions

Based on the findings of the study, the researchers arrived at the following conclusions:

1. The identified information requirements provide the records needed for crop monitoring, validation, forecasting, and reporting.

2. The "4+1" View Model provides an organized framework for describing Harviana's users, structure, processes, components, and deployment.

3. Harviana implemented role-based features for Farmers, LGU Validators, and DA Administrators, including crop planning, report validation, GIS visualization, supply forecasting, analytics, and reporting. These features support integrated agricultural monitoring and decision-making.

4. Harviana demonstrated acceptable usability among Farmers and high usability among DA Administrators, although its farmer interface may require improvement for first-time users.

7.5 Recommendations

Based on the conclusions of the study, the researchers recommend the following:

1. Regularly review Harviana's information and validation requirements with its user groups to maintain complete and relevant agricultural records.

2. Maintain Harviana's database, services, security, backups, and deployment for reliable operation.

3. Expand crop coverage and validated datasets, improve user guidance, and support Farmers in areas with limited connectivity. Other areas for improvement include the interface and usability from workflow.

ACKNOWLEDGEMENT



The researchers would like to express their sincere gratitude to the individuals and organizations whose guidance, cooperation, and support contributed to the completion of this capstone project.

The researchers also extend their appreciation to Ms. Anna Rhodora M. Quitaleg, Adviser, Ms. Gem A. Balay-Odao, Chairperson, and Ms. Razielle Jeyna Mae F. Bernaldez, Committee Member, for sharing their time and expertise during the evaluation of the project. Their comments and recommendations helped the researchers address important concerns and improve both the system and the manuscript.

Sincere appreciation is extended to the faculty and staff of the College of Information Technology and Computer Sciences of the University of the Cordilleras for providing the knowledge, guidance, and academic environment needed to complete the study. The researchers also thank the Department of Agriculture-Cordillera Administrative Region, the participating DA Administrators, and the Farmers who shared their time, knowledge, and responses during the conduct and evaluation of the study. Their participation provided valuable information that contributed to the development and assessment of Harviana.



The researchers would also like to thank their families and friends for their patience, understanding, encouragement, and support throughout the completion of the capstone project. Their motivation helped the researchers continue despite the difficulties encountered during system development and manuscript preparation.

The researchers also acknowledge one another for the cooperation, commitment, and perseverance demonstrated throughout the project. Each member's willingness to share responsibilities, exchange ideas, and work through challenges contributed greatly to the completion of Harviana.

Above all, the researchers give thanks to Almighty God for the wisdom, strength, guidance, and blessings that sustained them throughout this journey. To everyone who contributed directly or indirectly to the completion of this study, the researchers offer their heartfelt appreciation.

L.A.T.B

J.A.I.D.C

J.M.T



DEDICATION

This capstone project is lovingly dedicated to our families and loved ones, whose patience, understanding, encouragement, and sacrifices gave us the strength to continue throughout every stage of this journey.

To our adviser, teachers, and mentors, whose guidance and wisdom encouraged us to improve our ideas, overcome challenges, and complete this study with determination.

To the participating Farmers and DA personnel who shared their time, experiences, and insights, your contributions helped make Harviana relevant to agricultural monitoring and decision-making in Benguet.

To one another, for the cooperation, trust, patience, and perseverance that enabled us to face difficulties and complete this project as a team.

Above all, we dedicate this accomplishment to Almighty God, whose wisdom, guidance, and blessings sustained us throughout the completion of this study.

Alfrey

Johndoe

Jojemay



TABLE OF CONTENTS

	Page
TITLE PAGE.....	1
APPROVAL SHEET.....	1
ABSTRACT.....	3
ACKNOWLEDGEMENT.....	5
DEDICATION.....	8
TABLE OF CONTENTS.....	9
LIST OF FIGURES.....	11
LIST OF TABLES.....	14
CHAPTER	
1 INTRODUCTION	
Background of the Study.....	15
Importance of the Study.....	31
Objectives of the Study.....	35
Definition of Terms.....	35
2 METHODOLOGY	
Software Development Methodology.....	40
Design Thinking.....	47
Scope and Delimitation of the Study...	65
Data Gathering Techniques.....	68
Sources of Data.....	70
Usability Evaluation Instruments.....	72



	Software Development Tools.....	76
3	FINDINGS OF THE STUDY	
	Information Requirements for Harviana..	81
	Architecture Framework of Harviana....	86
	Features of Harviana.....	100
	Extent of the Usability of Harviana..	112
4	CONCLUSIONS AND RECOMMENDATIONS	
	Conclusions.....	128
	Recommendations.....	130
	REFERENCES.....	132
	APPENDICES	
	A Communication Letter.....	140
	B Endorsement Letter.....	140
	C Business Model Canvas.....	141
	D Invitation Letter.....	143
	E TBI Assessment Certificate.....	146
	F Sample Usability Test Survey.....	147
	G Technology Brief.....	148
	H Documentation.....	149
	I Supporting Interfaces of Harviana.....	150
	J Relevant Code Snippets.....	152
	K User Manual.....	157
	CURRICULUM VITAE.....	160



LIST OF FIGURES

Figure No.	Figure Title	Page
1	Scrum Framework Applied to Harviana.....	43
2	Design Thinking.....	47
3	Empathy Map.....	49
4	The 5 Why Analysis.....	51
5	Impact-Effort Matrix.....	53
6	Overall Low-Fidelity Prototype of Harviana's Main Features.....	55
7	Login and Registration Prototype.....	56
8	Crop Planning and Farmer Calendar Prototype .	57
9	ML-Based Production Estimate Prototype...	58
10	Damage Report Submission Prototype.....	59
11	Actual Harvest Recording Prototype.....	60
12	LGU Report Validation Prototype.....	61
13	Interactive Map and Weather Prototype...	62
14	DA Dashboard and Supply Forecast Prototype.....	63
15	Reports and Export Prototype.....	64
16	The "4+1" View Model by Kruchten.....	87
17	Harviana Use Case Diagram.....	89
18	Harviana Class Diagram.....	91
19	Harviana Login Sequence Diagram.....	93



20	Harviana Crop Plan and Production Estimate Sequence Diagram.....	94
21	Farmer Report and LGU Validation Sequence Diagram.....	95
22	Harviana Sequence Diagram for DA Administrator Supply Forecast.....	96
23	Harviana Sequence Diagram for DA Report Generation and Export.....	97
24	Harviana Package Diagram.....	98
25	Harviana Deployment Diagram.....	100
26	Farmer Dashboard and Crop Recommendations	102
27	Crop Planning and Farmer Calendar.....	103
28	ML-Based Production Estimate.....	104
29	Damage Report Submission.....	105
30	Actual Harvest Recording.....	106
31	LGU Report Validation.....	107
32	Administrative Dashboard and Municipal Supply Forecast.....	108
33	Crop Data Management.....	109
34	Interactive Agricultural Map and Weather	110
35	Reports and Export Generation.....	111
36	Business Model Canvas.....	141
37	Harviana Landing Page.....	150



38 Harviana User Login and Registration Pages	151
---	-----



LIST OF TABLES

Table No.	Table Title	Page
1	Farmer Information.....	84
2	LGU Validator Information.....	84
3	DA Administrator Information.....	85
4	System Requirements.....	86
5	SUS Score Interpretation Scale.....	113
6	Farmers' SUS Questionnaire Results.....	114
7	Summary of Farmers' SUS Score.....	116
8	Seven-Point USE Questionnaire Interpretation Scale.....	118
9	Usefulness: Usability Testing Result for DA Administrators.....	119
10	Ease of Use: Usability Testing Result for DA Administrators.....	120
11	Ease of Learning: Usability Testing Result for DA Administrators.....	122
12	Satisfaction: Usability Testing Result for DA Administrators.....	123
13	Overall USE Questionnaire Result for DA Administrators.....	125
14	Overall Usability Summary of Harviana..	126



Chapter 1

INTRODUCTION

Background of the Study

Agriculture remains a fundamental component of global food systems because it supports food production, livelihoods, employment, and economic activity. However, agricultural production is increasingly affected by climate variability, extreme weather events, environmental pressures, and disruptions in the movement and availability of food. The Intergovernmental Panel on Climate Change (IPCC, 2022) reported that climate-related extremes have already affected the productivity of agricultural, forestry, and fishery sectors, with consequences for food availability, prices, nutrition, and the livelihoods of affected communities. These conditions increase the need for timely and reliable agricultural information that can support production planning, risk monitoring, and coordinated responses to agricultural problems.

Food security also remains a significant global concern as agricultural producers attempt to meet increasing demand while responding to environmental and economic pressures. The Food and Agriculture Organization of the United Nations and its partner organizations



reported that, despite recent progress, global hunger and food insecurity remain above pre-pandemic levels and the world is still far from achieving the targets of ending hunger and food insecurity by 2030 (FAO et al., 2025). The report also emphasized the importance of better data systems and sustained investments in resilient agrifood systems. This demonstrates that agricultural planning requires reliable information on production conditions, crop losses, market disruptions, and supply availability.

The continuing development of digital technologies has created opportunities to improve the collection, organization, and interpretation of agricultural information. The Food and Agriculture Organization of the United Nations explained that digital technologies and agricultural automation can improve productivity, resource-use efficiency, environmental sustainability, and the resilience of agrifood systems when they are appropriately implemented (FAO, 2022). Geographic Information Systems (GIS), web-based applications, and machine learning technologies can also assist agricultural stakeholders in visualizing production patterns, estimating crop output, monitoring location-based conditions, and identifying changes in agricultural supply. The Digital Agriculture



Roadmap Playbook further emphasizes the importance of connecting user-facing applications, agricultural databases, system integration components, and decision-support tools within an organized digital environment (World Bank, Gates Foundation, & Boston Consulting Group, 2025).

Despite the potential of digital agriculture, its benefits are not automatically available to all agricultural stakeholders. Small-scale producers and rural communities may experience limitations related to internet connectivity, digital literacy, access to appropriate devices, infrastructure, and the cost of adopting new technologies. FAO (2022) identified low digital literacy, inadequate connectivity, limited access to electricity, and financial constraints as barriers to the inclusive adoption of digital agricultural technologies. The E-Agriculture Strategy Guide also emphasized that digital agricultural initiatives require a clear vision, coordinated implementation, and monitoring mechanisms that respond to the conditions of their intended users (FAO & ITU, 2016). These issues highlight the need for agricultural information systems that are accessible, user-friendly, and capable of transforming fragmented records into validated



and meaningful information for decision-making.

In the Philippine setting, the need for digital agricultural support is connected to the broader modernization of the country's agricultural sector. The World Bank (2020) emphasized that transforming Philippine agriculture into a more dynamic, competitive, and diversified sector is important for food security and the welfare of rural communities. Achieving this transformation requires agricultural systems that can organize production data, improve the coordination of stakeholders, and provide information that supports farmers and government decision-makers.

The Philippine Development Plan 2023-2028 similarly promotes the modernization of agriculture and agribusiness. The National Economic and Development Authority (2023) considers agriculture part of a broader agrifood system that includes production, processing, marketing, consumption, and waste management. The plan emphasizes improving agricultural efficiency, strengthening value chains, and encouraging the adoption of appropriate technologies. These directions establish a need for digital systems that organize farm records and make agricultural information more useful for monitoring and planning.



The Department of Agriculture's National Agriculture and Fisheries Modernization and Industrialization Plan 2021-2030 also supports coordinated and technology-assisted agricultural development. The plan provides a sector-wide direction for transforming the Philippine food system through collaboration among government institutions, private organizations, farmers, and other agricultural stakeholders (Department of Agriculture, 2022). A coordinated digital workflow can contribute to this direction by connecting farm-level records with local validation and administrative monitoring.

Digital agriculture has therefore become increasingly relevant in the Philippines. Briones et al. (2023) explained that digital technologies can contribute to agricultural productivity, market access, sustainability, and decision support. However, they also identified concerns involving the digital divide, rural connectivity, fragmented government information systems, and the need to harmonize agricultural data and advisory services. These findings indicate that agricultural platforms should not merely collect information but should organize it in a form that farmers and agricultural offices can understand and use.



Philippine agricultural stakeholders have also recognized the importance of preparing farmers and government institutions for technology-based agricultural systems. Consultative Group on International Agricultural Research (2024) reported that digital technologies are increasingly considered part of the future of Philippine agriculture, although limitations involving infrastructure, digital literacy, data security, and institutional coordination must still be addressed. Agricultural systems must therefore be designed around the responsibilities and capabilities of their users. Role-based interfaces can help ensure that farmers, validators, and administrators only access the information and system functions relevant to their assigned responsibilities.

The Cordillera Administrative Region, particularly Benguet, provides an important setting for applying these approaches because it is one of the country's major sources of highland vegetables. According to the Philippine Statistics Authority RSSO-CAR (2025), the Cordillera Administrative Region produced 432,068.1 metric tons of vegetables in 2024. Benguet contributed 371,151.5 metric tons, representing 85.9 percent of the region's total vegetable production. Because of Benguet's significant



contribution to the vegetable supply, planting schedules, production records, damage incidents, and actual-harvest information are important for monitoring agricultural conditions and anticipating possible changes in supply.

The importance of Benguet vegetables extends beyond the province because its agricultural products move through broader food value-chain networks. Aquino et al. (2025) examined the role of Benguet-sourced vegetables in household food access and supply movement. The study demonstrates how the condition of vegetable production in Benguet may affect traders, consumers, institutions, and communities that depend on vegetables produced in the province. This makes organized and timely agricultural production information valuable not only to farmers but also to government offices responsible for monitoring agricultural supply.

Despite Benguet's contribution to vegetable production, farmers and agricultural offices may still experience difficulties in organizing crop activities, validating field reports, and converting farm-level information into usable administrative records. Farmers require an organized way to create crop plans, monitor scheduled activities, document crop damage, and record



actual harvest results. LGU Validators need to review farmer-submitted reports before the information becomes part of the system's validated records. DA Administrators, meanwhile, require consolidated information that can support production monitoring, map-based visualization, supply forecasting, and report generation. When these activities are conducted through separate or uncoordinated processes, agricultural information may become delayed, incomplete, inconsistent, or difficult to verify. The usefulness of agricultural information depends not only on the amount of data collected but also on its completeness, consistency, and connection to the activities from which it originated. Crop plans establish the intended production activity, while damage reports and actual-harvest records describe changes and outcomes during the production cycle. If these records are maintained through separate procedures or contain different data fields, agricultural personnel may have difficulty determining which information is current, verified, and suitable for administrative use. Briones et al. (2023) identified fragmented government information systems and the need to harmonize agricultural data and advisory services as continuing concerns in Philippine digital agriculture. This



situation supports the need for a common information structure in which crop, location, production period, planted area, damage, and harvest details can be recorded consistently and traced through the appropriate user workflow.

Validation is also important because farmer-submitted information may influence production monitoring, municipal supply forecasts, and administrative reports. A structured validation process keeps pending submissions separate from records that have already been reviewed and accepted. It also provides an opportunity to examine supporting details, clarify incomplete entries, and return reports that require correction before they are included in validated records. The E-Agriculture Strategy Guide emphasizes that digital agricultural initiatives require coordinated implementation, clearly defined responsibilities, and appropriate monitoring mechanisms (FAO & ITU, 2016). Similarly, the Digital Agriculture Roadmap Playbook highlights the importance of connecting user applications, databases, integration components, and decision-support tools within an organized digital environment (World Bank et al., 2025). For Harviana, these principles support a role-based flow in which Farmers provide farm-level



information, LGU Validators review selected submissions, and DA Administrators use organized and validated records for monitoring and planning.

Agricultural extension and advisory services are also important in helping farmers and government offices use information effectively. The Philippine Agriculture and Fisheries Extension Strategic Plan 2023-2028 emphasizes the need to improve extension and advisory services as part of the transformation of the country's food systems. The Agricultural Training Institute (2023) stated that the plan supports efficient agricultural production, competitiveness, stronger extension institutions, and the empowerment of farmers and fisherfolk. Digital platforms can support this direction by making crop plans, damage reports, harvest records, and monitoring information more accessible to farmers and agricultural personnel.

Digital platforms support the delivery of agricultural extension services in the Philippines by expanding access to training and technical knowledge. Through its e-Extension Program, the Agricultural Training Institute uses information and communication technologies to provide farmers, students, and agricultural professionals with self-paced online courses and digital learning resources



(Cailo, 2025). Although Harviana does not replace agricultural extension services, it follows a related digital direction by organizing crop-related information and improving access to agricultural monitoring records.

Weather conditions must also be considered in crop planning and production monitoring. The Philippine Atmospheric, Geophysical and Astronomical Services Administration emphasized that climate forecasts enable farmers to make informed decisions regarding planting schedules, irrigation, pest control, and harvesting while helping minimize agricultural losses (PAGASA, 2023). Providing weather information alongside location-based agricultural records can therefore help farmers and administrators interpret production conditions more effectively.

Digital agriculture can also support adaptation to changing environmental conditions. Stephenson et al. (2021) explained that digital technologies can contribute to climate adaptation by making agricultural and spatial information available for crop suitability assessment, government planning, and the identification of agricultural priorities. This supports the use of maps and weather information in Harviana because these features allow users



to view crop records in relation to farm locations and field conditions.

A spatial and temporal perspective is particularly important when monitoring vegetable production in Benguet. Production records originate from different farms and municipalities, while planting, maintenance, damage, and harvesting activities occur at different periods. Provincial totals can indicate the overall volume of vegetables produced, but aggregated figures alone may not show where crop activities are concentrated or when expected production may become available. This distinction is important because Benguet accounts for a substantial share of vegetable production in the Cordillera Administrative Region (Philippine Statistics Authority RSSO-CAR, 2025). GIS can help organize records according to location, while calendar dates and production periods provide the temporal context needed to interpret planting and harvest activity. Weather information provides an additional reference for understanding field conditions that may affect agricultural schedules. Raihan (2024) and Stephenson et al. (2021) emphasized the value of spatial and digital information for agricultural planning and climate adaptation. Combining location, time, and weather



information can therefore help users examine production records according to the municipalities and periods to which they relate.

Geographic Information Systems and WebGIS technologies are especially relevant to agricultural monitoring because they allow records to be organized, displayed, and interpreted according to location. Raihan (2024) emphasized that GIS can support evidence-based agricultural decision-making by enabling the analysis of spatial information related to crop production, sustainability, and agricultural planning. Cui et al. (2022) demonstrated the use of an open-source WebGIS system for agricultural land management, while Patel et al. (2023) showed how a WebGIS-based decision-support system can assist agricultural monitoring and management. These studies support the development of Harviana as a GIS-integrated platform that presents vegetable production information through interactive map-based visualization.

Studies involving crop monitoring and forecasting also demonstrate the value of combining agricultural data with spatial and analytical technologies. Alemán-Montes et al. (2025) developed a near real-time spatial decision-support system that used a satellite mapping web browser to support



crop monitoring. Wu et al. (2023) explained that reliable crop monitoring depends on the availability of timely and useful crop information. Ali et al. (2022) discussed the contribution of remote-sensing data to crop-yield prediction, while Javed and Azmi Murad (2024) reviewed the application of machine learning and deep learning techniques in agricultural yield prediction. Collectively, these studies show how production records, spatial information, and forecasting techniques can provide agricultural stakeholders with more useful information for planning.

Local studies further establish the relevance of forecasting and decision-support systems to vegetable production in Benguet. Pilay and Werdenberg (2024) applied SARIMA-based forecasting to vegetable-production data from the province, demonstrating how historical production patterns can be analyzed to estimate possible future output. Quitaleg and Dumlao (2023) developed a decision-support system for predicting Benguet upland vegetable crops using machine learning techniques. These studies demonstrate that forecasting technologies are applicable to Benguet's agricultural setting. However, Harviana expands this direction by combining crop planning, farmer-submitted



records, validation, GIS visualization, production estimation, supply monitoring, and administrative reporting within one web-based platform.

The literature reviewed for this study demonstrates that GIS, crop monitoring, and forecasting can each contribute to agricultural decision-making. WebGIS studies have shown how spatial platforms can assist land and agricultural monitoring (Cui et al., 2022; Patel et al., 2023), while Benguet-based studies have demonstrated the applicability of statistical and machine-learning approaches to vegetable-production forecasting (Pilay & Werdenberg, 2024; Quitaleg & Dumlao, 2023). However, in the studies reviewed for this manuscript, these concerns were generally examined as separate components. Spatial visualization alone does not establish whether a displayed farm record has been reviewed, while a production estimate alone does not provide the complete relationship among a farmer's crop plan, reported damage, and actual harvest outcome. The reviewed literature therefore indicates an opportunity for an integrated workflow that connects the source of agricultural records with their validation and subsequent administrative use. Harviana addresses this gap by organizing farm-level submissions, validation status,



location-based visualization, production estimates, municipal supply monitoring, and reporting within a single role-based environment. This integration allows information to move from Farmer submission through LGU review to DA monitoring while preserving the distinction between planned, reported, and validated agricultural records.

In response to the identified global, national, and local concerns, this study developed Harviana, a GIS-integrated agricultural decision-support system intended for Farmers, LGU Validators, and DA Administrators. Farmers can use the system to create crop plans, organize agricultural activities through a calendar, view machine-learning-based production estimates, submit crop-damage reports, and record actual harvest results. The submitted damage and harvest records can be reviewed by LGU Validators before they are used as validated agricultural information. DA Administrators can access dashboards, monitor crop and harvest records, view interactive maps and weather information, examine municipal supply forecasts, and generate agricultural reports.

Harviana establishes a connected flow of information from Farmers to LGU Validators and DA Administrators. Through this workflow, farmer-submitted records can be



reviewed and transformed into organized information for monitoring, forecasting, and reporting. The system does not replace the judgment of farmers or agricultural personnel. Instead, it provides a digital environment that assists them in organizing records, examining production conditions, and using agricultural information for more informed decisions.

The study is primarily aligned with Sustainable Development Goal 2: Zero Hunger, which promotes food security, sustainable agriculture, and support for small-scale food producers. Harviana contributes to this goal by supporting crop planning, agricultural record management, production monitoring, and access to validated information across different local farming communities. The system also supports Sustainable Development Goal 12: Responsible Consumption and Production by documenting damage incidents, expected production, and actual harvest outcomes that can be considered in agricultural supply monitoring and efforts to reduce production-related losses.

Importance of the Study

This study is significant because it provides a digital approach to improving how agricultural information is collected, validated, monitored, and used for decision-



making. Harviana supports the flow of crop-related data from farmers to LGU validators and DA administrators, allowing crop plans, damage reports, actual harvest records, and supply-related information to be organized in one system. Through this, the study contributes to the improvement of agricultural data management, crop monitoring, report generation, and decision-support processes.

To the Farmers. This study shall benefit farmers because Harviana provides tools that help them manage crop planning and farm activity monitoring. Through the system, farmers can create crop plans, view scheduled crop activities through the farmer calendar, receive reminders, and check ML-based production estimates during the crop planning process. The system also allows farmers to submit crop damage reports and record actual harvest results, helping them document important farm events in a more organized way. With these features, farmers are supported in monitoring their production activities and maintaining clearer records of their crops.

To the LGU Validators. This study shall benefit LGU validators because it provides a validation process for farmer-submitted reports. Through Harviana, LGU validators



can view submitted damage reports, review report details and evidence, and decide whether a report should be approved or returned for correction. This process helps improve the reliability of agricultural information before it is used for DA monitoring and reporting. It also creates a checking layer between farmer submissions and administrative decision-making.

To the Department of Agriculture Administrators. This study shall benefit DA administrators because Harviana provides features for monitoring crop records, viewing dashboards, accessing map and weather information, reviewing supply forecasts, and generating reports. These features help DA administrators organize validated agricultural data and use it for administrative monitoring and planning. The system also supports report export, allowing important crop and harvest information to be prepared for documentation, analysis, and decision-making.

To the Researchers. This study shall benefit the researchers because it allows them to apply concepts in system development, database management, geographic information systems, machine learning, and usability testing to a real agricultural problem. Through the development of Harviana, the researchers are able to design



a system that connects farmers, validators, and administrators in one digital workflow. The study also helps the researchers understand how technology can be used to support agricultural monitoring and decision-making.

To Future Researchers. This study shall benefit future researchers interested in developing agricultural decision-support systems, crop-monitoring platforms, GIS-based applications, or other digital agriculture technologies. They may use the findings, system architecture, development process, and identified user requirements of Harviana as a foundation for designing similar systems for other crops, farming sectors, or geographic locations. Future studies may improve the machine-learning models, expand crop and municipal coverage, introduce mobile or offline capabilities, and integrate additional agricultural, environmental, or government data sources. Researchers may also conduct further evaluations involving a wider range of respondents, including LGU Validators, to assess system usability and operational effectiveness more comprehensively. Moreover, this study may guide future work concerning report validation, map-based production monitoring, municipal supply forecasting, data security, and agricultural report generation for broader digital



applications.

Objectives of the Study

The main objective of this study is to design and develop "Harviana: A GIS-Integrated Decision Support System for Visualizing Vegetable Production Trends in Benguet," a web-based agricultural decision-support system that supports crop planning, farmer calendar management, crop monitoring, LGU validation, DA administrative monitoring, and supply forecasting for more informed agricultural decision-making.

Specifically, this study aims to answer the following;

1. to identify the information requirements of the proposed system;
 2. to determine the architecture framework of the proposed system;
 3. to identify the features of the proposed system;
- and
4. to measure the extent of usability of the proposed system.

Definition of Terms

This section defines the terms used throughout the study to ensure clarity and consistency in the discussion of Harviana.



Actual Harvest Record. Actual harvest record is the record submitted by a farmer after harvesting a crop. In this study, it includes the harvest amount, unit, harvest date, photo evidence, and notes. The system uses this record to compare expected production with the farmer-recorded harvest result.

Agricultural Decision-Support System. Agricultural decision-support system is a digital system that helps users collect, organize, analyze, and present agricultural information for planning and decision-making. In this study, it refers to Harviana, which supports farmers, LGU validators, and DA administrators in crop planning, validation, monitoring, forecasting, and reporting.

Crop Damage Report. Crop damage report is a report submitted by a farmer when a crop has been affected by damage. In this study, it includes the cause of damage, affected crop plan, damaged area, damage date, notes, and photo evidence. The report is reviewed by the LGU validator before being used for monitoring and report generation.

Crop Plan. Crop plan is the farmer's planned crop production record. In this study, it includes details such as crop type, planting information, farm area, expected harvest schedule, and related crop activities. Crop plans



are used in the farmer calendar, ML-based production estimate, and supply forecast features of Harviana.

Department of Agriculture Administrator(DA). DA administrator is the system user responsible for administrative monitoring of crop records, forecasts, reports, users, and system data. In this study, the DA administrator can access dashboards, map and weather data, supply forecasting, and report generation features.

Farmer Calendar. Farmer calendar is the calendar feature of Harviana that displays crop plans, farm activities, reminders, and schedules. In this study, it helps farmers monitor planting, maintenance, and harvest-related activities.

Geographic Information System(GIS). Geographic information system is a system used to store, manage, and display location-based information. In this study, GIS-related features are represented through Harviana's interactive map, which helps users view agricultural records and weather information based on location.

Harviana. Harviana is the proposed web-based agricultural decision-support system developed in this study. It supports crop planning, farmer calendar management, ML-based production estimation, crop damage



reporting, actual harvest recording, LGU validation, DA monitoring, map and weather viewing, supply forecasting, and report generation.

LGU Validator. LGU validator is the system user responsible for reviewing and validating farmer-submitted crop damage reports. In this study, the LGU validator can approve reports or return them for correction.

Machine Learning (ML). Machine learning is the use of computational models that learn from data to provide predictions or estimates. In this study, machine learning is used to support production estimation during crop planning and supply forecasting.

ML-Based Production Estimate. ML-based production estimate is the crop production predicted by the system during planning. It gives farmers an expected value based on their crop plan and the system's prediction mode.

Real-Time Supply Forecast. Real-time supply forecast is the DA feature that provides a forecast of crop supply using crop plan, harvest, damage, and validation-related data. In this study, it helps DA administrators review supply conditions for monitoring and planning.

Report Generation. Report generation is the process of organizing system records into report-focused views that



can be used for documentation, analysis, and administrative decision-making. In this study, DA administrators can generate and export planting and harvest-related reports.

Role-Based Access Control (RBAC). Role-based access control is a system security approach that limits access based on the role assigned to each user. In this study, Harviana provides different access and functions for farmers, LGU validators, and DA administrators.

Usability. Usability is the extent to which users can use the system effectively, efficiently, and satisfactorily. In this study, usability is measured through usability testing conducted with farmers and DA administrators.

Web-Based System. Web-based system is a system that can be accessed through a web browser using an internet-connected device. In this study, Harviana is a web-based system designed for farmers, LGU validators, and DA administrators.



Chapter 2

METHODOLOGY

This chapter presents the methodology used in the development of Harviana. It discusses the software development methodology, design thinking process, scope and delimitation, data gathering techniques, sources of data, and software development tools used by the researchers. These methods served as the guide in identifying the needs of the users, designing the system features, developing the web-based platform, and evaluating the usability of Harviana.

Software Development Methodology

The researchers employed Scrum as the Agile framework for developing Harviana. Scrum is a lightweight framework in which development work is organized into fixed-length Sprints of one month or less. During each Sprint, selected Product Backlog items are developed and integrated into a usable Increment, while regular inspection, stakeholder feedback, and adaptation guide subsequent work (Schwaber & Sutherland, 2020). Scrum was appropriate for Harviana because its interconnected Farmer, LGU Validator, and DA Administrator modules required iterative development, integration, testing, feedback, and revision throughout the project.



Scrum Team Accountabilities. The Scrum Team consisted of the three researchers. One designated researcher assumed the Product Owner accountability and communicated the Product Goal, ordered the Product Backlog, and represented stakeholder priorities. Another designated researcher assumed the Scrum Master accountability and facilitated the Scrum events, supported the proper use of Scrum, and helped the team address development impediments. All three researchers served as Developers and collaboratively designed, programmed, integrated, tested, and documented the Harviana Increments.

Scrum Artifacts and Commitments. The Product Goal was to develop Harviana as a GIS-integrated decision-support system that connects agricultural record submission, validation, monitoring, forecasting, visualization, and reporting. Initial requirements gathering established the first Product Backlog, which remained the ordered and continuously refined source of development work. During Sprint Planning, selected Product Backlog items, the Sprint Goal, and the implementation plan formed the Sprint Backlog. Every Sprint produced an Increment that was added to the previously completed Harviana functions.

The Definition of Done required a Product Backlog item



to be implemented, integrated with the existing system, functionally tested, verified against the applicable role and access requirements, checked on the intended screen sizes, documented, and free from known critical defects. Work that did not satisfy these quality conditions was not treated as part of the Increment and was returned to the Product Backlog for further completion.

Scrum Events. The development work was organized into five fixed-length Sprints, with each Sprint conducted within a timebox of one month or less. Sprint Planning initiated each Sprint by defining its value, Sprint Goal, selected Product Backlog items, and implementation approach. The Developers conducted a 15-minute Daily Scrum on each working day to inspect progress toward the Sprint Goal and adjust the Sprint Backlog when necessary. Development, integration, and testing were performed throughout the Sprint rather than being postponed until the final development cycle.

At the end of every Sprint, the Scrum Team presented the usable Increment to relevant stakeholders during the Sprint Review. Feedback and changes identified during the review were considered in adapting the Product Backlog. The Sprint Retrospective then allowed the team to examine its collaboration, processes, tools, encountered problems, and




Definition of Done and to identify improvements for the succeeding Sprint. The next Sprint began after the conclusion of the preceding Sprint.

Implementation Through Five Sprints. Harviana was completed through five successive Sprints, each with a distinct Sprint Goal and usable Increment. Although the selected Product Backlog items differed among Sprints, the complete cycle of planning, Daily Scrums, development and testing, review, and retrospective was followed in every Sprint.

Figure 1 presents the recurring Scrum framework followed in developing Harviana. The cycle was repeated across the five fixed-length Sprints and allowed each Increment to be inspected and adapted before the succeeding Sprint.

Figure 1

Scrum Framework Applied to Harviana



Sprint 1: Product Foundation. The Sprint Goal was to



establish a usable foundation for Harviana and its Farmer crop-planning workflow. Selected Product Backlog items covered account registration and authentication, role-based access, Farmer onboarding and profile management, database requirements, crop planning, and calendar-based farm activities. User needs, workflows, system diagrams, interface prototypes, and technical requirements were refined as supporting work. The resulting Increment allowed a Farmer to create an account, complete a profile, prepare a crop plan, and organize planned farm activities.

Sprint 2: GIS and Weather Visualization. The Sprint Goal was to provide location-based agricultural and weather information. The researchers developed the interactive map using Leaflet and OpenStreetMap, connected it to PostgreSQL agricultural records, and implemented filters for crop, year, view type, farm type, and municipality. Weather data, map markers, information panels, and municipal summaries were integrated and functionally tested. The resulting Increment allowed users to examine agricultural records and weather conditions according to geographic location.

Sprint 3: Validation and Reporting. The Sprint Goal was to complete the role-based flow of agricultural records. Farmers were provided with functions for submitting damage



reports and recording actual harvests. The LGU Validator workflow allowed assigned validators to examine evidence, approve reports, return submissions for correction, and provide validation notes. DA Administrator functions included dashboard monitoring, user and crop-data management, report-focused views, record generation, and export. The resulting Increment connected Farmer submission, LGU validation, and DA monitoring through a functional workflow.

Sprint 4: Production and Supply Forecasting. The Sprint Goal was to transform crop-plan data into production estimates and municipal supply information. The Laravel application was connected to the machine-learning service, which processed municipality, farm type, crop, expected harvest period, and intended planting area. Returned production estimates and confidence values were stored with crop plans. These estimates were combined with LGU-approved damage reports and validated actual-harvest records to calculate adjusted municipal supply forecasts displayed on the DA dashboard and interactive map.

Sprint 5: Release and Usability Refinement. The Sprint Goal was to produce a verified, refined, and deployable Harviana release. The complete role-based workflows, communication with the machine-learning service, GIS



visualization, weather information, supply forecasting, and report generation were subjected to end-to-end functional testing. The usability evaluation involved 132 valid Farmer respondents and 18 valid DA Administrator respondents who interacted with Harviana's Farmer and administrative interfaces. Farmers evaluated the system using the System Usability Scale, while DA Administrators used the USE Questionnaire. The LGU Validator workflow underwent functional testing but was not included in the usability evaluation. Identified defects and interface concerns were corrected and tested again, producing the release Increment deployed on Railway.


Design Thinking

Design Thinking was used by the researchers to understand the needs, problems, and expectations of the target users of Harviana. This approach helped the researchers focus on the actual experiences of farmers, LGU validators, and DA administrators before finalizing the system features. Since Harviana is intended to support agricultural planning, validation, monitoring, and decision-making, the researchers used Design Thinking to ensure that the system was based on real user concerns rather than assumptions.

Design Thinking is a human-centered and iterative process that allows developers to study user needs, define problems, generate possible solutions, create prototypes, and test the proposed system. In this study, the researchers followed the five phases of Design Thinking: empathize, define, ideate, prototype, and test. These phases guided the researchers in identifying the problems in agricultural data collection and monitoring, designing possible solutions, and improving Harviana based on user needs and feedback. Figure 2 shows the Design Thinking process used in the development of Harviana.

Figure 2

Design Thinking



Empathize. The Empathize phase focused on understanding the experiences and challenges of the target users considered in the design of Harviana. The researchers



gathered information from farmers and DA administrators to identify the difficulties they encounter in crop planning, record management, monitoring, reporting, and agricultural decision-making. The LGU Validator role was also considered in the system workflow because it serves as the validation layer between farmer-submitted records and DA administrative monitoring.

Based on the gathered information, farmers experienced challenges in organizing crop plans, monitoring farm activities, reporting crop damage, and keeping harvest records in a way that can be reviewed and used later. DA administrators needed consolidated and updated agricultural records that could support dashboards, map-based monitoring, supply forecasting, and report generation. Meanwhile, the LGU Validator role was identified as necessary for reviewing farmer-submitted reports and checking whether the information provided is acceptable before it becomes part of the system's validated records. These findings helped the researchers identify the user needs that Harviana should address.

Figure 3 presents the empathy maps for Farmers and DA Administrators, illustrating their statements, thoughts, actions, and feelings concerning agricultural record

management, monitoring, and decision-making.

Figure 3

Empathy Map



The empathy maps emphasize the need for organized methods that allow Farmers to manage crop records and enable DA Administrators to review validated information, monitor production, and prepare agricultural reports for planning and administrative use.



Define. The Define phase organized the information gathered during the Empathize phase into clear problem statements. The researchers identified that agricultural information is often recorded manually, stored separately, or difficult to validate and consolidate. Farmers need support in organizing crop plans, monitoring farm activities, submitting crop damage reports, and recording actual harvest results. DA administrators need reliable and updated agricultural data that can be used for dashboards, map-based monitoring, supply forecasting, and report generation.

Through this phase, the researchers defined the main problem as the lack of an integrated digital system that connects farmer-submitted agricultural records with validation and administrative monitoring. This problem affects the availability, reliability, and usability of crop-related information for planning and decision-making.

The researchers used the 5 Whys Analysis to identify the root causes of the problems encountered in agricultural record management and monitoring. This helped the researchers trace visible problems, such as scattered records, delayed reports, and difficulty in reviewing crop-related information, to deeper causes such as the lack of



coordinated data flow, limited validation process, fragmented agricultural data, and absence of an integrated monitoring system.

Figure 4 presents the 5 Whys Analysis used to identify the root causes addressed by Harviana.

Figure 4

The 5 Why Analysis

Why 1	Why 2	Why 3	Why 4	Why 5	Root Cause	Solution
Why do agricultural stakeholders have difficulty visualizing vegetable production trends in Benguet?	Why is crop-related information scattered?	Why are these records difficult to consolidate?	Why is validation and consolidation difficult?	Why is a unified workflow needed?	Lack of an integrated and validated data flow for visualizing vegetable production information.	Harviana provides a GIS-integrated decision-support system that connects crop planning, farmer calendar, ML-based production estimates, damage reporting, actual harvest recording, LGU validation, DA dashboards, map and weather viewing, real-time supply forecasting, and report generation.
Because crop-related information is often scattered across crop plans, damage reports, harvest records, and administrative reports.	Because farmers, validators, and administrators handle different parts of the agricultural data flow.	Because farmer-submitted records need to be organized and validated before they can be used for monitoring and reporting.	Because there is no unified digital workflow that connects farmer submissions, LGU validation, and DA administrative monitoring.	Because vegetable production trends can only be visualized clearly when crop plans, production estimates, damage reports, actual harvest records, location data, and validated reports are connected in one system.		

The 5 Whys Analysis shows that the main problem addressed by Harviana is not only the lack of production data, but the absence of an integrated and validated data flow that can transform scattered crop-related records into useful visual and administrative information. This root cause guided the development of Harviana as a GIS-integrated decision-support system that allows vegetable



production information to be collected, validated, visualized, forecasted, and reported within one connected platform.

Ideate. Ideate is the stage where the researchers generate possible solutions based on the problem identified in the Define phase. In this phase, the researchers considered the root cause found in the 5 Whys Analysis, which showed the need for an integrated and validated data flow for visualizing vegetable production information in Benguet. Based on the root cause identified, the researchers proposed Harviana as a GIS-integrated decision-support system that connects farmer-submitted records, LGU validation, and DA administrative monitoring. The proposed features included crop planning, farmer calendar, ML-based production estimates, damage report submission, actual harvest recording, LGU report validation, DA dashboard, interactive map and weather viewing, real-time supply forecasting, and report generation.


To organize these ideas and determine which features should be prioritized, the researchers used an Impact-Effort Matrix. This tool helped the researchers evaluate each proposed feature based on its expected value to the users and the level of effort required for implementation.

Features with high impact and manageable effort were prioritized because they directly support the main purpose of Harviana.

Figure 5 presents the Impact-Effort Matrix used to prioritize the features of Harviana.

Figure 5

Impact-Effort Matrix



The matrix helped the researchers identify the core features needed for the system. Farmer-side features such as crop planning, farmer calendar, damage report submission, and actual harvest recording were prioritized because they serve as the source of agricultural data. The LGU validation feature was also included because it supports the reliability of submitted records. DA-side features such as dashboards, map and weather viewing, supply forecasting, and report generation were prioritized



because they allow agricultural information to be visualized, monitored, and used for decision-making.

Prototype. The Prototype phase transformed the proposed solutions into a visual representation of Harviana before full development. It allowed the researchers to examine the planned interface structure, navigation, and role-based interactions of Farmers, LGU Validators, and DA Administrators.


During this phase, the researchers prepared an overall low-fidelity prototype that summarized the main functions assigned to each user role. The prototype showed how Farmers create agricultural records, how LGU Validators review submitted information, and how DA Administrators use validated records for monitoring, forecasting, map-based visualization, and reporting. Individual interface prototypes were also prepared to provide a more detailed view of the supporting and role-specific functions. These prototypes helped the researchers organize the system workflow and identify necessary interface improvements before proceeding with the development of the functional web-based platform.

Figure 6 presents the overall low-fidelity prototype of Harviana, showing the main functions assigned to

Farmers, LGU Validators, and DA Administrators and the flow of agricultural information among these users.

Figure 6

Overall Low-Fidelity Prototype of Harviana's Main Features




The overall prototype organizes the principal functions of Harviana according to user role. Farmers use the system for crop planning, production estimation, and the recording of crop damage and actual harvests. LGU Validators review submissions, examine supporting evidence, and approve or return records, while DA Administrators access dashboards, municipal supply forecasts, GIS and weather information, and report-generation functions. The arrows illustrate how Farmer-submitted information passes through LGU validation before becoming available for DA administrative monitoring and decision support.

Figure 7 presents the Login and Registration prototype, showing the basic account access screens used for signing in and creating a new user account.

Figure 7

Login and Registration Prototype



The image shows a prototype for the Harviana system's Login and Registration screens. The interface is divided into two main sections: Login and Registration. The Login section includes fields for Email and Password, a Sign In button, and a Continue with Google button. The Registration section includes fields for Full Name, Email, Password, Confirm Password, and Municipality / Role, along with a Create Account button.

Harviana
Login Email Password Sign In Continue with Google Registration Full Name Email Password Confirm Password Municipality / Role Create Account


The Login and Registration feature allows registered users to access Harviana using their account credentials, while new users can create an account by providing the required information. It supports role-based access by directing users to the appropriate interface according to their assigned role, such as Farmer, LGU Validator, or DA Administrator. This process helps ensure that users can access only the system functions and agricultural records related to their responsibilities.

Figure 8 presents the Crop Planning and Farmer Calendar prototype, demonstrating how farmers can create crop plans and view their scheduled activities through a

single interface. The prototype illustrates how crop information, expected production schedules, reminders, and farm tasks are organized to support more convenient and systematic monitoring.

Figure 8

Crop Planning and Farmer Calendar Prototype



The screenshot shows a web application interface titled "Harviana". On the left is a vertical sidebar menu with buttons for "Dashboard", "Crop Plan", "Calendar", "Damage", and "Harvest". The main content area is divided into two sections. The "Create Crop Plan" section on the left contains four text input fields: "Crop Type", "Farm Area", "Planting Date", and "Expected Harvest Date", followed by a "Save Crop Plan" button. The "Farmer Calendar" section on the right features a 5x7 grid of date boxes. Some boxes are highlighted in light gray, indicating selected dates. Below the calendar grid, the text "Scheduled tasks and reminders" is visible.

The Crop Planning and Farmer Calendar feature allows farmers to create crop plans and organize their farm activities according to the selected crop, intended planting area, water source, planting material, planting date, and expected harvest date. It provides farmers with a structured way to manage active crop plans and monitor important production activities throughout the cropping period. The calendar also displays scheduled tasks and reminders, helping farmers keep track of planting, crop maintenance, fertilizer application, and harvest-related activities.



Figure 9 presents the ML-Based Production Estimate prototype, showing how estimated production information is displayed as part of the crop planning process.

Figure 9

ML-Based Production Estimate Prototype

The form is titled 'Harviana' and 'Crop Planning Estimate'. It contains five input fields: 'Crop Type', 'Municipality', 'Farm Area', 'Farm Type', and 'Planting Month'. Below these is a 'Generate Estimate' button. To the right, a box titled 'Production Estimate Result' displays three lines of text: 'Estimated Production: _____ metric tons', 'Estimated Harvest Range: _____', and 'Planning Note: _____'. A note at the bottom of this box states 'Displayed before saving the crop plan'.


The ML-Based Production Estimate feature is included in the crop planning process to provide farmers with an estimated production value before finalizing a crop plan. The prototype shows how crop-related inputs may be entered and how the estimated output is displayed to the farmer. This feature supports crop planning by giving users an early reference regarding possible production based on the information provided. It does not replace the farmer's decision, but it provides additional data that can help farmers review their crop plan more clearly.

Figure 10 presents the Damage Report Submission prototype, showing the form used by farmers to submit crop

damage details and supporting evidence.

Figure 10

Damage Report Submission Prototype



The screenshot shows a web application interface for Harviana. On the left is a sidebar menu with buttons for Dashboard, Crop Plan, Calendar, Damage, and Harvest. The main content area is titled "Submit Damage Report" and contains several input fields: "Cause of Damage", "Affected Crop Plan", "Damaged Area", and "Damage Date". To the right of these fields is a "Photo Evidence" section with the text "Upload optional image". Below the input fields is a large "Notes" text area. At the bottom right of the form is a "Submit Report" button.


The Damage Report Submission feature allows farmers to document crop damage incidents in a structured and organized manner. The prototype includes fields for the cause of damage, affected crop plan, damaged area, date of occurrence, additional notes, and optional photographic evidence. It also connects each submitted report to the appropriate crop plan, helping the system maintain accurate and traceable damage records. The information is forwarded to the assigned LGU Validator, who can review the report and supporting evidence before approving it or returning it for correction. By providing a dedicated reporting form, Harviana helps farmers submit more complete damage information that can support validation, production monitoring, supply forecasting, and administrative report

generation.

Figure 11 presents the Actual Harvest Recording prototype, showing how farmers can submit harvest information and review the comparison between expected and actual production.

Figure 11

Actual Harvest Recording Prototype



The prototype interface for 'Harviana' is titled 'Record Actual Harvest'. It features a left sidebar with navigation links: Dashboard, Crop Plan, Calendar, Damage, and Harvest. The main content area contains four input fields: Crop Plan, Harvest Amount, Unit, and Harvest Date, each with a corresponding label. Below these fields is a 'Submit Harvest' button. To the right of the input fields, there are two summary boxes. The first box, titled 'Converted Value', contains the text 'Metric Tons: _____'. The second box, titled 'Comparison', contains the text 'Expected vs. Actual Harvest'.

The Actual Harvest Recording feature allows farmers to submit the final harvest result of a crop plan. This includes the harvest amount, unit, harvest date, notes, and optional photo evidence. The system can also convert the submitted harvest amount into metric tons and compare it with the expected production from the crop plan. This feature helps improve production monitoring because it allows Harviana to compare estimated production with actual farmer-recorded harvest data.

Figure 12 presents the LGU Report Validation



prototype, showing the validation queue, report details, evidence section, and approval or return actions.

Figure 12

LGU Report Validation Prototype

The prototype interface for LGU Report Validation is shown within a window titled 'Harviana'. It is divided into two main sections. The left section, titled 'Assigned Farmer Submissions', contains three stacked buttons: 'Damage Report - Pending', 'Actual Harvest - Review', and 'Returned Report - Correction'. The right section, titled 'Report Details and Evidence', contains the text 'Crop plan, date, area, notes, and image evidence' and a placeholder box labeled 'Photo'. At the bottom right of the interface are two buttons: 'Return' and 'Approve'.


The LGU Report Validation feature serves as the checking layer between farmer-submitted records and DA administrative monitoring. Through this feature, LGU Validators can view submitted reports, review report details, check evidence, and decide whether a report should be approved or returned for correction. This process helps improve the reliability of the information stored in the system. It also ensures that reports used for DA dashboards, maps, forecasts, and generated reports have passed a validation step.

Figure 13 presents the Interactive Map and Weather prototype, showing the map area, filter options, and weather information panel used for location-based

agricultural monitoring and informed decision-making across selected municipalities.

Figure 13

Interactive Map and Weather Prototype



The prototype interface for the Interactive Map and Weather feature is titled "Harviana". It contains a "Map Filters" section with four input fields: "Crop Type", "Year", "View Type", and "Farm Type". Below the filters is a "Map Area" section showing two tilted rectangular plots, each with a small circle in the center. To the right of the map area is a "Weather Information" panel with four input fields: "Temperature", "Rain Probability", "Humidity", and "Wind Speed".


The Interactive Map and Weather feature allows users to view agricultural information according to location and selected filters. The prototype includes filters for crop type, year, view type, and farm type, allowing users to focus on specific records. It also includes a map area and weather information panel, which may show details such as temperature, rainfall probability, humidity, and wind speed. This feature supports spatial monitoring by helping users relate crop records with geographic and weather-related conditions.

Figure 14 presents the DA Dashboard and Supply Forecast prototype, showing the summarized monitoring cards, dashboard chart, and supply forecast section for DA

Administrators to support agricultural monitoring and data-driven decision-making.

Figure 14

DA Dashboard and Supply Forecast Prototype




The DA Dashboard and Supply Forecast feature is designed to help DA Administrators monitor validated agricultural records in a summarized format. The dashboard presents important information such as harvest accuracy, crop production, damage records, and report categories. The supply forecast section provides support for reviewing expected supply conditions based on available crop and harvest-related data. This feature helps administrators quickly understand production-related trends before viewing more detailed records or generating reports.

Figure 15 presents the Reports and Export prototype, showing the report table and export options used by DA Administrators to prepare agricultural records for

documentation, analysis, monitoring, and future decision-making across selected municipalities.

Figure 15

Reports and Export Prototype



The image shows a web application prototype titled "Harviana". It features a sidebar menu with options: Dashboard, Map, Forecast, Reports (highlighted), and Users. The main content area is titled "Reports Dashboard" and contains three tabs: "Planting Records", "Harvest Records", and "Damage Records". The "Planting Records" tab is active, displaying a table titled "Planting and Harvest Report Table". The table has columns: Crop, Municipality, Area, Production, Actual Harvest, and Status. Below the header, there are four rows labeled "record row". At the bottom right of the dashboard, there are two buttons: "Export PDF" and "Export Excel".

Crop	Municipality	Area	Production	Actual Harvest	Status
record row					
record row					
record row					
record row					

The Reports and Export feature allows DA Administrators to organize validated agricultural records into report form. The prototype includes sections for planting records, harvest records, damage records, and export options. This feature supports administrative documentation because it allows system data to be prepared for review, analysis, and decision-making. Through report generation and export, Harviana helps transform farmer-submitted and validated information into usable records for agricultural monitoring and planning.

Test. The Test phase focused on evaluating whether the proposed system features were understandable, usable, and aligned with the needs of the target users. In this phase,



the researchers conducted testing activities to check the main workflows of Harviana, including crop planning, farmer calendar use, ML-based production estimate viewing, damage report submission, actual harvest recording, LGU report validation, dashboard monitoring, interactive map and weather viewing, supply forecast review, and report generation.

The testing process involved participating farmers and DA administrators. Farmers tested the farmer-side features by performing tasks such as creating crop plans, viewing calendar reminders, submitting damage reports, and recording actual harvest results. These activities helped determine whether the farmer interface was understandable and useful for organizing farm-related records. DA administrators tested the administrative features by reviewing dashboards, viewing map and weather information, checking supply forecast data, and generating reports. This helped determine whether the system could support agricultural monitoring and decision-making.

Scope and Delimitation of the Study

The scope of this study covers the design and development of Harviana as a GIS-integrated decision-support system for monitoring vegetable production trends



within the province of Benguet. Its geographic coverage is limited to the 13 municipalities of Benguet: Atok, Bakun, Bokod, Buguias, Itogon, Kabayan, Kapangan, Kibungan, La Trinidad, Mankayan, Sablan, Tuba, and Tublay. Agricultural records from other provinces and regions are outside the coverage of the study.

The agricultural coverage is limited to ten selected highland vegetable crops supported by the system: cabbage, broccoli, lettuce, cauliflower, Chinese cabbage, carrot, garden peas, white potato, snap beans, and sweet pepper. Historical production analysis is based on available records from 2015 to 2024. These records provide the basis for examining production patterns according to municipality, crop, year, planted area, production volume, productivity, and farm type. Crops and agricultural commodities not included in the available datasets are outside the analytical coverage of the study.

The study covers agricultural activities involving crop planning, farm-record submission, report validation, production monitoring, municipal supply forecasting, and administrative reporting. The records considered include crop plans, planting schedules, planted areas, damage incidents, actual-harvest results, validation decisions,



and production totals. These activities follow a structured information flow from Farmers through LGU Validators to DA Administrators. Location and weather information are considered only as supporting information for interpreting agricultural conditions and production records within Benguet.

Harviana is limited to a web-based environment that requires an internet-connected device and a supported web browser. The production estimates, municipal supply forecasts, and map-based summaries generated by the system are intended only as decision-support information. They should not be treated as final, guaranteed, or official production values because their reliability depends on the completeness, accuracy, and timeliness of the historical and user-submitted data available to the system.

The study does not cover other agricultural sectors such as livestock, fisheries, forestry, or commodities outside the selected vegetable crops. It also excludes market-price prediction, automated farm monitoring through Internet of Things devices, offline data synchronization, community discussion services, and direct integration with all external government databases. The usability evaluation was limited to participating Farmers and DA Administrators.



Although LGU Validators are included in the operational workflow, they were not included as respondents in the usability evaluation.

Data Gathering Techniques

The researchers utilized several data gathering techniques to collect the necessary information for the design, development, and evaluation of Harviana. These techniques helped the researchers understand the needs of the target users, identify the system requirements, determine the necessary features, and evaluate the usability of the system. The gathered information served as the basis for developing a GIS-integrated decision-support system that supports crop planning, validation, monitoring, forecasting, and report generation.

Interview. The researchers gathered information from farmers and DA Administrators to understand the current challenges encountered in crop planning, agricultural record management, monitoring, and reporting. The responses helped the researchers identify the difficulties experienced by farmers in organizing crop activities, submitting damage reports, and recording actual harvest results. The information gathered from DA Administrators also helped determine the need for organized dashboards,



map-based monitoring, supply forecast information, and report generation features.

Floating of Survey Questionnaires. The researchers administered survey questionnaires to the participating Farmers and DA Administrators to evaluate the usability of Harviana. Farmers evaluated the farmer-side functions using the System Usability Scale (SUS), while DA Administrators evaluated the administrative functions using the USE Questionnaire. The SUS developed by Brooke (1996) was selected because it provides a standardized ten-item instrument for measuring users' perceived usability of a system. Meanwhile, the USE Questionnaire developed by Lund (2001) was used to assess the DA Administrator side according to usefulness, ease of use, ease of learning, and satisfaction. After the questionnaires were completed, the responses were collected, checked for completeness, tabulated, and analyzed using the corresponding scoring procedures. The farmers' responses were converted into overall SUS scores, while the DA Administrators' responses were summarized through weighted means and interpreted using the seven-point USE scale. The results provided a quantitative basis for determining the extent of Harviana's usability among the participating user groups.



Document Analysis. Document Analysis. The researchers reviewed agricultural production records, government reports, agricultural references, related studies, and technical materials concerning digital agriculture, geographic information systems, decision-support systems, machine learning, crop monitoring, and vegetable production in Benguet. These documents were examined to identify the agricultural information required by Harviana, including crop, municipality, production period, planted area, production volume, damage, and actual-harvest data. The reviewed materials also helped the researchers understand existing agricultural recording and reporting practices and determine how the collected information could support validation, GIS-based visualization, forecasting, and administrative reporting. References concerning usability evaluation were likewise reviewed to guide the selection and application of the SUS and USE Questionnaire. The information obtained through document analysis served as a basis for establishing the study's background, system requirements, data structure, and user workflows.

Sources of Data

The researchers gathered data from individuals and references related to the agricultural sector to ensure



that Harviana addressed the practical needs of its intended users. Primary data were gathered from participating farmers and DA Administrators. The farmers provided information about their experiences in crop planning, farm activity monitoring, damage reporting, and harvest recording. Their responses helped the researchers identify the farmer-side features needed in the system, such as crop planning, farmer calendar, ML-based production estimate, damage report submission, and actual harvest recording.

The researchers also gathered data from DA Administrators to understand the administrative side of agricultural monitoring and reporting. Their input helped the researchers determine the need for organized dashboards, map-based visualization, weather information, supply forecast viewing, and report generation. These data served as a basis for designing the administrative features of Harviana and ensuring that validated crop-related information could be presented in a more useful and organized manner.

Secondary data were obtained from available agricultural production records, official government reports, and agricultural references concerning vegetable production in Benguet. These materials provided historical



and contextual information on crop types, production quantities, planted areas, municipalities, and reporting periods. The data supplemented the information gathered from the study participants and supported the identification of Harviana's information requirements, data structure, and agricultural monitoring coverage.

The data gathered from these sources were used to identify the system requirements, determine the necessary features, design the user workflows, and evaluate the usability of Harviana. Through these sources, the researchers aligned the system with the needs of Farmers and DA administrators while supporting the overall goal of improving crop planning, validation, visualization, forecasting, and reporting. The gathered information also guided the refinement of the system's processes and interfaces to ensure that its functions remained relevant to the responsibilities of its intended users.

Usability Evaluation Instruments

Usability Evaluation Instruments Usability evaluation is a critical component of information system development because it determines the extent to which a system can be used effectively, efficiently, and satisfactorily by its intended users. YourCX (2024) emphasized that usability



assessment helps researchers measure user perceptions regarding ease of use, learnability, and overall user experience, enabling developers to identify areas for improvement and enhance system quality. Furthermore, Khan et al. (2025) noted that usability evaluation remains an essential process for validating whether a system successfully meets user needs across various technological environments and user populations.

As information systems become increasingly integrated into operational and decision-making activities, selecting an appropriate usability evaluation instrument has become equally important. According to UX Test Tools (2024), the choice of a usability instrument should be based on the characteristics of the intended users and the objectives of the assessment, as different instruments measure different dimensions of user experience. While end users often evaluate systems based on ease of use, learnability, and overall usability, professional and administrative users may also consider usefulness, effectiveness, and the extent to which a system supports organizational functions.

Various usability instruments have been developed to assess user interaction and system performance from different perspectives. Among the most widely recognized



are the System Usability Scale (SUS) and the USE (Usefulness, Satisfaction, and Ease of Use) Questionnaire. Recent usability literature continues to recognize SUS as a reliable instrument for measuring overall system usability, while the USE Questionnaire provides a multidimensional assessment of usefulness, ease of use, ease of learning, and user satisfaction. Because of their reliability, practicality, and widespread application in information system evaluation, these instruments were reviewed and adopted in the present study to assess the usability of Harviana among its intended users.

System Usability Scale (SUS). The System Usability Scale developed by Brooke (1996) was used to evaluate the perceived usability of Harviana's farmer-side functions. SUS consists of ten statements answered through a five-point response scale ranging from Strongly Disagree to Strongly Agree. It has been widely applied because of its concise structure, straightforward administration, and ability to provide a standardized overall usability score. Tullis and Stetson (2004) also identified SUS as an effective instrument for assessing system usability compared with other commonly used questionnaires. These characteristics justified its selection for Farmers because



the questionnaire could be completed within a reasonable period while reducing respondent burden and measuring perceptions of ease of use, consistency, confidence, learnability, and the need for assistance.

For scoring, one was subtracted from the response to each positively worded item, while the response to each negatively worded item was subtracted from five. The resulting contributions were added and multiplied by 2.5 to produce an overall SUS score ranging from 0 to 100. The computed score was interpreted according to the applicable acceptability, adjective-rating, and grade-scale ranges. This procedure provided a standardized basis for determining the extent of Harviana's usability from the perspective of participating Farmers.

USE (Usefulness, Satisfaction, and Ease of Use)

Questionnaire. The USE Questionnaire developed by Lund (2001) was used to evaluate the usability of Harviana's administrative functions from the perspective of DA Administrators. The instrument contains 30 statements organized into four dimensions: Usefulness, Ease of Use, Ease of Learning, and Satisfaction. Each statement is answered using a seven-point response scale ranging from Strongly Disagree to Strongly Agree. The USE Questionnaire



was selected because it provides a more detailed evaluation of user experience across several usability dimensions. This was appropriate for DA Administrators, who use Harviana for agricultural record management, dashboard monitoring, GIS-based visualization, municipal supply forecasting, and report generation.

The responses for each statement were summarized using frequencies and weighted means. A weighted mean was also computed for every dimension and for the overall evaluation of the system. The resulting values were interpreted using the corresponding seven-point USE Questionnaire interpretation scale. This procedure enabled the researchers to determine whether Harviana was useful, easy to operate, easy to learn, and satisfactory for the administrative responsibilities of the participating DA Administrators.

Software Development Tools

The researchers utilized various software development tools and technologies in designing and developing Harviana. These tools supported the creation of the user interface, system modules, database management, map visualization, forecasting support, report generation, and deployment of the system.



Figma. Figma was used in designing the initial interface and layout of Harviana. It helped the researchers prepare the low-fidelity and high-fidelity prototypes of the system, including the landing page, login and registration pages, farmer dashboard, crop planning, calendar, map, validation, reports, and administrator modules. Through Figma, the researchers were able to visualize the structure of the system before proceeding to actual development.

Visual Studio Code. Visual Studio Code served as the main code editor used in developing the system. It was used for writing, editing, and organizing the source code of Harviana, including the backend files, frontend views, routes, controllers, models, and styling files. Its extensions and integrated terminal also helped the researchers manage the development process more efficiently.

PHP. PHP was used as the main server-side programming language of Harviana. It handled the backend logic of the system, including user authentication, crop plan processing, report submission, validation workflows, harvest records, and administrative report generation.

Laravel Framework. Laravel was used as the primary web



development framework of Harviana. It provided the structure for implementing the system through routes, controllers, models, views, middleware, authentication, and database handling. Laravel also supported the role-based access of Farmers, LGU Validators, and DA administrators, ensuring that each user group could access only the functions assigned to them.

Blade, Tailwind CSS, and Alpine.js. Laravel Blade was used to create the interface templates of the system, while Tailwind CSS was used for styling and responsive layout design. Alpine.js supported interactive frontend behavior such as dropdowns, modals, filters, dynamic forms, and other user interface actions. These tools helped improve the usability and appearance of Harviana across different system pages.

JavaScript and Chart.js. JavaScript was used to support interactive system functions such as map controls, form actions, dashboard updates, and dynamic page responses. Chart.js was used to present agricultural data in visual form, such as crop production charts, forecast charts, dashboard summaries, and report-related graphs. These tools helped transform system records into easier-to-understand visual information.



Vite, Node.js, and npm. Vite, Node.js, and npm were used to manage and build the frontend assets of the system. These tools supported the compilation of scripts and stylesheets, allowing the researchers to organize and optimize the frontend resources used by Harviana.

PostgreSQL. PostgreSQL was used as the database management system of Harviana. It stored the system records such as user accounts, crop plans, farm details, harvest records, damage reports, validation results, map-related data, and report information. The database served as the central storage for the agricultural records used in monitoring, forecasting, and report generation.

Leaflet and OpenStreetMap. Leaflet and OpenStreetMap were used to support the GIS-integrated map feature of Harviana. These tools allowed the system to display agricultural records through map-based visualization, helping users view crop-related information by location. Through this feature, Farmers and DA administrators can better understand vegetable production trends in different areas of Benguet.

Google Weather API. The Google Weather API was used to provide weather-related information in the map feature of the system. It supported the display of field weather data



such as temperature, rainfall probability, humidity, wind speed, and weather condition. This helped users relate agricultural records with environmental conditions that may affect crop production.

Python and Machine Learning API. Python was used for the machine learning component connected to Harviana. The machine learning service supported production estimation and forecasting functions by processing crop-related data and returning prediction results to the Laravel system. This allowed Harviana to provide data-driven support for crop planning and agricultural monitoring.

Laravel DomPDF and Maatwebsite Excel. Laravel DomPDF and Maatwebsite Excel were used to support report generation and export features. DomPDF allowed the system to generate printable PDF reports, while Maatwebsite Excel supported spreadsheet-based report export. These tools helped DA administrators prepare agricultural records for documentation, analysis, and decision-making.

GitHub. GitHub was used for version control and project collaboration. It helped the researchers manage changes in the system source code, track development progress, and maintain a backup of the project files during development.



connected to a web browser was used to deploy Harviana and learning service for online testing and demonstration. Chapter 3

FINDINGS OF THE STUDY

This chapter presents the findings of the study based on the development and evaluation of Harviana, a GIS-integrated decision-support system for visualizing vegetable production trends in Benguet. The findings are organized according to the objectives of the study, beginning with the identified information requirements, followed by the architectural framework, system features, and extent of usability of the system. This chapter also discusses how Harviana supports crop planning, report validation, map-based monitoring, supply forecasting, and report generation through its web-based platform. Lastly, it presents the usability evaluation results gathered from the participating farmers and DA administrators.

Information Requirements for Harviana

This section presents the information requirements necessary for the operation of Harviana as a GIS-integrated decision support system for vegetable production in Benguet. These requirements consist of user account information, agricultural production records, farmer crop-planning data, and validation information. The system also requires technical resources that support its forecasting, mapping, monitoring, and reporting functions. Defining these requirements ensures that the information collected



and processed by Harviana is accurate, organized, secure, and suitable for the needs of farmers, LGU validators, and Department of Agriculture administrators.

User Information. Harviana has three primary user groups: farmers, LGU validators, and DA administrators. Each user is required to provide specific account and location information according to their assigned role. These details allow the system to authenticate users, control access to features, personalize the information displayed, and associate agricultural records with the appropriate farmer and municipality.

Farmer information consists of the farmer's full name, email address, password, preferred municipality, cooperative, and selected crops. During registration, farmers provide their name, email address, and password. After signing in, they complete the onboarding process by selecting their municipality and cooperative. This location information allows Harviana to display crop recommendations, municipal production information, weather conditions, and agricultural insights that are relevant to the farmer's area.

Farmers also provide operational information through the crop-planning and farmer-calendar features. This



information includes the selected crop, intended planting area, water source, planting material, planning date, estimated harvest date, and other details required to organize scheduled farm activities. During the production cycle, farmers may submit damage reports containing the affected crop plan, damaged area, cause and date of damage, supporting description, and optional photographic evidence. These reports are forwarded to the assigned LGU Validator for review, approval, or return for correction.

Once harvesting is completed, farmers may record the actual harvest date, harvested amount, measurement unit, additional notes, and optional photo evidence. Harviana converts the reported quantity into metric tons and compares the actual harvest with the production estimate associated with the crop plan. These records help the system maintain organized crop information, measure differences between estimated and actual production, and provide updated data for municipal supply monitoring and administrative reporting. Tables 1, 2, and 3 present the information required for Farmers, LGU Validators, and DA administrators, together with the corresponding data types and storage formats, while Table 4 presents the minimum and recommended system requirements for operating Harviana.



Table 1
Farmer Information

Field	Data Type	Length
USER_ID	INTEGER	Auto-generated
FULL_NAME	STRING	255
EMAIL_ADDRESS	STRING	255
PASSWORD	STRING	Encrypted
MUNICIPALITY	STRING	255
COOPERATIVE	STRING	255
ACCOUNT_STATUS	BOOLEAN	Active/Inactive

Table 1 presents the information stored for Farmer accounts in Harviana. The system automatically generates a unique user identification number for each Farmer, while the full name, email address, and encrypted password support account registration and authentication. Municipality and cooperative information are recorded to associate the Farmer with the appropriate location and agricultural organization. The account status indicates whether the Farmer's account is active or inactive and controls access to the system.

Table 2
LGU Validator Information

Field	Data Type	Length
USER_ID	INTEGER	Auto-generated
FULL_NAME	STRING	255
EMAIL_ADDRESS	STRING	255
PASSWORD	STRING	Encrypted
LGU_MUNICIPALITY	STRING	255
LGU_BARANGAY	STRING	255
ACCOUNT_STATUS	BOOLEAN	Active/Inactive
VALIDATION_NOTES	Text	Variable Length



Table 2 presents the information stored for LGU Validator accounts. In addition to the user's identification number, full name, email address, and encrypted password, the system records the municipality and barangay assigned to the LGU Validator. These location details help determine the farmer-submitted reports that fall within the Validator's area of responsibility. The account status controls system access, while validation notes store the comments entered when submitted records are reviewed, approved, or returned for correction.

Table 3

DA Administrator Information

Field	Data Type	Length
USER_ID	INTEGER	Auto-generated
FULL_NAME	STRING	255
EMAIL_ADDRESS	STRING	255
PASSWORD	STRING	Encrypted
USER_ROLE	STRING	Administrator
ACCOUNT_STATUS	BOOLEAN	Active/Inactive

Table 3 presents the information stored for DA Administrator accounts. Each account contains an automatically generated user identification number, the Administrator's full name, email address, and encrypted password. The user-role field identifies the account's administrative authorization, while the account-status field determines whether access is active or inactive.



These stored details support secure authentication and restrict administrative functions and agricultural records to authorized DA personnel.

System Requirements. Harviana is a responsive web-based application that can be accessed through smartphones, tablets, laptops, and desktop computers. Users must have a modern browser with JavaScript, cookies, and local browser storage enabled. A stable internet connection is required to retrieve map tiles, weather information, prediction results, and updated agricultural records. A stronger connection is recommended when uploading photographic evidence for damage and harvest reports. Table 4 presents the software and hardware requirements for the application.

Table 4
System Requirements

Requirement	Minimum System Requirement	Recommended
Device	Smartphone, tablet, laptop, or desktop	Recent smartphone or computer
Operating System	Android 10+, iOS/iPadOS 17+, Windows 10+, or macOS 12 Monterey+	Android 12+, iOS/iPadOS 17+, Windows 11, or macOS 13+
RAM	2GB	4GB or higher
Connectivity	3G or Wi-Fi	4G/LTE, 5G

Architecture Framework of Harviana

The architectural framework serves as the structural




guide for the development and operation of Harviana. It presents how the system's user interfaces, application modules, databases, and external services work together to support agricultural planning and monitoring. The framework also provides a common representation that helps researchers, developers, and stakeholders understand the system's processes, responsibilities, and technical components. Through this structure, the design of Harviana is aligned with the requirements of farmers, LGU validators, and DA administrators.

Figure 16 presents Kruchten's "4+1" View Model used as the architectural framework of Harviana.

Figure 16

The "4+1" View Model by Kruchten



The researchers used Kruchten's "4+1" View Model to



describe the architecture of Harviana from different perspectives. The model consists of the Scenarios, Logical, Process, Development, and Physical views. These views may be represented using use case, class, sequence, package, and deployment diagrams. Together, they explain the system's user interactions, functional structure, runtime processes, software organization, and deployment environment.


Scenarios. The scenario perspective describes Harviana according to the activities performed by its users during actual system operation. It presents the responsibilities, access privileges, and system interactions assigned to Farmers, LGU Validators, and DA Administrators. This view identifies how Farmers submit crop plans, damage reports, and actual harvest records; how LGU Validators review and verify these submissions; and how DA Administrators use the consolidated information for monitoring, forecasting, and reporting. Through these role-based interactions, the scenario perspective demonstrates how agricultural information moves across the system and supports Harviana's overall decision-support process. It also illustrates the sequence of activities completed by each user role when accessing the system's major features. This perspective shows how users support accurate records and agricultural decisions.

Figure 17 maps the system's principal activities across these three roles and clarifies how information moves from farmer submission to local validation and administrative use.



Figure 17

Harviana Use Case Diagram



The use case diagram illustrates the core functions available to the three actors of Harviana. All actors must first complete the “Login/Authenticate” process before accessing their respective dashboards and system features. Farmers may register their accounts and complete the onboarding process by providing their municipality and cooperative information.

Once authenticated, farmers can manage their profiles, view personalized dashboards and crop recommendations, create crop plans, and receive machine-learning-based production estimates. They can also manage their farming calendar, submit damage reports, record actual harvest results, and access municipality-level maps and weather information. The “Create Crop Plan” use case includes the generation of a production estimate based on the crop, municipality, planting area, water source, and expected harvest period provided by the farmer.

LGU validators are responsible for reviewing damage reports and actual harvest records submitted by farmers within their



assigned municipalities. They can view pending submissions, inspect the available evidence, approve valid records, or return submissions that require correction. Validators may also provide notes explaining their decision, while the system records the validation activity for monitoring purposes.

DA administrators have broader access to the system's agricultural and administrative functions. They can manage user accounts and roles, maintain historical crop-production records, monitor the administrative dashboard, and access the real-time municipal supply forecast. They may also view the interactive map and weather information, generate reports, and examine prediction analytics for agricultural planning and system evaluation.


Logical View. The Logical View describes the internal organization of Harviana by presenting the data objects and service components responsible for its major functions. It focuses on how user accounts, agricultural records, crop plans, predictions, validation activities, and supply forecasts are represented within the application. A class diagram was developed to show the attributes, operations, and relationships of these components. It illustrates how Harviana's components interact to support its core functions and role-based operations. It also clarifies the relationships among the system's major components.

Figure 18 presents the principal classes and services that support Harviana's role-based and agricultural decision-support functions.



Figure 18

Harviana Class Diagram



The class diagram represents the structure and primary components of Harviana. The User class manages the accounts and assigned roles of Farmers, LGU Validators, and DA Administrators. Farmers use the FarmerCalendarEvent class to create crop plans, organize planting and harvest schedules, submit damage reports, and record actual harvest results. LGU Validators review these submissions, provide validation notes, and approve or return records for correction, while the CalendarEventAudit class maintains a record of validation activities. The Prediction class stores production estimates generated for specific crops and municipalities. The CropProduction class maintains historical agricultural records used for dashboards, maps, reports, and forecasting. The CropPredictionService communicates with the machine-learning service to generate production estimates, while the MunicipalSupplyForecastService combines crop plans with



approved damage and actual harvest information to calculate municipality-level supply forecasts for DA Administrators.


Process View. The Process View describes how Harviana's users and system components interact during actual system operation. It presents the flow of requests and responses involving Farmers, LGU Validators, DA Administrators, application controllers, internal services, the machine-learning service, and the Railway PostgreSQL database. It explains how user inputs are received, processed, validated, stored, retrieved, and returned to the appropriate role-based interface. The sequence diagrams cover major system processes, including user authentication, crop-plan production estimation, LGU validation of Farmer reports, municipal supply forecast retrieval, and DA report generation and export. These diagrams illustrate the responsibilities of each user and component according to the order in which the activities occur. They also clarify how different system components coordinate to complete each operation and maintain the continuous flow of agricultural information. Through this view, the system's operational behavior and communication among its major components can be clearly understood.

Figure 19 presents the authentication sequence diagram of Harviana, illustrating how user credentials are submitted, verified, and processed before the user is directed to the appropriate interface based on their assigned role.



Figure 19

Harviana Login Sequence Diagram




The sequence diagram illustrates how user enters an email address and password, which are submitted to the authentication controller. The system retrieves the corresponding account from Railway PostgreSQL and verifies the credentials. When authentication is successful, the session is regenerated, and the user is redirected to the appropriate dashboard based on their role as a Farmer, LGU Validator, or DA Administrator. If the credentials are invalid, the login page displays an authentication error.

Figure 20 presents the sequence diagram illustrating how Harviana generates a production estimate for a Farmer's crop plan.



Figure 20

Harviana Crop Plan and Production Estimate Sequence Diagram




The diagram shows how the Farmer provides the crop, desired planting area, water source, planting material, and planning date. The Farmer Calendar Controller validates the information and calculates the estimated harvest date. The Crop Prediction Service sends the required data to the connected machine-learning service, which returns the predicted production and confidence value. After reviewing the result, the Farmer may save the crop plan, together with its prediction and estimated harvest date, in Railway PostgreSQL.

Figure 21 presents the submission and LGU validation of farmers' damage and harvest reports.



Figure 21

Farmer Report and LGU Validation Sequence Diagram




The sequence begins when the Farmer submits damage or actual-harvest information together with the required details and optional photographic evidence. Harviana stores the submitted report with a pending validation status and forwards it to the LGU Validator assigned to the farmer's municipality. The LGU Validator reviews the report details and supporting evidence before approving the submission or returning it to the Farmer with correction notes. The system records the validation decision, validator information, date and time of validation, and corresponding audit entry. Once approved, the validated information becomes available for administrative reports and is included in the calculation of municipal supply forecasts accessible to the DA Administrator.



Figure 22 presents the DA Administrator's process for viewing municipal supply forecasts.

Figure 22

Harviana Sequence Diagram for DA Administrator Supply Forecast




The sequence diagram shows how the DA Administrator accesses the interactive map and applies forecast filters. The Municipal Supply Forecast Service retrieves farmer crop plans, stored production predictions, and LGU-approved damage and actual-harvest records from Railway PostgreSQL. It calculates the adjusted municipal supply and returns the results for display on the administrator's map.

Figure 23 presents the sequence diagram illustrating the report generation and export process available to the DA Administrator.



Figure 23

Harviana Sequence Diagram for DA Report Generation and Export



The sequence diagram shows how the DA Administrator selects a report and applies the necessary filters. The Report Controller retrieves the required records from Railway PostgreSQL and processes them into summaries and analytics for display. The administrator can then export the generated report as a PDF or CSV file. The system prepares the selected format and sends the completed report to the browser for download.

Development View. The development view presents Harviana's software organization from the developers'




perspective. It shows how the application is divided into packages and how these packages depend on one another. A package diagram is used to represent the presentation layer, routing and access control, controllers, domain services, data models, external services, and database.

Figure 24 presents the package diagram of Harviana and the dependencies among its software modules.

Figure 24

Harviana Package Diagram



The package diagram shows how requests from the Farmer, LGU Validator, and DA Administrator interfaces pass through the routing and access-control package before reaching the appropriate controllers. The controllers use domain services for production prediction, supply



forecasting, report validation, weather information, and other system operations. These services access the system's data models and connected external services. The data models manage Harviana's records stored in Railway PostgreSQL. This structure separates the interface, processing, service, and data-access responsibilities.

Physical View. The physical view presents the hardware, cloud services, and external systems used to operate Harviana. It shows where the application is deployed and how user devices, the web application, database, machine-learning service, and third-party APIs communicate. A deployment diagram is used to represent these physical and cloud-based connections. This view clarifies how the Railway environment supports online access, data storage, and system processing for agricultural monitoring and administrative decision-making activities. It also shows how the deployed web application communicates with the machine-learning service and PostgreSQL database.


Figure 25 presents the deployment structure of Harviana, illustrating how users access the web application deployed on Railway and how it connects to its machine-learning service and Railway PostgreSQL database to support



agricultural monitoring and decision-support.

Figure 25

Harviana Deployment Diagram



The deployment diagram shows Farmers, LGU Validators, and DA Administrators accessing Harviana through web browsers or the installable PWA over HTTPS. The Laravel application is deployed on Railway and communicates with Railway PostgreSQL to manage user accounts, crop plans, predictions, validation records, and reports. Production-estimation requests are sent to the connected machine-learning service. Harviana also communicates with Google services for weather information, chatbot responses, and OAuth authentication.

Features of Harviana

Harviana provides role-based functions for three intended user groups: Farmers, LGU Validators, and DA



Administrators. For Farmers, the system provides the Farmer Dashboard and Crop Recommendations, Crop Planning and Farmer Calendar, ML-Based Production Estimate, Damage Report Submission, Actual Harvest Recording, and access to Interactive Agricultural Map and Weather information. For LGU Validators, Harviana provides assigned report queues, evidence review, validation notes, and approval or return of farmer-submitted damage and harvest records. For DA Administrators, the system provides the Administrative Dashboard and Municipal Supply Forecast, Crop Data Management, User and Role Management, Interactive Agricultural Map and Weather, and Reports and Export Generation. The following discussion presents these core features according to the responsibilities of each user group. Supporting interfaces, including the landing page and login and registration pages, are presented in Appendix H.

Farmer Features. The Farmer side of Harviana provides tools for reviewing crop information, organizing crop plans and schedules, obtaining production estimates, reporting crop damage, recording actual harvests, and accessing map and weather information.


Figure 26 presents the Farmer Dashboard and Crop



Recommendations feature, which summarizes crop records, reminders, and recommended actions for Farmers.

Figure 26

Farmer Dashboard and Crop Recommendations




Farmer Dashboard and Crop Recommendations. The dashboard serves as the Farmer's primary workspace upon logging into the system. It provides a centralized overview of active crop plans, scheduled reminders, harvest progress, nearby crop information, and agricultural recommendations based on available records. It also offers quick access to frequently used system features, allowing Farmers to efficiently manage agricultural activities, monitor important updates, and make more informed crop-planning decisions.

Figure 27 presents the Crop Planning and Farmer Calendar feature, where Farmers create crop plans and review scheduled agricultural activities.



Figure 27

Crop Planning and Farmer Calendar



Crop Planning and Farmer Calendar. Farmers can create crop plans by providing the selected crop, intended planting area, water source, planting material, planting date, and expected harvest date. After a plan is created, its activities and important dates are automatically displayed on the calendar. The page also presents active crops, upcoming reminders, and scheduled tasks such as planting, fertilizer application, crop maintenance, and harvesting. Organizing these records according to date allows Farmers to monitor each stage of the production cycle more efficiently. This feature also helps them keep track of important farming activities and prepare for upcoming tasks.

Figure 28 presents the ML-Based Production Estimate displayed after the Farmer provides the required crop-plan details.



Figure 28

ML-Based Production Estimate

A screenshot of the 'Plan a Crop' form in the Harviana app. The form is titled 'Plan a Crop' and has a 'Crop to Plan' dropdown menu set to 'Cabbage'. Below this, there is a section for 'PLANTING AREA' with a map showing a selected area. The form includes fields for 'Planting Area (sqm)' (250), 'Water Source' (Irrigated), 'Seed Type' (Seeding), and 'Planting Date' (07/06/2026). It also displays 'HARVEST DATE' (Sep 2, 2026), 'ESTIMATED PRODUCTION' (About 450 kg), and 'FERTILIZATION DATES' (Seed fertilizer: Jul 6, 2026; First side-dress: Jul 27, 2026; Second fertilizer: Aug 17, 2026). A 'Notes (optional)' field contains the text 'Sample crop plan for manuscript screenshot'. The form has 'Cancel' and 'Save Crop Plan' buttons at the bottom.

ML-Based Production Estimate. During crop planning, Harviana generates an estimated production value using the information entered by the Farmer and the agricultural records processed by the machine-learning service. The estimate serves as a planning reference for the possible output of the selected crop and planted area. It is not treated as a guaranteed harvest because actual production may still be affected by weather, crop damage, farm practices, and other field conditions. The estimated value can later be compared with the actual harvest recorded for the crop plan. This comparison helps Farmers assess the difference between the estimated and actual production outcomes. It also provides additional information that can support future crop-planning and agricultural monitoring activities.

Figure 29 presents the Damage Report Submission feature, where Farmers record crop damage and attach supporting evidence.



Figure 29

Damage Report Submission

A screenshot of a web application showing a 'Report Crop Damage' form. The form is overlaid on a background that includes a calendar and a list of crops. The form fields include: 'Category' (Pest, Harvest, Planting, Fertilizer, Weather, Other), 'Cause of Damage' (Heavy rain), 'Reported Farmer Crop' (Cabbage - 2500 sqm planted, 2500 sqm remaining (Jul 6, 2026)), 'Damaged Area (sqm)' (25), 'Remaining reportable area (2500 sqm of 2500 sqm)', 'Photo Evidence' (Choose File, No file chosen), 'Damage Date' (07/06/2026), and a 'Sample crop damage report for manuscript screenshot' field. The form has 'Cancel' and 'Submit Damage Report' buttons.

Damage Report Submission. Farmers use this page to document crop damage that occurs during the production period. The form records the affected crop plan, cause of damage, damaged area, date of occurrence, and additional notes describing the incident. Photographic evidence may also be attached to support the submitted information and provide the LGU Validator with a clearer view of the reported damage. Once submitted, the report receives a pending validation status and becomes available to the assigned LGU Validator for review. The validator may approve the report or return it to the Farmer when corrections or additional information are required. Using a standardized form helps ensure that crop-damage information is recorded consistently, reviewed properly, and prepared for agricultural monitoring and reporting.



Figure 30 presents the Actual Harvest Recording feature, where Farmers submit the production outcome of a completed crop plan.

Figure 30

Actual Harvest Recording

A screenshot of a mobile application interface for 'Actual Harvest Recording'. The main screen shows a calendar for July 2020. A modal form is open for 'Cabbage' with the following fields: 'Actual Harvest' (80 kg), 'Harvest Date' (07/06/2020), 'Harvest Photo' (No file chosen), and 'Notes' (Sample actual harvest entry for manuscript screenshot). A green 'Save Harvest' button is at the bottom right of the modal. The background shows a list of crops and a sidebar with navigation options like 'Dashboard', 'Interactive Plan', and 'Harvests'.

Actual Harvest Recording. After the crop-production period, Farmers can enter the actual harvest amount, unit of measurement, harvest date, optional photographic evidence, and additional notes. Harviana converts the submitted quantity into metric tons and compares it with the production estimate from the corresponding crop plan. The comparison shows the difference between the expected output and the Farmer's recorded harvest. After validation, these records contribute to production monitoring and municipal supply information.

LGU Validator Features. The LGU Validator side provides tools for reviewing Farmer-submitted damage and



harvest records, examining supporting evidence, adding validation notes, and approving or returning reports.

Figure 31 presents the LGU Report Validation feature, including its report queue, evidence review, and approval or return actions.

Figure 31

LGU Report Validation

The screenshot shows the 'Harviana LGU Validation' interface. At the top, there's a header with 'Harviana LGU Validation' on the left and 'LGU atok Atok Log out' on the right. Below the header, there are three summary boxes: 'PENDING 0', 'APPROVED 3', and 'NEEDS CORRECTION 0'. The main area contains a search bar labeled 'Search farmer, crop, title...', a dropdown menu for 'All reports', another dropdown menu for 'Pending', and a blue 'Filter' button. A 'Pending queue' button is also visible. At the bottom, a message states 'No reports found for this queue.'

LGU Report Validation. LGU Validators can filter assigned reports, examine damage or harvest details and supporting evidence, and approve submissions or return them for correction. Harviana records the validator, decision, validation date and time, and notes as part of the report history.

DA Administrator Features. The DA Administrator side provides tools for monitoring validated records and




municipal supply, managing crop data and user accounts, viewing map-based information, and preparing administrative reports.

Figure 32 presents the Administrative Dashboard and Municipal Supply Forecast, which consolidate crop and supply information for DA Administrators.

Figure 32

Administrative Dashboard and Municipal Supply Forecast



Administrative Dashboard and Municipal Supply Forecast. The administrative dashboard summarizes crop records, municipalities, production, actual harvests, damage, and recent system activity. Its municipal supply values help DA Administrators review the estimated availability of selected vegetables by location and production period.

Figure 33 presents the Crop Data Management feature, which allows DA Administrators to maintain the agricultural production records used by Harviana.



Figure 33

Crop Data Management

The screenshot displays the 'Crop Data Management' interface. At the top, there are four summary cards: 'Total Records: 30,968', 'Municipalities: 13', 'Crop Types: 10', and 'Years Covered: 2015 - 2024'. Below these are buttons for 'Import Data', 'Add Single Data', and 'Statistics'. A search bar and filters for 'View' (All Views), 'Municipality' (All Municipalities), and 'Crop' (All Crops) are present. The main table lists crop data with columns: Municipality, Crop, Farm Type, Year, Month, Area Harvested (HA), Production (MT), Productivity, and Actions. The table contains 8 rows of data for various crops like Cauliflower, Garden Peas, Sweet Pepper, Lettuce, Broccoli, Snap Beans, Carrots, and White Potato.

Municipality	Crop	Farm Type	Year	Month	Area Harvested (HA)	Production (MT)	Productivity	Actions
TUBA	CAULIFLOWER	RAINFED	2024	SEP	5.00	55.00	11.00	Edit Archive
TUBA	GARDEN PEAS	RAINFED	2024	SEP	5.00	55.00	11.00	Edit Archive
TUBLAY	SWEET PEPPER	IRRIGATED	2024	SEP	5.00	55.00	11.00	Edit Archive
TUBA	LETTUCE	RAINFED	2024	SEP	5.00	55.00	11.00	Edit Archive
TUBA	BROCCOLI	RAINFED	2024	SEP	0.50	4.00	8.00	Edit Archive
TUBA	SNAP BEANS	RAINFED	2024	SEP	5.00	55.00	11.00	Edit Archive
TUBLAY	CARROTS	IRRIGATED	2024	SEP	5.00	55.00	11.00	Edit Archive
TUBLAY	WHITE POTATO	IRRIGATED	2024	SEP	5.00	55.00	11.00	Edit Archive


Crop Data Management. DA Administrators can import, add, update, archive, search, and filter agricultural production records according to municipality, crop type, year, and other stored categories. Through this feature, they can maintain organized and updated agricultural datasets while preserving older records for future reference. The stored information supports Harviana's GIS maps, production estimates, municipal supply forecasts, dashboards, and administrative reports. It also allows DA Administrators to review production patterns and access relevant agricultural information for monitoring, planning, and decision-making. These data-management functions help ensure that information used across the system remains consistent, accessible, and relevant.

Figure 34 presents the Interactive Agricultural Map and Weather feature, which provides Farmers and DA Administrators with a location-based view of agricultural records and current weather information.



Figure 34

Interactive Agricultural Map and Weather



Interactive Agricultural Map and Weather. The interactive map displays agricultural information according to the geographic location of available crop records. Farmers and DA Administrators can filter the displayed information according to crop type, year, view type, and farm type to focus on selected production records or locations. Weather information for a selected area includes temperature, current weather condition, probability of rainfall, humidity, and wind speed. Presenting agricultural records together with location and weather information helps users examine the distribution of vegetable production across the municipalities of Benguet.


Figure 35 presents the Reports and Export Generation feature, which combines agricultural summaries, planting information, actual-harvest records, and export functions



for DA Administrators.

Figure 35

Reports and Export Generation



Reports and Export Generation. The Reports Dashboard organizes harvest accuracy, crop production, damage records, planting records, planted areas, production values, and actual-harvest information into report-focused views. DA Administrators can filter the available records according to crop, municipality, production period, and report category. The Planting Report and Export page provides a detailed view of planting and harvest-related records and allows the information to be exported for



documentation and further analysis. This feature transforms validated agricultural records into organized reports that can support administrative monitoring, planning, and decision-making.

Extent of the Usability of Harviana

The extent of usability of Harviana was evaluated to determine how the system was perceived by its intended users after interacting with its major features. The evaluation focused on two user groups: farmers and DA Administrators. The farmer-side evaluation measured the usability of features such as crop planning, farmer calendar monitoring, damage report submission, and actual harvest recording. The DA Administrator-side evaluation measured the usability of features such as dashboard monitoring, interactive map and weather viewing, supply forecast review, report generation, and export of agricultural records.

The researchers used two usability instruments to evaluate the system. The System Usability Scale (SUS) was used for the farmer respondents, while the USE questionnaire was used for the DA Administrator respondents. A total of 132 valid responses were used for the farmer-side SUS evaluation, while 18 valid responses were used for the DA Administrator-side USE evaluation. These responses were analyzed according to the scoring procedures and interpretation scales of the selected usability instruments.

For the farmer evaluation, the System Usability Scale (SUS) developed by Brooke (1996) was used to measure the perceived



usability of the farmer-side features of Harviana. The SUS is composed of ten statements rated using a five-point scale. For the computation, the odd-numbered items were scored by subtracting one from the participant's response, while the even-numbered items were scored by subtracting the participant's response from five. The adjusted scores were added together and multiplied by 2.5 to convert the result into a score ranging from 0 to 100. The interpretation of SUS scores was adapted from Bangor, Kortum, and Miller (2009).

Table 5 presents the SUS score interpretation scale used in analyzing the farmer usability results

Table 5

SUS Score Interpretation Scale

Grade	SUS Score Range	Adjective Range	Acceptability Range
A- to A+	78.9-100	Excellent - Best Imaginable	Acceptable
B- to B+	72.6-78.8	Good to Excellent	Acceptable
C- to C+	62.7-72.5	OK to Good	Marginal - Acceptable
D	51.7-62.6	OK	Marginal
F	0.0-51.6	Worst Imaginable - Poor	Not Acceptable

Table 5 served as the basis for interpreting the overall SUS score of Harviana from the farmers' perspective. Higher SUS scores indicate a more positive evaluation, suggesting that users can navigate the interface and perform the intended functions



with less difficulty. In contrast, lower scores may indicate concerns related to system complexity, consistency, learnability, and user confidence. Through this scale, the researchers determined the general usability level of Harviana and assessed whether it provided an acceptable user experience. The interpretation also helped identify areas that could be improved to make the system easier and more convenient for farmers.

Table 6 presents the farmers' responses to the ten items of the SUS questionnaire, together with the frequency of each response and the corresponding mean score contribution. The results provide an overview of how the participating farmers evaluated Harviana in terms of usability, complexity, consistency, learnability, and confidence in using the system.

Table 6

Farmers' SUS Questionnaire Results

No.	Statement	1	2	3	4	5	Item Contribution Mean
1	I think that I would like to use frequently.	3	4	15	46	64	3.24
2	I found the system Unnecessarily complex.	44	39	25	13	11	2.70
3	I thought the system was easy to use.	2	3	24	53	50	3.11
4	I think that I would need assistance to use the system.	34	37	31	20	10	2.49
5		2	6	18	52	54	3.14



6	I found the various features of the system were well integrated.	50	33	31	14	4	2.84
7	I thought there was too much inconsistency in the system.	3	8	22	48	51	3.03
8	I would imagine that most users would learn to use the system very quickly.	45	38	34	13	2	2.84
9	I found the system very difficult to use.	4	10	33	42	43	2.83
10	I felt very confident using the system.	32	37	30	18	15	2.40
	I needed to learn many things before I could get started with the system.						

As shown in Table 6, the farmer respondents generally gave favorable responses to the positive statements and lower responses to the negatively worded statements. For the positive items, many respondents selected 4 and 5, showing agreement with statements related to frequent use, ease of use, feature integration, learnability, and confidence in using Harviana. For the negative items, many respondents selected 1 and 2, showing disagreement with statements suggesting that the system was complex, inconsistent, difficult to use, or required too much learning before use.

The pattern of responses indicates that the farmers were generally able to understand and interact with the farmer-side features of Harviana. The results suggest that the crop planning,



calendar, damage report, and actual harvest recording features were usable for the participating farmers. However, the presence of varied responses also suggests that some users may still need guidance or interface improvements, especially for first-time use.

After computing the SUS scores of the 132 valid farmer responses, the total SUS score obtained was 9,445. The average SUS score was computed as follows:

$$\text{Average SUS Score} = \Sigma \text{SUS Scores} / n$$

$$\text{Average SUS Score} = 9,445 / 132$$

$$\text{Average SUS Score} = 71.55 \text{ or approximately } 71.6$$

Table 7 presents the summary of the farmers' SUS score, including the number of valid respondents, total computed SUS score, mean score, median score, standard deviation, minimum score, maximum score, and overall interpretation. This table provides an overview of the usability result obtained from the farmer respondents after their individual SUS scores were computed and summarized.

Table 7

Summary of Farmers' SUS Score

Measure	Result
Number of Valid Respondents	132
Total SUS Score	9,445
Mean SUS Score	71.55
Median SUS Score	75.00



Standard Deviation	15.21
Minimum Score	32.50
Maximum Score	97.50
Overall Interpretation	OK to Good / Marginal to Acceptable

As presented in Table 7, the farmers obtained a mean SUS score of 71.55. Based on the interpretation scale, this falls within the C- to C+ range, with an adjective rating of OK to Good and an acceptability range of Marginal to Acceptable. This means that the farmer-side features of Harviana were generally usable, but there are still areas that may be improved to make the system easier and more comfortable for all farmer users, especially those accessing the platform for the first time.

The result shows that Harviana can support farmers in performing important crop-related tasks such as creating crop plans, viewing scheduled farm activities, submitting crop damage reports, and recording actual harvest results. Since the score is close to the acceptable range, the findings suggest that the farmer-side interface has a positive usability foundation. However, refinements in user guidance, interface clarity, and ease of first-time navigation may further improve the farmer experience.

For the DA Administrator evaluation, the USE questionnaire developed by Lund (2001) was used to evaluate the usability of the administrative side of Harviana. The questionnaire measured



four dimensions: usefulness, ease of use, ease of learning, and satisfaction. These dimensions were appropriate for evaluating the DA Administrator side of the system because the administrative features are intended to support monitoring, map-based visualization, supply forecast review, and report generation.

The DA Administrators rated each statement using a seven-point scale. Higher ratings indicate stronger agreement with the usability statement and a more positive evaluation of the system. The verbal interpretation ranges were computed by the researchers based on the seven-point response scale.

Table 8 presents the seven-point USE questionnaire interpretation scale used to analyze the responses of the DA Administrators. It shows the point values, corresponding mean ranges, and verbal interpretations used to determine the level of agreement for each usability dimension. This table served as the basis for interpreting the computed weighted means for usefulness, ease of use, ease of learning, and satisfaction.

Table 8

Seven-Point USE Questionnaire Interpretation Scale

Point	Mean Range	Verbal Interpretation
1	1.00-1.86	Strongly Disagree
2	1.87-2.72	Disagree
3	2.73-3.58	Somewhat Disagree
4	3.59-4.44	Neutral



5	4.45–5.30	Somewhat Agree
6	5.31–6.16	Agree
7	6.17–7.00	Strongly Agree

Table 8 was used to interpret the weighted means obtained from the DA Administrator responses. Mean values closer to 7 indicate stronger agreement and more favorable usability perception. This scale allowed the researchers to determine the usability level of Harviana's administrative features in each USE dimension.

Table 9 presents the usability testing result for the Usefulness dimension of the USE questionnaire. It shows the responses of the DA Administrators for each usefulness-related statement, including the frequency of ratings from 1 to 7 and the computed weighted mean for each item. This table was used to determine how useful Harviana was in helping DA Administrators perform monitoring, forecasting, map viewing, and report generation tasks.

Table 9

Usefulness: Usability Testing Result for DA Administrators

No.	Statement	1	2	3	4	5	6	7	Weighted Mean
1	It helps me be more effective.	0	0	0	1	4	7	6	6.00
2	It helps me be more productive.	0	0	0	1	4	6	7	6.06
3	It is useful.	0	0	0	0	1	6	11	6.56



4	It gives me more control over the activities in my work.	0	0	0	2	4	7	5	5.83
5	It makes the things I want to accomplish easier to get done.	0	0	0	0	1	11	6	6.28
6	It saves me time when I use it.	0	0	0	0	1	10	7	6.33
7	It meets my needs.	0	0	0	1	2	10	5	6.06
8	It does everything I would expect it to do	0	0	0	2	3	9	4	5.83
Mean									6.12

As shown in Table 9, the Usefulness dimension obtained a mean of 6.12, which is interpreted as Agree. This indicates that the DA Administrators generally found Harviana useful in supporting their administrative tasks. The highest-rated item was "It is useful," with a weighted mean of 6.56, showing that the respondents recognized the value of the system in their work. The results suggest that Harviana can help DA Administrators review agricultural records, monitor crop-related information, and use system-generated data for planning and decision-making.

Table 10 presents the DA Administrators' Ease of Use results, including the response frequencies and weighted mean for each statement. These results indicate how easily respondents could navigate Harviana and complete administrative tasks.

Table 10



Ease of Use: Usability Testing Result for DA Administrators

No.	Statement	1	2	3	4	5	6	7	Weighted Mean
9	It is easy to use.	0	0	0	0	1	9	8	6.39
10	It is simple to use.	0	0	0	0	1	7	10	6.50
11	It is user-friendly.	0	0	0	0	0	9	9	6.50
12	It requires the fewest steps possible to accomplish what I want to do with it.	0	0	0	0	1	11	6	6.28
13	It is flexible.	0	0	0	0	1	6	11	6.56
14	Using it is effortless.	0	0	0	1	2	9	6	6.11
15	I can use it without instructions.	0	0	0	1	0	11	6	6.22
16	I do not notice inconsistencies as I use it.	0	0	0	1	4	9	4	5.89
17	Both occasional and regular users would like it.	0	0	0	0	3	9	6	6.17
18	I can recover from mistakes quickly and easily.	0	0	0	0	3	10	5	6.11
19	I can use it successfully every time.	0	0	0	0	1	11	6	6.28
Mean									6.27

The Ease of Use dimension obtained a mean of 6.27, which is



interpreted as Strongly Agree. This result indicates that the DA Administrators found the administrative side of Harviana easy to operate. The highest-rated item was "It is flexible," with a weighted mean of 6.56, while "It is simple to use" and "It is user-friendly" both received weighted means of 6.50. These results suggest that the administrative dashboard, map, forecast, and reporting features were generally easy to navigate and use.

The lowest-rated item under this dimension was "I do not notice inconsistencies as I use it," with a weighted mean of 5.89. Although this still falls within the Agree range, it suggests that some minor inconsistencies or areas for interface improvement may still be present. Overall, the results show that Harviana's administrative interface provides a positive user experience in terms of ease of use.

Table 11 presents the usability testing result for the Ease of Learning dimension.

Table 11

Ease of Learning: Usability Testing Result for DA Administrators

No.	Statement	1	2	3	4	5	6	7	Weighted Mean
20	I learned to use it quickly.	0	0	0	0	0	7	11	6.61
21	I easily remember how to use it.	0	0	0	0	0	7	11	6.61
22	It is easy to learn to use it.	0	0	0	0	0	5	13	6.72
23	I quickly became skillful with it.	0	0	0	0	0	8	9	6.39



Mean

6.58

As presented in Table 11, the Ease of Learning dimension obtained a mean of 6.58, interpreted as Strongly Agree. This was the highest among the four USE dimensions. The result indicates that DA Administrators were able to understand and learn the administrative features of Harviana quickly. The highest-rated item was "It is easy to learn to use it," with a weighted mean of 6.72.

This finding suggests that the system's administrative interface was understandable even for users who may be using the platform for the first time. The dashboard layout, map filters, forecast display, and report functions appear to be structured in a way that allows users to learn the system with minimal difficulty. This is important because DA Administrators need to access and interpret agricultural information efficiently.

Table 12 presents the usability testing result for the Satisfaction dimension.

Table 12

Satisfaction: Usability Testing Result for DA Administrators

No.	Statement	1	2	3	4	5	6	7	Weighted Mean
24	I am satisfied with it.	0	0	0	0	2	9	7	6.28
25	I would recommend it to a colleague.	0	0	0	1	1	7	9	6.33
26	It is pleasant to use.	0	0	0	0	2	9	7	6.28



27	It works the way I want it to work.	0	0	0	0	3	9	6	6.17
28	It is wonderful.	0	0	0	0	1	8	9	6.44
29	I feel I need to have it.	0	0	0	0	4	6	8	6.22
30	It meets my needs.	0	0	0	0	2	8	8	6.33
Mean									6.29

As shown in Table 12, the Satisfaction dimension obtained a mean of 6.29, interpreted as Strongly Agree. This indicates that the DA Administrators were highly satisfied with the administrative features of Harviana. The highest-rated item was "It is wonderful," with a weighted mean of 6.44, while the lowest-rated item was "It works the way I want it to work," with a weighted mean of 6.17. Since even the lowest-rated item still falls within the Strongly Agree range, the results show a consistently positive satisfaction level.

The satisfaction results suggest that the DA Administrators found Harviana beneficial and acceptable for their work. The system's ability to present dashboards, map-based agricultural information, supply forecasts, and exportable reports contributed to a positive administrative user experience. These findings support the system's purpose of helping DA Administrators access and review agricultural records in a more organized and useful manner.

Table 13 presents the overall USE questionnaire result for DA Administrators.



Table 13

Overall USE Questionnaire Result for DA Administrators

Use Dimension	Mean	Verbal Interpretation
Usefulness	6.12	Agree
Ease of Use	6.27	Strongly Agree
Ease of Learning	6.58	Strongly Agree
Satisfaction	6.29	Strongly Agree
Overall Result	6.32	Strongly Agree

Table 13 shows that the DA Administrator side of Harviana obtained an overall USE result of 6.32, interpreted as Strongly Agree. The overall result was computed from the mean scores of the four USE dimensions. The highest dimension was Ease of Learning, followed by Satisfaction, Ease of Use, and Usefulness. These findings indicate that the administrative side of Harviana was positively evaluated by the DA Administrator respondents.

The results show that Harviana was perceived as useful for administrative monitoring and reporting, easy to use when navigating system features, easy to learn for users interacting with the platform, and satisfactory in supporting administrative tasks. This confirms that the DA Administrator-side features of Harviana were able to support agricultural monitoring, map-based visualization, supply forecast review, and report generation in a usable manner.

Table 14 presents the overall usability summary of Harviana based on the two user groups.



Table 14

Overall Usability Summary of Harviana

User Group	Usability	Valid Respondents	Overall Result	Interpretation
Farmers	System Usability Scale (SUS)	132	71.55/100	OK to Good / Marginal to Acceptable
DA Administrators	USE Questionnaire	18	6.32/7	Strongly Agree

As presented in Table 14, Harviana received positive usability results from both participating user groups. The farmer-side features obtained a SUS score of 71.55, interpreted as OK to Good and Marginal to Acceptable. This means that the farmer-side features were generally usable, but may still be improved to provide a smoother experience for all farmer users. The result suggests that farmers can use Harviana for crop planning, farmer calendar monitoring, damage report submission, and actual harvest recording.

The DA Administrator-side features obtained an overall USE result of 6.32, interpreted as Strongly Agree. This indicates that DA Administrators found the system useful, easy to use, easy to learn, and satisfactory. The result supports the role of Harviana as a decision-support system that helps DA Administrators monitor agricultural data, view map-based information, review supply forecasts, and generate reports.

Overall, the usability findings show that Harviana was able to meet the usability needs of its evaluated users. The farmer-side features demonstrated a usable and acceptable foundation,



while the DA Administrator-side features received a strong positive evaluation. These results suggest that Harviana can support agricultural data collection, validation-based reporting, map-based visualization, supply forecasting, and administrative decision-making through a usable web-based platform.



Chapter 4

CONCLUSIONS AND RECOMMENDATIONS

This chapter presents the conclusions drawn from the findings of the study and shows how the objectives of Harviana were addressed. It also provides recommendations that may guide the improvement of the system and the development of similar agricultural decision-support platforms.

Based on the findings of the study, the researchers arrived at the following conclusions:

1. The information requirements of Harviana were identified for Farmers, LGU Validators, and DA Administrators. Farmers provide crop plans, farm activities, damage reports, and actual-harvest records. LGU Validators review submitted reports and record their validation decisions, while DA Administrators access consolidated agricultural information for monitoring, forecasting, and report generation. The minimum and recommended system requirements were also identified to support the operation of the platform.

2. The "4+1" View Model served as the architectural framework of Harviana. The use case, class, sequence, package, and deployment diagrams presented the system's



user interactions, structure, processes, software components, and deployment environment. Harviana is deployed on Railway and connected to its machine-learning service and Railway PostgreSQL.

3. Harviana successfully implemented role-based features for Farmers, LGU Validators, and DA Administrators. Farmers were provided with crop planning, calendar management, machine-learning-based production estimation, damage reporting, harvest recording, crop recommendations, and access to GIS maps and weather information. LGU Validators were provided with report review, validation, and correction functions, while DA Administrators were provided with dashboard monitoring, GIS visualization, municipal supply forecasting, prediction analytics, report generation, and export capabilities. These features establish an integrated workflow that supports agricultural monitoring and decision-making across stakeholder groups.

4. Harviana demonstrated an acceptable level of usability among participating Farmers and a highly positive usability evaluation among DA Administrators. The farmer respondents obtained a SUS score interpreted as "OK to Good" and "Marginal to Acceptable," while the DA



Administrators strongly agreed that the system was useful, easy to use, easy to learn, and satisfactory. These results indicate that Harviana is suitable for its intended users, although improvements to the farmer interface may further enhance usability for first-time users.

Recommendations

Based on the conclusions of the study, the researchers recommend the following:

1. The information requirements and validation procedures of Harviana should be reviewed regularly with Farmers, LGU Validators, and DA Administrators. This will help ensure that the agricultural records collected by the system remain complete, relevant, and useful for monitoring and reporting.

2. The system's database, machine-learning service, access controls, and deployment environment should be maintained and monitored regularly. Database backups and system testing should also be conducted to protect agricultural records and maintain reliable access to the platform.

3. Future development may include support for additional crops, more validated production and harvest data, clearer user instructions, and improved access for



Farmers in areas with limited internet connectivity. These improvements may help strengthen the production-estimation and municipal supply-forecasting functions of Harviana.

4. Further usability testing should include LGU Validators and respondents from additional municipalities in Benguet. The results may be used to improve the interface, simplify commonly performed tasks, and make Harviana more accessible to its intended users.



REFERENCES

- Agricultural Training Institute. (2023). Philippine Agriculture and Fisheries Extension Strategic Plan 2023-2028. Agricultural Training Institute.
<https://ati2.da.gov.ph/ati-main/content/sites/default/files/2023-08/AFE%20Strat%20Plan%202023-2028.pdf>
- Alemán-Montes, B., Serra, P., Zabala, A., Masó, J., & Pons, X. (2025). A near real-time spatial decision support system for improving sugarcane monitoring through a satellite mapping web browser. *Smart Agricultural Technology*, Article 101084.
<https://doi.org/10.1016/j.atech.2025.101084>
- Ali, A. M., Abouelghar, M., Belal, A. A., Saleh, N., Yones, M., Selim, A. I., Amin, M. E. S., Elwesemy, A., Kucher, D. E., Maginan, S., & Savin, I. (2022). Crop yield prediction using multi sensors remote sensing: Review article. *The Egyptian Journal of Remote Sensing and Space Science*, 25(3), 711-716.
<https://doi.org/10.1016/j.ejrs.2022.04.006>
- Aquino, L. L. M., Delos Reyes, J. A., & Catelo, M. A. O. (2025). Mapping and understanding food value chain networks of Benguet-sourced vegetables: The lens of
-



the households. University of the Philippines Center for Integrative and Development Studies.

<https://cids.up.edu.ph/wp-content/uploads/2025/03/Mapping-and-Understanding-Food-Value-Chain-Networks-of-Benguet-Sourced-Vegetables.pdf>

Bangor, A., Kortum, P., & Miller, J. (2009). Determining what individual SUS scores mean: Adding an adjective rating scale. *Journal of Usability Studies*, 4(3), 114-123.

<https://dl.acm.org/doi/10.5555/2835587.2835589>

Blattgerste, J. (2024). System Usability Scale analysis toolkit. Mixed Reality and Visualization Lab, University of Applied Sciences Emden/Leer. <https://sus.tools>

Briones, R. M., Galang, I. M. R., & Latigar, J. S. (2023). Transforming Philippine agri-food systems with digital technology: Extent, prospects, and inclusiveness (PIDS Discussion Paper Series No. 2023-29). Philippine Institute for Development Studies.

<https://doi.org/10.62986/dp2023.29>

Brooke, J. (1996). SUS: A quick and dirty usability scale. In P. W. Jordan, B. Thomas, B. A. Weerdmeester, & I. L. McClelland (Eds.), *Usability evaluation in industry*. Taylor & Francis.

<https://doi.org/10.1201/9781498710411-35>



Cailo, J. L. (2025, April 28). Exploring the future of learning: e-Learning fun fair in Mauban, Quezon. Agricultural Training Institute.

<https://ati2.da.gov.ph/ati-4a/content/e-learningMAUBAN>

Consultative Group on International Agricultural Research.

(2024). In the Philippines, stakeholders are charting the future of digital agriculture.

<https://www.cgiar.org/news-events/news/in-the-philippines-stakeholders-are-charting-the-future-of-digital-agriculture>

Cui, L., Li, W., Wang, X., & Niu, X. (2022). Design and implementation of open-source WebGIS system for orchard land management. *Advances in Computer, Signals and Systems*, 6, 26-34.

<https://doi.org/10.23977/acss.2022.060304>

Department of Agriculture. (2022). National Agriculture and Fisheries Modernization and Industrialization Plan 2021-2030: Transforming the Philippine food system together. Department of Agriculture.

<https://www.bswm.da.gov.ph/download/national-agriculture-and-fisheries-modernization-and-industrialization-plan-2021-2030/>



Food and Agriculture Organization of the United Nations.

(2022). The State of Food and Agriculture 2022:
Leveraging automation in agriculture for transforming
agrifood systems. FAO.
<https://doi.org/10.4060/cb9479en>

Food and Agriculture Organization of the United Nations, &
International Telecommunication Union. (2016). E-
agriculture strategy guide: Piloted in Asia-Pacific
countries. FAO and ITU.
[https://www.itu.int/dms_pub/itu-d/opb/str/D-STR-
E_AGRICULT.01-2016-PDF-E.pdf](https://www.itu.int/dms_pub/itu-d/opb/str/D-STR-E_AGRICULT.01-2016-PDF-E.pdf)

Food and Agriculture Organization of the United Nations,
International Fund for Agricultural Development,
United Nations Children's Fund, World Food Programme,
& World Health Organization. (2025). The state of food
security and nutrition in the world 2025: Addressing
high food price inflation for food security and
nutrition. FAO. <https://doi.org/10.4060/cd6008en>

Human Reliability Scale Database. (2025). USE
questionnaire. George Mason University.
[http://hriscaledatabase.psychology.gmu.edu/usability/2
025/01/14/USE.html](http://hriscaledatabase.psychology.gmu.edu/usability/2025/01/14/USE.html)

Intergovernmental Panel on Climate Change. (2022). Climate



change 2022: Impacts, adaptation and vulnerability.
Cambridge University Press.

<https://doi.org/10.1017/9781009325844>

Jabed, M. A., & Azmi Murad, M. A. (2024). Crop yield prediction in agriculture: A comprehensive review of machine learning and deep learning approaches, with insights for future research and sustainability. *Heliyon*, 10, Article e40836.

<https://doi.org/10.1016/j.heliyon.2024.e40836>

Khan, Q., Hickie, I. B., Loblay, V., Ekambareshwar, M., Zahed, I. U. M., Naderbagi, A., Song, Y. J. C., & LaMonica, H. M. (2025). Psychometric evaluation of the System Usability Scale in the context of a childrearing app co-designed for low- and middle-income countries. *Digital Health*, 11, 1-12.
<https://doi.org/10.1177/20552076251335413>

Lund, A. M. (2001). Measuring usability with the USE questionnaire. *Usability Interface*, 8(2), 3-6.
<https://garyperlman.com/quest/quest.cgi?form=USE>

National Economic and Development Authority. (2023). Philippine Development Plan 2023-2028.
<https://pdp.depdev.gov.ph/philippine-development-plan-2023-2028/>



Philippine Atmospheric, Geophysical and Astronomical

Services Administration. (2023). 2023 annual report.

<https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/transparency/AR2023.pdf>

Patel, S., Kaur, B., Verma, S., Sood, A., Litoria, P. K., &

Pateriya, B. (2023). Web GIS based decision support system for agriculture monitoring and management.

Geoinformatics & Geostatistics: An Overview, 11(1).

https://www.scitechnol.com/peer-review/web-gis-based-decision-support-system-for-agriculture-monitoring-and-management-3yKT.php?article_id=21228

Philippine Statistics Authority RSSO-CAR. (2025, March 27).

CY 2024 Cordillera vegetables situationer (Reference No. SSR 2025-12).

<https://rssocar.psa.gov.ph/content/cy-2024-cordillera-vegetables-situationer>

Pilay, J. G., & Werdenberg, A. J. M. (2024). Forecasting

vegetable production in Benguet, Philippines using

SARIMA process with mathematical transformations. *AIP*

Conference Proceedings, 3016(1), Article 070009.

<https://doi.org/10.1063/5.0192466>

Quitaleg, A. R., & Dumlao, M. (2023). A decision support

system for Benguet's upland vegetable crop prediction



using machine learning techniques. *European Chemical Bulletin*, 12(Special Issue 6).

<https://doi.org/10.48047/ecb/2023.12.si6.655>

Raihan, A. (2024). A systematic review of Geographic Information Systems (GIS) in agriculture for evidence-based decision making and sustainability. *Global Sustainability Research*, 3(1), 1-24.

<https://doi.org/10.56556/gssr.v3i1.636>

Schwaber, K., & Sutherland, J. (2020). *The Scrum Guide: The definitive guide to Scrum—The rules of the game*.

<https://scrumguides.org/docs/scrumguide/v2020/2020-Scrum-Guide-US.pdf>

Stephenson, J., Chellew, T., von Köckritz, L., Rose, A., & Dinesh, D. (2021). Digital agriculture to enable adaptation: A supplement to the UNFCCC NAP Technical Guidelines (CCAFS Working Paper No. 372). CGIAR Research Program on Climate Change, Agriculture and Food Security.

https://unfccc.int/sites/default/files/resource/CCAFS_NAP_Agriculture_Supplement.pdf

UX Test Tools. (2024). USE: Usefulness, satisfaction, and ease of use questionnaire.

<https://www.uxtesttools.com/tools/use>



World Bank. (2020). Transforming Philippine agriculture:

During COVID-19 and beyond. World Bank.

<https://doi.org/10.1596/34012>

World Bank, Gates Foundation, & Boston Consulting Group.

(2025). Digital Agriculture Roadmap Playbook. World

Bank.

[https://documents1.worldbank.org/curated/en/0990530250](https://documents1.worldbank.org/curated/en/099053025063021993/pdf/P508004-f943a09b-c45f-4c93-b554-9dd1decde7c.pdf)

[63021993/pdf/P508004-f943a09b-c45f-4c93-b554-](https://documents1.worldbank.org/curated/en/099053025063021993/pdf/P508004-f943a09b-c45f-4c93-b554-9dd1decde7c.pdf)

[9dd1decde7c.pdf](https://documents1.worldbank.org/curated/en/099053025063021993/pdf/P508004-f943a09b-c45f-4c93-b554-9dd1decde7c.pdf)

Wu, B., Zhang, M., Zeng, H., Tian, F., Potgieter, A. B.,

Qin, X., Yan, N., Chang, S., Zhao, Y., Dong, Q.,

Boken, V., Plotnikov, D., Guo, H., Wu, F., Zhao, H.,

Deronde, B., Tits, L., & Loupian, E. (2023).

Challenges and opportunities in remote sensing-based

crop monitoring: A review. National Science Review,

10(4), Article nwac290.

<https://doi.org/10.1093/nsr/nwac290>

YourCX. (2024, September 3). System Usability Scale (SUS)

in UX research: Measuring user experience effectively.

[https://yourcx.io/en/blog/2024/09/system-usability-](https://yourcx.io/en/blog/2024/09/system-usability-scale-sus-in-ux-research-measuring-user-experience-effectively/)

[scale-sus-in-ux-research-measuring-user-experience-](https://yourcx.io/en/blog/2024/09/system-usability-scale-sus-in-ux-research-measuring-user-experience-effectively/)

[effectively/](https://yourcx.io/en/blog/2024/09/system-usability-scale-sus-in-ux-research-measuring-user-experience-effectively/)



APPENDICES

Appendix A

Communication Letter Appendix B

Endorsement Letter

University of the Cordilleras
College of Information Technology and Computer Science

ENDORSEMENT for ADVISER'S EVALUATION

ANNA RHODORA M. QUITALEG

This capstone project proposal entitled **BENGUETCROP MAP: A GIS-INTEGRATED DECISION SUPPORT SYSTEM FOR VISUALIZING VEGETABLE PRODUCTION TRENDS**, prepared and submitted by **LORD ALFREY T. BATERINA, JOHNDOE AMIEL I. DELA CRUZ, and JOJEMAY M. TAGALOG** in partial fulfillment for the degree Bachelor of Science in Information Technology is endorsed to the adviser for further evaluation prior to pre-defense.

ml 12/13/15
MELINDA A. BENINSIG
Instructor-in-Charge
CIT6 Capstone Project 1

ENDORSEMENT for PRE-DEFENSE

This capstone project proposal entitled **BENGUETCROP MAP: A GIS-INTEGRATED DECISION SUPPORT SYSTEM FOR VISUALIZING VEGETABLE PRODUCTION TRENDS**, prepared and submitted by **LORD ALFREY T. BATERINA, JOHNDOE AMIEL I. DELA CRUZ, and JOJEMAY M. TAGALOG** has been evaluated and is endorsed for pre-defense.

Evaluated by:
[Signature] *12/15/15*
ANNA RHODORA M. QUITALEG
Adviser

PRE-DEFENSE SCHEDULE

Date & Time: Jan 13, 2016 | 6:10 PM
Venue: _____

Adviser: **ANNA RHODORA M. QUITALEG**
Panel Member 1: **GEM A. BALAY-ODAO**
Panel Member 2: **RAZIELLE JEYNA MAE F. BERNALDEZ**
Instructor-in-Charge: **MELINDA A. BENINSIG**

Signature

[Signature]
[Signature]
[Signature]



Appendix C

Business Model Canvas

Figure 36 presents the Business Model Canvas of Harviana, summarizing its customer segments, value propositions, key activities, resources, partners, channels, cost structure, and potential revenue streams.

Figure 36

Business Model Canvas

Business Model Canvas		Designed for: CIT 6 I Capstone 1	Designed by: Baterina, Dela Cruz, Tagalog	Date: September 29, 2025	Version: 1
Key Partners LGU in Benguet Department of Agriculture Farmer Cooperatives	Key Activities GIS Mapping Data Collection Data Analysis & Visuals Providing recommendations	Value Propositions Visualization map of crop trends Data-driven insights for decision-making, planning Reduce risks of oversupply/undersupply	Customer Relationships Training programs for farmers Regular updates and insights via platform/notifications Government and institutional collaboration for sustainability	Customer Segments Farmers and cooperatives in Benguet Agribusiness investors Local government units & policymakers	
	Key Resources GIS Technology and spatial databases Agricultural production data Partnerships with LGUs and DA		Channels Web platform Mobile app Social media updates on trends Training workshops with LGUs & farmer orgs		
Cost Structure Data collection Data cleaning Integration of external APIs		Revenue Streams SaaS			

Figure 36, showing the Business Model Canvas for the Harviana system, identifies Customer Segments as the Farmers and DA Administrators/Agricultural Officers as part of a Multi-sided Platform. The primary Value Propositions include an accessible, user-friendly visual map and a decision support system that provides long-term forecasting



(2025 to 2030), helping administrators design targeted actions to reduce waste and loss. The system is deployed via Channels that include browsers and a Progressive Web App using open-source web-mapping tools to maximize accessibility. Customer Relationships are built and maintained through features like the Historical Analysis validation mode, which helps establish user trust by comparing predictions against known historical yields. Revenue Streams are projected to come from Subscription Fees, Licensing, Usage fees, and Grants, following a Value-Driven pricing strategy. Key Resources include the human development team, intellectual property, and physical infrastructure, while Key Activities focus on Production (development), Problem Solving (insights/forecasting), and maintaining the platform. Key Partners are sought to acquire necessary resources and activities, specifically the DA for historical production data.



Appendix D

Invitation Letter (Adviser)

UNIVERSITY OF THE CORDILLERAS
College of Information Technology and Computer Science

November 14, 2025


To: Ms. Anna Rhodora M. Quitaleg

Dear Ma'am:

May I request you to serve as adviser for LORD ALFREY T. BATERINA, JOHNDOE AMIEL I. DELA CRUZ, and JOJEMAY M. TAGALOG, candidates for the degree BACHELOR OF SCIENCE IN INFORMATION TECHNOLOGY. The title of their capstone project proposal is BENGUETCROPMAP: A GIS-INTEGRATED DECISION SUPPORT SYSTEM FOR VISUALIZING VEGETABLE PRODUCTION TRENDS.

Their pre-defense is scheduled on _____,
_____ at the CITCS Consultation Room.

Thank you and God bless.

Sincerely,

Melinda A. Beninsig
Teacher-in-Charge

=====


REPLY SLIP

☒ I am willing to be: ☒ adviser of their
capstone project proposal
☐ chairman of their
capstone project defense
☐ member of their
capstone project defense

☐ Sorry, I cannot accept the invitation.

Reason: _____

For meetings, I am free: _____
(Pls. indicate date and time)


SIGNATURE OVER PRINTED NAME

**Invitation Letter (Chairperson)**

UNIVERSITY OF THE CORDILLERAS
College of Information Technology and Computer Science

November 14, 2025

To: Ms. Gem A. Balay-odao


Dear Ma'am:

May I request you to serve as chairperson of the panel for BATERINA, LORD ALFREY T., DELA CRUZ JOHNDOE I. and TAGALOG, JOJEMAY M., candidates for the degree BACHELOR OF SCIENCE IN INFORMATION TECHNOLOGY. The title of their capstone project proposal is BENGUETCROPMAP: A GIS-INTEGRATED DECISION SUPPORT SYSTEM FOR VISUALIZING VEGETABLE PRODUCTION TRENDS.

Their pre-defense is scheduled on _____,
_____ at the CITCS Consultation Room.

Thank you and God bless.

Sincerely,


Melinda A. Beninsig
Teacher-in-Charge

=====

REPLY SLIP

☒ I am willing to be: _____ adviser of their
capstone project proposal


_____ chairman of their
capstone project defense

_____ member of their
capstone project defense

_____ Sorry, I cannot accept the invitation.

Reason: _____

For meetings, I am free: Thrs 11:30AM - 12PM (Grip B)
(Pls. indicate date and time)


Gem A. Balay-odao

SIGNATURE OVER PRINTED NAME

**Invitation Letter (Member)**

UNIVERSITY OF THE CORDILLERAS
College of Information Technology and Computer Science

November 14, 2025

To: Ms. Razielle Jeyna Mae F. Bernaldez


Dear Ma'am:

May I request you to serve as member of the panel for BATERINA, LORD ALFREY T., DELA CRUZ JOHNDOE I. and TAGALOG, JOJEMAY M., candidates for the degree BACHELOR OF SCIENCE IN INFORMATION TECHNOLOGY. The title of their capstone project proposal is BENGUETCROPMA: A GIS-INTEGRATED DECISION SUPPORT SYSTEM FOR VISUALIZING VEGETABLE PRODUCTION TRENDS.

Their pre-defense is scheduled on _____,
_____ at the CITCS Consultation Room.

Thank you and God bless.

Sincerely,


Melinda A. Beninsig
Teacher-in-Charge

=====

REPLY SLIP

☒ I am willing to be: _____ adviser of their
capstone project proposal
_____ chairman of their
capstone project defense
☒ member of their
capstone project defense

_____ Sorry, I cannot accept the invitation.

Reason: _____

For meetings, I am free: _____
(Pls. indicate date and time)


Razielle Jeyna Mae Bernaldez
SIGNATURE OVER PRINTED NAME



Appendix E

TBI Assessment Certificate

 **University of the Cordilleras**
Innovation and Technology Transfer Office


CERTIFICATION

This is to certify that Team Harviana has successfully completed a comprehensive Technology Business Incubation (TBI) Assessment on July 25, 2026.

We are pleased to confirm that the team has achieved a Technology Readiness Level (TRL) of 3, reflecting the project's maturity and readiness for further development.

Based on their successful completion of the TBI Assessment, the team is officially endorsed to proceed to the final defense of their project.

 Lark Diller 06/25/2026

 Julie Ann Salazar GRP/26

TECHNOLOGY BUSINESS INCUBATOR ASSESSMENT 2

Control No.: INTTO/CITCS/SY25-26/0113



Appendix F

Sample Usability Test Survey

Department of Agriculture (DA-CAR) Staff Profile

Direction: Kindly fill out the information below

Name (Optional): _____

Job Designation: _____

Instructions: Please read and understand the items carefully. Check the column per item according to your desired level of agreement.

1	Strongly Disagree - The respondent completely disagrees with the statement.
2	Disagree - The respondent disagrees with the statement.
3	Somewhat Disagree - The respondent partially disagrees with the statement.
4	Neutral - The respondent neither agrees nor disagrees with the statement.
5	Somewhat Agree - The respondent partially agrees with the statement.
6	Agree - The respondent agrees with the statement.
7	Strongly Agree - The respondent completely agrees with the statement.

USEFULNESS	1	2	3	4	5	6	7
1. It helps me to be more effective.							
2. It helps me be more productive.							
3. It is useful.							
4. It gives me more control over the activities in my life.							
5. It makes the things I want to accomplish easier to get done.							
6. It saves me time when I use it.							
7. It meets my needs.							
8. It does everything I would expect it to do.							

EASE OF USE	1	2	3	4	5	6	7
9. It is easy to use.							
10. It is simple to use.							
11. It is user-friendly.							
12. It requires the fewest steps possible to accomplish what I want to do with it.							
13. It is flexible.							
14. Using it is effortless.							
15. I can use it without written instructions.							
16. I don't notice inconsistencies as I use it.							
17. Both occasional and regular users would like it.							
18. I can recover from mistakes quickly and easily.							
19. I can use it successfully every time.							

EASE OF LEARNING	1	2	3	4	5	6	7
20. I learned to use it quickly.							
21. I easily remember how to use it.							
22. It is easy to learn to use it.							
23. I quickly became skillful with it.							

SATISFACTION	1	2	3	4	5	6	7
24. I am satisfied with it.							
25. I would recommend it to a friend.							
26. It is fun to use.							
27. It works the way I want it to work.							
28. It is wonderful.							
29. I feel I need to have it.							
30. It is pleasant to use.							



Appendix G

Technology Brief




Johndoe Amiel I. Dela Cruz
Hacker



Jojemay M. Tagalog
Hipster



Lord Alfrey T. Bateria
Hustler





Harviana.app

The Team





Harviana helps Benguet farmers plan crops, monitor harvests, report damage, and record actual production. With LGU validation and DA/admin dashboards, farmer inputs become real-time crop supply insights for better local planning.

Updates/Milestones

- Engaged with the University of the Cordilleras
- Partnered with DA-CAR
- Target release of the system on July 2026



Appendix H

Documentation



Overall, the documented activities supported requirements gathering, system development, usability evaluation, and presentation of Harviana. The feedback gathered also helped the researchers assess and improve the system.



Appendix I

Supporting Interfaces of Harviana

This appendix presents Harviana's public landing, login, and registration interfaces. These pages introduce the platform and support account access before Farmers, LGU Validators, and DA Administrators proceed to their assigned system functions.

Figure 37 presents the Harviana Landing Page, which introduces the platform and provides navigation to general information and account-access options.

Figure 37

Harviana Landing Page



Landing Page. The Landing Page introduces Harviana as a GIS-integrated decision-support system and provides access to platform information, features, the development team, login, and registration.



Figure 38 presents the Harviana login and registration pages used for account authentication and account creation.

Figure 38

Harviana User Login and Registration Pages

The image displays two side-by-side mobile app screens for the Harviana Agricultural Decision Support System. Both screens have a light green background and a 'Home' button in the top left corner. The left screen, titled 'Welcome Back', is for login. It features a 'Continue with Google' button, a section for 'OR CONTINUE WITH EMAIL' with fields for 'Email Address' (containing 'you@example.com') and 'Password' (with a 'Remember me' checkbox and a 'Need password help?' link), and a green 'Sign In' button. A link to 'Create one now' is at the bottom. The right screen, titled 'Create Account', is for registration. It also has a 'Continue with Google' button, followed by 'OR CONTINUE WITH EMAIL' with fields for 'Full Name' (containing 'Juan Dela Cruz'), 'Email Address' (containing 'you@example.com'), 'Password' (with a 'Create a strong password' prompt), and 'Confirm Password' (with a 'Confirm your password' prompt).

User Login and Registration. The login page allows registered users to sign in through their credentials or Google, while the registration page allows new users to create an account. Harviana then directs users to the appropriate interface based on their assigned role.



Appendix J

Relevant Code Snippets

Shared Recommendation Processing

```
{
  // Calculate a simple recommendation score based on:
  // - Average production (40%)
  // - Productivity/yield (30%)
  // - Consistency (low variance) (30%)
  $recommendations = $recommendations->map(function ($crop) {
    $variance = $crop->max_production > 0
      ? ($crop->max_production - $crop->min_production) / $crop->max_production
      : 1;
    $consistency = 1 - $variance; // Higher is better

    // Normalize scores (simple approach)
    $crop->recommendation_score = round(
      ($crop->avg_production * 0.4) +
      ($crop->avg_productivity * 100 * 0.3) +
      ($consistency * 100 * 0.3)
    , 2);

    $crop->avg_production = round($crop->avg_production, 2);
    $crop->avg_productivity = round($crop->avg_productivity, 2);
    $crop->avg_area = round($crop->avg_area, 2);
    $crop->consistency_rating = $consistency >= 0.7 ? 'High' : ($consistency >= 0.4 ? 'Medium' : 'Variable');

    return $crop;
  })->sortByDesc('recommendation_score')->values();

  // Get month name for display
  $monthNames = [
    'JAN' => 'January', 'FEB' => 'February', 'MAR' => 'March',
    'APR' => 'April', 'MAY' => 'May', 'JUN' => 'June',
    'JUL' => 'July', 'AUG' => 'August', 'SEP' => 'September',
    'OCT' => 'October', 'NOV' => 'November', 'DEC' => 'December'
  ];

  return response()->json([
    'success' => true,
    'municipality' => $municipality,
    'month' => $monthNames[$month] ?? $month,
    'recommendations' => $recommendations,
    'total_crops_analyzed' => $recommendations->count(),
  ]);
}
```

Relevant Code A. This snippet calculates crop recommendation scores using historical average production, productivity, and production consistency. It then arranges the results from the highest to the lowest score, allowing the Farmer and DA Administrator interfaces to identify the crops with stronger historical production performance for the selected municipality and month.



Machine Learning-Based Production

Estimate Processing

```
if ($response->successful()) {
    $result = $response->json();
    $prediction = $result['prediction'] ?? [];

    return [
        'success' => true,
        'predicted_production_mt' => round(max(0, (float) ($prediction['production_mt'] ?? 0)), 2),
        'production_per_ha_mt' => isset($prediction['production_per_ha_mt'])
            ? round(max(0, (float) $prediction['production_per_ha_mt']), 2)
            : null,
        'prediction_confidence' => isset($prediction['confidence_score'])
            ? round((float) $prediction['confidence_score'], 4)
            : null,
        'area_sqm' => round($areaSqm, 2),
        'area_hectares' => round($areaHectares, 4),
        'municipality' => $data['municipality'],
        'farm_type' => $data['farm_type'],
        'crop' => $data['crop'],
        'year' => (int) $data['year'],
        'month' => (int) $data['month'],
        'source' => 'ml_api_area_scaled',
        'raw' => $result,
    ];
}
```

Relevant Code B. This snippet processes the response returned by Harviana's area-scaled machine-learning service. It extracts and normalizes the predicted production, production per hectare, confidence score, and crop-plan information for presentation during crop planning.

Interactive Agricultural Map Data Processing

```
$query = CropProduction::query();

if ($crop) {
    $query->where('crop', $crop);
}

if ($year) {
    $query->where('year', $year);
}

if ($farmType) {
    $query->where('farm_type', $farmType);
}

// Determine aggregation based on view type
$selectField = match ($view) {
    'productivity' => 'AVG(productivity) as value',
    'area_planted' => 'SUM(area_planted) as value',
    'area_harvested' => 'SUM(area_harvested) as value',
    default => 'SUM(production) as value'
};

$data = $query
->select('municipality', DB::raw($selectField))
->groupBy('municipality')
->get()
->map(function ($item) use ($farmerCounts) {
    $farmerCount = $farmerCounts->get($this->normalizeMunicipalityKey($item->municipality))['farmer_count'] ?? 0;

    return [
        'municipality' => $item->municipality,
        'value' => round($item->value, 2),
        'farmer_count' => $farmerCount,
    ];
});

// Calculate statistics
$values = $data->pluck('value')->filter(fn($v) => $v > 0);

return response()->json([
    'success' => true,
    'data' => $data,
    'metadata' => [
        'crop' => $crop,
        'year' => $year,
        'view' => $view,
        'farm_type' => $farmType,
        'min' => $values->min() ?? 0,
        'max' => $values->max() ?? 0,
        'avg' => round($values->avg() ?? 0, 2),
        'total' => round($values->sum(), 2),
        'farmer_total' => $farmerCounts->sum('farmer_count'),
        'unit' => $this->getUnit($view)
    ],
    'farmer_counts' => $farmerCounts->values(),
]);
```

Relevant Code C. This snippet filters agricultural data according to crop, year, farm type, and selected map view. The information is grouped by municipality and returned with summarized statistics for presentation on the interactive map.



Crop Data Management

```
public function store(Request $request)
{
    $validated = $request->validate([
        'municipality' => 'required|string|max:100',
        'farm_type' => 'required|string|in:IRRIGATED,RAINFED',
        'year' => 'required|integer|min:2000|max:2100',
        'month' => 'required|string|max:20',
        'crop' => 'required|string|max:100',
        'area_planted' => 'nullable|numeric|min:0',
        'area_harvested' => 'nullable|numeric|min:0',
        'production' => 'nullable|numeric|min:0',
        'productivity' => 'nullable|numeric|min:0',
    ]);

    $validated['municipality'] = strtoupper($validated['municipality']);
    $validated['farm_type'] = strtoupper($validated['farm_type']);
    $validated['month'] = strtoupper($validated['month']);
    $validated['crop'] = strtoupper($validated['crop']);

    CropProduction::create($validated);

    return redirect()->back()->with('success', 'Crop data added successfully!');
}
```

Relevant Code D. This snippet validates and stores an agricultural production record entered by the DA Administrator. Selected values are standardized before the record is saved.



Actual-Harvest Record

Database Migration

```
return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('farmer_calendar_events', function (Blueprint $table) {
            $table->id();
            $table->foreignId('user_id')->constrained()->onDelete('cascade');
            $table->date('event_date');
            $table->enum('event_type', ['note', 'reminder'])->default('note');
            $table->string('title');
            $table->text('description')->nullable();
            $table->string('category')->nullable(); // pest, harvest, planting, fertilizer, weather, other
            $table->string('crop')->nullable();
            $table->time('reminder_time')->nullable();
            $table->boolean('reminder_sent')->default(false);
            $table->boolean('is_completed')->default(false);
            $table->timestamps();

            $table->index(['user_id', 'event_date']);
            $table->index(['event_type', 'reminder_sent']);
        });
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('farmer_calendar_events');
    }
};
```

Relevant Code E. This snippet creates the farmer_calendar_events table and defines the fields, user relationship, and indexes used to store and retrieve Farmers' crop activities, calendar entries, and reminders.



Appendix K

User Manual

GETTING STARTED


Access Harviana in three steps

Open the platform, sign in with an authorized account, or register as a new Farmer.




01 Open Harviana

Visit harviana.app and select the login or registration option.



02 Sign in

Enter the registered email address and password, then select Sign In.



03 Create an account

New Farmers may enter the required information and submit the registration form.


After authentication, Harviana opens the interface assigned to the Farmer, LGU Validator, or DA Administrator role.

HARVIANA USER MANUAL • 01

FARMER

Plan a crop and review its production estimate

The Farmer Dashboard, calendar, and prediction result work together during crop planning.




01 Review the dashboard


Check active plans, reminders, crop recommendations, and upcoming activities.

02 Create a crop plan

Open the Farmer Calendar and enter the crop, area, water source, planting material, and planning date.



Calendar and crop-planning form




Review the estimated harvest date and ML-based production result before saving the plan.

HARVIANA USER MANUAL • 02

FARMER


Record field outcomes and check local conditions

Damage and harvest records strengthen monitoring, while the map connects crop information with location and weather.




01 Submit a damage report

Select the affected crop plan, enter the damaged area and cause, then attach optional evidence.



02 Record the actual harvest

Enter the harvest date, amount, unit, notes, and optional photo evidence.



03 View map and weather

Filter agricultural information and review the weather details of a selected municipality.


Damage and actual-harvest submissions remain pending until they are reviewed by the appropriate LGU Validator.

HARVIANA USER MANUAL • 03

LGU VALIDATOR

Review and decide on Farmer-submitted reports

The validation queue is limited to the LGU Validator's assigned municipality.



01 Open the queue

Filter reports by status or type and open the record that requires review.

02 Review the evidence

Check the Farmer's information, attached photo, captured location, and authenticity indicators.

03 Record the decision

Approve an acceptable report or return it with a required correction note.

04 Confirm its status

The system records the validator, date, notes, revision, and audit history.


HARVIANA USER MANUAL • 04




FARMER

Record field outcomes and check local conditions


Damage and harvest records strengthen monitoring, while the map connects crop information with location and weather.

**01 Submit a damage report**

Select the affected crop plan, enter the damaged area and cause, then attach optional evidence.

**02 Record the actual harvest**

Enter the harvest date, amount, unit, notes, and optional photo evidence.

**03 View map and weather**

Filter agricultural information and review the weather details of a selected municipality.


Damage and actual-harvest submissions remain pending until they are reviewed by the appropriate LGU Validator.

HARVIANA USER MANUAL • 03


FARMER

Record field outcomes and check local conditions


Damage and harvest records strengthen monitoring, while the map connects crop information with location and weather.

**01 Submit a damage report**

Select the affected crop plan, enter the damaged area and cause, then attach optional evidence.

**02 Record the actual harvest**

Enter the harvest date, amount, unit, notes, and optional photo evidence.

**03 View map and weather**

Filter agricultural information and review the weather details of a selected municipality.

Damage and actual-harvest submissions remain pending until they are reviewed by the appropriate LGU Validator.

HARVIANA USER MANUAL • 03



CURRICULUM VITAE

JOHNDOE AMIEL I. DELA CRUZ

📍 #96 Camp 8, Baguio City

☎ +63.977.076.5709

✉ johndosedelacruz29@gmail.com



EDUCATIONAL ATTAINMENT

Tertiary	: Bachelor of Science in Information Technology : Web Technology Track : University of the Cordilleras : Gov. Pack Rd., Baguio City : Expected Date of Graduation: September 2026
Secondary	: Umingan National High School : Umingan, Pangasinan : July 2022 : With Honors
Primary	: Marymount Montessori Academy : Umingan, Pangasinan : April 2016 : With Honors

SKILLS AND QUALIFICATIONS

- Knowledgeable in Computer Hardware Installation, Assembly, and Troubleshooting
- Knowledgeable in Technical Support Fundamentals
- Experienced in Git version control



- Basic Web Development skills with HTML, CSS, JavaScript, PHP, Laravel, and Tailwind CSS
- Skilled in Microsoft 365 productivity tools including Word, Excel, PowerPoint, and Outlook
- Committed and hardworking, with a willingness to learn and improve
- Clear and confident in written and spoken communication
- Certified in Responsive Web Design (freeCodeCamp)

SEMINARS and TRAININGS ATTENDED

- Google Technical Support Fundamentals
May 8, 2025
Coursera Online Training
- Responsive Web Design Training
December 11, 2023
FreeCodeCamp Online Training
- ADSE SAP Analytics Cloud workshop
May 31, 2025
University of the Cordilleras

PERSONAL INFORMATION

Date of Birth	: January 29, 2004
Age	: 21 years old
Height	: 5'4"
Weight	: 60 kgs.



LORD ALFREY T. BATERINA

📍 #69 Purok 8, Irisan, Baguio City

☎ +63.992.024.9564

✉ baterinalordalfrey8@gmail.com



EDUCATIONAL ATTAINMENT

Tertiary	: Bachelor of Science in Information Technology : Web Technology Track : University of the Cordilleras : Gov. Pack Rd., Baguio City : Expected Date of Graduation: September 2026
Secondary	: Kalinga State University : Bulanao, Tabuk City, Kalinga : June 2022
Primary	: Bulanao Central School : Bulanao, Tabuk City, Kalinga : May 2016

SKILLS AND QUALIFICATIONS

- Applied HTML, CSS, JavaScript, and PHP to build responsive web pages, troubleshoot code, and implement dynamic features.
- Collaborated on team projects using Git for version control, ensuring clean code and cross-browser compatibility Experienced in Git version control.
- Basic understanding of the Laravel Framework.
- Utilized Excel to input and format data, create simple spreadsheets, and



apply basic formulas.

- Drafted and formatted documents in Word, such as letters, meeting minutes, and basic reports, with attention to formatting consistency.
- Assisted in designing straightforward PowerPoint slides for class projects or team updates, incorporating text, images, and charts.
- Intermediate understanding of Computer hardware and basic troubleshooting.
- Completed the freeCodeCamp Responsive Web Design certification, which covered mobile-first design concepts, HTML, and CSS.
- Enthusiastic team player who adapts easily to any situation.

SEMINARS and TRAININGS ATTENDED

- No seminars or formal trainings attended yet; actively seeking opportunities to expand professional development.

PERSONAL INFORMATION

Date of Birth	: September 26, 2004
Age	: 21 years old
Height	: 5'7"
Weight	: 70 kgs.



JOJEMAY M. TAGALOG

📍 #7 Sumulong St., Holy Ghost Proper, Baguio City

☎ +63.969.232.8464

✉ jojemaytagalog@gmail.com



EDUCATIONAL ATTAINMENT

Tertiary	: Bachelor of Science in Information Technology : Network and Security Track : University of the Cordilleras : Gov. Pack Rd., Baguio City : Expected Date of Graduation: September 2026
Secondary	: Mangatarem National High School : Brgy. Pogonlombo, Mangatarem, Pangasinan : April 2018
Primary	: Remlife Dream School : Gutierrez Street, Mangatarem, Pangasinan : March 2012

SKILLS AND QUALIFICATIONS

- Knowledgeable in CISCO LAN Switches and routers, installation and configuration (CCNA 1 to CCNA 4)
- Knowledgeable in prototyping and UI/UX design using Figma
- Intermediate verbal and communication skills
- Knowledgeable in Arduino Board

**SEMINARS and TRAININGS ATTENDED**

- CCNA: Switching, Routing, and Wireless Essentials
April 2026
Cisco Networking Academy
- GDG DevFest Baguio 2025
October 18, 2025
Baguio Convention Center, Baguio City
- CCNA: Enterprise Networking, Security, and Automation
August 2025
Cisco Networking Academy
- Ethereum Devcon SEA – In Campus
February 15, 2025
University of the Cordilleras
- CCNA: Introduction to Networks
February 2024
Cisco Networking Academy

PERSONAL INFORMATION

Date of Birth	: December 25, 1999
Age	: 26 years old
Height	: 5'2"
Weight	: 44 kgs.