

# Gnuplot/C

## Reference Manual

Version 3.52

6 August, 2018

© 2018 Sigma Numerix Ltd.  
Email : [support@numerix-dsp.com](mailto:support@numerix-dsp.com)  
WWW : <http://www.numerix-dsp.com>



# Table of Contents

<b>GNUPLOT/C INTRODUCTION.....</b>	<b>3</b>
<b>GNUPLOT/C INSTALLATION.....</b>	<b>4</b>
<b>Gnuplot Installation.....</b>	<b>4</b>
Windows.....	4
MacOS.....	4
Linux.....	4
<b>Rebuilding the Library.....</b>	<b>5</b>
<b>Building The Example Programs.....</b>	<b>5</b>
<b>Modifying Gnuplot/C - Debug And Development.....</b>	<b>6</b>
<b>Gnuplot Usability Suggestions.....</b>	<b>6</b>
Gnuplot Terminal Types.....	7
<b>GNUPLOT/C FUNCTION DESCRIPTIONS.....</b>	<b>8</b>
gpc_init_2d.....	8
gpc_init_2d_logscalex.....	9
gpc_plot_2d.....	10
gpc_init_2d_dual_plot.....	11
gpc_plot_2d_dual_plot.....	12
gpc_init_xy.....	14
gpc_plot_xy.....	15
gpc_init_pz.....	16
gpc_plot_pz.....	17
gpc_init_spectrogram.....	18
gpc_plot_spectrogram.....	19
gpc_init_image.....	20
gpc_plot_image.....	21
gpc_init_polar.....	22
gpc_plot_polar.....	23
gpc_close.....	24
<b>LICENSE.....</b>	<b>25</b>

## **Gnuplot/C Introduction**

Gnuplot/C is an open source C/C++ interface library for the Gnuplot application : <http://www.gnuplot.info>. Gnuplot/C has been developed and tested under UNIX (Linux) and Windows. It is available from <http://www.numerix-dsp.com/files> or <https://sourceforge.net/projects/gnuplotc/>.

The API is based on the original Numerix Host Library (NHL) that was written in the early 1990s for Microsoft MS/DOS using the Microsoft and Borland C compilers. The API has been updated to change the underlying API to more closely match that of Gnuplot for example the 2D graph types point, line and stem are now “point”, “line” and “impulse” respectively. The original NHL colour #defines are now replaced by the Gnuplot colors which can be found by performing the following command in Gnuplot :

```
gnuplot> show colornames
```

Note : please accept our apologies for mixing the spellings of the words colour and color in this library. It is for purely historical reasons that the original library and documentation used the spelling colour but Gnuplot uses color.

Gnuplot/C supports multiple plots and multiple datasets (graphs) within a plot.

The maximum number of graphs supported on a plot is 100 but this can be changed by modifying the `#define MAX_NUM_GRAPHS` in `gpcPlot.h`. The maximum number of plots is unlimited. Unlike NHL there is no limit to the maximum number of points in a dataset.

The general strategy used for managing Gnuplot is to open a separate pipe to independent Gnuplot instances, for each plot required.

Options for creating new graphs and then subsequently adding graphs to a plot are to use the following two modes :

GPC\_NEW - Used to indicate the first graph in a plot

GPC\_ADD - Used to indicate subsequent graphs added to a plot

If a graph contains existing plots then using GPC\_NEW results in the existing graphs to be removed and replaced with the new graph.

The original NHL graph types of line, stem and point are now replaced by the Gnuplot versions “lines” “impulses” and “points”. It is now possible to use any of the additional Gnuplot plot styles such as “linespoints” and “steps”. In addition it is also possible to include further Gnuplot style controls for example to specify circular points of size 1.5 use the following function parameter :

```
"points pt 7 ps 1.5",
```

## **Gnuplot/C Installation**

Ensure Gnuplot is installed on your computer (see below for Gnuplot installation instructions).

Extract Gnuplot/C into a folder.

Ensure that the Gnuplot/C folder is registered in the INCLUDE and LIB environment variables so that your compiler can locate the header and library files.

Use make (or gmake) to build the library.

Move to the examples directory, build one and run it.

## **Gnuplot Installation**

### **Windows**

---

Download and install Gnuplot from <http://www.gnuplot.info/download.html>.

Ensure that the Gnuplot binary folder is registered in the PATH environment variable so that you can call the Gnuplot executable from any folder.

### **MacOS**

---

Source : <http://stackoverflow.com/questions/13001847/wxt-terminal-for-gnuplot-on-mac-os-x>

Note : After this I had to reboot MacOS to enable Gnuplot to recognize the new terminal types.

Note : Some OSX installations may struggle with this installation procedure. Please refer to this blog entry for further details :

<http://blog.numerix-dsp.com/2017/01/gnuplotc-on-mac.html>

### **Linux**

---

Under Linux you need to install both Gnuplot and Gnuplot-X11 :

```
sudo apt-get install gnuplot
sudo apt-get install gnuplot-x11
```

## Rebuilding the Library

This library has been developed and tested using Microsoft 64 bit Visual C/C++ Express, GCC under Cygwin and GCC under Ubuntu v16.

To rebuild the library under Windows, using the Microsoft compiler, you can use the following batch files :

mbuildlib.bat - Release mode  
mbuildlibd.bat - Debug mode, enables Gnuplot debug output

To rebuild the library under Windows, using the Cygwin GCC compiler, you can use the following batch files :

gcc\_win\_buildlib.bat - Release mode  
gcc\_win\_buildlibd.bat - Debug mode, enables Gnuplot debug output

To rebuild the library under Linux you can use the following shell script files :

makefile.lx - Release mode

The functions are little more than parsers that output text values via pipes so this library can be used under any operating system to which Gnuplot is ported.

### IMPORTANT

AFTER INSTALLATION PLEASE ENSURE THAT THE LIBRARY SRC DIRECTORY IS INCLUDED IN THE COMPILER; LIBRARY AND INCLUDE PATHS.

## Building The Example Programs

The examples are located in the gnuplot\_c/examples folder. To rebuild and execute the examples under Windows, using the Microsoft compiler, you can use the following batch files :

mbr.bat - Release mode  
mbrd.bat - Debug mode, enables Gnuplot debug output

To rebuild and execute the examples under Windows, using the Cygwin GCC compiler, you can use the following batch files :

gbr.bat - Release mode

To rebuild the LinesAndPoints example under Linux, using the GCC compiler, you can use the following command :

```
gcc LinesAndPoints.c -I ../src -L ../src -l gnuplot_c -o LinesAndPoints
```

## Modifying Gnuplot/C - Debug And Development


By default the library pipes the text output from Gnuplot to `null` (`nul` in Windows). This improves plotting performance because Gnuplot doesn't then echo the commands received, via the pipe, to the screen. If you wish to modify this library and debug your changes then a really useful tip is to use Gnuplot without output redirection so that the commands can be viewed in Gnuplot.

The `#define GPC_DEBUG` in `gpcPlot.h` can be set to `'1'` to enable command viewing or this can be defined on the compiler command line by using the following compiler option :

```
-D "GPC_DEBUG=1"
```

## Gnuplot Usability Suggestions

By default Gnuplot brings the plot window to the front, which takes control away from the application generating the plot. In order to stop Gnuplot from doing this open the Configuration Dialog from any Gnuplot plot window and uncheck the tick box entitled : "Put the window at the top of your desktop after each plot (raise)" :



Click OK to save this configuration.

## Gnuplot Terminal Types

---

When plotting data using Gnuplot/C you may find that Gnuplot reports that the chosen terminal is an unknown terminal type. Gnuplot/C uses the following terminal types :

Runtime/Compiler Environment	Gnuplot Terminal Type
Windows (Microsoft Visual C/C++)	wxt
Windows (Cygwin/GCC)	qt
Linux/OSX	wxt

If you wish to use a different combination then the Gnuplot terminal type can be modified by changing the GPC\_TERM #define in the compiler specific section at the top of gnuplot\_c.c file.

It is also possible to install the wxWidgets v2.8 library and dependencies using the following commands.

Ubuntu Linux :

```
sudo apt-get install libcairo2-dev libpango1.0-dev
sudo add-apt-repository ppa:nilarimogard/webupd8
sudo apt-get update
sudo apt-get install python-wxgtk2.8
```

```
sudo add-apt-repository ppa:nilarimogard/webupd8
sudo apt-get update
sudo apt-get install python-wxgtk2.8
```

Under OSX you should uninstall your current version of Gnuplot and then install the +wxt variant.

```
port variants gnuplot to list available variants.
sudo port install gnuplot +wxwidgets
```

## Gnuplot/C Function Descriptions

---

### gpc\_init\_2d

#### FUNCTION NAME

gpc\_init\_2d

#### FUNCTION PROTOTYPE AND PARAMETER DESCRIPTION

h_GPC_Plot *gpc_init_2d (const char *plotTitle,	Plot title
const char *xLabel,	X axis label
const char *yLabel,	Y axis label
const double scalingMode,	Scaling mode
const enum gpcPlotSignMode signMode,	Sign mode
const enum gpcKeyMode keyMode);	Legend / key mode

#### FUNCTION DESCRIPTION

Initialize the 2D plot function and returns a handle to a new plot.

#### NOTES ON USE

scalingMode is either the maximum value on the Y axis or GPC\_AUTO\_SCALE which auto scales the Y axis.

signMode should be set to either GPC\_SIGNED, GPC\_POSITIVE or GPC\_NEGATIVE depending on whether the plot should display signed (positive and negative) or only positive or only negative numbers.

keyMode should be set to either GPC\_KEY\_DISABLE or GPC\_KEY\_ENABLE depending on whether or not the key/legend is required.



**FUNCTION NAME**

`gpc_init_2d_logscalex`

**FUNCTION PROTOTYPE AND PARAMETER DESCRIPTION**

<code>h_GPC_Plot *gpc_init_2d (const char *plotTitle,</code>	Plot title
<code>const char *xLabel,</code>	X axis label
<code>const char *yLabel,</code>	Y axis label
<code>const double scalingMode,</code>	Scaling mode
<code>const enum gpcPlotSignMode signMode,</code>	Sign mode
<code>const enum gpcKeyMode keyMode);</code>	Legend / key mode

**FUNCTION DESCRIPTION**

Initialize the 2D plot function and returns a handle to a new plot.

**NOTES ON USE**

`scalingMode` is either the maximum value on the Y axis or `GPC_AUTO_SCALE` which auto scales the Y axis.

`signMode` should be set to either `GPC_SIGNED`, `GPC_POSITIVE` or `GPC_NEGATIVE` depending on whether the plot should display signed (positive and negative) or only positive or only negative numbers.

`keyMode` should be set to either `GPC_KEY_DISABLE` or `GPC_KEY_ENABLE` depending on whether or not the key/legend is required.

**FUNCTION NAME**`gpc_plot_2d`**FUNCTION PROTOTYPE AND PARAMETER DESCRIPTION**

<code>int gpc_plot_2d (h_GPC_Plot *plotHandle,</code>	Plot handle
<code>    const double *pData,</code>	Dataset pointer
<code>    const int graphLength,</code>	Dataset length
<code>    const char *pDataName,</code>	Dataset title
<code>    const double xMin,</code>	Minimum X value
<code>    const double xMax,</code>	Maximum X value
<code>    const char *plotType,</code>	Plot type
<code>    const char *pColour,</code>	Colour
<code>    const enum gpcNewAddGraphMode addMode);</code>	Add / new mode

**FUNCTION DESCRIPTION**

Plots the dataset onto the 2D graph.

**NOTES ON USE**

`plotHandle` is the plot created with the `init` function.

`plotType` is one of the standard Gnuplot plot types e.g. "lines", "points", "impulses", "linespoints", "steps" etc.

`pColour` is a standard Gnuplot color string e.g. "blue". Use `gnuplot> show colornames` to see available colours.

`addMode` should be set to either `GPC_NEW` or `GPC_ADD` depending on whether or not this is a new graph or the dataset should be added to an existing plot.

FUNCTION NAME

gpc\_init\_2d\_dual\_plot

FUNCTION PROTOTYPE AND PARAMETER DESCRIPTION

h\_GPC\_Plot \*gpc\_init\_2d\_dual\_plot (const char \*plotTitle,           Plot title  
  const enum gpcKeyMode keyMode);           Legend / key mode

FUNCTION DESCRIPTION

Initialize the 2D dual plot function and returns a handle to a new plot.

NOTES ON USE

keyMode should be set to either GPC\_KEY\_DISABLE or GPC\_KEY\_ENABLE depending on whether or not the key/legend is required.

## FUNCTION NAME

`gpc_plot_2d_dual_plot`

## FUNCTION PROTOTYPE AND PARAMETER DESCRIPTION

<code>int gpc_plot_2d_dual_plot (h_GPC_Plot *plotHandle,</code>	Plot handle
<code>    const char *xLabel,</code>	X axis label
<code>    const double xMin,</code>	Minimum X value
<code>    const double xMax,</code>	Maximum X value
<code>    const double *pData1,</code>	Dataset #1 pointer
<code>    const char *pDataName1,</code>	Dataset #1 title
<code>    const char *plotType1,</code>	Dataset #1 Plot type -
<code>    "lines", "points", "impulses", "linespoints"</code>	
<code>    const char *pColour1,</code>	Dataset #1 Colour - Use
<code>gnuplot&gt; show colornames to see available colours</code>	
<code>    const char *yLabel1,</code>	Dataset #1 Y axis label
<code>    const double scalingMode1,</code>	Dataset #1 Scaling mode
<code>    const enum gpcPlotSignMode signMode1,</code>	Dataset #1 Sign mode -
<code>signed, positive, negative</code>	
<code>    const double *pData2,</code>	Dataset #2 pointer
<code>    const char *pDataName2,</code>	Dataset #2 title
<code>    const char *plotType2,</code>	Dataset #2 Plot type -
<code>    "lines", "points", "impulses", "linespoints"</code>	
<code>    const char *pColour2,</code>	Dataset #2 Colour - Use
<code>gnuplot&gt; show colornames to see available colours</code>	
<code>    const char *yLabel2,</code>	Dataset #2 Y axis label
<code>    const double scalingMode2,</code>	Dataset #2 Scaling mode
<code>    const enum gpcPlotSignMode signMode2,</code>	Dataset #2 Sign mode -
<code>signed, positive, negative</code>	
<code>    const int graphLength);</code>	Dataset lengths

## FUNCTION DESCRIPTION

Plots the dataset onto the 2D graph.

## NOTES ON USE

`plotHandle` is the plot created with the `init` function.

`plotType` is one of the standard Gnuplot plot types e.g. "lines", "points", "impulses", "linespoints", "steps" etc.

`pColour` is a standard Gnuplot color string e.g. "blue". Use `gnuplot> show colornames` to see available colours.

scalingMode is either the maximum value on the Y axis or GPC\_AUTO\_SCALE which auto scales the Y axis.

signMode should be set to either GPC\_SIGNED, GPC\_POSITIVE or GPC\_NEGATIVE depending on whether the plot should display signed (positive and negative) or only positive or only negative numbers.

**FUNCTION NAME**

`gpc_init_xy`

**FUNCTION PROTOTYPE AND PARAMETER DESCRIPTION**

<code>h_GPC_Plot *gpc_init_xy (const char *plotTitle,</code>	Plot title
<code>const char *xLabel,</code>	X axis label
<code>const char *yLabel,</code>	Y axis label
<code>const double dimension,</code>	Dimension - this is square
<code>const enum gpcKeyMode keyMode);</code>	Legend / key mode

**FUNCTION DESCRIPTION**

Initialize the XY plot function and returns a handle to a new plot.

**NOTES ON USE**

`keyMode` should be set to either `GPC_KEY_DISABLE` or `GPC_KEY_ENABLE` depending on whether or not the key/legend is required.

**FUNCTION NAME****gpc\_plot\_xy****FUNCTION PROTOTYPE AND PARAMETER DESCRIPTION**

<code>int gpc_plot_xy (h_GPC_Plot *plotHandle,</code>	Plot handle
<code>const ComplexRect_s *pData,</code>	Dataset pointer
<code>const int graphLength,</code>	Dataset length
<code>const char *pDataName,</code>	Dataset title
<code>const char *plotType,</code>	Plot type
<code>const char *pColour,</code>	Colour
<code>const enum gpcNewAddGraphMode addMode);</code>	Add / new mode

**FUNCTION DESCRIPTION**

Plots the dataset onto the XY graph.

**NOTES ON USE**

`plotHandle` is the plot created with the `init` function.

`plotType` is one of the standard Gnuplot plot types e.g. "lines", "points", "impulses", "linespoints", "steps" etc.

`pColour` is a standard Gnuplot color string e.g. "blue". Use `gnuplot> show colornames` to see available colours.

`addMode` should be set to either `GPC_NEW` or `GPC_ADD` depending on whether or not this is a new graph or the dataset should be added to an existing plot.

The complex data type is defined as :

```
typedef struct                                // Complex data type
{
    double  real;
    double  imag;
} ComplexRect_s;
```

FUNCTION NAME

`gpc_init_pz`

FUNCTION PROTOTYPE AND PARAMETER DESCRIPTION

<code>h_GPC_Plot *gpc_init_pz (const char *plotTitle,</code>	Plot title
<code>const double dimension,</code>	Dimension - this is square
<code>const enum gpcKeyMode keyMode);</code>	Legend / key mode

FUNCTION DESCRIPTION

Initialize the pole-zero plot function and returns a handle to a new plot.

NOTES ON USE

`keyMode` should be set to either `GPC_KEY_DISABLE` or `GPC_KEY_ENABLE` depending on whether or not the key/legend is required.



**FUNCTION NAME****gpc\_plot\_pz****FUNCTION PROTOTYPE AND PARAMETER DESCRIPTION**

<code>int gpc_plot_pz (h_GPC_Plot *plotHandle,</code>	Plot handle
<code>const ComplexRect_s *pData,</code>	Dataset pointer
<code>const int graphLength,</code>	Dataset length
<code>const char *pDataName,</code>	Dataset title
<code>const enum gpcPoleZeroMode poleZeroMode,</code>	Pole-zero mode
<code>const enum gpcNewAddGraphMode addMode);</code>	Add / new mode

**FUNCTION DESCRIPTION**

Plots the dataset onto the pole-zero graph.

**NOTES ON USE**

`plotHandle` is the plot created with the `init` function.

`poleZeroMode` should be set to either is one of the standard Gnuplot plot types e.g. `"GPC_COMPLEX_POLE"`, `"GPC_CONJUGATE_POLE"`, `"GPC_COMPLEX_ZERO"` or `"GPC_CONJUGATE_ZERO "` depending on what the data values represent.

`addMode` should be set to either `GPC_NEW` or `GPC_ADD` depending on whether or not this is a new graph or the dataset should be added to an existing plot.

The complex data type is defined as :

```
typedef struct                // Complex data type
{
    double  real;
    double  imag;
} ComplexRect_s;
```

**FUNCTION NAME**`gpc_init_spectrogram`**FUNCTION PROTOTYPE AND PARAMETER DESCRIPTION**

```
h_GPC_Plot * gpc_init_spectrogram (const char *plotTitle, Plot title
    const char *xLabel,           X axis label
    const char *yLabel,           Y axis label
    const int xAxisLength,        X axis length
    const int yAxisLength,        Y axis length
    const double yMin,            Minimum Y value
    const double yMax,            Maximum Y value
    const double zMin,            Minimum Z value
    const double zMax,            Maximum Z value
    const char *colourPalette,    Colour colourPalette
    const enum gpcKeyMode keyMode); Legend / key mode
```

**FUNCTION DESCRIPTION**

Initialize the spectrogram plot function and returns a handle to a new plot.

**NOTES ON USE**

colourPalette can be set to either of the standard palettes `GPC_MONOCHROME` or `GPC_COLOUR` or you can supply your own palette in the following Gnuplot format :

```
"set palette defined (0 'black', 1 'blue', 2 'red', 3
'yellow', 4 'white')"
```

keyMode should be set to either `GPC_KEY_DISABLE` or `GPC_KEY_ENABLE` depending on whether or not the key/legend is required.

**FUNCTION NAME**

gpc\_plot\_spectrogram

**FUNCTION PROTOTYPE AND PARAMETER DESCRIPTION**

int gpc_plot_spectrogram (h_GPC_Plot *plotHandle,	Plot handle
const double *pData,	Dataset pointer
const char *pDataName,	Dataset title
const double xMin,	Minimum X value
const double xMax);	Maximum X value

**FUNCTION DESCRIPTION**

Plots the dataset onto the spectrogram.

**NOTES ON USE**

Spectrogram plots plot by column, rather than row as per a standard 2D image.

plotHandle is the plot created with the init function.

This function can support spectrogram datasets that do not fill up the complete X axis range specified in gpc\_init\_spectrogram but passing the virtual pointer "GPC\_END\_PLOT" to the function as the data array pointer. For example :

```
gpc_plot_spectrogram (hSpectrogram, // Graph handle
                      GPC_END_PLOT, // Dataset pointer
                      "Plot Title", // Dataset title
                      X_MIN, // Minimum X value
                      X_MAX); // Maximum X value
```

**FUNCTION NAME****gpc\_init\_image****FUNCTION PROTOTYPE AND PARAMETER DESCRIPTION**

<code>h_GPC_Plot *gpc_init_image (char *plotTitle,</code>	Plot title
<code>const int xAxisLength,</code>	X axis length
<code>const int yAxisLength,</code>	X axis length
<code>const unsigned int zMin,</code>	Minimum Z value
<code>const unsigned int zMax,</code>	Maximum Z value
<code>const char *colourPalette,</code>	Colour colourPalette
<code>const enum gpcKeyMode keyMode);</code>	Legend / key mode

**FUNCTION DESCRIPTION**

Initialize the image plot function and returns a handle to a new plot.

**NOTES ON USE**

colourPalette can be set to either of the standard palettes `GPC_MONOCHROME` or `GPC_COLOUR` or you can supply your own palette in the following Gnuplot format :

If `zMin` and `zMax` are both set to “`GPC_IMG_AUTO_SCALE`” then the image will autoscale the z axis values.

```
"set palette defined (0 'black', 1 'blue', 2 'red', 3  
'yellow', 4 'white')"
```

keyMode should be set to either `GPC_KEY_DISABLE` or `GPC_KEY_ENABLE` depending on whether or not the key/legend is required.

FUNCTION NAME

gpc\_plot\_image

FUNCTION PROTOTYPE AND PARAMETER DESCRIPTION

int gpc_plot_image (const h_GPC_Plot *plotHandle,	Plot handle
const unsigned char *pData,	Dataset pointer
const char *pDataName);	Dataset title

FUNCTION DESCRIPTION

Plots the dataset onto the image graph.

NOTES ON USE

plotHandle is the plot created with the init function.

**FUNCTION NAME**

gpc\_init\_polar

**FUNCTION PROTOTYPE AND PARAMETER DESCRIPTION**

h_GPC_Plot *gpc_init_polar (const char *plotTitle,	Plot title
const double gMin,	Minimum gain value
const double gMax,	Maximum gain value
const enum gpcKeyMode keyMode);	Legend / key mode

**FUNCTION DESCRIPTION**

Initialize the polar plot function and returns a handle to a new plot.

**NOTES ON USE**

**FUNCTION NAME**

gpc\_plot\_polar

**FUNCTION PROTOTYPE AND PARAMETER DESCRIPTION**

int gpc_plot_polar (h_GPC_Plot *plotHandle,	Plot handle
const double *pAngles,	Angles dataset pointer
const double *pGains,	Gains dataset pointer
const int graphLength,	Dataset length
const char *pDataName,	Dataset title
const char *plotType,	Plot type
const char *pColour,	Colour
const enum gpcNewAddGraphMode addMode);	Add / new mode

**FUNCTION DESCRIPTION**

Plots the dataset onto the polar plot.

**NOTES ON USE**

plotHandle is the plot created with the init function.

**FUNCTION NAME**

gpc\_close

**FUNCTION PROTOTYPE AND PARAMETER DESCRIPTION**

void gpc\_close (h\_GPC\_Plot \*);                      Plot handle

**FUNCTION DESCRIPTION**

Plots closes the plot, frees all associated memory and closes the Gnuplot window.

**NOTES ON USE**

plotHandle is the plot created with the init function.



## **License**

Gnuplot/C is provided under the terms of the MIT license.

MIT License

Copyright (c) 2018, Sigma Numerix Ltd

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.