

Opportunity OS — Full Schema, Logic, Workflow, and Feature Specification

Version: 1.0

Date: April 2026

Status: Living Document

Audience: Product, Design, Engineering

Table of Contents

1. [Executive Overview](#)
 2. [Full Schema](#)
 3. [Per-Feature Logic](#)
 4. [Full Workflow Map](#)
 5. [Per-Feature Specification](#)
 6. [Permissions and Control Layers](#)
 7. [Master Database Intelligence Model](#)
 8. [UX Logic](#)
 9. [Open Gaps / Risks / Needed Decisions](#)
 10. [Appendices](#)
-

1. Executive Overview

What Opportunity OS Is

Opportunity OS is a mobile-first CRM platform designed for relationship-driven sales teams operating in **Healthcare** and **Government Contracting (GovCon)** verticals. Unlike generic CRMs, it is purpose-built around the relationship intelligence and organizational hierarchy patterns specific to these markets.

The app is built as an Expo React Native application (iOS, Android, and Web), backed by an Express API server and a PostgreSQL database managed via Drizzle ORM.

Core Operating Model

Opportunity OS follows a **dual-tier intelligence model**:

- **Workspace tier:** Each client organization gets a private workspace. All CRM data — contacts, organizations, pipelines, opportunities, notes, tasks — lives here. This is the user's daily working environment.
- **Master Database tier:** Canonical reference data curated and maintained by the Opportunity OS platform team. Includes verified master organizations, master contacts, healthcare CMS overlays, GovCon identifiers, and relationship graph data. Workspace data can be "promoted" to the Master Database after admin review.


This separation ensures that client data remains isolated while the platform accumulates a growing intelligence layer that benefits all workspaces.

Admin vs Client Workspace Model

Layer	Who	Access
Platform Admin	Opportunity OS staff	Full system access via <code>isPlatformAdmin</code> flag; manages master DB, AI suggestions, promotion queue, onboarding sessions
Workspace Owner/Admin	Client team leads	Manage their workspace: invite members, configure pipelines, approve business cards, manage organizations
Workspace Member	Client sales reps	Read/write CRM data within their workspace; cannot manage workspace settings

The platform admin console is a separate, authenticated section of the same Expo app (route prefix `/admin/`), protected by `platformAdminMiddleware.ts`.

Master Database vs Workspace Database Relationship



▼
Master Org AI Suggestions (enrichment overlays)

Workspace organizations can be linked to master organizations via `masterOrganizationId`. This link is set by the platform admin after promotion review, not automatically by the system.

2. Full Schema

2.1 Enums Reference

Identity / Auth Enums

Enum	Values
<code>workspace_role</code>	<code>OWNER</code> , <code>ADMIN</code> , <code>MEMBER</code>

Organization Enums

Enum	Values
<code>organization_type</code>	<code>HOSPITAL</code> , <code>HEALTH_SYSTEM</code> , <code>HOSPICE</code> , <code>HOME_HEALTH</code> , <code>GOVERNMENT_AGENCY</code> , <code>PRIME_CONTRACTOR</code> , <code>SUBCONTRACTOR</code> , <code>CONSULTANT</code> , <code>VENDOR</code> , <code>OTHER</code>
<code>organization_level</code>	<code>enterprise</code> , <code>group</code> , <code>facility</code>
<code>account_structure_type</code>	<code>enterprise</code> , <code>parent</code> , <code>regional</code> , <code>local_entity</code> , <code>facility</code>
<code>org_vertical</code>	<code>healthcare</code> , <code>govcon</code> , <code>general_business</code> , <code>government</code> , <code>nonprofit</code> , <code>vendor</code> , <code>other</code>
<code>primary_decision_level</code>	<code>enterprise</code> , <code>parent</code> , <code>regional</code> , <code>local</code>
<code>hierarchy_source_type</code>	<code>MASTER_DATABASE</code> , <code>EXTERNAL_ENRICHMENT</code> , <code>LLM_SYNTHESIS</code> , <code>HUMAN_CONFIRMED</code>

Contact Enums

Enum	Values
<code>contact_status</code>	<code>NEW</code> , <code>REVIEWED</code> , <code>ACTIVE</code> , <code>INACTIVE</code>
<code>stakeholder_role</code>	<code>DECISION_MAKER</code> , <code>INFLUENCER</code> , <code>CHAMPION</code> , <code>BLOCKER</code> , <code>OTHER</code>

influence_level	LOW , MEDIUM , HIGH
relationship_strength_label	COLD , DEVELOPING , STRONG , STRATEGIC

Opportunity Enums

Enum	Values
opportunity_status	OPEN , WON , LOST , ON_HOLD
opportunity_vertical	HEALTHCARE , GOVCON , CONSULTING , PARTNERSHIP

Task / Activity Enums

Enum	Values
task_priority	LOW , MEDIUM , HIGH
task_status	OPEN , IN_PROGRESS , COMPLETED , CANCELED
activity_type	CALL , EMAIL , MEETING , CARD_SCAN , NOTE , FOLLOW_UP , EVENT , INTRO , LOGO_SCAN , ORG_ENRICHMENT , STRUCTURE_SCAN_STARTED , STRUCTURE_SUGGESTED , STRUCTURE_APPROVED , STRUCTURE_REJECTED

Business Card Enums

Enum	Values
card_processing_status	UPLOADED , PARSING , PARSED , FAILED
card_review_status	PENDING_REVIEW , APPROVED , REJECTED , MERGED

Organization Scan Enums

Enum	Values
org_scan_processing_status	UPLOADED , PARSING , PARSED , MATCHED , FAILED
org_scan_review_status	PENDING_REVIEW , APPROVED , REJECTED
admin_org_scan_processing_status	UPLOADED , PARSING , PARSED , MATCHED , FAILED
admin_org_scan_review_status	PENDING_REVIEW , APPROVED , REJECTED

Pipeline Enums

Enum	Values
------	--------

pipeline_view_template_status	draft , active , inactive , archived
-------------------------------	--------------------------------------

Master Organization Enums

Enum	Values
master_relationship_type	SUBSIDIARY , REGIONAL , DBA , AFFILIATED
master_relationship_review_status	PENDING_REVIEW , APPROVED , REJECTED
master_org_industry	HEALTHCARE , GOVCON , GENERAL_BUSINESS
master_account_structure_type	ENTERPRISE , REGIONAL , FACILITY , SUB_FACILITY , GENERAL_ORG
master_validation_status	UNVALIDATED , PARTIALLY_VALIDATED , VALIDATED , REQUIRES_REVIEW
master_alias_type	DBA , ACQUIRED_BRAND , ABBREVIATION , FORMER_NAME , VARIANT
master_org_ai_suggestion_status	PENDING , APPROVED , REJECTED

Master Contact Enums

Enum	Values
master_contact_role	DECISION_MAKER , INFLUENCER , CHAMPION , BLOCKER , OTHER
master_contact_influence	LOW , MEDIUM , HIGH
master_contact_validation_status	UNVALIDATED , VALIDATED , REQUIRES_REVIEW
promotion_entity_type	ORG , CONTACT , NOTE
promotion_change_type	CREATED , UPDATED , NOTE_ADDED
promotion_status	PENDING , APPROVED_NEW , APPROVED_MERGE , APPROVED_LINK , REJECTED

Onboarding Enums

Enum	Values
onboarding_session_status	DRAFT , INTAKE , AWAITING_RECOMMENDATION , NORMALIZING , REVIEW , LOCKED , PROVISIONING , PROVISIONED , FAILED
onboarding_client_type	SINGLE_USER , SMALL_TEAM , ENTERPRISE
provisioning_step_key	CREATE_WORKSPACE , ASSIGN_PLAN , CREATE_MEMBERSHIPS , APPLY_VERTICAL_CONFIG , ENABLE_SERVICE_LINES , ENABLE_ADD_ONS , PUBLISH_PIPELINE_TEMPLATES , SEED_CONTACT_ROLES , SEED_TAGS , SEED_SAVED_VIEWS , SEED_DEFAULT_TASKS , SEED_ALERTS ,

	CREATE_LAUNCH_CHECKLIST , SEND_INVITE_EMAILS , RECORD_AUDIT_ENTRY , SNAPSHOT_HEALTH_BASELINE
provisioning_step_status	PENDING , IN_PROGRESS , COMPLETED , FAILED , SKIPPED
launch_checklist_item_status	PENDING , COMPLETED , SKIPPED
workspace_add_on_status	ACTIVE , SUSPENDED , PENDING_CONFIG
onboarding_review_item_status	PENDING , APPROVED , EDITED , REJECTED
ai_confidence_band	HIGH , MEDIUM , LOW

Structure Scan Enums

Enum	Values
structure_scan_status	PENDING , MASTER_MATCHED , EXTERNAL_SEARCHED , LLM_REVIEWED , COMPLETED , FAILED
structure_review_status	PENDING_REVIEW , APPROVED , REJECTED

Healthcare Intelligence Enums

Enum	Values
cms_verification_status_enum	MATCHED , VERIFIED , NEEDS_REVIEW , REJECTED , IMPORT_ERROR
pain_point_category	ED_BOARDING , DISCHARGE_BOTTLENECK , CARE_TRANSITION_RISK , STAFFING_PRESSURE , CAPACITY_CONSTRAINT , REVENUE_CYCLE , DOCUMENTATION_BURDEN , PATIENT_EXPERIENCE , OTHER
pain_point_severity	CRITICAL , HIGH , MEDIUM , LOW
pain_point_frequency	CONSTANT , FREQUENT , OCCASIONAL , RARE
pain_point_source_type	CMS_SIGNAL , USER_REPORTED , ADMIN_CONFIRMED , ONBOARDING_EXTRACTED , CORROBORATING_SOURCE
evidence_type	QUANTITATIVE , QUALITATIVE , ANECDOTAL , INFERRED
pain_point_verification_status	SUGGESTED , PENDING_REVIEW , VERIFIED , REJECTED
competitor_type	INCUMBENT_VENDOR , EMERGING_VENDOR , INTERNAL_SOLUTION , MANUAL_PROCESS , NO_SOLUTION , UNKNOWN
incumbent_status	CONFIRMED_INCUMBENT , SUSPECTED_INCUMBENT , FORMER_INCUMBENT , NOT_INCUMBENT
contract_status	ACTIVE_CONTRACT , MONTH_TO_MONTH , EXPIRED , UNKNOWN

<code>displacement_difficulty</code>	<code>VERY_HIGH</code> , <code>HIGH</code> , <code>MEDIUM</code> , <code>LOW</code>
<code>competitor_pain_point_relationship_type</code>	<code>CAUSED_BY</code> , <code>EXACERBATED_BY</code> , <code>MASKED_BY</code> , <code>OPPORTUNITY_ANGLE</code>

2.2 Tables by Domain

Domain: Identity

users

Column	Type	Required	Default	Notes
<code>id</code>	text (UUID)	Yes	<code>crypto.randomUUID()</code>	PK
<code>first_name</code>	text	No	—	
<code>last_name</code>	text	No	—	
<code>email</code>	text	Yes	—	Unique; normalized to lowercase
<code>password_hash</code>	text	No	—	bcrypt hash
<code>auth_provider_id</code>	text	No	—	Unique; for OAuth providers
<code>account_type</code>	text	Yes	<code>client_user</code>	
<code>is_platform_admin</code>	boolean	Yes	<code>false</code>	Guards all <code>/admin/</code> routes
<code>platform_role</code>	text	No	—	Future: sub-roles within platform team
<code>created_at</code>	timestamp	Yes	<code>now()</code>	
<code>updated_at</code>	timestamp	Yes	<code>now()</code>	Auto-updated

Domain: Workspace

workspaces

Column	Type	Required	Default	Notes
<code>id</code>	text (UUID)	Yes	<code>crypto.randomUUID()</code>	PK
<code>name</code>	text	Yes	—	Workspace/company name

<code>industry_focus</code>	text	No	—	Free text; default on signup: "Healthcare & Government Contracting"
<code>owner_user_id</code>	text (FK→users)	Yes	—	ON DELETE CASCADE
<code>created_at</code>	timestamp	Yes	<code>now()</code>	
<code>updated_at</code>	timestamp	Yes	<code>now()</code>	

workspace_members

Column	Type	Required	Default	Notes
<code>id</code>	text (UUID)	Yes	auto	PK
<code>workspace_id</code>	text (FK→workspaces)	Yes	—	ON DELETE CASCADE
<code>user_id</code>	text (FK→users)	Yes	—	ON DELETE CASCADE
<code>role</code>	<code>workspace_role</code>	Yes	MEMBER	OWNER , ADMIN , MEMBER
<code>created_at</code>	timestamp	Yes	<code>now()</code>	

workspace_admin_audit_log

Column	Type	Required	Default	Notes
<code>id</code>	text (UUID)	Yes	auto	PK
<code>workspace_id</code>	text (FK→workspaces)	Yes	—	ON DELETE CASCADE
<code>changed_by_user_id</code>	text (FK→users)	No	—	ON DELETE SET NULL
<code>changed_at</code>	timestamp	Yes	<code>now()</code>	
<code>action</code>	text	Yes	—	e.g., <code>INVITE_SENT</code> , <code>ROLE_CHANGED</code> , <code>MEMBER_REMOVED</code>
<code>entity_type</code>	text	Yes	—	e.g., <code>workspace_member</code>
<code>entity_id</code>	text	Yes	—	
<code>previous_value</code>	jsonb	No	—	Before state
<code>new_value</code>	jsonb	No	—	After state
<code>platform_support_action</code>	boolean	Yes	false	True when action taken by platform team
<code>notes</code>	text	No	—	Admin notes

Domain: CRM — Organizations

organizations

Column	Type	Required	Default	Notes
id	text (UUID)	Yes	auto	PK
workspace_id	text (FK→workspaces)	Yes	—	ON DELETE CASCADE
parent_organization_id	text (FK→organizations)	No	—	Self-referencing; DELETE SET NULL
ultimate_parent_organization_id	text (FK→organizations)	No	—	Denormalized; computed from parent chain
organization_level	organization_level	No	facility	enterprise , group , facility
account_structure_type	account_structure_type	No	—	enterprise , parent , regional local_entity , facility
vertical	org_vertical	No	—	healthcare , govcon , general_business etc.
primary_decision_level	primary_decision_level	No	—	Where buying decisions happen
name	text	Yes	—	Display name
legal_name	text	No	—	Full legal entity name
website	text	No	—	
phone	text	No	—	
email	text	No	—	
organization_type	organization_type	Yes	OTHER	
industry	text	No	—	Free text industry
sub_industry	text	No	—	
sub_vertical	text	No	—	
region_name	text	No	—	

msa_status	text	No	—	Master Service Agreement statu
system_priority_tier	text	No	—	
expansion_strategy	text	No	—	
expansion_maturity	text	No	—	
strategic_tier	text	No	—	
address_line1	text	No	—	
address_line2	text	No	—	
city	text	No	—	
state	text	No	—	
zip	text	No	—	
country	text	No	—	
notes_text	text	No	—	Inline notes (not same as notes t
owner_user_id	text (FK→users)	No	—	Account owner
outreach_owner_user_id	text (FK→users)	No	—	Who handles outreach
google_place_id	text	No	—	From logo/org s enrichment
formatted_address	text	No	—	From Google Pla
website_domain	text	No	—	Normalized dom for dedup
latitude	double precision	No	—	
longitude	double precision	No	—	
place_category	text	No	—	From Google Pla
last_enriched_at	timestamp	No	—	When data was l enriched
enrichment_source	text	No	—	Which source enriched it
master_organization_id	text	No	—	Link to master_organization (no FK constrain by admin)

hierarchy_confidence_score	double precision	No	—	0-1 score from hierarchy scan
hierarchy_last_scanned_at	timestamp	No	—	
hierarchy_last_reviewed_at	timestamp	No	—	
hierarchy_source_type	hierarchy_source_type	No	—	How the hierarchy was determined
suggested_parent_name	text	No	—	AI-suggested parent before review
suggested_ultimate_parent_name	text	No	—	AI-suggested root before review
onboarding_vertical_id	text (FK→verticals)	No	—	From onboarding config
onboarding_sub_vertical_id	text (FK→sub_verticals)	No	—	
organization_intelligence_summary	jsonb	No	—	Cached result of compute-intelligence-summary
created_at	timestamp	Yes	now()	
updated_at	timestamp	Yes	now()	

Hierarchy business rules:

- `parent_organization_id` must belong to the same workspace
- Cycle detection runs before any parent assignment
- `ultimate_parent_organization_id` is computed by walking the parent chain
- When a parent changes, `ultimate_parent_organization_id` is propagated to all descendants (depth limit: 10)

organization_ems_profiles

One-to-one overlay for EMS/interfacility transport context on an organization.

Column	Type	Required	Default	Notes
id	text (UUID)	Yes	auto	PK
organization_id	text (FK→organizations)	Yes	—	ON DELETE CASCADE
workspace_id	text (FK→workspaces)	Yes	—	ON DELETE CASCADE

primary_transport_need	text	No	—	
incumbent_provider	text	No	—	Current EMS provider
estimated_monthly_transports	integer	No	—	
payer_mix_summary	text	No	—	
las_vegas_jurisdiction_eligibility	text	No	—	City of Las Vegas jurisdiction flag
discharge_workflow_notes	text	No	—	
created_at	timestamp	Yes	now()	
updated_at	timestamp	Yes	now()	

Domain: CRM — Contacts

contacts

Column	Type	Required	Default	Notes
id	text (UUID)	Yes	auto	PK
workspace_id	text (FK→workspaces)	Yes	—	ON DELETE CASCADE
organization_id	text (FK→organizations)	No	—	ON DELETE SET NULL
first_name	text	No	—	
last_name	text	No	—	
full_name	text	Yes	—	Required; may be synthesized from first+last
title	text	No	—	Job title
department	text	No	—	
email	text	No	—	
phone	text	No	—	
mobile	text	No	—	
linkedin_url	text	No	—	
source	text	No	—	business_card , manual ,

				import , etc.
source_detail	text	No	—	Additional provenance info
status	contact_status	Yes	NEW	NEW , REVIEWED , ACTIVE , INACTIVE
notes_text	text	No	—	Inline notes
owner_user_id	text (FK→users)	No	—	ON DELETE SET NULL
stakeholder_role	stakeholder_role	No	—	Buyer role in decision process
influence_level	influence_level	No	—	
relationship_strength	integer	No	—	0-100 numeric score
relationship_strength_label	relationship_strength_label	No	—	COLD , DEVELOPING , STRONG , STRATEGIC
is_primary_relationship	boolean	Yes	false	Primary contact for org
role_notes	text	No	—	Notes on their decision-making role
master_contact_id	text (FK→master_contacts)	No	—	Link to master DB contact
created_at	timestamp	Yes	now()	
updated_at	timestamp	Yes	now()	

Domain: CRM — Opportunities and Pipelines

pipelines

Column	Type	Required	Default	Notes
id	text (UUID)	Yes	auto	PK
workspace_id	text (FK→workspaces)	Yes	—	ON DELETE CASCADE
name	text	Yes	—	

category	text	No	—	e.g., EMS for EMS-specific pipelines
created_at	timestamp	Yes	now()	

pipeline_stages

Column	Type	Required	Default	Notes
id	text (UUID)	Yes	auto	PK
pipeline_id	text (FK→pipelines)	Yes	—	ON DELETE CASCADE
name	text	Yes	—	Stage display name
stage_order	integer	Yes	—	Unique per pipeline
probability_percent	integer	Yes	0	Win probability at this stage (0–100)
created_at	timestamp	Yes	now()	

Unique constraint: (pipeline_id, stage_order)

opportunities

Column	Type	Required	Default	Notes
id	text (UUID)	Yes	auto	PK
workspace_id	text (FK→workspaces)	Yes	—	ON DELETE CASCADE
pipeline_id	text (FK→pipelines)	Yes	—	ON DELETE CASCADE
pipeline_stage_id	text (FK→pipeline_stages)	Yes	—	ON DELETE RESTRICT (prevents stage deletion if opps exist)
organization_id	text (FK→organizations)	No	—	ON DELETE SET NULL
primary_contact_id	text (FK→contacts)	No	—	ON DELETE SET NULL
title	text	Yes	—	
description	text	No	—	
vertical	opportunity_vertical	Yes	CONSULTING	
value_estimate	double precision	No	—	USD deal value
close_date_estimate	timestamp	No	—	
status	opportunity_status	Yes	OPEN	OPEN , WON , LOST , ON_HOLD
score	integer	No	—	Internal score (0–100)

source	text	No	—	How the opp was sourced
owner_user_id	text (FK→users)	No	—	ON DELETE SET NULL
stage_entered_at	timestamp	No	—	When the opp entered current stage
service_line_id	text (FK→service_lines)	No	—	ON DELETE SET NULL
onboarding_vertical_id	text (FK→verticals)	No	—	
onboarding_sub_vertical_id	text (FK→sub_verticals)	No	—	
created_at	timestamp	Yes	now()	
updated_at	timestamp	Yes	now()	

opportunity_contacts

Junction table: many contacts can be linked to one opportunity.

Column	Type	Required	Default	Notes
id	text (UUID)	Yes	auto	PK
opportunity_id	text (FK→opportunities)	Yes	—	ON DELETE CASCADE
contact_id	text (FK→contacts)	Yes	—	ON DELETE CASCADE
relationship_role	text	No	—	Their role on this specific deal

Unique constraint: (opportunity_id, contact_id)

opportunity_ems_interfacility_profiles

One-to-one overlay for EMS opportunities.

Column	Type	Required	Default	Notes
id	text (UUID)	Yes	auto	PK
workspace_id	text (FK→workspaces)	Yes	—	
opportunity_id	text (FK→opportunities)	Yes	—	ON DELETE CASCADE; UNIQUE
service_mix_bls	boolean	Yes	false	Basic Life Support
service_mix_als	boolean	Yes	false	Advanced Life Support
service_mix_cct	boolean	Yes	false	Critical Care Transport

current_provider_name	text	No	—	Who currently holds the contract
estimated_monthly_transports	integer	No	—	
payer_mix_medicare_percent	integer	No	—	0-100
payer_mix_medicaid_percent	integer	No	—	0-100
payer_mix_private_percent	integer	No	—	0-100
payer_mix_other_percent	integer	No	—	0-100
primary_pain_points	text	No	—	Free text
agreement_status	text	No	—	e.g., PENDING , SIGNED
protocol_go_live_date	timestamp	No	—	
active_consistency_start_date	timestamp	No	—	When regular transport started
active_last_qualified_transport_at	timestamp	No	—	
qualified_transports_last_30_days	integer	No	—	
avg_qualified_transports_per_week	numeric	No	—	
jurisdiction_eligibility	text	No	—	
jurisdiction_notes	text	No	—	
created_at	timestamp	Yes	now()	
updated_at	timestamp	Yes	now()	

pipeline_view_templates

Admin-managed templates for pipeline views. Published to workspaces during provisioning.

Column	Type	Required	Default	Notes
id	text (UUID)	Yes	auto	PK
key	text	Yes	—	Unique slug
name	text	Yes	—	Display name
vertical	text	Yes	—	Which vertical this is for
sub_vertical	text	No	—	
status	pipeline_view_template_status	Yes	draft	draft , active , inactive , archived

<code>is_locked</code>	boolean	Yes	<code>false</code>	Admin-locked templates cannot be edited by clients
<code>is_client_editable</code>	boolean	Yes	<code>true</code>	Whether client can modify
<code>config_json</code>	jsonb	Yes	<code>{}</code>	Template configuration
<code>created_by_user_id</code>	text (FK→users)	No	—	
<code>updated_by_user_id</code>	text (FK→users)	No	—	
<code>created_at</code>	timestamp	Yes	<code>now()</code>	
<code>updated_at</code>	timestamp	Yes	<code>now()</code>	

`workspace_pipeline_views` / `workspace_pipeline_view_permissions`

Workspace-specific instances of pipeline view templates with per-user permission overrides.

Domain: CRM — Tasks, Activities, Notes

`tasks`

Column	Type	Required	Default	Notes
<code>id</code>	text (UUID)	Yes	auto	PK
<code>workspace_id</code>	text (FK→workspaces)	Yes	—	ON DELETE CASCADE
<code>contact_id</code>	text (FK→contacts)	No	—	ON DELETE SET NULL
<code>organization_id</code>	text (FK→organizations)	No	—	ON DELETE SET NULL
<code>opportunity_id</code>	text	No	—	No FK constraint (loose reference)
<code>title</code>	text	Yes	—	
<code>description</code>	text	No	—	
<code>due_date</code>	timestamp	No	—	
<code>priority</code>	<code>task_priority</code>	Yes	<code>MEDIUM</code>	
<code>status</code>	<code>task_status</code>	Yes	<code>OPEN</code>	
<code>assigned_to_user_id</code>	text (FK→users)	No	—	ON DELETE SET NULL
<code>created_by_user_id</code>	text (FK→users)	No	—	ON DELETE SET NULL
<code>completed_at</code>	timestamp	No	—	Set when status → COMPLETED
<code>created_at</code>	timestamp	Yes	<code>now()</code>	

updated_at	timestamp	Yes	now()	
------------	-----------	-----	-------	--

activities

Column	Type	Required	Default	Notes
id	text (UUID)	Yes	auto	PK
workspace_id	text (FK→workspaces)	Yes	—	ON DELETE CASCADE
contact_id	text (FK→contacts)	No	—	ON DELETE SET NULL
organization_id	text (FK→organizations)	No	—	ON DELETE SET NULL
opportunity_id	text	No	—	Loose reference
type	activity_type	Yes	—	See enum above
subject	text	Yes	—	
description	text	No	—	
occurred_at	timestamp	Yes	now()	
created_by_user_id	text (FK→users)	No	—	ON DELETE SET NULL
created_at	timestamp	Yes	now()	

notes

Column	Type	Required	Default	Notes
id	text (UUID)	Yes	auto	PK
workspace_id	text (FK→workspaces)	Yes	—	ON DELETE CASCADE
contact_id	text (FK→contacts)	No	—	ON DELETE SET NULL
organization_id	text (FK→organizations)	No	—	ON DELETE SET NULL
opportunity_id	text	No	—	Loose reference
content	text	Yes	—	Markdown or plain text
created_by_user_id	text (FK→users)	No	—	ON DELETE SET NULL
created_at	timestamp	Yes	now()	
updated_at	timestamp	Yes	now()	

audit_logs

Column	Type	Required	Default	Notes
--------	------	----------	---------	-------

<code>id</code>	text (UUID)	Yes	auto	PK
<code>workspace_id</code>	text (FK→workspaces)	Yes	—	ON DELETE CASCADE
<code>user_id</code>	text (FK→users)	No	—	ON DELETE SET NULL
<code>entity_type</code>	text	Yes	—	e.g., <code>contact</code> , <code>organization</code>
<code>entity_id</code>	text	Yes	—	
<code>action</code>	text	Yes	—	e.g., <code>CREATE</code> , <code>UPDATE</code> , <code>DELETE</code>
<code>before_json</code>	jsonb	No	—	Previous state
<code>after_json</code>	jsonb	No	—	New state
<code>created_at</code>	timestamp	Yes	<code>now()</code>	

Note: `audit_logs` is written by the schema but is not yet exposed via any API endpoint. Status: *Planned*.

Domain: CRM — Tags

`tags`

Column	Type	Required	Default	Notes
<code>id</code>	text (UUID)	Yes	auto	PK
<code>workspace_id</code>	text (FK→workspaces)	Yes	—	ON DELETE CASCADE
<code>name</code>	text	Yes	—	Unique per workspace
<code>color</code>	text	No	—	Hex color
<code>category</code>	text	No	—	Tag grouping
<code>created_at</code>	timestamp	Yes	<code>now()</code>	

Unique constraint: (`workspace_id`, `name`)

`contact_tags` / `organization_tags`

Junction tables for many-to-many tag assignments. Each has (`contact_id/organization_id`, `tag_id`) unique constraint.

Domain: Business Card Scanner

business_cards

Column	Type	Required	Default	Notes
id	text (UUID)	Yes	auto	PK
workspace_id	text (FK→workspaces)	Yes	—	ON DELETE CASCADE
uploaded_by_user_id	text (FK→users)	No	—	ON DELETE SET NULL
image_url_front	text	Yes	—	GCS object path
image_url_back	text	No	—	GCS object path
raw_ocr_text	text	No	—	Raw text from OCR
parsed_json	jsonb	No	—	Structured fields from
processing_status	card_processing_status	Yes	UPLOADED	UPLOADED → PARSING
review_status	card_review_status	Yes	PENDING_REVIEW	PENDING_REVIEW → AI
linked_contact_id	text (FK→contacts)	No	—	Set when approved an
linked_organization_id	text (FK→organizations)	No	—	Set when approved an
created_at	timestamp	Yes	now()	
updated_at	timestamp	Yes	now()	

Domain: Organization Logo Scans

organization_scans

Column	Type	Required	Default	Notes
id	text (UUID)	Yes	auto	PK
workspace_id	text (FK→workspaces)	Yes	—	ON DELETE CASCADE
uploaded_by_user_id	text (FK→users)	No	—	ON DELETE SET NULL
organization_id	text (FK→organizations)	No	—	ON DELETE SET NULL; which org is being identified

<code>image_url</code>	text	Yes	—	GCS object path
<code>raw_ocr_text</code>	text	No	—	
<code>parsed_business_name</code>	text	No	—	Extracted business name
<code>confidence_score</code>	double precision	No	—	Match confidence (0–1)
<code>matched_place_json</code>	jsonb	No	—	Array of Google Places matches
<code>selected_match_json</code>	jsonb	No	—	Which match was selected
<code>processing_status</code>	<code>org_scan_processing_status</code>	Yes	UPLOADED	
<code>review_status</code>	<code>org_scan_review_status</code>	Yes	PENDING_REVIEW	
<code>created_at</code>	timestamp	Yes	<code>now()</code>	
<code>updated_at</code>	timestamp	Yes	<code>now()</code>	

admin_org_scan_attempts

Admin-side version for enriching master organizations via logo scan.

Column	Type	Required	Default	Notes
<code>id</code>	text (UUID)	Yes	auto	PK
<code>uploaded_by_admin_id</code>	text (FK→users)	No	—	
<code>image_url</code>	text	Yes	—	
<code>raw_ocr_text</code>	text	No	—	
<code>parsed_business_name</code>	text	No	—	
<code>confidence_score</code>	double precision	No	—	
<code>matched_place_json</code>	jsonb	No	—	
<code>selected_match_json</code>	jsonb	No	—	
<code>processing_status</code>	<code>admin_org_scan_processing_status</code>	Yes	UPLOADED	
<code>review_status</code>	<code>admin_org_scan_review_status</code>	Yes	PENDING_REVIEW	
<code>created_master_org_id</code>	text (FK→master_organizations)	No	—	Set when approved and master org created

created_at	timestamp	Yes	now()	
updated_at	timestamp	Yes	now()	

Domain: Organization Structure Scans

organization_structure_scans

Captures hierarchy inference results for a workspace org.

Column	Type	Required	Default	
id	text (UUID)	Yes	auto	F
workspace_id	text (FK→workspaces)	Yes	—	C
organization_id	text (FK→organizations)	Yes	—	C
initiated_by_user_id	text (FK→users)	No	—	C
scan_status	structure_scan_status	Yes	PENDING	F
review_status	structure_review_status	Yes	PENDING_REVIEW	
suggested_parent_master_organization_id	text (FK→master_organizations)	No	—	A
suggested_parent_name	text	No	—	
suggested_ultimate_parent_name	text	No	—	
suggested_structure_type	text	No	—	
confidence_score	double precision	No	—	
evidence_summary	text	No	—	
external_source_payload	jsonb	No	—	F
llm_reasoning_summary	text	No	—	L
add_to_master_graph	boolean	Yes	false	V
created_at	timestamp	Yes	now()	
updated_at	timestamp	Yes	now()	

Domain: Plans & Subscriptions

plans

Column	Type	Required	Default	Notes
<code>id</code>	text (UUID)	Yes	auto	PK
<code>name</code>	text	Yes	—	Display name
<code>slug</code>	text	Yes	—	Unique identifier (e.g., <code>independent</code>)
<code>features</code>	jsonb	No	—	Feature flags per plan
<code>created_at</code>	timestamp	Yes	<code>now()</code>	

subscriptions

Column	Type	Required	Default	Notes
<code>id</code>	text (UUID)	Yes	auto	PK
<code>workspace_id</code>	text (FK→workspaces)	Yes	—	ON DELETE CASCADE
<code>plan_id</code>	text (FK→plans)	Yes	—	No cascade; plan cannot be deleted if subscriptions exist
<code>status</code>	text	Yes	<code>active</code>	<code>active</code> , <code>cancelled</code> , <code>past_due</code>
<code>created_at</code>	timestamp	Yes	<code>now()</code>	
<code>updated_at</code>	timestamp	Yes	<code>now()</code>	

Domain: Master Database***master_organizations***

The canonical organizational reference record.

Column	Type	Required	Default	Notes
<code>id</code>	text (UUID)	Yes	auto	PK
<code>canonical_name</code>	text	Yes	—	Official name
<code>display_name</code>	text	No	—	Preferred dis
<code>normalized_name</code>	text	Yes	—	Lowercased, punctuation-dedup

website_domain	text	No	—	
industry	master_org_industry	No	—	HEALTHCARE GENERAL_BU
sub_vertical	text	No	—	
account_structure_type	master_account_structure_type	No	—	ENTERPRISE REGIONAL , SUB_FACILI GENERAL_OR
is_standalone	boolean	Yes	false	No parent; ir entity
confidence_score	double precision	Yes	0.5	Data quality
source_type	text	Yes	MANUAL	How it was cr MANUAL , WORKSPACE_ ADMIN_SCAN
source_confidence	double precision	Yes	1.0	Confidence in
validation_status	master_validation_status	Yes	UNVALIDATED	UNVALIDATE PARTIALLY_ VALIDATED , REQUIRES_R
headquarters_address	text	No	—	
city	text	No	—	
state	text	No	—	
country	text	No	—	
notes	text	No	—	Admin notes
place_ids	jsonb (string[])	No	[]	Google Place
aliases	jsonb (string[])	No	[]	Known alterr names
admin_flags	jsonb (string[])	No	[]	Admin annot
structure_last_scanned_at	timestamp	No	—	
structure_last_reviewed_at	timestamp	No	—	
source_workspace_id	text (FK→workspaces)	No	—	Which works promoted th
source_organization_id	text	No	—	The workspa that was pro

promoted_by_admin_user_id	text (FK→users)	No	—	Which platform approved promotion
promoted_at	timestamp	No	—	
created_at	timestamp	Yes	now()	
updated_at	timestamp	Yes	now()	

master_organization_aliases

Column	Type	Required	Default	Notes
id	text (UUID)	Yes	auto	PK
master_organization_id	text (FK→master_organizations)	Yes	—	ON DELETE CASCADE
alias_name	text	Yes	—	
normalized_alias_name	text	Yes	—	Normalized for dedup
alias_type	master_alias_type	Yes	VARIANT	DBA , ACQUIRED_BRAND , ABBREVIATION , FORMER_NAME , VARIANT
created_at	timestamp	Yes	now()	

master_organization_relationships

Parent-child links in the master org hierarchy graph.

Column	Type	Required	Default	Notes
id	text (UUID)	Yes	auto	PK
parent_master_organization_id	text (FK→master_organizations)	Yes	—	ON DELETE CASCADE
child_master_organization_id	text (FK→master_organizations)	Yes	—	ON DELETE CASCADE
relationship_type	master_relationship_type	Yes	SUBSIDIARY	SUBSIDIARY , REGISTRATION , AFFILIATION
confidence_score	double precision	Yes	1.0	
evidence_summary	text	No	—	Why the relationship is established

source_payload	jsonb	No	—	Raw c estab
approved_by_user_id	text (FK→users)	No	—	
review_status	master_relationship_review_status	Yes	APPROVED	PEND APPR REJE
created_at	timestamp	Yes	now()	
updated_at	timestamp	Yes	now()	

master_org_healthcare_overlays

One-to-one healthcare-specific data for a master org.

Column	Type	Required	Default	Notes
id	text (UUID)	Yes	auto	PK
master_organization_id	text (FK→master_organizations)	Yes	—	UNIQUE; ON DELETE CASCADE
facility_type	text	No	—	e.g., HOSPITAL , ASC , SNF
licensed_beds	integer	No	—	
trauma_level	text	No	—	LEVEL_I - LEVEL_IV
system_type	text	No	—	e.g., ACADEMIC_MEDICAL_CENTER , COMMUNITY_HOSPITAL
ownership_model	text	No	—	FOR_PROFIT , NON_PROFIT , GOVERNMENT , RELIGIOUS
care_setting	text	No	—	
created_at	timestamp	Yes	now()	
updated_at	timestamp	Yes	now()	

master_org_govcon_overlays

One-to-one GovCon-specific data for a master org.

Column	Type	Required	Default	Notes
id	text (UUID)	Yes	auto	PK
master_organization_id	text (FK→master_organizations)	Yes	—	UNIQUE; ON DELETE CASCADE

<code>uei</code>	text	No	—	Unique Entity Identifier (SAM.gov)
<code>cage_code</code>	text	No	—	
<code>naics_codes</code>	jsonb (string[])	No	[]	
<code>prime_or_sub</code>	text	No	—	
<code>contract_vehicles</code>	jsonb (string[])	No	[]	e.g., GSA Schedule, GWAC
<code>agency_alignment</code>	text	No	—	Primary federal agency
<code>created_at</code>	timestamp	Yes	now()	
<code>updated_at</code>	timestamp	Yes	now()	

master_org_ai_suggestions

AI-generated field-level suggestions for master org enrichment.

Column	Type	Required	Default	Notes
<code>id</code>	text (UUID)	Yes	auto	PK
<code>master_organization_id</code>	text (FK→master_organizations)	Yes	—	ON DELETE CASCAD
<code>field</code>	text	Yes	—	Field name (e.g., <code>industry</code> , <code>accountStructure</code>)
<code>current_value</code>	text	No	—	Current field value
<code>suggested_value</code>	text	Yes	—	AI suggestion
<code>rationale</code>	text	No	—	Why the AI suggests
<code>status</code>	<code>master_org_ai_suggestion_status</code>	Yes	PENDING	PENDING, APPROVE, REJECTED
<code>reviewed_by_user_id</code>	text (FK→users)	No	—	
<code>reviewed_at</code>	timestamp	No	—	
<code>created_at</code>	timestamp	Yes	now()	
<code>updated_at</code>	timestamp	Yes	now()	

Domain: Master Contacts and Promotion Queue

master_contacts

Column	Type	Required	Default	Notes
<code>id</code>	text (UUID)	Yes	auto	PK
<code>master_organization_id</code>	text (FK→master_organizations)	Yes	—	ON DELETE CASCADE
<code>full_name</code>	text	Yes	—	
<code>first_name</code>	text	No	—	
<code>last_name</code>	text	No	—	
<code>title</code>	text	No	—	
<code>department</code>	text	No	—	
<code>email</code>	text	No	—	
<code>phone</code>	text	No	—	
<code>mobile</code>	text	No	—	
<code>linkedin_url</code>	text	No	—	
<code>stakeholder_role</code>	<code>master_contact_role</code>	No	—	
<code>influence_level</code>	<code>master_contact_influence</code>	No	—	
<code>confidence_score</code>	double precision	Yes	0.5	
<code>validation_status</code>	<code>master_contact_validation_status</code>	Yes	UNVALIDATED	
<code>notes</code>	text	No	—	
<code>source_workspace_id</code>	text (FK→workspaces)	No	—	
<code>source_contact_id</code>	text	No	—	Workspace contact that was promoted
<code>promoted_by_admin_user_id</code>	text (FK→users)	No	—	
<code>promoted_at</code>	timestamp	No	—	
<code>created_at</code>	timestamp	Yes	now()	
<code>updated_at</code>	timestamp	Yes	now()	

master_promotion_queue

Holds pending promotion requests for admin review.

Column	Type	Required	Default	Notes
--------	------	----------	---------	-------

id	text (UUID)	Yes	auto	PK
entity_type	promotion_entity_type	Yes	—	ORG , CONTACT , NOTE
entity_id	text	Yes	—	ID within the workspace
workspace_id	text (FK→workspaces)	Yes	—	ON DELETE CASCADE
change_type	promotion_change_type	Yes	—	CREATED , UPDATED , NOTE_ADDED
status	promotion_status	Yes	PENDING	PENDING , APPROVED_NEW , APPROVED_MERGE , APPROVED_LINK , REJECTED
resolved_master_id	text	No	—	Master entity ID after resolution
rejection_reason	text	No	—	
source_snapshot	jsonb	No	—	Snapshot of workspace entity at time of submission
resolved_by_user_id	text (FK→users)	No	—	Platform admin who resolved
resolved_at	timestamp	No	—	
created_at	timestamp	Yes	now()	
updated_at	timestamp	Yes	now()	

Domain: Onboarding and Provisioning

verticals / sub_verticals / service_lines / add_on_types

Global configuration tables managed by the platform team. Define what verticals, service lines, and add-ons are available system-wide.

Table	Key Fields	Notes
verticals	key (unique), label , is_active , sort_order	e.g., key= healthcare
sub_verticals	vertical_id , key (unique per vertical), label	e.g., key= ems under healthcare
service_lines	vertical_id , sub_vertical_id , key , default_pipeline_template_key	Links to pipeline templates
add_on_types	key (unique), label , config_schema	Feature add-ons (e.g., GovCon module)

workspace_onboarding_config

Per-workspace vertical/sub-vertical configuration. One row per workspace.

Column	Type	Required	Default	Notes
<code>workspace_id</code>	text (FK→workspaces)	Yes	—	UNIQUE
<code>vertical_id</code>	text (FK→verticals)	No	—	Resolved FK
<code>sub_vertical_id</code>	text (FK→sub_verticals)	No	—	
<code>vertical_text</code>	text	No	—	Legacy free-text backup
<code>sub_vertical_text</code>	text	No	—	Legacy
<code>default_contact_roles</code>	jsonb	Yes	[]	List of default contact role strings

workspace_service_lines

Which service lines are enabled for a workspace.

Column	Type	Required	Default	Notes
<code>workspace_id</code> + <code>service_line_id</code>	—	Yes	—	Unique pair
<code>is_enabled</code>	boolean	Yes	true	
<code>custom_label</code>	text	No	—	Client can rename
<code>custom_config</code>	jsonb	No	—	Per-workspace config overrides
<code>enabled_by_admin_user_id</code>	text (FK→users)	No	—	

workspace_add_ons

Which add-ons are enabled for a workspace.

Column	Type	Required	Default	Notes
<code>workspace_id</code> + <code>add_on_type_id</code>	—	Yes	—	Unique pair
<code>status</code>	workspace_add_on_status	Yes	ACTIVE	ACTIVE , SUSPENDED , PENDING_CONFIG
<code>config</code>	jsonb	Yes	{ }	

client_onboarding_sessions

One session per onboarding engagement (admin-led).

Column	Type	Required	Default	Notes
<code>id</code>	text (UUID)	Yes	auto	PK

status	onboarding_session_status	Yes	DRAFT	Full lifecycle: DRAFT → INTAKE →
client_type	onboarding_client_type	Yes	SMALL_TEAM	SINGLE_USER , SMA
intake_payload	jsonb	Yes	{}	Admin-entered clien
grok_raw_payload	jsonb	No	—	Raw AI response
grok_model_version	text	No	—	Which AI model was
grok_confidence	double precision	No	—	Overall AI confidenc
normalized_recommendation	jsonb	No	—	Normalized AI outpu
admin_decisions	jsonb	Yes	{}	Per-item admin app
applied_config	jsonb	No	—	Final config used for
created_from_preset_id	text	No	—	If started from a pre
created_workspace_id	text (FK→workspaces)	No	—	Set after CREATE_WC
created_by_admin_user_id	text (FK→users)	No	—	
notes	text	No	—	Admin notes
normalized_at / locked_at / provisioned_at / archived_at	timestamp	No	—	Lifecycle timestamp

onboarding_provisioning_steps

One row per provisioning step per session. Tracks progress.

Column	Type	Required	Default	Notes
session_id + step_key	—	Yes	—	Unique pair
status	provisioning_step_status	Yes	PENDING	PENDING , IN_PROGRESS , COMPLETED , FAILED , SKIPPED
attempt_count	integer	Yes	0	Incremented on each retry
last_error	text	No	—	Error message if FAILED
result_payload	jsonb	No	—	Output of completed step
started_at / completed_at	timestamp	No	—	

onboarding_review_items

Per-item review records within an onboarding session.

Column	Type	Required	Default	Notes
<code>session_id</code>	text (FK→sessions)	Yes	—	
<code>group_key</code>	text	Yes	—	Category grouping (e.g., verticals)
<code>item_key</code>	text	Yes	—	Specific item identifier
<code>label</code>	text	Yes	—	Display label
<code>suggested_value_json</code>	jsonb	No	—	AI suggestion
<code>final_value_json</code>	jsonb	No	—	After admin edit/approval
<code>confidence_band</code>	<code>ai_confidence_band</code>	Yes	MEDIUM	HIGH , MEDIUM , LOW
<code>confidence_score</code>	numeric	No	—	0–100
<code>status</code>	<code>onboarding_review_item_status</code>	Yes	PENDING	PENDING , APPROVED , EDITED , REJECTED
<code>is_required</code>	boolean	Yes	true	Session cannot lock until all required items are resolved
<code>reviewed_by_user_id</code>	text (FK→users)	No	—	
<code>reviewed_at</code>	timestamp	No	—	

workspace_launch_checklist

Per-workspace checklist items (created during provisioning).

Column	Type	Required	Default
<code>workspace_id + item_key</code>	—	Yes	—
<code>label</code>	text	Yes	—
<code>status</code>	<code>launch_checklist_item_status</code>	Yes	PENDING
<code>required_for_client_types</code>	jsonb	Yes	["SINGLE_USER", "SMALL_TEAM",
<code>completed_at / completed_by_user_id</code>	—	No	—

workspace_health_snapshots

Point-in-time health snapshots for a workspace.

Column	Type	Required	Default	Notes
<code>workspace_id</code>	text (FK→workspaces)	Yes	—	
<code>snapshot_date</code>	timestamp	Yes	<code>now()</code>	
<code>setup_completeness_pct</code>	integer	Yes	0	0–100
<code>active_user_count</code>	integer	Yes	0	
<code>contact_count</code>	integer	Yes	0	
<code>org_count</code>	integer	Yes	0	
<code>opportunity_count</code>	integer	Yes	0	
<code>missing_data_flags</code>	jsonb	Yes	<code>[]</code>	List of identified gaps
<code>grok_improvement_suggestions</code>	jsonb	Yes	<code>[]</code>	AI improvement suggestions

onboarding_presets

Saved onboarding templates for quick reuse.

Column	Type	Required	Default	Notes
<code>name</code>	text	Yes	—	
<code>vertical_id + sub_vertical_id</code>	text (FK)	No	—	
<code>is_public</code>	boolean	Yes	false	Available to all admins
<code>preset_payload</code>	jsonb	Yes	<code>{}</code>	Full intake+config payload
<code>usage_count</code>	integer	Yes	0	Auto-incremented
<code>version</code>	integer	Yes	1	
<code>created_from_session_id</code>	text	No	—	

workspace_intelligence

Seeded intelligence records (saved views, alerts, patterns) created during provisioning.

Column	Type	Required	Default	Notes
<code>workspace_id</code>	text (FK→workspaces)	Yes	—	
<code>kind</code>	text	Yes	—	e.g., <code>saved_view</code> , <code>alert</code> , <code>pattern</code>
<code>key</code>	text	Yes	—	Unique per (workspace, kind)

label	text	Yes	—	
severity	text	No	—	For alerts
data	jsonb	Yes	{}	Content
source	text	Yes	onboarding	
is_active	boolean	Yes	true	

Unique constraint: (workspace_id, kind, key)

Domain: Healthcare Intelligence

organization_healthcare_profile

One-to-one with `organizations`. Stores CMS data with full traceability.

Column	Type	Required	Default	Notes
organization_id	text (FK→organizations)	Yes	—	UNIQUE
workspace_id	text (FK→workspaces)	Yes	—	
cms_ccn	text	No	—	CMS Ce Number
cms_provider_type	text	No	—	Free tex normali deferre
cms_ownership_type	text	No	—	
cms_bed_count	integer	No	—	License
cms_emergency_services	boolean	No	—	
cms_overall_star_rating	integer	No	—	1–5
cms_patient_experience_rating	integer	No	—	1–5
cms_ed_total_time_minutes	integer	No	—	ED door disposit
cms_ed_time_to_admit_minutes	integer	No	—	ED door inpatier
cms_ed_boarding_time_minutes	integer	No	—	ED boar
cms_ed_lwbs_percent	integer	No	—	Left Wit Being Si stored a

				points (4.50%)
cms_care_transition_rating	integer	No	—	
cms_patient_experience_subscores_json	jsonb	No	—	Record number
cms_raw_json	jsonb	No	—	Full raw response
cms_source	text	No	—	
cms_verification_status	cms_verification_status_enum	No	—	MATCHED VERIFIED NEEDS REJECT IMPORT
cms_last_updated_at	timestamp	No	—	When CMS was last refreshed
cms_source_url	text	No	—	
cms_dataset_name	text	No	—	e.g., Home Care
cms_dataset_version	text	No	—	
cms_extracted_at	timestamp	No	—	When extracted from CMS
cms_effective_date	date	No	—	Data effective date
cms_match_method	text	No	—	ccn_extraction_manual
cms_match_confidence_score	integer	No	—	0–100

Stale threshold: CMS data older than 90 days triggers amber warning in UI.

organization_pain_points

Pain points for healthcare orgs. CMS signals → SUGGESTED only; promotion to VERIFIED requires admin approval.

Column	Type	Required	Default	Notes
organization_id	text (FK→organizations)	Yes	—	ON DELETE CASCADE
workspace_id	text (FK→workspaces)	Yes	—	

department	text	No	—	Affected clinical dep
pain_point_category	pain_point_category	Yes	—	
pain_point_statement	text	No	—	Human-readable de
severity	pain_point_severity	Yes	MEDIUM	
frequency	pain_point_frequency	No	—	
source_type	pain_point_source_type	Yes	—	
source_reference	text	No	—	Which CMS metric o
evidence_type	evidence_type	No	—	
linked_cms_signal_key	text	No	—	e.g., cms_ed_boarding_
confidence_score	integer	Yes	50	0-100
verification_status	pain_point_verification_status	Yes	SUGGESTED	Never auto-VERIFI approved
is_active	boolean	Yes	true	Soft delete
reviewed_by_user_id	text (FK→users)	No	—	
reviewed_at	timestamp	No	—	
review_note	text	No	—	

Idempotency key (CMS suggestions): (org_id, category, linked_cms_signal_key, source_type) — prevents duplicate suggestions.

organization_competitors

Column	Type	Required	Default	Notes
organization_id	text (FK→organizations)	Yes	—	
workspace_id	text (FK→workspaces)	Yes	—	
competitor_name	text	Yes	—	
competitor_type	competitor_type	Yes	UNKNOWN	
service_line	text	No	—	
incumbent_status	incumbent_status	Yes	NOT_INCUMBENT	
share_of_wallet_estimate	integer	No	—	0-100; null
contract_status	contract_status	No	UNKNOWN	

strengths	jsonb (string[])	No	[]	
weaknesses	jsonb (string[])	No	[]	
pain_points_caused	jsonb (string[])	No	[]	DERIVED/C directly; re-competito
displacement_difficulty	displacement_difficulty	No	MEDIUM	
source_type	pain_point_source_type	No	—	
source_reference	text	No	—	
confidence_score	integer	Yes	50	
verification_status	pain_point_verification_status	Yes	SUGGESTED	
is_active	boolean	Yes	true	

competitor_pain_point_links

Source of truth for competitor↔pain-point relationships.

Column	Type	Required	Default	No
organization_competitor_id	text (FK→organization_competitors)	Yes	—	ON
organization_pain_point_id	text (FK→organization_pain_points)	Yes	—	ON
relationship_type	competitor_pain_point_relationship_type	Yes	CAUSED_BY	C A E X M A O P
confidence_score	integer	Yes	50	
notes	text	No	—	

When any link row is created or deleted, the API layer must call `refreshPainPointsCausedCache(competitorId)` to re-aggregate `organization_competitors.pain_points_caused`.

3. Per-Feature Logic

3.1 Authentication

Purpose: Authenticate users and associate them with a workspace.

Inputs: `email` , `password` , optional `rememberMe` (login); `email` , `password` , `firstName` , `lastName` , `workspaceName` (signup).

Outputs: JWT token containing `{ userId, workspaceId, email }` .

Business Rules:

- Emails are normalized to lowercase on creation and lookup
- Passwords must be at least 6 characters
- Login finds workspace by owner lookup first, then falls back to `workspace_members`
- A user without a workspace cannot log in
- On signup: user + workspace + OWNER membership + "independent" plan subscription are created atomically

Validations:

- Email uniqueness checked before creation (HTTP 409 on conflict)
- Password length validation (min 6 chars)

Triggers / Automations:

- Workspace creation includes default `industryFocus = "Healthcare & Government Contracting"`
- "independent" plan assigned automatically; if plan not found in DB, subscription is skipped silently

Edge Cases:

- `forgot-password` endpoint **is a stub** — returns a success message without sending any email. Email delivery is **Planned**.
- OAuth/external auth provider field (`auth_provider_id`) exists in schema but no OAuth provider is wired up.
- A user who was invited (existing user added to workspace) logs in via their own workspace first; they cannot switch workspaces from the UI.

Role involved: None (pre-auth). After login: OWNER is assumed for self-signup users.

3.2 Business Card Scanner (OCR Pipeline)

Purpose: Convert a photographed business card into a verified contact + org record.

Inputs: Image file (JPEG/PNG, max 20 MB), uploaded via `multipart/form-data` .

Outputs: `business_card` record → `contact` record + optional `organization` record on approval.

Business Rules:

1. Image is uploaded to Google Cloud Storage (GCS) via `objectStorageClient`
2. OCR is triggered via `parseBusinessCardImage()` (GPT-4o Vision)
3. Raw OCR text → structured JSON (`parsedJson`) via LLM parsing
4. Card enters `PENDING_REVIEW` state; user reviews in the card review screen
5. On `APPROVE` : contact is created from parsed fields; if org name present, org is created or matched; card is marked `APPROVED` ; activity log entry created
6. On `REJECT` : card is marked `REJECTED` ; no entities created
7. On `MERGE` : card is linked to an existing contact; `MERGED` status

Validations:

- File must be present (HTTP 400 if missing)
- OCR availability check via `isOcrAvailable()` — if OCR fails, card stays in `UPLOADED` state

Side Effects:

- Contact creation triggers `enqueuePromotion()` to add to master promotion queue (if enabled)
- Activity of type `CARD_SCAN` is created

Approval Requirements: The reviewing user must be a workspace member. No admin-only gate on approval.

PHI Warning: PHI warning is displayed in the card review form when card contains health-related data.

Edge Cases:

- Back-of-card image is optional
- Parsed JSON may have missing fields; review UI shows blanks
- Duplicate contact detection **is implemented**: on approve, if `email` or `fullName` matches an existing workspace contact, a `409 DUPLICATE` error is returned with the conflicting contact's data. The caller can retry with `force: true` to create anyway, or use `mergeWithContactId` to update the existing contact instead.

3.3 Organization Logo/Brand Scan

Purpose: Identify an organization from its logo or signage photograph.

Inputs: Image file uploaded via scan interface.

Outputs: Organization matched to a Google Places result; org record enriched with place data.

Business Rules:

1. Image uploaded to GCS
2. OCR extracts business name text
3. Confidence-scored match against Google Places API
4. User reviews candidate matches and selects correct one
5. On APPROVE: workspace org is updated with `google_place_id`, `formatted_address`, `latitude`, `longitude`, `place_category`; activity of type `LOGO_SCAN` created

Validations: Organization must belong to caller's workspace.

Edge Cases:

- Multiple candidate matches returned as `matched_place_json`; user picks via `selected_match_json`
- Scan can be done without a pre-existing organization (creates new org if needed)

3.4 Organization Hierarchy and Structure Scans

Purpose: Infer parent/child/ultimate-parent relationships for a workspace organization using the master database, external sources, and LLM reasoning.

Inputs: `organization_id` to scan.

Outputs: `organization_structure_scans` record with suggested parent hierarchy; activity log entries.

Pipeline Stages:

1. `PENDING` → Check master database for known parent
2. `MASTER_MATCHED` (if found) → Suggest from master DB
3. `EXTERNAL_SEARCHED` → Search external APIs for additional evidence
4. `LLM_REVIEWED` → LLM synthesizes evidence and proposes hierarchy
5. `COMPLETED` / `FAILED`

Approval Flow:

- Result enters `PENDING_REVIEW` state

- On APPROVE: `parent_organization_id` and `ultimate_parent_organization_id` set on the org; `hierarchy_source_type` = `LLM_SYNTHESIS` or `MASTER_DATABASE` ; activities logged as `STRUCTURE_APPROVED`
- On REJECT: activities logged as `STRUCTURE_REJECTED` ; org hierarchy unchanged

If `add_to_master_graph = true` : Approved hierarchy is also written to `master_organization_relationships` table.

3.5 Master Database Promotion

Purpose: Elevate high-quality workspace org/contact data to the canonical master database.

Inputs: Workspace `organization_id` or `contact_id` ; optional change type (`CREATED` , `UPDATED` , `NOTE_ADDED`).

Outputs: `master_promotion_queue` record; after admin resolution: `master_organizations` or `master_contacts` record.

Business Rules:

- Queue is appended to by `enqueuePromotion()` helper — called after org/contact creation or significant updates
- Admin resolves each queue item as:
 - `APPROVED_NEW` → create new master record
 - `APPROVED_MERGE` → merge data into existing master record
 - `APPROVED_LINK` → link workspace record to existing master record without merging data
 - `REJECTED` → discard

Validations:

- `source_snapshot` captures the entity state at time of promotion request (not the latest state)
- Admin cannot auto-promote; every promotion requires explicit human decision

Downstream Effects:

- On `APPROVED_NEW` or `APPROVED_MERGE` : `master_organization_id` or `master_contact_id` field on workspace entity is updated
- `promoted_by_admin_user_id` and `promoted_at` written to master record

- `source_workspace_id` and `source_organization_id` preserved for provenance

3.6 Master Org AI Suggestions

Purpose: Use AI (Grok/OpenAI) to suggest field-level enrichments for master organization records.

Inputs: `master_organization_id` ; the AI analyses the org's current data and external signals.

Outputs: `master_org_ai_suggestions` records with `PENDING` status.

Business Rules:

- AI suggestions are NEVER auto-applied; every suggestion requires admin APPROVE or REJECT
- A normalization safety net (`normalizeFieldValue()`) maps AI output variations to valid enum values before storing
- Per-field suggestions: `industry` , `accountStructureType` , `healthcare.facilityType` , `healthcare.traumaLevel` , `healthcare.systemType` , `healthcare.ownershipModel` , `healthcare.careSetting` , `govcon.primeOrSub` , `govcon.agencyAlignment` , `govcon.naicsCodes` , etc.

Approval Flow:

- APPROVE: field value written to `master_organizations` or its overlay tables; suggestion marked `APPROVED`
- REJECT: suggestion marked `REJECTED` ; field unchanged

Edge Cases:

- AI may produce values outside enum; normalizer maps to nearest valid value or preserves raw value
- Suggestions can be regenerated; new suggestions created but previous ones not overwritten

3.7 Account Intelligence Pulse (Org Intelligence)

Purpose: Compute a real-time relationship health + opportunity status summary for an organization.

Inputs: Organization ID and all associated contacts, activities, tasks, opportunities from workspace.

Outputs: `OrgIntelligenceResult` with: `accountState` , `health` score (0-100), `risk` score, `coverageGaps` , `primaryAction` , `openOpportunities` , `contacts` with

computed strength.

Business Rules (rules-based, no AI):

Account state determination:

- **COLD** : no activity in last 30 days AND no open opportunities
- **WARMING** : activity in last 30 days, no open opportunities
- **ACTIVE** : activity in last 14 days, has open opportunities
- **AT_RISK** : has open opportunity with stage not progressed in 14+ days OR overdue task 14+ days old
- **EXPANDING** : multiple open opportunities with recent activity

Health score (0–100) based on:

- Activity recency within 14 days
- Number of primary contacts with relationship strength
- Open opportunity win probability

Risk score:

- Elevated by: overdue tasks, stale pipeline stages, inactive primary contacts

Coverage gaps:

- Missing DECISION_MAKER, CHAMPION, or other key stakeholder roles
- No primary relationship contact

Primary action:

- Computed from account state and most urgent signal (e.g., "Schedule follow-up", "Advance deal to next stage", "Capture missing contact")

Trigger: Called on demand via `GET /api/organizations/:id/intelligence` .

3.8 Healthcare Intelligence (CMS + Pain Points + Competitors)

Purpose: Provide healthcare-specific intelligence for accounts in the healthcare vertical.

Inputs: `organization_id` (must have `vertical = 'healthcare'`).

Outputs: CMS profile data; verified and suggested pain points; competitor landscape; 7-dimension opportunity score; cached intelligence summary.

CMS Profile Logic:

- CMS data stored in `organization_healthcare_profile`

- `cms_verification_status` determines display: `MATCHED / VERIFIED` = green; `NEEDS_REVIEW` = amber
- Stale threshold: `cms_last_updated_at` > 90 days → amber warning displayed

Pain Points Logic:

- CMS signals auto-generate `SUGGESTED` pain points (idempotent by `(org_id, category, cms_signal_key, source_type)`)
- `SUGGESTED` → `PENDING_REVIEW` → `VERIFIED` (requires admin approve) or `REJECTED`
- `VERIFIED` pain points shown in "Verified" tab; `SUGGESTED` shown in "Suggested" tab
- "Needs Review" dot shown to ALL workspace members (not admin-gated) when `SUGGESTED` items exist

Competitor Logic:

- Competitors tracked with incumbent status, strengths, weaknesses, displacement difficulty
- `pain_points_caused` on competitors is `DERIVED` — re-aggregated from `competitor_pain_point_links` whenever links change (never written directly)
- Strengths displayed as green dot; weaknesses as red dot

7-Dimension Opportunity Score: Dimensions: CMS data completeness, pain point severity, competitor weakness, buyer access, stakeholder coverage, recent activity, entry strategy clarity. Each dimension scored 0–100, weighted, combined into overall score. Thresholds: ≥ 70 = green, 40–69 = amber, < 40 = red.

Intelligence Summary:

- Cached in `organizations.organization_intelligence_summary` (jsonb)
- Recomputed via `POST /organizations/:id/compute-intelligence-summary`
- Shape: `{ topPainPoints[], topCompetitors[], buyerPatterns[], entryStrategy, primaryAction, impactStatement, computedAt }`

3.9 Admin-Led Onboarding and Provisioning

Purpose: Allow platform admins to configure and provision a new client workspace with AI-assisted setup.

Inputs (Intake): `clientName`, `website`, `industryDescription`, `productsSold`, `customerType`, `salesCycleType`, `teamSize`.

AI Recommendation (Grok/OpenAI):

- AI analyzes intake and recommends: vertical, sub-vertical, service lines, pipeline templates, contact roles, add-on modules

- Confidence band (HIGH/MEDIUM/LOW) shown per item
- All items enter `PENDING` status as `onboarding_review_items`

Review Phase:

- Admin approves, edits, or rejects each item
- Session cannot lock until all `is_required = true` items are resolved
- Once all resolved, session status → `LOCKED` ; `applied_config` generated

Provisioning Phase (16 sequential steps):

Step	Description
<code>CREATE_WORKSPACE</code>	Create workspace record
<code>ASSIGN_PLAN</code>	Assign subscription plan
<code>CREATE_MEMBERSHIPS</code>	Create owner membership
<code>APPLY_VERTICAL_CONFIG</code>	Set vertical/sub-vertical config
<code>ENABLE_SERVICE_LINES</code>	Enable selected service lines
<code>ENABLE_ADD_ONS</code>	Enable selected add-ons
<code>PUBLISH_PIPELINE_TEMPLATES</code>	Clone pipeline templates → workspace pipelines
<code>SEED_CONTACT_ROLES</code>	Seed default contact roles
<code>SEED_TAGS</code>	Seed default tags
<code>SEED_SAVED_VIEWS</code>	Seed default saved views
<code>SEED_DEFAULT_TASKS</code>	Seed default onboarding tasks
<code>SEED_ALERTS</code>	Seed intelligence alerts
<code>CREATE_LAUNCH_CHECKLIST</code>	Create launch checklist items by client type
<code>SEND_INVITE_EMAILS</code>	Send invite emails — STUB: not implemented
<code>RECORD_AUDIT_ENTRY</code>	Write audit log
<code>SNAPSHOT_HEALTH_BASELINE</code>	Take initial workspace health snapshot

Launch Checklists by Client Type:

- `SINGLE_USER` : `REVIEW_PIPELINE`, `ADD_FIRST_CONTACT`, `CONFIRM_FIRST_TARGET`
- `SMALL_TEAM` : + `ASSIGN_USERS`, `CONFIGURE_PERMISSIONS`
- `ENTERPRISE` : + `CONFIGURE_REPORTING`

Retry Logic: Failed steps can be retried via `retryFailedOnly = true` flag without re-running completed steps.

4. Full Workflow Map

4.1 Self-Service Signup

1. User visits public landing page
2. User taps "Sign Up" → signup screen
3. User enters: first name, last name, email, password, workspace name
4. Backend validates: email format, password length ≥ 6 , email uniqueness
5. Backend creates: `users` record, `workspaces` record (`industry_focus` = "Healthcare & Government Contracting"), `workspace_members` record (`role` = OWNER), `subscriptions` record (`plan` = "independent")
6. JWT token returned; user logged in as OWNER
7. User redirected to dashboard (empty state)
8. **No email verification. No guided first-run. No industry selection.**

4.2 Admin-Led Onboarding

1. Platform admin logs in via `/admin/login` (requires `is_platform_admin` = true)
2. Admin navigates to `/admin/onboarding/new`
3. Admin fills intake form (client details, sales cycle type, team size)
4. System creates `client_onboarding_sessions` record in `INTAKE` status
5. Admin triggers AI recommendation → session → `AWAITING_RECOMMENDATION`
6. AI (Grok) analyzes intake → returns recommended config → `normalizedAt` set; session → `REVIEW`
7. Admin reviews each `onboarding_review_items` line: approve / edit / reject
8. All required items resolved → session → `LOCKED` ; `appliedConfig` computed
9. Admin triggers provisioning → `PROVISIONING`
10. 16 provisioning steps execute sequentially with retry on failure
11. Session → `PROVISIONED` ; `created_workspace_id` set
12. Admin navigates to launch screen
13. Launch screen shows activation summary (pipeline count, view count, task count)
14. Admin taps "Open Priority Dashboard" to enter workspace

4.3 Organization Creation and Updates

1. User taps "Add Organization" or "New Organization"

2. User enters: name (required), type, website, phone, address fields, vertical, tags
3. Backend validates: name is non-empty, workspace membership
4. Organization created in workspace
5. If `parent_organization_id` provided: cycle detection runs;
`ultimate_parent_organization_id` computed; parent org must be in same workspace
6. If parent changes: `propagateUltimateParent()` updates all descendants
7. `enqueuePromotion()` called with `changeType = CREATED` for master DB review
8. Tags applied via `organization_tags` junction

Updates:

1. PATCH request with changed fields
2. If parent changes: cycle check → ultimate parent recomputed → propagated to descendants
3. `enqueuePromotion()` called with `changeType = UPDATED`
4. `updatedAt` auto-updated

4.4 Contact Creation and Updates

1. User adds contact manually or via business card approval
2. Required: `full_name` (or derived from first+last)
3. Optional: org link, title, department, email, phone, LinkedIn, status, tags, stakeholder role, relationship strength
4. On creation: `status = NEW` ; `source` set to creation method
5. If linked to org: shows on org detail screen's contacts tab
6. `enqueuePromotion()` called for master DB review

From Business Card Approval:

1. Card review screen shows parsed fields
2. User can edit any field before confirming
3. On approve: contact created with `source = business_card` ; org optionally created/linked; card `review_status = APPROVED` ; `linked_contact_id` set

4.5 Business Card Intake → OCR → Review → Approval

1. User opens scanner → camera or gallery
2. Image uploaded to GCS via `POST /api/business-cards/upload`
3. Card record created with `processing_status = UPLOADED`
4. OCR triggered: `parseBusinessCardImage()` via GPT-4o Vision
5. `processing_status` → `PARSING` → `PARSED` (or `FAILED`)

6. `parsed_json` contains: `{ name, title, company, email, phone, mobile, linkedin, address, notes }`
7. Card enters `PENDING_REVIEW` queue
8. User sees card in review list; taps to open review screen
9. User reviews/edits extracted fields
10. User approves → contact created → card `review_status = APPROVED`
11. User rejects → card `review_status = REJECTED`
12. User merges → linked to existing contact → card `review_status = MERGED`

4.6 Master Database Sync (Promotion Workflow)

1. Workspace org or contact is created/updated
2. `enqueuePromotion()` inserts into `master_promotion_queue` with `status = PENDING` and `source_snapshot` of entity
3. Platform admin views promotion queue at `/admin/master-promotion/queue`
4. Admin sees: entity type, workspace name, change type, snapshot data
5. Admin checks for existing master record match (name/domain similarity)
6. Admin decides:
 - **APPROVED_NEW**: Creates new `master_organizations` or `master_contacts` ; sets workspace entity's `master_organization_id` or `master_contact_id`
 - **APPROVED_MERGE**: Merges snapshot data into existing master record; links workspace entity
 - **APPROVED_LINK**: Links workspace entity to existing master without changing master data
 - **REJECTED**: Queue item closed; no action
7. Queue item updated with `status` , `resolved_master_id` , `resolved_by_user_id` , `resolved_at`

4.7 Duplicate Detection and Merge Handling

Current State: Partial implementation.

- Org dedup: `normalized_name` computed via `normalizeOrgName()` (lowercased, punctuation-stripped); `website_domain` normalized via `normalizeDomain()`
- Contact dedup: Not implemented in workspace layer; email uniqueness not enforced within workspace
- On promotion to master DB: admin manually checks for matches; `master_organization_aliases` used for known variants

- **Automated merge UI:** Planned

4.8 Notes Handling

1. User adds note on contact detail, org detail, or opportunity detail screen
2. Note linked to up to three entities via `contact_id` , `organization_id` , `opportunity_id` (all optional/nullable)
3. Notes support plain text (markdown not enforced by backend)
4. Create, Read, Update, Delete all implemented
5. Notes appear in the "Notes" tab on each detail screen
6. Notes with significant intelligence content can be included in promotion queue (`entity_type = NOTE` , `change_type = NOTE_ADDED`)

4.9 Pain Point Capture → Suggestion → Approval

1. CMS data is loaded for an org (`organization_healthcare_profile`)
2. CMS signal engine analyzes CMS metrics:
 - `cms_ed_boarding_time_minutes` > threshold → generates `ED_BOARDING` pain point suggestion
 - `cms_ed_lwbs_percent` > threshold → generates `CARE_TRANSITION_RISK` suggestion
 - `cms_overall_star_rating` ≤ 2 → generates `PATIENT_EXPERIENCE` suggestion
 - etc.
3. Suggestion created as `organization_pain_points` with `verification_status = SUGGESTED` , `source_type = CMS_SIGNAL` ; `is_active = false`
4. Idempotency check prevents duplicate suggestions for same (`org_id` , `category` , `linked_cms_signal_key` , `source_type`)
5. "Needs Review" dot shown on PainPointsCard for all workspace members
6. Workspace admin reviews: clicks Approve → `verification_status = VERIFIED` , `is_active = true`
7. Or Reject → `verification_status = REJECTED`
8. Verified pain points shown in "Verified" tab; used in opportunity scoring and intelligence summary

4.10 Competitor Tracking

1. Admin or workspace member adds competitor entry to an org

2. Fields: name, type, service line, incumbent status, strengths (array), weaknesses (array), displacement difficulty, contract status, share of wallet
3. `verification_status` defaults to `SUGGESTED` ; workspace admin can verify
4. Links to pain points created via `competitor_pain_point_links` (relationship type: `CAUSED_BY`, `EXACERBATED_BY`, etc.)
5. When links change: `refreshPainPointsCausedCache()` re-aggregates `pain_points_caused` on competitor
6. Competitor accordion in mobile UI: collapsed shows name + type + incumbent badge; expanded shows strengths (green dot), weaknesses (red dot), linked pain points

4.11 Opportunity Creation and Pipeline Movement

1. User taps "Add Opportunity"
2. Required: title, pipeline, pipeline stage
3. Optional: organization, primary contact, value estimate, close date, description, service line
4. Opportunity created with `status = OPEN`
5. `stage_entered_at` set on creation and on each stage change
6. Pipeline Kanban board: opportunities displayed as cards in columns by stage
7. User drags card to new column → `pipeline_stage_id` updated; `stage_entered_at` reset
8. Status changes: `WON`, `LOST`, `ON_HOLD` set via status field update

EMS-specific:

- If `pipeline.category = 'EMS'` : EMS saved views strip shown; EMS Transport Profile card on opportunity detail
- EMS profile can be created/updated with service mix, transport data, payer mix, agreement info

4.12 Follow-up Task Generation

1. User manually creates task from contact detail, task list, or org detail
2. Fields: title (required), description, due date, priority, assignment, linked contact/org/opportunity
3. Tasks appear on global task list with status and due-date filters
4. Overdue detection: `due_date < now()` and `status = OPEN`
5. **Automated task generation:** Planned — no AI-generated tasks yet

4.13 Reporting and Rollups

1. `GET /api/reports` aggregates workspace data:
 - Contact count by status

- Opportunity count and value by stage/status
 - Activity count by type
 - Task completion rate
2. Roll-up stats on org hierarchy: contacts, opportunities, pipeline value, won value across all child orgs (recursive)
 3. `workspace_health_snapshots` captures point-in-time workspace metrics
 4. **Advanced reporting dashboards:** Planned

4.14 Admin Review Flows

1. **Master Org AI Suggestions:** Admin views pending suggestions at `/admin/master-orgs/:id/suggestions` ; approves/rejects each field
2. **Promotion Queue:** Admin reviews pending promotions at `/admin/master-promotion/queue`
3. **Onboarding Review:** Admin reviews AI recommendations per item in onboarding session
4. **Business Card Review:** Workspace admins/members review cards
5. **Pain Point Review:** Workspace admins approve/reject suggested pain points
6. **Structure Scan Review:** Any workspace member can approve/reject hierarchy suggestions (no admin gate in the API)

4.15 Archive / Deactivate / Restore Behavior

Entity	Behavior
Organizations	<code>is_active</code> not in schema; soft delete not implemented; hard delete cascades contacts/opps
Contacts	<code>status = INACTIVE</code> serves as soft deactivation
Pain Points	<code>is_active = false</code> for rejected/inactive; still exists in DB
Competitors	<code>is_active = false</code> for inactive
Onboarding Sessions	<code>archived_at</code> timestamp set; not deleted
Business Cards	Status changes to <code>REJECTED</code> ; card record retained

5. Per-Feature Specification

Authentication

Attribute	Detail
Purpose	Authenticate users, manage sessions
Schema Entities	users , workspaces , workspace_members , subscriptions , plans
Workflows	Self-service signup, login
Role Permissions	All roles: login/logout. OWNER implied on self-signup
Status	Complete (core); Planned (forgot password email, email verification)
What's Built	Login, signup, /auth/me , change-password
Missing Logic	Forgot-password email not sent; no email verification; no OAuth
Missing UX	No "verify your email" screen; forgot-password shows success but does nothing

Organization Management

Attribute	Detail
Status	Complete
What's Built	Full CRUD, hierarchy (parent/child), 11 saved views, tag system, roll-up stats, vertical-specific display labels
Missing Logic	No soft delete; duplicate detection within workspace not implemented
Missing UX	No bulk edit; no dedup merge UI

Contact Management

Attribute	Detail
Status	Complete
What's Built	Full CRUD, tags, org linking, stakeholder roles, relationship strength
Missing Logic	No duplicate detection; no email uniqueness enforcement within workspace
Missing UX	No contact merge UI

Business Card Scanner

Attribute	Detail
Status	Complete
What's Built	Upload, OCR (GPT-4o), review screen, approve/reject/merge, PHI warning; duplicate contact detection on approve (409 DUPLICATE by email/fullName with force override and mergeWithContactId option); org name dedup on approve
Missing Logic	—
Missing UX	No batch scan; no bulk review

Pipeline / Kanban

Attribute	Detail
Status	Complete
What's Built	Horizontal Kanban board, multiple pipelines, stage probability, EMS saved views
Missing Logic	Stage change automation (auto-tasks) not implemented
Missing UX	No pipeline analytics view

Opportunities

Attribute	Detail
Status	Complete
What's Built	Full CRUD, contacts many-to-many, EMS profile overlay, pipeline stage tracking
Missing Logic	No automated stage-based actions
Missing UX	No forecast/reporting view

Tasks

Attribute	Detail
Status	Complete (list + CRUD); In Progress (detail/edit screen)
What's Built	Create, complete, filter by status/priority/due, link to contact/org/opp
Missing Logic	No AI task generation; no reminders/push notifications

Missing UX	No dedicated task edit screen; no task calendar view
-------------------	--

Notes

Attribute	Detail
Status	Complete
What's Built	Create, edit, delete notes on contact/org/opp detail screens; POST also enqueues an AI promotion pass (enriches the linked entity based on note content); notes returned embedded in entity detail payloads (no standalone GET list endpoint)
Missing Logic	No rich text; no @mention; no note-to-task conversion

Admin-Led Onboarding

Attribute	Detail
Status	Complete (provisioning); Planned (email handoff, client portal)
What's Built	Full 5-phase flow: intake → AI recommend → review → provision → launch
Missing Logic	SEND_INVITE_EMAILS step is a stub
Missing UX	No client-facing progress view; no admin re-provisioning UI

Master Database

Attribute	Detail
Status	Complete (core); In Progress (AI suggestion workflows)
What's Built	Master orgs + contacts, promotion queue, AI suggestions, relationship graph, overlays
Missing Logic	No automated dedup; admin must manually match
Missing UX	No visual relationship graph; no org family tree view

Healthcare Intelligence

Attribute	Detail
Status	Complete (schema + API + mobile cards)

What's Built	CMS profile, pain points (suggest/verify), competitor tracking, 7-dimension scoring, intelligence summary
Missing Logic	CMS data import pipeline not built (data entered manually or via API); no automated refresh
Missing UX	CMS data entry via admin portal not built

EMS Vertical

Attribute	Detail
Status	Complete
What's Built	EMS pipeline, opportunity profile (22 columns), organization profile, saved views, jurisdiction tracking
Missing Logic	No reporting specific to EMS transport metrics

6. Permissions and Control Layers

Tier 1: Platform Admin (`is_platform_admin = true`)

Enforced by `platformAdminMiddleware.ts` on all `/admin/*` routes.

Capability	Details
Access master database	Full CRUD on <code>master_organizations</code> , <code>master_contacts</code> , overlays, aliases, relationships
Manage promotion queue	Approve/reject/merge all pending workspace promotions
Manage AI suggestions	Approve/reject field-level suggestions for master orgs
Run onboarding sessions	Full access to all client onboarding sessions
Manage pipeline templates	Create/edit/delete <code>pipeline_view_templates</code>
Manage onboarding presets	Create/edit/delete <code>onboarding_presets</code>
View all workspaces	List and inspect any workspace
Run org scans (admin)	Logo scan to create new master orgs
View platform stats	Dashboard metrics across all workspaces

Cannot access	Individual workspace CRM data directly (no bypass of workspace auth for standard routes)
---------------	--

Tier 2: Workspace Owner (`role = OWNER`)

Capability	Details
All ADMIN capabilities	Full access
Cannot be demoted if last admin	System prevents removing last OWNER/ADMIN
Invite and remove members	Full team management

Tier 3: Workspace Admin (`role = ADMIN`)

Enforced by workspace role check in route handlers. In healthcare intelligence routes, checked via `isAdminCaller()` .

Capability	Details
Approve/reject business cards	Yes
Approve/reject pain points	Yes (ADMIN or OWNER)
Approve/reject structure scans	Yes
Approve/reject competitors	Yes
Manage workspace pipeline views	Yes
Cannot	Manage plans, access master DB admin routes

Tier 4: Workspace Member (`role = MEMBER`)

Capability	Details
Create/read/update organizations	Yes
Create/read/update contacts	Yes
Create/read/update opportunities	Yes
Create/read/update tasks, activities, notes	Yes
Upload and OCR business cards	Yes
Approve/reject business cards	Yes — no admin gate in the approve endpoint

Approve/reject structure scans	Yes — no admin gate in the approve/reject endpoint
View pain points (both tabs)	Yes — "Needs Review" dot visible to all
Approve/reject pain points	No — ADMIN/OWNER only (enforced via <code>isAdminCaller</code> check)
Access admin console	No
Invite members	No

Middleware Enforcement

Middleware	Guards
<code>authMiddleware.ts</code>	Verifies JWT; injects <code>userId</code> , <code>workspaceId</code> on all <code>/api/*</code> routes
<code>platformAdminMiddleware.ts</code>	Verifies <code>is_platform_admin = true</code> ; guards all <code>/admin/*</code> routes
<code>getCurrentWorkspace()</code>	Used in route handlers to validate workspace membership
<code>isAdminCaller()</code>	Used in healthcare intelligence routes to check OWNER/ADMIN role

7. Master Database Intelligence Model

What Data Can Flow from Workspace to Master DB

Entity	Flow Path	Who Controls
Organizations	Enqueued by <code>enqueuePromotion()</code> after create/update	Platform admin resolves
Contacts	Enqueued by <code>enqueuePromotion()</code> after create/update	Platform admin resolves
Notes	Enqueued manually as <code>NOTE_ADDED</code> change type	Platform admin resolves
Business card data	Indirectly via contact creation	Goes through standard contact flow
Healthcare intelligence	Not promoted to master DB (workspace-scoped only)	N/A

What Auto-Suggests Only

Data Type	How
Master org field enrichments	AI generates <code>master_org_ai_suggestions</code> with <code>PENDING</code> status
Pain points (healthcare)	CMS signals auto-create <code>SUGGESTED</code> pain points in workspace
Hierarchy suggestions	Structure scans create <code>PENDING_REVIEW</code> suggestions

Nothing is ever auto-applied to the master database. All promotions and suggestion approvals require explicit human action.

What Requires Approval

Action	Who Approves
Workspace org → master org (new)	Platform admin
Workspace org → master org (merge)	Platform admin
Workspace org → link to existing master	Platform admin
Workspace contact → master contact	Platform admin
AI suggestion → apply to master org field	Platform admin
CMS pain point suggestion → verified	Workspace OWNER/ADMIN
Organization hierarchy suggestion → apply	Any workspace member (no admin gate in structure-scan approve endpoint)

What Should Never Auto-Promote

- Personal data (PII) — contacts should always be manually reviewed
- Pain points — CMS signals are only evidence, not ground truth
- Hierarchy relationships — require evidence synthesis

Validation Pipeline Rules

1. **Name Normalization:** `normalizeOrgName()` strips punctuation, lowercases, collapses whitespace
2. **Domain Normalization:** `normalizeDomain()` extracts root domain for dedup
3. **Confidence Scoring:** `master_organizations.confidence_score` reflects overall data quality (0–1)
4. **Validation Status Progression:** `UNVALIDATED` → `PARTIALLY_VALIDATED` → `VALIDATED` (manual admin action)

5. **AI Field Normalization:** `normalizeFieldValue()` maps AI-produced variations to valid enum values

Provenance/Source Tracking

Every master record tracks:

- `source_type` — how it was created (`MANUAL` , `WORKSPACE_PROMOTED` , `ADMIN_SCAN`)
- `source_workspace_id` — which workspace contributed it
- `source_organization_id` — workspace entity ID
- `promoted_by_admin_user_id` — who approved it
- `promoted_at` — when

Confidence Scoring

Score	Meaning
0.0–0.3	Unvalidated, single source, sparse data
0.3–0.6	Partially validated, some corroboration
0.6–0.9	Validated, multiple sources
0.9–1.0	Fully validated, confirmed from authoritative source

Completeness scoring (master org):

Field	Weight	Critical
Canonical Name	15	Yes
Website Domain	15	Yes
Industry	10	Yes
Account Structure Type	10	Yes
Normalized Name	5	No
Validation Status (not UNVALIDATED)	10	No
+ Healthcare/GovCon overlay fields	5–10 each	Vertical-only

Health Stages: **INCOMPLETE** (0–39%), **IDENTIFIED** (40–59%), **STRUCTURED** (60–79%), **STRATEGIC** (80–100%).

Merge and Duplicate Governance

- **Before promotion:** Admin checks for existing master org by name similarity and domain
- **Alias table:** `master_organization_aliases` stores known variants; checked during dedup
- **Merge action:** Admin selects `APPROVED_MERGE` ; data from workspace snapshot applied where master field is empty
- **No automated merge:** No fuzzy-match auto-merge; human decision required

8. UX Logic

8.1 Authentication Screens

State	User Sees	Admin Sees	Behind Scenes
Login	Email + password form, "Remember me", "Forgot password" link	Same	JWT stored in SecureStore (native) or localStorage (web)
Signup	Name, email, password, workspace name fields	Same	User + workspace created; OWNER role assigned
Forgot Password	Email input → "If account exists, reset link sent"	Same	Stub: no email sent
Logged In	Dashboard with workspace data	Admin console accessible at <code>/admin/</code>	<code>/auth/me</code> fetched on app load
Token Expired	Redirected to login	Same	Token verification fails; token cleared

8.2 Organization Detail Screen

State	What User Sees	What Admin Sees	Behind Scenes
Normal	Org header, intel pulse, hierarchy, contacts, pipeline summary, healthcare cards (if vertical=healthcare)	Same + admin-only actions	Data fetched from multiple endpoints
No contacts	Empty state with "Add Contact" CTA	Same	GET <code>/organizations/:id</code> returns contacts: []

No opportunities	Empty pipeline summary	Same	Opportunities list empty
Healthcare org	CMS Evidence Card, Pain Points Card (2 tabs), Competitor Landscape, Entry Strategy, Intelligence Pulse with Opp Score modal	Same + Approve/Reject pain points	Healthcare endpoints fetched conditionally
Stale CMS data	Amber warning on CMS card	Same	<code>cms_last_updated_at > 90 days</code> triggers warning
Needs Review (pain points)	Red dot on Pain Points tab header	Same	Any SUGGESTED items exist

8.3 Business Card Review Screen

State	What User Sees	Behind Scenes
Processing	Loading indicator	OCR in progress
Parsed	Extracted fields editable	<code>parsedJson</code> shown
PHI Warning	Yellow warning banner	If health-related data detected
Approved	Confirmation; contact created	<code>review_status = APPROVED</code>
Failed OCR	Error message; fields empty	<code>processing_status = FAILED</code>

8.4 Pain Points Card

State	What User Sees	What Admin/OWNER Sees
Verified tab	List of verified pain points with severity badges	Same + Approve/Reject buttons on Suggested tab
Suggested tab	List of suggested pain points with CMS trigger shown	Approve/Reject buttons per item
Empty (verified)	"No verified pain points" empty state	+ CTA to review suggestions
Needs Review dot	Visible to ALL workspace members	Same

8.5 Competitor Landscape Card

State	What User Sees
-------	----------------

Collapsed	Competitor name, type badge, incumbent badge, displacement pill
Expanded	Strengths (green dot), weaknesses (red dot), linked pain points count
Empty	"No competitors tracked" with admin CTA to add

8.6 Admin Onboarding Screens

Screen	State	User Sees
Intake	Normal	Form with client details
Recommend	Loading	"Analyzing client profile..." spinner
Review	Items pending	List of AI-suggested items with confidence badges
Review	Item approved	Green checkmark
Review	Item edited	Edit indicator; admin's value shown
Review	Session locked	"Lock & Provision" CTA enabled
Provision	Running	Step list with status icons (pending/in_progress/completed/failed)
Provision	Step failed	Red error; retry option
Launch	Done	Activation summary; "Open Priority Dashboard" CTA

8.7 Master DB Admin Screens

Screen	State	Admin Sees
Promotion Queue	Pending items	Entity snapshot, workspace name, change type
Promotion Queue	Resolved item	Status badge (Approved/Rejected/Merged)
AI Suggestions	Pending	Field name, current value, suggested value, rationale
AI Suggestions	Approved	Green checkmark; value written to master org
Completeness	Any org	Score bar, health stage, missing fields list, next best action

9. Open Gaps / Risks / Needed Decisions

Unresolved Logic Gaps

Gap	Impact	Priority
<code>forgot-password</code> endpoint is a stub	Users cannot reset passwords; support blocker	HIGH
<code>SEND_INVITE_EMAILS</code> provisioning step is a stub	Invited team members have no way to know they have access	HIGH
No email delivery infrastructure	Password reset, invites, and welcome emails all blocked	HIGH
No invite acceptance flow for new users	Inviting unknown email does nothing useful	HIGH
Duplicate contact detection at business card approval	Implemented — 409 DUPLICATE returned on email/name match; caller uses <code>force=true</code> to override or <code>mergeWithContactId</code> to merge with existing contact	RESOLVED
Self-serve users have no industry/vertical selection	All workspaces default to "Healthcare & GovCon" regardless of user type	MEDIUM
<code>audit_logs</code> table exists but no API exposes it	Audit data not queryable or visible	MEDIUM
<code>opportunity_id</code> on tasks/notes/activities has no FK constraint	Referential integrity not enforced; can reference deleted opps	MEDIUM
Automated CMS data import pipeline not built	Healthcare intelligence CMS data must be manually entered via API	HIGH
No automated pain point refresh when CMS data updates	Old CMS data keeps old suggestions; no refresh trigger	MEDIUM

Unresolved UX Gaps

Gap	Impact	Priority
No first-run wizard for self-serve users	Empty dashboard; no guidance	HIGH
No Day-1 onboarding checklist for self-serve users	Only admin-provisioned workspaces get a launch checklist	HIGH
No client-facing progress view during admin onboarding	Client has no visibility into setup status	MEDIUM
No automated handoff email when admin provisioning completes	Client has no credentials or welcome info	HIGH

No task edit/detail screen	Users can create and complete tasks but cannot edit details inline	MEDIUM
No pipeline analytics/forecast view	No revenue forecasting UI	MEDIUM
No duplicate merge UI	Admins cannot merge duplicate contacts or orgs in the UI	MEDIUM
No visual org relationship graph	Master org hierarchy not visualized	LOW
No push notifications or reminders	Users have no overdue task alerts	MEDIUM

Unresolved Schema Gaps

Gap	Notes
<code>users.platform_role</code> not enforced	Field exists but no business logic uses it
<code>organizations.msa_status</code> , <code>expansion_strategy</code> , <code>expansion_maturity</code> not validated	Free text; no picklist enforcement
<code>tasks.opportunity_id</code> lacks FK	Loose reference; can go stale
<code>Plan.features</code> field is jsonb but not validated	No schema for which feature keys are valid
<code>workspace_intelligence.kind</code> values not enumerated	Any string accepted; no type enforcement

Technical Risks

Risk	Severity	Notes
No email delivery service	CRITICAL	Without email: password reset impossible, invites broken, no notifications
No dedup at scale	HIGH	As workspace data grows, duplicate org/contact records will accumulate
GCS dependency for all media	HIGH	Business cards, org scans — all depend on GCS availability
API TypeScript errors pre-existing	MEDIUM	esbuild ignores TS errors at runtime; type safety not enforced in API layer
JWT tokens long-lived with no refresh	MEDIUM	Tokens expire but there's no silent refresh; users get logged out unexpectedly
No rate limiting on AI endpoints	MEDIUM	AI suggestion generation has no rate limit; could incur unexpected cost

as any forbidden but TS types may drift	LOW	Codebase rule; requires ongoing enforcement
---	-----	---

Recommended Next Build Priorities

Priority	Feature	Rationale
1	Email delivery integration (e.g., Resend, SendGrid)	Unblocks: password reset, invites, welcome emails
2	Invite acceptance flow for new users	Unblocks: team onboarding from admin provisioning
3	Self-serve first-run wizard	Reduces churn from empty-state users
4	Duplicate merge UI for workspace contacts/orgs	No UI to merge records already identified as duplicates
5	CMS data import pipeline	Required for healthcare intelligence to be useful at scale
6	Vertical/industry selection at self-serve signup	Makes onboarding relevant to each user
7	Automated pain point refresh on CMS update	Keeps intelligence current
8	Task edit/detail screen	Completes task management feature
9	Pipeline analytics/forecast view	Sales leadership need
10	Push notifications for overdue tasks	User retention and engagement

10. Appendices

10.1 Appendix A: Feature Inventory Matrix

Feature	Description	Schema Entities	Workflow Coverage	Role
User Login	JWT-based login with remember-me	users, workspaces, workspace_members, subscriptions	Login flow	All
User Signup (Self-Service)	Creates user + workspace + OWNER membership	users, workspaces, workspace_members, subscriptions, plans	Self-service signup	Nor

Forgot Password	Password reset request	users	—	All
Change Password	Authenticated password change	users	—	All
Admin Login	Platform admin authentication	users	—	Plat
Organization CRUD	Create/read/update/delete workspace orgs	organizations, organization_tags, tags	Org creation, updates	All (OW (del
Org Hierarchy	Parent/child/ultimate-parent relationships	organizations	Org creation, hierarchy scan	All
Org Saved Views	11 pre-built filter views	organizations	—	All
Contact CRUD	Create/read/update/delete workspace contacts	contacts, contact_tags, tags	Contact creation, BC approval	All
Contact Relationship Fields	Stakeholder role, influence, strength	contacts	—	All
Business Card Scanner	Camera/gallery → OCR → review → contact	business_cards, contacts, organizations, activities	Business card flow	All (sca
Org Logo Scan	Photo → Google Places match → org enrichment	organization_scans, organizations	Logo scan flow	All
Org Structure Scan	AI hierarchy inference for workspace orgs	organization_structure_scans, organizations	Structure scan flow	All (app gate end
Pipeline (Kanban)	Horizontal board grouped by stage	pipelines, pipeline_stages, opportunities	Opp creation, stage movement	All
Multiple Pipelines	Per-workspace pipeline tabs	pipelines	—	All
EMS Pipeline	EMS-specific 8-stage pipeline	pipelines, opportunity_ems_interfacility_profiles	EMS-specific flow	All

Opportunity CRUD	Create/read/update/delete opportunities	opportunities, opportunity_contacts	Opp creation, pipeline movement	All
EMS Opportunity Profile	22-column EMS transport profile	opportunity_ems_interfacility_profiles	—	All
Tasks	Create/complete/filter tasks	tasks	Follow-up task flow	All
Activities	Activity feed CRUD	activities	—	All
Notes	Note CRUD on any entity	notes	Notes flow	All
Tags	Workspace-scoped tags on contacts and orgs	tags, contact_tags, organization_tags	—	All
Account Intelligence Pulse	Rules-based org health + relationship score	(computed from multiple tables)	—	All
Admin-Led Onboarding	5-phase AI-assisted workspace provisioning	client_onboarding_sessions, onboarding_review_items, onboarding_provisioning_steps, workspace_*	Admin onboarding flow	Plat
Onboarding Presets	Saved onboarding templates	onboarding_presets	—	Plat
Master Org DB	Canonical org reference database	master_organizations, master_org_*, master_organization_aliases, master_organization_relationships	Master DB sync	Plat
Master Promotion Queue	Workspace → master DB review	master_promotion_queue	Promotion workflow	Plat
Master Org AI Suggestions	AI-generated field enrichments	master_org_ai_suggestions	AI suggestion flow	Plat
Master Contact DB	Canonical contact records	master_contacts	Promotion workflow	Plat
Healthcare Intelligence — CMS	CMS data on healthcare orgs	organization_healthcare_profile	Healthcare intel flow	All (OW/app)

Healthcare Intelligence — Pain Points	Suggested/verified pain points from CMS	organization_pain_points	Pain point flow	All (OW) (app)
Healthcare Intelligence — Competitors	Competitor tracking with pain point links	organization_competitors, competitor_pain_point_links	Competitor tracking flow	All (OW) (ver)
Healthcare Intelligence — Opp Score	7-dimension opportunity scoring	organization_healthcare_profile, organization_pain_points, organization_competitors	—	All
Healthcare Intelligence — Summary	Cached intelligence summary on org	organizations.organization_intelligence_summary	—	All
Team Management / Invites	Invite/remove workspace members	workspace_members, workspace_admin_audit_log	Invite flow	OW
Plan Management	Workspace subscription plans	plans, subscriptions	Signup	OW
Reports	Workspace analytics aggregates	(computed)	Reporting flow	All
Workspace Health Snapshots	Point-in-time workspace health records	workspace_health_snapshots	Onboarding provisioning	Plat
Audit Log	Entity-level change history	audit_logs, workspace_admin_audit_log	—	Plat (adr) (ger)
Public Landing Page	Marketing + pricing page	—	—	—

10.2 Appendix B: Complete API Route Catalog

All routes use base path `/api` (Express API, port 8080). Auth requirements:

- **Public:** No JWT required
- **Workspace Auth:** JWT required (`authMiddleware`); workspace membership verified in handler
- **Platform Admin:** JWT + `is_platform_admin = true` (`platformAdminMiddleware`)

10.2.1 Authentication Routes (`/api/auth`)

Auth middleware: None (public)

Method	Path	Auth	Request Body	Response	Notes
POST	<code>/api/auth/login</code>	Public	<code>{ email, password }</code>	<code>{ token, user }</code>	Normalize email; verify bcrypt hash; issue JWT
POST	<code>/api/auth/signup</code>	Public	<code>{ firstName, lastName, email, password, workspaceName }</code>	<code>{ token, user }</code>	Create user + workspace + OWNER membership + "independent" plan
GET	<code>/api/auth/me</code>	Workspace Auth	—	<code>{ user, workspace, role }</code>	Token must be valid; returns decoded claims + workspace info
POST	<code>/api/auth/change-password</code>	Workspace Auth	<code>{ currentPassword, newPassword }</code>	<code>{ success }</code>	Verifies current password before update
POST	<code>/api/auth/forgot-password</code>	Public	<code>{ email }</code>	<code>{ message }</code>	STUB — returns success; no email sent

10.2.2 Admin Auth Routes (`/api/admin`)

Method	Path	Auth	Request Body	Response	Notes
POST	<code>/api/admin/login</code>	Public	<code>{ email, password }</code>	<code>{ token, user }</code>	Requires <code>is_platform_admin = true</code> ; returns error if not admin

GET	/api/admin/me	Platform Admin	—	{ user }	Returns admin user profile
-----	---------------	----------------	---	----------	----------------------------

10.2.3 Contact Routes (/api/contacts)

Method	Path	Auth	Query Params	Request Body	Response
GET	/api/contacts	Workspace Auth	search , status , organizationId , tagIds , savedView , limit , offset	—	{ contactTotal }
POST	/api/contacts	Workspace Auth	—	{ fullName, firstName, lastName, title, department, email, phone, mobile, linkedinUrl, organizationId, status, stakeholderRole, influenceLevel, relationshipStrength, roleNotes, tagIds }	Contact
GET	/api/contacts/:id	Workspace Auth	—	—	Contact tags, o activities
PUT	/api/contacts/:id	Workspace Auth	—	Same as POST body	Update contact
PATCH	/api/contacts/:id	Workspace Auth	—	Partial contact fields	Update contact
DELETE	/api/contacts/:id	Workspace Auth	—	—	{ suc }
POST	/api/contacts/bulk/tasks	Workspace Auth	—	{ contactIds[], task: { title, dueDate, priority } }	{ cre }
POST	/api/contacts/bulk/tags	Workspace Auth	—	{ contactIds[], tagIds[] }	{ upd }

10.2.4 Organization Routes (`/api/organizations`)

Method	Path	Auth	Query Params	Request Body
GET	<code>/api/organizations</code>	Workspace Auth	<code>search, vertical, accountStructureType, parentId, savedView, limit, offset</code>	—
POST	<code>/api/organizations</code>	Workspace Auth	—	<code>{ name, organizationTy vertical, accountStructu parentOrganiza website, phone state, tagIds,</code>
GET	<code>/api/organizations/:id</code>	Workspace Auth	—	—
PUT	<code>/api/organizations/:id</code>	Workspace Auth	—	Full org body
POST	<code>/api/organizations/:id/link-child</code>	Workspace Auth	—	<code>{ childOrgani }</code>
POST	<code>/api/organizations/:id/unlink-child</code>	Workspace Auth	—	<code>{ childOrgani }</code>
DELETE	<code>/api/organizations/:id</code>	Workspace Auth	—	—
GET	<code>/api/organizations/:id/intelligence</code>	Workspace Auth	—	—

10.2.5 Healthcare Intelligence Routes (`/api/organizations/:id/`)

Mounted at `/api/organizations/:id` . Auth: Workspace Auth. Write operations check OWNER/ADMIN role.

Method	Path	Auth	Request Body	Response
GET	<code>/healthcare-profile</code>	Workspace Auth	—	OrganizationHealthcareP
POST	<code>/healthcare-profile</code>	Workspace Auth	Full CMS profile fields	Profile

POST	/healthcare-profile/run-suggestions	ADMIN	—	{ created }
GET	/pain-points	Workspace Auth	—	{ verified[], suggested
POST	/pain-points	Workspace Auth	{ painPointCategory, severity, frequency, sourceType, painPointStatement, linkedCmsSignalKey, evidenceType, confidenceScore }	Pain point
PATCH	/pain-points/:ppId	ADMIN	Partial pain point fields	Updated pain point
POST	/pain-points/:ppId/approve	ADMIN	—	Updated pain point
POST	/pain-points/:ppId/reject	ADMIN	—	Updated pain point
GET	/competitors	Workspace Auth	—	competitor[]
POST	/competitors	Workspace Auth	{ competitorName, competitorType, serviceLine, incumbentStatus, strengths[], weaknesses[], displacementDifficulty, contractStatus, shareOfWalletEstimate }	Competitor
PATCH	/competitors/:cId	ADMIN	Partial competitor fields	Updated competitor
GET	/competitors/:cId/pain-point-links	Workspace Auth	—	link[]
POST	/competitors/:cId/pain-point-links	ADMIN	{ organizationPainPointId, relationshipType, confidenceScore, notes }	Link
DELETE	/competitors/:cId/pain-point-links/:linkId	ADMIN	—	{ success }
GET	/opportunity-score	Workspace Auth	—	{ dimensions[], overall colorBand }
POST	/compute-intelligence-summary	Workspace Auth	—	{ summary }

GET	/intelligence-summary	Workspace Auth	—	{ summary }
-----	-----------------------	----------------	---	-------------

10.2.6 Business Card Routes (/api/business-cards)

Method	Path	Auth	Input	Response	Notes
POST	/api/business-cards/upload	Workspace Auth	multipart/form-data with image file	Card	Upload to G OCR
GET	/api/business-cards	Workspace Auth	? reviewStatus=PENDING_REVIEW	card[]	List with op review statu
POST	/api/business-cards	Workspace Auth	{ imageUrlFront, imageUrlBack }	Card	Create recor manually (ir
GET	/api/business-cards/:id	Workspace Auth	—	Card	Full card wit JSON
PUT	/api/business-cards/:id	Workspace Auth	Partial card fields	Updated card	
POST	/api/business-cards/:id/parse	Workspace Auth	—	Card	Trigger/retr parsing
POST	/api/business-cards/:id/approve	Workspace Auth	{ contactData, organizationData?, mergeWithContactId?, cardNotes?, force? }	{ businessCard, contact, organization }	Duplicate of email/name DUPLICATE existing con force=true override; mergeWith updates exi contact inst deduped by cardNotes linked note
POST	/api/business-cards/:id/reject	Workspace Auth	—	Card	Sets review REJECTED

10.2.7 Organization Scan Routes (/api/organization-scans)

Method	Path	Auth	Input	Response	Notes
POST	/upload	Workspace Auth	multipart/form-data with image	Scan	Upload to GCS

GET	/	Workspace Auth	?organizationId	scan[]	
GET	/:id	Workspace Auth	—	Scan	
POST	/:id/parse	Workspace Auth	—	Scan	Extract text from image
POST	/:id/match	Workspace Auth	—	Scan with <code>matched_place_json</code>	Search Google Places
POST	/:id/approve	Workspace Auth	{ selectedMatchJson, organizationId? }	{ organization, scan }	Enriches org with place data; sets APPROVED
POST	/:id/reject	Workspace Auth	—	Scan	Sets REJECTED

10.2.8 Structure Scan Routes (/api/structure-scans)

Method	Path	Auth	Input	Response	Notes
POST	/	Workspace Auth	{ organizationId }	Scan	Creates scan record; status = PENDING
GET	/	Workspace Auth	?organizationId	scan[]	
GET	/:id	Workspace Auth	—	Scan	
POST	/:id/run	Workspace Auth	—	Scan	Executes full pipeline (master match → external search → LLM review)
POST	/:id/approve	Workspace Auth	{ addToMasterGraph? }	{ scan, organization }	Any workspace member may approve; applies suggested hierarchy to org; optionally writes to master graph
POST	/:id/reject	Workspace Auth	—	Scan	Any workspace member may reject; sets review_status = REJECTED; logs activity

10.2.9 Task Routes (`/api/tasks`)

Method	Path	Auth	Query	Body	Response	Notes
GET	<code>/api/tasks</code>	Workspace Auth	<code>status , priority , contactId , organizationId , opportunityId , dueFilter (today overdue) , page , limit</code>	—	<code>{ tasks[] , total , page , limit }</code>	<code>dueFilter</code> returns 1 with <code>due</code> today ; <code>dueFilter</code> returns 1 calendar
POST	<code>/api/tasks</code>	Workspace Auth	—	<code>{ title , description , dueDate , priority , status , contactId , organizationId , opportunityId , assignedToUserId }</code>	Task	
GET	<code>/api/tasks/:id</code>	Workspace Auth	—	—	Task with contact + org	
PUT	<code>/api/tasks/:id</code>	Workspace Auth	—	Full task body	Updated task	
DELETE	<code>/api/tasks/:id</code>	Workspace Auth	—	—	<code>{ success }</code>	

10.2.10 Activity Routes (`/api/activities`)

Method	Path	Auth	Query	Body	Response	N
GET	<code>/api/activities</code>	Workspace Auth	<code>contactId , organizationId , opportunityId , type , limit , offset</code>	—	<code>activity[]</code>	
POST	<code>/api/activities</code>	Workspace Auth	—	<code>{ type , subject , description , occurredAt ,</code>	Activity	

				contactId, organizationId, opportunityId }		
PUT	/api/activities/:id	Workspace Auth	—	Partial activity	Updated	
DELETE	/api/activities/:id	Workspace Auth	—	—	{ success }	

10.2.11 Note Routes (/api/notes)

Method	Path	Auth	Body	Response	Notes
POST	/api/notes	Workspace Auth	{ content, contactId?, organizationId?, opportunityId? }	Note	Also enqueues promotion if contactId or organizationId is set
PUT	/api/notes/:id	Workspace Auth	{ content }	Updated note	Also re-enqueues promotion
DELETE	/api/notes/:id	Workspace Auth	—	{ success }	

No GET endpoint in this router. Notes are returned as embedded data in contact, organization, and opportunity detail routes. Direct note listing by ID is not exposed.

10.2.12 Pipeline Routes (/api/pipelines)

Method	Path	Auth	Response	Notes
GET	/api/pipelines	Workspace Auth	{ pipelines[] } with stages	Returns all workspace pipelines with their stages

10.2.13 Opportunity Routes (/api/opportunities)

Method	Path	Auth	Query	Body	Response
GET	/api/opportunities	Workspace Auth	pipelineId , pipelineStageId , organizationId ,	—	opportuni

			status , emsView , search		
POST	/api/opportunities	Workspace Auth	—	{ title, pipelineId, pipelineStageId, organizationId, primaryContactId, valueEstimate, closeDateEstimate, vertical, description, serviceLineId }	Opportunity
GET	/api/opportunities/:id	Workspace Auth	—	—	Opportunity contacts + pipeline + emsProfile
PUT	/api/opportunities/:id	Workspace Auth	—	Full opp body	Updated opportunity
DELETE	/api/opportunities/:id	Workspace Auth	—	—	{ success

10.2.14 EMS Profile Routes (/api/ems/*)

Method	Path	Auth	Body	Response	Notes
GET	/api/ems/opportunities/:id/ems-profile	Workspace Auth	—	EMS profile	
POST	/api/ems/opportunities/:id/ems-profile	Workspace Auth	All EMS profile fields	Created profile	Creates if doesn't exist
PUT	/api/ems/opportunities/:id/ems-profile	Workspace Auth	Partial profile fields	Updated profile	
GET	/api/ems/organizations/:id/ems-profile	Workspace Auth	—	Org EMS profile	
PUT	/api/ems/organizations/:id/ems-profile	Workspace Auth	Partial org EMS fields	Updated profile	Upsert

10.2.15 Tag Routes (/api/tags)

Method	Path	Auth	Body	Response
GET	/api/tags	Workspace Auth	—	tag[]
POST	/api/tags	Workspace Auth	{ name, color, category }	Tag

10.2.16 Report Routes (/api/reports)

Method	Path	Auth	Response	Notes
GET	/api/reports/dashboard	Workspace Auth	{ cardsPendingReview, contactsThisWeek, tasksDueToday, tasksOverdue, openOpportunities, recentActivities[], totalContacts, totalOrganizations }	6 aggregate counts + last 10 activities
GET	/api/reports/activities	Workspace Auth	{ byType[], byDay[], total } with optional ?days=30	Activity counts grouped by type over the past N days

10.2.17 Workspace Member Routes (/api/workspaces)

Method	Path	Auth	Body	Response
GET	/api/workspaces/:workspaceId/members	Workspace Auth	—	member[] with user info
POST	/api/workspaces/:workspaceId/invites	OWNER/ADMIN	{ email, role }	{ success }
DELETE	/api/workspaces/:workspaceId/members/:userId	OWNER/ADMIN	—	{ success }
PUT	/api/workspaces/:workspaceId/members/:userId	OWNER/ADMIN	{ role }	Updated member

GET	/api/workspaces/:workspaceId/audit-log	OWNER/ADMIN	—	auditLogEntry[]
-----	--	-------------	---	-----------------

10.2.18 Workspace Pipeline View Routes

Method	Path	Auth	Body	Response	Notes
GET	/api/workspaces/:workspaceId/pipeline-views	Workspace Auth	—	view[]	Views with template info
PUT	/api/workspaces/:workspaceId/pipeline-views/:id	OWNER/ADMIN	{ isEnabled, isDefault, sortOrder, settingsJson }	Updated view	

10.2.19 Admin — Workspace Management Routes (/api/admin/workspaces)

Method	Path	Auth	Body	Response
GET	/api/admin/workspaces	Platform Admin	—	workspace[]
GET	/api/admin/workspaces/:workspaceId	Platform Admin	—	Workspace
GET	/api/admin/workspaces/:workspaceId/pipeline-views	Platform Admin	—	view[]
PUT	/api/admin/workspaces/:workspaceId/pipeline-views/:viewId	Platform Admin	View fields	Updated view
PUT	/api/admin/workspaces/:workspaceId/pipeline-views/reorder	Platform Admin	{ orderedIds[] }	{ }
GET	/api/admin/workspaces/:workspaceId/members	Platform Admin	—	member[]
DELETE	/api/admin/workspaces/:workspaceId/members/:userId	Platform Admin	—	{ }
PUT	/api/admin/workspaces/:workspaceId/members/:memberId/role	Platform Admin	{ role }	Updated role

GET	/api/admin/workspaces/:workspaceId/health	Platform Admin	—	Wo
POST	/api/admin/workspaces/:workspaceId/health/snapshot	Platform Admin	—	Sna
GET	/api/admin/workspaces/:workspaceId/checklist	Platform Admin	—	ch
PATCH	/api/admin/workspaces/:workspaceId/checklist/:key	Platform Admin	{ status }	Upd
GET	/api/admin/workspaces/:workspaceId/audit-log	Platform Admin	—	au
POST	/api/admin/workspaces/:workspaceId/day1-init	Platform Admin	{ config }	{
GET	/api/admin/workspaces/:workspaceId/day1-summary	Platform Admin	—	Sur

10.2.20 Admin — Master Organization Routes (/api/admin/master-organizations)

Method	Path	Auth	Query	Body	Res
GET	/	Platform Admin	search , industry , validationStatus , limit , offset	—	mas
POST	/	Platform Admin	—	Master org fields	Cre
GET	/suggest-link	Platform Admin	?name , ?domain	—	mas
GET	/completeness-audit	Platform Admin	—	—	Org: com asce
GET	/:id	Platform Admin	—	—	Mas over
PUT	/:id	Platform Admin	—	Updated org fields	Upd org

DELETE	<code>/:id</code>	Platform Admin	—	—	<code>{ s</code>
PATCH	<code>/:id/validation-status</code>	Platform Admin	—	<code>{ validationStatus }</code>	Upd
POST	<code>/:id/structure-scan</code>	Platform Admin	—	—	Scar
GET	<code>/:id/aliases</code>	Platform Admin	—	—	ali
POST	<code>/:id/aliases</code>	Platform Admin	—	<code>{ aliasName, aliasType }</code>	Alia:
DELETE	<code>/:id/aliases/:aliasId</code>	Platform Admin	—	—	<code>{ s</code>
GET	<code>/:id/healthcare-overlay</code>	Platform Admin	—	—	Hea over
PUT	<code>/:id/healthcare-overlay</code>	Platform Admin	—	Healthcare overlay fields	Ups
GET	<code>/:id/govcon-overlay</code>	Platform Admin	—	—	Gov
PUT	<code>/:id/govcon-overlay</code>	Platform Admin	—	GovCon overlay fields	Ups
GET	<code>/:id/siblings</code>	Platform Admin	—	—	mas
GET	<code>/:id/ultimate-parent</code>	Platform Admin	—	—	Mas
GET	<code>/:id/relationships</code>	Platform Admin	—	—	rel
POST	<code>/:id/relationships</code>	Platform Admin	—	<code>{ childMasterOrganizationId, relationshipType, confidenceScore, evidenceSummary }</code>	Rela

10.2.21 Admin — Master Organization Relationships (`/api/admin/master-organization-relationships`)

Method	Path	Auth	Body	Response
PUT	<code>/:id</code>	Platform Admin	<code>{ relationshipType, confidenceScore, evidenceSummary, reviewStatus }</code>	Updated relationship
DELETE	<code>/:id</code>	Platform Admin	—	<code>{ success }</code>

10.2.22 Admin — Master Promotion Queue (`/api/admin/master-promotion`)

Method	Path	Auth	Query	Body	Response	Notes
GET	<code>/queue/counts</code>	Platform Admin	—	—	<code>{ pending, approved, rejected }</code>	Summ counts
GET	<code>/queue</code>	Platform Admin	<code>status, entityType, limit, offset</code>	—	<code>queueItem[]</code>	
GET	<code>/suggest-match</code>	Platform Admin	<code>? entityType, ?name, ? domain</code>	—	<code>masterOrg[]</code> or <code>masterContact[]</code>	Dedup sugge
POST	<code>/:queueId/approve-new</code>	Platform Admin	—	<code>{ masterData }</code>	<code>{ masterRecord, queueItem }</code>	Create maste record
POST	<code>/:queueId/approve-merge</code>	Platform Admin	—	<code>{ targetMasterId }</code>	<code>{ masterRecord, queueItem }</code>	Merge existin
POST	<code>/:queueId/approve-link</code>	Platform Admin	—	<code>{ targetMasterId }</code>	<code>{ queueItem }</code>	Link works, entity maste
POST	<code>/:queueId/reject</code>	Platform Admin	—	<code>{ rejectionReason }</code>	<code>{ queueItem }</code>	

10.2.23 Admin — AI Suggestions (`/api/admin/ai-suggestions`)

Method	Path	Auth	Response	Notes
--------	------	------	----------	-------

GET	/	Platform Admin	suggestion[]	All PENDING suggestions across all master orgs
POST	/:orgId/generate	Platform Admin	{ generated }	Triggers AI field enrichment suggestions for a master org
POST	/:id/approve	Platform Admin	Updated suggestion	Applies field value to master org; marks APPROVED
POST	/:id/reject	Platform Admin	Updated suggestion	Marks REJECTED; no field change

10.2.24 Admin — Master Org Scans (/api/admin/master-org-scans)

Method	Path	Auth	Input	Response	Notes
POST	/upload	Platform Admin	multipart/form-data with image	Scan	Upload logo to GCS
GET	/	Platform Admin	—	scan[]	
GET	/:id	Platform Admin	—	Scan	
POST	/:id/parse	Platform Admin	—	Scan	Run OCR on image
POST	/:id/match	Platform Admin	—	Scan	Google Places search
POST	/:id/approve	Platform Admin	{ selectedMatchJson }	{ masterOrg, scan }	Creates/links master org from scan
POST	/:id/reject	Platform Admin	—	Scan	Sets REJECTED

10.2.25 Admin — Diagnostics (/api/admin/diagnostics)

All routes: Platform Admin auth. All read-only.

Method	Path	Response	Notes
GET	/summary	Overall master DB health metrics	
GET	/duplicates	Potential duplicate master orgs by name/domain	
GET	/structure-coverage	% of master orgs with parent hierarchy	

GET	/relationship-integrity	Broken or orphaned relationship records	
GET	/confidence-review	Orgs below confidence threshold	
GET	/domain	Domain coverage and gaps	
GET	/workspace-coverage	Which workspaces have no master org links	
GET	/unlinked-orgs	Workspace orgs with no master_organization_id	

10.2.26 Admin — Pipeline Templates (/api/admin/pipeline-templates)

Method	Path	Auth	Body	Response	Notes
GET	/	Platform Admin	—	template[]	
POST	/	Platform Admin	{ key, name, vertical, subVertical, status, isLocked, isClientEditable, configJson }	Template	
GET	/:id	Platform Admin	—	Template	
PUT	/:id	Platform Admin	Template fields	Updated	
DELETE	/:id	Platform Admin	—	{ success }	
POST	/:id/publish	Platform Admin	—	Updated template	Sets status = active

10.2.27 Admin — Onboarding (/api/admin/onboarding)

Method	Path	Auth	Body	Response	Notes
POST	/sessions	Platform Admin	{ clientType, intakePayload, createdFromPresetId }	Session	Creates sess
GET	/sessions	Platform Admin	—	session[]	

GET	/sessions/:id	Platform Admin	—	Session with review items + steps	
PATCH	/sessions/:id/archive	Platform Admin	—	Session	Sets archive
DELETE	/sessions/:id	Platform Admin	—	{ success }	
PATCH	/sessions/:id/intake	Platform Admin	{ intakePayload }	Session	Update intake
POST	/sessions/:id/recommend	Platform Admin	—	Session	Triggers AI r creates review REVIEW
PATCH	/sessions/:id/decisions	Platform Admin	{ decisions: { [itemKey]: { status, finalValue } } }	Session	Batch update decisions on
POST	/sessions/:id/lock	Platform Admin	—	{ session, appliedConfig }	Validates all resolved; →
POST	/sessions/:id/provision	Platform Admin	—	Session	Runs all 16 p steps; → PRC PROVISIONING
POST	/sessions/:id/retry	Platform Admin	{ retryFailedOnly? }	Session	Retries failed
GET	/sessions/:id/audit	Platform Admin	—	Audit entries for session	
GET	/sessions/:id/provision-preview	Platform Admin	—	Preview of what will be provisioned	
POST	/sessions/:id/rebuild-items	Platform Admin	—	{ items[] }	Rebuilds review current normalized_
GET	/sessions/:id/progress	Platform Admin	—	{ steps[], completedCount, failedCount }	
GET	/config/verticals	Platform Admin	—	vertical[]	
GET	/config/sub-verticals	Platform Admin	—	subVertical[]	
GET	/config/service-lines	Platform Admin	—	serviceLine[]	

GET	/config/pipeline-templates	Platform Admin	—	template[]	Active only
GET	/config/add-on-types	Platform Admin	—	addOnType[]	

10.2.28 Admin — Onboarding Presets (/api/admin/onboarding/presets)

Method	Path	Auth	Body	Response
GET	/	Platform Admin	—	preset[]
GET	/:id	Platform Admin	—	Preset
POST	/	Platform Admin	{ name, verticalId, subVerticalId, isPublic, presetPayload }	Preset
POST	/:id/apply	Platform Admin	{ sessionId }	Updated session

10.2.29 Admin — Pipeline Templates Admin (/api/admin/pipeline-templates)

(Also exposed via adminTemplates.ts — same routes as the Pipeline Routes section above)

10.2.30 Admin — Stats (/api/admin/stats)

Method	Path	Auth	Response
GET	/api/admin/stats	Platform Admin	Platform-wide aggregate metrics (workspace count, org count, contact count, pending promotions)
GET	/api/admin/stats/structure-scans/:id	Platform Admin	Full structure scan detail

10.2.31 Storage Routes

Method	Path	Auth	Response	Notes
--------	------	------	----------	-------

GET	/api/storage/signed-url	Workspace Auth	{ signedUrl, objectPath }	Pre-signed GCS URL for direct upload
-----	-------------------------	----------------	---------------------------	--------------------------------------

10.3 Appendix C: Workspace Pipeline View Schema

workspace_pipeline_views

Column	Type	Required	Default	Notes
id	text (UUID)	Yes	auto	PK
template_id	text (FK→pipeline_view_templates)	Yes	—	ON DELETE CASCADE
workspace_id	text (FK→workspaces)	Yes	—	ON DELETE CASCADE
pipeline_id	text (FK→pipelines)	No	—	ON DELETE SET NULL
is_enabled	boolean	Yes	true	Show/hide this view
is_default	boolean	Yes	false	Default view for the workspace
sort_order	integer	Yes	0	Ordering of views in nav
visibility_scope	text	Yes	all	all, owner, admin, member
settings_json	jsonb	Yes	{}	Per-workspace configuration overrides
created_at	timestamp	Yes	now()	
updated_at	timestamp	Yes	now()	

Unique constraint: (template_id, workspace_id) — one instance per template per workspace.

workspace_pipeline_view_permissions

Column	Type	Required	Default	Notes
id	text (UUID)	Yes	auto	PK
workspace_pipeline_view_id	text (FK→workspace_pipeline_views)	Yes	—	ON DELETE CASCADE

<code>user_id</code>	text (FK→users)	No	—	ON DELETE CASCADE; if null, applies by role
<code>role</code>	text	No	—	Role-level permission override (e.g., ADMIN , MEMBER)
<code>permission</code>	text	Yes	<code>view</code>	<code>view</code> , <code>edit</code> , <code>admin</code>
<code>created_at</code>	timestamp	Yes	<code>now()</code>	

Logic: If `user_id` is set, it's a per-user override. If `role` is set and `user_id` is null, it applies to all members with that role.

10.4 Appendix D: Plans and Subscriptions Schema

plans

Column	Type	Required	Default	Notes
<code>id</code>	text (UUID)	Yes	auto	PK
<code>name</code>	text	Yes	—	Display name (e.g., "Independent")
<code>slug</code>	text	Yes	—	Unique identifier (e.g., <code>independent</code> , <code>team</code> , <code>enterprise</code>)
<code>features</code>	jsonb	No	—	Feature flags; structure not enforced; no validation schema defined
<code>created_at</code>	timestamp	Yes	<code>now()</code>	

Note: `features` is a free-form JSON blob; no validated schema for which keys are valid. The only plan seeded by default is `"independent"` (assigned to all self-signup users).

subscriptions

Column	Type	Required	Default	Notes
<code>id</code>	text (UUID)	Yes	auto	PK

workspace_id	text (FK→workspaces)	Yes	—	ON DELETE CASCADE
plan_id	text (FK→plans)	Yes	—	No cascade — deleting a plan with active subscriptions fails
status	text	Yes	active	active , cancelled , past_due
created_at	timestamp	Yes	now()	
updated_at	timestamp	Yes	now()	

Business rule: If the "independent" plan is not found in the DB at signup time, subscription creation is silently skipped (soft failure). No payment integration is wired.
