



The Molecule Co.

RESEARCH COMPOUND CATALOGUE

Price Schedule

Prepared: 28 July 2026

**Pricing in South African Rand (ZAR),
Reconstructed (Pen),**

excludes courier delivery,
Subject to change without notice.



1. Tissue Repair & Recovery

Compounds researched for soft-tissue, joint and general recovery support.

Image	Product & Research Notes	Retail (ZAR)
	BPC-157 10mg Promotes blood-vessel formation, reduces inflammation and protects cells from damage — studied to speed the healing response in soft tissue, gut lining and joints.	R 775,00
	TB-500 10mg Promotes migration of stem cells to injured areas, helps form new blood vessels, reduces inflammation and prevents excessive scar tissue; often studied alongside BPC-157 for combined soft-tissue recovery.	R 1075,00
	CJC-1295 + Ipamorelin CJC-1295 extends how long each natural growth-hormone pulse lasts while Ipamorelin adds extra pulses, together creating a sustained increase in natural GH release — researched for recovery, body composition and sleep quality.	R 1025,00
	CJC-1295 (No DAC) 10mg Extends the duration of the body's natural growth-hormone pulse for more sustained release without shutting down natural production — a popular short-acting option for GH-pulse research.	R 975,00
	DSIP 10mg Crosses the blood-brain barrier and interacts with the central nervous system to promote delta-wave (deep, restorative) sleep — a key subject in sleep-cycle research.	R 975,00
	Ipamorelin 10mg Mimics ghrelin to selectively stimulate growth-hormone release; studied for increased GH without materially disturbing cortisol or appetite hormones.	R 725,00



Image	Product & Research Notes	Retail (ZAR)
	Pinealon 10mg Investigated for its potential to support neuronal health, cognitive performance and cellular resilience.	R 825,00
	TB-500 10mg (Alt SKU) Promotes migration of stem cells to injured areas, helps form new blood vessels, reduces inflammation and prevents excessive scar tissue; often studied alongside BPC-157 for combined soft-tissue recovery.	R 1075,00
	TB-500 5mg Promotes migration of stem cells to injured areas, helps form new blood vessels, reduces inflammation and prevents excessive scar tissue; often studied alongside BPC-157 for combined soft-tissue recovery.	R 775,00
	VIP 10mg Modulates immune responses, reduces inflammatory cytokines, improves gut-barrier function and protects neurons — studied in gut-immune-brain communication.	R 1575,00
	BPC-157 5mg Promotes blood-vessel formation, reduces inflammation and protects cells from damage — studied to speed the healing response in soft tissue, gut lining and joints.	R 626,00
	ARA-290 10mg A non-erythropoietic EPO derivative studied for activating the innate repair receptor to reduce inflammation and support nerve and tissue repair.	R 745,00
	KPV 10mg A tripeptide fragment of alpha-MSH studied for its anti-inflammatory action in the gut and skin and for supporting tissue healing.	R 675,00



Image	Product & Research Notes	Retail (ZAR)
	Sermorelin 10mg A growth-hormone-releasing hormone analogue that signals the pituitary to release growth hormone naturally; studied for recovery, body composition and sleep.	R 1075,00



2. Metabolic & Weight Management

Compounds researched for fat metabolism, appetite regulation and body composition.

Image	Product & Research Notes	Retail (ZAR)
	AOD-9604 Mimics the way natural growth hormone regulates fat metabolism, helping break down stored fat and prevent new fat formation without the broader effects of full-length GH.	R 896,00
	IGF-1 LR3 Binds IGF-1 receptors to support anabolic signalling, protein synthesis, recovery pathways and metabolic regulation over an extended half-life.	R 1575,00
	Kisspeptin 10mg Activates the hypothalamic-pituitary-gonadal axis, stimulating release of LH and FSH — a core subject in reproductive-hormone research.	R 975,00
	MOTS-c 10mg Improves how mitochondria produce energy, helping cells burn fat and use glucose more efficiently, and activates AMPK — a key pathway in exercise and metabolic research.	R 815,00
	MOTS-c 20mg Improves how mitochondria produce energy, helping cells burn fat and use glucose more efficiently, and activates AMPK — a key pathway in exercise and metabolic research.	R 1075,00
	MOTS-c 40mg Improves how mitochondria produce energy, helping cells burn fat and use glucose more efficiently, and activates AMPK — a key pathway in exercise and metabolic research.	R 1375,00



Image	Product & Research Notes	Retail (ZAR)
	NAD+ 500mg Acts as a helper molecule in hundreds of metabolic processes, especially mitochondrial energy production; elevated NAD+ is studied for cellular energy and repair pathways central to longevity research.	R 875,00
	Retatrutide 10mg Activates GIP, GLP-1 and glucagon receptors — supporting satiety, more effective insulin use and increased energy expenditure; one of the most closely watched compounds in current metabolic research.	R 1075,00
	Retatrutide 20mg Activates GIP, GLP-1 and glucagon receptors — supporting satiety, more effective insulin use and increased energy expenditure; one of the most closely watched compounds in current metabolic research.	R 1475,00
	Retatrutide 30mg Activates GIP, GLP-1 and glucagon receptors — supporting satiety, more effective insulin use and increased energy expenditure; one of the most closely watched compounds in current metabolic research.	R 1775,00
	Retatrutide 40mg Activates GIP, GLP-1 and glucagon receptors — supporting satiety, more effective insulin use and increased energy expenditure; one of the most closely watched compounds in current metabolic research.	R 2175,00
	Tesamorelin 10mg Signals the pituitary gland to release growth hormone naturally rather than introducing GH directly; studied for its effect on visceral belly fat linked to metabolic risk.	R 1176,00
	Tesamorelin 20mg Signals the pituitary gland to release growth hormone naturally rather than introducing GH directly; studied for its effect on visceral belly fat linked to metabolic risk.	R 1775,00



Image	Product & Research Notes	Retail (ZAR)
	Tirzepatide Investigated for its potential to support glucose-dependent insulin secretion, appetite regulation and gastric-emptying pathways.	R 1276,00
	Tesamorelin 5mg Signals the pituitary gland to release growth hormone naturally rather than introducing GH directly; studied for its effect on visceral belly fat linked to metabolic risk.	R 926,00
	5-Amino-1MQ 5mg Investigated for whether influencing NNMT pathways may affect energy expenditure, fat metabolism and body-composition regulation.	R 601,00
	Lemon Bottle 10ml A lipolytic solution studied for localised fat breakdown; a research injectable investigated for body-contouring applications.	R 825,00
	Mazdutide 10mg A dual GLP-1 and glucagon receptor agonist studied for appetite regulation, glucose control and increased energy expenditure.	R 1575,00
	NAD+ 1000mg Acts as a helper molecule in hundreds of metabolic processes, especially mitochondrial energy production; elevated NAD+ is studied for cellular energy and repair pathways central to longevity research.	R 1275,00
	Semaglutide 10mg A GLP-1 receptor agonist studied for glucose-dependent insulin secretion, appetite suppression and slowed gastric emptying.	POA



Image	Product & Research Notes	Retail (ZAR)
	Semaglutide 30mg A GLP-1 receptor agonist studied for glucose-dependent insulin secretion, appetite suppression and slowed gastric emptying.	POA
	SLU-PP-332 5mg An ERR agonist ('exercise mimetic') studied for its potential to increase energy expenditure and fat oxidation without physical exertion.	POA
	Tirzepatide 15mg Investigated for its potential to support glucose-dependent insulin secretion, appetite regulation and gastric-emptying pathways.	R 975,00
	Tirzepatide 30mg Investigated for its potential to support glucose-dependent insulin secretion, appetite regulation and gastric-emptying pathways.	R 1326,00
	Tirzepatide 60mg Investigated for its potential to support glucose-dependent insulin secretion, appetite regulation and gastric-emptying pathways.	R 1875,00



3. Longevity & Cellular Health

Compounds researched for cellular ageing, mitochondrial function and immune signaling.

Image	Product & Research Notes	Retail (ZAR)
	Epithalon 10mg Activates telomerase to help lengthen telomeres and slow cellular ageing, and regulates melatonin production — linked to circadian and longevity research.	R 686,00
	Epithalon 50mg Activates telomerase to help lengthen telomeres and slow cellular ageing, and regulates melatonin production — linked to circadian and longevity research.	R 1175,00
	HCG 5000iu Investigated for its ability to stimulate endogenous testosterone production and support reproductive function.	R 775,00
	Selank 10mg Modulates GABA, serotonin and dopamine systems; studied for reducing anxiety and stress without sedation — a focus of cognitive and stress-response research.	R 896,00
	Thymosin Alpha-1 Investigated for its potential to support T-cell maturation, immune signalling and cytokine activity.	R 1325,00
	Semax 10mg Increases brain-derived neurotrophic factor (BDNF) to promote neuron growth and survival; studied for effects on focus, mood and cognitive performance.	R 896,00



Image	Product & Research Notes	Retail (ZAR)
	SS-31 50mg Investigated for its ability to bind cardiolipin within the inner mitochondrial membrane, supporting mitochondrial efficiency and ATP production.	R 1875,00
	FOXO4-DRI Disrupts the FOXO4-p53 interaction to allow apoptosis of senescent ('zombie') cells while largely sparing healthy cells — a focus of cellular-ageing research.	R 2175,00
	SS-31 10mg Investigated for its ability to bind cardiolipin within the inner mitochondrial membrane, supporting mitochondrial efficiency and ATP production.	R 1075,00
	Glutathione 600mg The body's master antioxidant, studied for its role in cellular detoxification, oxidative-stress defence and skin brightening.	R 675,00



4. Specialty Combination Stacks

Pre-combined multi-peptide blends researched for compounded effects across skin, tissue and recovery pathways.

Image	Product & Research Notes	Retail (ZAR)
	Wolverine Blend - BPC-157 + TB-500 10mg (5mg+5mg) A BPC-157 + TB-500 blend (5mg+5mg): BPC-157 targets rapid localised repair of gut, tendons and ligaments while TB-500 promotes whole-body healing, flexibility and blood-vessel formation — researched for accelerated recovery across multiple tissue types.	R 976,00
	BPC-157 + TB-500 20mg A BPC-157 + TB-500 blend: BPC-157 targets rapid localised repair while TB-500 promotes whole-body healing, flexibility and blood-vessel formation — researched for accelerated recovery across multiple tissue types.	R 1376,00
	GLOW Stack 70mg A regeneration and skin-quality stack: GHK-Cu promotes collagen production and skin regeneration while companion peptides support tissue remodelling and structural repair as a combined formula.	R 1426,00
	GHK-Cu 100mg Stimulates collagen and elastin production, promotes wound healing, reduces inflammation and acts as a powerful antioxidant; the copper complex is widely researched for skin, hair and tissue-remodelling applications.	R 975,00
	GHK-Cu 50mg Stimulates collagen and elastin production, promotes wound healing, reduces inflammation and acts as a powerful antioxidant; the copper complex is widely researched for skin, hair and tissue-remodelling applications.	R 775,00
	KLOW Stack 80mg A KLOW stack: GHK-Cu promotes collagen production and copper delivery for skin and tissue regeneration while partner peptides support recovery, hydration and structural repair as a combined formula.	R 1626,00



5. Hormonal & Vitality

Compounds researched for hormonal signalling, pigmentation and vitality pathways.

Image	Product & Research Notes	Retail (ZAR)
	Melanotan 2 10mg Activates melanocortin receptors in skin cells to trigger melanin production for a protective tan with UV exposure; also studied for effects on appetite and libido.	R 776,00
	PT-141 10mg Activates melanocortin receptors in the hypothalamus to trigger natural sexual arousal and desire; unlike some approaches it does not act directly on blood flow.	R 755,00
	Snap-8 10mg Studied for its potential to influence neurotransmitter signalling associated with facial muscle contractions — a topical, cosmetic-research peptide.	R 675,00



6. Accessories & Consumables


Essential lab consumables and delivery accessories used alongside research compounds.

Image	Product & Research Notes	Retail (ZAR)
	Bacteriostatic Water Sterile water containing a small amount of benzyl alcohol, used to reconstitute freeze-dried peptides prior to research use. Not a peptide — an essential laboratory consumable.	POA
	Bacteriostatic Water 10ml Sterile water containing a small amount of benzyl alcohol, used to reconstitute freeze-dried peptides prior to research use. Not a peptide — an essential laboratory consumable.	R 326,00
	Cartridge Replacement cartridge accessory for compatible pen-style reconstitution and delivery devices.	R 72,00
No image	Disposable Pen Single-use pen device for convenient reconstitution and measured delivery of research compounds.	R 526,00



7. Options & Delivery

Temperature-controlled packaging and courier delivery options for your order.

Image	Product & Research Notes	Retail (ZAR)
	Ice Pack Reusable ice pack for temperature-controlled shipping of research compounds.	R 35,00
	Thermal Bag Insulated thermal bag for temperature-controlled delivery of research compounds.	R 100,00
	Delivery Local Local courier delivery within the metro area.	R 145,00
	Delivery National National courier delivery across South Africa.	R 249,00