



loving nature

RESEARCH COMPOUND CATALOGUE

Price Schedule

Prepared: 30 July 2026

Pricing in South African Rand (ZAR), Reconstituted (Pen).

Excludes courier delivery.
Subject to change without notice.

1. Tissue Repair & Recovery

Peptides studied for healing, recovery and connective-tissue support.

Image	Product & Research Notes	Retail (ZAR)
	BPC-157 10mg Promotes blood-vessel formation, reduces inflammation and protects cells from damage — studied to speed the healing response in soft tissue, gut lining and joints.	R775
	TB-500 10mg Promotes migration of stem cells to injured areas, helps form new blood vessels, reduces inflammation and prevents excessive scar tissue; often studied alongside BPC-157 for combined soft-tissue recovery.	R1,075
	CJC-1295 + Ipamorelin CJC-1295 extends how long each natural growth-hormone pulse lasts while Ipamorelin adds extra pulses, together creating a sustained increase in natural GH release — researched for recovery, body composition and sleep quality.	R1,025
	CJC-1295 (No DAC) 10mg Extends the duration of the body's natural growth-hormone pulse for more sustained release without shutting down natural production — a popular short-acting option for GH-pulse research.	R975
	DSIP 10mg Crosses the blood-brain barrier and interacts with the central nervous system to promote delta-wave (deep, restorative) sleep — a key subject in sleep-cycle research.	R975
	Ipamorelin 10mg Mimics ghrelin to selectively stimulate growth-hormone release; studied for increased GH without materially disturbing cortisol or appetite hormones.	R725

Image	Product & Research Notes	Retail (ZAR)
	Pinealon 10mg Investigated for its potential to support neuronal health, cognitive performance and cellular resilience.	R825
	TB-500 10mg (Alt SKU) Promotes migration of stem cells to injured areas, helps form new blood vessels, reduces inflammation and prevents excessive scar tissue; often studied alongside BPC-157 for combined soft-tissue recovery.	R1,075
	TB-500 5mg Promotes migration of stem cells to injured areas, helps form new blood vessels, reduces inflammation and prevents excessive scar tissue; often studied alongside BPC-157 for combined soft-tissue recovery.	R775
	VIP 10mg Modulates immune responses, reduces inflammatory cytokines, improves gut-barrier function and protects neurons — studied in gut-immune-brain communication.	R1,575
	BPC-157 5mg Promotes blood-vessel formation, reduces inflammation and protects cells from damage — studied to speed the healing response in soft tissue, gut lining and joints.	R626
	ARA-290 10mg A non-erythropoietic EPO derivative studied for activating the innate repair receptor to reduce inflammation and support nerve and tissue repair.	R745
	KPV 10mg A tripeptide fragment of alpha-MSH studied for its anti-inflammatory action in the gut and skin and for supporting tissue healing.	R675

Image	Product & Research Notes	Retail (ZAR)
	Sermorelin 10mg A growth-hormone-releasing hormone analogue that signals the pituitary to release growth hormone naturally; studied for recovery, body composition and sleep.	R1,075
	BPC-157 10mg Research Pen Reconstituted research-pen format for convenient, pre-measured dosing. Promotes blood-vessel formation, reduces inflammation and protects cells from damage — studied to speed the healing response in soft tissue, gut lining and joints.	R1,125
	CJC-1295 + Ipamorelin Research Pen Reconstituted research-pen format for convenient, pre-measured dosing. CJC-1295 extends how long each natural growth-hormone pulse lasts while Ipamorelin adds extra pulses, together creating a sustained increase in natural GH release — researched for recovery, body composition and sleep quality.	R1,375
	DSIP 10mg Research Pen Reconstituted research-pen format for convenient, pre-measured dosing. Crosses the blood-brain barrier and interacts with the central nervous system to promote delta-wave (deep, restorative) sleep — a key subject in sleep-cycle research.	R1,325
	KPV 10mg Research Pen Reconstituted research-pen format for convenient, pre-measured dosing. A tripeptide fragment of alpha-MSH studied for its anti-inflammatory action in the gut and skin and for supporting tissue healing.	R1,025
	TB-500 10mg Research Pen Reconstituted research-pen format for convenient, pre-measured dosing. Promotes migration of stem cells to injured areas, helps form new blood vessels, reduces inflammation and prevents excessive scar tissue; often studied alongside BPC-157 for combined soft-tissue recovery.	R1,425

2. Metabolic & Weight Management

Compounds researched for metabolic, appetite and body-composition pathways.

Image	Product & Research Notes	Retail (ZAR)
	AOD-9604 Mimics the way natural growth hormone regulates fat metabolism, helping break down stored fat and prevent new fat formation without the broader effects of full-length GH.	R896
	IGF-1 LR3 Binds IGF-1 receptors to support anabolic signalling, protein synthesis, recovery pathways and metabolic regulation over an extended half-life.	R1,575
	Kisspeptin 10mg Activates the hypothalamic-pituitary-gonadal axis, stimulating release of LH and FSH — a core subject in reproductive-hormone research.	R975
	MOTS-c 10mg Improves how mitochondria produce energy, helping cells burn fat and use glucose more efficiently, and activates AMPK — a key pathway in exercise and metabolic research.	R815
	MOTS-c 20mg Improves how mitochondria produce energy, helping cells burn fat and use glucose more efficiently, and activates AMPK — a key pathway in exercise and metabolic research.	R1,075
	MOTS-c 40mg Improves how mitochondria produce energy, helping cells burn fat and use glucose more efficiently, and activates AMPK — a key pathway in exercise and metabolic research.	R1,375

Image	Product & Research Notes	Retail (ZAR)
	NAD+ 500mg Acts as a helper molecule in hundreds of metabolic processes, especially mitochondrial energy production; elevated NAD+ is studied for cellular energy and repair pathways central to longevity research.	R875
	Retatrutide 10mg Activates GIP, GLP-1 and glucagon receptors — supporting satiety, more effective insulin use and increased energy expenditure; one of the most closely watched compounds in current metabolic research.	R1,075
	Retatrutide 20mg Activates GIP, GLP-1 and glucagon receptors — supporting satiety, more effective insulin use and increased energy expenditure; one of the most closely watched compounds in current metabolic research.	R1,475
	Retatrutide 30mg Activates GIP, GLP-1 and glucagon receptors — supporting satiety, more effective insulin use and increased energy expenditure; one of the most closely watched compounds in current metabolic research.	R1,775
	Retatrutide 40mg Activates GIP, GLP-1 and glucagon receptors — supporting satiety, more effective insulin use and increased energy expenditure; one of the most closely watched compounds in current metabolic research.	R2,175
	Tesamorelin 10mg Signals the pituitary gland to release growth hormone naturally rather than introducing GH directly; studied for its effect on visceral belly fat linked to metabolic risk.	R1,176
	Tesamorelin 20mg Signals the pituitary gland to release growth hormone naturally rather than introducing GH directly; studied for its effect on visceral belly fat linked to metabolic risk.	R1,775

Image	Product & Research Notes	Retail (ZAR)
	Tirzepatide Investigated for its potential to support glucose-dependent insulin secretion, appetite regulation and gastric-emptying pathways.	R1,276
	Tesamorelin 5mg Signals the pituitary gland to release growth hormone naturally rather than introducing GH directly; studied for its effect on visceral belly fat linked to metabolic risk.	R926
	5-Amino-1MQ 5mg Investigated for whether influencing NNMT pathways may affect energy expenditure, fat metabolism and body-composition regulation.	R601
	Lemon Bottle 10ml A lipolytic solution studied for localised fat breakdown; a research injectable investigated for body-contouring applications.	R825
	Mazdutide 10mg A dual GLP-1 and glucagon receptor agonist studied for appetite regulation, glucose control and increased energy expenditure.	R1,575
	NAD+ 1000mg Acts as a helper molecule in hundreds of metabolic processes, especially mitochondrial energy production; elevated NAD+ is studied for cellular energy and repair pathways central to longevity research.	R1,275
	Semaglutide 10mg A GLP-1 receptor agonist studied for glucose-dependent insulin secretion, appetite suppression and slowed gastric emptying.	POA

Image	Product & Research Notes	Retail (ZAR)
	Semaglutide 30mg A GLP-1 receptor agonist studied for glucose-dependent insulin secretion, appetite suppression and slowed gastric emptying.	R1,175
	SLU-PP-332 5mg An ERR agonist ('exercise mimetic') studied for its potential to increase energy expenditure and fat oxidation without physical exertion.	R775
	Tirzepatide 15mg Investigated for its potential to support glucose-dependent insulin secretion, appetite regulation and gastric-emptying pathways.	R975
	Tirzepatide 30mg Investigated for its potential to support glucose-dependent insulin secretion, appetite regulation and gastric-emptying pathways.	R1,326
	Tirzepatide 60mg Investigated for its potential to support glucose-dependent insulin secretion, appetite regulation and gastric-emptying pathways.	R1,875
	NAD+ 1000mg Research Pen Reconstituted research-pen format for convenient, pre-measured dosing. Acts as a helper molecule in hundreds of metabolic processes, especially mitochondrial energy production; elevated NAD+ is studied for cellular energy and repair pathways central to longevity research.	R1,625
	Semaglutide 30mg Research Pen Reconstituted research-pen format for convenient, pre-measured dosing. A GLP-1 receptor agonist studied for glucose-dependent insulin secretion, appetite suppression and slowed gastric emptying.	R1,525

Image	Product & Research Notes	Retail (ZAR)
	Tirzepatide 60mg Research Pen Reconstituted research-pen format for convenient, pre-measured dosing. Investigated for its potential to support glucose-dependent insulin secretion, appetite regulation and gastric-emptying pathways.	R2,225

3. Longevity & Cellular Health

Research compounds explored for cellular ageing, repair and resilience.

Image	Product & Research Notes	Retail (ZAR)
	Epithalon 10mg Activates telomerase to help lengthen telomeres and slow cellular ageing, and regulates melatonin production — linked to circadian and longevity research.	R686
	Epithalon 50mg Activates telomerase to help lengthen telomeres and slow cellular ageing, and regulates melatonin production — linked to circadian and longevity research.	R1,175
	HCG 5000iu Investigated for its ability to stimulate endogenous testosterone production and support reproductive function.	R775
	Selank 10mg Modulates GABA, serotonin and dopamine systems; studied for reducing anxiety and stress without sedation — a focus of cognitive and stress-response research.	R896
	Thymosin Alpha-1 Investigated for its potential to support T-cell maturation, immune signalling and cytokine activity.	R1,325
	Semax 10mg Increases brain-derived neurotrophic factor (BDNF) to promote neuron growth and survival; studied for effects on focus, mood and cognitive performance.	R896

Image	Product & Research Notes	Retail (ZAR)
	SS-31 50mg Investigated for its ability to bind cardiolipin within the inner mitochondrial membrane, supporting mitochondrial efficiency and ATP production.	R1,875
	FOXO4-DRI Disrupts the FOXO4-p53 interaction to allow apoptosis of senescent ('zombie') cells while largely sparing healthy cells — a focus of cellular-ageing research.	R2,175
	SS-31 10mg Investigated for its ability to bind cardiolipin within the inner mitochondrial membrane, supporting mitochondrial efficiency and ATP production.	R1,075
	Glutathione 600mg The body's master antioxidant, studied for its role in cellular detoxification, oxidative-stress defence and skin brightening.	R675
	Epithalon 50mg Research Pen Reconstituted research-pen format for convenient, pre-measured dosing. Activates telomerase to help lengthen telomeres and slow cellular ageing, and regulates melatonin production — linked to circadian and longevity research.	R1,525

4. Specialty Combination Stacks

Pre-combined blends formulated for convenient multi-pathway research.

Image	Product & Research Notes	Retail (ZAR)
	Wolverine Blend - BPC-157 + TB-500 10mg (5mg+5mg) A BPC-157 + TB-500 blend (5mg+5mg): BPC-157 targets rapid localised repair of gut, tendons and ligaments while TB-500 promotes whole-body healing, flexibility and blood-vessel formation — researched for accelerated recovery across multiple tissue types.	R976
	BPC-157 + TB-500 20mg A BPC-157 + TB-500 blend: BPC-157 targets rapid localised repair while TB-500 promotes whole-body healing, flexibility and blood-vessel formation — researched for accelerated recovery across multiple tissue types.	R1,376
	GLOW Stack 70mg A regeneration and skin-quality stack: GHK-Cu promotes collagen production and skin regeneration while companion peptides support tissue remodelling and structural repair as a combined formula.	R1,426
	GHK-Cu 100mg Stimulates collagen and elastin production, promotes wound healing, reduces inflammation and acts as a powerful antioxidant; the copper complex is widely researched for skin, hair and tissue-remodelling applications.	R975
	GHK-Cu 50mg Stimulates collagen and elastin production, promotes wound healing, reduces inflammation and acts as a powerful antioxidant; the copper complex is widely researched for skin, hair and tissue-remodelling applications.	R775
	KLOW Stack 80mg A KLOW stack: GHK-Cu promotes collagen production and copper delivery for skin and tissue regeneration while partner peptides support recovery, hydration and structural repair as a combined formula.	R1,626

5. Hormonal & Vitality

Peptides investigated for hormonal, libido and pigmentation pathways.

Image	Product & Research Notes	Retail (ZAR)
	Melanotan 2 10mg Activates melanocortin receptors in skin cells to trigger melanin production for a protective tan with UV exposure; also studied for effects on appetite and libido.	R776
	PT-141 10mg Activates melanocortin receptors in the hypothalamus to trigger natural sexual arousal and desire; unlike some approaches it does not act directly on blood flow.	R755
	Snap-8 10mg Studied for its potential to influence neurotransmitter signalling associated with facial muscle contractions — a topical, cosmetic-research peptide.	R675

6. Accessories & Consumables

Reconstitution and delivery consumables for laboratory use.

Image	Product & Research Notes	Retail (ZAR)
	Bacteriostatic Water Sterile water containing a small amount of benzyl alcohol, used to reconstitute freeze-dried peptides prior to research use. Not a peptide — an essential laboratory consumable.	Free
	Bacteriostatic Water 10ml Sterile water containing a small amount of benzyl alcohol, used to reconstitute freeze-dried peptides prior to research use. Not a peptide — an essential laboratory consumable.	R326
	Cartridge Replacement cartridge accessory for compatible pen-style reconstitution and delivery devices.	R72
	Disposable Pen Single-use pen device for convenient reconstitution and measured delivery of research compounds.	R526
	Bacteriostatic Water 3ml Sterile water containing a small amount of benzyl alcohol, used to reconstitute freeze-dried peptides prior to research use. Not a peptide — an essential laboratory consumable.	R276

7. Options & Delivery

Cold-chain packaging and courier options added at checkout.

Image	Product & Research Notes	Retail (ZAR)
 Ice Pack Cold chain option BIOKISSED SA	Ice Pack Reusable ice pack for temperature-controlled shipping of research compounds.	R35
 Thermal Bag Cold chain option BIOKISSED SA	Thermal Bag Insulated thermal bag for temperature-controlled delivery of research compounds.	R100
 Delivery — Local Courier BIOKISSED SA	Delivery Local Local courier delivery within the metro area.	R145
 Delivery — National Courier BIOKISSED SA	Delivery National National courier delivery across South Africa.	R249