



RELIANCE PREDICTIVE SAFETY TECHNOLOGIES

C O N S T R U C T I O N S A F E T Y I N T E L L I G E N C E

SAFE**PREDICT**

The safety command center built for general contractors.

Every number computed from the record that produced it — and traceable back to it.

Sales Presentation · Steven Sladky, CSP

Reduce compliance risk · Improve field accountability · Protect project timelines

The general contractor carries the risk

Every sub, every crew, every credential on the site is your exposure — and it lives in the places you can see least.

01

Paperwork overload

Permits, JSAs, certs and sign-offs still move on paper and through inboxes across the jobsite.

02

Observations go nowhere

Near-misses get written down and never closed out, so they never become leading indicators.

03

Subs are a spreadsheet

Prequal in one folder, certs in another, insurance in an inbox. Nobody can rank sub risk this morning.

04

Reactive incident response

Teams move after the event instead of using live field signal to prevent the repeat.

05

Training gaps between crews

Expirations surface after the work is already assigned to the worker whose card lapsed.

06

Recordability by debate

Whether a case is OSHA-recordable gets argued case by case, with no written 1904 trail.

The result: slow closeouts, weak visibility, and preventable risk.

Safety data to safety prevention

Every record the field already files, turned into readiness, prediction, and a gate on the work — then reconciled against what actually happened.



One platform. One record. One step ahead.

Risk score and readiness cells shown are illustrative.

Six core platform pillars

A construction safety operating system built for command, field work, planning, response, compliance and signal.

01 Command

Jobsite Command Center
Portfolio view & live site status

Jobsite Portfolio
All sites, readiness & risk scores

Alerts & Stop-Work
Active alerts & escalation chain

Reports & Analytics
KPIs, trends & OSHA status

02 Field Operations

Site Access & Orientation
QR check-in, authorization gate

Crew & Coverage
Roster, competency & work auth

Contractor Management
Lifecycle, risk scoring & pre-qual

Sub Portal
The portal as your subs see it

03 Planning & Controls

Daily Activity Plans
Pre-shift planning & sign-off

Job Safety Analyses
Task library & hazard controls

Permit Management
Hot work, confined space & more

Toolbox Talks
Daily meetings & crew sign-off

04 Events & Response

Safety Observations
Leading indicators & field notes

Incidents & Near-Miss
Report and track incidents

Corrective Actions
CAPA tracking & closure

Emergency & Weather
Response plans & thresholds

05 Compliance & Records

OSHA Recordkeeping
300 log, 300A & 1904 reporting

Audits & Inspections
Formal audits & safety walks

Training & Competency
Certifications & expirations

Industrial Hygiene
Exposure & medical surveillance

06 Signals & AI

Pre-Shift Check-In
Human-signal check (fatigue, focus)

4-Hour Safety Scan
AI agent — time-sensitive flags

Risk Register & Forecast
Live register + predictive engine

Gus AI Assistant
Safety guidance & drafting

This is the difference between storing safety data and operating with safety intelligence.

Mission statement

01

Keep people safe

02

Projects on schedule

03

Operations compliant

Reliance Predictive Safety Technologies partners with construction, biotech and pharmaceutical teams to strengthen safety programs, prevent injuries, and sustain environmental and regulatory compliance — so every worker goes home healthy and every project meets its goals.

SafePredict is how that mission is enforced on a jobsite, every day, in software.

Field-focused, not theoretical

Reliance Predictive Safety Technologies is a practical, field-focused safety organization serving construction, biotech and pharmaceutical operations. We combine deep industry experience with hands-on program design to simplify compliance, close training gaps, and turn safety data into action.

What we deliver

Program assessments, tailored training, site-ready procedures, observation and corrective-action systems, and audit-ready documentation.

How we work

Alongside crews, supervisors and leadership — building solutions that fit real jobsite workflows and earn sustained adoption.

What makes it different

The consulting practice and the software are the same discipline. SafePredict encodes the program rather than describing it.

Twenty-two engines. Every one deterministic.

Same inputs, same answer, every time — and the inputs are the records your crews already file.

- Contractor risk scoring
- Predictive risk forecast
- Human Signal Layer (HSL)
- Industrial hygiene · silica, noise, lead
- Prequal gate
- Evolve — model accuracy
- Alert generation
- Return-to-work
- OSHA recordability · 29 CFR 1904
- Incident pattern & root cause
- Experience intelligence (EXP)
- Foreman performance
- Prequal document extraction
- Pre-shift 4-hour scan
- Predictive trends
- Crew competency & authorization
- Leading-indicator detection
- Heat, weather & stop-work
- Phase risk
- DOT · 811 · locate quality
- Work requirements
- Operator qualification

No engine stores a verdict. Standing is derived on read, so a “compliant” flag cannot rot into a lie the day a cert lapses.

Every site, one screen, live



SafePredict
Reliance Predictive Safety Technologies

Live data

11

T

Testclient
SAFETY MANAGER

COMMAND

Jobsite Command Center
Portfolio view & live site status

Jobsite Portfolio
All sites, readiness & risk scores

Site Access
Who scanned in and has not scanned

Alerts & Stop-Work
Active alerts & escalation chain

Predictive Trends
Trend recognition & incident forecasts

Reports & Analytics
KPIs, trends & OSHA status

Management Review
Monthly leadership review & scorecard

FIELD OPERATIONS

PLANNING & CONTROLS

EVENTS & RESPONSE 11

COMPLIANCE & RECORDS

SIGNALS & AI

HELP & SUPPORT

Portfolio Dashboard

ZZ TEST - Onboarding Dry Run (delete after) · 7 active sites · 1 upcoming · Cross-site overview · LIVE DATABASE

Manage Sites

Report Incident

Live

9 open alerts 1 NEEDS ACTION NOW

View all →

Severe Injury — INC-2026-064 open — Critical — energized contact on 2026-08-07 at Electrical Room E-214. Reportable within 24 hours under 1904.39. Investigation is still open.

8 OSHA cards expired or expiring

COMPANY TOTALS — EVERY RECORD ON THE REGISTER

65

WORKERS

18

CONTRACTORS

11

OPEN INCIDENTS

1

OPEN CAPAS

0

ACTIVE PERMITS

37

TRAINING GAPS

Site-by-Site Comparison

7 active · 1 upcoming

Manage All →

SITE	PHASE	WORKERS	INCIDENTS	CAPAS	RISK / READINESS
Riverside Distribution Center SITE-127 · Indianapolis, IN 46201	Structural Stee...	1	1	0	RISK Not scored READY Not scored Enter Site →

Predictive Risk Forecast

Details →

Riverside Distribution Center · deterministic score · adds human-signal & weather


RULE-BASED ENGINE risk-prediction.ts

PREDICTED RISK · RIVERSIDE DISTRIBUTION CENTER

Portfolio totals are counted off the register itself — not a summary table someone remembers to refresh. Open alerts escalate on the record that created them.

SAFEpredict · COMMAND CENTER

Site-by-site readiness and risk



Each site carries its own phase, crew, incident and CAPA counts, so a portfolio conversation drills straight into the jobsite that is driving the number.

Which subcontractor is riskiest this morning

 **SafePredict**
Reliance Predictive Safety Technologies

Live data

Testclient
SAFETY MANAGER

COMMAND

Jobsite Command Center
Portfolio view & live site status

Jobsite Portfolio
All sites, readiness & risk scores

Site Access
Who scanned in and has not scanned...

Alerts & Stop-Work
Active alerts & escalation chain

Predictive Trends
Trend recognition & incident forecasting...

Reports & Analytics
KPIs, trends & OSHA status

Management Review
Monthly leadership review & score...

FIELD OPERATIONS

Site Access & Orientation
QR check-in, authorization gate

Crew & Coverage
Roster, competency & work auth

Invite Your People
Send a code — they set their own...

Contractor Management
Lifecycle, risk scoring & pre-qual

Onboard Subcontractor

 **Contractor & Subcontractor Management**
Full lifecycle: pre-qualification, onboarding, performance, risk scoring, renewal

+ Onboard with Prequal

Quick Add

ACTIVE
12

ONSITE NOW
0
Workers

AVG RISK SCORE
94
Portfolio

FLAGGED (≥ 65)
17
Need review


 **Contractor Registry**
18 contractors · risk scored live · 41 register incident(s) carry no contractor link and count for no row

COMPANY	TRADE	STATUS	RISK SCORE	CERT STATUS	INCIDENTS	JOBSITES	PORTAL	ONSITE
Kesselring Steel Erectors	General	PENDING	100	CURRENT	1	—	Not invited	Off-site
Local 1	General	PENDING	60	CURRENT	0	—	Not invited	Off-site
Summit Peak Electric LLC	Electrical	ACTIVE	95	CURRENT — COI EXPIRES 2027-03-31	0	—	Enabled	Off-site
Iron Ridge Steelworks	Structural Steel	ACTIVE	95	CURRENT — APPROVED THROUGH 2027-01-15	0	—	Not invited	Off-site

A 50-point baseline adjusted by incident history, training, insurance and prequal standing. The score moves when the record moves.


SAFEPREDICT · CONTRACTOR RISK

Catch it as an observation, not an incident



Field observations and near-misses are the cheapest safety data you will ever collect. The detection engine reads them as leading signal.

Reported once, classified consistently



An incident is filed against the site and crew it happened to, then run through the 1904 decision tree rather than argued case by case.

The 300 log, computed and defensible

 **SafePredict**
Reliance Predictive Safety Technologies

Live data

Testclient
SAFETY MANAGER

COMMAND

Jobsite Command Center
Portfolio view & live site status

Jobsite Portfolio
All sites, readiness & risk scores

Site Access
Who scanned in and has not scanned...

Alerts & Stop-Work
Active alerts & escalation chain

Predictive Trends
Trend recognition & incident forecasts

Reports & Analytics
KPIs, trends & OSHA status

Management Review
Monthly leadership review & scorecard...

FIELD OPERATIONS

PLANNING & CONTROLS

EVENTS & RESPONSE 11

COMPLIANCE & RECORDS

SIGNALS & AI

HELP & SUPPORT

OSHA Recordkeeping — 29 CFR 1904

Form 300 injury & illness log, 300A annual summary, and severe-injury reporting — computed live by the recordability engine

Print 300 / 300A

Severe-Injury Reporting Required (1904.39)

INC-2026-064: In-patient hospitalization — report within 24 hours (1904.39) — report due within 24 hours of learning of it.
INC-2026-048: In-patient hospitalization — report within 24 hours (1904.39) — report due within 24 hours of learning of it.
INC-2026-060: In-patient hospitalization — report within 24 hours (1904.39) — report due within 24 hours of learning of it.
The 8/24-hour clock runs from when the employer learns of the event (1904.39(b)(1)), not from the event itself. Occurrence windows per 1904.39(b)(6): a fatality is reportable only if the death occurs within 30 days of the work-related incident; an in-patient hospitalization, amputation, or loss of an eye only if it occurs within 24 hours of the incident.

RECORDABLE CASES

12

of 24 incidents evaluated

TRIR · ESTIMATED

29.30

per 200k hrs · 81,900 YTD hrs from head-count, not payroll

DART RATE · ESTIMATED

4.88

2 days-away/restricted case(s) · head-count hours basis

REPORTABLE EVENTS

3

8h / 24h OSHA notification

Rates above are an estimate, and carry no pass/fail colour. No hours worked have been recorded for 2026. They divide by head-count × a nominal 2,000-hour work-year, which is not a figure anybody entered and is not what 1904.32(b)(2) means by hours worked. That line is mandatory on the 300A and required again for electronic ITA submission under 1904.41. Record hours worked


OSHA Form 300 — Log of Work-Related Injuries and Illnesses (2026)

Classification column determined by the 1904 decision tree — open a case to see the step-by-step determination

Form 300, the 300A summary and severe-injury reporting under 1904.39 — with the recordability determination shown step by step for every case.


SAFEPREDICT · OSHA RECORDKEEPING

Where the next incident is most likely




Trend recognition and forecasting across sites, phases and trades, scored forward rather than reported backward.

Only authorized crews reach the work



Task hazard and required competency are matched against who is actually qualified, so authorization is a gate rather than a checkbox.

Expiring credentials surface before they lapse



Training gaps are computed against the work each worker is assigned, not tracked as a flat roster of certificates.

Ask the platform a question in plain English

 **SafePredict**
Reliance Predictive Safety Technologies

🔍

🌙

● Live data

⚙️

🔔 11

👤

T

Testclient
SAFETY MANAGER

➡

COMMAND

🔧 Jobsite Command Center
Portfolio view & live site status

📖 Jobsite Portfolio
All sites, readiness & risk scores

🚧 Site Access
Who scanned in and has not scanned...

🔔 Alerts & Stop-Work
Active alerts & escalation chain

📈 Predictive Trends
Trend recognition & incident forecasting...

📊 Reports & Analytics
KPIs, trends & OSHA status

🏠 Management Review
Monthly leadership review & score...

FIELD OPERATIONS

PLANNING & CONTROLS

EVENTS & RESPONSE 11

COMPLIANCE & RECORDS

SIGNALS & AI

👤 Pre-Shift Check-In
Human-signal check (fatigue, focus)

 **Gus AI Safety Assistant**
OSHA guidance, JSA drafting, site risk summaries, and regulatory Q&A — powered by SafePredict AI

+ New chat ● Online

SUGGESTED PROMPTS

🔍 Excavation rules

📄 Hot work JSA

🚧 Confined space PPE

🏗️ Scaffold permits

📊 Site-001 risk

🛑 Fall protection

📖 OSHA 300 help

🚧 Crane training

 **Hand Gus a pile of files**
He proposes where each one goes. You confirm — nothing is filed until you do.

Open

 Hi, I'm Gus — your AI safety assistant powered by SafePredict. I can answer OSHA questions, help draft JSAs, explain regulations, summarize site risk, and more. What do you need?
10:14 AM

Send

Gus AI may make mistakes. Always verify regulatory guidance with your Safety Manager or official OSHA publications. Not a substitute for professional safety advice.

OSHA guidance, JSA drafting and site risk summaries, answered against your live records — and labeled as assistance, never as a substitute for the Safety Manager.

SAFEpredict · GUS · AI SAFETY ANALYST

Built multi-tenant, enforced server-side

Tenant isolation

Every table carries row-level security. A company sees its own records and nothing else — enforced by the database, not by the screen.

Layered enforcement

Role shapes the nav, the server action re-checks it, and RLS is the backstop. Three layers have to agree before a record moves.

Subcontractor portal

Each sub gets a portal locked to the sites you assign. Documents flow both ways; reporting a hazard is never punished.

AI stays supervised

Model output is proposed, never applied. Where a template requires human review, nothing reaches a record until a person approves it.

NEXT STEPS

Start on one jobsite.

01

Pick a live site

One active jobsite, its crews and its subs.

02

Load what exists

Prequal packets, certs and training records as they are today.

03

Run a month

Observations, permits and incidents through the platform.

04

Compare

The 300 log it computes against the one you keep by hand.

Ready to modernize safety documentation and field visibility with a cleaner operating model?

Steven Sladky, CSP

(913) 857-2515
stevensladky1@gmail.com