



RELIANCE PREDICTIVE SAFETY TECHNOLOGIES

C O N S T R U C T I O N   S A F E T Y   I N T E L L I G E N C E

# SAFE**PREDICT**

---

The safety command center built for general contractors.

Every number computed from the record that produced it — and traceable back to it.

Sales Presentation · Steven Sladky, CSP

---

Reduce compliance risk · Improve field accountability · Protect project timelines

# Mission statement

01

**Keep people safe**

02

**Projects on schedule**

03

**Operations compliant**

Reliance Predictive Safety Technologies partners with construction, biotech and pharmaceutical teams to strengthen safety programs, prevent injuries, and sustain environmental and regulatory compliance — so every worker goes home healthy and every project meets its goals.

---

SafePredict is how that mission is enforced on a jobsite, every day, in software.

# Field-focused, not theoretical

Reliance Predictive Safety Technologies is a practical, field-focused safety organization serving construction, biotech and pharmaceutical operations. We combine deep industry experience with hands-on program design to simplify compliance, close training gaps, and turn safety data into action.

## What we deliver

Program assessments, tailored training, site-ready procedures, observation and corrective-action systems, and audit-ready documentation.

## How we work

Alongside crews, supervisors and leadership — building solutions that fit real jobsite workflows and earn sustained adoption.

## What makes it different

The consulting practice and the software are the same discipline. SafePredict encodes the program rather than describing it.

# Visible, connected, and predictive

Six domains in the product today — and one record standing behind all of them.

01

## Command

Jobsite Command Center · Jobsite Portfolio  
Alerts & Stop-Work · Predictive Trends  
Reports & Analytics · Management Review

02

## Field Operations

Site Access & Orientation · Crew & Coverage  
Contractor Management · Equipment & Assets  
Foreman Ratings · Sub Portal

03

## Planning & Controls

Daily Activity Plans · Job Safety Analyses  
Permit Management · Toolbox Talks  
Pipeline Playbook

04

## Events & Response

Safety Observations · Incidents & Near-Miss  
Corrective Actions · Return to Work  
Debriefs & Lessons · Emergency & Weather

05

## Compliance & Records

OSHA Recordkeeping · OSHA Form 301  
Audits & Inspections · Training & Competency  
Operator Qualification · Industrial Hygiene

06

## Signals & AI

Pre-Shift Check-In · 4-Hour Safety Scan  
Risk Register & Forecast · Gus AI Assistant

This is the difference between storing safety data and operating with safety intelligence.

# Your safety data already knows. Your software just files it.

---

## Lagging metrics only

TRIR and DART tell you what already happened. By the time the number moves, the incident is months old and the crew has rotated off.

---

## Subs are a spreadsheet

Prequal lives in one folder, certs in another, insurance in an inbox. Nobody can say which subcontractor is riskiest this morning.

---

## Recordability by debate

Whether a case is OSHA-recordable gets argued case by case, with no written trail of how the 1904 decision tree was applied.

None of this is a data problem. It is a computation problem.

# ARC — the Adaptive Risk Continuum

Five stages, each implemented by engines in the product — not a diagram on a wall.

01

## ANTICIPATE

Hazards named before the work starts, from phase, trade and task.

02

## HUNT

Leading indicators and near-misses surfaced from field signal.

03

## FORECAST

Risk scored forward per site, with weather and human signal.

04

## PRE-EMPT

Stop-work, permits and authorization gates fire automatically.

05

## EVOLVE

Every prediction reconciled against what actually happened.

---

The loop closes. Evolve feeds Anticipate, so the model is measured on its own record rather than asserted.

# Twenty-two engines. Every one deterministic.

Same inputs, same answer, every time — and the inputs are the records your crews already file.

- Contractor risk scoring
- Predictive risk forecast
- Human Signal Layer (HSL)
- Industrial hygiene · silica, noise, lead
- Prequal gate
- Evolve — model accuracy
- Alert generation
- Return-to-work
- OSHA recordability · 29 CFR 1904
- Incident pattern & root cause
- Experience intelligence (EXP)
- Foreman performance
- Prequal document extraction
- Pre-shift 4-hour scan
- Predictive trends
- Crew competency & authorization
- Leading-indicator detection
- Heat, weather & stop-work
- Phase risk
- DOT · 811 · locate quality
- Work requirements
- Operator qualification

No engine stores a verdict. Standing is derived on read, so a “compliant” flag cannot rot into a lie the day a cert lapses.

# Every site, one screen, live



**SafePredict**  
Reliance Predictive Safety Technologies

Live data

11

T

Testclient  
SAFETY MANAGER

COMMAND

Jobsite Command Center  
Portfolio view & live site status

Jobsite Portfolio  
All sites, readiness & risk scores

Site Access  
Who scanned in and has not scanned

Alerts & Stop-Work  
Active alerts & escalation chain

Predictive Trends  
Trend recognition & incident forecasts

Reports & Analytics  
KPIs, trends & OSHA status

Management Review  
Monthly leadership review & scorecard

FIELD OPERATIONS

PLANNING & CONTROLS

EVENTS & RESPONSE 11

COMPLIANCE & RECORDS

SIGNALS & AI

HELP & SUPPORT

Portfolio Dashboard

ZZ TEST - Onboarding Dry Run (delete after) · 7 active sites · 1 upcoming · Cross-site overview

LIVE DATABASE

Manage Sites

Report Incident

Live

9 open alerts 1 NEEDS ACTION NOW

View all →

Severe Injury — INC-2026-064 open — Critical — energized contact on 2026-08-07 at Electrical Room E-214. Reportable within 24 hours under 1904.39. Investigation is still open.

8 OSHA cards expired or expiring

COMPANY TOTALS — EVERY RECORD ON THE REGISTER

65

WORKERS

18

CONTRACTORS

11

OPEN INCIDENTS

1

OPEN CAPAS

0

ACTIVE PERMITS

37

TRAINING GAPS

Site-by-Site Comparison

Manage All →

7 active · 1 upcoming

| SITE                                                               | PHASE              | WORKERS | INCIDENTS | CAPAS | RISK / READINESS                                                               |
|--------------------------------------------------------------------|--------------------|---------|-----------|-------|--------------------------------------------------------------------------------|
| Riverside Distribution Center<br>SITE-127 · Indianapolis, IN 46201 | Structural Stee... | 1       | 1         | 0     | <div>RISK Not scored</div> <div>READY Not scored</div> <div>Enter Site →</div> |

Predictive Risk Forecast

Details →

Riverside Distribution Center · deterministic score · adds human-signal & weather

RULE-BASED ENGINE risk-prediction.ts


PREDICTED RISK · RIVERSIDE DISTRIBUTION CENTER

Portfolio totals are counted off the register itself — not a summary table someone remembers to refresh. Open alerts escalate on the record that created them.

SAFEpredict · COMMAND CENTER



# Site-by-site readiness and risk



Each site carries its own phase, crew, incident and CAPA counts, so a portfolio conversation drills straight into the jobsite that is driving the number.

# Which subcontractor is riskiest this morning

SafePredict

Reliance Predictive Safety Technologies

Search SafePredict...

🔍

🔴

Live data

👤

🔔

👤

T

Testclient

SAFETY MANAGER

➔

COMMAND

🔧

Jobsite Command Center

Portfolio view & live site status

📖

Jobsite Portfolio

All sites, readiness & risk scores

🔑

Site Access

Who scanned in and has not scanned...

🔊

Alerts & Stop-Work

Active alerts & escalation chain

📈

Predictive Trends

Trend recognition & incident forecasting...

📊

Reports & Analytics

KPIs, trends & OSHA status

🏠

Management Review

Monthly leadership review & score...

FIELD OPERATIONS

📄

Site Access & Orientation

QR check-in, authorization gate

👤

Crew & Coverage

Roster, competency & work auth

📄

Invite Your People

Send a code — they set their own I...

👤

Contractor Management

Lifecycle, risk scoring & pre-qual

➔

Onboard Subcontractor

👤

Contractor & Subcontractor Management

Full lifecycle: pre-qualification, onboarding, performance, risk scoring, renewal

+ Onboard with Prequal

Quick Add

ACTIVE

12

✓

ONSITE NOW

0

Workers

👤

AVG RISK SCORE

94

Portfolio

📊

FLAGGED (≥ 65)

17

Need review

🚩

👤


Contractor Registry

18 contractors · risk scored live · 41 register incident(s) carry no contractor link and count for no row

| COMPANY                   | TRADE            | STATUS  | RISK SCORE                 | CERT STATUS | INCIDENTS                             | JOBSITES | PORTAL      | ONSITE      |          |
|---------------------------|------------------|---------|----------------------------|-------------|---------------------------------------|----------|-------------|-------------|----------|
| Kesselring Steel Erectors | General          | PENDING | <div><div></div></div> 100 | SUSPEND     | CURRENT                               | 1        | —           | Not invited | Off-site |
| Local 1                   | General          | PENDING | <div><div></div></div> 60  | CURRENT     | 0                                     | —        | Not invited | Off-site    |          |
| Summit Peak Electric LLC  | Electrical       | ACTIVE  | <div><div></div></div> 95  | SUSPEND     | CURRENT — COI EXPIRES 2027-03-31      | 0        | —           | Enabled     | Off-site |
| Iron Ridge Steelworks     | Structural Steel | ACTIVE  | <div><div></div></div> 95  | SUSPEND     | CURRENT — APPROVED THROUGH 2027-01-15 | 0        | —           | Not invited | Off-site |


A 50-point baseline adjusted by incident history, training, insurance and prequal standing. The score moves when the record moves.

# Catch it as an observation, not an incident



Field observations and near-misses are the cheapest safety data you will ever collect. The detection engine reads them as leading signal.

# Reported once, classified consistently



An incident is filed against the site and crew it happened to, then run through the 1904 decision tree rather than argued case by case.

# The 300 log, computed and defensible

 **SafePredict**  
Reliance Predictive Safety Technologies

Live data

Testclient  
SAFETY MANAGER

COMMAND

Jobsite Command Center  
Portfolio view & live site status

Jobsite Portfolio  
All sites, readiness & risk scores

Site Access  
Who scanned in and has not scanned...

Alerts & Stop-Work  
Active alerts & escalation chain

Predictive Trends  
Trend recognition & incident forecasts

Reports & Analytics  
KPIs, trends & OSHA status

Management Review  
Monthly leadership review & scorecard...

FIELD OPERATIONS

PLANNING & CONTROLS

EVENTS & RESPONSE 11

COMPLIANCE & RECORDS

SIGNALS & AI

HELP & SUPPORT

OSHA Recordkeeping — 29 CFR 1904

Form 300 injury & illness log, 300A annual summary, and severe-injury reporting — computed live by the recordability engine

Print 300 / 300A

Severe-Injury Reporting Required (1904.39)

INC-2026-064: In-patient hospitalization — report within 24 hours (1904.39) — report due within 24 hours of learning of it.  
INC-2026-048: In-patient hospitalization — report within 24 hours (1904.39) — report due within 24 hours of learning of it.  
INC-2026-060: In-patient hospitalization — report within 24 hours (1904.39) — report due within 24 hours of learning of it.  
The 8/24-hour clock runs from when the employer learns of the event (1904.39(b)(1)), not from the event itself. Occurrence windows per 1904.39(b)(6): a fatality is reportable only if the death occurs within 30 days of the work-related incident; an in-patient hospitalization, amputation, or loss of an eye only if it occurs within 24 hours of the incident.

RECORDABLE CASES

12

of 24 incidents evaluated

TRIR · ESTIMATED

29.30

per 200k hrs · 81,900 YTD hrs from head-count, not payroll

DART RATE · ESTIMATED

4.88

2 days-away/restricted case(s) · head-count hours basis

REPORTABLE EVENTS

3

8h / 24h OSHA notification

Rates above are an estimate, and carry no pass/fail colour. No hours worked have been recorded for 2026. They divide by head-count × a nominal 2,000-hour work-year, which is not a figure anybody entered and is not what 1904.32(b)(2) means by hours worked. That line is mandatory on the 300A and required again for electronic ITA submission under 1904.41. Record hours worked


OSHA Form 300 — Log of Work-Related Injuries and Illnesses (2026)

Classification column determined by the 1904 decision tree — open a case to see the step-by-step determination

Form 300, the 300A summary and severe-injury reporting under 1904.39 — with the recordability determination shown step by step for every case.

SAFEPREDICT · OSHA RECORDKEEPING

# Where the next incident is most likely



Trend recognition and forecasting across sites, phases and trades, scored forward rather than reported backward.

# Only authorized crews reach the work

 **SafePredict**  
Reliance Predictive Safety Technologies

 Live data



 11

 T

Testclient  
SAFETY MANAGER



COMMAND

Jobsite Command Center  
Portfolio view & live site status

Jobsite Portfolio  
All sites, readiness & risk scores

Site Access  
Who scanned in and has not scanned...

Alerts & Stop-Work  
Active alerts & escalation chain

Predictive Trends  
Trend recognition & incident forecasting...

Reports & Analytics  
KPIs, trends & OSHA status

Management Review  
Monthly leadership review & score...

FIELD OPERATIONS

Site Access & Orientation  
QR check-in, authorization gate

Crew & Coverage  
Roster, competency & work authorization

Invite Your People  
Send a code — they set their own login...

Contractor Management  
Lifecycle, risk scoring & pre-qualification

 **Crew Management & Coverage**  
Daily roster, competency verification, and work authorization

+ Pre-Shift Check-In

+ Add Worker

ASSIGNED TO A JOBSITE  
**65**  
45 marked on shift · 65 in the roster

ASSIGNED COVERAGE  
**1%**  
Assigned crew (65) × task checks eligible · gate ≥ 85%

COMPETENT PERSONS  
**19**  
On assigned crews

HUMAN-SIGNAL INDEX  
  
No check-ins yet · 65 expected

 **Human-Signal Layer**  
Pre-shift human-factors check-ins — fatigue, awareness, stress & reporting culture (ARC Layer 2)

+ Check-In →

  
**No check-ins yet**  
Crew pre-shift check-ins will appear here.

https://safepredict-platform.vercel.app/access

Task hazard and required competency are matched against who is actually qualified, so authorization is a gate rather than a checkbox.

SAFEPREDICT · CREW & COMPETENCY

# Expiring credentials surface before they lapse

SafePredict

Reliance Predictive Safety Technologies

Search SafePredict...

🔍

🔌

Live data

🏠

📢11

T

Testclient

SAFETY MANAGER

🔗

COMMAND

Jobsite Command Center

Portfolio view & live site status

Jobsite Portfolio

All sites, readiness & risk scores

Site Access

Who scanned in and has not scanned...

Alerts & Stop-Work

Active alerts & escalation chain

Predictive Trends

Trend recognition & incident forecasts

Reports & Analytics

KPIs, trends & OSHA status

Management Review

Monthly leadership review & scorecard...

FIELD OPERATIONS

PLANNING & CONTROLS

EVENTS & RESPONSE

COMPLIANCE & RECORDS

SIGNALS & AI

HELP & SUPPORT

Training & Competency

Certification matrix, expiry tracking, trade requirements, and renewal workflow

Export to Excel

Log Training

OSHA 30-HR

33

Certified workers

OSHA 10-HR

22

Certified workers

NO OSHA CARD

10

COMPETENT PERSONS

19

Qualified CPs

EXPIRING ≤ 30D

25

Cards & courses

TRAINING COMPLY

15%

55 of 65 with gaps · target 95%

4 OSHA cards expiring within 30 days — action required

Grace Lopez Update — (Plumbing) — 30HR expires 2026-08-25 (7d)

Tessa Hoover Update — (Structural Steel) — 10HR expires 2026-08-25 (7d)

Dean Tran Update — (Scaffolding) — 30HR expires 2026-08-25 (7d)

Sara Hayes Update — (Drywall / Framing) — 30HR expires 2026-08-25 (7d)

Compliance board

Who is out of date, and what lapses next — filter by window, group by whatever you are chasing

Expired 35

≤ 30 days 24

≤ 60 days 40

≤ 90 days 56

GROUP BY

Worker

Course

Trade

Employer

Jobsite

Search worker, course, employer, site...

Training gaps are computed against the work each worker is assigned, not tracked as a flat roster of certificates.

SAFEPREDICT · TRAINING & COMPLIANCE



# Ask the platform a question in plain English

 **SafePredict**  
Reliance Predictive Safety Technologies

COMMAND

Jobsite Command Center

Portfolio view & live site status

Jobsite Portfolio

All sites, readiness & risk scores

Site Access

Who scanned in and has not scanned...

Alerts & Stop-Work

Active alerts & escalation chain

Predictive Trends

Trend recognition & incident forecasting...

Reports & Analytics

KPIs, trends & OSHA status

Management Review

Monthly leadership review & score...

FIELD OPERATIONS

PLANNING & CONTROLS

EVENTS & RESPONSE

COMPLIANCE & RECORDS

SIGNALS & AI

Pre-Shift Check-In

Human-signal check (fatigue, focus)

Search SafePredict...

🔍

🌙

Live data

🏠

🔔

T

Testclient

SAFETY MANAGER

➡

 **Gus AI Safety Assistant**  
OSHA guidance, JSA drafting, site risk summaries, and regulatory Q&A — powered by SafePredict AI

+ New chat

Online

SUGGESTED PROMPTS

Excavation rules

Hot work JSA

Confined space PPE

Scaffold permits

Site-001 risk

Fall protection

OSHA 300 help

Crane training

 **Hand Gus a pile of files**  
He proposes where each one goes. You confirm — nothing is filed until you do.

Open



Hi, I'm Gus — your AI safety assistant powered by SafePredict. I can answer OSHA questions, help draft JSAs, explain regulations, summarize site risk, and more. What do you need?

10:14 AM

Ask Gus about OSHA regulations, JSA drafting, site risk, or safety guidance...

Send

Gus AI may make mistakes. Always verify regulatory guidance with your Safety Manager or official OSHA publications. Not a substitute for professional safety advice.

OSHA guidance, JSA drafting and site risk summaries, answered against your live records — and labeled as assistance, never as a substitute for the Safety Manager.

SAFEpredict · GUS · AI SAFETY ANALYST

# Built multi-tenant, enforced server-side

---

## Tenant isolation

Every table carries row-level security. A company sees its own records and nothing else — enforced by the database, not by the screen.

---

## Layered enforcement

Role shapes the nav, the server action re-checks it, and RLS is the backstop. Three layers have to agree before a record moves.

---

## Subcontractor portal

Each sub gets a portal locked to the sites you assign. Documents flow both ways; reporting a hazard is never punished.

---

## AI stays supervised

Model output is proposed, never applied. Where a template requires human review, nothing reaches a record until a person approves it.

## NEXT STEPS

# Start on one jobsite.

---

01

### Pick a live site

One active jobsite, its crews and its subs.

02

### Load what exists

Prequal packets, certs and training records as they are today.

03

### Run a month

Observations, permits and incidents through the platform.

04

### Compare

The 300 log it computes against the one you keep by hand.

---

Ready to modernize safety documentation and field visibility with a cleaner operating model?

**Steven Sladky, CSP**

(913) 857-2515  
stevensladky1@gmail.com