



RELIANCE PREDICTIVE SAFETY TECHNOLOGIES

C O N S T R U C T I O N S A F E T Y I N T E L L I G E N C E

SAFE**PREDICT**

The safety command center built for general contractors.

Every number computed from the record that produced it — and traceable back to it.

Sales Presentation · Steven Sladky, CSP

Reduce compliance risk · Improve field accountability · Protect project timelines

Mission statement

01

Keep people safe

02

Projects on schedule

03

Operations compliant

Reliance Predictive Safety Technologies partners with construction, biotech and pharmaceutical teams to strengthen safety programs, prevent injuries, and sustain environmental and regulatory compliance — so every worker goes home healthy and every project meets its goals.

SafePredict is how that mission is enforced on a jobsite, every day, in software.

Field-focused, not theoretical

Reliance Predictive Safety Technologies is a practical, field-focused safety organization serving construction, biotech and pharmaceutical operations. We combine deep industry experience with hands-on program design to simplify compliance, close training gaps, and turn safety data into action.

What we deliver

Program assessments, tailored training, site-ready procedures, observation and corrective-action systems, and audit-ready documentation.

How we work

Alongside crews, supervisors and leadership — building solutions that fit real jobsite workflows and earn sustained adoption.

What makes it different

The consulting practice and the software are the same discipline. SafePredict encodes the program rather than describing it.

Visible, connected, and predictive

From the record a crew files in the field to the action it forces back on site.

1

Inputs

Workers & crews
Jobsites & phases
Contractors & prequal
Training & certs
Permits & JSAs
Observations & incidents
Pre-shift check-ins
Weather & environment

2

Modules

Command center
Jobsite portfolio
Contractor registry
Crew & competency
Observations
Incidents & CAPA
OSHA recordkeeping
Sub portal

3

Engines

Requirement rules
Contractor risk scoring
Risk prediction
Human Signal Layer
Recordability · 1904
Pattern & root cause
Stop-work thresholds
Evolve · accuracy

4

Workflow

Capture in the field
Derive standing on read
Score risk forward
Gate the work
Alert the right person
Close the corrective action
Reconcile the prediction

5

Outputs

Readiness matrix
Actionable alerts
Expiring credentials
Site & portfolio risk
OSHA 300 / 300A
Trend reports
Audit-ready trail
Predictive insight

This is the difference between storing safety data and operating with safety intelligence.

Your safety data already knows. Your software just files it.

Lagging metrics only

TRIR and DART tell you what already happened. By the time the number moves, the incident is months old and the crew has rotated off.

Subs are a spreadsheet

Prequal lives in one folder, certs in another, insurance in an inbox. Nobody can say which subcontractor is riskiest this morning.

Recordability by debate

Whether a case is OSHA-recordable gets argued case by case, with no written trail of how the 1904 decision tree was applied.

None of this is a data problem. It is a computation problem.

ARC — the Adaptive Risk Continuum

Five stages, each implemented by engines in the product — not a diagram on a wall.

01

ANTICIPATE

Hazards named before the work starts, from phase, trade and task.

02

HUNT

Leading indicators and near-misses surfaced from field signal.

03

FORECAST

Risk scored forward per site, with weather and human signal.

04

PRE-EMPT

Stop-work, permits and authorization gates fire automatically.

05

EVOLVE

Every prediction reconciled against what actually happened.

The loop closes. Evolve feeds Anticipate, so the model is measured on its own record rather than asserted.

Twenty-two engines. Every one deterministic.

Same inputs, same answer, every time — and the inputs are the records your crews already file.

- Contractor risk scoring
- Predictive risk forecast
- Human Signal Layer (HSL)
- Industrial hygiene · silica, noise, lead
- Prequal gate
- Evolve — model accuracy
- Alert generation
- Return-to-work
- OSHA recordability · 29 CFR 1904
- Incident pattern & root cause
- Experience intelligence (EXP)
- Foreman performance
- Prequal document extraction
- Pre-shift 4-hour scan
- Predictive trends
- Crew competency & authorization
- Leading-indicator detection
- Heat, weather & stop-work
- Phase risk
- DOT · 811 · locate quality
- Work requirements
- Operator qualification

No engine stores a verdict. Standing is derived on read, so a “compliant” flag cannot rot into a lie the day a cert lapses.

Every site, one screen, live



SafePredict
Reliance Predictive Safety Technologies

Live data

11

T

Testclient
SAFETY MANAGER

COMMAND

Jobsite Command Center
Portfolio view & live site status

Jobsite Portfolio
All sites, readiness & risk scores

Site Access
Who scanned in and has not scanned

Alerts & Stop-Work
Active alerts & escalation chain

Predictive Trends
Trend recognition & incident forecasts

Reports & Analytics
KPIs, trends & OSHA status

Management Review
Monthly leadership review & scorecard

FIELD OPERATIONS

PLANNING & CONTROLS

EVENTS & RESPONSE 11

COMPLIANCE & RECORDS

SIGNALS & AI

HELP & SUPPORT

Portfolio Dashboard

ZZ TEST - Onboarding Dry Run (delete after) · 7 active sites · 1 upcoming · Cross-site overview

LIVE DATABASE

Manage Sites

Report Incident

Live

9 open alerts 1 NEEDS ACTION NOW

View all →

Severe Injury — INC-2026-064 open — Critical — energized contact on 2026-08-07 at Electrical Room E-214. Reportable within 24 hours under 1904.39. Investigation is still open.

8 OSHA cards expired or expiring

COMPANY TOTALS — EVERY RECORD ON THE REGISTER

65
WORKERS

18
CONTRACTORS

11
OPEN INCIDENTS

1
OPEN CAPAS

0
ACTIVE PERMITS

37
TRAINING GAPS

Site-by-Site Comparison

7 active · 1 upcoming

Manage All →

SITE	PHASE	WORKERS	INCIDENTS	CAPAS	RISK / READINESS	
Riverside Distribution Center SITE-127 · Indianapolis, IN 46201	Structural Stee...	1	1	0	RISK READY	Not scored Not scored

Enter Site →

Predictive Risk Forecast

Details →

Riverside Distribution Center · deterministic score · adds human-signal & weather


RULE-BASED ENGINE risk-prediction.ts

PREDICTED RISK · RIVERSIDE DISTRIBUTION CENTER

Portfolio totals are counted off the register itself — not a summary table someone remembers to refresh. Open alerts escalate on the record that created them.

SAFEpredict · COMMAND CENTER

Site-by-site readiness and risk



Each site carries its own phase, crew, incident and CAPA counts, so a portfolio conversation drills straight into the jobsite that is driving the number.

Which subcontractor is riskiest this morning

 **SafePredict**
Reliance Predictive Safety Technologies

Live data

11

T

Testclient
SAFETY MANAGER

COMMAND

Jobsite Command Center

Portfolio view & live site status

Jobsite Portfolio

All sites, readiness & risk scores

Site Access

Who scanned in and has not scanned...

Alerts & Stop-Work

Active alerts & escalation chain

Predictive Trends

Trend recognition & incident forecasting...

Reports & Analytics

KPIs, trends & OSHA status

Management Review

Monthly leadership review & score...

FIELD OPERATIONS

Site Access & Orientation

QR check-in, authorization gate

Crew & Coverage

Roster, competency & work auth

Invite Your People

Send a code — they set their own I...

Contractor Management

Lifecycle, risk scoring & pre-qual

Onboard Subcontractor

 **Contractor & Subcontractor Management**
Full lifecycle: pre-qualification, onboarding, performance, risk scoring, renewal

+ Onboard with Prequal

Quick Add

ACTIVE

12



ONSITE NOW

0

Workers



AVG RISK SCORE

94

Portfolio



FLAGGED (≥ 65)

17

Need review




 **Contractor Registry**
18 contractors · risk scored live · 41 register incident(s) carry no contractor link and count for no row

COMPANY	TRADE	STATUS	RISK SCORE	CERT STATUS	INCIDENTS	JOBSITES	PORTAL	ONSITE
Kesselring Steel Erectors	General	PENDING	100 SUSPEND	CURRENT	1	—	Not invited	Off-site
Local 1	General	PENDING	60	CURRENT	0	—	Not invited	Off-site
Summit Peak Electric LLC	Electrical	ACTIVE	95 SUSPEND	CURRENT — COI EXPIRES 2027-03-31	0	—	 Enabled	Off-site
Iron Ridge Steelworks	Structural Steel	ACTIVE	95 SUSPEND	CURRENT — APPROVED THROUGH 2027-01-15	0	—	Not invited	Off-site

A 50-point baseline adjusted by incident history, training, insurance and prequal standing. The score moves when the record moves.


SAFEPREDICT · CONTRACTOR RISK

Catch it as an observation, not an incident



Field observations and near-misses are the cheapest safety data you will ever collect. The detection engine reads them as leading signal.

Reported once, classified consistently



An incident is filed against the site and crew it happened to, then run through the 1904 decision tree rather than argued case by case.

The 300 log, computed and defensible

 **SafePredict**
Reliance Predictive Safety Technologies

Live data

Testclient
SAFETY MANAGER

COMMAND

Jobsite Command Center
Portfolio view & live site status

Jobsite Portfolio
All sites, readiness & risk scores

Site Access
Who scanned in and has not scanned...

Alerts & Stop-Work
Active alerts & escalation chain

Predictive Trends
Trend recognition & incident forecasts

Reports & Analytics
KPIs, trends & OSHA status

Management Review
Monthly leadership review & scorecard...

FIELD OPERATIONS

PLANNING & CONTROLS

EVENTS & RESPONSE 11

COMPLIANCE & RECORDS

SIGNALS & AI

HELP & SUPPORT

OSHA Recordkeeping — 29 CFR 1904

Form 300 injury & illness log, 300A annual summary, and severe-injury reporting — computed live by the recordability engine

Print 300 / 300A

Severe-Injury Reporting Required (1904.39)

INC-2026-064: In-patient hospitalization — report within 24 hours (1904.39) — report due within 24 hours of learning of it.
INC-2026-048: In-patient hospitalization — report within 24 hours (1904.39) — report due within 24 hours of learning of it.
INC-2026-060: In-patient hospitalization — report within 24 hours (1904.39) — report due within 24 hours of learning of it.
The 8/24-hour clock runs from when the employer learns of the event (1904.39(b)(1)), not from the event itself. Occurrence windows per 1904.39(b)(6): a fatality is reportable only if the death occurs within 30 days of the work-related incident; an in-patient hospitalization, amputation, or loss of an eye only if it occurs within 24 hours of the incident.

RECORDABLE CASES

12

of 24 incidents evaluated

TRIR · ESTIMATED

29.30

per 200k hrs · 81,900 YTD hrs from head-count, not payroll

DART RATE · ESTIMATED

4.88

2 days-away/restricted case(s) · head-count hours basis

REPORTABLE EVENTS

3

8h / 24h OSHA notification

Rates above are an estimate, and carry no pass/fail colour. No hours worked have been recorded for 2026. They divide by head-count × a nominal 2,000-hour work-year, which is not a figure anybody entered and is not what 1904.32(b)(2) means by hours worked. That line is mandatory on the 300A and required again for electronic ITA submission under 1904.41. Record hours worked


OSHA Form 300 — Log of Work-Related Injuries and Illnesses (2026)

Classification column determined by the 1904 decision tree — open a case to see the step-by-step determination

Form 300, the 300A summary and severe-injury reporting under 1904.39 — with the recordability determination shown step by step for every case.


SAFEPREDICT · OSHA RECORDKEEPING

Where the next incident is most likely



Trend recognition and forecasting across sites, phases and trades, scored forward rather than reported backward.

Only authorized crews reach the work



Task hazard and required competency are matched against who is actually qualified, so authorization is a gate rather than a checkbox.

Expiring credentials surface before they lapse

 **SafePredict**
Reliance Predictive Safety Technologies

Live data

11

T

Testclient
SAFETY MANAGER

COMMAND

Jobsite Command Center

Portfolio view & live site status

Jobsite Portfolio

All sites, readiness & risk scores

Site Access

Who scanned in and has not scanned...

Alerts & Stop-Work

Active alerts & escalation chain

Predictive Trends

Trend recognition & incident forecasts

Reports & Analytics

KPIs, trends & OSHA status

Management Review

Monthly leadership review & scorecard...

FIELD OPERATIONS

PLANNING & CONTROLS

EVENTS & RESPONSE

COMPLIANCE & RECORDS

SIGNALS & AI

HELP & SUPPORT

Training & Competency

Certification matrix, expiry tracking, trade requirements, and renewal workflow

Export to Excel

Log Training

OSHA 30-HR

33

Certified workers

OSHA 10-HR

22

Certified workers

NO OSHA CARD

10

COMPETENT PERSONS

19

Qualified CPs

EXPIRING ≤ 30D

25

Cards & courses

TRAINING COMPLY

15%

55 of 65 with gaps · target 95%

4 OSHA cards expiring within 30 days — action required

Grace Lopez

Update — (Plumbing) — 30HR expires 2026-08-25 (7d)

Tessa Hoover

Update — (Structural Steel) — 10HR expires 2026-08-25 (7d)

Dean Tran

Update — (Scaffolding) — 30HR expires 2026-08-25 (7d)

Sara Hayes

Update — (Drywall / Framing) — 30HR expires 2026-08-25 (7d)

Compliance board

Who is out of date, and what lapses next — filter by window, group by whatever you are chasing

Expired 35

≤ 30 days 24

≤ 60 days 40

≤ 90 days 56

GROUP BY

Worker

Course

Trade

Employer

Jobsite

Training gaps are computed against the work each worker is assigned, not tracked as a flat roster of certificates.

SAFEpredict · TRAINING & COMPLIANCE

Ask the platform a question in plain English

 **SafePredict**
Reliance Predictive Safety Technologies

🔍

🌙

● Live data

⚙️

🔔 11

👤

T

Testclient
SAFETY MANAGER

➡

COMMAND

🏗️ **Jobsite Command Center**
Portfolio view & live site status

📖 **Jobsite Portfolio**
All sites, readiness & risk scores

🚧 **Site Access**
Who scanned in and has not scanned...

🔔 **Alerts & Stop-Work**
Active alerts & escalation chain

📈 **Predictive Trends**
Trend recognition & incident forecasting...

📊 **Reports & Analytics**
KPIs, trends & OSHA status

🏛️ **Management Review**
Monthly leadership review & score...

FIELD OPERATIONS

PLANNING & CONTROLS

EVENTS & RESPONSE 11

COMPLIANCE & RECORDS

SIGNALS & AI

👤 **Pre-Shift Check-In**
Human-signal check (fatigue, focus)

 **Gus AI Safety Assistant**
OSHA guidance, JSA drafting, site risk summaries, and regulatory Q&A — powered by SafePredict AI

+ New chat ● Online

SUGGESTED PROMPTS

🔍 Excavation rules

📄 Hot work JSA

🚧 Confined space PPE

🏗️ Scaffold permits

📊 Site-001 risk

🔒 Fall protection

📄 OSHA 300 help

🏗️ Crane training

 **Hand Gus a pile of files**
He proposes where each one goes. You confirm — nothing is filed until you do.

Open

 Hi, I'm Gus — your AI safety assistant powered by SafePredict. I can answer OSHA questions, help draft JSAs, explain regulations, summarize site risk, and more. What do you need?
10:14 AM

Send

Gus AI may make mistakes. Always verify regulatory guidance with your Safety Manager or official OSHA publications. Not a substitute for professional safety advice.

OSHA guidance, JSA drafting and site risk summaries, answered against your live records — and labeled as assistance, never as a substitute for the Safety Manager.

Built multi-tenant, enforced server-side

Tenant isolation

Every table carries row-level security. A company sees its own records and nothing else — enforced by the database, not by the screen.

Layered enforcement

Role shapes the nav, the server action re-checks it, and RLS is the backstop. Three layers have to agree before a record moves.

Subcontractor portal

Each sub gets a portal locked to the sites you assign. Documents flow both ways; reporting a hazard is never punished.

AI stays supervised

Model output is proposed, never applied. Where a template requires human review, nothing reaches a record until a person approves it.

NEXT STEPS

Start on one jobsite.

01

Pick a live site

One active jobsite, its crews and its subs.

02

Load what exists

Prequal packets, certs and training records as they are today.

03

Run a month

Observations, permits and incidents through the platform.

04

Compare

The 300 log it computes against the one you keep by hand.

Ready to modernize safety documentation and field visibility with a cleaner operating model?

Steven Sladky, CSP

(913) 857-2515
stevensladky1@gmail.com