


ATMOSPHERIC SCIENCES 5040/6040- Environmental Statistics

- Instructors: John Horel, TA Aaron Meyer
- Required text for everyone: Python Programming ... A. deCaria
- Recommended text for graduate students: Statistical Methods in the Atmospheric Sciences







Official Syllabus

- In Canvas
- Direct link to course:
- https://utah.instructure.com/courses/573776/
- Github
- https://github.com/johnhorel/atmos_5040_2019/

When you have questions...

- email: john.horel@utah.edu
- Use the class Teams
 - (will be discussed later)
- Office hours: by appointment
 - Send email, a message in Teams or phone

5040 Tentative Course Outline

- Week 1. Oct. 15, 17. Basic concepts.
- Week 2. Oct. 22, 24. Python review.
- Week 3. Oct. 29, 31. Exploratory Univariate Data Analysis.
- Week 4. Nov. 5, 7. Exploratory Univariate Data Analysis.
- Week 5. Nov. 12, 14. Transforming Data.
- Week 6. Nov. 19, 21. Probability.
- Week 7 Nov. 26, Exploratory Multivariate Data Analysis.
- Week 8. Dec. 3, 5. Exploratory Multivariate Data Analysis.

Format

- Meet in 703 WBB to start- we'll shift to 711 WBB at times
- You must read the assigned text and class notes prior to the corresponding lecture
- Assignments completed late will receive at most partial credit
- Take Home Exam due- December 11

Class Policies and Grading

- 5040:
 - (1) final (33%)
 - (2) class assignments (66%)

Course Learning Objectives

- At the end of the short course students will be able to:
- State and use basic statistical metrics to analyze environmental information
- Develop proficiency to program using a highlevel programming language, Python, to analyze environmental data sets
- State and demonstrate the characteristics of effective research: organize, quality control, and find relationship(s) among data

What you should be doing

- Assignment 1- Survey- Due Friday
- Read Chapter 1 & 2a-2b Notes for Thursday
- Assignment 2 due next week

Programming Languages

- Programs written in a specific language are just variations on ways to pass instructions to a computer
- Each language has its own syntax (form) and semantics (meaning)
 - Syntax: Sequences of text including words, numbers, and punctuation using rules like written languages (grammar)
 - Semantics: The meaning given to the syntax
 - a sequence of words that makes sense to a computer


Popularity of programming languages

https://www.tiobe.com/tiobe-index/

Oct 2019	Oct 2018	Change	Programming Language	Ratings	Change
1	1		Java	16.884%	-0.92%
2	2		С	16.180%	+0.80%
3	4	^	Python	9.089%	+1.93%
4	3	~	C++	6.229%	-1.36%
5	6	^	C#	3.860%	+0.37%

15	14	~	R	1.261%	+0.05%
16	20	*	Visual Basic	1.234%	+0.58%
17	12	*	Go	1.100%	-0.15%
18	17	•	Delphi/Object Pascal	1.046%	-0.11%
19	16	•	Perl	1.023%	-0.14%
20	11	*	MATLAB	0.924%	-0.39%






Matlab

- Proprietary
- Inexpensive for educational uses, expensive otherwise
- Flexible graphical user interface
- Many toolboxes
- Matrix oriented

Python

- Open source
- Free, although enterprise releases for commercial applications
- Notebooks are a convenient way to learn
- Many modules
- Object oriented













Matlab

- Legacy codes available in Matlab
- Matlab text is useful

Python

- All codes available in python
- Required that you do assignments in Python
- Intro text recommended
- Everything in one github repository (notes, codes, data):
 https://github.com/johnhorel/atmos_5040_2019
- Programming language reviews from ATMOS 5020 in repository
- Notes independent of language
- Use the class time to not feel pressured about completing assignments on time






- Data Science
 encompasses computer
 programming, statistics,
 and many other subjects.
- Involves collecting, preparing, analyzing, managing, visualizing, and storing large volumes of information
- Statistics provides
 methods and
 approaches to
 analyze information
 and draw conclusions
 from that information

Problems with statistics?

- Oriented towards confirming preconceived ideas?
- Start with a technique and look for a data set to apply it to?
- There's always two sides to every issue?
- What do you think? Other examples of poor statistics?





The Health Risks of Being Left-Handed

Lefties Face Chance Of ADHD, Other Disorders; Brain Wiring Holds Clues

- http://www.wsj.com/articles/SB1000142405297020408320457708056269245
 2538
- Modern lefty lore says left-handers are smarter, more creative and have an advantage over righties.
- About 10% of people are left-handed, Six of the last 12 U.S. presidents, including Barack Obama and George H. W. Bush, have been lefties.
- Babies born to older mothers or at a lower birth weight are more likely to be lefties
- On average there is no difference in intelligence between right-and lefthanded people.
- Left-handed people earn on average 10% lower salaries than righties
- lefties aren't more accident prone than right-handed people and don't tend to die at a younger age.
- Left-handedness appears to be associated with a greater risk for a number of psychiatric and developmental disorders.
 - About 20% of people with schizophrenia are lefties even though 10% of people are lefties
 - 1% of general population has schizophrenia
 - Ooh! 80% of schizophrenics are righties! and 0.2% of all people are lefties with schizophrenia

Questioning traditional statistical approaches

- Nassim Nicholas Taleb
- http://www.fooledbyrandomness.com/
- Black Swan: extreme impact of rare and unpredictable events and human tendency to search for simplistic explanations for these events retrospectively
- Antifragile: Some things benefit from shocks and thrive when exposed to volatility, randomness, disorder, stressors, and uncertainty

Oddball statistics?

https://www.statnews.com/2016/05/09/john-oliver-bad-science/

Warning: some inappropriate language

John Oliver rips apart bad science on 'Last Week Tonight'

By MEGAN THIELKING @meggophone / MAY 9, 2016



Scientific Explanations are:


- based on empirical observations or experiments
- tentative
- historical
- probabilistic
- assume cause-effect relationships
- limited
- made public
- influenced by individuals and culture

What's the Goal??

- Exploratory or descriptive statistics:
 - Organize and interpret volumes of data

- Inferential statistics:
 - Assess the underlying physical processes that generate environmental data

THE FAMILY CIRCUS



"I wish they didn't turn on that seatbelt sign so much! Every time they do, it gets bumpy."

Observations and Truth

- True value- value of a quantity sought through measurement, but unknown usually in the field
- Truth depends on application
- Assumption: average of many unbiased observations should be same as expected value of truth
- However, accurate observations may be biased or unrepresentative due to siting or other factors





Rudy Giuliani says 'truth isn't truth'



By Caroline Kenny, CNN
Updated 4:50 PM ET, Sun August 19, 2018




Causes of Uncertainty

- 1. we can never measure the environment with complete accuracy and precision
- 2. the environment is a chaotic system, which is a maddening combination of randomness and order arising from the characteristics of a complex nonlinear system,
- 3. our understanding of the environmental system is imperfect, so physical (and certainly statistical) models do not capture the complete behavior of the system.

Gauging Uncertainty


- Accuracy- difference in response between a standard and instrument in varying environmental conditions a measure of how close a measurement is to the "true" value
- Precision- how well repeated measurements of some quantity agree with each other. A precise instrument can be inaccurate



Systematic vs. Random Errors

- Random- that which is not precisely predictable or determinable
- Systematic- errors arising from a consistent response of a measuring device to environmental conditions or faulty characteristics of instrumentation that occurs frequently

Truth vs. single and large sample of observations



Population vs. Sample

- we never know the entire population of true values as the environmental conditions change in time or space.
- We hope that we choose a sample of observations for analysis such that each element in the population has an equal chance to be selected.
- Sampling issues
 - Trends
 - serial dependence of environmental data
 - model sample tend to be less variable than observed samples

Selecting a Sample

- Selecting the sample for analysis is a critical aspect of organizing the data and depends on the question to be addressed by the study
- rule of thumb: sample should be large enough to capture the phenomenon of interest many times
- "Degrees of freedom": number of independent elements in the sample;
 - usually much smaller than the total number of members in the sample in environmental data sets
- Keeping your powder dry- saving data for an independent sample to evaluate and confirm your results.
- Tendency to assume sample is drawn randomly from the population, when sample grossly underestimates the variability inherent in the population

<u>Selfies</u>

"It's not surprising that men who post a lot of selfies and spend more time editing them are more narcissistic, but this is the first time it has actually been confirmed in a study,"

Study Links Selfies To Narcissism And Psychopathy



The sample included 800 men from age 18 to 40 who completed an online survey asking about their photo posting behavior on social media. The participants also completed standard questionnaires for anti-social behaviors and for self-objectification. (This study doesn't include women because the dataset, which Fox received from a magazine, did not have comparable data for women.):

Facebook updates may stave off loneliness, even if no one 'likes' you, study finds



- Compared with other students, those who had been urged to go on a status-writing blitz felt less lonely
- happiness and depression levels unchanged, "suggesting that the effect is specific to experienced loneliness," Simply thinking about their friends can have a "social snacking" effect.
- "Similar to snack temporarily reducing hunger until next meal, social snacking may help tolerate lack of 'real' social interaction for a certain amount of time"

- Scientists have found clues to what compels people to constantly update their Facebook status. College students who posted more status updates than they normally did felt less lonely over course of a week, even if no one "liked" or commented on their posts
- researchers at Free University Berlin recruited 100 undergraduates at University of Arizona; paper published last month in <u>Social Psychological and</u> <u>Personality Science</u>.
- Participants filled out surveys to measure their levels of loneliness, <u>happiness</u> and depression, and gave researchers access to their Facebook
- students were sent an analysis of their average weekly status updates; some were told to post more updates than usual over next seven days. During that week, all completed a short online questionnaire at the end of each day about their mood and level of social connection.

Observations

- Observations are not perfect...
 - Gross errors
 - Local siting errors
 - Instrument errors
 - Representativeness errors

Representative errors to be expected in mountains Alta Ski Area




Common Goal is to Synthesize and Reduce Dimensionality


- Statistical analysis of environmental data typically involves reducing the dimensionality of the data to a manageable size.
- Which variable(s) do we need to consider?
- Can we consider one variable (univariate analysis) or must we consider multiple variables (multivariate analysis)?
- What time scales are we interested in? Hours, days, months, years? And, what region (local, regional, globally) or level in the vertical (surface, subsurface, upper air)?
- Are the data available on a spatial grid or at specific points?

Large Dimensionality of Geophysical Data Sets

•Space: x, y, z



Parameter &
Source
(temperature, winds,
different models,
measuring systems,
perturbations)





Climate

- Statistics often misinterpreted as bookkeeping.
 - What is the warmest temperature on record at Salt Lake City?
 - What is the biggest snow storm at Alta?
- weather and climate:
 - weather- state of the environment
 - climate- aggregate summary of the environment
 - Climate normal: arbitrarily defined reference state: 1981-2010

https://www.ncdc.noaa.gov/sotc/global/201908

Global Climate Report - August 2019






Land & Ocean Temperature Percentiles Jun 2019-Aug 2019

NOAA's National Centers for Environmental Information


Data Source: NOAAGlobalTemp v5.0.0-20190908 Much Cooler than Near Much Record Warmer than Record Coldest Cooler than Average Average Average Warmer than Warmest **Average Average**





https://www.esrl.noaa.gov/gmd/ob op/mlo/




CO2 on Campus








<u>udent/abentley/realtime/anom.p</u> <u>hp?domain=northamer&variable</u>




http://earthquake.usgs.gov/earthquakes/map/




https://www.climate.gov/maps-data

September 30 year average



September 2019 Departure from Normal





Why use statistics to describe the environment?

- Environment controlled by innumerable factors, which we hope to segregate into a few critical factors from the rest that, for the most part, simply contribute to background noise
- the characteristics of the system include linearly unstable processes such as baroclinic waves that cause growth of small features into larger ones
- the characteristics of the system (dynamics, thermodynamics) are nonlinear and include discrete step functions (i.e., rain/no rain) that can lead to the amplification of small errors into large ones
- the system is dissipative, which guarantees "stationarity",
 i.e., the climate system will remain stable and not run
 away from the current state

Baroclininc Wave Growth

 Physical processes in atmosphere can be unstable at times but environmental system overall is "stationary"





 $141229/0000F000\ 500\ h\mbox{Pa}$ Height and Height Anomaly (dam), from GFS

Steps for Effective Research

- distill a general interest in a subject into a specific question/hypothesis that can be evaluated
- organize the data
- find relationship(s) among the data
- examine the significance of your results
- review thoroughly what you have done and document your analysis and results
- submit your results and study for independent evaluation

What you should be doing

- Assignment 1- Survey- Due Friday
- Read Chapter 1 & 2a-2b Notes for Thursday
- Assignment 2 due next week