

Set up multifactor authentication

ONTAP 9

David Peterson November 07, 2020

This PDF was generated from https://docs.netapp.com/us-en/ontap/task_security_mfa_setup.html on May 31, 2021. Always check docs.netapp.com for the latest.

Table of Contents

Set up multifactor authentication	 . 1
Enable SAML authentication	 . 1
Disable SAML authentication	 . 2


Set up multifactor authentication

Security Assertion Markup Language (SAML) authentication allows users to log in to an application by using a secure identity provider (IdP).

In System Manager, in addition to standard ONTAP authentication, SAML-based authentication is provided as an option for multifactor authentication.

Security Assertion Markup Language (SAML) is an XML-based framework for authentication and authorization between two entities: a service provider and an identity provider.

Enable SAML authentication



To enable SAML authentication, perform the following steps:

Steps

- 1. Click Cluster > Settings.
- 2. Next to **SAML Authentication**, click 🏩.
- 3. Ensure there is a check in the **Enable SAML Authentication** checkbox.
- 4. Enter the URL of the IdP URI (including "https://").
- 5. Modify the host system address, if needed.
- 6. Ensure the correct certificate is being used:
 - If your system was mapped with only one certificate with type "server", then that certificate is considered the default and it isn't displayed.
 - If your system was mapped with multiple certificates as type "server", then one of the certificates is displayed. To select a different certificate, click **Change**.
- 7. Click **Save**. A confirmation window displays the metadata information, which has been automatically copied to your clipboard.

- 8. Go to the IdP system you specified and copy the metadata from your clipboard to update the system metadata.
- 9. Return to the confirmation window (in System Manager) and check the checkbox I have configured the IdP with the host URI or metadata.
- 10. Click **Logout** to enable SAML-based authentication. The IdP system will display an authentication screen.
- 11. In the IdP system, enter your SAML-based credentials. After your credentials are verified, you will be directed to the System Manager home page.

Disable SAML authentication

To disable SAML authentication, perform the following steps:

Steps

- 1. Click Cluster > Settings.
- 2. Under **SAML Authentication**, click the **Enabled** toggle button.
- 3. Optional: You can also click to SAML Authentication, and then uncheck the Enable SAML Authentication checkbox.

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.