## TroubleMaker.exe

TroubleMaker.exe has encountered a problem and needs to close. We are sorry for the inconvenience.

If you were in the middle of something, the information you were working on might be lost.

**Please tell Microsoft about this problem.**

We have created an error report that you can send to us. We will treat this report as confidential and anonymous.

To see what data this error report contains, [click here.](#)

[ De_bug ]      [ _Send Error Report_ ]      [ Don't Send ]

**Microsoft Excel - photo.jpg**

Home | Insert | Page Layout | Formulas | Data | Review | View | Developer

A1 = ÿØÿà� JFIF⌐⌐⌐xxÿá� ÄExifMM*◘⌐ ⌐↕ ∟⌐⌐ ‼ ∟⌐⌐‡i⌐

| | A | B | C | D | E | F | G | H |
|---|---|---|---|---|---|---|---|---|
| 1 | ÿØÿà␣JFIF | ⌐⌐xxÿá␣ÄExifMM*◘⌐ ⌐↕∟⌐⌐‼∟⌐⌐‡i⌐ ⌐Jê•◘º>ê•••◘•⌐0210'⌐•⌐ ⌐ ∟'†⌐⌐F⌐ | | | | | | |
| 2 | Chttp://ns.adobe.com/xap/1.0/<?xpacket begin="ï»¿' id='W5M0MpCehiHzreSzNTcz | | | | | | | |
| 3 | <xmp:xmpmeta xmlns:xmp="adobe:ns:meta/"><rdf:RDF xmlns:rdf="http://www.w | | | | | | | |

---

**WINWORD.EXE [Read-Only] - Microsoft Excel**

Home | Insert | Page Layout | Formulas | Data | Review | View | Developer

A1 = MZ◘└ÿÿ¸@ø♫º♫′Í!¸∟Lͦ!This program cannot be run in

| | A | B | C | D | E | F | G | H |
|---|---|---|---|---|---|---|---|---|
| 1 | MZ◘└ÿÿ¸@ø♫º♫′Í!¸∟Lͦ!This program cannot be run in DOS mode. | | | | | | | |
| 2 | $¦¹7øâØY«âØY«âØY«Å"«àØY«Å$«ãØY«Å4«ðØY«ñÐ⌐ «áØY«âØX«ÓØY«Å7«àØY«Å#«ãØY«Å%« | | | | | | | |
| 3 | ⌐'⌐⌐-M⌐ @╞╞╞╞<•Ô<@L─$–h⌐P–t⌐P#8x↑@╞Ì.textì‼╞¶⌐ `.data„ └0⌐↑@À.rsrcL─@◘→@@ | | | | | | | |
| 4 | ¶&"@"R"b"t","""C"¶"ì"Ú"æ"ð"ø"–#¶##&#6#D#è│éÝU‹ìfì¶SVWh ◄0h„◄0ÿ└8╞0Pÿ└╞0‹ð…öt☼j | | | | | | | |
| 5 | 800‰◘ÿ└Œ╞0‹ | | | | | | | |
| 6 | 400‰◘i╫0‹f<00è+èLf=◘00☼ g⌐è·f=⌐00ÿ☼ f⌐3ÀÃ3Àë‡VW $¶0¿$¶0·C‹ð☼ ⌐ ⌐Ã3ÀÃVh └h¬3ö | | | | | | | |

WINWORD

Ready | 100%

Microsoft Word — WINWORD.EXE (Read-Only)

Home · Insert · Page Layout · References · Mailings · Review · View · Developer

```
´    Í!¸┌LÍ!This program cannot be run in DOS
mode.
$        ¦¹7øâØY«âØY«âØY«Ǎ–"«àØY«Ǎ–$«ãØY«Ǎ–4«õØY«ñĐ–
«ãØY«Ǎ–!«ãØY«RichâØY«              PE  L
┌▯  ¶    |    Ì┼   ┼   0     0┼  ┐  ┘
    ┘     p|  ┘  jg| ┐ @   ┼  ┼    ┼  ┼    ┼
  `.data   „┘   0  ┐  ↑        @  À.rsrc

    ø –  ↑   (  :  P  `  ~  š  ®  Â  Ô
  ò   ú
  ┼!   $!  6!  P!  f!  |!  Œ!  ¦!  ‚!      Ì!  â!
"  ¶"  &"  @"  R"  b"  t"  ‚"  ’"  ¢"  ¶"  Ì"  Ú"
„Ï┘   EüPÿuüj┘Sÿ×_^Ç|  0 0±┼¿D[ÉÃk e r n e l 3 2 . 
@0 0┐   …Ûu▯SWÿ┴4┬ 0f=P0 0 ⌀…
|   ¡¤┼ 0‹ 0 ‰uàŠ–‹
⌀†›┐  ‹"⌀„f┐  ⌀¶ÀPÿ┴¬┼ 0Y…À⌀…┼|   FëÕ    W¶ 0
œ┼ 0f =   0MZ⌀…· ¡‹ 0 ¸   0PE ⌀…¢   ⌀·^↑  0 ù
```

Words: 7,686 | English (U.S.) | 120%

**ProgramA.exe**

yes

**ProgramB.exe**

no

**SizeChecker.exe**

yes

**SizeChecker.exe**

no

| program run | input file | output |
| --- | --- | --- |
| Yes.exe | address-list.docx | |
| Yes.exe | Yes.exe | |
| No.exe | address-list.docx | |
| No.exe | Yes.exe | |
| SizeChecker.exe | mymovie.mpg (50MB) | |
| SizeChecker.exe | smallfile.txt (3kB) | |
| SizeChecker.exe | NameSize.exe (8kB) | |
| SizeChecker.exe | SizeChecker.exe (8kB) | |
| NameSize.exe | mymovie.mpg | |
| NameSize.exe | ProgramA.exe | |
| NameSize.exe | NameSize.exe | |

| program run | input file | output |
|---|---|---|
| Yes.exe | address-list.docx | yes |
| Yes.exe | Yes.exe | yes |
| No.exe | address-list.docx | no |
| No.exe | Yes.exe | no |
| SizeChecker.exe | mymovie.mpg (50MB) | yes |
| SizeChecker.exe | smallfile.txt (3kB) | no |
| SizeChecker.exe | NameSize.exe (8kB) | no |
| SizeChecker.exe | SizeChecker.exe (8kB) | no |
| NameSize.exe | mymovie.mpg | yes |
| NameSize.exe | Yes.exe | yes |
| NameSize.exe | NameSize.exe | yes |

# AlwaysYes.exe outputs

| input file | output |
|---|---|
| address-list.docx | |
| mymovie.mpg | |
| WINWORD.EXE | |
| Yes.exe | |
| No.exe | |
| NameSize.exe | |
| SizeChecker.exe | |
| Freeze.exe | |
| AlwaysYes.exe | |

# AlwaysYes.exe outputs

| input file | output |
| --- | --- |
| address-list.docx | no |
| mymovie.mpg | no |
| WINWORD.EXE | no |
| Yes.exe | yes |
| No.exe | no |
| NameSize.exe | yes |
| SizeChecker.exe | no |
| Freeze.exe | no |
| AlwaysYes.exe | no |

# YesOnSelf.exe outputs

| input file | output |
|---|---|
| address-list.docx | |
| mymovie.mpg | |
| WINWORD.EXE | |
| Yes.exe | |
| No.exe | |
| NameSize.exe | |
| SizeChecker.exe | |
| Freeze.exe | |
| AlwaysYes.exe | |
| YesOnSelf.exe | |

# YesOnSelf.exe outputs

| input file | output |
|---|---|
| address-list.docx | no |
| mymovie.mpg | no |
| WINWORD.EXE | no |
| Yes.exe | yes |
| No.exe | no |
| NameSize.exe | yes |
| SizeChecker.exe | yes |
| Freeze.exe | no |
| AlwaysYes.exe | no |
| YesOnSelf.exe | ??? |

Whenever the input file is a yes-no program, AntiYesOnSelf.exe answers the question:

**Will the input program, when run on itself, output "no"?**

Whenever the input file is a yes-no program, AntiYesOnSelf.exe answers the question:

**Will the input program, when run on itself, output "no"?**

## YesOnSelf.exe outputs

| input file | output |
|---|---|
| address-list.docx | no |
| mymovie.mpg | no |
| WINWORD.EXE | no |
| Yes.exe | yes |
| No.exe | no |
| NameSize.exe | yes |
| SizeChecker.exe | yes |
| Freeze.exe | no |
| AlwaysYes.exe | no |
| YesOnSelf.exe | ??? |

## AntiYesOnSelf.exe outputs

| input file | output |
|---|---|
| address-list.doc | |
| mymovie.mpg | |
| WINWORD.EXE | |
| Yes.exe | |
| No.exe | |
| NameSize.exe | |
| SizeChecker.exe | |
| Freeze.exe | |
| AlwaysYes.exe | |
| YesOnSelf.exe | |
| AntiYesOnSelf.exe | |

Whenever the input file is a yes-no program, AntiYesOnSelf.exe answers the question:

**Will the input program, when run on itself, output "no"?**

## YesOnSelf.exe outputs

| input file | output |
| --- | --- |
| address-list.docx | no |
| mymovie.mpg | no |
| WINWORD.EXE | no |
| Yes.exe | yes |
| No.exe | no |
| NameSize.exe | yes |
| SizeChecker.exe | yes |
| Freeze.exe | no |
| AlwaysYes.exe | no |
| YesOnSelf.exe | ??? |

## AntiYesOnSelf.exe outputs

| input file | output |
| --- | --- |
| address-list.doc | yes |
| mymovie.mpg | yes |
| WINWORD.EXE | yes |
| Yes.exe | no |
| No.exe | yes |
| NameSize.exe | no |
| SizeChecker.exe | no |
| Freeze.exe | yes |
| AlwaysYes.exe | yes |
| YesOnSelf.exe | ??? |
| AntiYesOnSelf.exe | ??? |

AntiYesOnSelf.exe, when given itself as input, answers the question:

**Will AntiYesOnSelf.exe, when run on itself, output "no"?**

| Program name | Program behavior |
| --- | --- |
| CanCrash.exe | – output **yes**, if input can crash<br>– output **no**, if input never crashes |
| ↓ | |
| CanCrashWeird.exe | – **crash**, if input can crash<br>– output **no**, if input never crashes |
| ↓ | |
| CrashOnSelf.exe | – **crash**, if input crashes when run on itself<br>– output **no**, if input doesn't crash when run on itself |
| ↓ | |
| AntiCrashOnSelf.exe | – output **yes**, if input crashes when run on itself<br>– **crash**, if input doesn't crash when run on itself |