



## Chapter I

### PROBLEM AND ITS BACKGROUND

This chapter will discuss the background and problem of the management system for food e-commerce as well as the objectives of the study and the scope and limitation. It will also explain the significance of the study, the conceptual framework and the definition of the terms of the proposed system.

#### **Background of the Study**

Nowadays, the online publisher prioritized the visitors of their site is to be satisfied with their needs and expectation. The management system for food e-commerce is one of the latest services for fast food restaurants in the western world are adopting. Content management system (CMS) used by web publishers to instantly and dynamically update their web pages and settings as new content becomes accessible so that every visit to a site are engaging, informative, resourceful and meaningful.

Participants explore the fundamentals of planning dynamic websites, content management system database management, and creating database-driven websites through the planning and creating of their own topic-based site. Some of the content management systems integrate with content delivery applications to deliver the content via a website. With this method, food is ordered online and delivered to the customer. This is made possible through the use of electronic payment system. The scheme planned in this project will enable customers go



## DIVINE MERCY COLLEGE FOUNDATION INC.

2

online and pay through PayPal or cash and place order for their food without any traffic matter.

Due to the great increase in the awareness of the internet and the technologies connected with it, several opportunities are coming up on the web. So many businesses and companies now deal with their business with ease because of the internet. One of such business that the internet introduced is a management system for food e-commerce. In today's age of fast food and take out, many restaurants have chosen to focus on rapid preparation and delivery of orders rather than offering a rich dining experience. We the proponents also see the errors by trying their web pages as the developer of a website, you'll need to ease the traffic jam caused by the many users who use at the same time. The developer should monitor the data that goes in and out and sure the important data.

That's why we proposed Management System for Food E-Commerce with PayPal integration and database algorithms because we knew had a PayPal payment is less time and less bother with the customer. And we include some database algorithms for the security of our database, faster the manipulation and processing of data, security the customer and clients' personal information, transaction and even bank accounts. Also, included the search algorithms to become more efficient and to optimize the time of searching and loading of the web page. There are 3 users: Administrator for the distributing, monitoring the reports and transaction, Customers for the ordering, transaction, contacting the

**Management System for Food E-Commerce with PayPal Integration and Database Algorithms**



## DIVINE MERCY COLLEGE FOUNDATION INC.

3

developers and Agent for the updating the product or templates available, if they have a new product.

### **Statement of the Problem**

The purpose of this study is to develop a management system for food e-commerce with PayPal integration and database algorithms that help the user to control the site they provided or created. The main problem of the other online food ordering website they don't have PayPal payment, geographical location of the customer, less security provision, internet traffic, and the accurateness of the product management.

Specifically, the researchers determined questions for this purpose were the following:

1. How the researchers or proponents will have a file management system that can handle the uploaded files or documents of the user?
2. How the management system for food e-commerce with PayPal integration and database algorithms can maintain and secure the files, product and transaction of the client?
3. What are the helps of having different modules of a management system for food e-commerce with PayPal integration and database algorithms performing to improve the website?
4. How the clients and customer pay their purchased template or product?

**Management System for Food E-Commerce with PayPal Integration and Database Algorithms**



## DIVINE MERCY COLLEGE FOUNDATION INC.

4

5. How the clients sure if the management system for food e-commerce with PayPal integration and database algorithms is very secure and safe for the money transaction to those unethical hackers?
6. What is the performance of the system according to:
  - A. Accuracy,
  - B. Productivity,
  - C. Security?

**Management System for Food E-Commerce with PayPal Integration and Database Algorithms**



## Conceptual Framework

The conceptual framework shows the need of the system.




Figure 1.1 – Conceptual Framework

This study aims to develop a management system for food e-commerce with PayPal integration and database algorithms with a mobile-friendly design, different modules and application programming interface (API), and the complexity of the entire proposed system. The diagram above shows how the project will be developed. The client and customer information is the main knowledge

**Management System for Food E-Commerce with PayPal Integration and Database Algorithms**



## DIVINE MERCY COLLEGE FOUNDATION INC.

6

requirement of this study or system, the client information obtained sales transaction, personal information from us by purchasing template/s and the customer information contains personal information of the customer for purchasing the product/s and do the payment through the PayPal.

When it comes in system development life cycle model, the proponents used Waterfall model. The waterfall model is a linear and sequential development method. Each phase of waterfall model has a distinct goal. In planning and analysis phase, the proponents gathered data that needed in their system like as software requirements, hardware requirements and the idea in terms of e-commerce. Before the proponents starts the actual coding, they need to understand the requirements of the client side design and user, and the finished product looks like. The design helps in indicating software and hardware requirements, and it helps the overall system planning. In the unit testing and implementation, the work split in different modules and the actual coding must start. The small part is called modules, modules are tested and developed for its functionality. And integrated all modules to the implementation.

Management System for Food E-Commerce with PayPal Integration and Database Algorithms is the output.

**Management System for Food E-Commerce with PayPal Integration and Database Algorithms**



## Scope and Limitations of the Study

### Scope:

- It has 3 main modules on the main website: Guest side, Client side, and the Server side.
- It has a PayPal which the client paid the purchased template.
- It has an email for the account verification.
- It has a feature which the client can buy a template uploaded to the web server or download it.
- The client can manage and operate its template by updating the file in the content management system feature.
- This system includes database algorithm for more proficient and to optimize the processing of data from the database.
- It has security features which the client can sure their account secured and in the main system have an agent for the updating of the templates and uploading newly designed templates.
- The template has a 2-main module: Client side and the Server side.
- It has an admin of client site for the distributing, monitoring the reports and transaction.
- It can handle many users without the internet traffic issue.
- The administrators can add co-administrators or agent to help them to maintain their website.



- It has a google map feature to see the customer and client address.

**Limitation:**

- The templates available on this website are only for food E-Commerce Business.
- This system can only run with the internet connection.
- The downloaded template excluded the web server.

**Significance of the Study**

This study is to create a management system for food e-commerce with PayPal integration and database algorithms that benefit the proponents, clients, customers, and the administrators of the website.

**To the proponents.** Making a large or complex type website is a big help to the proponents especially on their skills in programming a website. Being a client-side scripting or called as front-end, you will enhance your skills when it comes to color combination, designing, and user interaction. For being a server-side scripting or called as the back-end, you will enhance your patience, logical thinking, and finding the easy way to solve a specific problem.



## DIVINE MERCY COLLEGE FOUNDATION INC.

9

**To the clients.** With the help of Management System for Food E-commerce with PayPal Integration and Database Algorithms, the client will minimize their time to think or make a website for their food business. They don't need to hire a web developer or web designer and fund too much for making them a website. Through this study or system, they can choose a different template with functions for their food business, also they can add some features to the purchased template. Also, they can easily pay the purchased template using PayPal.

**To the customers.** This study helps the customers of the clients' food business website, to know the latest food or update. They also can order or transact to the client without difficulty, prior to the payment they can pay through PayPal.

**To the administrators.** With the help of this study, the administrators can simply facilitate their website or web page. They can update their website or web page without difficulty. They can also process their co-administrator to help them to maintain their website or web page.

**Definition of Terms:**

**AJAX (Asynchronous JavaScript and XML).** The proponent uses AJAX for their website to send and retrieve their data back to the server or from the server without refreshing the page.

**API (Application Programming Interface).** API's makes the proponent life so easy they use predefined functions and other sub-methods that are stored in different libraries on the internet.

**CMS (Content Management System).** They use this for management, publishing, discovery, creation and distribution of information.

**E-Commerce.** They have a feature which the client selling products or goods over the internet

**Internet traffic.** Internet traffic is to determine the number of visitors and the number of pages they visit.

**JavaScript.** The proponent uses a JavaScript scripting language for their user interactivity to web pages.

**jQuery.** This jQuery is one of the frameworks of JavaScript, the proponent uses this to facilitate the implement, can do great things to a web page and very short coding.

**MySQL.** A database software to create a relational database management system to handle data to process the output of the management system for food e-commerce with PayPal Integration and database algorithms.



## DIVINE MERCY COLLEGE FOUNDATION INC.

11

**PayPal.** The proponent uses PayPal for the payment of purchase template and purchase food product/s of the customer

**PHP (PHP: HYPERTEXT PREPROCESSOR).** A web programming language used by the proponents to develop a complex website.

**SMS (Short Message Service).** A convenient way of sending a short message to someone used by the proponents.

**Web Server.** The proponents use this to deliver web pages on the request of a client through a URL.



## Chapter II

### REVIEW OF RELATED LITERATURE AND STUDIES

This chapter deals with the related studies and concepts extremely important study. For extensive and wider understanding of the study, especially to related literature and studies were investigated. The proponents used different reading materials related to the e-commerce system, sending message service and PayPal integration such as thesis and online articles that are important in enlightening the intelligence of the proponents.

The information and knowledge gathered by the researchers focus on the advancement of e-commerce to the economy, customers, and businesses. The payment method using PayPal integration and some user interaction with the help of sending message service.

#### Local Literature

April Lacron and Gloria Pasadilla (2006) conducted a study entitled “E-commerce in the Philippines: A Preliminary Stocktaking” because of the fast spread of the information and communication technology (ICT) and the fairly fast advance of the internet. They emerged the e-commerce system to revolutionize the international trade and business. E-commerce has definitely come of age. Unfortunately, the Philippines is not included in that country have an e-commerce. The main issue of this study or article shows that the Philippines has been left



## DIVINE MERCY COLLEGE FOUNDATION INC.

13

behind by its Asian country in terms of e-commerce activity, especially in ranking even with Thailand and Indonesia is greater than the Philippines, which initiated adopting the Internet at the same time or even more recent than the Philippines. This statements that the Philippines loses their own economy could capture to be more focused, aggressive and rapid in terms of improving our human resources and technical capacities and the access to telecommunications framework to support the large majority population as well as in fixing the errors in our valid and administrative plan. The Philippines should take this opportunity in selling merchandise or products since most of the Filipinos is using the Internet. This great marketing strategy isn't for those who have a big business but also for those people who have some small businesses who can't afford to fund and to advertise their products. They can buy an affordable website to make their business grow in terms of sales and being popular of the company as well.

According to Roberto de Vera (2006) entitled "Employment Impact of Business to Consumer electronic commerce (e-commerce)", he stated that the total of e-commerce profit as of 2005 are estimated to account for about 1 percent, providing up to 8 percent of GDP improvement. When he compared Asia and the United States, he figures out that the Philippines' acceptance is passive. He also demonstrates the Philippine e-commerce company is still distant from being absolutely aggressive competitors in local and international markets. The one main argumentation is they have yet to completely adopt the great business possibility

**Management System for Food E-Commerce with PayPal Integration and Database Algorithms**



## DIVINE MERCY COLLEGE FOUNDATION INC.

14

offered by electronic commerce. Pursuing the e-commerce in the Philippines, ways modifying the way Philippines company do their business transaction. The fundamental with the arrival of new technology are the extremely promising about employment. The main objective of the paper is to talk about the impact of e-commerce on employment, could provide the need standard with which to estimate these various employment projections.

In the article of Adrian Carado, April Kwong, Jasmin Frigillano and Kurt Giger (2013) entitled “Sales Management and Inventory System for 8 Telcom Business Center”, they elaborated that the 8 telcom business center which is the center of this enterprise is a telecommunications and technology provider and load provider located in the city of Davao, Philippines. The company is enduring some problems regarding in perception quality service they provided to their customers and limited department space. To propose their concern, they aimed to develop or establish a system that would help the 8 telcom business to entertain and manage their customers or clients and support accessibility for buying their goods, as well as to quicken the development of retrieving and updating of the sales and inventory records. The proponents used web engineering process model for the development of web systems. After some trial and error, they concluded that the advancement of online sales management and inventory system allowed the 8 telcom to entertain the customers or even the client over the world-wide web or internet, using PayPal as hosting for payment if they eliminate the increase of labor

**Management System for Food E-Commerce with PayPal Integration and Database Algorithms**



cost and operating expenses and they stimulate monitoring of the sales and inventory record, online catalog and computerized sales summary.

### Foreign Literature

Conferring to Dave Chaffey, Fiona Ellis-Chadwick, Richard Mayer and Kevin Johnston (2009) the study named “Internet Marketing: Strategy, Implementation, and Practice”, they described that the internet has reestablished marketing practice, connecting a promising or future customers to businesses in a way never before attainable. The internet becomes bridge for the marketers to make a transaction become easy and fast to their customers that never before. Nowadays, using or with online public spending much time or more time using some price comparison websites, search engines like google, bing, yahoo and etc; and social networks, this statement demonstrates how the marketers can find new and interesting way of getting their message side to side and they used online communications techniques for the brand awareness, familiarity, and favorability, and to getting the attention of the users to visit their website by using advertisement. In the fourth generation of the book named “Internet Marketing: Strategy, Implementation and Practice” they provide all-inclusive, realistic guidance on how the companies can get the maximum of the web to meet their marketing intention. Mr. Dave Chaffey is one of the Europe’s top intellectual on this subject, Internet Marketing links marketing concept with the case studies on large or big companies such as eBay, Facebook, and Dell, to help the students to have



## DIVINE MERCY COLLEGE FOUNDATION INC.

16

knowledge in digital marketing in the real world. They have a bigger revise, so that you can acquire or pick the usual procedure in applying digital media channels such.

It was accomplished by Niklas Aldin, Per-Olof Brehmer and Anders Johansson 2004) entitled “Business Development with electronic commerce (e-commerce): refinement and repositioning” that the marketers have an opportunity to add a value of products and services into the web. Based on their article the electronic commerce allows business development for marketing approach and strengthens their current operations and important management. Refinement is accomplished through a target on activities for internal efficiency, and through dynamic processes for enlarged integration, lesser time and lower cost. The extremely boost of the internet, and a key to emerging more consumers and businesses being interested to grab this kind of benefits of electronic commerce because of World Wide Web. Electronic commerce can make any kind of business transaction through electronically instead of physical changes. The prospective electronic commerce industry needs to be noticed in a business broad development context, containing fundamental change and extending to a new division or markets.

Another study was written by Gary Geissler (2001) entitled “Building customer relationships online: The Web site designers’ perspective”, in his research most



## DIVINE MERCY COLLEGE FOUNDATION INC.

17

presented work concerning productive website design has been based on personal point of view or maturity or knowledge, not on analysis. He uses 50 in-depth questioning and evaluations with website designers to classify key design considerations and customer relationship scenarios. He projected a model demonstrates a sincere relationship between website design and the online user change method. A website should support to authorize, form, and care for long-term customer connection. The success of the website doesn't ensure of having the right tool and the right product alone. The most consideration of an effective website design is to be satisfied to the audience wants.

### **Local Studies**

In the study of Philip Villamin Mojares (2004) entitled "I notified – An SMS and RFID-Based notification system", he conducted a system development analysis which is examined a newly invented technology which assisted the school or university to resolve their problem in terms of students monitoring. In his study, he aimed to construct or develop a system with a help of sending message service module and radio frequency identification technology, a system or software which will assure the privacy and security of the students' information which saved, the advantage of using the sending message service module and radio frequency identification in developing a system for monitoring and notifying the students or personnel. For him developing this system will help a lot because, in the fast growing of technology, communication turns into rapid and effortless as like as a

**Management System for Food E-Commerce with PayPal Integration and Database Algorithms**



## DIVINE MERCY COLLEGE FOUNDATION INC.

18

speed of the thunder. He illustrates communication between school and parents is very important. The parents bother if their child or children are certainly attending or not in the school. With the help of Mr. Mojares system, all the worries of the parents will disappear, they will receive a text message from sending message service module if their children are in the school or not. His system has also a feature MD5 encrypted technique to secure some information against hackers. He also used an evolutionary prototyping and extreme programming as the software process models because of the fast and uses a high software quality. After his evaluating and some testing, his system is functioning well, very usable, decisive, and it performed very well.

According to the study of Simon Diodio (2014) entitled “Online Shopping Management System”, he indicated that e-commerce is the most reliable business services on the world-wide web (WWW). The main goal of an e-commerce business is to advertise or change goods and benefits online without difficulty. In his study, he establishing an e-commerce business online for managing their store or businesses online. He implements a catalog to the user of different services. It simplifies the user to get knowledge or instruction in different business and their services before purchasing a product's. In his system, he provided a 3-tier approach make his system possible, a back-end for database functionality, an apache, and PHP: Hypertext Preprocessor, and a web designer or front-end developer for the user interface. The objective of his project is to establish a shop

**Management System for Food E-Commerce with PayPal Integration and Database Algorithms**



management system website which manages their customers and business stores so that they can regularly order and purchase items online. His purpose is to arise with an e-commerce business that is reliable and has secure feature for information and transaction. His system is able to maintain a customer information and transaction. Customers transaction and information will be stored confidential and only the administrator can view that information. In his study, the proponent has an idea on how to establish or develop an e-commerce business.

Based on the study of Bon Nielsen (2012) entitled “Online Shopping – Filipinos are the most online shopper”, he stated that most of the Filipinos are taking on the online shopping in the Asia. In the study conducted by Mr. Nielsen according to the online usage, Filipinos are the most progressive in online shopping. Filipinos are stated the wisest at overflow their shopping carts virtually, he also stated that 72% of the Filipinos are reported used the internet for product exploration and analysis. In the country, lazada is the number one e-commerce business website well-organized to handle and maintain the request for generating products available without difficulty. Currently, lazada obtained a six thousand square meter warehouse that develops and making orders as effortlessly as possible. More than twenty thousand sell products on its website, lazada is the latest shopping destination online, where the customers can minimize their time looking for a specific product, prevent long lines, traffic, and bulk product handling. He also stated that lazada has free shipping and next-day-delivery for Metro Manila



locations, and lazada has different payment options such as PayPal, credit card, cash on delivery, BDO installment and ATM transfer via Megalink. But not only that, it has tempting agreements, bargain items, and even promos. Lazada is now one of the rapidly growing e-commerce sites in the Philippines. They offer or bid different products such as home appliances, gadgets, and many more things. Mr. Nielsen wants to explain that having an e-commerce business today is very demand and very easy to maintain and manage.

### Foreign Studies

Based on the study of Rami Khasawneh and Eveann Lovero (2004) entitled "Review and analysis of internet traffic and its implications on the root name server architecture", they gathered information and facts about internet user. The Internet success has been increasing firmly over the last ten years. This success has been illustrated in both the number of available websites and the number of web users accessing these websites. A web client goes over several steps before they are able to find and to connect to the target websites. This includes communicating with its local name server and other name servers all through the web or internet. Root name servers are used to enable users to locate and to reach their target websites. Based on their research, there are thirteen (13) root name servers delivered all around the world. The United States of the America and Europe which the most root name servers located. But there are no root name servers can be found in Africa or East Asia. Expect the stretched production of Internet traffic



throughout the globe or world, the present architecture or method of the root name servers cannot be able to support those millions and billions of users every day. This statement examines and determine the world Internet traffic tendency, inspection the current architecture of the all root name server, indicate planned changes in Internet traffic and makes a proposal for the changes in the root name server method or architecture. Most of the changes happening right now with regard to the root name servers' infrastructure aren't enough to develop and to advance the Internet access time and to supply and support more regulation, command, and rule for other countries. A country such as Africa and the Middle East will need new or more root name servers, not a mirrored one, to upgrade and boost their internet access time for the users.

In the article of Nomi Sinulingga (2012) entitled "PayPal Analysis as e-Payment in the e-Business Development", he shows the important of having an e-commerce business and he pointed out the PayPal as the main transactions and he also mentioned the Internet as a medium of the business. The Internet can change the business and make the business range of services more broadly. It allows anyone especially those people who don't have knowledge how to run a business with some potential buyers all throughout the world. Nome Sinulingga explains the advantages of e-business. E-business authorizes sellers and buyers operating business without face to face, however, the transactions and communications can be done over the Internet. Most of the businessman or



## DIVINE MERCY COLLEGE FOUNDATION INC.

22

businesswoman especially in Sumatera are not using the internet as their medium for business. Based on the study of Sinulingga having an e-commerce business is very easy to find products and selling products over the internet. But the main problem is how to make the payment method for all money transactions. In this case, a bank has a very valuable role in this process. Mr. Sinulingga, think a way how it is done. In the domestic payments can do without difficulty through bank transfer, SMS banking or even internet banking. To process these payments to or from overseas and it takes several days to process. But it can be finished without difficulty in real time by using PayPal. PayPal is a payment tool that can support or promote the development of e-business. PayPal will help the small traders all throughout the internet can accept delivery of something from soon-to-be buyers from all over the world and make a payment when generating transactions on the internet.

In the study entitled “An Improved SMS User Interface System to Support University Services” of Mohammad Ibrahim Al Sheikh Eid (2011), he stated that mobile phone influence extreme potential to develop into a universal way of managing services negotiations on an international and local scale in the future. Mobile messaging serves as a strategic agent for the common trade of message between the administrative sector of the students and university. The mock-up of his study SMS User Interface System, he authorizes the students to manage their school subjects and matters such as their assessment performance, subject

**Management System for Food E-Commerce with PayPal Integration and Database Algorithms**



schedules, and students' information. This is completed by forwarding message to the students or sending text messages to their phones or functioning an inquiry message sent from a student to accomplish the answer by pulling it. In his study, the software or system can be used to send a message and remove a message. He conducted his study at the Islamic University of Gaza. The decisions from the information analysis undoubtedly demonstrate that the students want Sending Message Services for their exchanging information between school-related services. They also specify the rightness and security of Sending Message Services communication in a situation where they have to update their mobile phone numbers which are available. Students also see this method is more helpful, profitable, valuable, and acceptable since it brings out their extreme goal.

## Synthesis

According to the Niklas Aldin, Per-Olof Brehmer and Anders Johansson, in the business field are more likely to be more competitive are the company who take on into online marketing. To attract more customers, the company should have a good image said by Simon Diodo. April Lacron and Gloria Pasadilla stated that the benefits of both consumer and company are also promoted by e-commerce. In the study of Rami Khasawneh and Eveann Lovero they stated that most of the changes happening right now with regard to the root name servers' infrastructure aren't enough to develop and to advance the Internet access time and to supply and support more regulation, command, and rule for other countries.



## DIVINE MERCY COLLEGE FOUNDATION INC.

24

Before developing website, there are several principles to be examined to have a successful online marketing. Such as ease of use, maintainability, quality, reliability, security, the target visitors, useful, and web design. The proponents' goals aren't just to build a website but a customer converter content management system by sustaining enough easy-to-maintain environment, friendly search engine, product details, secured payment transaction, and user-friendly interface. The projected system is to provide a good service to the target visitors but not just to advertise all over the web. These discussions the company will help in terms of gaining a good image and sooner or later to attract more customers to buy their products. Advanced technology has led to the advancement of the e-commerce where the customer can visit e-commerce websites to purchased goods and services. This kind of electronic business makes shopping became simple and not difficult, no need to go to malls to order products and services.



### Chapter III

#### METHODS OF RESEARCH

This chapter focuses on the research methods used in this study. It describes a survey for quantitative methods. This chapter also discusses research locale, population and sampling techniques, instrumentation, data gathering procedure, description of respondents and statistical treatment are also discussed in this chapter.

#### Research Design

The researchers used an experimental research method to identify the advantage and disadvantage of using PayPal integration, sending message service, application programming interface, a framework to the mock-up of the proponents. The descriptive research method is a method of preparing questions, data analysis, classifying data, trends, design and accuracy of transferring information that will be related to a given topic or study. The reason of the researchers why they use this kind of research design is to specify, illustrate and give detailed information about managing an e-commerce website from your home without difficulty and with or without knowledge of creating a website. The researcher also used quantitative research to collect information which is numerical form, such as computed answers on a survey. The proponents used this to help them to make this study more reliable by surveying professionals and non-professionals. Therefore, the researchers made



an answer for this kind of problem that's why they created a management system for food e-commerce with PayPal Integration and Database Algorithms. This research helps the proponents to easily identify what is the software requirements and how much the hardware requirements.

### **Research Locale**

The proponents have no exact place or location, because of the system is generic but the proponents get the information based on interviewing some businessman or businesswoman who established the small to medium-scale business. Some of the said businessman or businesswomen has no idea on e-commerce or online buy and sell, and the others have an idea on it but they don't have enough skills to do that and enough time to make that. Also, they want to make their transaction secured and not difficult to manage.

### **Population, Sample and Sampling Technique**

The researcher used a businessmen or businesswoman who established a small to medium-scale business in entire the Philippines and the non-business people for the population of their study. The population consists of the businessman, businesswoman, future customer who does and doesn't know on how to develop a beautiful, dynamic, and complex type commerce site and programmer or developer. In the Philippines, there's a lot of people who handled or established a small to medium-scale business who wants to improved or enhance their technology skill or



wants to apply technology to their business. The researcher conducted a survey to those people in entire Metro Manila. Using the twenty persons for businessman and businesswoman category and ten persons for the developers or programmers' category and ten persons for the future customer category, the researcher used a non-probabilistic sampling technique, purposive sampling method by giving out the sample size and to give more accurate result those people who will cooperate in giving opinion to their system.

### **Instrumentation**

It is the stage where the client documented the user requirements. As expected by the client, the data, functionality, performance, physical, interface, security are requirements of the proposed system. The said requirements are one of the ways to use to communicate the business analysis of their understanding of the system back to users. During this step, to make an acute research the proponents will be using a unique application.

#### **Survey Method**

It is contained a different question that appropriates questions modified from related research. In this stage, it also helps the researcher to improve their research through the response answer of the respondents.

#### **Internet Method**

The researcher used this kind of way of gathering data. Through the Internet, they used much free information that is available on the internet.



### **Observation Method**

Were the researcher on the spot jotting notes of the gathered information of a particular research target. Through this method, the proponents determined the possible to do the study.

### **Data Gathering Procedure**

The proponents gathered different data for the necessity of their research. The research they made that used internet and different materials helps them to know further about their system and deepen their knowledge about their study. The survey contains a suitable question that relatable to the research. The researcher also asks the professional about the web server they use to store the website and the advantages of the framework instead of using PHP native. The data collected will now be considered to create the proposed system.

### **Description of Respondent**

The target users are the greater part of the data recommended for this study. As stated in the given criteria the target users are in charge to evaluate the proposed system. There are 2 sets of respondents. The first set, it composed of related courses such as BS Information Technology and BS Computer Science, the Information Technology professionals and also who have work in the field of an Information Technology. The second set, it composed of non-related course of the said course in the first set, and also a businessman or businesswoman who have and haven't knowledge of making a website.



### Statistical Treatment

The proponents used a survey to measure the efficiency and capacity of the operation. After the survey of the proponents, there will be the translation of data and proper computation about on data they gathered in a survey. They used the mean formula to get the average of the people who in favors of PayPal integration as their payment procedure. To get the mean, the number of people who's in favor of having a PayPal integration as their payment procedure divided by the total number of people who took a survey. They also used range formula to know the distance between the 3 choices. To get the range, after finishing the survey they sort the choice from highest to lowest and after getting the highest and lowest differentiate it to each other and the answer is the range.



## Chapter IV

### PRESENTATION, ANALYSIS AND INTERPRETATION

This chapter will discuss the presentation, analysis, and interpretation of data corresponding to the research study stated at the beginning of the study. All the graphs, studies and other data that provides the study to strengthen the ideas below.

#### 4.1 Developing the Existing System to the Proposed System

##### Context Diagram of the Proposed System




Figure 4.1: Context Diagram of the Proposed System

The proposed system has 3 users: First, administrator for the distributing, monitoring the reports and transaction. Secondly, customers for the ordering, transaction, and contacting the developers. Lastly, agent for the updating of the product if they have a new product, and they can monitor the product and the order



of the customer. The system can enhance in terms of payment, geographical location of the customer, less security provision and the accurateness of the product management. The diagram below shows the context diagram of the proposed system.

1. The file management system that can handle the uploaded files or documents of the user.




Figure 4.2 – Uploading an image to web server




Figure 4.3 – Create, update, and even delete but not on database



## DIVINE MERCY COLLEGE FOUNDATION INC.

32

In all accounts, the figure 4.2 shown that the image uploaded directly to the specific folder on our server, the image file name uploaded to one of the columns in our database and the information inputted of all account type uploaded to our database. In different account type, they only see what the account type only need to see. In figure 4.3 show that they can create, update, and even delete but not on our database but on user interface only, we do this feature because we believed all data is very important and maybe they or we need it for future information.

2. It can maintain and secure the files, product, and transaction of the client.

We used the CodeIgniter for building this site, a framework for PHP. It's secure on common exploitations like SQL injection, and XSS (Cross Site Scripting). Also, it has a security for the path location or controller and the product for accessing, they can't access it unless they have the permission on it. In the transaction of the client, they can sure their transaction is safe because PayPal has a protection to its buyers and sellers, they have a 24/7 monitoring.

3. The used of different modules are to organize the tasks, actions, and needs in all modules.



## DIVINE MERCY COLLEGE FOUNDATION INC.

33



Figure 4.4 – Different modules on Administrator




Figure 4.5 – Different modules on Agent

In figure 4.4 and figure 4.5 shows that having different module helps to fasten up the transaction and transportation of information to specific modules. The different module must see below.




Figure 4.6: Home




Figure 4.7: Home

In figure 4.6 and figure 4.7 which is the home page, where the Templates Online and Food E-commerce Templates are listed. The Templates Online it is the templates that already rented by the client in a certain period. The Food E-commerce Templates it is the templates that available for rent.



## DIVINE MERCY COLLEGE FOUNDATION INC.

35




Figure 4.8: Blog – User

The thoughts of the administrator are all posted at Blog section. Before the user allowed to comment it, he/she needs to log in his/her account.




Figure 4.9: Events - User

The upcoming events and updates of the company are all posted at Events section. The users need to log in his/her account before he/she allowed to comment it.



## DIVINE MERCY COLLEGE FOUNDATION INC.

36




Figure 4.10: Testimonials - User

In Testimonials section, the feedback of the client for the services given by the JMAE Site Provider are posted in this section.




Figure 4.11: Create an account – User

You can create an account for you to allow to access some features of the website like commenting in blog and events post, and for purchasing the template/s. It has a verification code and sends it to your email, the purpose of this is to determine if the account is a bot or not.



## DIVINE MERCY COLLEGE FOUNDATION INC.

37




Figure 4.12: Profile – Post - User

In Profile - Post of the user, it is a simple social media of users where he/she can make a post and comment to others post.




Figure 4.13: Profile – Issue Tracker - User

In Profile - Issue Tracker of the user, where the user can make a report of the issue he/she encounter to his/her purchased template.



## DIVINE MERCY COLLEGE FOUNDATION INC.

38




Figure 4.14: Dashboard - Administrator




Figure 4.15: Dashboard – Administrator

The administrator can monitor the total sales, last year sales, total templates, site visit and template sales of the year in graphical form for him to easy to identify. The administrator can also view the contacts that he/she have. The administrator has a small ToDo list, a simple reminder to him that he/she has a task he/she need to accomplish. Issue tracker, where the user can send a report to the administrator that there is an error on his/her purchased template/s.



## DIVINE MERCY COLLEGE FOUNDATION INC.

39

A screenshot of a web-based administration interface for "JMAE SITE PROVIDER". The left sidebar shows a user profile for "Farrah Mae Gregorio" and a navigation menu with items like "About My Site", "Dashboard", "Events", "Message", "Notification", "Settings", "Reports", "Team", "User Management", and "Website". The main content area is titled "About My Site" and contains a "List" tab, a search bar, and a preview pane. The preview pane displays a page titled "JMAE Site Provider" with the sub-page "JF Site Provider". The preview content includes a short description: "It is a template and web service provider for a small time to medium scale businesses. We're here to innovate your business in the technology. We help you and we help our company." There are "Delete | Update" buttons at the bottom of the preview pane.

Figure 4.16: About my site - Administrator

The administrator can enable only one on his/her list of About My Site.

About My Site, it is in the footer of the website. Also, he/she can create, update, and delete a content for About My Site.

A screenshot of the same administration interface, now showing the "Events" section. The left sidebar remains the same. The main content area is titled "Events" and contains a "List" tab, a search bar, and a preview pane. The preview pane displays a page titled "International Seminar in Inclusive Education" with the sub-page "Celebrate the Year of the Fire Rooster". The preview content includes a description: "Join this conference and help build an inclusive education community in the Philippines! For the first time ever, various educators, legislators, disabled people organizations, students from Philippines and abroad, and international organizations will converge to discuss the challenges and opportunities in inclusive education. Happening from February 22 to 24, 2017 at the SMX Convention Center Manila." There are "Delete | Update" buttons at the bottom of the preview pane.

Figure 4.17: Events – Administrator

The administrator can create, update, and delete a content for Events.

Events it is a simple announcement to the user if there is an upcoming event in their company.



## DIVINE MERCY COLLEGE FOUNDATION INC.

40

A screenshot of the JMAE SITE PROVIDER software interface. On the left is a dark sidebar menu with options like About My Site, Dashboard, Events, Message, Notification, Settings, Reports, Team, User Management, and Website. The main area has a header "JMAE SITE PROVIDER" and "Message". It shows an "Inbox" with a message from "Thesis 2017" with subject "Testing Subject" and body "How did we do? (ADM-HGTLD-431)". To the right is a "Compose Message" form with a recipient field "Agent Agent" and a message body placeholder "Reply here ...". A "Log out" button is at the top right.

Figure 4.18: Message - Administrator

The administrator can compose a message and respond to the message that he/she receive. The administrator can only send a message to those valid e-mail address.

A screenshot of the JMAE SITE PROVIDER software interface showing the "Notification" module. The sidebar is identical to Figure 4.18. The main area displays a grid of notifications in four columns. Each row contains a user profile picture, the user's name, and the date of the activity. Activities include changing profile pictures, replying to blogs, logging in and out, and replying to events. For example, one row shows "John Mark Abril" changing his profile picture on February 28, 2017.

Figure 4.19: Notification - Administrator

The administrator can monitor the user activity on their website by notification module.



## DIVINE MERCY COLLEGE FOUNDATION INC.

41




Figure 4.20: PayPal Configuration - Administrator

In Settings, there is a PayPal Configuration where the administrator can manage the PayPal account on which account need to enable to handle the money. Also, the administrator can create, update and delete a PayPal account.




Figure 4.21: Reports - Administrator



## DIVINE MERCY COLLEGE FOUNDATION INC.

42



Figure 4.22: Reports - Administrator

In figure 4.21 and figure 4.22 shows that the administrator can monitor the number of users, user activity, and sales report. The color green it represents for the current year and the color gray it represents for the previous year.




Figure 4.23: Team - Administrator

The administrator can manage whose team he/she want to add. A sample of this is the people whose work on him. He or she can delete it by pressing delete button.



## DIVINE MERCY COLLEGE FOUNDATION INC.

43

A screenshot of the JMAE SITE PROVIDER account management interface. The left sidebar shows navigation options like About My Site, Dashboard, Events, Message, Notification, Settings, Reports, Team, User Management (Account, Agent, Co-Administrator), and Website. The main area is titled "Account" and displays two tabs: "All users" (3) and "Current Month" (3). A search bar is present above the user list. The user list table includes columns for Name, Email Address, Username, and RegTime. Three users are listed: John Mark Abril, Vincent Barcelona, and Angelo Santos, each with their respective details.

Figure 4.24: Account - Administrator

In the account, the administrator can monitor the total number of users, the total for the current month and all the users who registered. The administrator can search a name.

A screenshot of the JMAE SITE PROVIDER agent management interface. The left sidebar shows the same navigation options as the account page. The main area is titled "Agent" and has tabs for "List" and "Preview". The "List" tab shows a search bar and a table with one entry: "Agent Agent". The "Preview" tab shows a preview of the agent's personal information, including a profile picture, name (Agent Agent), username (agent123), and email address (agent@gmail.com).

Figure 4.25: Agent - Administrator

In agent, the administrator can monitor the list of an agent that he/she have and, he/she can create, preview and delete an account of an agent.



## DIVINE MERCY COLLEGE FOUNDATION INC.

44

A screenshot of a web-based administration interface titled "JMAE SITE PROVIDER". The left sidebar shows navigation options like About My Site, Dashboard, Events, Message, Notifications, Settings, Reports, Team, User Management, and Website. Under User Management, there are sub-options for Account, Agent, Co-Administrator, and Website. The main content area is titled "Co-Administrator" and shows a "List" of users. A search bar at the top of the list section contains the name "Farrah Mae Gregorio". Below the search bar, there is a table with one row for "Farrah Mae Gregorio". The table columns include "Full Name" (Farrah Mae Gregorio), "Username" (fmgregorio), "Phone number" (09484105111), and "Email address" (fmgreg@gmail.com). There is also a "Permission" section with a dropdown menu set to "Permission". At the bottom right of the list area, there is a button labeled "Update co-administrator permission".

Figure 4.26: Co-Administrator - Administrator

In co-administrator, the administrator can monitor the list of co-administrator he/she have and create, update, and delete an account of co-administrator. Also, the administrator can update the permission of co-administrator that he/she allowed accessing.

A screenshot of a web-based administration interface titled "JMAE SITE PROVIDER". The left sidebar shows navigation options like About My Site, Dashboard, Events, Message, Notifications, Settings, Reports, Team, User Management, and Website. Under Website, there are sub-options for Website Online and Website Template. The main content area is titled "Website Online" and shows a search bar with "Search Website Online". Below the search bar, there are two thumbnail previews of website templates. The first thumbnail is for "template1.jmaesiteprovider.com" and shows an image of two cupcakes. The second thumbnail is for "dalethesis.jmaesiteprovider.com" and shows an image of a meal. Both thumbnails have small text below them indicating their respective URLs.

Figure 4.27: Website Online – Administrator

In website online, the administrator can monitor the templates that already rented by the client.



## DIVINE MERCY COLLEGE FOUNDATION INC.

45

The screenshot shows the 'Website Template' section of the JMAE SITE PROVIDER administrator dashboard. On the left, a sidebar menu includes options like 'About My Site', 'Dashboard', 'Events', 'Message', 'Notification', 'Settings', 'Reports', 'Team', 'User Management', and 'Website'. Under 'Website', there are 'Website Online' and 'Website Template'. The main area is titled 'JMAE SITE PROVIDER Website Template'. It features a search bar and a list of templates: 'Blog and Selling of Recipe Template', 'News and Affairs Template', 'Restaurant Reservation Template', 'Fruit Stores Template', 'Dapuntuk Template', and 'Brewery Template'. A preview window on the right displays the 'Brewery Template' with a yellow background, featuring a glass of beer and navigation links for 'HOME', 'ABOUT', 'FRESH NEWS', 'OUR HISTORY', 'OUR TEAM', 'CONTACTS', and 'STAFF'. Below the preview, details about the template are shown: 'Template Name: Brewery Template', 'Category: Food E-Commerce', 'Description: As this category, you can find templates related to food and drink to make a website for a company dealing with cakes, wine, chocolate, etc.', 'Library & Framework used: HTML | Bootstrap | Template Monster', and 'Price: 3000.00'.

Figure 4.28: Website Template - Administrator

In website template, where the templates are available to rent. The administrator can create, update, and delete the templates listed.

The screenshot shows the 'Profile' section of the JMAE SITE PROVIDER administrator dashboard. The left sidebar is identical to the one in Figure 4.28. The main area shows a user profile for 'Sarah Mae Gregorio' with a picture, name, email address (Admin@gmail.com), username (tchmgregorio), and contact information (09484105111). Below this are buttons for 'Change Profile Picture', 'Change Information', 'Change Password', and 'Change Location'. To the right, a wall of posts is displayed. The first post is from 'Agent Agent' on February 24, 2017, with the text 'This is my first post!' and a comment from 'Sarah Mae Gregorio' on February 21, 2017, with the text 'Will it be easy? Nope. Worth it? Absolutely.' The second post is from 'Agent Agent' on February 24, 2017, with the text 'This is a wonderful quote!' and a comment from 'Sarah Mae Gregorio' on February 21, 2017, with the text 'I agree!'. Both posts have a 'Comment' button below them.

Figure 4.29: Profile - Administrator

In Profile, the administrator can view the post of agent and co-administrator. Only of them can make a comment or respond to the post.



## DIVINE MERCY COLLEGE FOUNDATION INC.

46

A screenshot of the JMAE Site Provider software interface. On the left is a dark sidebar with navigation links: About My Site, Dashboard, Events, Message, Notification, Settings, Reports, Team, User Management, and Website. The main area has a header 'JMAE SITE PROVIDER' and 'Contact'. It shows a search bar and a 'Create' button. Below is a contact card for 'John Mark Abril' with a photo, address (635 D. Guillermo St. Quezon City, Manila), phone number (+63298831704), and email (jmarkabril@jmaeprovider.com). A red 'Delete' button is at the bottom right of the card.

Figure 4.30: Contact - Administrator

In Contact, the administrator can view the list of contacts that he/she have. Also, the administrator can create and delete a contact.

A screenshot of the JMAE Site Provider software interface. On the left is a dark sidebar with navigation links: Issue tracker, Events, Message, Notification, and Template. The main area has a header 'JMAE SITE PROVIDER' and 'Issue Tracker'. It shows a search bar and a table of issues. The table columns are STATUS, ISSUE NUMBER, NAME, DATE, and COMMAND. There are three entries: 'ISSUE #3 - Domain Name' (Status: Pending, Name: John Mark Abril, Date: February 25, 2017 4:19 PM, Commands: Reschedule, Reply), 'ISSUE #2 - DISABLE MY DOMAIN NAME' (Status: Pending, Name: John Mark Abril, Date: February 26, 2017 1:55 PM, Commands: Reschedule, Reply), and 'ISSUE #1 - CHANGE IP ADDRESS' (Status: Pending, Name: John Mark Abril, Date: February 25, 2017 3:48 PM, Commands: Reschedule, Reply). To the right is a 'Notifications - Template' sidebar with a list of recent purchases.

Figure 4.31: Issue tracker - Agent

In Issue Tracker, where the agent can respond to the issue reported by the client.



## DIVINE MERCY COLLEGE FOUNDATION INC.

47

The screenshot shows the JMAE SITE PROVIDER interface for the 'Events' module. On the left, a dark sidebar menu includes 'Issue Tracker', 'Events' (selected), 'Message', 'Notification', and 'Template'. The main content area has tabs for 'List' and 'Create'. A search bar is at the top. Below it, there's a list of events:

- International Seminar in Inclusive Education
- Celebrate the Year of the Fire Rooster
- New Year's Eve Events: Countdown to 2017
- 'Magical Fields of Light' in Navali
- Pumpkin Patch Party

A detailed view of the 'International Seminar in Inclusive Education' event is shown on the right, featuring a description of the conference and a list of attendees.

Figure 4.32: Events - Agent

In Events, where the agent is also allowing to create, update, and delete an event.

The screenshot shows the JMAE SITE PROVIDER interface for the 'Message' module. The sidebar menu is identical to the Events module. The main content area has tabs for 'Inbox' and 'Compose Message'. The 'Inbox' tab shows a message from 'Thesis 2017' with the subject 'Thesis 2017' and a reply box below it. The 'Compose Message' tab is also visible. A sidebar on the right lists notifications for various users.

Figure 4.33: Message - Agent

In Message, where the agent can compose a message only to those valid email address, and respond to message he/she received.



## DIVINE MERCY COLLEGE FOUNDATION INC.

48

The screenshot shows the 'Notification' section of the JMAE SITE PROVIDER interface. On the left, a sidebar lists 'Agent Agent' and 'User Position: Agent'. Below it are links for 'Issue Tracker', 'Events', 'Message', 'Notification' (which is selected), and 'Template'. The main area is titled 'JMAE SITE PROVIDER' and 'Notification'. It displays a grid of notifications for various users:

- John Mark Abell - December 15, 2016: John Mark Abell has been logged in.
- John Mark Abell - December 15, 2016: John Mark Abell has been logged in.
- Farah Mae Gregorio - December 15, 2016: Farah Mae Gregorio has been logged out.
- Grego Gregorio - February 26, 2017: Grego Gregorio has been logged out.
- Farah Mae Gregorio - December 15, 2016: Farah Mae Gregorio has been logged out.
- Agent Agent - February 19, 2017: Agent Agent has been logged out.
- Agent Agent - February 19, 2017: Agent Agent has been logged out.
- Farah Mae Gregorio - December 15, 2016: Farah Mae Gregorio has been logged out.
- Agent Agent - February 19, 2017: Agent Agent has been logged out.

A separate panel on the right shows a detailed log of recent activities:

- Section: 'Notification - Template'
  - Section: 'Section: Balnear purchased a website'
    - Details: January 11, 2018 01:11 AM, John Abell purchased a website
    - Details: January 11, 2018 01:14 AM, Share Marion purchased a website
    - Details: January 11, 2017 04:23 PM, Dale Due purchased a website
    - Details: January 11, 2017 07:38 AM, Mac Abell purchased a website
    - Details: January 11, 2017 07:41 AM, Mac Abell purchased a website

Figure 4.34: Notification - Agent

In Notification, the agent can also monitor the user activity on their website.

The screenshot shows the 'Template' section of the JMAE SITE PROVIDER interface. On the left, a sidebar lists 'Agent Agent' and 'User Position: Agent'. Below it are links for 'Issue Tracker', 'Events', 'Message', 'Notification', and 'Template' (which is selected). The main area is titled 'JMAE SITE PROVIDER' and 'Website Template'. It displays a grid of purchased templates:

- Blog and Selling Recipe Template: View this site
- Restaurant Reservation Template: View this site

A separate panel on the right shows a detailed log of recent activities:

- Section: 'Notification - Template'
  - Section: 'Section: Balnear purchased a website'
    - Details: January 11, 2018 01:11 AM, John Abell purchased a website
    - Details: January 11, 2018 01:14 AM, Share Marion purchased a website
    - Details: January 11, 2017 04:23 PM, Dale Due purchased a website
    - Details: January 11, 2017 07:38 AM, Mac Abell purchased a website
    - Details: January 11, 2017 07:41 AM, Mac Abell purchased a website

Figure 4.35: Purchased Template - Agent

In website online, the agent can also monitor the templates that already rented by the client.



## DIVINE MERCY COLLEGE FOUNDATION INC.

49

The screenshot shows the 'Website Template' section of the JMAE SITE PROVIDER platform. On the left, a sidebar menu includes 'Issue Tracker', 'Events', 'Message', 'Notification', 'Template' (selected), 'Purchased Template', and 'Templates'. The main area displays a preview of a 'Brewery Template' featuring a yellow background with a beer glass and text about a brewery. Below the preview, details are shown: 'Template Name' is 'Brewery Template', 'Category' is 'Food E-Commerce', and 'Description' is 'At this category, you can find templates related to food and drink to make a website for a company dealing with cakes, wine, chocolate, etc.'. At the bottom, it says 'Library & Framework used: HTML | Bootstrap | Template Monitor' and 'Price: 3000.00'. A right sidebar shows a 'Notification - Template' log with entries from 'Agent Agent' and other users like 'John Abil', 'Shane Marion', 'Date Due', and 'Mac Abil'.

Figure 4.36: Template - Agent

In website template, the agent can also create, update, and delete the template.

The screenshot shows the user profile page for 'Agent Agent'. The left sidebar includes 'Issue Tracker', 'Events', 'Message', 'Notification', 'Template', and 'Profile' (selected). The main area shows a profile picture of the user, a status message 'Write something on your wall.', and a 'Post' button. Below this, a post by 'Agent Agent' on February 24, 2017, reads 'This is my first post!'. Other posts by 'Farrah Mae Gregorio' on February 21, 2017, and 'Agent Agent' on February 24, 2017, are also visible. A right sidebar shows a 'Notification - Profile' log with entries from 'Agent Agent' and other users like 'John Abil', 'Shane Marion', 'Date Due', and 'Mac Abil'.

Figure 4.37: Profile - Agent

In Profile, the agent can also view the post of administrator and co-administrator. Only of them can make a comment or respond to the post.



## DIVINE MERCY COLLEGE FOUNDATION INC.

50

Figure 4.38: Contact - Agent

In Contact, the agent can also view the list of contacts that he/she have.

Also, the agent can create and delete a contact.

4. The clients and customer can pay their purchased template or product.

Figure 4.39 – Purchasing a template

In figure 4.39, With clicking the rent this site and fill up all information needed and just click buy now to proceed to the PayPal payment site, they pay using their account on PayPal or choosing the pay with debit or credit



card button and filling up all the information needed and after that they redirect to the success page on our website.

In table 1 below shows that the 80% of the respondents preferred of using PayPal as a payment method which is the client can easily pay their purchased template and surely secured their transaction. It allows the user to pay securely over the internet from their credit or debit card, bank account, or PayPal balance without sharing their financial details with the person they are paying.

Table 1 – Payment procedure evaluation

Management System for Food E-commerce with PayPal Integration and Database Algorithm	Yes	No
Do you prefer PayPal as a payment procedure	32	8

5. It's secured and safe for the money transaction to those unethical hackers.

Because we used PayPal as a payment method, and the user doesn't need to input their bank account on our site.



## DIVINE MERCY COLLEGE FOUNDATION INC.

52

### 6. Performance of the system according to:

#### 6.1 Accuracy




Figure 4.40 – Getting all up to date reply




Figure 4.41 – Getting all up to date message

In terms of accuracy, the proposed system has a great accuracy for transporting different amount of data to a specific module. Our system operates all the information and transports the specific information to the specific account or user and to specific modules. In figure 4.40 and figure 4.41 shows that getting a data is very accurate and up to date.



## 6.2 Productivity




Figure 4.42 – Monitoring the number of users




Figure 4.43 – Providing the report of user activity and sales

In figure 4.42 and figure 4.43 shows that the administrator and co-administrator can monitor what's going on their website by providing a report of total sales, total sales for the current month, total templates, template sales for a current year, and user visits. Also, we added a feature of the Issue tracker, the administrator and co-administrator can manage, monitor, and resolved an issue reported by the client. After fixing an error, the reported issue will be marked as fixed.



### 6.3 Security




Figure 4.44 – Verification code security

In terms of security, the figure 4.44 shown that our system provides a great security for keeping the files and account secured. We the proponents use hashing for keeping the password and other information more secure. The signup process has a confirmation code thru email for verifying if the person is real or a bot, in order to do that we use SMTP for sending mail to different webmail services like GMAIL, YAHOO, etc. The account cannot open if the account is open. In administrator module, the permission is another algorithm to keep some sub-module become more restricted to another administrator.

In table 2 below shows that all the respondents are agreeing that the text field is accurate based on their experience where the text field has a



## DIVINE MERCY COLLEGE FOUNDATION INC.

55

validation. The user's input needs to meet the expression before he or she passed the validation. We used a regular expression for the validation.

Table 2. Shows the number of respondents and their position

Management System for Food E-commerce with PayPal Integration and Database Algorithm	Yes	No
The validity of every text field is accurate?	40	0

Management System for Food E-Commerce with PayPal Integration and Database Algorithms



## Project Development Process

The proponents use Waterfall model as a guide to the fulfillment of the project.

The diagram below shows the systematic procedure that proponents followed.




Figure 4.45: Project Development Process

### System Planning and Analysis.

In this phase, the proponents gathered data that needed in their systems like software requirements, hardware requirements and the idea in terms of e-commerce. They analyzed the solution of the gathered data of the proposed system. Before the proponents start the actual coding, they need to



understand the requirements of the client-side design and user, and the finished product looks like.

### **System Design**

After the planning and analyzing part, the design helps in indicating software and hardware requirements, and it helps the overall system planning. The proponents study an UI/UX for the better graphical user interface. They create an algorithm to make Management System for Food E-Commerce with PayPal Integration and Database Algorithm run faster in different web browser.

### **System Testing and Implementation**

The work split in different modules and the actual coding must start. The small part is called modules, modules are tested and developed for its functionality. And integrated all modules to the implementation. The proponents test their system in hard ways like security, files accessing, a bunch of data, simultaneously use of website, text field expression and image upload. And in the implementation, they upload the website and template to the web server. They make their website more accessible.

## Flowchart

The flowchart below illustrates the sequential order of a process needed to perform by the proponents. Each step in the sequential order is recognized within diagram shape. Sequential order is associated with connecting lines with directional arrows. This allows everyone to prospect the entire flowchart of the proposed system.




Figure 4.46: System Flowchart




Figure 4.47: System Flowchart (cont.)



## DIVINE MERCY COLLEGE FOUNDATION INC.

60




Figure 4.48: System Flowchart (cont.)




Figure 4.49: System Flowchart (cont.)




Figure 4.50: System Flowchart (cont.)




Figure 4.51: System Flowchart (cont.)




Figure 4.52: System Flowchart (cont.)




Figure 4.53: System Flowchart (cont.)




Figure 4.54: Flowchart (cont.)




Figure 4.55: System Flowchart (cont.)




Figure 4.56: System Flowchart (cont.)




Figure 4.57: System Flowchart (cont.)




Figure 4.58: System Flowchart (cont.)




Figure 4.59: System Flowchart (cont.)




Figure 4.60: System Flowchart (cont.)




Figure 4.61: System Flowchart (cont.)




Figure 4.62: System Flowchart (cont.)




Figure 4.63: System Flowchart (cont.)




Figure 4.64: System Flowchart (cont.)




Figure 4.65: System Flowchart (cont.)



## 4.2 Project Structure

### HIPo Chart (Hierarchy plus Input-Process-Output)

The illustrations below show the entire blueprint of the system including the hierarchy chart that strongly represents the system's control structure and screenshots of every page of the website.




Figure 4.65: HIPo (Hierarchy plus Input-Process-Output)




Figure 4.66: HIPo (Hierarchy plus Input-Process-Output) (cont.)



## DIVINE MERCY COLLEGE FOUNDATION INC.

79




Figure 4.67: HIPO (Hierarchy plus Input-Process-Output) (cont.)





Figure 4.68: HIPO (Hierarchy plus Input-Process-Output) (cont.)

Management System for Food E-Commerce with PayPal Integration and Database Algorithms




## DIVINE MERCY COLLEGE FOUNDATION INC.

80



*Figure 4.69: HIPO (Hierarchy plus Input-Process-Output) (cont.)*



*Figure 4.70: HIPO (Hierarchy plus Input-Process-Output) (cont.)*




Figure 4.71: HIPO (Hierarchy plus Input-Process-Output) (cont.)




Figure 4.72: HIPO (Hierarchy plus Input-Process-Output) (cont.)



## DIVINE MERCY COLLEGE FOUNDATION INC.

82




Figure 4.73: HIPO (Hierarchy plus Input-Process-Output) (cont.)




Figure 4.74: HIPO Chart (Hierarchy plus Input-Process-Output) (cont.)

Management System for Food E-Commerce with PayPal Integration and Database Algorithms



### 4.3 Tabulating Results from the Proposed System

#### Project Evaluation

The result of the respondent's feedback to a given questions.

Tabular Presentation

No. of Respondents	Businessman and businesswoman	Future Customers	Programmer or developer
40	20	10	10

Table 3. Shows the number of respondents and their position

Management System for Food E-Commerce with PayPal Integration and Database Algorithm	Yes	No
1. The validity of every text field is accurate?	40	0
2. Do you prefer PayPal as a payment procedure	32	8
3. Does the e-commerce website is good for small to medium scale business operation?	37	3

Table 4. Questions to the respondents are tally to their answer.

Management System for Food E-Commerce with PayPal Integration and Database Algorithm	Business use	Personal use	Both personal and business use
4. For what purpose do you use e-commerce website?	16	6	18

Table 5. Questions to the respondents are tally to their answer.



## DIVINE MERCY COLLEGE FOUNDATION INC.

84

<b>Management System for Food E-Commerce with PayPal Integration and Database Algorithm</b>	<b>Effectively caters to customer s' demands</b>	<b>Smoothens business by creating customer and business network</b>	<b>Ensures guarantee of payment</b>
5. According to you how e-commerce is helpful for the business?	22	16	2

Table 6. Questions to the respondents are tally to their answer.

<b>Management System for Food E-Commerce with PayPal Integration and Database Algorithm</b>	<b>Saves time</b>	<b>Convenient and flexible</b>	<b>Wide range of choices</b>	<b>Security</b>	<b>Fastens business process</b>	<b>other</b>
6. Why do you prefer online purchasing (choose as many as applicable)?	28	25	19	15	23	0

Table 7. Questions to the respondents are tally to their answer.

**Management System for Food E-Commerce with PayPal Integration and Database Algorithms**



## DIVINE MERCY COLLEGE FOUNDATION INC.

85

<b>Management System for Food E-Commerce with PayPal Integration and Database Algorithm</b>	<b>Poor</b>	<b>Good</b>	<b>Excellent</b>
7. Rate e-commerce website from what you have seen and your experience with our sites in terms of Visual appearance/layout.	0	16	24
8. Rate e-commerce website from what you have seen and your experience with our sites in terms of Content.	0	16	24
9. E-commerce website responds quickly to email queries?	0	15	25
10. E-commerce website has improved customer service?	0	17	23

Table 8. Questions to the respondents are tally to their answer.

**Management System for Food E-Commerce with PayPal Integration and Database Algorithms**



## Chapter V

### SUMMARY OF FINDINGS, CONCLUSIONS AND RECOMMENDATION

This chapter will be the last part of the documentation. It will discuss the summary of findings, the conclusion, and the person who will be benefited from the system proposed by the proponents.

#### Summary of Findings

1. The proficiency of the system in terms of the file management system is on the high level. It knows where to upload the file or image. The agent can upload the file directly to the web server, he or she also update the uploaded file and it can be deleted. The administrator and agent can create an information that will be uploaded into our database, they can also update the information they created and they can be deleted but not on our database. The main purpose of this feature is to have the efficiency of transporting the information and uploaded the file to specific modules on the site.
2. The proponents can surely be secured the files, product, and transaction of the client. For the login security, the proponents use SQL injection and XSS (Cross Site Scripting). Also, the proponents create a permission on the database, where the user can only access the specific files if the administrator is allowing him. For the security of the transaction, the proponents use PayPal.



3. In the system, it has so many modules to organize the information needed. Every module has its own functionality, tasks to do, and action needed to act. So, that it's easier to find the information given on different modules on the site. Each module has its own functionality made by different algorithm and library to fasten up and optimize the data been loaded into the site. The main purpose of this is to become more relevant to the system and have a better user interaction between the end user and the system.
4. Based on the statistical most of the respondents are preferring PayPal as a payment method for purchasing template.
5. We find that having a PayPal as a payment method is an easier way to pay a rented template. They had a 24/7 monitoring for their sellers and buyers. We also find that the system doesn't need the bank account of the client and the customer to purchased or to rent the template, in this kind of the way the client and the customer of the system are safe to those unethical hackers and the system is secured with the built-in encryption by CodeIgniter framework.
6. The system meets the needs and expectation of the user in terms of visual appearance. According to the evaluation, many of respondents is agreed that having PayPal as a payment method. The e-mail queries or verification respond quickly. The proponents don't delete data in the database only in the user interface because we believe that every single



of data is important. The system is productive because the proponents provide different reports to the administrator for him to easily monitor what is going on their website. The proponents use hashing for the keeping the files secured. It has an e-mail verification code to determine if the user is a bot or not. You can't log in if the account is already login. The proponents use the algorithm of permission for the administrator can select the specific module that the co-administrator can access.

## Conclusions

1. The proponents conclude that the file management system helps a website a lot. Because of this method, the system has a better file operation in distributing the file in different end-user
2. The proponents concluded that the system is secured in different exploitations such as SQL injection and Cross-Site Scripting. The system used hashing for the password, and the database is normalized. In this kind of way, the client and customer can be sure that their information created is secured.
3. The proponents concluded that having a different module can perform to improve the website. Because of the different modules, the client and the customer can easily track the information on a given time.



4. We concluded that they can purchase a template or product by using their different credit card. So, that it's easily and lessen the time of the user to purchased or to rent an item.
5. We concluded that the system is secured because the proponent uses a different kind of libraries and framework to improve the security of the website. In term of money transaction, they can be sure that their transaction is safe with PayPal and our security features.
6. We concluded that the system meets the system objectives. Because of its good performance, appearance, and functionality of the system the future client or user of the system is satisfied.

## Recommendations

1. To the future developer or researcher of this system, you'll need to update or upgrade the file management. Currently, our file management system working only on our own website, we recommend the future researcher or developer to connect our website to any social media and have an advertising module for the business process. We recommend improving more the file operation in distributing the file. Purchase a high specification web server for file uploading, handling of many websites, and storing much information in database.
2. We recommend to the future developer of this system to add more security method to secure this website. It may help to get more customer and client.



## DIVINE MERCY COLLEGE FOUNDATION INC.

90

And use the Laravel as a framework for better security, it's better to upgrade this system using CodeIgniter but we prefer to upgrade it into Laravel.

3. You'll need to update, add and upgrade each task, and operation in each module. It helps a lot to attract more user. Example, in the administrator page, add a feature where the administrator can track the time in and time out of the agent or employee, and a decision making for the reports. And create another account type which is call center, they answer the call of the customer, and the location of the caller pinpoint on the geographical location in the administrator dashboard with remark message.
4. We recommend adding more secure payment method to have the user more payment option. And for the payment method for domestic and international transactions for small to medium-sized business.
5. Upgrade the security to secure the PayPal method, example, in the process of renting a template add an email or short message service for the verification to avoid the BOT or unnecessary action.
6. To the improvement of the system, implementing the backup of rented template database is advisable. Improve more on security.

The Management System for Food E-commerce with PayPal Integration and Database Algorithm help the client who has and hasn't any knowledge on how to create a system for their food business they don't need to hire a web developer or web designer and fund too much. The



client can easily choose and purchased a template that available to our website without any bothering and pay it through PayPal. They can also contact the administrator or agent for the suggestion of the purchased template.

Also, it is an achievement for us to propose this complex type of study. We gain new knowledge in terms of web developing and using a different API's. Being a client-side scripting or called as front-end, you will enhance your skills when it comes to color combination, designing, and user interaction. For being a server-side scripting or called as the back-end, you will enhance your patience, logical thinking, and finding the easy way to solve a specific problem.



## BIBLIOGRAPHY

### Website

Aldin, N., Brehmer, P., & Johansson, A. (2004). Business Process Management Journal. Retrieved September 09, 2016, from <http://www.emeraldinsight.com/doi/abs/10.1108/14637150410518329>

Carado, A., Kwong, A., Frigillano, J., & Giger, K. (2013). Sales Management and Inventory System of 8 Telcom Business Center. Retrieved September 07, 2016, from <http://ejournals.ph/article.php?id=6116>

De Vera, R. (2006). Employment Impact of Business-to-Consumer E-commerce on Philippine Workers. Retrieved September 07, 2016, from <http://serp-p.pids.gov.ph/serp-p/details.php?pid=3843>

Diodio, S. (2014). Online Shopping System. Retrieved September 12, 2016, from [http://www.academia.edu/7179788/online\\_shopping\\_system\\_documentation\\_by\\_simon\\_diodio\\_ambundo](http://www.academia.edu/7179788/online_shopping_system_documentation_by_simon_diodio_ambundo)



Geissler, G. (2001). Building customer relationships online: The Web site designers' perspective. Retrieved September 09, 2016, from <http://www.emeraldinsight.com/doi/abs/10.1108/EUM0000000006154>

Sinulingga, N. (2012). Paypal Analysis as e-Payment in The e-Business Development. Retrieved September 09, 2016, from <http://artikel.ulb.ac.id/index.php/icetd/article/view/81>

Lacson, A., & Pasadilla, G. (2006). SERP-P Publication: E-commerce in the Philippines: A Preliminary. Retrieved September 07, 2016, from <http://serp-p.pids.gov.ph/serp-p/details.php?pid=3922>

Nielsen, B. (2013). Online Shopping, Filipinos are among Asia-Pacific's most active online shoppers. Retrieved September 13, 2016, from <http://www.taragis.com/2013/08/nielsen-study-online-shopping-filipinos-are-among-asia-pacifics-most-active-online-shoppers/>

### Printed Document File (PDF)

Barreiro, P., & Albandoz, J. (2001). Population and sample. Sampling Techniques. Retrieved September 12, 2016.



## DIVINE MERCY COLLEGE FOUNDATION INC.

94

Chaffey, D., Ellis-Chadwick, F., Mayer, R., & Johnston, K. (2000). Internet marketing: Strategy, implementation, and practice. Retrieved September 12, 2016, from  
[https://books.google.com.ph/books/about/Internet\\_Marketing.html?id=HcoRI2EZXiwC&redir\\_esc=y&hl=en](https://books.google.com.ph/books/about/Internet_Marketing.html?id=HcoRI2EZXiwC&redir_esc=y&hl=en)

Eid, M. (2011). An Improved SMS User Interface System to Support University Services. Retrieved September 13, 2016, from  
<http://library.iugaza.edu.ps/thesis/96739.pdf>

Khasawneh, R., & Lovero, E. (2004). Review and Analysis of Internet Traffic and its Implications on the Root Name Server Architecture. Retrieved September 13, 2016, from  
<http://iacis.org/iis/2004/KhasawnehLovero.pdf>

Mojares, P. (2004). INotified: An SMS and RFID-Based Notification System of Lipa City Colleges, Lipa City. Retrieved September 13, 2016, from  
<http://ijitcs.com/volume 12 No 2/Philip.pdf>



## Appendices


## **Appendix A: Gantt Chart**



*Figure 6.1: Gantt Chart*



## Appendix B: PERT Diagram



- |  |   |
|--|---|
| 1. Proposal                            | 12. Start coding of template & Main page  |
| 2. Proposal Approval                   | 13. Local testing                         |
| 3. Project Scheduling                  | 14. Project Debugging                     |
| 4. Data Gathering                      | 15. Coding of main page                   |
| 5. Researching for current<br>projects | 16. Purchasing web server                 |
| 6. Finalizing the research             | 17. Live Testing                          |
| 7. Gathering information               | 18. Evaluation                            |
| 8. Conducting a survey                 | 19. Documentation                         |
| 9. Flow of the system                  | 20. Documentation revised                 |
| 10. Finalizing the documents           | 21. Final Revision                        |
| 11. Designing the output of<br>project | <b>LEGENDS</b><br><b>w – week d - day</b> |

Figure 6.2: PERT Chart



### Appendix C: Entity Relationship Diagram




Figure 6.3: Entity Relationship Diagram



## Appendix D: User's Manual



Figure 6.4: Homepage




Figure 6.5: Homepage

- When you open our website, this page will show on your screen.
- In the navigation, which is located at the top, there are four (4) categories: [Blog](#), [Events](#), [Testimonials](#), and [Log In](#).
- In the home page, there are two (2) modules: The Templates Rented and the Food E-commerce Templates. In the [Templates Rented](#), all the templates listed are



## DIVINE MERCY COLLEGE FOUNDATION INC.

99

already rented by the client. In the [Food E-commerce Templates](#), all the list of templates that are available for renting at allotted time.



Figure 6.6: Login Form

- You are allowing to access on this website if you have an existing account, if not just click the [Create an Account?](#) at the below of the [Forgot your Password?](#).




Figure 6.7: Create an Account

Management System for Food E-Commerce with PayPal Integration and Database Algorithms



## DIVINE MERCY COLLEGE FOUNDATION INC.

100




Figure 6.8: Create an Account




Figure 6.9: Create an Account

- You can create your account if you haven't yet already. It has an e-mail verification for you to determine if you're a bot or not.




Figure 6.10: Forgot Password




Figure 6.11: Forgot Password



## DIVINE MERCY COLLEGE FOUNDATION INC.

102




Figure 6.12: Forgot Password




Figure 6.13: Forgot Password

- If you forgot your password, just simply click [Forgot your Password?](#) at the below of Login button.
- Just simply input your e-mail, and you can receive a verification code.
- Copy and paste the verification you received and you can create now your new password.



## DIVINE MERCY COLLEGE FOUNDATION INC.

103




Figure 6.14: Blog




Figure 6.15: Blog

- In [Blog](#), you can browse the thoughts of the administrator and you can respond to it if you already login your account.



## DIVINE MERCY COLLEGE FOUNDATION INC.

104

The screenshot shows the 'Events' section of the website. It features four event cards: 'International Seminar in Inclusive Education' (January 13, 2017), 'Celebrate the Year of the Fire Rooster at Century City Mall' (January 15, 2017), 'New Year's Eve Events: Countdown to 2017' (December 31, 2016), and 'Experience the first-ever "Magical Fields of Light" in Nuvali' (December 13, 2016). Below the events is a 'Contact Us' button and a world map.

Figure 6.16: Events

The screenshot shows the same 'Events' section as Figure 6.16, but with a comment overlay on the 'Celebrate the Year of the Fire Rooster' event card. The comment is from 'John Mark Abril - February 23, 2017' stating 'This is real! If its real then we celebrate.' Below the comment is a placeholder for 'Write a comment...'. The rest of the page content remains the same.

Figure 6.17: Events

- In [Events](#), you can browse the upcoming events or announcement posted by the administrator, it is the same at the blog you can respond to it if you already login your account.



## DIVINE MERCY COLLEGE FOUNDATION INC.

105




Figure 6.18: Testimonials

- In [Testimonials](#), you can browse the feedback of the client of their purchased template and to the service of the JMAE Site Provider.




Figure 6.19: User – Profile

- If you already log in as user, you can see the additional categories on your navigation top which is the [Profile](#).



## DIVINE MERCY COLLEGE FOUNDATION INC.

106

- In [Profile](#), you can see some information like: Name, Email Address, Username and Contact.



these are the buttons if you want to update your personal information.

- Also, you have a mini social media for you not to be bored, you may also see the other post of user and you can make a respond to it.
- In your Issue Tracker tab, you can make a conversation with the administrator if you have any bug of your purchased template.



Figure 6.20: Administrator – Dashboard



## DIVINE MERCY COLLEGE FOUNDATION INC.

107



Figure 6.21: Administrator – Dashboard




Figure 6.22: Administrator – Dashboard

- If you log in as administrator, you can see in your navigation on the left side, there are twelve (12) categories: The [Profile](#), [Contact](#), [About My Site](#), [Dashboard](#), [Events](#), [Message](#), [Notification](#), [Settings](#), [Reports](#), [Team](#), [User Management](#), and [Website](#).
- The first category is the [Dashboard](#). It contains the report of Total Sales of the current year, Last Year Sales, Total Templates, Site Visit, Template sales of the year, Contact, Small todo list, and the Issue Tracker.



## DIVINE MERCY COLLEGE FOUNDATION INC.

108

- The [Small todo List](#) is a simple reminder to you of what task you're going to accomplish.
- The [Issue Tracker](#) you can make a conversation with the client who sends a message about of the issue or question in his/her purchased template.
- The [Geographical Location of the user/ client](#) you can easy to find where the user/client located.

A screenshot of the JMAE Site Provider administrator interface. The left sidebar shows a navigation menu with items like About My Site, Dashboard, Events, Message, Notification, Settings, Reports, Team, User Management, and Website. The main content area is titled "About My Site". It has tabs for "List", "Create", and "Preview". A search bar shows the results "JMAE Site Provider" and "JF Site Provider". The preview section displays the "About My Site" page with the title "JMAE Site Provider" and the description "is a template and web service provider for a small time to medium scale businesses. We're here to innovate your business in the technology. We help you and you help us our company." There are "Delete | Update" and "Log out" buttons at the top right of the preview area.

Figure 6.23: Administrator – About My Site

A screenshot of the JMAE Site Provider administrator interface showing the "About My Site - Create" form. The left sidebar is identical to Figure 6.23. The main content area is titled "About My Site - Create". It has fields for "Title" and "Description". The "Title" field contains "JMAE Site Provider" and the "Description" field contains the same description as the preview in Figure 6.23. At the bottom is a blue "Submit" button. The background of the main content area is grayed out, indicating it is a modal window.

Figure 6.24: Administrator – About My Site




Figure 6.25: Administrator – About My Site




Figure 6.26: Administrator – About My Site

- In [About My Site](#), you can choose to the list which is you're going to enable for the content of your About My Site that located to the footer or lower part on the website by clicking [Update](#).
- Also, you can update and delete the content of the selected About My Site.



## DIVINE MERCY COLLEGE FOUNDATION INC.

110


A screenshot of the JMAE Site Provider administrator interface. On the left is a dark sidebar with a user profile picture of Farrah Mae Gregorio (Administrator) and a list of menu items: About My Site, Dashboard, Events (selected), Message, Notification, Settings, Reports, Team, User Management, and Website. The main content area has a header "JMAE SITE PROVIDER" and "Events". It shows a "List" tab with a search bar and a "Create" button. Below the search bar is a preview section for an event titled "International Seminar in Inclusive Education". The preview text describes the seminar's purpose and date. There are "Delete | Update" buttons at the top right of the preview and a "Log out" link at the very top right of the page.

Figure 6.27: Administrator – Events


A screenshot of the "Event - Create" form from the JMAE Site Provider administrator interface. The form is centered over the background of the previous screen. It has fields for "Title" and "Description", both currently empty. At the bottom is a blue "Submit" button. The background shows the same sidebar and preview section as Figure 6.27.

Figure 6.28: Administrator – Events




Figure 6.29: Administrator – Events




Figure 6.30: Administrator – Events

- In [Events](#), you can see the list of events that already posted to the site.
- Also, you can update and delete the selected event.



## DIVINE MERCY COLLEGE FOUNDATION INC.

112

The screenshot shows the JMAE Site Provider administrator interface. On the left, a sidebar menu includes options like About My Site, Dashboard, Events, Message (which is selected), Notification, Settings, Reports, Team, User Management, and Website. The main area is titled 'Message' and shows an 'Inbox' with a search bar. A message titled 'How did we do? (AEM-HGTLD-431)' is selected, displaying its content: 'Recently you have contacted our support service. Please help us improve and kindly rate your latest experience with hostinger.ph.' Below this, a conversation thread is shown between 'Farrah Mae Gregorio' and 'John Mark Abril'. Farrah Mae has three messages: 'This is reply of user MAE', 'This is 2nd reply of Mae', and 'This is 3rd Reply of Mae'. John Mark Abril has one message: 'This is reply of user JM'. At the bottom, there is a 'Reply here ...' input field.

Figure 6.31: Administrator – Message

This screenshot shows the same administrator interface as Figure 6.31, but with a 'Compose Message' dialog box overlaid. The dialog has fields for 'Email Address' (containing 'testing@testing.com' with an error message 'ERROR: Email address is invalid!'), 'Subject' (empty), and 'Message' (empty). A 'Send message' button is at the bottom. The background inbox and conversation list are visible but dimmed.

Figure 6.32: Administrator – Message

- In [Message](#), you can see the list of message that sent to you.
- If you want to see the conversation just click the title of message which is located at left side. The conversation show on the right side.
- Also, you can compose the message but it can only send if the email is registered to JMAE Site Provider.


A screenshot of the JMAE SITE PROVIDER administrator interface showing the 'Notification' section. The left sidebar shows the user profile of Farrah Mae Gregorio and a navigation menu with 'Notification' selected. The main area displays a grid of notifications for various users and dates, each with a small profile picture and a brief log message. A 'Log out' button is in the top right corner.

Figure 6.33: Administrator – Notification

- In **Notification**, you can notice the updates about the user activity.


A screenshot of the JMAE SITE PROVIDER administrator interface showing the 'PayPal Configuration' section under 'Settings'. The left sidebar shows the user profile of Farrah Mae Gregorio and a navigation menu with 'Settings' selected. The main area has two tabs: 'Account List' and 'Create'. Under 'Account List', there is a search bar and three entries: 'jhasdkjf@gmail.com' (Disabled), 'maegregorio@gmail.com' (Disabled), and 'jnaethesis@gmail.com' (Enabled). On the right, there is a 'Preview' section showing the PayPal logo and payment method icons (MasterCard, Visa, American Express, Discover). Below the preview, there is an 'Email Address' field set to 'maegregorio@gmail.com' with a dropdown menu showing 'Enabled' (selected) and 'Disabled'. A 'Update an PayPal account!' button is at the bottom right.

Figure 6.34: Administrator – Settings



## DIVINE MERCY COLLEGE FOUNDATION INC.

114




Figure 6.35: Administrator – Settings




Figure 6.36: Administrator – Settings

- In **Settings**, there is a **PayPal Configuration**. The **PayPal Configuration** it contains of the list of **PayPal account**. You can choose only one account that the **JMAE Site Provider** use.
- If you want to enable or disable the account just simple click the **PayPal Account** located at left side, and at the right side click **enable/disabled** and **Update an PayPal Account**.
- Also, you can create and delete a **PayPal account**.



Figure 6.37: Administrator – Reports



Figure 6.38: Administrator – Reports



## DIVINE MERCY COLLEGE FOUNDATION INC.

116



Figure 6.39: Administrator – Reports

- In [Reports](#), it displays the report of Number of users, and User activity of the current year in graphical form for you to easy to understand.




Figure 6.40: Administrator – Team



## DIVINE MERCY COLLEGE FOUNDATION INC.

117

A screenshot of a web-based administration interface for "JMAE SITE PROVIDER". The main menu on the left includes options like About My Site, Dashboard, Events, Message, Notification, Settings, Reports, Team, User Management, and Website. The "Team" option is selected. A modal window titled "Create new member on your team" is open in the center. It contains fields for First Name, Last Name, Contact (with a placeholder 09123456789), Email Address, Facebook URL, and Twitter URL. There is also an "Upload Image" field with a "Browse" button. A "Submit" button is at the bottom of the form.

Figure 6.41: Administrator – Team

A screenshot of the same administration interface. A modal window asks, "Are you sure, you want to delete this as your team member?" with "Cancel" and "Delete" buttons. Below the modal, a list shows a team member named "John Mark Abril" with contact information "- 09208317004 | johnmarkabril@gmail.com -". A small "Delete" button is visible next to his name.


Figure 6.42: Administrator – Team

- In [Team](#), you can see the team of this JMAE Site Provider.
- Also, you can create and delete a member of your team.



## DIVINE MERCY COLLEGE FOUNDATION INC.


118



This screenshot shows the 'Account' section of the JMAE Site Provider administrator interface. The left sidebar shows the user profile of Farrah Mae Gregorio, an administrator. The main area displays a summary of user statistics: 'All users' count is 1, and 'Current Month' count is 0. Below this is a table listing a single user entry:

Name	Email Address	Username	RegTime
John Mark Abril	johnmarkabril@gmail.com	jmabril17	December 15, 2016 03:18 AM

Figure 6.43: Administrator – User Management – Account



This screenshot shows the 'Agent' section of the JMAE Site Provider administrator interface. The left sidebar shows the user profile of Farrah Mae Gregorio, an administrator. The main area has a 'List' view showing a single agent entry: 'Agent Agent'. To the right, there is a 'Preview' panel displaying personal information for this agent, including a placeholder image icon and the following details:

Personal Information  
no image  
Name: Agent Agent  
Username: agent123  
Email Address: agent@gmail.com

Figure 6.44: Administrator – User Management – Agent



## DIVINE MERCY COLLEGE FOUNDATION INC.

119

A screenshot of the JMAE SITE PROVIDER Agent User Management interface. The main menu on the left includes options like About My Site, Dashboard, Events, Message, Notification, Settings, Reports, Team, and User Management (Account, Agent, Co-Administrator). The Agent section is currently selected. A modal window titled "Create new agent account" is open in the center, containing fields for First Name, Last Name, Username, Email Address, Password, and Confirm Password, with a "Submit" button at the bottom.

Figure 6.45: Administrator – User Management – Agent

A screenshot of the JMAE SITE PROVIDER Agent User Management interface. The main menu and sidebar are identical to Figure 6.45. A modal window in the center asks "Are you sure to this account?" with "Cancel" and "Delete" buttons. To the right, a user profile for "Agent Agent" is shown with fields for Name, Username, and Email Address. Below the profile is a placeholder for a profile picture labeled "no image".

Figure 6.46: Administrator – User Management – Agent



## DIVINE MERCY COLLEGE FOUNDATION INC.

120

A screenshot of a web-based administration interface for "JMAE SITE PROVIDER". The top navigation bar includes a user profile picture of a woman, the site name, and a "Log out" link. Below the navigation is a sidebar with various administrative links like About My Site, Dashboard, Events, Message, Notification, Settings, Reports, Team, User Management (with sub-options Account, Agent, Co-Administrator), and Website. The main content area is titled "Co-Administrator" and shows a "List" view with a search bar. A specific user profile for "Farrah Mae Gregorio" is selected, displaying fields for Full Name (Farrah Mae Gregorio), Username (frhmgregorio), Phone number (0948410511), and Email address (frhmgregorio@gmail.com). A "Permission" section lists several items, and a prominent blue button at the bottom right says "Update co-administrator permission".

Farrah Mae Gregorio

Administrator

About My Site

Dashboard

Events

Message

Notification

Settings

Reports

Team

User Management

- Account
- Agent
- Co-Administrator

Website

JMAE SITE PROVIDER

Co-Administrator

List

Search

Farrah Mae Gregorio

Full Name

Farrah Mae Gregorio

Username

frhmgregorio

Phone number

0948410511

Email address

frhmgregorio@gmail.com

Permission

Update co-administrator permission

Figure 6.47: Administrator – User Management – Co-Administrator

This screenshot shows the same user management interface as Figure 6.47, but the "Permission" section is expanded to reveal a long list of administrative privileges. The list includes: About My Site, Accounts, Co-Administrator, Contact, Dashboard, Events, Message, Notification, PayPal Configuration, and Profile. Each item is preceded by a small radio button, suggesting they can be selected or deselected.

Farrah Mae Gregorio

Administrator

About My Site

Dashboard

Events

Message

Notification

Settings

Reports

Team

User Management

- Account
- Agent
- Co-Administrator

Website

JMAE SITE PROVIDER

Co-Administrator

List

Search

Farrah Mae Gregorio

Full Name

Farrah Mae Gregorio

Username

frhmgregorio

Phone number

0948410511

Email address

frhmgregorio@gmail.com

Permission

- About My Site
- Accounts
- Co-Administrator
- Contact
- Dashboard
- Events
- Message
- Notification
- PayPal Configuration
- Profile

Figure 6.48: Administrator – User Management – Co-Administrator




Figure 6.49: Administrator – User Management – Co-Administrator

- In [User Management](#), there are sub categories: Account, Agent, Co-Administrator.
- In [Account](#), you can see the total of all user account and the total user account for current month. At below, the user accounts are listed and you can search it.
- In [Agent](#), you can see the list of agent account at the left side. The preview of the content of agent account selected is located at the right side. Also, you can create or delete an agent account.
- In [Co-administrator](#), at the left side you can see the list of co-administrator account, and at the right side you can see the preview of the content of co-administrator account and update the permission. Also, you can create a co-administrator account.



## DIVINE MERCY COLLEGE FOUNDATION INC.

122

A screenshot of the JMAE SITE PROVIDER administrator interface. The left sidebar shows a user profile for 'Farrah Mae Gregorio' and a navigation menu with options like About My Site, Dashboard, Events, Message, Notification, Settings, Reports, Team, User Management, and Website (with sub-options Website Online and Website Template). The main content area is titled 'Website Online' and shows a preview of a website template for 'But Cakes' featuring cupcakes. A search bar at the top says 'Search Website Online'. A 'Log out' button is in the top right corner.

Figure 6.50: Administrator – Website – Website Online


A screenshot of the JMAE SITE PROVIDER administrator interface, similar to Figure 6.50 but under the 'Website Template' section. The left sidebar and main navigation are identical. The main content area is titled 'Website Template' and shows a 'List' of templates on the left and a 'Preview' of a 'Restaurant Reservation Template' on the right. The preview shows a vibrant food-themed website design. Fields for 'Template Name' (Restaurant Reservation Template), 'Category' (Food E-Commerce), and 'Description' are visible at the bottom. A 'Create' button is in the top right corner.

Figure 6.51: Administrator – Website – Website Template




## DIVINE MERCY COLLEGE FOUNDATION INC.

123



This screenshot shows the administrator interface for managing website templates. On the left is a dark sidebar menu with various options like About My Site, Dashboard, Events, Message, Notification, Settings, Reports, Team, User Management, and Website (with sub-options Website Online and Website Template). The main area has tabs for 'List' and 'Preview'. Under 'List', there's a search bar and three template options: 'Blog and Selling of Recipe Template', 'News and Affairs Template', and 'Restaurant Reservation Template'. In the 'Preview' tab, a preview of the 'Restaurant Reservation Template' is shown, featuring a banner with various fruits and vegetables. Below the preview, the template's name is listed as 'Restaurant Reservation Template', it falls under the 'Food E-Commerce' category, and it uses 'BootStrap | Inspinia | Codeigniter Framework'. The price is listed as '3000.00'. At the bottom are two buttons: 'Change website image' and 'Update website information'.

Figure 6.52: Administrator – Website – Website Template



This screenshot shows the process of updating a website image. A modal dialog box titled 'Update website image of' is open over the main template management screen. It contains fields for 'Upload Image' (with a 'Browse' button) and a large blue 'Update website image' button. The background shows the same template details as Figure 6.52, including the preview image, template name, category, and library/framework information.

Figure 6.53: Administrator – Website – Website Template



## DIVINE MERCY COLLEGE FOUNDATION INC.

124




Figure 6.54: Administrator – Website – Website Template




Figure 6.55: Administrator – Website – Website Template

- In [Website](#), there is a sub categories: Website Online and Website Template.
- In [Website Online](#), you can see the list of template/s that already rented by the client.
- In [Website Template](#), you can see the list of template that available for rented, if you want to preview the content just simple click the template name at the left side and the preview is located at the rights side.



## DIVINE MERCY COLLEGE FOUNDATION INC.

125

- If you want to update the image of template selected just click the **Change website image** and if you want to update the content just click the **Update website information**.
- Also, you can create and delete a website template.




Figure 6.56: Administrator – Profile


- In **Profile**, you can see some information like: Name, Email Address, Username and Contact.

- **Change Profile Picture**      **Change Information**  
**Change Password**      **Change Location** these are the buttons if you want to update your personal information.
- Also, you have a mini social media for you not to be bored, you may also see the other post of user and you can make a respond to it.



## DIVINE MERCY COLLEGE FOUNDATION INC.


126



The screenshot shows the 'Contact' page of the JMAE Site Provider administrator interface. At the top right are 'Log out' and 'Create' buttons. A search bar is followed by a contact card for 'John Mark Abril'. The card includes a profile picture, the name 'John Mark Abril', an address ('655 D. Guillermo St. Gagalangin Tondo, Manila'), a phone number ('+639208817004'), an email ('johnmarkabril@gmail.com'), and a 'Delete' button. On the left is a sidebar with navigation links: About My Site, Dashboard, Events, Message, Notification, Settings, Reports, Team, User Management, and Website. The user is identified as 'Farrah Mae Gregorio' (Administrator).

Figure 6.57: Administrator – Contact

- In [Contact](#), you can view and delete your contacts that you have. You may also create.



The screenshot shows the 'Issue Tracker' page of the JMAE Site Provider agent interface. It features a search bar at the top. Below it is a table with columns: STATUS, ISSUE NUMBER, NAME, DATE, and COMMAND. Three issues are listed:

- ISSUE #3 - Domain Name**: Status: Bug, Description: I want to change my domain name to johnmarkabril.jmaeprovider.xyz, Submitted by John Mark Abril on February 25, 2017 at 4:19 PM, with 'Resolve' and 'Reply' buttons.
- ISSUE #2 - DISABLE MY DOMAIN NAME**: Status: Bug, Description: I WANT TO DISABLE MY DOMAIN NAME ON MY VPS SERVER, Submitted by John Mark Abril on February 25, 2017 at 3:44 PM, with 'Resolve' and 'Reply' buttons.
- ISSUE #1 - CHANGE IP ADDRESS**: Status: Hint, Description: I WANT TO CHANGE MY IP ADDRESS FROM 31.220.58.2 TO 31.220.58.18, Submitted by John Mark Abril on February 25, 2017 at 3:48 PM, with 'Resolve' and 'Reply' buttons.

On the right side, there is a 'Notification - Template' sidebar showing activity logs for other users:

- Beldion Balanan purchased a website on October 11, 2016 09:11 AM
- John Abril purchased a website on August 15, 2016 09:19 AM
- Shane Macion purchased a website on January 15, 2017 04:23 PM
- Dale Diaz purchased a website on January 11, 2017 07:39 AM
- Mae Abril purchased a website on February 22, 2017 11:41 AM

Figure 6.58: Agent – Issue Tracker



The screenshot shows the 'Issue Tracker' section of the JMAE SITE PROVIDER platform. On the left, a sidebar menu for 'Agent Agent' includes 'Profile', 'Contact', 'Events', 'Message', 'Notification', and 'Template'. The main area displays a table of issues:

STATUS	ISSUE NUMBER	NAME	DATE	COMMAND
Open	ISSUE #3 - Domain Name I want to change my domain name to johnmarkabril.jmaeprovider.xyz	John Mark Abril	February 25, 2017 4:19 PM	Resolve Reply
Open	ISSUE #2 - DISABLE MY DOMAIN NAME I WANT TO DISABLE MY DOMAIN NAME ON MY VPS SERVER?	John Mark Abril	February 25, 2017 3:44 PM	Resolve Reply
Open	ISSUE #1 - CHANGE IP ADDRESS I WANT TO CHANGE MY IP ADDRESS FROM 31.220.58.2 TO 31.220.58.18	John Mark Abril	February 25, 2017 3:48 PM	Resolve Reply

A sidebar on the right titled 'Notification - Template' lists recent website purchases:

- Beldion Balanan purchased a website October 11, 2016 09:11 AM
- John Abril purchased a website August 15, 2016 09:19 AM
- Shane Macion purchased a website January 15, 2017 04:23 PM
- Dale Diaz purchased a website January 11, 2017 07:39 AM
- Mae Abril purchased a website February 21, 2017 11:41 AM

Figure 6.59: Agent – Issue Tracker

- If you log in as agent, you can see in your navigation on the left side, there are twelve (7) categories: The [Profile](#), [Contact](#), [Issue Tracker](#), [Events](#), [Message](#), [Notification](#), and [Template](#).
- Issue tracker, it is the same function in administrator.
- The notification at the right side it is fixed whenever you open different categories it is still there.

The screenshot shows the 'Profile' section of the JMAE SITE PROVIDER platform. On the left, a sidebar menu for 'Agent Agent' includes 'Issue Tracker', 'Events', 'Message', 'Notification', and 'Template'. Below this, profile details are listed: Name (Agent Agent), Email Address (agent@gmail.com), Username (agent123), Contact (09821647593), and buttons for 'Change Profile Picture', 'Change Information', 'Change Password', and 'Change Location'. The main area shows a wall post by 'Agent Agent' from February 24, 2017, reading 'This is my first post!'. Another post by 'Farrah Mae Gregorio' from February 21, 2017, reads 'Will it be easy? Nope. Worth It? Absolutely.' A sidebar on the right titled 'Notification - Template' lists recent website purchases:

- Beldion Balanan purchased a website October 11, 2016 09:11 AM
- John Abril purchased a website August 15, 2016 09:19 AM
- Shane Macion purchased a website January 15, 2017 04:23 PM
- Dale Diaz purchased a website January 11, 2017 07:39 AM
- Mae Abril purchased a website February 21, 2017 11:41 AM



## DIVINE MERCY COLLEGE FOUNDATION INC.

128

Figure 6.60: Agent – Profile

- In [Profile](#), you can see some information like: Name, Email Address, Username and Contact.

- these are the buttons if you want to update your personal information.
- Also, you have a mini social media for you not to be bored, you may also see the other post of administrator and co-administrator, and you can make a respond to it.

The screenshot shows a user interface for managing contacts. On the left is a sidebar with a profile picture, the title "Agent Agent", and a user position "Agent". Below this are links for "Issue Tracker", "Events", "Message", "Notification", and "Template". The main area is titled "JMAE SITE PROVIDER" and "Contact". It includes a search bar, a "Create" button, and a list of contacts. One contact is highlighted: "Vincent Barcelona" from Caloocan City, with the phone number 09123456789 and email vincent@gmail.com. A "Delete" button is at the bottom of this card. To the right of the contact list is a "Notification - Template" sidebar showing activity logs for users like Belislon Balanan, John Abri, Shane Macin, Dale Diaz, and Mae Abri.

Figure 6.61: Agent – Contact

- It is still the same function in administrator contact.



## DIVINE MERCY COLLEGE FOUNDATION INC.

129

A screenshot of the JMAE SITE PROVIDER software interface. On the left, a sidebar shows navigation links: Issue Tracker, Events (selected), Message, Notification, and Template. The main area is titled "Events". It has tabs for "List" and "Create", and a "Preview" section. A search bar is present. Below it is a list of events: "International Seminar in Inclusive Education", "Celebrate the Year of the Fire Rooster", "New Year's Eve Events: Countdown to 2017", "'Magical Fields of Light' in Nuvali", and "Pumpkin Patch Party". To the right, there is a "Notification - Template" sidebar listing recent purchases of websites by users like Beldion Balanen, John Abril, Shane Macian, Dale Diaz, and Mae Abril.

Figure 6.62: Agent – Events

- It is still the same function in administrator events.

A screenshot of the JMAE SITE PROVIDER software interface. The sidebar on the left shows: Issue Tracker, Events (selected), Message (selected), Notification, and Template. The main area is titled "Message". It has tabs for "Inbox" and "Compose Message", with a search bar. An "Inbox Message" is shown for "Thesis 2017" dated February 24, 2017, at 3:14 AM, with the subject "Matatapos na to baby kol". A reply box contains the text "Agent Agent Yes, finally!". To the right, there is a "Notification - Template" sidebar listing recent purchases of websites by users like Beldion Balanen, John Abril, Shane Macian, Dale Diaz, and Mae Abril.

Figure 6.63: Agent – Message

- It is still the same function in administrator message.



## DIVINE MERCY COLLEGE FOUNDATION INC.

130

The screenshot shows the 'Notification' section of the JMAE SITE PROVIDER platform. On the left, a sidebar for 'Agent Agent' displays links for Issue Tracker, Events, Message, Notification (which is selected), and Template. The main area is titled 'Notification' and lists eight recent events in a grid:

User	Date	Event Description
Farrah Mae Gregorio	December 15, 2016	Farrah Mae Gregorio has been logged out.
John Mark Abril	December 15, 2016	John Mark Abril has been logged out.
John Mark Abril	December 15, 2016	John Mark Abril has been logged in.
Agent Agent	February 19, 2017	Agent Agent change his/her profile picture.
Farrah Mae Gregorio	December 15, 2016	Farrah Mae Gregorio has been logged out.
John Mark Abril	December 15, 2016	John Mark Abril has been logged out.
John Mark Abril	December 15, 2016	John Mark Abril has been logged in.
Farrah Mae Gregorio	December 15, 2016	Farrah Mae Gregorio has been logged out.

A vertical sidebar on the right lists 'Notification - Template' items for other users, such as 'Beldion Balanen purchased a website' and 'John Abril purchased a website'.

Figure 6.64: Agent – Notification

- It is still the same function in administrator notification.

The screenshot shows the 'Website Template' section of the JMAE SITE PROVIDER platform. The sidebar for 'Agent Agent' includes links for Issue Tracker, Events, Message, Notification, and Template (selected). The main area displays two template options:

Template Name	Description	Action
Blog and Selling of Recipe Template	Bootstrap   Inspinia   Codeigniter Framework	<a href="#">View this site</a>
Restaurant Reservation Template	Inspinia   Codeigniter Framework	<a href="#">View this site</a>

A vertical sidebar on the right lists 'Notification - Template' items for other users.

Figure 6.65: Agent – Website – Purchased Template

- It is still the same function in administrator website – purchased template.




Figure 6.66: Agent – Website – Template

- It is still the same function in administrator website - template.

## Appendix E: Project Cost

ITEM	COST
Web Domain	₱ 12.50
Web Hosting	₱ 1,462.50
Web Server	₱ 429.00
<b>Total</b>	<b>₱ 1,904.00</b>

Figure 6.67: Project Cost

The approximated consumption for the proposed system is Web Domain, Web Hosting, and Web Server. The Web Domain cost of ₱ 12.50 for every twelve (12)



months, Web Hosting cost of ₦1,462.50 for every six (6) months, and Web Server cost of ₦429.00 for every twelve (12) months, with the total of ₦1,904.00.

## Appendix F: Program Code

```
template.php
<html>
    <head>
        <title><?php echo $curpage;?></title>

        <?php $this->load->view('common/css_files_includes'); ?>
    </head>
    <body>
        <?php
            $this->load->view('common/navtop');
            $this->load->view('common/coverimage');
        ?>
        <div class="container margin-top-fifty">
            <?php
                switch ($curpage) {
                    case 'Blog':
                        echo $content;
                        break;
                    case 'Events':
                        echo $content;
                        break;
                    case 'Home':
                        echo $content;
                        break;
                    case 'Issue Tracker':
                        echo $content;
                        break;
                    case 'Profile':
                        echo $content;
                        break;
                    case 'Testimonial':
                        echo $content;
                        break;
                    case 'Signup':
                        echo $content;
                        break;
                }
            ?>
        </div>
        <?php $this->load->view('common/footer_user'); ?>
        <?php $this->load->view('common/js_files_includes'); ?>
    </body>
</html>
```



```
template1.php
<html>
    <head>
        <title><?php echo $curpage;?></title>
        <?php $this->load->view('common/css_files_includes'); ?>
    </head>
    <body style="background-color: #2f4050;">
        <div id="wrapper">
            <?php $this->load->view('common/navside_admin.php'); ?>
            <div id="page-wrapper" class="gray-bg">
                <div class="wrapper">
                    <div class="row border-bottom">
                        <?php $this->load->view('common/navtop_admin'); ?>
                    </div>
                    <div>
                        <?php
                            switch ($curpage) {
                                case 'About My Site':
                                    echo $content;
                                    break;
                                case 'Account':
                                    echo $content;
                                    break;
                                case 'Agent':
                                    echo $content;
                                    break;
                                case 'Contact':
                                    echo $content;
                                    break;
                                case 'Co-Administrator':
                                    echo $content;
                                    break;
                                case 'Dashboard':
                                    echo $content;
                                    break;
                                case 'Events':
                                    echo $content;
                                    break;
                                case 'Message':
                                    echo $content;
                                    break;
                                case 'Notification':
                                    echo $content;
                                    break;
                                case 'PayPal Configuration':
                                    echo $content;
                            }
                        </?php>
                    </div>
                </div>
            </div>
        </div>
    </body>
</html>
```



```
                break;
            case 'Profile':
                echo $content;
                break;
            case 'Reports':
                echo $content;
                break;
            case 'Team':
                echo $content;
                break;
            case 'Website Online':
                echo $content;
                break;
            case 'Website Template':
                echo $content;
                break;
        }
    }
}
?>
</div>
</div>
</div>
<?php $this->load->view('common/js_files_includes'); ?>
</body>
</html>

template2.php
<html>
    <head>
        <title><?php echo $curpage;?></title>
        <?php $this->load->view('common/css_files_includes'); ?>
    </head>
    <body style="background-color: #2f4050;">
        <div id="wrapper">
            <?php $this->load->view('common/navside_agent.php'); ?>
            <div id="page-wrapper" class="gray-bg sidebar-content"
style="height: auto;">
                <div class="row border-bottom">
                    <?php $this->load->view('common/navtop_admin'); ?>
                </div>
                <?php $this->load->view('common/agent_sidebar'); ?>
                <div class="wrapper wrapper-content">
                    <?php
                        switch ($curpage) {
                            case 'Contact':
                                echo $content;
                                break;
                            case 'Events':
                                echo $content;
                                break;
                            case 'Issue Tracker':
                                echo $content;
                                break;
                            case 'Message':

```



```
        echo $content;
        break;
    case 'Notification':
        echo $content;
        break;
    case 'Profile':
        echo $content;
        break;
    case 'Purchased Template':
        echo $content;
        break;
    case 'Templates':
        echo $content;
        break;
    }
}

?>
</div>
</div>
</div>
<?php $this->load->view('common/js_files_includes_agent'); ?>
</body>
</html>

success.php
<div class="padding-top">
    <div class="ibox-content padding-all no-border full-width"
style="background-color: #0076BE;">
        <h4 class="no-margin" style="color: #FFFFFF;"><?php echo $item_name;
?> is successfully rented.</h4>
    </div>
</div>
<div class="ibox-content no-border">
    <div class="text-center" style="font-size: 20px;">Welcome,
hello!</div>
    <div style="padding-left: 50px;padding-right: 50px;font-size: 15px;">
        <div>
            We're sure you can remember what you have ordered, but
below is confirmation and all the details you could possible need.
        </div>
        <div>
            It's worth noting that we're really quick at picking,
packing and processing your order.
        </div>
        <div class="padding-top">
            <span style="color:red;">Note: </span>Your website is on
configuration mode by our agent. You will wait upto 1-3 hours. We work from 8am
to 10pm Philippine time. If you cannot access your website, you can email us or
post an issue on issue tracker located at profile page. Thank you!
        </div>
    </div>
</div>

signup.php
<div class="padding-top">
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

136

```
<div class="ibox-content padding-all no-border full-width"
style="background-color: #0076BE;">
    <h4 class="no-margin" style="color: #FFFFFF;">Create an account</h4>
</div>
</div>
<div class="ibox-content no-border">
    <div class="row">
        <div class="col-md-6">
            <div class="form-group">
                <label>First name</label>
                <input type="text" class="form-control"
id="txt_firstname_signup" />
            </div>
        </div>
        <div class="col-md-6">
            <div class="form-group">
                <label>Last name</label>
                <input type="text" class="form-control"
id="txt_lastname_signup" />
            </div>
        </div>
        <div class="col-md-6">
            <div class="form-group">
                <label>Username</label>
                <input type="text" class="form-control"
id="txt_username_signup" />
            </div>
        </div>
        <div class="col-md-6">
            <div class="form-group">
                <label>Contact number</label>
                <input type="text" class="form-control"
id="txt_contact_signup" maxlength="11" />
            </div>
        </div>
        <div class="col-md-12">
            <div class="form-group">
                <label>Email Address</label>
                <input type="text" class="form-control"
id="txt_email_signup" />
            </div>
        </div>
        <div class="col-md-6">
            <div class="form-group">
                <label>Password</label>
                <input type="password" class="form-control"
id="txt_pword_signup" />
            </div>
        </div>
        <div class="col-md-6">
            <div class="form-group">
                <label>Confirm Password</label>
                <input type="password" class="form-control"
id="txt_conpword_signup" />
            </div>
        </div>
    </div>
</div>
```



```
        </div>
    </div>
    <div class="padding-top">
        <input type="button" class="btn btn-success full-width"
value="Submit" id="btn_submit_signup" />
        <div id="reopen_verification_code" style="display: none;">
            <center><a data-toggle="modal" data-
target="#modalVerificationCode">Re-open verification code</a></center>
        </div>
    </div>
</div>

<div class="modal inmodal" id="modalVerificationCode" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Sign Up - Verification code</h4>
            </div>
            <div class="modal-body padding-bottom padding-top">
                <div class="ibox-content no-border">
                    <label>Note:</label>
                    <div>If the verification code is not received for 5
minutes, just click the resend code below!</div>
                </div>
                <div class="form-group padding-top">
                    <label>Verification Code</label>
                    <input type="text" class="form-control"
id="txt_email_vc" style="display:none;"/>
                    <input type="text" class="form-control text-bold text-
center" style="font-size: 20px; height: 40px;" id="txt_verificationcode_vc" />
                </div>
                <div class="form-group no-margin">
                    <button type="button" class="btn btn-success full-width"
id="btn_submit_vc">Submit</button>
                </div>
                <center><a id="resend_code_vc">Resend the code</a></center>
            </div>
        </div>
    </div>
</div>

<div class="modal inmodal" id="modalSuccessSignup" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Welcome, you're a part of JMAE
Provider now!</h4>
            </div>
            <div class="modal-body padding-bottom padding-top">
                <div class="ibox-content no-border text-center">
                    <label>Welcome</label>
                    <div>Being a JMAE Provider user is wonderful. Good luck
and God bless!</div>
                </div>
            </div>
        </div>
    </div>
</div>
```



```
                <div>You can now login to our site.</div>
            </div>
        </div>
    </div>
</div>

login.php
<ul class="dropdown-menu dropdown-lr animated slideInRight padding-all"
role="menu" style="min-width: 220px;">
    <div class="col-lg-12">
        <div class="text-center">
            <div class="padding-top" id="navtop-login-color">
                <h4 class="modal-title">Login here</h4>
                <small>Please fill-up the fields below.</small>
            </div>
        </div>
        <?php
            if( !$this->session->userdata('user_session') ){
                echo form_open('Login');
            ?>
                <div class="form-group padding-top">
                    <label id="navtop-login-color">Email Address</label>
                    <input type="text" class="form-control"
name="login_email" id="login-email" autocomplete="off"/>
                </div>
                <div class="form-group">
                    <label id="navtop-login-color">Password</label>
                    <input type="password" class="form-control"
name="login_password" id="login-password" autocomplete="off" />
                </div>
                <div class="form-group no-margin">
                    <input type="submit" class="btn btn-primary full-width"
value="Login"/>
                <div class="row padding-top">
                    <div class="col-md-12">
                        <div class="text-center">
                            <small class="text-center"><a data-
toggle="modal" data-target="#modalForgotPassword" id="navtop-login-color">Forgot
your Password?</a></small>
                        </div>
                    </div>
                    <div class="col-md-12">
                        <div class="text-center">
                            <small class="text-center"><a href="<?php
echo base_url(); ?>signup" id="navtop-login-color">Create an
Account?</a></small>
                        </div>
                    </div>
                </div>
            </form>
        <?php
    }
}
```



```
?>
</div>
</ul>

<div class="modal inmodal" id="modalForgotPassword" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Forgot Password</h4>
            </div>
            <div class="modal-body padding-bottom padding-top">
                <div id="first_forgotpassword_form">
                    <div class="ibox-content no-border">
                        <label>Note:</label>
                        <div>You just need to identify your email address to
recover your account!</div>
                    </div>
                    <div class="form-group padding-top">
                        <label>Email Address</label>
                        <input type="text" class="form-control"
id="txt_email_fp"/>
                    </div>
                    <div class="form-group no-margin">
                        <button type="button" class="btn btn-success full-
width" id="btn_submit_email_fp">Submit</button>
                    </div>
                </div>
                <div id="second_forgotpassword_form" style="display: none;">
                    <div class="ibox-content no-border">
                        <label>Note:</label>
                        <div>If the verification code is not receive for 5
minutes, just click the resend code below!</div>
                    </div>
                    <div class="form-group padding-top">
                        <label>Verification Code</label>
                        <input type="text" class="form-control text-bold
text-center" style="font-size: 20px; height: 40px;" id="txt_verificationcode_fp"
/>
                    </div>
                    <div class="form-group no-margin">
                        <button type="button" class="btn btn-success full-
width" id="btn_submit_fp">Submit</button>
                    </div>
                </div>
                <div id="third_forgotpassword_form" style="display: none;">
                    <div class="ibox-content no-border text-center">
                        <label>Reset your password</label>
                        <div>Change your password to the new one. Don't let
anyone know your password.</div>
                    <div class="form-group padding-top">
                        <label>Password</label>
                        <input type="password" class="form-control"
id="txt_pword_fp" />
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```



DIVINE MERCY COLLEGE FOUNDATION INC.



```
</div>
<div class="item">
    <div class="container">
        <div class="carousel-caption">
            <h1>We create meaningful <br/> interfaces that
inspire.</h1>
        </div>
    </div>
    <!-- Set background for slide in css -->
    <div class="header-back two">
        </div>
    </div>
    <a class="left carousel-control" href="#inSlider" role="button"
data-slide="prev">
        <span class="glyphicon glyphicon-chevron-left" aria-
hidden="true"></span>
        <span class="sr-only">Previous</span>
    </a>
    <a class="right carousel-control" href="#inSlider" role="button"
data-slide="next">
        <span class="glyphicon glyphicon-chevron-right" aria-
hidden="true"></span>
        <span class="sr-only">Next</span>
    </a>
</div>
</div>

common/ccs_files_includes.php
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta name="description" content="">
<meta name="author" content="">

<link rel="icon"
      type="image/png"
      href="<?php echo base_url(); ?>public/img/logo5.png">

<link rel="stylesheet" href="<?php echo
base_url(); ?>public/css/bootstrap.min.css"/>

<link rel="stylesheet" href="<?php echo
base_url(); ?>public/css/plugins/toastr/toastr.min.css">

<link rel="stylesheet" href="<?php echo
base_url(); ?>public/css/plugins/hovereffects/hover.css">

<link rel="stylesheet" href="<?php echo
base_url(); ?>public/css/plugins/dropzone/basic.css">

<link rel="stylesheet" href="<?php echo
base_url(); ?>public/css/plugins/dropzone/dropzone.css">
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

142

```
<link rel="stylesheet" href="<?php echo
base_url();?>public/css/plugins/iCheck/custom.css">

<link rel="stylesheet" href="<?php echo
base_url();?>public/css/plugins/cropper/cropper.min.css">

<link rel="stylesheet" href="<?php echo
base_url();?>public/css/plugins/steps/jquery.steps.css">

<link rel="stylesheet" href="<?php echo
base_url();?>public/css/plugins/chosen/chosen.css">

<link rel="stylesheet" href="<?php echo
base_url();?>public/css/plugins/iCheck/custom.css">

<link rel="stylesheet" href="<?php echo
base_url();?>public/css/plugins/morris/morris-0.4.3.min.css">

<link rel="stylesheet" href="<?php echo
base_url();?>public/css/plugins/chartist/chartist.min.css">

<link rel="stylesheet" href="<?php echo
base_url();?>public/css/plugins/multipleimage/ninja-slider.css">

<link rel="stylesheet" href="<?php echo
base_url();?>public/css/plugins/multipleimage/thumbnail-slider.css">

<link rel="stylesheet" href="<?php echo
base_url();?>public/css/plugins/owlcarousel/owl.carousel.min.css">

<link rel="stylesheet" href="<?php echo
base_url();?>public/css/plugins/owlcarousel/owl.theme.min.css">

<link rel="stylesheet" href="<?php echo
base_url();?>public/css/animate.css">

<link rel="stylesheet" href="<?php echo base_url();?>public/font-
awesome/css/font-awesome.css">

<link rel="stylesheet" href="<?php echo base_url();?>public/css/style.css">

<link rel="stylesheet" href="<?php echo base_url();?>public/css/styles.css">

footer_user.php
<div class="landing-page">
    <section id="contact" class="gray-section contact no-margin">
        <div class="container">
            <div class="row m-b-lg">
                <div class="col-lg-12 text-center">
                    <div class="navy-line padding-top"></div>
                    <h2 class="no-margin-bottom text-bold">Contact Us</h2>
                </div>
            </div>
            <div class="row m-b-lg no-margin">
                <div class="col-md-3 col-md-offset-1">
```



```
<address>
    <span class="glyphicon glyphicon-map-marker"></span>
    655 D. Guillermo St. Tondo, Manila<br/>
    <span class="glyphicon glyphicon-envelope"></span>
    johnmarkabril@gmail.com<br/>
    <span class="glyphicon glyphicon-phone"></span> +63-
    948-441-0511<br/>
    <span class="glyphicon glyphicon-phone-alt"></span>
    2519476
</address>
</div>
<div class="col-md-6">
    <p class="text-color">
        <?php
            if ( !empty($get_active) ) {
                foreach ( $get_active as $ga ) :
            ?>
                <strong><span class="navy"><?php echo
$ga->TITLE; ?></span></strong> <?php echo $ga->DESCRIPTION; ?>
                <?php
                    endforeach;
                } ?>
            </p>
        </div>
        <div class="col-md-2">
            <strong>Follow Us: </strong><br/>
            <h2 class="no-margin"><ul class="list-inline">
                <li><a href="https://www.facebook.com/jmaesiteprovider/" target="_blank" ><i class="fa fa-facebook"></i></a></li>
                <li><a href="https://twitter.com/jmaesiteprovide" target="_blank" ><i class="fa fa-twitter"></i></a></li>
            </ul></h2>
        </div>
        <div class="row">
            <div class="col-lg-8 col-lg-offset-2 text-center m-t-lg m-b-
lg margin-top-bottom">
                <strong>&copy; 2016 JMAE Company</strong><br/>
            </div>
        </div>
    </div>
</section>
</div>

common/js_files_includes.php
<script src="<?php echo base_url();?>public/js/jquery-
3.1.1.min.js"></script>
<script src="<?php echo base_url();?>public/js/bootstrap.min.js"></script>
<script src="<?php echo
base_url();?>public/js/plugins/metisMenu/jquery.metisMenu.js"></script>
<script src="<?php echo
base_url();?>public/js/plugins/slimscroll/jquery.slimscroll.min.js"></script>
```



```
<script src=<?php echo
base_url();?>public/js/plugins/toastr/toastr.min.js"></script>

<script src=<?php echo base_url();?>public/js/jquery.md5.js"></script>

<!-- CUSTOM AND PLUGIN JAVASCRIPT -->
<script src=<?php echo base_url();?>public/js/inspinia.js"></script>
<script src=<?php echo
base_url();?>public/js/plugins/pace/pace.min.js"></script>
<script src=<?php echo
base_url();?>public/js/plugins/wow-wow.min.js"></script>
<script src=<?php echo
base_url();?>public/js/plugins/owlcarousel/owl.carousel.min.js"></script>
<script src=<?php echo
base_url();?>public/js/plugins/validate/jquery.validate.min.js"></script>
<script src=<?php echo base_url();?>public/js/plugins/jquery-ui/jquery-
ui.min.js"></script>
<script src=<?php echo
base_url();?>public/js/plugins/iCheck/icheck.min.js"></script>
<script src=<?php echo
base_url();?>public/js/plugins/staps/jquery.steps.min.js"></script>
<script src=<?php echo
base_url();?>public/js/plugins/chosen/chosen.jquery.js"></script>

<!-- LIST -->
<script src=<?php echo
base_url();?>public/js/plugins/list/list.min.js"></script>

<?php if ($this->curpage == "Dashboard") { ?>
    <script src=<?php echo
base_url();?>public/js/plugins/chartJs/Chart.min.js"></script>
    <script async defer
src="https://maps.googleapis.com/maps/api/js?key=AIzaSyB5h8RE_Re9V9PJ-
R0p7TKXQBKbMnWxDVE&callback=initMap">
    </script>
<?php } ?>

<?php if ( $this->curpage == 'Reports' ) { ?>
    <script src=<?php echo
base_url();?>public/js/plugins/chartJs/Chart.min.js"></script>
    <script src=<?php echo
base_url();?>public/js/plugins/chartist/chartist.min.js"></script>
<?php } ?>

<?php if ( $this->curpage == "Profile" ) { ?>
    <script async defer
src="https://maps.googleapis.com/maps/api/js?key=AIzaSyB5h8RE_Re9V9PJ-
R0p7TKXQBKbMnWxDVE&callback=initMap">
    </script>
<?php } ?>

<script>

<?php
    if($this->session->flashdata('error_message')){
```



```
?>
    toastr.error("<?php echo $this->session-
>flashdata('error_message'); ?>");
    </php > ?>

<?php
if($this->session->flashdata('success_message')){
?>
    toastr.success("<?php echo $this->session-
>flashdata('success_message'); ?>");
    </php > ?>

// PUT THE DEFAULT CODE HERE - START
$(document).ready(function(){

    // DONT DELETE IT - REGULAR EXPRESSION
    //      var checkFname      = /^[a-zA-Z-_]+([a-zA-Z-
    _]+)*$/.test(txt_team_firstname);
    //      var checkLname      = /^[a-zA-Z-_]+([a-zA-Z-
    _]+)*$/.test(txt_team_lastname);
    //      var checkContact    = /^(0|[0-9]{1,5})?([7-9][0-
    9]{9})$/.test(txt_team_contact);
    //      var checkEmail      =
    //^(([<>()[]\.,;:\s@"]+([.\[<>()[]\.,;:\s@"]+)*|(\".+\")|((\[[0-
    9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\])|(([a-zA-Z\-\_0-9]+\.)+[a-zA-
    Z]{2,}))$/.test(txt_team_email);
    // END OF DONT DELETE CODE
    function tError(message){
        toastr.error("Error: "+ message +"!");
    }

    $('#btn_latlong_submit_user').click(function(){
        var txt_lat_prof    = $('#txt_lat_prof_user').val();
        var txt_long_prof   = $('#txt_long_prof_user').val();
        if ( txt_lat_prof && txt_long_prof ) {
            $.ajax ({
                url: '<?php echo base_url(); ?>profile/updateLocation',
                method: "POST",
                data: {
                    txt_lat_prof    : txt_lat_prof,
                    txt_long_prof   : txt_long_prof
                },
                success:function(data){
                    location.reload('/agent/profile');
                },
                error:function(){
                    toastr.error('ERROR: Please refresh the page!');
                }
            });
        } else {
            tError('Select your place');
        }
    });

    $('#btn_latlong_submit').click(function(){

```



```
var txt_lat_prof    = $('#txt_lat_prof').val();
var txt_long_prof   = $('#txt_long_prof').val();
if ( txt_lat_prof && txt_long_prof ) {
    $.ajax ({
        url: '<?php echo base_url();',
    ?>admin/profile/updateLocation',
        method: "POST",
        data: {
            txt_lat_prof    : txt_lat_prof,
            txt_long_prof   : txt_long_prof
        },
        success:function(data){
            location.reload('/agent/profile');
        },
        error:function(){
            toastr.error('ERROR: Please refresh the page!');
        }
    });
} else {
    tError('Select your place');
}
});

$( '#btn_submit_change_password_profile_admin' ).click(function(){
    var txt_current_pword = $('#txt_current_pword_admin').val();
    var txt_pword_changeprofile =
$('#txt_pword_changeprofile_admin').val();
    var txt_conpword_changeprofile =
$('#txt_conpword_changeprofile_admin').val();

    if ( txt_current_pword ) {
        $.ajax ({
            url: '<?php echo base_url();',
    ?>admin/profile/check_pword',
            method: "POST",
            data: {
                txt_current_pword : txt_current_pword
            },
            success:function(data){
                if ( data == 1 ) {
                    if ( txt_pword_changeprofile.length >= 6 ) {
                        if ( txt_pword_changeprofile ==
txt_conpword_changeprofile ) {
                            $.ajax ({
                                url: '<?php echo base_url();',
    ?>admin/profile/changePassword',
                                method: "POST",
                                data: {
                                    txt_pword_changeprofile :
txt_pword_changeprofile
                                },
                                success:function(data){

location.reload('/admin/profile');
                            },

```



```
error:function(){
    toastr.error('ERROR: Please
refresh the page!');
}
} else {
    tError('Password and confirm password is
not the same');
}
} else {
    tError('Password must be 6 characters and
above');
}
} else {
    tError('Current password doesnt match');
}
},
error:function(){
    toastr.error('ERROR: Please refresh the page!');
}
});
} else {
    tError('Current password is empty');
}

});

$( '#txt_current_pword_admin' ).keyup(function(){
    var txt_current_pword = $( '#txt_current_pword_admin' ).val();

    $.ajax ({
        url: '<?php echo base_url(); ?>admin/profile/check_pword',
        method: "POST",
        data: {
            txt_current_pword : txt_current_pword
        },
        success:function(data){
            if ( data == 1 ) {
                $( "#txt_pword_changeprofile_admin" ).prop('disabled',
false);

                $( "#txt_conpword_changeprofile_admin" ).prop('disabled', false);
            } else {
                $( "#txt_pword_changeprofile_admin" ).prop('disabled',
true);

                $( "#txt_conpword_changeprofile_admin" ).prop('disabled', true);
            }
        },
        error:function(){
            toastr.error('ERROR: Please refresh the page!');
        }
    });
});
```



```
$('#btn_submit_change_information_profile_admin').click(function(){
    var txt_fname_profile_change      =
        $('#txt_fname_profile_change_admin').val();
    var txt_lname_profile_change     =
        $('#txt_lname_profile_change_admin').val();
    var txt_email_profile_change    =
        $('#txt_email_profile_change_admin').val();
    var txt_uname_profile_change   =
        $('#txt_uname_profile_change_admin').val();
    var txt_contact_profile_change =
        $('#txt_contact_profile_change_admin').val();

    var checkFname      = /^[a-zA-Z_-]+([a-zA-Z_-])*$/;
    var checkLname      = /^[a-zA-Z_-]+([a-zA-Z_-])*$/;
    var checkUnname     = /\w$/;
    var checkContact    = /^(0|[0-9]{1,5})?([7-9][0-9]{9})$/;
    var checkEmail      = /^[^<>()[]\.,;:\s@"]+([^.][^<>()[]\.,;:\s@"]+)*|(\".+\"\")@(([[0-9]{1,3}\.][0-9]{1,3}\.][0-9]{1,3}\.][0-9]{1,3}\])|(([a-zA-Z\-\-0-9]+\.)+[a-zA-Z]{2,}))$/;

    if ( txt_fname_profile_change ) {
        if ( checkFname ) {
            if ( txt_lname_profile_change ) {
                if ( checkLname ) {
                    if ( txt_email_profile_change ) {
                        if ( checkEmail ) {
                            if ( txt_contact_profile_change ) {
                                if ( checkContact ) {
                                    $.ajax ({
                                        url: '<?php echo base_url();>admin/profile/changeInformation',
                                        method: "POST",
                                        data: {
                                            txt_fname_profile_change,
                                            txt_lname_profile_change,
                                            txt_email_profile_change,
                                            txt_uname_profile_change,
                                            txt_contact_profile_change : txt_contact_profile_change
                                        },
                                        success:function(data){
                                            location.reload('/admin/profile');
                                        },
                                        error:function(){
                                            toastr.error('ERROR: Please refresh the page!');
                                        }
                                    })
                                }
                            }
                        }
                    }
                }
            }
        }
    }
});
```



```
        }
    } else {
        tError('Invalid format of
contact');
    }
} else {
    tError('Contact field is empty');
}
} else {
    tError('Invalid format of ');
}
} else {
    tError(' field is empty');
}
} else {
    tError('Invalid format of ');
}
} else {
    tError(' field is empty');
}
} else {
    tError('Invalid format of ');
}
} else {
    tError('Firstname field is empty');
}
});
});  
  
$('#btn_submit_change_password_profile').click(function(){
    var txt_current_pword = $('#txt_current_pword').val();
    var txt_pword_changeprofile =
    $('#txt_pword_changeprofile').val();
    var txt_conpword_changeprofile =
    $('#txt_conpword_changeprofile').val();
    if ( txt_current_pword ) {
        $.ajax ({
            url: '<?php echo base_url(); ?>profile/check_pword',
            method: "POST",
            data: {
                txt_current_pword : txt_current_pword
            },
            success:function(data){
                if ( data == 1 ) {
                    if ( txt_pword_changeprofile.length >= 6 ) {
                        if ( txt_pword_changeprofile ==
txt_conpword_changeprofile ) {
                            $.ajax ({
                                url: '<?php echo base_url();
?>profile/changePassword',
                                method: "POST",
                                data: {
                                    txt_pword_changeprofile :
txt_pword_changeprofile
                                },

```



```
success:function(data){
    location.reload('/profile');
},
error:function(){
    toastr.error('ERROR: Please
refresh the page!');
}
});
} else {
    tError('Password and confirm password is
not the same');
}
} else {
    tError('Password must be 6 characters and
above');
}
} else {
    tError('Current password doesnt match');
}
},
error:function(){
    toastr.error('ERROR: Please refresh the page!');
}
});
} else {
    tError('Current password is empty');
}
});

$( '#txt_current_pword' ).keyup(function(){
    var txt_current_pword = $( '#txt_current_pword' ).val();

    $.ajax ({
        url: '<?php echo base_url(); ?>profile/check_pword',
        method: "POST",
        data: {
            txt_current_pword : txt_current_pword
        },
        success:function(data){
            if ( data == 1 ) {
                $( "#txt_pword_changeprofile" ).prop('disabled',
false);
                $( "#txt_conpword_changeprofile" ).prop('disabled',
false);
            } else {
                $( "#txt_pword_changeprofile" ).prop('disabled',
true);
                $( "#txt_conpword_changeprofile" ).prop('disabled',
true);
            }
        },
        error:function(){
            toastr.error('ERROR: Please refresh the page!');
        }
    });
});
```



```
        });
    });

    $('#btn_submit_change_information_profile').click(function(){
        var txt_fname_profile_change      =
        $('#txt_fname_profile_change').val();
        var txt_lname_profile_change     =
        $('#txt_lname_profile_change').val();
        var txt_email_profile_change    =
        $('#txt_email_profile_change').val();
        var txt_uname_profile_change   =
        $('#txt_uname_profile_change').val();
        var txt_contact_profile_change =
        $('#txt_contact_profile_change').val();

        var checkFname      = /^[a-zA-Z_-]+([a-zA-Z_-])*$/;
        var checkLname      = /^[a-zA-Z_-]+([a-zA-Z_-])*$/;
        var checkUname      = /\w$/;
        var checkContact    = /^(0|[0-9]{1,5})?([7-9][0-9]{9})$/;
        var checkEmail      =
        /^(([^\<()[]\.,;:\s@"]+([^\<()[]\.,;:\s@"]+)*|(\".+\")|((\[[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\])|(([a-zA-Z\-\-0-9]+\.)+[a-zA-Z]{2,})))$/;

        if ( txt_fname_profile_change ) {
            if ( checkFname ) {
                if ( txt_lname_profile_change ) {
                    if ( checkLname ) {
                        if ( txt_email_profile_change ) {
                            if ( checkEmail ) {
                                if ( txt_contact_profile_change ) {
                                    if ( checkContact ) {
                                        $.ajax ({
                                            url: '<?php echo base_url();',
                                            method: "POST",
                                            data: {
                                                txt_fname_profile_change,
                                                txt_lname_profile_change,
                                                txt_email_profile_change,
                                                txt_uname_profile_change,
                                                txt_contact_profile_change : txt_contact_profile_change
                                            },
                                            success:function(data){
                                                location.reload('/profile');
                                            }
                                        });
                                    }
                                }
                            }
                        }
                    }
                }
            }
        }
    });
}
```



```
error:function(){
    toastr.error('ERROR:
Please refresh the page!');
}
});
} else {
    tError('Invalid format of
contact');
}
} else {
    }
}
} else {
    tError('Contact field is empty');
}
} else {
    tError('Invalid format of ');
}
} else {
    tError(' field is empty');
}
} else {
    tError('Invalid format of ');
}
} else {
    tError(' field is empty');
}
} else {
    tError('Invalid format of ');
}
} else {
    tError('Firstname field is empty');
}
});
}

$('#btn_issue_tracker_user').click(function(){
    var txt_title_isu    = $('#txt_title_isu').val();
    var txt_desc_isu     = $('#txt_desc_isu').val();
    if ( txt_title_isu ) {
        if ( txt_desc_isu ) {
            $.ajax ({
                url: '<?php echo base_url();
?>profile/newIssueTracker',
                method: "POST",
                data: {
                    txt_title_isu : txt_title_isu,
                    txt_desc_isu : txt_desc_isu
                },
                success:function(data){
                    location.reload('/profile/issue_tracker');
                },
                error:function(){
                    toastr.error('ERROR: Please refresh the page!');
                }
            });
        } else {
            toastr.error("Error: Description must not be blank!");
        }
    }
});
```



```
        } else {
            toastr.error("Error: Title must not be blank!");
        }
    });

<?php
    if ( $curpage == "Issue Tracker" && $this->session-
>userdata('account_type') == "User" ) {
        if ( !empty ($get_all_issue_tracker) ) {
            foreach ( $get_all_issue_tracker as $gait ) :
        ?
            $( '#replyforIssueIDUSER<?php echo $gait->NO;
?>').keypress(function(event) {
                if (event.keyCode == 13 && !event.shiftKey) {
                    if ( $( '#replyforIssueIDUSER<?php echo
$gait->NO; ?>').val() ) {
                        $.ajax ({
                            url: '<?php echo base_url();
?>profile/insert_reply_it',
                            method: "POST",
                            data: {
                                issueTrackerNo : '<?php
echo $gait->NO; ?>',
                                issueTrackerReply : '$('#replyforIssueIDUSER<?php echo $gait->NO; ?>').val()
                            },
                            success:function(data){
                                location.reload('/profile/issue_tracker');
                                // alert(data);
                            },
                            error:function(){
                                toastr.error('ERROR: Please
refresh the page!');
                            }
                        });
                    } else {
                        return false;
                    }
                }
            });
        ?
    });

$( "#replyIDUSER<?php echo $gait->NO;
?>").click(function(){
    $.ajax ({
        url: '<?php echo base_url();
?>profile/getReplyIssueTracker',
        method: "POST",
        data: {
            no : $( "#replyNO<?php echo
$gait->NO; ?>").val()
        },
        success:function(data){
            $( "#dataBodyIssueTrackerProfile<?php
echo $gait->NO; ?>").html(data);
        }
    });
});
```



```
        },
        error:function(){
            toastr.error('ERROR: Please refresh the
page!');
        }
    });
});

<?php
    endforeach;
}
?>

<?php
    if ( $curpage == 'Profile' && $this->session-
>userdata('account_type') == "User" ) {
        if ( !empty($get_all_post) ) {
            foreach ( $get_all_post as $gap ) :
?>
                $('#adminReplyPost<?php echo $gap->NO;
?>').keypress(function(event) {
                    if (event.keyCode == 13 && !event.shiftKey) {
                        if ( $('#adminReplyPost<?php echo $gap->NO;
?>').val() ) {
                            $.ajax ({
                                url: '<?php echo base_url();
?>profile/insert_reply',
                                method: "POST",
                                data: {
                                    replyMessage : $('#adminReplyPost<?php echo $gap->NO;
?>').val(),
                                    messageNo : '<?php
echo $gap->NO; ?>',
                                    },
                                    success:function(data){
                                        html = '<div class="padding-
top">';
                                        html += ' <div class="ibox-
content no-border" style="background-color: #F2F2F2;">';
                                        html += ' <div>';
                                        html += ' <div
class="row">';
                                        html += ' <div
class="col-xs-1">';
                                        html += ' <img
src=<?php echo base_url(); ?>public/img/<?php echo $session_image; ?>
style="width:40px;height:40px;" />';
                                        html += ' </div>';
                                        html += ' <div
style="padding-left: 75px;"><span class="text-bold"><?php echo $session_name;
?></span> | <span><?php echo $date; ?></span></div>';
                                        html += ' <div
style="padding-left: 75px;">' + $('#adminReplyPost<?php echo $gap->NO;
?>').val()
+ '</div>';
                                    }
                                }
                            });
                        }
                    }
                });
            }
        }
    }
}
```



```
                html += '          </div>';
                html += '        </div>';
                html += '      </div>';
                html += '</div>';

                $('#newReplyPostNo<?php echo
$gap->NO; ?>').append(html);
                $('#adminReplyPost<?php echo
$gap->NO; ?>').val('');
            },
            error:function(){
                toastr.error('ERROR: Please
refresh the page!');
            }
        });
    }
});

<?php
    endforeach;
?
}

$('#btn_post_profile').click(function(){
    var txt_post           = $('#txt_post').val();
    var txt_no_prof_post   = $('#txt_no_prof_post').val();

    if ( txt_post ) {
        $.ajax({
            url: "<?php echo base_url();?>profile/create",
            method: "POST",
            data: {
                txt_post : txt_post
            },
            success:function(data){
                $('#txt_post').val("");
                html = '<div class="padding-top">';
                html += '  <div class="ibox-content no-
border">';
                html += '    <div class="row">';
                html += '      <span class="pull-right"
style="color:blue;padding-right: 15px;"><a>X</a></span>';
                html += '      <div class="col-xs-1">';
                html += '        ';
                html += '      </div>';
                html += '      <div class="text-bold "
style="padding-left: 75px;"><?php echo $session_name; ?></div>';
                html += '      <div class=""'
style="padding-left: 75px;"><?php echo $date; ?></div>';
                html += '    </div>';
                html += '    <hr class="no-margin margin-
top"/>';
            }
        });
    }
});
```



```
        html += '      <div class="padding-top" style="padding-left: 20px;padding-right: 20px;font-size: 17px;">';
        html += txt_post;
        html += '      </div>';
        html += '      <input type="text" value="'+data +'" id="txt_no_prof_post" style="display:none;" />';
        html += '      <div class="padding-top">';
        html += '      <textarea class="form-control" id="adminReplyPost'+ data +'" style="max-width: 100%;max-height: 50px;min-height: 50px;" placeholder="Comment"></textarea>';
        html += '      </div>';
        html += '      <div id="newReplyPostNo'+ data +'></div>';
        html += '      </div>';
        html += '      </div>';
        html += '#newPostUser').append(html);
    },
    error:function(){
        toastr.error("ERROR!");
    }
});
} else{
    toastr.error("Write something");
}
});

<?php
}
?>

<?php
if ( $curpage == 'Home' ) {
    if ( !empty($get_all_available_templates) ) {
        foreach ( $get_all_available_templates as $gaat ) :
?>
        $('#btn_back_rts<?php echo $gaat->NO;
?>').click(function(){
            $('#first_form_rts<?php echo $gaat->NO;
?>').show();
            $('#second_form_rts<?php echo $gaat->NO;
?>').hide();
        });

        $('#btn_submit_rts<?php echo $gaat->NO;
?>').click(function(){
            var txt_no_rts      = $('#txt_no_rts<?php
echo $gaat->NO; ?>').val();
            var txt_period_rts = $('#txt_period_rts<?php echo $gaat->NO; ?>').val();
            var txt_subdomain_rts = $('#txt_subdomain_rts<?php echo $gaat->NO; ?>').val();
            var txt_jmaedomain_rts = $('#txt_jmaedomain_rts<?php echo $gaat->NO; ?>').val();
            var checkSubDomain = /^[a-zA-Z-_]*$/;
            var arrayCustom = '';
        });
    }
}
?>
```



```
        if ( txt_period_rts ) {
            if ( txt_subdomain_rts ) {
                if ( checkSubDomain ) {
                    arrayCustom =
'subdomain='+txt_subdomain_rts+txt_jmaedomain_rts+'&'+txt_period_rts;
                    $('#custom_js_rts<?php echo $gaat->NO; ?>').val(arrayCustom);
                    $('#first_form_rts<?php echo $gaat->NO; ?>').hide();
                    $('#second_form_rts<?php echo $gaat->NO; ?>').show();
                    $('#item_price<?php echo $gaat->NO; ?>').val(txt_period_rts.substring(23));
                } else {
                    toastr.error('Error: Letters only on
sub-domain!');
                }
            } else {
                toastr.error('Error: Sub-domain not
found!');
            }
        } else {
            toastr.error('Error: Select a period of
time!');
        }
    });
<?php
    endforeach;
}
?>

$('#btn_changepword_fp').click(function(){
    var txt_email_fp      = $('#txt_email_fp').val();
    var txt_pword_fp      = $('#txt_pword_fp').val();
    var txt_conpword_fp   = $('#txt_conpword_fp').val();
    if ( txt_pword_fp.length >= 6 ) {
        if ( txt_pword_fp == txt_conpword_fp ) {
            $.ajax ({
                url: "<?php echo base_url();
?>signup/reset_password",
                method: "POST",
                data: {
                    txt_pword_fp : txt_pword_fp,
                    txt_email_fp : txt_email_fp
                },
                success:function(data){
                    $('#third_forgotpassword_form').hide();
                    $('#fourth_forgotpassword_form').show();
                },
                error:function(){
                    toastr.error('ERROR: Please refresh the page!');
                }
            });
        } else {

```



```
        toastr.error('ERROR: Password and confirm password
doesn't match!');
    }
} else {
    toastr.error('ERROR: Password must be at least 6
characters!');
}
});

$('#btn_submit_fp').click(function(){
    var txt_email_fp          = $('#txt_email_fp').val();
    var txt_verificationcode_fp = $('#txt_verificationcode_fp').val();

    if ( txt_verificationcode_fp ) {
        $.ajax ({
            url: "<?php echo base_url(); ?>signup/verify_fp",
            method: "POST",
            data: {
                txt_verificationcode_fp : txt_verificationcode_fp,
                txt_email_fp           : txt_email_fp
            },
            success:function(data){
                if ( data == 1 ) {
                    toastr.success("You can now change your
password!");
                    $('#first_forgotpassword_form').hide();
                    $('#second_forgotpassword_form').hide();
                    $('#third_forgotpassword_form').show();
                } else {
                    toastr.error('ERROR: Verification code is
incorrect!');
                }
            },
            error:function(){
                toastr.error('ERROR: Please refresh the page!');
            }
        });
    } else {
        toastr.error('Error: Incomplete field!');
    }
});

$('#btn_submit_email_fp').click(function(){
    var txt_email_fp          = $('#txt_email_fp').val();
    var randomCode             = randomString();
    var checkEmail             =
/^(([^\<\>()\\\\.\\,:\\s@"]+\\.[^\<\>()\\\\.\\,:\\s@"]+)*|(.+.+\")@((\\[[0-
9]{1,3}\\.[0-9]{1,3}\\.[0-9]{1,3}\\.[0-9]{1,3}\\])|(([a-zA-Z\\-0-9]+\\.)+[a-zA-
Z]{2,}))$/;
    if ( txt_email_fp ) {
        if ( checkEmail ) {
            $.ajax ({
```



```
url: "<?php echo base_url(); ?>signup/forgotpassword_send",
method: "POST",
data: {
    txt_email_fp : txt_email_fp,
    randomCode : randomCode
},
success:function(data){
    if ( data == 1 ) {
        toastr.success("We send your verification
code on your email provided!");
        $('#first_forgotpassword_form').hide();
        $('#second_forgotpassword_form').show();
    } else {
        toastr.error("Email address is not
registered!");
    }
},
error:function(){
    toastr.error('ERROR: Please refresh the page!');
}
});
} else {
    toastr.error('ERROR: Invalid Email address format');
}
} else{
    toastr.error('ERROR: Email address is incomplete!')
}

});

$('#resend_code_vc').click(function(){
var txt_email_vc = $('#txt_email_vc').val();
var randomCode = randomString();
$.ajax ({
    url: "<?php echo base_url(); ?>signup/resend",
    method: "POST",
    data: {
        txt_email_vc : txt_email_vc,
        randomCode : randomCode
    },
    success:function(data){
        toastr.success("We re-send your verification code on
your email provided!");
    },
    error:function(){
        toastr.error('ERROR: Please refresh the page!');
    }
});
});

$('#btn_submit_vc').click(function(){
    var txt_verificationcode_vc =
$('#txt_verificationcode_vc').val();
    var txt_email_vc = $('#txt_email_vc').val();

```



```
if ( txt_verificationcode_vc ) {
    $.ajax ({
        url: "<?php echo base_url(); ?>signup/verify",
        method: "POST",
        data: {
            txt_verificationcode_vc : txt_verificationcode_vc,
            txt_email_vc : txt_email_vc
        },
        success:function(data){
            if ( data == 1 ) {
                $('#modalVerificationCode').modal('hide');
                $('#modalSuccessSignup').modal('show');
                $('#txt_verificationcode_vc').val('');
                $('#reopen_verification_code').hide();
            } else {
                toastr.error('ERROR: Verification code is
incorrect!');
            }
        },
        error:function(){
            toastr.error('ERROR: Please refresh the page!');
        }
    });
} else {
    toastr.error('Error: Incomplete field!');
}
});

function randomString() {
    var chars =
"0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz";
    var string_length = 8;
    var randomstring = '';
    for (var i=0; i<string_length; i++) {
        var rnum = Math.floor(Math.random() * chars.length);
        randomstring += chars.substring(rnum,rnum+1);
    }
    return randomstring;
}

$('#btn_submit_signup').click(function(){
    var txt_firstname_signup = $('#txt_firstname_signup').val();
    var txt_lastname_signup = $('#txt_lastname_signup').val();
    var txt_username_signup = $('#txt_username_signup').val();
    var txt_contact_signup = $('#txt_contact_signup').val();
    var txt_email_signup = $('#txt_email_signup').val();
    var txt_pword_signup = $('#txt_pword_signup').val();
    var txt_conpword_signup = $('#txt_conpword_signup').val();
    var randomCode = randomString();

    var checkFname = /^[a-zA-Z_-]+([a-zA-Z_-_-]*$).test(txt_firstname_signup);
```



```
var checkLname      = /^[a-zA-Z_-]+([a-zA-Z_-])*$/;
var checkContact   = /^(0|[0-9]{1,5})?([7-9][0-9]{9})$/;
var checkEmail     =
/^(([^\<()[]\.,;:\s@"]+([^\<()[]\.,;:\s@"]+)*|(\".+\")|((\[[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\])|(([a-zA-Z]-0-9]+\.)+[a-zA-Z]{2,}))$/;
if ( txt_firstname_signup ) {
    if ( checkFname ) {
        if ( txt_lastname_signup ) {
            if ( checkLname ) {
                if ( txt_username_signup ) {
                    if ( txt_contact_signup ) {
                        if ( checkContact ) {
                            if ( txt_email_signup ) {
                                if ( checkEmail ) {
                                    if ( txt_pword_signup.length
                                        >= 6 ) {
                                        if ( txt_pword_signup ==
                                            txt_conpword_signup ) {
                                                if ( !empty($all_email) ) {
                                                    if ( jQuery.inArray( txt_email_signup, <?php echo $all_email; ?> ) != -1 ) {
                                                        toastr.error("Email address is already registered!");
                                                    } else {
                                                        $.ajax({
                                                            url:
                                                            "<?php echo base_url();?>signup/create",
                                                            method: "POST",
                                                            data: {
                                                                txt_firstname_signup : txt_firstname_signup,
                                                                txt_lastname_signup : txt_lastname_signup,
                                                                txt_username_signup : txt_username_signup,
                                                                txt_contact_signup : txt_contact_signup,
                                                                txt_email_signup : txt_email_signup,
                                                                txt_pword_signup : txt_pword_signup,
                                                                randomCode : randomCode
                                                            },
                                                            success:function(data){
```



```
        toastr.success("We send your verification code on your email provided!");
        $('#txt_email_vc').val(txt_email_signup);

        $('#txt_firstname_signup').val('');
        $('#txt_lastname_signup').val('');
        $('#txt_username_signup').val('');
        $('#txt_contact_signup').val('');
        $('#txt_email_signup').val('');
        $('#txt_pword_signup').val('');
        $('#txt_conpword_signup').val('');
        $('#modalVerificationCode').modal('show');
        $('#reopen_verification_code').show();
    },

    error:function(){
        toastr.error("ERROR: Please reload the page!");
    }
}

<?php
}
?>
} else {
    toastr.error('ERROR:
Password and confirm password doesnt match!');
}
} else {
    toastr.error('ERROR:
Password must be atleast 6 characters!');
}
} else {
    toastr.error('ERROR: Invalid
Email address format');
}
} else {
    toastr.error('ERROR: Email
address is incomplete!');
}
} else {
    toastr.error('ERROR: Invalid contact
format!');
}
} else {
```



```
                toastr.error('ERROR: Contact is
incomplete!');

            }
        } else {
            toastr.error('ERROR: Username is
incomplete!');

        }
    } else {
        toastr.error('ERROR: Invalid lastname format!');
    }
} else {
    toastr.error('ERROR: Lastname is incomplete!');
}
} else {
    toastr.error('ERROR: Invalid firstname format!');
}
} else {
    toastr.error('ERROR: Firstname is incomplete!');
}
});

<?php
if ( $curpage == 'Events' ) {
    if ( !empty($this->session->userdata('user_session')) ) {
        if ( !empty($get_all_events) ) {
            foreach ( $get_all_events as $gae ) :
                $sess = $this->session-
>userdata('user_session');
            ?>
                $('#replyEvent<?php echo $gae->NO;
?>').keypress(function(event) {
                    if (event.keyCode == 13 && !event.shiftKey)
{
                        if ( $('#replyEvent<?php echo $gae->NO;
?>').val() != '' ) {
                            $.ajax ({
                                url: '<?php echo base_url();
?>events/insert_reply',
                                method: "POST",
                                data: {
                                    replyMessage : '$gae->MESSAGE',
                                    messageNo : '$gae->NO'
                                },
                                success:function(data){
                                    html = '<div
class="padding-top">';
                                    html += '    <div
class="row">';
                                    html += '        <div
class="col-xs-1">';
                                    html += '            ';
                                    html += '</div>';
                                }
                            });
                        }
                    }
                });
            }
        }
    }
}
});
```



```
        html += '      </div>';
        html += '      <div
style="padding-left: 85px;">';


<div><label><?php echo $sess->FIRSTNAME." ".$sess->LASTNAME; ?></label><?php
echo ' - ' . $date; ?></div>';
        html += '      <div
style="font-size: 15px;">';
        html +=
$('#replyEvent<?php echo $gae->NO; ?>').val();
        html += '      </div>';
        html += '      </div>';
        html += '      </div>';
        html += '      </div>';

        $('#newReplyEvent<?php echo
$gae->NO; ?>').append(html);
        $('#replyEvent<?php echo
$gae->NO; ?>').val('');
        },
        error:function(){
            toastr.error('ERROR: Please
refresh the page!');
        }
    });
}
});


```

<?php

```
        endforeach;
    }
}
?>
```

<?php

```
if ( $curpage == 'Blog' ) {
    if ( !empty($this->session->userdata('user_session')) ) {
        if ( !empty($get_all_blog) ) {
            foreach ( $get_all_blog as $gar ) :
                $sess = $this->session-
>userdata('user_session');
            ?>
                $('#replyBlog<?php echo $gar->NO;
?>').keypress(function(event) {
                    if (event.keyCode == 13 && !event.shiftKey)
{
                        if ( $( '#replyBlog<?php echo $gar->NO;
?>').val() ) {
                            $.ajax ({
                                url: '<?php echo base_url();
?>blog/insert_reply',
                                method: "POST",
                                data: {
```



```
$('#replyBlog<?php echo $gar->NO; ?>').val(), replyMessage :  
echo $gar->NO; ?>  
}, messageNo : '<?php  
success:function(data){  
html = '<div  
class="padding-top">;  
html += '<div  
class="row">;  
html += '<div  
class="col-xs-1">;  
html += '';  
html += '</div>';  
html += '<div  
style="padding-left: 85px;">;  
html += 'echo ' - ' . $date; ?></div>';  
html += '<div  
style="font-size: 15px;">;  
html +=  
$('#replyBlog<?php echo $gar->NO; ?>').val();  
html += '</div>';  
html += '</div>';  
html += '</div>';  
html += '</div>';  
>NO; ?>).append(html);  
$gar->NO; ?>).val('');  
},  
error:function(){  
toastr.error('ERROR: Please  
refresh the page!');  
});  
});  
});  
<?php  
endforeach;  
}  
}  
}  
?  
<?php  
if ( $curpage == 'Profile' && $this->session->userdata('account_type') == "Administrator" ) {  
if ( !empty($get_all_post) ) {
```



```
        foreach ( $get_all_post as $gap ) :
    ?>
        $( '#adminReplyPost<?php echo $gap->NO;
?>').keypress(function(event) {
            if (event.keyCode == 13 && !event.shiftKey) {
                if ( $( '#adminReplyPost<?php echo $gap->NO;
?>').val() ) {
                    $.ajax ({
                        url: '<?php echo base_url();
?>admin/profile/insert_reply',
                        method: "POST",
                        data: {
                            replyMessage : $(
                                '#adminReplyPost<?php echo $gap->NO; ?>').val(),
                            messageNo : '<?php
echo $gap->NO; ?>',
                            },
                            success:function(data){
                                html = '<div class="padding-
top">';
                                html += ' <div class="ibox-
content no-border" style="background-color: #F2F2F2;">';
                                html += ' <div>';
                                html += ' <div
class="row">';
                                html += ' <div
class="col-xs-1">';
                                html += ' <img
src=<?php echo base_url(); ?>public/img/<?php echo $session_image; ?>
style="width:40px;height:40px;" />';
                                html += ' </div>';
                                html += ' <div
style="padding-left: 75px;"><span class="text-bold"><?php echo $session_name;
?></span> | <span><?php echo $date; ?></span></div>';
                                html += ' <div
style="padding-left: 75px;">' + $( '#adminReplyPost<?php echo $gap->NO; ?>').val()
                                + '</div>';
                                html += ' </div>';
                                html += ' </div>';
                                html += ' </div>';
                                html += ' </div>';

                                $( '#newReplyPostNo<?php echo
$gap->NO; ?>').append(html);
                                $( '#adminReplyPost<?php echo
$gap->NO; ?>').val('');
                            },
                            error:function(){
                                toastr.error('ERROR: Please
refresh the page! ');
                            }
                        });
                    }
                });
            }
        });
    
```



```
<?php
    endforeach;
}
?>

$('#btn_post_profile').click(function(){
    var txt_post          = $('#txt_post').val();
    var txt_no_prof_post = $('#txt_no_prof_post').val();

    if ( txt_post ) {
        $.ajax({
            url: "<?php echo
base_url();?>admin/profile/create",
            method: "POST",
            data: {
                txt_post      : txt_post
            },
            success:function(data){
                $('#txt_post').val("");
                html = '<div class="padding-top">';
                html += '  <div class="ibox-content no-
border">';
                html += '    <div class="row">';
                html += '      <span class="pull-right"
style="color:blue;padding-right: 15px;"><a>X</a></span>';
                html += '      <div class="col-xs-1">';
                html += '        ';
                html += '      </div>';
                html += '      <div class="text-bold "
style="padding-left: 75px;"><?php echo $session_name; ?></div>';
                html += '      <div class=""'
style="padding-left: 75px;"><?php echo $date; ?></div>';
                html += '      </div>';
                html += '      <hr class="no-margin margin-
top"/>';
                html += '    <div class="padding-top"
style="padding-left: 20px;padding-right: 20px;font-size: 17px;">';
                html += txt_post;
                html += '    </div>';
                html += '    <input type="text" value="'+
data +'" id="txt_no_prof_post" style="display:none;" />';
                html += '    <div class="padding-top">';
                html += '      <textarea class="form-
control" id="adminReplyPost'+ data +'" style="max-width: 100%;max-height:
50px;min-height: 50px;" placeholder="Comment"></textarea>';
                html += '    </div>';
                html += '    <div id="newReplyPostNo'+
data +'></div>';
                html += '  </div>';
                html += '</div>';
                $('#newPostAdmin').append(html);
            },
            error:function(){
```



```
                toastr.error("ERROR!");
            }
        });
    } else{
        toastr.error("Write something");
    }
});
<?php
}
?>

$('#btn_create_wt').click(function(){
    var txt_name_wt_create      =
$('#txt_name_wt_create').val();
    var txt_category_wt_create   =
$('#txt_category_wt_create').val();
    var txt_description_wt_create =
$('#txt_description_wt_create').val();
    var txt_library_wt_create    =
$('#txt_library_wt_create').val();
    var txt_price_wt_create      =
$('#txt_price_wt_create').val();

    if ( txt_name_wt_create.length > 5 ) {
        if ( txt_category_wt_create.length > 5 ) {
            if ( txt_description_wt_create.length > 5 ) {
                if ( txt_library_wt_create.length > 5 ) {
                    if ( txt_price_wt_create.length > 3 ) {
                        $.ajax({
                            url: "<?php echo
base_url();?>admin/website_template/create",
                            method: "POST",
                            data: {
                                txt_name_wt_create      :
txt_name_wt_create,
                                txt_category_wt_create   :
txt_category_wt_create,
                                txt_description_wt_create :
txt_description_wt_create,
                                txt_library_wt_create    :
txt_library_wt_create,
                                txt_price_wt_create      :
txt_price_wt_create
                            },
                            success:function(data){
location.reload('/admin/website_template');
                            },
                            error:function(){
                                toastr.error("ERROR!");
                            }
                        });
                    } else {
                        toastr.error("ERROR: Minimum of 3
characters!");
                    }
                }
            }
        }
    }
});
```



```
        }
    } else {
        toastr.error("ERROR: Minimum of 5 characters!");
    }
}
} else {
    toastr.error("ERROR: Minimum of 5 characters!");
}
} else {
    toastr.error("ERROR: Minimum of 5 characters!");
}
} else {
    toastr.error("ERROR: Minimum of 5 characters!");
}
} else {
    toastr.error("ERROR: Minimum of 5 characters!");
}
});

$('#btn_update_wt').click(function(){
    var txt_no_wt      = $('#txt_no_wt').val();
    var txt_name_wt    = $('#txt_name_wt').val();
    var txt_category_wt= $('#txt_category_wt').val();
    var txt_description_wt= $('#txt_description_wt').val();
    var txt_library_wt = $('#txt_library_wt').val();
    var txt_price_wt   = $('#txt_price_wt').val();

    if ( txt_name_wt.length > 5 ) {
        if ( txt_category_wt.length > 5 ) {
            if ( txt_description_wt.length > 5 ) {
                if ( txt_library_wt.length > 5 ) {
                    if ( txt_price_wt.length > 5 ) {
                        $.ajax({
                            url: "<?php echo
base_url();?>admin/website_template/update",
                            method: "POST",
                            data: {
                                txt_no_wt      : txt_no_wt,
                                txt_name_wt    : txt_name_wt,
                                txt_category_wt: txt_category_wt,
                                txt_description_wt: txt_description_wt,
                                txt_library_wt : txt_library_wt,
                                txt_price_wt   : txt_price_wt
                            },
                            success:function(data){
                                location.reload('/admin/website_template');
                            },
                            error:function(){
                                toastr.error("ERROR!");
                            }
                        });
                    } else {
                        toastr.error("ERROR: Minimum of 5
characters!");
                    }
                }
            }
        }
    }
});
```



```
        } else {
            toastr.error("ERROR: Minimum of 5 characters!");
        }
    } else {
        toastr.error("ERROR: Minimum of 5 characters!");
    }
} else {
    toastr.error("ERROR: Minimum of 5 characters!");
}
} else {
    toastr.error("ERROR: Minimum of 5 characters!");
}
});

$('#btn_update_wo').click(function(){
var txt_no_wo      = $('#txt_no_wo').val();
var txt_title_wo   = $('#txt_title_wo').val();
var txt_owner_wo   = $('#txt_owner_wo').val();

if ( txt_title_wo.length > 5 ) {
    if ( txt_owner_wo.length > 5 ) {
        $.ajax({
            url: "<?php echo
base_url();?>admin/website_online/update",
            method: "POST",
            data: {
                txt_no_wo      : txt_no_wo,
                txt_title_wo   : txt_title_wo,
                txt_owner_wo   : txt_owner_wo
            },
            success:function(data){
                location.reload('/admin/website_online');
            },
            error:function(){
                toastr.error("ERROR!");
            }
        });
    } else {
        toastr.error("ERROR: Minimum of 5 characters - owners
name!");
    }
} else {
    toastr.error("ERROR: Minimum of 5 characters - title!");
}
});

$('#btn_create_coa_save').click(function(){
var txt_create_coa_fname  = $('#txt_create_coa_fname').val();
var txt_create_coa_lname  = $('#txt_create_coa_lname').val();
var txt_create_coa_uname  = $('#txt_create_coa_uname').val();
var txt_create_coa_email  = $('#txt_create_coa_email').val();
var txt_create_coa_pword  = $('#txt_create_coa_pword').val();
});
```



```
var txt_create_coa_conpword =
$('#txt_create_coa_conpword').val();

var checkFname      = /^[a-zA-Z_-]+([a-zA-Z_-])*$/;
var checkLname      = /^[a-zA-Z_-]+([a-zA-Z_-])*$/;
var checkUname      = /\w$/;
var checkEmail      =
/^(([^\<()\\.,;:\s@"]+(\.[^\<()\\.,;:\s@"]+)*|(\.".+"))@((\[[0-
9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\])|(([a-zA-Z\-\-0-9]+\.)+[a-zA-
Z]{2,}))$/;

if ( checkFname ) {
    if ( checkLname ) {
        if ( checkUname ) {
            if ( checkEmail ) {
                if ( txt_create_coa_pword.length >= 7 ) {
                    if ( txt_create_coa_pword ==
txt_create_coa_conpword ) {
                        $.ajax ({
                            url: "<?php echo base_url();",
                            method: "POST",
                            data: {
                                txt_create_coa_fname : txt_create_coa_fname,
                                txt_create_coa_lname : txt_create_coa_lname,
                                txt_create_coa_uname : txt_create_coa_uname,
                                txt_create_coa_email : txt_create_coa_email,
                                txt_create_coa_pword : txt_create_coa_pword
                            },
                            success:function(data){
                                location.reload('/admin/co_administrator');
                            },
                            error:function(){
                                toastr.error("Error: Please
refresh the page or contact the administrator");
                            }
                        });
                    } else {
                        toastr.error("ERROR: Password doesn't
match");
                    }
                } else {
                    toastr.error("ERROR: Minimum of 7
characters");
                }
            } else {
                toastr.error("ERROR: Minimum of 7
characters");
            }
        } else {
            toastr.error("ERROR: Minimum of 7
characters");
        }
    } else {
        toastr.error("ERROR: Minimum of 7
characters");
    }
}
```



```
        toastr.error("ERROR: Invalid email address
format");
    }
} else {
    toastr.error("ERROR: Invalid username format");
}
} else {
    toastr.error("ERROR: Letters only");
}
} else {
    toastr.error("ERROR: Letters only");
}
});

$('#btn_update_coa').click(function(){
    var txt_update_coa_no = $('#txt_update_coa_no').val();
    var txt_select_perm_coa = $('#txt_select_perm_coa').val();

    if ( txt_select_perm_coa != "" ) {
        $.ajax({
            url: "<?php echo
base_url();?>admin/co_administrator/update",
            method: "POST",
            data: {
                txt_update_coa_no : txt_update_coa_no,
                txt_select_perm_coa : txt_select_perm_coa
            },
            success:function(data){
                location.reload('/admin/co_administrator');
                // alert(data);
            },
            error:function(){
                toastr.error("ERROR!");
            }
        });
    } else {
        toastr.error("Please select a permission!");
    }
});

$('#btn_create_agent').click(function(){
    var txt_fname_agent = $('#txt_fname_agent').val();
    var txt_lname_agent = $('#txt_lname_agent').val();
    var txt_uname_agent = $('#txt_uname_agent').val();
    var txt_email_agent = $('#txt_email_agent').val();
    var txt_password_agent = $('#txt_password_agent').val();
    var txt_confirm_agent = $('#txt_confirm_agent').val();

    var checkFname = /^[a-zA-Z_-]+[a-zA-Z_-]*/;
    var checkLname = /^[a-zA-Z_-]+[a-zA-Z_-]*/;
    var checkUname = /\w*/;
    var checkEmail = /^[^<>()[]\.\,\;\:\s@"]+([^.][^<>()[]\.\,\;\:\s@"]+)*|(\.".+")@((\[[0-9\.\;\:\s@"]+|[^\[\]]+))/;

    if (checkFname.test(txt_fname_agent) && checkLname.test(txt_lname_agent) && checkUname.test(txt_uname_agent) && checkEmail.test(txt_email_agent)) {
        if (txt_password_agent === txt_confirm_agent) {
            // Process form submission
        } else {
            toastr.error("Passwords do not match!");
        }
    } else {
        toastr.error("Please enter valid names, username, and email address!");
    }
});
```



```
9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\]|(([a-zA-Z\-\0-9]+\.)+[a-zA-Z]{2,}))$/.test(txt_email_agent);

if ( checkFname ) {
    if ( checkLname ) {
        if ( checkUname ) {
            if ( checkEmail ) {
                if ( txt_password_agent.length >= 7 ) {
                    if ( txt_password_agent == txt_confirm_agent
) {
                        $.ajax ({
                            url: "<?php echo base_url();",
                            method: "POST",
                            data: {
                                txt_fname_agent : txt_fname_agent,
                                txt_lname_agent : txt_lname_agent,
                                txt_uname_agent : txt_uname_agent,
                                txt_email_agent : txt_email_agent,
                                txt_password_agent : txt_password_agent
                            },
                            success:function(data){
                                location.reload('/admin/agent');
                            },
                            error:function(){
                                toastr.error("Error: Please
refresh the page or contact the administrator");
                            }
                        });
                    } else {
                        toastr.error("ERROR: Password doesn't
match");
                    }
                } else {
                    toastr.error("ERROR: Minimum of 7
characters");
                }
            } else {
                toastr.error("ERROR: Invalid email address
format");
            }
        } else {
            toastr.error("ERROR: Invalid username format");
        }
    } else {
        toastr.error("ERROR: Letters only");
    }
} else {
    toastr.error("ERROR: Letters only");
}
```



```
});

$( '#btn_update_paypal_account' ).click(function(){
    var txt_paypal_no          = $('#txt_paypal_no').val();
    var txt_paypal_email_upd   = $('#txt_paypal_email_upd').val();
    var paypal_email_status    = $('#paypal_email_status').val();
    if ( txt_paypal_email_upd ) {
        $.ajax ({
            url: "<?php echo base_url(); ?>admin/paypal_configuration/update",
            method: "POST",
            data: {
                txt_paypal_no          : txt_paypal_no,
                txt_paypal_email_upd   : txt_paypal_email_upd,
                paypal_email_status    : paypal_email_status
            },
            success:function(data){
                location.reload('/paypal_configuration');
            },
            error:function(){
                toastr.error("Error: Please refresh the page or
contact the administrator");
            }
        });
    } else {
        $('#error_message_paypal').text('ERROR: No email address
found! ');
    }
});

$( '#btn_paypal_save_new' ).click(function(){
    var paypal_email = $('#txt_paypal_email').val();
    var checkEmail =
/^(([^\<\>()[]\.\,\;\:\s@"]+([^.][^\<\>()[]\.\,\;\:\s@"]+)*|(\.".+\")|@((\[[0-
9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\])|(([a-zA-Z\-\-0-9]+\.)+[a-zA-
Z]{2,}))$/;
    test(paypal_email);
    if ( paypal_email ) {
        if ( checkEmail ) {
            $.ajax ({
                url: "<?php echo base_url(); ?>admin/paypal_configuration/create",
                method: "POST",
                data: {
                    paypal_email : paypal_email
                },
                success:function(data){
                    location.reload('/paypal_configuration');
                },
                error:function(){
                    toastr.error('ERROR: Please refresh the page!');
                }
            });
        } else {
    
```



```
        $('#error_message_paypal').text('ERROR: Email address is
invalid!');

    }
} else {
    $('#error_message_paypal').text('ERROR: No email address
found!');
}

});

function clearAllErrorMessage()
{
    $('#error_cm_subject').text('');
    $('#error_cm_message').text('');
}

$('#cm_create').click(function(){
    var email = $('#cm_email').val();
    var subject = $('#cm_subject').val();
    var message = $('#cm_message').val();
    if ( email ) {

        $.ajax ({
            url: '<?php echo base_url();
?>admin/message/checkEmail',
            method: "POST",
            data: {
                email : $('#cm_email').val()
            },
            success:function(data){
                if ( data == 0 ) {
                    $('#error_cm_email').text(' ERROR: Email
address is invalid!');
                    // alert('asdf');
                } else {
                    $('#error_cm_email').text('');
                    if ( subject ) {
                        if ( message ) {
                            $.ajax ({
                                url: '<?php echo base_url();
?>admin/message/new_message',
                                method: "POST",
                                data: {
                                    email :
                                    subject :
                                    message :
                                },
                                success:function(data){
                                    location.reload('/message/');
                                    // alert(data);
                                },
                                error:function(){


```



```
refresh the page!');");
                }
            });
        } else {
            clearAllErrorMessage();
            $('#error_cm_message').text(' ERROR:
Please fill this field!');

        }
    } else {
        clearAllErrorMessage();
        $('#error_cm_subject').text(' ERROR: Please
fill this field!');

    }
},
error:function(){
    toastr.error('ERROR: Please refresh the page!');
}
});
} else {
    clearAllErrorMessage();
    $('#error_cm_email').text(' ERROR: Please fill this
field!');

}
});

$('#cm_email').on('input',function(e){
    var email = $('#cm_email').val();
    if ( email.length >= 10 ) {
        $.ajax ({
            url: '<?php echo base_url();
?>admin/message/checkEmail',
            method: "POST",
            data: {
                email : $('#cm_email').val()
            },
            success:function(data){
                if ( data == 0 ) {
                    $('#error_cm_email').text(' ERROR: Email
address is invalid!');

                    // alert('asdf');
                } else {
                    $('#error_cm_email').text('');
                }
            },
            error:function(){
                toastr.error('ERROR: Please refresh the page!');
            }
        });
    } else {
        $('#error_cm_email').text('');
    }
});
});
```



```
$('#messageReply').keypress(function(event) {
    if (event.keyCode == 13 && !event.shiftKey) {
        if ( $('#messageReply').val() ) {
            $.ajax ({
                url: '<?php echo base_url(); ?>admin/message/insert_reply',
                method: "POST",
                data: {
                    replyMessage : $('#messageReply').val(),
                    messageNo : '<?php echo $this->uri->segment(4); ?>'
                },
                success:function(data){
                    location.reload('/message/content/'+'<?php echo $this->uri->segment(4); ?>');
                },
                error:function(){
                    toastr.error('ERROR: Please refresh the page!');
                }
            });
        } else {
            return false;
        }
    });
});

<?php
if ( $this->curpage == "Dashboard" ) {
    if ( !empty ($get_all_issue_tracker) ) {
        foreach ( $get_all_issue_tracker as $gait ) :
    ?
}
$('#replyforIssueID<?php echo $gait->NO; ?>').keypress(function(event) {
    if (event.keyCode == 13 && !event.shiftKey) {
        if ( $('#replyforIssueID<?php echo $gait->NO; ?>').val() ) {
            $.ajax ({
                url: '<?php echo base_url(); ?>admin/dashboard/insert_reply',
                method: "POST",
                data: {
                    issueTrackerNo : '<?php echo $gait->NO; ?>',
                    issueTrackerReply : $('#replyforIssueID<?php echo $gait->NO; ?>').val()
                },
                success:function(data){
                    location.reload('/admin');
                },
                error:function(){
                    toastr.error('ERROR: Please refresh the page!');
                }
            });
        } else {
```



```
                    return false;
                }
            });
        });

        $("#replyID<?php echo $gait->NO;
?>").click(function(){
    $.ajax ({
        url: '<?php echo base_url();
?>admin/dashboard/getReplyIssueTracker',
        method: "POST",
        data: {
            no : $("#replyNO<?php echo
$gait->NO; ?>").val()
        },
        success:function(data){
            $("#data-body-modal-issue-tracker<?php
echo $gait->NO; ?>").html(data);
        },
        error:function(){
            toastr.error('ERROR: Please refresh the
page!');
        }
    });
});

<?php
    endforeach;
}
if ( !empty($get_all_todo_for_specific_admin) ) {
    foreach ( $get_all_todo_for_specific_admin as $gatfsa )
:
?
}

        $("#dashTodoCheckID<?php echo $gatfsa->NO;
?>").click(function(){
    $.ajax ({
        url: '<?php echo base_url();
?>admin/dashboard/checked',
        method: "POST",
        data: {
            dashTodoNo : $("#dashTodoNo<?php echo $gatfsa->NO; ?>").val()
        },
        success:function(data){
            location.reload('/admin');
        },
        error:function(){
            toastr.error('ERROR: Please refresh the
page!');
        }
    });
}

```



```
$("#dashTodoNotCheckID<?php echo $gatfsa->NO;
?>").click(function(){
    $.ajax ({
        url: '<?php echo base_url();
?>admin/dashboard/notchecked',
        method: "POST",
        data: {
            dashTodoNo : $("#dashTodoNo<?php echo $gatfsa->NO; ?>").val()
        },
        success:function(data){
            location.reload('/admin');
        },
        error:function(){
            toastr.error('ERROR: Please refresh the
page!');
        }
    });
    <?php
        endforeach;
    }
?>

$("#formContactDash").validate({
    rules: {
        contactDash_name_create: {
            required: true,
            minlength: 5
        },
        contactDash_contact_create: {
            required: true,
            minlength: 11,
            maxlength: 13
        },
        contactDash_address_create: {
            require: true,
            minlength: 5
        }
    });
}

$("#event_create").click(function(){
    var event_title_create =
$("#event_title_create").val();
    var event_description_create =
$("#event_description_create").val();

    if ( event_title_create && event_description_create ) {
        $.ajax ({
            url: '<?php echo base_url(); ?>admin/events/insert',
            method: "POST",
            data: {
```



```
        event_title_create      : event_title_create,
        event_description_create : event_description_create
    },
    success:function(data){
        html      = '<tr>';
        html      += '  <td class="title">';
        html      += '    <a href="'+<?php echo
base_url();?>admin/events" '+ event_title_create +'</a>';
        html      += '  </td>';
        html      += '</tr>';
        $('#event_left_list').prepend(html);

        $('#eventModal').modal('toggle');
    },
    error:function(){
        toastr.error('ERROR: Please refresh the page!');
    }
});
} else {
    toastr.error('ERROR: Incomplete field!');
}
});

$("#ams_create").click(function(){
    var ams_title          = $("#ams_title").val();
    var ams_description    = $("#ams_description").val();

    if ( ams_title && ams_description ) {
        $.ajax ({
            url: '<?php echo base_url();?>admin/about_my_site/insert',
            method: "POST",
            data: {
                ams_title       : ams_title,
                ams_description : ams_description
            },
            success:function(data){
                html      = '<tr>';
                html      += '  <td class="title">';
                html      += '    <a href="'+<?php echo
base_url();?>admin/about_my_site" '+ ams_title +'</a>';
                html      += '  </td>';
                html      += '</tr>';
                $('#aboutmysite_left_list').prepend(html);
            },
            error:function(){
                toastr.error('ERROR: Please refresh the page!');
            }
        });
    } else {
        toastr.error('ERROR: Incomplete field!');
    }
});

$("#ams_update").click(function(){
```



```
var ams_no_update      = $("#ams_no_update").val();
var ams_title_update   = $("#ams_title_update").val();
var ams_description_update =
$( "#ams_description_update" ).val();
var ams_active_update   = $("#ams_active_update").val();

if ( ams_title_update && ams_description_update ) {
    $.ajax ({
        url: '<?php echo base_url();',
        ?>admin/about_my_site/update',
        method: "POST",
        data: {
            ams_no_update      : ams_no_update,
            ams_title_update   : ams_title_update,
            ams_description_update : ams_description_update,
            ams_active_update   : ams_active_update
        },
        success:function(data){
            location.reload('/admin/about_my_site');
        },
        error:function(){
            toastr.error('ERROR: Please refresh the page!');
        }
    });
} else {
    toastr.error('ERROR: Incomplete field!');
}
});

// CHOSEN
var config = {
    '.chosen-select'      : {},
    '.chosen-select-deselect' : {allow_single_deselect:true},
    '.chosen-select-no-single' : {disable_search_threshold:10},
    '.chosen-select-no-results': {no_results_text:'Oops, nothing
found!'},
    '.chosen-select-width'   : {width:"100%"}
}
for (var selector in config) {
    $(selector).chosen(config[selector]);
}
// END CHOSEN

$("#testimonial-slider").owlCarousel({
    items:2,
    itemsDesktop:[1199,2],
    itemsDesktopSmall:[979,2],
    itemsTablet:[768,2],
    itemsMobile:[600,1],
    pagination:true,
    navigation:false,
    navigationText:["",""],
    slideSpeed:1000,
    autoPlay:true
});
```



```
// TOOLTIP AND POPOVER
 $('[data-toggle="tooltip"]').tooltip();
 $('[data-toggle="popover"]').popover();

 $('body').scrollspy({
   target: '.navbar-fixed-top',
   offset: 80
 });

// Page scrolling feature
$('a.page-scroll').bind('click', function(event) {
  var link = $(this);
  $('html, body').stop().animate({
    scrollTop: $(link.attr('href')).offset().top - 50
  }, 500);
  event.preventDefault();
});

// CODE FOR SEARCH
var options = {
  valueNames: [ 'name', 'contact', 'email', 'title', 'username',
'date', 'link' ]
};

var searchList = new List('search', options);
// END OF CODE SEARCH
});

// GOOGLE MAP API CODE START
function initMap() {
  var mapOptions = {
    zoom: 12,
    center: {lat: 14.5911452, lng: 120.9993137},
    styles:
[{"stylers": [{"hue": "#18a689"}, {"visibility": "on"}, {"invert_lightness": true}, {"saturation": 40}, {"lightness": 10}]]}
};

var mapElement = document.getElementById('map');
var map = new google.maps.Map(mapElement, mapOptions);

<?php
if ( $curpage == "Profile" && $this->session->userdata('user_session')->ACCOUNT_TYPE == "Agent" ) {
?>
  google.maps.event.addListener(map, 'click', function(event) {
    $('#txt_lat_prof').val(event.latLng.lat());
    $('#txt_long_prof').val(event.latLng.lng());
  });
<?php
}
?>

<?php
```



```
        if ( $curpage == "Profile" && $this->session->userdata('user_session')->ACCOUNT_TYPE == "Administrator" ) {
    ?>
        google.maps.event.addListener(map, 'click',function(event) {
            $('#txt_lat_prof').val(event.latLng.lat());
            $('#txt_long_prof').val(event.latLng.lng());
        });
    <?php
    }
    ?>

    <?php
        if ( $curpage == "Profile" && $this->session->userdata('user_session')->ACCOUNT_TYPE == "User" ) {
    ?>
        google.maps.event.addListener(map, 'click',function(event) {
            $('#txt_lat_prof_user').val(event.latLng.lat());
            $('#txt_long_prof_user').val(event.latLng.lng());
        });
    <?php
    }
    ?>

    <?php
        if ( $curpage == "Dashboard" ) {
            foreach ( $all_user_latlong as $aul ) :
    ?>
        <?php
            if ( $aul->LATITUDE != 0.0000000 && $aul->LONGHITUDE != 0.0000000 ) {
    ?>
                    var latDB = <?php echo $aul->LATITUDE;?>;
                    var longDB = <?php echo $aul->LONGHITUDE;?>;
                    var marker = new google.maps.Marker({
                        position: {lat: latDB, lng: longDB},
                        icon: {
                            url: '<?php echo base_url();?>public/img/<?php
echo $aul->IMAGEURL; ?>',
                            scaledSize : new google.maps.Size(35, 35),
                            origin: new google.maps.Point(0, 0),
                            anchor: new google.maps.Point(15, 15)
                        },
                        map: map
                    });
        <?php
        }
    ?>

    <?php
        endforeach;
    ?
    ?>

}
// GOOGLE MAP API CODE END
```



```
var cbpAnimatedHeader = (function() {
    var docElem = document.documentElement,
        header = document.querySelector( '.navbar-default' ),
        didScroll = false,
        changeHeaderOn = 200;
    function init() {
        window.addEventListener( 'scroll', function( event ) {
            if( !didScroll ) {
                didScroll = true;
                setTimeout( scrollPage, 250 );
            }
        }, false );
    }
    function scrollPage() {
        var sy = scrollY();
        if ( sy >= changeHeaderOn ) {
            $(header).addClass('navbar-scroll')
        }
        else {
            $(header).removeClass('navbar-scroll')
        }
        didScroll = false;
    }
    function scrollY() {
        return window.pageYOffset || docElem.scrollTop;
    }
    init();
})();

// Activate WOW.js plugin for animation on scroll
new WOW().init();

$(document).on('click', '.browse', function(){
    var file = $(this).parent().parent().parent().find('.file');
    file.trigger('click');
});

$(document).on('change', '.file', function(){
    $(this).parent().find('.form-control').val($(this).val().replace(/C:\\fakepath\\\\i, '')); 
});

// END CODE - DEFAULT

<?php if ( $this->curpage == "Dashboard" ) { ?>
    $(function() {
        var lineData = {
            labels: ["January", "February", "March", "April", "May", "June", "July", "August", "September", "October", "November", "December"],
            datasets: [
                {
                    label: "Example dataset",

```



```
        fillColor: "rgba(35,198,200,1)",
        strokeColor: "rgba(32,152,109,1)",
        pointColor: "rgba(237,85,101,1)",
        pointStrokeColor: "#F8AC59",
        pointHighlightFill: "#F8AC59",
        pointHighlightStroke: "rgba(237,85,101,1)",
        data: <?php echo $sales_for_year; ?>
    }
]
};

var lineOptions = {
    scaleShowGridLines: true,
    scaleGridLineColor: "rgba(0,0,0,.05)",
    scaleGridLineWidth: 1,
    bezierCurve: true,
    bezierCurveTension: 0.4,
    pointDot: true,
    pointDotRadius: 4,
    pointDotStrokeWidth: 1,
    pointHitDetectionRadius: 20,
    datasetStroke: true,
    datasetStrokeWidth: 2,
    datasetFill: true,
    responsive: true,
};

var ctx = document.getElementById("lineChart").getContext("2d");
var myNewChart = new Chart(ctx).Line(lineData, lineOptions);

});

<?php } ?>

<?php if ( $this->curpage == 'Reports' ) { ?>
$(document).ready(function(){

    // START - USER
    var lineData = {
        labels: ["January", "February", "March", "April", "May",
        "June", "July", "August", "September", "October", "November", "December"],
        datasets: [
            {
                label: "Example dataset",
                fillColor: "rgba(35,198,200,0.9)",
                strokeColor: "rgba(35,198,200,0.9)",
                pointColor: "rgba(237,85,101,1)",
                pointStrokeColor: "#fff",
                pointHighlightFill: "#fff",
                pointHighlightStroke: "rgba(237,85,101,1)",
                data: <?php echo $usersPerMonth; ?>
            },
            {
                label: "Example dataset",

```



```
        fillColor: "rgba(220,220,220,0.5)",
        strokeColor: "rgba(220,220,220,1)",
        pointColor: "rgba(220,220,220,1)",
        pointStrokeColor: "#fff",
        pointHighlightFill: "#fff",
        pointHighlightStroke: "rgba(220,220,220,1)",
        data: <?php echo $usersPerMonthPreviousYear; ?>
    }
]
};

var lineOptions = {
    scaleShowGridLines: true,
    scaleGridLineColor: "rgba(0,0,0,.05)",
    scaleGridLineWidth: 1,
    bezierCurve: true,
    bezierCurveTension: 0.4,
    pointDot: true,
    pointDotRadius: 4,
    pointDotStrokeWidth: 1,
    pointHitDetectionRadius: 20,
    datasetStroke: true,
    datasetStrokeWidth: 2,
    datasetFill: true,
    responsive: true,
};

var ctx =
document.getElementById("lineChartUser").getContext("2d");
var myNewChart = new Chart(ctx).Line(lineData, lineOptions);
// END - USER

// START - USER ACTIVITY
var lineData = {
    labels: ["January", "February", "March", "April", "May",
    "June", "July", "August", "September", "October", "November", "December"],
    datasets: [
        {
            label: "Example dataset",
            fillColor: "rgba(26,179,148,0.5)",
            strokeColor: "rgba(26,179,148,0.7)",
            pointColor: "rgba(26,179,148,1)",
            pointStrokeColor: "#fff",
            pointHighlightFill: "#fff",
            pointHighlightStroke: "rgba(26,179,148,1)",
            data: [48, 48, 60, 39, 56, 37, 30]
        }
    ]
};

var lineOptions = {
    scaleShowGridLines: true,
    scaleGridLineColor: "rgba(0,0,0,.05)",
    scaleGridLineWidth: 1,
```



```
        bezierCurve: true,
        bezierCurveTension: 0.4,
        pointDot: true,
        pointDotRadius: 4,
        pointDotStrokeWidth: 1,
        pointHitDetectionRadius: 20,
        datasetStroke: true,
        datasetStrokeWidth: 2,
        datasetFill: true,
        responsive: true,
    };

    var ctx = document.getElementById("lineChart").getContext("2d");
    var myNewChart = new Chart(ctx).Line(lineData, lineOptions);
    // END - USER ACTIVITY

    // START - SALES
    new Chartist.Bar('#ct-chart4', {
        labels: ["January", "February", "March", "April", "May",
        "June", "July", "August", "September", "October", "November", "December"],
        series: [
            <?php echo $salesReport; ?>
        ]
    }, {
        seriesBarDistance: 10,
        reverseData: true,
        horizontalBars: true,
        axisY: {
            offset: 70
        }
    });
    // END - SALES
});
<?php } ?>
</script>

common/js_files_includes_agent.php
<script src=<?php echo base_url();?>public/js/jquery-
3.1.1.min.js"></script>
<script src=<?php echo base_url();?>public/js/bootstrap.min.js"></script>
<script src=<?php echo
base_url();?>public/js/plugins/metisMenu/jquery.metisMenu.js"></script>
<script src=<?php echo
base_url();?>public/js/plugins/slimscroll/jquery.slimscroll.min.js"></script>

<script src=<?php echo
base_url();?>public/js/plugins/toastr/toastr.min.js"></script>

<script src=<?php echo base_url();?>public/js/jquery.md5.js"></script>

<!-- CUSTOM AND PLUGIN JAVASCRIPT -->
<script src=<?php echo base_url();?>public/js/inspinia.js"></script>
```



```
<script src=<?php echo
base_url();?>public/js/plugins/pace/pace.min.js"></script>
<script src=<?php echo
base_url();?>public/js/plugins-wow-wow.min.js"></script>
<script src=<?php echo
base_url();?>public/js/plugins/owlcarousel/owl.carousel.min.js"></script>
<script src=<?php echo
base_url();?>public/js/plugins-validate/jquery.validate.min.js"></script>
<script src=<?php echo base_url();?>public/js/plugins/jquery-ui/jquery-
ui.min.js"></script>
<script src=<?php echo
base_url();?>public/js/plugins/iCheck/icheck.min.js"></script>
<script src=<?php echo
base_url();?>public/js/plugins/staps/jquery.steps.min.js"></script>
<script src=<?php echo
base_url();?>public/js/plugins/chosen/chosen.jquery.js"></script>

<!-- LIST -->
<script src=<?php echo
base_url();?>public/js/plugins/list/list.min.js"></script>
<?php if ( $this->curpage == "Profile" ) { ?>
<script async defer
src="https://maps.googleapis.com/maps/api/js?key=AIzaSyB5h8RE_Re9V9PJ-
R0p7TKXQBKbMnWxDVE&callback=initMap">
</script>
<?php } ?>
<script>
    $(document).ready(function(){
        function tError(message){
            toastr.error("Error: " + message +"!");
        }

        $('#btn_create_wt').click(function(){
            var txt_name_wt_create      =
$('#txt_name_wt_create').val();
            var txt_category_wt_create   =
$('#txt_category_wt_create').val();
            var txt_description_wt_create =
$('#txt_description_wt_create').val();
            var txt_library_wt_create    =
$('#txt_library_wt_create').val();
            var txt_price_wt_create      =
$('#txt_price_wt_create').val();

            if ( txt_name_wt_create.length > 5 ) {
                if ( txt_category_wt_create.length > 5 ) {
                    if ( txt_description_wt_create.length > 5 ) {
                        if ( txt_library_wt_create.length > 5 ) {
                            if ( txt_price_wt_create.length > 3 ) {
                                $.ajax({
                                    url: "<?php echo
base_url();?>agent/templates/create",
                                    method: "POST",
                                    data: {

```



```
txt_name_wt_create :  
txt_category_wt_create :  
txt_description_wt_create :  
txt_library_wt_create :  
txt_price_wt_create :  
},  
success:function(data){  
  
location.reload('/admin/website_template');  
},  
error:function(){  
    toastr.error("ERROR!");  
}  
});  
} else {  
    toastr.error("ERROR: Minimum of 3  
characters!");  
}  
} else {  
    toastr.error("ERROR: Minimum of 5 characters!");  
}  
} else {  
    toastr.error("ERROR: Minimum of 5 characters!");  
}  
} else {  
    toastr.error("ERROR: Minimum of 5 characters!");  
}  
} else {  
    toastr.error("ERROR: Minimum of 5 characters!");  
}  
});  
  
$('#btn_update_wt').click(function(){  
    var txt_no_wt      = $('#txt_no_wt').val();  
    var txt_name_wt    = $('#txt_name_wt').val();  
    var txt_category_wt= $('#txt_category_wt').val();  
    var txt_description_wt= $('#txt_description_wt').val();  
    var txt_library_wt= $('#txt_library_wt').val();  
    var txt_price_wt   = $('#txt_price_wt').val();  
  
    if ( txt_name_wt.length > 5 ) {  
        if ( txt_category_wt.length > 5 ) {  
            if ( txt_description_wt.length > 5 ) {  
                if ( txt_library_wt.length > 5 ) {  
                    if ( txt_price_wt.length > 5 ) {  
                        $.ajax({  
                            url: "<?php echo  
base_url();?>agent/templates/update",  
                            method: "POST",  
                            data: {  
                                }  
                            }  
                        })  
                    }  
                }  
            }  
        }  
    }  
});
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

190

```
        txt_no_wt      : txt_no_wt,
        txt_name_wt    : txt_name_wt,
        txt_category_wt :
        txt_description_wt  :
        txt_library_wt    :
        txt_price_wt      : txt_price_wt
    },
    success:function(data){

location.reload('/admin/website_template');
},
error:function(){
    toastr.error("ERROR!");
}
});
} else {
    toastr.error("ERROR: Minimum of 5
characters!");
}
} else {
    toastr.error("ERROR: Minimum of 5 characters!");
}
} else {
    toastr.error("ERROR: Minimum of 5 characters!");
}
} else {
    toastr.error("ERROR: Minimum of 5 characters!");
}
} else {
    toastr.error("ERROR: Minimum of 5 characters!");
}
} else {
    toastr.error("ERROR: Minimum of 5 characters!");
}
} else {
    toastr.error("ERROR: Minimum of 5 characters!");
}
} else {
    toastr.error("ERROR: Minimum of 5 characters!");
}
} else {
    toastr.error("ERROR: Minimum of 5 characters!");
}
} else {
    toastr.error("ERROR: Minimum of 5 characters!");
}
} else {
    toastr.error("ERROR: Minimum of 5 characters!");
}
});

var timeout = setInterval(reloadNotificationTemplate, 1000);
function reloadNotificationTemplate () {
    $.ajax ({
        url: 'php echo base_url(); ?
?>agent/issue_tracker/getNotify',
        method: "POST",
        data: {
        },
        success:function(data){
            $('#sidebar-panel-notify').html(data);
        },
        error:function(){
            toastr.error('ERROR: Please refresh the page!');
        }
    });
}

}
```



```
$('#btn_latlong_submit').click(function(){
    var txt_lat_prof      = $('#txt_lat_prof').val();
    var txt_long_prof     = $('#txt_long_prof').val();
    if ( txt_lat_prof && txt_long_prof ) {
        $.ajax ({
            url: '<?php echo base_url();',
            ?>agent/profile/updateLocation',
            method: "POST",
            data: {
                txt_lat_prof      : txt_lat_prof,
                txt_long_prof     : txt_long_prof
            },
            success:function(data){
                location.reload('/admin/profile');
            },
            error:function(){
                toastr.error('ERROR: Please refresh the page!');
            }
        });
    } else {
        tError('Select your place');
    }
});

$('#btn_submit_change_password_profile_admin').click(function(){
    var txt_current_pword          =
$('#txt_current_pword_admin').val();
    var txt_pword_changeprofile   =
$('#txt_pword_changeprofile_admin').val();
    var txt_conpword_changeprofile =
$('#txt_conpword_changeprofile_admin').val();

    if ( txt_current_pword ) {
        $.ajax ({
            url: '<?php echo base_url();',
            ?>agent/profile/check_pword',
            method: "POST",
            data: {
                txt_current_pword : txt_current_pword
            },
            success:function(data){
                if ( data == 1 ) {
                    if ( txt_pword_changeprofile.length >= 6 ) {
                        if ( txt_pword_changeprofile ==
txt_conpword_changeprofile ) {
                            $.ajax ({
                                url: '<?php echo base_url();',
                                ?>agent/profile/changePassword',
                                method: "POST",
                                data: {
                                    txt_pword_changeprofile :
txt_pword_changeprofile
                                },
                                success:function(data){
```



```
location.reload('/agent/profile');

        },
        error:function(){
            toastr.error('ERROR: Please
refresh the page!');
        }
    } else {
        tError('Password and confirm password is
not the same');
    }
} else {
    tError('Password must be 6 characters and
above');
}
} else {
    tError('Current password doesnt match');
}
},
error:function(){
    toastr.error('ERROR: Please refresh the page!');
}
});
} else {
    tError('Current password is empty');
}
});

$('#txt_current_pword_admin').keyup(function(){
    var txt_current_pword = $('#txt_current_pword_admin').val();

    $.ajax ({
        url: '<?php echo base_url(); ?>agent/profile/check_pword',
        method: "POST",
        data: {
            txt_current_pword : txt_current_pword
        },
        success:function(data){
            if ( data == 1 ) {
                $("#txt_pword_changeprofile_admin").prop('disabled',
false);

                $("#txt_conpword_changeprofile_admin").prop('disabled', false);
            } else {
                $("#txt_pword_changeprofile_admin").prop('disabled',
true);
            }
            $("#txt_conpword_changeprofile_admin").prop('disabled', true);
        }
    },
    error:function(){
        toastr.error('ERROR: Please refresh the page!');
    }
}
```



```
        });
    });

    $('#btn_submit_change_information_profile_admin').click(function(){
        var txt_fname_profile_change      =
        $('#txt_fname_profile_change_admin').val();
        var txt_lname_profile_change     =
        $('#txt_lname_profile_change_admin').val();
        var txt_email_profile_change    =
        $('#txt_email_profile_change_admin').val();
        var txt_uname_profile_change    =
        $('#txt_uname_profile_change_admin').val();
        var txt_contact_profile_change  =
        $('#txt_contact_profile_change_admin').val();

        var checkFname      = /^[a-zA-Z_-]+([a-zA-Z_-])*$/;
        var checkLname      = /^[a-zA-Z_-]+([a-zA-Z_-])*$/;
        var checkUname      = /\w$/;
        var checkContact    = /^[0-9]{1,5}([7-9][0-9]{9})$/;
        var checkEmail      =
        /^(([^\<()[]\.,;:\s@"]+([^\<()[]\.,;:\s@"]+)*|(\".+\")|((\[[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\])|(([a-zA-Z\-\-0-9]+\.)+[a-zA-Z]{2,}))$/;

        if ( txt_fname_profile_change ) {
            if ( checkFname ) {
                if ( txt_lname_profile_change ) {
                    if ( checkLname ) {
                        if ( txt_email_profile_change ) {
                            if ( checkEmail ) {
                                if ( txt_contact_profile_change ) {
                                    if ( checkContact ) {
                                        $.ajax ({
                                            url: '<?php echo base_url();',
                                            method: "POST",
                                            data: {
                                                txt_fname_profile_change,
                                                txt_lname_profile_change,
                                                txt_email_profile_change,
                                                txt_uname_profile_change,
                                                txt_contact_profile_change : txt_contact_profile_change
                                            },
                                            success:function(data){
                                                location.reload('/admin/profile');
                                            }
                                        });
                                    }
                                }
                            }
                        }
                    }
                }
            }
        }
    });
}

?>admin/profile/changeInformation',
: txt_fname_profile_change,
: txt_lname_profile_change,
: txt_email_profile_change,
: txt_uname_profile_change,
txt_contact_profile_change : txt_contact_profile_change
},
success:function(data){
},
```



```
error:function(){
    toastr.error('ERROR:
Please refresh the page!');
}
});
} else {
    tError('Invalid format of
contact');
}
} else {
    }
}
} else {
    tError('Contact field is empty');
}
} else {
    tError('Invalid format of ');
}
} else {
    tError(' field is empty');
}
} else {
    tError('Invalid format of ');
}
} else {
    tError(' field is empty');
}
} else {
    tError('Invalid format of ');
}
} else {
    tError('Firstname field is empty');
}
});
<?php
if ( $curpage == 'Profile' ) {
    if ( !empty($get_all_post) ) {
        foreach ( $get_all_post as $gap ) :
?
        $('#adminReplyPost<?php echo $gap->NO;
?>').keypress(function(event) {
            if (event.keyCode == 13 && !event.shiftKey) {
                if ( $('#adminReplyPost<?php echo $gap->NO;
?>').val() ) {
                    $.ajax ({
                        url: '<?php echo base_url();
?>agent/profile/insert_reply',
                        method: "POST",
                        data: {
                            replyMessage : $(
                                '#adminReplyPost<?php echo $gap->NO;
?>').val(),
                            messageNo : '<?php
echo $gap->NO; ?>',
                            },
                        success:function(data){
                            html = '<div class="padding-
top">';
                
```



```
        html += '    <div class="ibox-  
content no-border" style="background-color: #F2F2F2;">;  
        html += '        <div>;  
        html += '            <div  
class="row">;  
                html += '                <div  
class="col-xs-1">;  
                    html += '                        <img  
src=<?php echo base_url(); ?>public/img/<?php echo $session_image; ?>"  
style="width:40px;height:40px;" />;  
                    html += '                </div>;  
                    html += '                <div  
style="padding-left: 75px;"><span class="text-bold"><?php echo $session_name;  
?></span> | <span><?php echo $date; ?></span></div>;  
                    html += '                <div  
style="padding-left: 75px;">' + $('#adminReplyPost<?php echo $gap->NO; ?>').val()  
+'</div>;  
                    html += '            </div>;  
                    html += '            <div>;  
                    html += '                <div>;  
                    html += '                    <div>;  
                    html += '                        <div>;  
$gap->NO; ?>).append(html);  
$gap->NO; ?>).val('');  
                },  
                error:function(){  
                    toastr.error('ERROR: Please  
refresh the page!');  
                }  
            );  
        }  
    );  
<?php  
    endforeach;  
?  
    $('#btn_post_profile').click(function(){  
        var txt_post          = $('#txt_post').val();  
        var txt_no_prof_post = $('#txt_no_prof_post').val();  
  
        if ( txt_post ) {  
            $.ajax({  
                url: "<?php echo  
base_url();?>agent/profile/create",  
                method: "POST",  
                data: {  
                    txt_post      : txt_post  
                },  
                success:function(data){  
                    $('#txt_post').val("");  
                    html = '<div class="padding-top">;  
    
```



```
        html += '      <div class="ibox-content no-
border">';
        html += '          <div class="row">';
        html += '              <span class="pull-right"
style="color:blue;padding-right: 15px;"><a>X</a></span>';
        html += '          <div class="col-xs-1">';
        html += '              ';
        html += '          </div>';
        html += '          <div class="text-bold "
style="padding-left: 75px;"><?php echo $session_name; ?></div>';
        html += '          <div class=""'
style="padding-left: 75px;"><?php echo $date; ?></div>';
        html += '          </div>';
        html += '          <hr class="no-margin margin-
top"/>';
        html += '          <div class="padding-top"
style="padding-left: 20px;padding-right: 20px;font-size: 17px;">';
        html += '              txt_post;
        html += '          </div>';
        html += '          <input type="text" value="'+
data +'" id="txt_no_prof_post" style="display:none;" />';
        html += '          <div class="padding-top">';
        html += '              <textarea class="form-
control" id="adminReplyPost'+ data +'" style="max-width: 100%;max-height:
50px;min-height: 50px;" placeholder="Comment"></textarea>';
        html += '          </div>';
        html += '          <div id="newReplyPostNo'+
data +'></div>';
        html += '      </div>';
        html += '      </div>';
        $( '#newPostAdmin' ).append( html );
    },
    error: function(){
        toastr.error("ERROR!");
    }
});
} else{
    toastr.error("Write something");
}
});

<?php
}
?>

$("#event_create").click(function(){
    var event_title_create =
$("#event_title_create").val();
    var event_description_create =
$("#event_description_create").val();

    if ( event_title_create && event_description_create ) {
        $.ajax ({
            url: '<?php echo base_url(); ?>agent/events/insert',

```



```
        method: "POST",
        data: {
            event_title_create      : event_title_create,
            event_description_create : event_description_create
        },
        success:function(data){
            html      = '<tr>';
            html    += '  <td class="title">';
            html    += '    <a href="'+<?php echo
base_url();?>agent/events" >' + event_title_create +'</a>';
            html    += '  </td>';
            html    += '</tr>';
            $('#event_left_list').prepend(html);

            $('#eventModal').modal('toggle');
        },
        error:function(){
            toastr.error('ERROR: Please refresh the page!');
        }
    });
} else {
    toastr.error('ERROR: Incomplete field!');
}
});

$('#messageReply').keypress(function(event) {
    if (event.keyCode == 13 && !event.shiftKey) {
        if ( $('#messageReply').val() ) {
            $.ajax ({
                url: '<?php echo base_url();
?>agent/message/insert_reply',
                method: "POST",
                data: {
                    replyMessage   : $('#messageReply').val(),
                    messageNo     : '<?php echo $this->uri-
>segment(4); ?>',
                    },
                success:function(data){
                    location.reload('/message/content/' + '<?php echo
$this->uri->segment(4); ?>');
                    },
                error:function(){
                    toastr.error('ERROR: Please refresh the page!');
                }
            });
        } else {
            return false;
        }
    }
});

$('#cm_create').click(function(){
    var email = $('#cm_email').val();
    var subject = $('#cm_subject').val();
    var message = $('#cm_message').val();
});
```



```
if ( email ) {

    $.ajax ({
        url: '<?php echo base_url();
?>agent/message/checkEmail',
        method: "POST",
        data: {
            email : $('#cm_email').val()
        },
        success:function(data){
            if ( data == 0 ) {
                $('#error_cm_email').text(' ERROR: Email
address is invalid!');
            } else {
                $('#error_cm_email').text('');
                if ( subject ) {
                    if ( message ) {
                        $.ajax ({
                            url: '<?php echo base_url();
?>admin/message/new_message',
                            method: "POST",
                            data: {
                                email :
                                subject :
                                message :
                            },
                            success:function(data){
                                location.reload('/message/');
                                // alert(data);
                            },
                            error:function(){
                                toastr.error('ERROR: Please
refresh the page!');
                            }
                        });
                    } else {
                        clearAllErrorMessage();
                        $('#error_cm_message').text(' ERROR:
Please fill this field!');
                    }
                } else {
                    clearAllErrorMessage();
                    $('#error_cm_subject').text(' ERROR: Please
fill this field!');
                }
            }
        },
        error:function(){
            toastr.error('ERROR: Please refresh the page!');
        }
    });
} else {
```



```
        clearAllErrorMessage();
        $('#error_cm_email').text(' ERROR: Please fill this
field! ');
    }

    <?php
        if ( $this->curpage == "Issue Tracker" ) {
            if ( !empty ($get_all_issue_tracker) ) {
                foreach ( $get_all_issue_tracker as $gait ) :
            ?
                $('#replyforIssueID<?php echo $gait->NO;
?>').keypress(function(event) {
                    if (event.keyCode == 13 && !event.shiftKey) {
                        if ( $('#replyforIssueID<?php echo $gait-
>NO; ?>').val() ) {
                            $.ajax ({
                                url: '<?php echo base_url();
?>agent/issue_tracker/insert_reply',
                                method: "POST",
                                data: {
                                    issueTrackerNo : '<?php
echo $gait->NO; ?>',
                                    issueTrackerReply : $('#replyforIssueID<?php echo $gait->NO; ?>').val()
                                },
                                success:function(data){
                                    location.reload('/admin');
                                },
                                error:function(){
                                    toastr.error('ERROR: Please
refresh the page!');
                                }
                            });
                        } else {
                            return false;
                        }
                    }
                });
            }
        }
    });

    $("#replyID<?php echo $gait->NO;
?>").click(function(){
    $.ajax ({
        url: '<?php echo base_url();
?>agent/issue_tracker/getReplyIssueTracker',
        method: "POST",
        data: {
            no : $("#"replyNO<?php echo
$gait->NO; ?>").val()
        },
        success:function(data){
            $("#data-body-modal-issue-tracker<?php
echo $gait->NO; ?>").html(data);
        },
        error:function()
    });
});

```



## DIVINE MERCY COLLEGE FOUNDATION INC.

200

```
        toastr.error('ERROR: Please refresh the
page!');

        }
    });
});

<?php
    endforeach;
}
?>
// DEFAULT CODE - START DONT DELETE IT
var config = {
    '.chosen-select' : {},
    '.chosen-select-deselect' : {allow_single_deselect:true},
    '.chosen-select-no-single' : {disable_search_threshold:10},
    '.chosen-select-no-results': {no_results_text:'Oops, nothing
found!'},
    '.chosen-select-width' : {width:"100%"}
}
for (var selector in config) {
    $(selector).chosen(config[selector]);
}

$("#testimonial-slider").owlCarousel({
    items:2,
    itemsDesktop:[1199,2],
    itemsDesktopSmall:[979,2],
    itemsTablet:[768,2],
    itemsMobile:[600,1],
    pagination:true,
    navigation:false,
    navigationText:["",""],
    slideSpeed:1000,
    autoPlay:true
});

// TOOLTIP AND POPOVER
 $('[data-toggle="tooltip"]').tooltip();
 $('[data-toggle="popover"]').popover();

$('body').scrollspy({
    target: '.navbar-fixed-top',
    offset: 80
});

// Page scrolling feature
$('a.page-scroll').bind('click', function(event) {
    var link = $(this);
    $('html, body').stop().animate({
        scrollTop: $(link.attr('href')).offset().top - 50
    }, 500);
    event.preventDefault();
});
}
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

201

```
// CODE FOR SEARCH
var options = {
    valueNames: [ 'name', 'contact', 'email', 'title', 'username',
'date', 'link', 'issue-info', 'status']
};

var searchList = new List('search', options);
// END OF DEFAULT CODE
});

// GOOGLE MAP API CODE START
function initMap() {
    var mapOptions = {
        zoom: 13,
        center: {lat: 14.633420, lng: 120.973839},
        styles:
[{"stylers": [{"hue": "#18a689"}, {"visibility": "on"}, {"invert_lightness": true}, {"saturation": 40}, {"lightness": 10}]]}
    };

    var mapElement = document.getElementById('map');
    var map = new google.maps.Map(mapElement, mapOptions);

<?php
    if ( $curpage == "Profile" ) {
?>

        google.maps.event.addListener(map, 'click', function(event) {
            $('#txt_lat_prof').val(event.latLng.lat());
            $('#txt_long_prof').val(event.latLng.lng());
        });
<?php
    }
?>
}

// GOOGLE MAP API CODE END
// DEFAULT CODE - DONT DELETE - START
var cbpAnimatedHeader = (function() {
    var docElem = document.documentElement,
        header = document.querySelector( '.navbar-default' ),
        didScroll = false,
        changeHeaderOn = 200;
    function init() {
        window.addEventListener( 'scroll', function( event ) {
            if( !didScroll ) {
                didScroll = true;
                setTimeout( scrollPage, 250 );
            }
        }, false );
    }
    function scrollPage() {
        var sy = scrollY();
        if ( sy >= changeHeaderOn ) {
            $(header).addClass('navbar-scroll')
        }
        else {
    
```



```
        $(header).removeClass('navbar-scroll')
    }
    didScroll = false;
}
function scrollY() {
    return window.pageYOffset || docElem.scrollTop;
}
init();

})();

// Activate WOW.js plugin for animation on scroll
new WOW().init();

$(document).on('click', '.browse', function(){
    var file = $(this).parent().parent().parent().find('.file');
    file.trigger('click');
});

$(document).on('change', '.file', function(){
    $(this).parent().find('.form-control').val($(this).val().replace(/C:\\fakepath\\/, ''));;
});
// END OF DEFAULT CODE
</script>

common/navside_admin.php
<nav class="navbar-default navbar-static-side" role="navigation" id="admin">
    <div class="sidebar-collapse">
        <ul class="nav metismenu" id="side-menu">
            <li class="nav-header">
                <?php
                    foreach ( $get_admin_specific as $gas ) :
                        $permission = explode('|', $gas->PERMISSION);
                ?>
                <div class="dropdown profile-element">
                    <span>
                        <center>
                            
                        </center>
                    </span>
                    <a data-toggle="dropdown" class="dropdown-toggle"
                        href="#">
                        <span class="clear text-center">
                            <span class="block m-t-xs">
                                <strong class="font-bold"><?php echo $gas->FIRSTNAME . " " . $gas->LASTNAME; ?> <b class="caret"></b></strong>
                            </span>
                            <span class="text-muted text-xs block"><?php echo $gas->ACCOUNT_TYPE; ?></span>
                        </span>
                    </a>
                </div>
            </li>
        </ul>
    </div>
</nav>
```



```
xs">
                <ul class="dropdown-menu animated fadeInRight m-t-
?>
                <?php if ( in_array("Profile", $permission) ) {
?>
                    <li><a href="<?php echo base_url();
?>admin/profile">Profile</a></li>
                    <?php } ?>
                    <?php if ( in_array("Contact", $permission) ) {
?>
                        <li><a href="<?php echo base_url();
?>admin/contact">Contact</a></li>
                        <?php } ?>
                    </ul>
                </div>
                <?php
                    endforeach;
?>
                <div class="logo-element no-padding">
                    
                </div>
            </li>

            <?php
                foreach ( $get_admin_specific as $gas ) :
                    $permission = explode('|', $gas->PERMISSION);
                endforeach;
?>

                <?php if ( in_array("About My Site", $permission) ) { ?>
                    <li class="<?php echo ($this->curpage == 'About My Site') ?
'active' : ''; ?>">
                        <a href="<?php echo base_url();
?>admin/about_my_site"><i class="fa fa-file-text"></i> <span class="nav-
label">About My Site</span></a>
                        </li>
                    <?php } ?>

                    <?php if ( in_array("Dashboard", $permission) ) { ?>
                        <li class="<?php echo ($this->curpage == 'Dashboard') ?
'active' : ''; ?>">
                            <a href="<?php echo base_url(); ?>admin"><i class="fa
fa-th-large"></i> <span class="nav-label">Dashboard</span></a>
                            </li>
                        <?php } ?>

                        <?php if ( in_array("Events", $permission) ) { ?>
                            <li class="<?php echo ($this->curpage == 'Events') ?
'active' : ''; ?>">
                                <a href="<?php echo base_url(); ?>admin/events"><i
class="fa fa-list-alt"></i> <span class="nav-label">Events</span></a>
                                </li>
                            <?php } ?>
```



```
<?php if ( in_array("Message", $permission) ) { ?>
    <li class="<?php echo ($this->curpage == 'Message') ?
'active' : ''; ?>">
        <a href="<?php echo base_url(); ?>admin/message"><i
class="fa fa-envelope"></i> <span class="nav-label">Message</span></a>
    </li>
    <?php } ?>

    <?php if ( in_array("Notification", $permission) ) { ?>
        <li class="<?php echo ($this->curpage == 'Notification') ?
'active' : ''; ?>">
            <a href="<?php echo base_url(); ?>admin/notification"><i
class="fa fa-bell"></i> <span class="nav-label">Notification</span></a>
        </li>
        <?php } ?>

    <?php if ( in_array("Settings", $permission) ) { ?>
        <li class="<?php echo ($this->curpage == 'Settings' ||
$this->curpage == 'PayPal Configuration') ? 'active' : ''; ?>">
            <a href="#"><i class="fa fa-cog"></i> <span class="nav-
label">Settings</span><span class="fa arrow"></span></a>
            <ul class="nav nav-second-level collapse">
                <?php if ( in_array("PayPal Configuration",
$permission) ) { ?>
                    <li><a href="<?php echo base_url();
?>admin/paypal_configuration">PayPal Configuration</a></li>
                    <?php } ?>
                </ul>
            </li>
            <?php } ?>

            <?php if ( in_array("Statistics", $permission) ) { ?>
                <li class="<?php echo ($this->curpage == 'Reports') ?
'active' : ''; ?>">
                    <a href="<?php echo base_url(); ?>admin/reports"><i
class="fa fa-area-chart"></i> <span class="nav-label">Reports</span></a>
                </li>
                <?php } ?>

                <?php if ( in_array("Team", $permission) ) { ?>
                    <li class="<?php echo ($this->curpage == 'Team') ? 'active'
: ''; ?>">
                        <a href="<?php echo base_url(); ?>admin/team"><i
class="fa fa-users"></i> <span class="nav-label">Team</span></a>
                    </li>
                    <?php } ?>

                    <?php if ( in_array("User Management", $permission) ) { ?>
                        <li class="<?php echo ($this->curpage == 'User Management'
|| $this->curpage == 'Account' || $this->curpage == 'Agent' || $this->curpage ==
'Co-Administrator') ? 'active' : ''; ?>">
                            <a href="#"><i class="fa fa-cogs"></i> <span class="nav-
label">User Management</span><span class="fa arrow"></span></a>
                            <ul class="nav nav-second-level collapse">
```



```
<?php if ( in_array("Accounts", $permission) ) { ?>
    <li><a href="<?php echo base_url();
?>admin/account">Account</a></li>
    <?php } ?>

    <?php if ( in_array("Agent", $permission) ) { ?>
        <li><a href="<?php echo base_url();
?>admin/agent">Agent</a></li>
        <?php } ?>

        <?php if ( in_array("Co-Administrator", $permission)
) { ?>
            <li><a href="<?php echo base_url();
?>admin/co_administrator">Co-Administrator</a></li>
            <?php } ?>
        </ul>
    </li>
    <?php } ?>

    <?php if ( in_array("Website", $permission) ) { ?>
        <li class="<?php echo ($this->curpage == 'Website Template'
|| $this->curpage == 'Website Online') ? 'active' : ''; ?>>
            <a href="#"><i class="fa fa-sitemap"></i> <span
class="nav-label">Website</span><span class="fa arrow"></span></a>
            <ul class="nav nav-second-level collapse">
                <?php if ( in_array("Website Online", $permission) )
{ ?>
                    <li><a href="<?php echo base_url();
?>admin/website_online">Website Online</a></li>
                    <?php } ?>
                <?php if ( in_array("Website Template", $permission)
) { ?>
                    <li><a href="<?php echo base_url();
?>admin/website_template">Website Template</a></li>
                    <?php } ?>
                </ul>
            </li>
            <?php } ?>
        </ul>
    </div>
</nav>

common/navside_agent.php
<nav class="navbar-default navbar-static-side" role="navigation" id="admin">
    <div class="sidebar-collapse">
        <ul class="nav metismenu" id="side-menu">
            <li class="nav-header">
                <?php
                    foreach ( $get_agent_specific as $gas ) :
                        $permission = explode('|', $gas->PERMISSION);
                ?>
                <div class="dropdown profile-element">
                    <span>
```



```
<center>
    
    </center>
</span>
<a data-toggle="dropdown" class="dropdown-toggle"
href="#">
    <span class="clear text-center">
        <span class="block m-t-xs">
            <strong class="font-bold"><?php echo
$gas->FIRSTNAME. " ". $gas->LASTNAME; ?> <b class="caret"></b></strong>
        </span>
        <span class="text-muted text-xs block">User
Position: <?php echo $gas->ACCOUNT_TYPE; ?></span>
        </span>
    </a>
    <ul class="dropdown-menu animated fadeInRight m-t-
xs">
        <?php if ( in_array("Profile", $permission) ) {
?>
            <li><a href="<?php echo base_url();
?>agent/profile">Profile</a></li>
            <?php } ?>
            <?php if ( in_array("Contact", $permission) ) {
?>
                <li><a href="<?php echo base_url();
?>agent/contact">Contact</a></li>
                <?php } ?>
            </ul>
        </div>
        <?php
            endforeach;
        ?>
        <div class="logo-element no-padding">
            
        </div>
    </li>

    <?php
        foreach ( $get_agent_specific as $gas ) :
            $permission = explode('|', $gas->PERMISSION);
        endforeach;
    ?>

    <?php if ( in_array("Issue Tracker", $permission) ) { ?>
        <li class="<?php echo ($this->curpage == 'Issue Tracker') ?
'active' : ''; ?>">
            <a href="<?php echo base_url();
?>agent/issue_tracker"><i class="fa fa-file-text"></i> <span class="nav-
label">Issue Tracker</span></a>
            </li>
        <?php } ?>
```



```
<?php if ( in_array("Events", $permission) ) { ?>
    <li class="<?php echo ($this->curpage == 'Events') ?
'active' : ''; ?>">
        <a href="<?php echo base_url(); ?>agent/events"><i
class="fa fa-list-alt"></i> <span class="nav-label">Events</span></a>
        </li>
    <?php } ?>

    <?php if ( in_array("Message", $permission) ) { ?>
        <li class="<?php echo ($this->curpage == 'Message') ?
'active' : ''; ?>">
            <a href="<?php echo base_url(); ?>agent/message"><i
class="fa fa-envelope"></i> <span class="nav-label">Message</span></a>
            </li>
        <?php } ?>

        <?php if ( in_array("Notification", $permission) ) { ?>
            <li class="<?php echo ($this->curpage == 'Notification') ?
'active' : ''; ?>">
                <a href="<?php echo base_url(); ?>agent/notification"><i
class="fa fa-bell"></i> <span class="nav-label">Notification</span></a>
                </li>
            <?php } ?>

            <?php if ( in_array("Template", $permission) ) { ?>
                <li class="<?php echo ($this->curpage == 'Purchased
Template' || $this->curpage == 'Templates') ? 'active' : ''; ?>">
                    <a href="#"><i class="fa fa-sitemap"></i> <span
class="nav-label">Template</span><span class="fa arrow"></span></a>
                    <ul class="nav nav-second-level collapse">
                        <?php if ( in_array("Purchased Template",
$permission) ) { ?>
                            <li><a href="<?php echo base_url();
?>agent/purchased_template">Purchased Template</a></li>
                            <?php } ?>
                        <?php if ( in_array("Templates", $permission) ) { ?>
                            <li><a href="<?php echo base_url();
?>agent/templates">Templates</a></li>
                            <?php } ?>
                        </ul>
                    </li>
                <?php } ?>
            </ul>
        </div>
    </nav>

common/navtop.php
<nav class="nav2 navbar navbar-default no-margin no-border-radius padding-
all" style="background-color: #0076BE;font-size: 11px;">
    <div class="container-fluid">
        <div class="col-md-6">
            <div class="text-center">
```



```
<ul class="nav navbar-nav" style="display: inline-block;">
    <li><a class="no-padding" href=<?php echo
base_url();?>">
        <img class="img-responsive" src=<?php echo base_url();
?>public/img/logo4.png" style="height: 50px; width: 200px; padding: 5px;">
    </a></li>
</ul>
</div>
</div>
<div class="col-md-6">
    <div class="text-center">
        <ul class="nav navbar-nav" style="display: inline-block;">
            <div class="text-center">
                <ul class="nav navbar-nav" style="display: inline-
block;">
                    <li class="text-center">
                        <a class="hvr-underline-reveal" href=<?php echo
base_url();?>blog"><strong>Blog</strong></a>
                    </li>
                    <li class="text-center">
                        <a class="hvr-underline-reveal" class="" href=<?php echo base_url();?>events"><strong>Events</strong></a>
                    </li>
                    <li class="text-center">
                        <a class="hvr-underline-reveal" class="" href=<?php echo base_url();?>testimonial"><strong>Testimonial</strong></a>
                    </li>
                    <?php
                        if( !$this->session->userdata('user_session') ){
                    ?>
                        <li class="dropdown">
                            <a class="dropdown-toggle hvr-underline-
reveal" data-toggle="dropdown">Log In <span class="caret"></span></a>
                                <?php $this->load->view('login'); ?>
                            </li>
                            <?php
                                } else {
                            ?>
                                <li class="text-center">
                                    <a class="hvr-underline-reveal"
href=<?php echo base_url();?>profile" ><strong>Profile</strong></a>
                                </li>
                                <li class="text-center">
                                    <a class="hvr-underline-reveal"
href=<?php echo base_url(); ?>logout" ><strong>Logout</strong></a>
                                </li>
                            <?php
                                }
                        
```



```
?>

        </ul>
    </div>
</div>
</div>
</nav>

<?php
    $this->load->view('login');
?>

common/navtop_admin.php
<nav class="navbar navbar-static-top no-margin-bottom padding-left-right bg-white" role="navigation">
    <ul class="nav navbar-top-links navbar-left text-center">
        <center>
            
        </center>
        <!-- <h2 class="pad-left text-color-def text-bold">JMAE SITE
PROVIDER</h2> -->
    </ul>

    <ul class="nav navbar-top-links navbar-right text-center">
        <a class="navbar-minimize" href="#"><i class="fa fa-bars"></i>
    </a>

        <li>
            <a href="<?php echo base_url(); ?>logout">Log out</a>
        </li>
    </ul>
</nav>

user/blogcontent.php
<div class="padding-top">
    <div class="ibox-content padding-all no-border full-width"
style="background-color: #0076BE;">
        <h4 class="no-margin" style="color: #FFFFFF;">Blog</h4>
    </div>
</div>

<div class="row">
    <?php
        if ( $get_all_blog ) {
            foreach ( $get_all_blog as $gab ) :
?>
            <div class="col-md-3">
                <div class="padding-top">
                    <div class="ibox-content text-
center">
                        <a data-toggle="modal" data-
target="#blogContent<?php echo $gab->NO;?>" class="product-name"><?php echo
$gab->TITLE; ?></a>
```



```
?></small>
                <small><?php echo $gab->DATE;
                <hr/>
                <div style="text-align:
justify; height:126px;">
                >DESCRIPTION, 0, 250);
                >DESCRIPTION) >= 250 ) {
                '....';
                <?
                >
                <div>
                <?php
                <?
                >
                <?
                >
                <?php
                if ( $get_all_blog ) {
                    foreach ( $get_all_blog as $gab ) :
                ?>
                    <div class="modal inmodal" id="blogContent<?php echo $gab-
>NO;?>" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
                        <div class="modal-dialog" role="document">
                            <div class="modal-content animated pulse">
                                <div class="modal-body padding-bottom padding-
top">
                                    <h3 class="no-margin text-center"><?php echo
$gab->TITLE; ?></h3>
                                    <div class="padding-all">
                                        <?php echo $gab->DESCRIPTION; ?>
                                    <div>
                                    <hr class="no-margin" />
                                    <?php
                                        foreach ( $get_all_reply as $gar ) :
                                            if ( $gar->BLOGNO == $gab->NO ) {
                                                <?
                                                >
                                                <div class="padding-top">
                                                    <div class="row">
                                                        <div class="col-
xs-1">
                                                            
                                                        </div>
                                                        <div
style="padding-left: 85px;">

```



```
<div><label><?php echo $gar->NAME; ?></label><?php echo ' - ' . $gar->DATE; ?></div>
<div style="font-size: 15px;">
    <?php echo $gar->REPLY; ?>
        </div>
    </div>
    <?php
        }
        endforeach;
    ?>
    <div id="newReply<?php echo $gab->NO; ?>">
        <div class="padding-top">
            <?php
                if ( !empty($this->session->userdata('user_session')) ) {
                    ?
                    <textarea style="min-height: 15%;max-height: 15%;" placeholder="Write a comment...."
                        id="replyBlog<?php echo $gab->NO; ?>" class="form-control full-width"></textarea>
                    <?php
                        }
                    ?>
                </div>
            </div>
        </div>
    </div>
<?php
    endforeach;
}
?>

user/eventscontent.php
<div class="padding-top">
    <div class="ibox-content padding-all no-border full-width" style="background-color: #0076BE;">
        <h4 class="no-margin" style="color: #FFFFFF;">Events</h4>
    </div>
</div>

<div class="row">
    <?php
        if ( $get_all_events ) {
            foreach ( $get_all_events as $gae ) :
        ?
            <div class="col-md-3">
                <div class="padding-top">
```



```
<div class="ibox-content text-center">
    <a data-toggle="modal" data-target="#eventsContent<?php echo $gae->NO;?>" class="product-name"><?php echo $gae->TITLE; ?></a>
    <small><?php echo $gae->DATE;
    ?></small>
    <justify; height:126px;">
        >DESCRIPTION, 0, 250);
    >DESCRIPTION) >= 250 ) {
        '....';
    }
    <?php
        endforeach;
    }
    ?>
</div>
<?php
    if ( $get_all_events ) {
        foreach ( $get_all_events as $gae ) :
    ?>
        <div class="modal inmodal" id="eventsContent<?php echo $gae->NO;?>" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
            <div class="modal-dialog" role="document">
                <div class="modal-content animated pulse">
                    <div class="modal-body padding-bottom padding-top">
                        <h3 class="no-margin text-center"><?php echo $gae->TITLE; ?></h3>
                        <div class="padding-all" style="font-size: 14px;">
                            <?php echo $gae->DESCRIPTION; ?>
                        </div>
                        <hr class="no-margin" />
                        <?php
                            foreach ( $get_all_reply as $gar ) :
                                if ( $gar->EVENTNO == $gae->NO ) {
                            ?>
                                <div class="padding-top">
                                    <div class="row">
                                        <div class="col-xs-1">
```


<img
style="padding-left: 85px;">
<div><label><?php echo \$gar->NAME; ?></label><?php echo ' - ' . \$gar->DATE;
?></div>
<div
style="font-size: 15px;">
<?php echo \$gar->REPLY; ?>
<?php
 }
 endforeach;
?>
<div id="newReplyEvent<?php echo \$gae->NO;
?>"></div>
<div class="padding-top">
<?php
 if ( !empty(\$this->session-
>userdata('user\_session')) ) {
 ?
 <textarea style="min-
height: 15%;max-height: 15%;" placeholder="Write a comment...."
id="replyEvent<?php echo \$gae->NO; ?>" class="form-control full-
width"></textarea>
 ?
 }
 ?
 </div>
 ?
 </div>
 ?
 endforeach;
}
?>

**user/homecontent.php**
<?php
 \$this->load->view('user/homewebsiteline');
 \$this->load->view('user/homewebsiteavailable');
?>

**user/homewebsiteavailable.php**
<div class="padding-top">
 <div class="ibox-content padding-all no-border full-width"
style="background-color: #0076BE;">



```
<h4 class="no-margin" style="color: #FFFFFF;">Food E-commerce  
Templates</h4>  
    </div>  
    </div>  
  
<div class="row">  
    <?php  
        if ( !empty($get_all_available_templates) ) {  
            foreach ( $get_all_available_templates as $gaat ) :  
        ?>  
            <div class="col-md-3 padding-top">  
                <div class="ibox-content product-box">  
                    <div>  
                          
                    </div>  
                    <div class="product-desc">  
                        <span class="product-price">  
                            <?php echo number_format($gaat->PRICE, 2,  
'.', ','); ?>  
                        </span>  
                        <small class="text-muted">Renting for a minimum  
of 1 month.</small>  
                        <a href="<?php echo $gaat->SITEURL; ?>"  
target="_blank" class="product-name" style="height:44px"> <?php echo $gaat-  
>TEMPLATENAME; ?></a>  
                        <div class="small m-t-xs" style="height: 30px">  
                            <?php echo $gaat->LIBRARYUSE; ?>  
                        </div>  
                        <div class="m-t text-righ text-center">  
                            <a href="<?php echo $gaat->SITEURL; ?>"  
target="_blank" class="btn btn-xs btn-outline btn-info">Live Preview</i> </a>  
                            <span><a data-toggle="modal" data-  
target="#modalRentThisSite<?php echo $gaat->NO; ?>" class="btn btn-xs btn-  
outline btn-success">Rent this site</i> </a> </span>  
                        </div>  
                    </div>  
                </div>  
            </div>  
        <?php  
            endforeach;  
        }  
    ?>  
</div>  
  
<?php  
    if ( !empty($get_all_available_templates) ) {  
        foreach ( $get_all_available_templates as $gaat ) :  
            if ( !empty($this->session->userdata('user_session')) ) {  
        ?>  
            <div class="modal inmodal" id="modalRentThisSite<?php echo  
$gaat->NO; ?>" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">  
                <div class="modal-dialog" role="document">  
                    <div class="modal-content animated pulse">  
                        <div class="modal-header">
```



```
>TEMPLATENAME; ?></h4>
                                <h4 class="modal-title"><?php echo $gaat-
                                </div>
                                <div class="modal-body padding-bottom padding-
                                top">
                                    <div class="ibox-content no-border">
                                        <label style="color: red;">JMAE Provider
                                        note:</label>
                                            <div>You can rent this cms template with
                                            a minimum duration of 1 month.</div>
                                                </div>
                                                <div class="form-group padding-top">
                                                    <img class="img-responsive" src=<?php
                                                    echo base_url(); ?>public/img/template/<?php echo $gaat->IMAGEURL; ?> />
                                                </div>
                                                <div id="first_form_rts<?php echo $gaat->NO;
                                                ?>">
                                                    <div class="form-group padding-top">
                                                        <input type="text" class="form-
                                                        control" id="txt_no_rts<?php echo $gaat->NO;?>" value=<?php echo $gaat->NO; ?>
                                                        style="display:none;"/>
                                                        <label>Select a period of
                                                        time</label>
                                                        <select class="form-control text-
                                                        center" id="txt_period_rts<?php echo $gaat->NO;?>" required>
                                                            <option value="period=01
                                                            month&price=<?php echo $gaat->PRICE*1; ?>">>1 month - ₱<?php echo
                                                            number_format($gaat->PRICE*1); ?></option>
                                                            <option value="period=03
                                                            months&price=<?php echo $gaat->PRICE*3; ?>">>3 months - ₱<?php echo
                                                            number_format($gaat->PRICE*3); ?></option>
                                                            <option value="period=06
                                                            months&price=<?php echo $gaat->PRICE*6; ?>">>6 months - ₱<?php echo
                                                            number_format($gaat->PRICE*6); ?></option>
                                                            <option value="period=12
                                                            months&price=<?php echo $gaat->PRICE*12; ?>">>12 months - ₱<?php echo
                                                            number_format($gaat->PRICE*12); ?></option>
                                                            <option value="period=24
                                                            months&price=<?php echo $gaat->PRICE*24; ?>">>24 months - ₱<?php echo
                                                            number_format($gaat->PRICE*24); ?></option>
                                                        </select>
                                                    </div>
                                                    <div class="row">
                                                        <div class="col-xs-8">
                                                            <div class="form-group">
                                                                <label>Create your sub-
                                                                domain</label>
                                                                <input type="text"
                                                                class="form-control" id="txt_subdomain_rts<?php echo $gaat->NO;?>"
                                                                maxlength='20' required/>
                                                            </div>
                                                        </div>
                                                        <div class="col-xs-4 no-padding-
                                                        left">
```



```
<div class="form-group">
    <label>domain of the
    company</label>
    <input type="text"
    class="form-control" id="txt_jmaedomain_rts<?php echo $gaat->NO;?>" value=".jmaeprovider.xyz" disabled/>
        </div>
    </div>
    <div class="form-group">
        <input type="button"
    id="btn_submit_rts<?php echo $gaat->NO;?>" value="Submit" class="btn btn-success"/>
            </div>
        </div>
    <div id="second_form_rts<?php echo $gaat-
    >NO; ?>" style="display: none;">
        <form
    action="https://www.paypal.com/cgi-bin/webscr" method="post" target="_top"
    class="no-margin">
            <input type="hidden" name="cmd"
    value="_xclick">
            <input type="hidden" name="business"
    value="<?php echo $paypal_id;?>">
            <input type="hidden" name="custom"
    value="" id="custom_js_rts<?php echo $gaat->NO; ?>">
            <input type="hidden"
    name="item_name" value="<?php echo $gaat->TEMPLATENAME;?>">
            <input type="hidden"
    name="currency_code" value="PHP">
            <input type="hidden"
    name="item_number" value="<?php echo $gaat->NO; ?>">
            <input type="hidden" name="amount"
    id="item_price<?php echo $gaat->NO; ?>">
            <button type="submit" class="btn
    btn-success btn-lg full-width" name="btn_submit_rts<?php echo $gaat->NO;
    ?>">Rent Now</button>
            <input type="hidden" name="return"
    value="http://localhost/jmaethesis/template/success">
            <input type='hidden'
    name='notify_url' value='http://localhost/jmaethesis/template/success'>
            <input type="hidden"
    name="cancel_return" value="http://localhost/jmaethesis/template">
        </form>
        <button class="btn btn-link full-width"
    id="btn_back_rts<?php echo $gaat->NO; ?>">Back</button>
    </div>
    </div>
    </div>
<?php
    } else {
?>
```



```
<div class="modal inmodal" id="modalRentThisSite<?php echo  
$gaat->N0; ?>" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">  
    <div class="modal-dialog" role="document">  
        <div class="modal-content animated pulse">  
            <div class="modal-header">  
                <h4 class="modal-title"><?php echo $gaat->TEMPLATENAME; ?></h4>  
            </div>  
            <div class="modal-body padding-bottom padding-  
top">  
                <div class="ibox-content no-border text-  
center">  
                    <label style="color: red;">JMAE Provider  
note:</label>  
                    <div>You must log-in first before you  
access this form!</div>  
                </div>  
            </div>  
        </div>  
    </div>  
<?php  
    }  
    endforeach;  
}  
?>
```

```
user/homewebsiteonline.php  
<div class="padding-top">  
    <div class="ibox-content padding-all no-border full-width"  
style="background-color: #0076BE;">  
        <h4 class="no-margin" style="color: #FFFFFF;">Templates online</h4>  
    </div>  
</div>  
  
<div class="row">  
    <?php  
        if ( !empty($get_all_rented_templates) ) {  
            foreach ( $get_all_rented_templates as $gart ) :  
        ?>  
            <div class="col-md-3 padding-top">  
                <div class="ibox-content product-box">  
                    <div>  
                          
                    </div>  
                    <div class="product-desc">  
                        <a href="<?php echo $gart->SITEURL; ?>"  
target="_blank" class="product-name" style="height:44px">  
                            <?php echo $gart->TEMPLATENAME; ?>  
                        </a>  
                    <div class="small m-t-xs" style="height: 30px">
```



```
<?php echo $gart->LIBRARYUSE; ?>
</div>
<div class="m-t text-righ text-center">
    <a href="php echo $gart-&gt;SITEURL; ?&gt;" target="_blank" class="btn btn-xs btn-outline btn-primary"&gt;View this site&lt;/i&gt;
&lt;/a&gt;
        &lt;/div&gt;
    &lt;/div&gt;
&lt;/div&gt;
&lt;?php
    endforeach;
}
?&gt;
&lt;/div&gt;

<buser/profile.php
<div class="padding-top">
    <div class="row">
        <div class="col-md-3">
            <div class="ibox-content no-border">
                <?php $this->load->view('user/profile_left'); ?>
            </div>
        </div>
        <div class="col-md-9">
            <?php $this->load->view('user/profile_right'); ?>
        </div>
    </div>
</div>

user/profile_issuetracker.php
<div class="ibox-content no-border no-margin padding-all no-padding-bottom">
    <div class="form-group no-margin">
        <input type="text" class="form-control" id="txt_title_isu" placeholder="Title" />
        <div class="padding-top">
            <textarea class="form-control" style="max-width: 100%;max-height: 106px;min-height: 106px;" id="txt_desc_isu" placeholder="Description"></textarea>
        </div>
        <div class="padding-top">
            <input type="button" class="btn btn-success full-width" id="btn_issue_tracker_user" value="Submit"/>
        </div>
    </div>
    <div class="padding-top">
        <div class="ibox-content padding-top no-border">
            <div class="table-responsive" style="height: 100%;">
                <table class="table table-hover" >
                    <thead>
                        <tr>
                            <th>STATUS</th>
                            <th>ISSUE NUMBER</th>
                            <th>NAME</th>
                        </tr>
                    </thead>
```



```
<th>DATE</th>
<th>COMMAND</th>
</tr>
</thead>
<tbody class="list">
<?php
    // print_r($get_all_issue_tracker);
    foreach ( $get_all_issue_tracker as $gait
) :
?
<tr>
    <td class="status">
        <?php
            if ( $gait->STATUS == '2'
) {
?
            <div class="padding-
top"><span class="label label-danger full-width no-border-
radius">Bug</span></div>
            <?php
                } else {
?
                    <div class="padding-
top"><span class="label label-primary full-width no-border-
radius">Fixed</span></div>
                    <?php
                }
?
            </td>
            <td class="issue-info">
                <div class="text-bold">ISSUE
#<?php echo $gait->NO." - ".$gait->TITLE; ?></div>
                <small>
                    <?php echo substr($gait-
DESCRIPTION, 0,74); ?>
                </small>
            </td>
            <td class="name">
                <?php echo $gait->FIRSTNAME . '
'. $gait->LASTNAME; ?>
            </td>
            <td class="date">
                <?php echo $gait->DATEINSERT;
?>
            </td>
            <td style="display: none;" id="replyNO<?php echo $gait->NO; ?>" value="<?php echo
$gait->NO; ?>"/>
                <td class="text-center">
                    <a href="<?php echo
base_url(); ?>profile/solved_issue/<?php echo $gait->NO; ?>" class="btn btn-
white btn-xs full-width"> Resolve</a>
                    <a data-toggle="modal"
id="replyIDUSER<?php echo $gait->NO; ?>" data-
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

220

```
target="#replyIssueTrackerProfileModal<?php echo $gait->N0; ?>" class="btn btn-white btn-xs full-width"> Reply</a>
                                </td>
                            </tr>
                        <?php
                            endforeach;
                        ?>
                    </tbody>
                </table>
            </div>
        </div>
    <?php
        foreach ( $get_all_issue_tracker as $gait ) :
    ?>
        <div class="modal inmodal"
id="replyIssueTrackerProfileModal<?php echo $gait->N0; ?>" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
            <div class="modal-dialog" role="document">
                <div class="modal-content animated pulse">
                    <div class="modal-header">
                        <h4 class="modal-title">ISSUE #<?php
echo $gait->N0." - ".$gait->TITLE; ?></h4>
                    </div>
                    <div class="modal-body no-padding-bottom" >
                        <div class="text-center">
                            <div><?php echo $gait->DESCRIPTION;
?></div>
                        </div>
                        <div>
                            <div class="social-footer margin-
top">
                                <div
id="dataBodyIssueTrackerProfile<?php echo $gait->N0; ?>"></div>
                                <div class="social-comment">
                                    <a href="" class="pull-
left" style="padding-top: 3px;">
                                        
                                    </a>
                                    <div class="media-body">
                                        <textarea class="form-
control" id="replyforIssueIDUSER<?php echo $gait->N0; ?>" placeholder="Write
comment..." style="max-height: 40px;min-height: 40px;"></textarea>
                                    </div>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```



```
<?php
    endforeach;
?>

user/profile_left.php
<?php
    if ( !empty($get_user_specific) ) {
        foreach ( $get_user_specific as $gus ) :
?>
            <center>
            style="width:150px;height:150px;"/></center>
            <hr class="no-margin margin-top"/>
            <div class="padding-top">
                <div class="ibox-content no-margin no-border">
                    <div class="form-group">
                        <label>Name</label>
                        <div><?php echo $gus->FIRSTNAME . '
'. $gus->LASTNAME; ?></div>
                    </div>
                    <div class="form-group">
                        <label>Email Address</label>
                        <div><?php echo $gus->EMAIL;
?></div>
                    </div>
                    <div class="form-group">
                        <label>Username</label>
                        <div><?php echo $gus->USERNAME;
?></div>
                    </div>
                    <div class="form-group">
                        <label>Contact</label>
                        <div><?php echo $gus->PHONENUMBER;
?></div>
                    </div>
                </div>
            <?php
                endforeach;
            ?
?>
            <hr class="no-margin"/>
            <div class="padding-top">
                <input type="button" value="Change Profile Picture" data-
toggle="modal" data-target="#modalChangeProfilePicture" class="btn btn-default
full-width"/>
            </div>
            <div class="padding-top">
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

222

```
<input type="button" value="Change Information" data-toggle="modal"
data-target="#modalChangePersonalInformation" class="btn btn-default full-
width"/>
</div>
<div class="padding-top">
    <input type="button" value="Change Password" data-toggle="modal"
data-target="#modalChangePassword" class="btn btn-default full-width"/>
</div>
<div class="padding-top">
    <input type="button" value="Change Location" data-toggle="modal" data-
target="#modalChangeLocation" class="btn btn-default full-width"/>
</div>

<div class="modal inmodal" id="modalChangeLocation" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog modal-lg" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Change your location</h4>
            </div>
            <div class="modal-body padding-bottom padding-top no-padding-
bottom">
                <div class="ibox-content no-border">
                    <div id="map" class="google-map full-width"
style="height: 500px;"></div>
                </div>
                <div class="row">
                    <div class="col-md-6">
                        <div class="form-group">
                            <label>Latitude</label>
                            <input type="text" class="form-control"
id="txt_lat_prof_user" disabled />
                        </div>
                    </div>
                    <div class="col-md-6">
                        <div class="form-group">
                            <label>Longitude</label>
                            <input type="text" class="form-control"
id="txt_long_prof_user" disabled />
                        </div>
                    </div>
                </div>
                <div class="form-group">
                    <button class="btn btn-success full-width" type="submit"
id="btn_latlong_submit_user">Submit</button>
                </div>
            </div>
        </div>
    </div>
</div>

<div class="modal inmodal" id="modalChangeProfilePicture" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
```



```
<div class="modal-dialog modal-sm" role="document">
    <div class="modal-content animated pulse">
        <div class="modal-header">
            <h4 class="modal-title">Change Profile Picture</h4>
        </div>
        <div class="modal-body padding-bottom padding-top no-padding-bottom">
            <div class="form-group">
                
            </div>
            <form method="POST" enctype="multipart/form-data" action="<?php echo base_url(); ?>profile/change_profile">
                <div class="form-group">
                    <input type="file" name="image" class="file hide" required />
                    <div class="input-group">
                        <span class="input-group-addon"><i class="glyphicon glyphicon-picture" /></span>
                        <input type="text" class="form-control" disabled placeholder="Upload Image" />
                    <span class="input-group-btn">
                        <button class="browse btn btn-info" type="button"><i class="glyphicon glyphicon-search" /> Browse</button>
                    </span>
                </div>
                <div class="form-group">
                    <button class="btn btn-success full-width" type="submit" name="btn_update_image_profile">Change Picture</button>
                </div>
            </form>
        </div>
    </div>
</div>

<div class="modal inmodal" id="myModalChangePersonalInformation" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Change Personal Information</h4>
            </div>
            <div class="modal-body padding-bottom padding-top no-padding-bottom">
                <div class="row">
                    <div class="col-md-6">
                        <div class="form-group">
                            <label>First name</label>
                            <input type="text" class="form-control" id="txt_fname_profile_change" value="<?php echo $this->session->userdata('user_session')->FIRSTNAME; ?>" />
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```



```
                </div>
            </div>
        <div class="col-md-6">
            <div class="form-group">
                <label>Last name</label>
                <input type="text" class="form-control"
id="txt_lname_profile_change" value="<?php echo $this->session-
>userdata('user_session')->LASTNAME; ?>" />
            </div>
        </div>
        <div class="col-md-12">
            <div class="form-group">
                <label>Email Address</label>
                <input type="text" class="form-control"
id="txt_email_profile_change" value="<?php echo $this->session-
>userdata('user_session')->EMAIL; ?>" />
            </div>
        </div>
        <div class="col-md-6">
            <div class="form-group">
                <label>Username</label>
                <input type="text" class="form-control"
id="txt_uname_profile_change" value="<?php echo $this->session-
>userdata('user_session')->USERNAME; ?>" />
            </div>
        </div>
        <div class="col-md-6">
            <div class="form-group">
                <label>Contact</label>
                <input type="text" class="form-control"
id="txt_contact_profile_change" value="<?php echo $this->session-
>userdata('user_session')->PHONENUMBER; ?>" />
            </div>
        </div>
        <div class="form-group">
            <button class="btn btn-success full-width"
id="btn_submit_change_information_profile">Submit</button>
        </div>
    </div>
</div>
<div class="modal inmodal" id="modalChangePassword" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog modal-sm" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Change Password</h4>
            </div>
            <div class="modal-body padding-bottom padding-top no-padding-
bottom">
                <div class="row">
                    <div class="col-md-12">
```



```
<div class="form-group">
    <label>Current Password</label>
    <input type="password" class="form-control"
id="txt_current_pword" />
    </div>
</div>
<div class="col-md-12">
    <div class="form-group">
        <label>Password</label>
        <input type="password" class="form-control"
id="txt_pword_changeprofile" disabled />
    </div>
    <div class="col-md-12">
        <div class="form-group">
            <label>Confirm Password</label>
            <input type="password" class="form-control"
id="txt_conpword_changeprofile" disabled />
        </div>
    </div>
    <div class="form-group">
        <button class="btn btn-success full-width"
id="btn_submit_change_password_profile">Submit</button>
    </div>
    </div>
</div>
</div>
```

**user/profile\_post.php**

```
<div class="ibox-content no-border no-margin padding-all"
style="position: relative; padding-bottom: 20px;">
    <div class="form-group no-margin">
        <textarea class="form-control" style="max-width:
100%; max-height: 106px; min-height: 106px;" id="txt_post" placeholder="Write
something on your wall.."></textarea>
        <div class="padding-top">
            <input type="button"
style="position: absolute; right: 15px; bottom: 5px; padding-top: 0px; padding-bottom:
0px;" class="btn btn-success" id="btn_post_profile" value="Post"/>
        </div>
    </div>
</div>

<div id="newPostUser"></div>
<?php
    foreach ( $get_all_post as $gap ) :
?>
    <div class="padding-top">
        <div class="ibox-content no-border">
            <div class="row">
                <?php
```



```
if ( $gap->NAME ==
$session_name ) {
    ?>
    <span
class="pull-right" style="color:blue;padding-right: 15px;"><a>X</a></span>
    <?php
        }
    ?>
    <div class="col-xs-1">
        
        style="width:50px;height:50px;" />
    </div>
    <div class="text-bold "
style="padding-left: 75px;"><?php echo $gap->NAME; ?></div>
    <div class="" style="padding-
left: 75px;"><?php echo $gap->DATE; ?></div>
    </div>
    <hr class="no-margin margin-top"/>
    <div class="padding-top"
style="padding-left: 20px;padding-right: 20px;font-size: 17px;">
        <?php echo $gap-
>POSTDESCRIPTION; ?>
    </div>
    <input type="text" value="<?php echo
$gap->NO; ?>" id="txt_no_prof_post" style="display:none;" />

    <?php
        foreach ( $get_reply as $gr )
:
        if ( $gap->NO == $gr-
>NOREPLY ) {
            ?>
            <div
class="padding-top">
                <div
class="ibox-content no-border" style="background-color: #F2F2F2;">
                    <div>
                        <div class="row">
                            <div class="col-xs-1">
                                
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        
```



```
<div style="padding-left: 75px;"><span class="text-bold"><?php echo  
$gr->NAME; ?></span> | <span><?php echo $gr->DATE; ?></span></div>  
  
<div style="padding-left: 75px;"><?php echo $gr->REPLY; ?></div>  
</div>  
</div>  
                                </div>  
<?php  
    }  
endforeach;  
?>  
<div id="newReplyPostNo<?php echo  
$gap->NO; ?>"></div>  
                                <div class="padding-top">  
                                    <textarea class="form-control"  
id="adminReplyPost<?php echo $gap->NO; ?>" style="max-width: 100%;max-height:  
50px;min-height: 50px;" placeholder="Comment"></textarea>  
                                </div>  
                            </div>  
<?php  
    endforeach;  
?>  
  
user/profile_right.php  
<nav class="nav2 navbar navbar-default no-margin no-border-radius "  
style="background-color: #0076BE;font-size: 13px;">  
    <div class="container-fluid">  
        <div class="text-center">  
            <ul class="nav navbar-nav" style="display: inline-block;">  
  
                <div class="text-center">  
                    <ul class="nav navbar-nav" style="display: inline-  
block;">  
  
                        <li class="text-center">  
                            <a class="hvr-underline-reveal" href="<?php echo  
base_url();?>profile"><strong>Post</strong></a>  
                        </li>  
  
                        <li class="text-center">  
                            <a class="hvr-underline-reveal" class=""  
href="<?php echo base_url();?>profile/issue_tracker"><strong>Issue  
Tracker</strong></a>  
                        </li>  
  
                </ul>  
            </div>
```



```
</div>

</nav>

<?php
    if ( $curpage == "Profile" && $this->session-
>userdata('account_type') == "User" ) {
        $this->load->view('user/profile_post');
    } elseif ( $curpage == "Issue Tracker" && $this->session-
>userdata('account_type') == "User" ) {
        $this->load->view('user/profile_issuetracker');
    }
?>

user/testimonialcontent.php
<div class="padding-top">
    <div class="ibox-content padding-all no-border full-width"
style="background-color: #0076BE;">
        <h4 class="no-margin" style="color: #FFFFFF;">Testimonials</h4>
    </div>
</div>

<div class="padding-top">
    <div class="">
        <div class="row">
            <div class="col-md-12">
                <div id="testimonial-slider" class="owl-carousel">
                    <?php
                        if ( !empty($get_all_testimonial) ) {
                            foreach ( $get_all_testimonial as $gat ) :
?>
                            <div class="testimonial"
style="padding-left: 5px;padding-right: 5px;">
                                <div class="pic">
                                    
                                </div>
                                <p>
                                    <?php echo $gat-
>DESCRIPTION; ?>
                                </p>
                                <div class="padding-
top"></div>
                                    <h3 ><?php echo $gat->NAME;
?> - <?php echo $gat->JOB; ?></h3>
                                <?php
                                    endforeach;
                                }
?>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
```



```
admin/aboutmysite.php
<div class="padding-top">
    <h3 class="no-margin text-bold" style="color: #0076BE;">About My
Site</h3>
</div>
<div class="padding-top">
    <hr class="no-margin"/>
</div>
<div class="row">
    <div class="col-md-4 padding-top">
        <?php $this->load->view('admin/files/aboutmysite_left'); ?>
    </div>
    <div class="col-md-8 padding-top">
        <?php $this->load->view('admin/files/aboutmysite_right'); ?>
    </div>
</div>

account.php
<div class="padding-top">
    <h3 class="no-margin text-bold" style="color: #0076BE;">Account</h3>
</div>
<div class="padding-top">
    <hr class="no-margin"/>
</div>
<div class="row">
    <div class="col-md-6 padding-top">
        <div class="widget style1 navy-bg no-margin no-border-radius">
            <div class="text-center">
                <span> All users </span>
                <h2 class="font-bold"><?php echo $get_num_rows_all_user;
?></h2>
            </div>
        </div>
    </div>
    <div class="col-md-6 padding-top">
        <div class="widget style1 navy-bg no-margin no-border-radius">
            <div class="text-center">
                <span> Current Month </span>
                <h2 class="font-bold"><?php echo $get_num_rows_curmonth;
?></h2>
            </div>
        </div>
    </div>
</div>

<div class="col-md-12 padding-top-bottom">
    <div class="ibox float-e-margins no-margins">
        <div class="ibox-content full-height" id="search">
            <div class="input-group full-width">
                <input type="text" placeholder="Search a name, email,
username or date.." class="input-sm form-control search">
            </div>
            <br/>
            <div class="table-responsive">
                <table class="table table-striped">
```



```
<thead>
<tr>
    <th>Name </th>
    <th>Email Address </th>
    <th>Username </th>
    <th>RegTime </th>
</tr>
</thead>
<tbody class="list">
    <?php
        if ( !empty($get_all_user) ) {
            foreach ( $get_all_user as $gau ) :
                <tr>
                    <td class="name"><?php echo
$gau->FIRSTNAME.' '. $gau->LASTNAME; ?></td>
                    <td class="email"><?php echo
$gau->EMAIL; ?></td>
                    <td class="username"><?php echo
$gau->USERNAME; ?></td>
                    <td class="date"><?php echo
$gau->DATE.' '.$gau->TIME; ?></td>
                </tr>
            <?php
                endforeach;
            }
        ?
    </tbody>
</table>
</div>

</div>
</div>
</div>
</div>

admin/agent.php
<div class="padding-top">
    <h3 class="no-margin text-bold" style="color: #0076BE;">Agent</h3>
</div>
<div class="padding-top">
    <hr class="no-margin"/>
</div>

<div class="row">
    <div class="col-md-4 padding-top">
        <?php $this->load->view('admin/files/agent_left'); ?>
    </div>
    <div class="col-md-8 padding-top">
        <?php $this->load->view('admin/files/agent_right'); ?>
    </div>
</div>

coadministrator.php
<div class="padding-top">
```



```
<h3 class="no-margin text-bold" style="color: #0076BE;">Co-
Administrator</h3>
</div>
<div class="padding-top">
    <hr class="no-margin"/>
</div>

<div class="row">
    <div class="col-md-4 padding-top">
        <?php $this->load->view('admin/files/co_administrator_left');
?>
    </div>
    <div class="col-md-8 padding-top">
        <?php $this->load->view('admin/files/co_administrator_right');
?>
    </div>
</div>

admin/contact.php
<div class="padding-top">
    <h3 class="no-margin text-bold" style="color: #0076BE;">Contact
        <span class="pull-right">
            <a class="btn-link" data-toggle="modal" data-
target="#createContactDashModal">Create</a>
        </span>
    </h3>
</div>
<div class="padding-top">
    <hr class="no-margin"/>
</div>

<div class="modal inmodal" id="createContactDashModal" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog modal-sm" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Add new contact</h4>
            </div>
            <div class="modal-body no-padding-bottom">
                <form role="form" id="formContactDash"
enctype="multipart/form-data" method="post" action="<?php echo base_url();
?>admin/contact/insert">
                    <div class="form-group">
                        <label>* Name</label>
                        <input type="text" class="form-control"
name="contactDash_name_create" required/>
                    </div>
                    <div class="form-group">
                        <label>* Contact Number</label>
                        <input type="text" class="form-control"
name="contactDash_contact_create" required/>
                    </div>
                    <div class="form-group">
                        <label>* Email Address</label>
```



```
        <input type="email" class="form-control"
name="contactDash_email_create" required/>
    </div>
    <div class="form-group">
        <label>* Address</label>
        <input type="text" class="form-control"
name="contactDash_address_create" required/>
    </div>
    <div class="form-group">
        <input type="file" name="image" class="file hide" />
        <label>Image</label>
        <div class="input-group col-xs-12">
            <span class="input-group-addon"><i
class="glyphicon glyphicon-picture"></i></span>
            <input type="text" class="form-control input-lg"
disabled placeholder="Upload Image">
            <span class="input-group-btn">
                <button class="browse btn btn-info input-lg"
type="button"><i class="glyphicon glyphicon-search"></i> Browse</button>
            </span>
        </div>
    </div>
    <div class="form-group">
        <input type="submit" name="contactDash_create"
class="btn btn-success full-width" id="contactDash_create" value="Submit"/>
    </div>
</form>
</div>
</div>
</div>
</div>

<?php $this->load->view('admin/files/contact_content'); ?>

admin/contact.php
<div class="padding-top">
    <h3 class="no-margin text-bold" style="color: #0076BE;">Contact
        <span class="pull-right">
            <a class="btn-link" data-toggle="modal" data-
target="#createContactDashModal">Create</a>
        </span>
    </h3>
</div>
<div class="padding-top">
    <hr class="no-margin"/>
</div>

<div class="modal inmodal" id="createContactDashModal" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog modal-sm" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Add new contact</h4>
            </div>
            <div class="modal-body no-padding-bottom">
```



```
<form role="form" id="formContactDash"
enctype="multipart/form-data" method="post" action="php echo base_url();
?&gt;admin/contact/insert"&gt;
    &lt;div class="form-group"&gt;
        &lt;label&gt;* Name&lt;/label&gt;
        &lt;input type="text" class="form-control"
name="contactDash_name_create" required/&gt;
    &lt;/div&gt;
    &lt;div class="form-group"&gt;
        &lt;label&gt;* Contact Number&lt;/label&gt;
        &lt;input type="text" class="form-control"
name="contactDash_contact_create" required/&gt;
    &lt;/div&gt;
    &lt;div class="form-group"&gt;
        &lt;label&gt;* Email Address&lt;/label&gt;
        &lt;input type="email" class="form-control"
name="contactDash_email_create" required/&gt;
    &lt;/div&gt;
    &lt;div class="form-group"&gt;
        &lt;label&gt;* Address&lt;/label&gt;
        &lt;input type="text" class="form-control"
name="contactDash_address_create" required/&gt;
    &lt;/div&gt;
    &lt;div class="form-group"&gt;
        &lt;input type="file" name="image" class="file hide" /&gt;
        &lt;label&gt;Image&lt;/label&gt;
        &lt;div class="input-group col-xs-12"&gt;
            &lt;span class="input-group-addon"&gt;&lt;i
class="glyphicon glyphicon-picture"&gt;&lt;/i&gt;&lt;/span&gt;
            &lt;input type="text" class="form-control input-lg"
disabled placeholder="Upload Image"&gt;
            &lt;span class="input-group-btn"&gt;
                &lt;button class="browse btn btn-info input-lg"
type="button"&gt;&lt;i class="glyphicon glyphicon-search"&gt;&lt;/i&gt; Browse&lt;/button&gt;
            &lt;/span&gt;
        &lt;/div&gt;
        &lt;div class="form-group"&gt;
            &lt;input type="submit" name="contactDash_create"
class="btn btn-success full-width" id="contactDash_create" value="Submit"/&gt;
        &lt;/div&gt;
    &lt;/form&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;

&lt;?php $this-&gt;load-&gt;view('admin/files/contact_content'); ?&gt;

admin/dashboard.php
&lt;?php $this-&gt;load-&gt;view('admin/files/dashboard_top'); ?&gt;
&lt;div class="row"&gt;
    &lt;div class="col-md-9"&gt;
        &lt;?php $this-&gt;load-&gt;view('admin/files/dashboard_sales'); ?&gt;</pre
```



```
</div>
<div class="col-md-3">
    <?php $this->load->view('admin/files/dashboard_contact'); ?>
</div>
</div>
<div class="row">
    <div class="col-md-3">
        <?php $this->load->view('admin/files/dashboard_todo'); ?>
    </div>
    <div class="col-md-9">
        <?php $this->load->view('admin/files/dashboard_issue'); ?>
    </div>
    <div class="col-md-12">
        <?php $this->load->view('admin/files/dashboard_map'); ?>
    </div>
</div>

admin/events.php
<div class="padding-top">
    <h3 class="no-margin text-bold" style="color: #0076BE;">Events</h3>
</div>
<div class="padding-top">
    <hr class="no-margin"/>
</div>
<div class="row">
    <div class="col-md-4 padding-top">
        <?php $this->load->view('admin/files/event_left'); ?>
    </div>
    <div class="col-md-8 padding-top">
        <?php $this->load->view('admin/files/event_right'); ?>
    </div>
</div>

admin/message.php
<div class="padding-top">
    <h3 class="no-margin text-bold" style="color: #0076BE;">Message</h3>
</div>
<div class="padding-top">
    <hr class="no-margin"/>
</div>
<div class="row">
    <div class="col-md-4 padding-top">
        <?php $this->load->view('admin/files/message_left'); ?>
    </div>
    <div class="col-md-8 padding-top">
        <?php $this->load->view('admin/files/message_right'); ?>
    </div>
</div>

admin/notification.php
<div class="padding-top">
    <h3 class="no-margin text-bold" style="color: #0076BE;">Notification</h3>
    </div>
    <div class="padding-top">
```



```
<hr class="no-margin"/>
</div>
<div class="row">
    <?php
        if ( !empty($get_all_notification) ) {
            foreach ( $get_all_notification as $gan ) :
    ?>
        <div class="col-md-3 padding-top">
            <div class="ibox-content no-border"
style="height: 260px">
                <center>
                    
                    <div class="padding-top">
                        <span class="text-
bold"><?php echo $gan->FIRSTNAME. ' ' . $gan->LASTNAME; ?></span> - <span><?php
echo $gan->DATE; ?></span>
                    </div>
                    <hr/>
                    <div><?php echo $gan->CONTENT;
?></div>
                </center>
            </div>
        </div>
    <?php
        endforeach;
    }
    ?>
</div>

admin/paypal_configuration.php
<div class="padding-top">
    <h3 class="no-margin text-bold" style="color: #0076BE;">PayPal
Configuration</h3>
    </div>
    <div class="padding-top">
        <hr class="no-margin"/>
    </div>
    <div class="row">
        <div class="col-md-4 padding-top">
            <?php $this->load->view('admin/files/paypal_left'); ?>
        </div>
        <div class="col-md-8 padding-top">
            <?php $this->load->view('admin/files/paypal_right'); ?>
        </div>
    </div>

```

```
admin/profile.php
<div class="row">
    <div class="col-md-3 padding-top">
        <?php $this->load->view('admin/files/profile_left'); ?>
    </div>
    <div class="col-md-9 padding-top">
        <?php $this->load->view('admin/files/profile_right'); ?>
    </div>

```



```
</div>
</div>

admin/reports.php
<div class="padding-top">
    <h3 class="no-margin text-bold" style="color: #0076BE;">Reports</h3>
</div>
<div class="padding-top">
    <hr class="no-margin"/>
</div>

<div class="row">
    <div class="col-md-12 padding-top">
        <?php $this->load->view('admin/files/report_user'); ?>
    </div>
    <div class="col-md-12 padding-top">
        <?php $this->load->view('admin/files/report_useractivity'); ?>
    </div>
    <div class="col-md-12 padding-top" style="max-height: 500px;">
        <?php $this->load->view('admin/files/report_sales'); ?>
    </div>
</div>

admin/team.php
<div class="padding-top">
    <h3 class="no-margin text-bold" style="color: #0076BE;">Team
        <span class="pull-right">
            <a class="btn-link" data-toggle="modal" data-
target="#createModal">Create</a>
        </span>
    </h3>
</div>
<div class="padding-top">
    <hr class="no-margin"/>
</div>

<div class="modal inmodal" id="createModal" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Create new member on your
team</h4>
            </div>
            <div class="modal-body no-padding-bottom">

                <form method="POST" enctype="multipart/form-data"
action=<?php echo base_url();?>admin/team/create">
                    <div class="form-group">
                        <input type="file" name="image" accept="image/*"
class="file hide" />
                        <div class="input-group">
                            <span class="input-group-addon"><i
class="glyphicon glyphicon-picture"></i></span>

```



## DIVINE MERCY COLLEGE FOUNDATION INC.

237

```
<input type="text" class="form-control"
disabled placeholder="Upload Image">
<span class="input-group-btn">
    <button class="browse btn btn-info"
type="button"><i class="glyphicon glyphicon-search"></i> Browse</button>
</span>
</div>
</div>
<div class="form-group">
    <div class="row">
        <div class="col-md-6">
            <label>First Name</label>
            <input type="text" class="form-
control" name="txt_team_firstname" pattern="[a-zA-Z_-]+([a-zA-Z_-]+)*$"
maxlength="50" title="Invalid format" required />
        </div>
        <div class="col-md-6">
            <label>Last Name</label>
            <input type="text" class="form-
control" name="txt_team_lastname" pattern="[a-zA-Z_-]+([a-zA-Z_-]+)*$"
maxlength="50" title="Invalid format" required />
        </div>
    </div>
    <div class="form-group">
        <label>Contact</label>
        <input type="text" class="form-control"
name="txt_team_contact" placeholder="09123456789" minlength="11" pattern="^([0-
9]{1,15})$" title="11-15 numbers allowed." required />
    </div>
    <div class="form-group">
        <label>Email Address</label>
        <input type="text" class="form-control"
name="txt_team_email" maxlength="50" pattern="[^@]+@[a-zA-Z.-]+\.[a-
z]{2,3}$" title="Invalid email format" required />
    </div>
    <div class="form-group">
        <div class="row">
            <div class="col-md-6">
                <label>Facebook URL</label>
                <input type="text" class="form-
control" name="txt_team_fb"/>
            </div>
            <div class="col-md-6">
                <label>Twitter URL</label>
                <input type="text" class="form-
control" name="txt_team_twitter"/>
            </div>
        </div>
    </div>
    <div class="form-group">
        <input type="submit" class="btn btn-success
full-width" name="btn_team_create" value="Submit"/>
    </div>
</form>
```



```
        </div>
    </div>
</div>
</div>

<?php $this->load->view('admin/files/team_content'); ?>

admin/websiteonline.php
<div class="padding-top">
    <h3 class="no-margin text-bold" style="color: #0076BE;">Website
Online</h3>
    </div>
    <div class="padding-top">
        <hr class="no-margin"/>
    </div>
    <div class="padding-top">
        <div id="search">
            <center>
                <input type="text" class="form-control search"
placeholder="Search Website Online">
            </center>
        <div class="row">
            <div class="list">
                <?php
                    if ( !empty($get_all_online) ) {
                        foreach ( $get_all_online as $gao ) :
                ?>
                    <div class="col-md-3 padding-top">
                        <div class="ibox">
                            <div class="ibox-content product-
box">
                                <div>
                                    <a data-toggle="modal"
data-target="#updateModal<?php echo $gao->NO;?>">
                                        
                                    </a>
                                </div>
                                <div class="padding-top"
style="height: 60px;">
                                    <div class="text-center">
                                        <?php
                                            $url =
str_replace("http://", "", $gao->SITEURL);
                                            $newUrl =
str_replace("/", "", $url);
                                        ?>
                                        <a href="#">
                                            <small><?php echo $newUrl;?></small>
                                        </a>
                                    </div>
                                </div>
                            </div>
                        </div>
                    </div>
                <?php
                    endforeach;
                ?>
            </div>
        </div>
    </div>
</div>
```



```
</div>
<?php
    endforeach;
}
?>
</div>
</div>
</div>
</div>

<?php
    foreach ($get_all_online as $gao) :
?>
<div class="modal inmodal" id="updateModal<?php echo $gao->NO;?>" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title"><?php echo $gao->OWNERTITLEWEBSITE; ?></h4>
            </div>
            <div class="modal-body padding-bottom padding-top">
                <div class="form-group">
                    
                </div>
                <div class="form-group">
                    <label>Site URL</label>
                    <input type="text" class="form-control" value="<?php echo $gao->SITEURL; ?>" disabled />
                </div>
                <div class="form-group">
                    <label>Website Title</label>
                    <input type="text" class="form-control" id="txt_no_wo" value="<?php echo $gao->NO; ?>" style="display: none;" />
                    <input type="text" class="form-control" id="txt_title_wo" value="<?php echo $gao->OWNERTITLEWEBSITE; ?>" />
                </div>
                <div class="form-group">
                    <label>Owner</label>
                    <input type="text" class="form-control" id="txt_owner_wo" value="<?php echo $gao->CURRENTOWNER; ?>" />
                </div>
                <div class="form-group">
                    <div class="row">
                        <div class="col-md-6 padding-top">
                            <button class="btn btn-info full-width" data-dismiss="modal" data-toggle="modal" data-target="#updateImageModal<?php echo $gao->NO; ?>" type="button">Change website image</button>
                        </div>
                        <div class="col-md-6 padding-top">
                            <button class="btn btn-success full-width" type="button" id="btn_update_wo">Update website information</button>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```



```
                </div>
                </div>
            </div>
        </div>
    </div>
<?php
    endforeach;
?>

<?php
    foreach ($get_all_online as $gao) :
?>
    <div class="modal inmodal" id="updateImageModal<?php echo $gao-
>N0;?>" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content animated pulse">
                <div class="modal-header">
                    <h4 class="modal-title"><?php echo 'Update website
image of ' . $gao->OWNERTITLEWEBSITE; ?></h4>
                </div>
                <div class="modal-body padding-bottom padding-top">
                    <form method="POST" enctype="multipart/form-data"
action=<?php echo base_url();?>admin/website_online/update_image/<?php echo
$gao->N0;?>">
                        <div class="form-group">
                            <input type="file" name="image"
class="file hide" required />
                            <div class="input-group">
                                <span class="input-group-addon"><i
class="glyphicon glyphicon-picture"></i></span>
                                <input type="text" class="form-
control" disabled placeholder="Upload Image">
                                <span class="input-group-btn">
                                    <button class="browse btn btn-
info" type="button"><i class="glyphicon glyphicon-search"></i> Browse</button>
                                </span>
                            </div>
                        </div>
                        <div class="form-group">
                            <button class="btn btn-success full-
width" type="submit" name="btn_update_image_wo">Update website image</button>
                        </div>
                    </form>
                </div>
            </div>
        </div>
    </div>
<?php
    endforeach;
?>

admin/websitetemplate.php
<div class="padding-top">
```



```
<h3 class="no-margin text-bold" style="color: #0076BE;">Website  
Template</h3>  
</div>  
<div class="padding-top">  
    <hr class="no-margin"/>  
</div>  
  
<div class="row">  
    <div class="col-md-4 padding-top">  
        <?php $this->load->view('admin/files/website_template_left');  
?>  
    </div>  
    <div class="col-md-8 padding-top">  
        <?php $this->load->view('admin/files/website_template_right');  
?>  
    </div>  
</div>  
  
admin/files/aboutmysite_left.php  
<div class="ibox no-margin">  
    <div class="ibox-title no-border">  
        List  
        <span class="pull-right"><a data-toggle="modal" data-  
target="#createModal">Create</a></span>  
    </div>  
    <div class="ibox-content min-height" id="search">  
        <div class="no-margins">  
            <div class="row">  
                <div class="col-md-12">  
                    <h4><input type="text" class="form-control search" placeholder="Search"/></h4>  
                    <div class="table-responsive">  
                        <table class="table table-striped text-center">  
                            <?php if(!empty($get_all_aboutmysite)) {?>  
                            <tbody class="list">  
                                <?php foreach($get_all_aboutmysite as  
$gaa) :?>  
                                    <tr>  
                                        <td class="title">  
                                            <a href="<?php echo  
base_url();?>admin/about_my_site/information/<?php echo $gaa->NO;?>"><?php echo  
$gaa->TITLE;?></a>  
                                            </td>  
                                        </tr>  
                                    <?php endforeach; ?>  
                                <?php } ?>  
                            </tbody>  
                        </table>  
                    </div>  
                </div>  
            </div>  
        </div>  
</div>
```



```
</div>

<div class="modal inmodal" id="createModal" tabindex="-1" role="dialog"
aria-labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">About My Site - Create</h4>
            </div>
            <div class="modal-body no-padding-bottom">
                <div class="form-group">
                    <label>Title</label>
                    <input type="text" class="form-control" id="ams_title" />
                </div>
                <div class="form-group">
                    <label>Description</label>
                    <textarea style="min-height: 150px; max-height: 150px; max-width: 100%" id="ams_description" class="form-control"></textarea>
                </div>
                <div class="form-group">
                    <input type="button" class="btn btn-success full-width" id="ams_create" data-dismiss="modal" value="Submit"/>
                </div>
            </div>
        </div>
    </div>
</div>

admin/files/aboutmysite_right.php
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        Preview
        <?php
            foreach ( $get_specific as $gs ) :
        ?>
            <span class="pull-right"><a data-toggle="modal" data-target="#modalDeleteAms<?php echo $gs->NO; ?>">Delete</a> | <a data-toggle="modal" data-target="#updateModal<?php echo $gs->NO; ?>">Update</a></span>
        <?php
            endforeach;
        ?>
    </div>
    <div class="ibox-content min-height no-padding-top">
        <?php
            foreach ( $get_specific as $gs ) :
        ?>
            <div class="padding-top text-center">
                <h3 class="no-margin"><?php echo $gs->TITLE; ?></h3>
            </div>
            <div class="padding-top text-center" style="padding-left: 110px; padding-right: 110px;">
                <div><?php echo $gs->DESCRIPTION; ?></div>
            </div>
    
```



```
<?php
    endforeach;
?>
</div>
</div>

<?php
    foreach ($get_specific as $gs) :
?>
<div class="modal inmodal" id="updateModal<?php echo $gs->NO; ?>" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">About My Site - Update</h4>
            </div>
            <div class="modal-body no-padding-bottom">
                <div class="form-group">
                    <label>Title</label>
                    <input type="text" class="form-control" id="ams_no_update" value="<?php echo $gs->NO; ?>" style="display: none;" />
                    <input type="text" class="form-control" id="ams_title_update" value="<?php echo $gs->TITLE; ?>"/>
                </div>
                <div class="form-group">
                    <label>Description</label>
                    <textarea style="min-height: 150px; max-height: 150px; max-width: 100%" class="form-control" id="ams_description_update"><?php echo $gs->DESCRIPTION; ?></textarea>
                </div>
                <div class="form-group">
                    <label>Active this about</label>
                    <select name="status" id="ams_active_update" class="form-control">
                        <?php
                            if ( $gs->ACTIVE == 1 ) {
?>
                            <option value="enabled" selected>Enabled</option>
                            <option value="disabled">Disabled</option>
                            <?php
                                } else {
?>
                            <option value="enabled">Enabled</option>
                            <option value="disabled" selected>Disabled</option>
                            <?php
                                }
?>
                        </select>
                    </div>
                    <div class="form-group">
                        <input type="button" class="btn btn-success full-width" id="ams_update" data-dismiss="modal" value="Update"/>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```



```
                </div>
            </div>
        </div>
    </div>
<?php
    endforeach;
?>

<?php
    foreach ($get_specific as $gs) :
?>
    <div class="modal inmodal" id="modalDeleteAms<?php echo $gs->N0; ?>" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content animated pulse">
                <div class="modal-header">
                    <h4 class="modal-title">Are you sure, you want to
delete this about my site?</h4>
                </div>
                <div class="modal-body padding-bottom padding-top">
                    <div class="row">
                        <div class="col-md-6">
                            <button type="button" id="btn_cancenl_team"
data-dismiss="modal" class="btn btn-default btn-lg full-width">Cancel</button>
                        </div>
                        <div class="col-md-6">
                            <a href="<?php echo base_url();
?>admin/about_my_site/delete/<?php echo $gs->N0; ?>" type="button"
id="btn_delete_team" class="btn btn-danger btn-lg full-width">Delete</a>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
<?php
    endforeach;
?>

admin/files/agent_left.php
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        List
        <span class="pull-right"><a data-toggle="modal" data-
target="#createModal">Create</a></span>
    </div>
    <div class="ibox-content min-height" id="search">
        <div class="no-margins">
            <div class="row">
                <div class="col-md-12">
                    <h4><input type="text" class="form-control search"
placeholder="Search"/></h4>
                    <div class="table-responsive">
```





```
        <input type="password" class="form-control"
id="txt_password_agent" maxlength="15" />
    </div>
</div>
<div class="col-md-6">
    <div class="form-group">
        <label>Confirm Password</label>
        <input type="password" class="form-control"
id="txt_confirm_agent" maxlength="15" />
    </div>
</div>
<div class="form-group">
    <input type="button" class="btn btn-success full-width"
id="btn_create_agent" value="Submit"/>
</div>
</div>
</div>
</div>
```

**admin/files/agent\_right.php**

```
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        Preview
        <?php
            foreach ( $get_specific as $gs ) :
        ?>
            <span class="pull-right"><a data-toggle="modal" data-
target="#deleteModal" >Delete</a></span>
        <?php
            endforeach;
        ?>
    </div>
    <div class="ibox-content min-height no-padding-top">
        <?php
            foreach ( $get_specific as $gs ) :
        ?>
            <div class="padding-top text-center">
                <h3 class="no-margin">Personal Information</h3>
            </div>
            <div class="padding-top">
                <center></center>
                <div class="row" style="padding-left: 150px;">
                    <div class="col-md-12 padding-top">
                        Name: <?php echo $gs->FIRSTNAME. ' ' . $gs->LASTNAME;
                    ?>
                    </div>
                    <div class="col-md-12 padding-top">
                        Username: <?php echo $gs->USERNAME; ?>
                    </div>
                    <div class="col-md-12 padding-top">
                        Email Address: <?php echo $gs->EMAIL; ?>
                    </div>
                </div>
            </div>
        </?php
            endforeach;
        ?>
    </div>
</div>
```



```
                </div>
            </div>
        </div>
    <?php
        endforeach;
    ?>
</div>

<?php
    foreach ($get_specific as $gs) :
?>
    <div class="modal inmodal" id="deleteModal" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content animated pulse">
                <div class="modal-header">
                    <h4 class="modal-title">Are you sure to this
account?</h4>
                </div>
                <div class="modal-body padding-bottom padding-top">
                    <div class="row">
                        <div class="col-md-6">
                            <button type="button" id="btn_cancenl_agent"
data-dismiss="modal" class="btn btn-default btn-lg full-width">Cancel</button>
                        </div>
                        <div class="col-md-6">
                            <a href="<?php echo base_url();
?>admin/agent/delete/<?php echo $gs->NO; ?>" name="btn_delete_agent" class="btn
btn-danger btn-lg full-width">Delete</a>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    <?php
        endforeach;
    ?>

admin/files/co_administrator_left.php
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        List
    </div>
    <div class="ibox-content min-height" id="search">
        <div class="no-margins">
            <div class="row">
                <div class="col-md-12">
                    <h4><input type="text" class="form-control search"
placeholder="Search"/></h4>
                    <div class="table-responsive">
                        <table class="table table-striped text-center">
                            <?php if(!empty($get_all_administrator)) {?>
```



```
<tbody class="list">
    <?php foreach($get_all_administrator as
$gaa) :?>
        <tr>
            <td class="title">
                <a href="php echo base_url(); ?&gt;admin/co_administrator/information/<?php echo $gaa-&gt;NO; ?&gt;"/&gt;&lt;?php
echo $gaa-&gt;FIRSTNAME." ".$gaa-&gt;LASTNAME; ?&gt;&lt;/a&gt;
                &lt;span class="pull-right"&gt;&lt;a
data-toggle="modal" data-target="#deleteModal&lt;?php echo $gaa-&gt;NO; ?&gt;" class="fa
fa-trash" aria-hidden="true"&gt;&lt;/a&gt;&lt;/span&gt;
            &lt;/td&gt;
        &lt;/tr&gt;
    &lt;?php endforeach; ?&gt;
&lt;/tbody&gt;
&lt;?php } ?&gt;
&lt;/table&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;?php
    foreach ($get_specific as $gs) :
?&gt;
    &lt;div class="modal inmodal" id="deleteModal&lt;?php echo $gaa-&gt;NO; ?&gt;"
tabindex="-1" role="dialog" aria-labelledby="myModalLabel"&gt;
        &lt;div class="modal-dialog" role="document"&gt;
            &lt;div class="modal-content animated pulse"&gt;
                &lt;div class="modal-header"&gt;
                    &lt;h4 class="modal-title"&gt;Are you sure, you want to
delete this account?&lt;/h4&gt;
                &lt;/div&gt;
                &lt;div class="modal-body padding-bottom padding-top"&gt;
                    &lt;div class="row"&gt;
                        &lt;div class="col-md-6"&gt;
                            &lt;button type="button" id="btn_cancenl_agent"
data-dismiss="modal" class="btn btn-default btn-lg full-width"&gt;Cancel&lt;/button&gt;
                        &lt;/div&gt;
                        &lt;div class="col-md-6"&gt;
                            &lt;a href="<?php echo base_url();
?&gt;admin/co_administrator/delete/&lt;?php echo $gaa-&gt;NO; ?&gt;" name="btn_delete_agent"
class="btn btn-danger btn-lg full-width"&gt;Delete&lt;/a&gt;
                        &lt;/div&gt;
                    &lt;/div&gt;
                &lt;/div&gt;
            &lt;/div&gt;
        &lt;/div&gt;
    &lt;?php
        endforeach;
?&gt;</pre
```



```
admin/files/co_administrator_right.php
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        Preview
        <span class="pull-right">
            <a href="#" class="btn btn-link btn-sm no-padding" data-toggle="modal" data-target="#createModal">Create</a>
        </span>
    </div>
    <div class="ibox-content min-height">
        <div class="no-margins">
            <div class="row">
                <?php
                    if ( ! empty ( $get_specific ) ) {
                        foreach ( $get_specific as $gs ) :
                ?>
                    <form>
                        <div class="col-md-12">
                            <div class="form-group">
                                <input type="text"
placeholder="John" id="txt_update_coa_no" class="form-control" value="<?php echo $gs->NO;?>" style="display: none;"/>
                                <label>Full Name</label>
                                <input type="text"
placeholder="John" id="" class="form-control" value="<?php echo $gs->FIRSTNAME . '$gs->LASTNAME;?>" disabled/>
                                </div>
                            </div>
                            <div class="col-md-6">
                                <div class="form-group">
                                    <label>Username</label>
                                    <input type="text"
placeholder="johndoe123" id="" class="form-control" value="<?php echo $gs->USERNAME;?>" disabled/>
                                </div>
                            </div>
                            <div class="col-md-6">
                                <div class="form-group">
                                    <label>Phone number</label>
                                    <input type="text"
placeholder="09*****" id="" class="form-control" value="<?php echo $gs->PHONENUMBER;?>" disabled/>
                                </div>
                            </div>
                            <div class="col-md-12">
                                <div class="form-group">
                                    <label>Email address</label>
                                    <input type="text"
placeholder="johndoe@gmail.com" id="" class="form-control" value="<?php echo $gs->EMAIL;?>" disabled/>
                                </div>
                            </div>
                            <div class="col-md-12">
                                <div class="form-group">
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

250

```
<label>Permission</label>
<div class="input-group full-width">

    <select data-
placeholder="Permission" class="full-width chosen-select" multiple tabindex="5"
id="txt_select_perm_coa">
        <?php
            if ( ! empty(
$get_content ) ) {
                foreach
($get_content as $gc) :
                    ?>
                    <option
value="<?php echo $gc->NAME; ?>|<?php echo $gc->NAME; ?></option>
                    <?php
                        endforeach;
                    }
                    ?>
                </select>
            </div>
        </div>
        <div class="col-md-12">
            <button type="button"
id="btn_update_coa" class="btn btn-info full-width">Update co-administrator
permission</button>
        </div>
    </form>
<?php
    endforeach;
} else {
    echo "<div class='col-md-12'>Click an
information</div>";
}
?>
</div>
</div>
</div>
</div>
</div>


<div class="modal inmodal" id="createModal" tabindex="-1" role="dialog"
aria-labelledby="modalCreate">
    <div class="modal-dialog" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <button type="button" class="close" data-dismiss="modal"
aria-label="Close"><span aria-hidden="true">&times;</span></button>
                <h4 class="modal-title" id="myModalLabel">Add new co-
administrator</h4>
            </div>
            <div class="modal-body">
                <div>
                    <div class="row">
                        <div class="col-md-6">
```



```
<div class="form-group">
    <label>First Name</label>
    <input type="text" placeholder="John"
id="txt_create_coa_fname" class="form-control" />
</div>
<div class="col-md-6">
    <div class="form-group">
        <label>Last Name</label>
        <input type="text" placeholder="Doe"
id="txt_create_coa_lname" class="form-control" />
</div>
<div class="col-md-6">
    <div class="form-group">
        <label>Username</label>
        <input type="text" placeholder="johndoe123"
id="txt_create_coa_uname" class="form-control" />
</div>
<div class="col-md-6">
    <div class="form-group">
        <label>Email address</label>
        <input type="text"
placeholder="johndoe@gmail.com" id="txt_create_coa_email" class="form-control"
/>
</div>
<div class="col-md-6">
    <div class="form-group">
        <label>Password</label>
        <input type="password"
placeholder="....." id="txt_create_coa_pword" class="form-control" />
</div>
<div class="col-md-6">
    <div class="form-group">
        <label>Confirm password</label>
        <input type="password"
placeholder="....." id="txt_create_coa_conpword" class="form-control" />
</div>
<div class="col-md-12">
    <button class="btn btn-info full-width"
id="btn_create_coa_save">Save as co-administrator</button>
</div>
</div>
</div>
</div>
</div>
<div id="search">
    admin/files/contact_content.php
</div>
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

252

```
<div class="padding-top">
    <input type="text" class="form-control search"
placeholder="Search a name or contact or email address..." />
</div>
<div class="row">
    <div class="list">
        <?php
            if ( !empty($get_all_contact) ) {
                foreach ( $get_all_contact as $gac ) :
?
            <div class="col-md-4 padding-top">
                <div class="contact-box
center-version">
                    <a data-toggle="modal"
data-target="#modalUpdate<?php echo $gac->NO; ?>">
                        
                        <h3 class="m-b-xs
name"><strong><?php echo $gac->NAME; ?></strong></h3>
<?php echo $gac->ADDRESS; ?> -</div>
                    <div class="text-center">
                        <div class="contact"><?php
echo $gac->CONTACTNO; ?></div>
                        <div class="email"><?php
echo $gac->EMAILADDRESS; ?></div>
                    </a>
                    <div class="contact-box-
footer">
                        <a data-toggle="modal"
data-target="#modalDeleteContact<?php echo $gac->NO; ?>" class="btn btn-xs btn-
danger"><i class="glyphicon glyphicon-trash"></i> Delete</a>
                    </div>
                </div>
            </div>
        <?php
            endforeach;
        }
?
    </div>
</div>
<?php
    foreach ($get_all_contact as $gat) :
?
    <div class="modal inmodal" id="modalDeleteContact<?php echo $gat-
>NO; ?>" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content animated pulse">
                <div class="modal-header">
                    <h4 class="modal-title">Are you sure, you want to
delete this as your team member?</h4>
                </div>
                <div class="modal-body padding-bottom padding-top">
```



```
<div class="row">
    <div class="col-md-6">
        <button type="button" id="btn_cancenl_team"
data-dismiss="modal" class="btn btn-default btn-lg full-width">Cancel</button>
    </div>
    <div class="col-md-6">
        <a href=<?php echo base_url();
?>admin/contact/delete/<?php echo $gat->NO; ?>" type="button"
id="btn_delete_team" class="btn btn-danger btn-lg full-width">Delete</a>
    </div>
    </div>
</div>
<?php
    endforeach;
?>

admin/files/dashboard_contact.php
<div class="padding-top">
    <div class="ibox no-margin">
        <div class="ibox-title no-border">
            Contact
            <span class="pull-right"><a href=<?php echo base_url();
?>admin/contact">View all</a></span>
        </div>
        <div class="ibox-content" style="min-height:335px;">
            <center>
                <?php
                    foreach ( $get_all_contact_for_specific_admin as $gacfsa
) :
                ?>
                <div class="padding-top">
                    <div class="ibox-content no-border no-padding">
                        <div class="row">
                            <div class="col-md-3">
                                <img style="max-height: 45px;min-
width:45px;max-width: 45px;" class="img-responsive img-circle" src=<?php echo
base_url(); ?>public/img/<?php echo $gacfsa->IMAGEURL; ?>">
                            </div>
                            <div class="col-md-9">
                                <div class="padding-top">
                                    <a data-toggle="modal" data-
target="#<?php echo $gacfsa->NO; ?>ModalDashContact">
                                        <?php echo $gacfsa->NAME; ?>
                                    </a>
                                </div>
                            </div>
                        </div>
                    </div>
                <?php
                    endforeach;
?>
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

254

```
<div class="form-group padding-top">
    <a data-toggle="modal" data-
target="#createContactDashModal" class="btn btn-info full-width">Add new
contant</a>
</div>
</center>
</div>
</div>

<?php
    foreach ( $get_all_contact_for_specific_admin as $gacfsa ) :
?>
    <div class="modal inmodal" id="<?php echo $gacfsa->NO;
?>ModalDashContact" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog modal-sm" role="document">
            <div class="modal-content animated pulse">
                <div class="modal-body no-padding-bottom">
                    <center>
                        
                        <div class="padding-top">
                            <div class="text-bold"><?php echo $gacfsa-
NAME; ?></div>
                            <div><?php echo $gacfsa->CONTACTNO; ?></div>
                            <div><?php echo $gacfsa->EMAILADDRESS;
?></div>
                        </div>
                        <div class="form-group padding-top">
                            <input type="button" class="btn btn-info
full-width" value="Send a message"/>
                        </div>
                    </center>
                </div>
            </div>
        </div>
    <?php
        endforeach;
?>

    <div class="modal inmodal" id="createContactDashModal" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog modal-sm" role="document">
            <div class="modal-content animated pulse">
                <div class="modal-header">
                    <h4 class="modal-title">Add new contact</h4>
                </div>
                <div class="modal-body no-padding-bottom">
                    <form role="form" id="formContactDash"
enctype="multipart/form-data" method="post" action="<?php echo base_url();
?>admin/dashboard/insertContact">
                        <div class="form-group">
                            <label>* Name</label>
```



```
<input type="text" class="form-control"
name="contactDash_name_create" required/>
</div>
<div class="form-group">
<label>* Contact Number</label>
<input type="text" class="form-control"
name="contactDash_contact_create" required/>
</div>
<div class="form-group">
<label>* Email Address</label>
<input type="email" class="form-control"
name="contactDash_email_create" required/>
</div>
<div class="form-group">
<label>* Address</label>
<input type="text" class="form-control"
name="contactDash_address_create" required/>
</div>
<div class="form-group">
<input type="file" name="image" class="file hide" />
<label>Image</label>
<div class="input-group col-xs-12">
<span class="input-group-addon"><i
class="glyphicon glyphicon-picture"></i></span>
<input type="text" class="form-control input-lg"
disabled placeholder="Upload Image">
<span class="input-group-btn">
<button class="browse btn btn-info input-lg"
type="button"><i class="glyphicon glyphicon-search"></i> Browse</button>
</span>
</div>
<div class="form-group">
<input type="submit" name="contactDash_create"
class="btn btn-success full-width" id="contactDash_create" value="Submit"/>
</div>
</form>
</div>
</div>
</div>
</div>
</div>
```

**admin/files/dashboard\_issue.php**

```
<div class="padding-top">
<div class="ibox no-margin">
<div class="ibox-title no-border">
    Issue tracker
</div>
<div class="ibox-content no-padding-top no-border" style="min-
height:330px;">
    <div class="table-responsive">
        <table class="table table-hover issue-tracker">
            <tbody id="tbody-issue-tracker">
                <?php
                    // print_r($get_all_issue_tracker);
```



```
        foreach ( $get_all_issue_tracker as $gait ) :
    ?>
        <tr>
            <td class="text-center">
                <?php
                    if ( $gait->STATUS == '2' ) {
                ?>
                    <span class="label label-
danger full-width no-border-radius">Bug</span>
                <?php
                    } else {
                ?>
                    <span class="label label-
primary full-width no-border-radius">Fixed</span>
                <?php
                    }
                ?>
            </td>
            <td class="issue-info">
                <div class="text-bold">ISSUE #<?php
echo $gait->NO." - ".$gait->TITLE; ?></div>
                <small>
                    <?php echo substr($gait-
>DESCRIPTION, 0,74); ?>
                </small>
            </td>
            <td class="text-center">
                <?php echo $gait->FIRSTNAME .
'. $gait->LASTNAME; ?>
            </td>
            <td class="text-center">
                <?php echo $gait->DATEINSERT; ?>
            </td>
            <td style="display:
none;" id="replyNO<?php echo $gait->NO; ?>" value="<?php echo $gait->NO; ?>"/>
            <td class="text-center">
                <a href="<?php echo base_url();
?>admin/dashboard/solved_issue/<?php echo $gait->NO; ?>" class="btn btn-white
btn-xs full-width"> Resolve</a>
                <a data-toggle="modal"
id="replyID<?php echo $gait->NO; ?>" data-target="#replyIssueDashModal<?php echo
$gait->NO; ?>" class="btn btn-white btn-xs full-width"> Reply</a>
            </td>
        </tr>
    <?php
        endforeach;
    ?>
    </tbody>
</table>
</div>
</div>
</div>
<?php
```



```
        foreach ( $get_all_issue_tracker as $gait ) :
    ?>
        <div class="modal inmodal" id="replyIssueDashModal<?php echo $gait-
>N0; ?>" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
            <div class="modal-dialog" role="document">
                <div class="modal-content animated pulse">
                    <div class="modal-header">
                        <h4 class="modal-title">ISSUE #<?php echo $gait-
>N0." - ".$gait->TITLE;?></h4>
                    </div>
                    <div class="modal-body no-padding-bottom" >
                        <div class="text-center">
                            <div><?php echo $gait->DESCRIPTION; ?></div>
                        </div>
                        <div>
                            <div class="social-footer margin-top">
                                <div id="data-body-modal-issue-tracker<?php echo
$gait->N0; ?>"></div>
                            <div class="social-comment">
                                <a href="" class="pull-left">
                                    
                                </a>
                                <div class="media-body">
                                    <textarea class="form-control"
id="replyforIssueID<?php echo $gait->N0; ?>" placeholder="Write comment..." style="max-height: 20%;min-height: 20%;"></textarea>
                                </div>
                            </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    <?php
        endforeach;
    ?>

admin/files/dashboard_map.php
<div class="padding-top" id="dashPrintSales">
    <div class="ibox no-margin">
        <div class="ibox-title no-border">
            Geographical Location of the user/ client
        </div>
        <div class="ibox-content">
            <div id="map" class="google-map full-width" style="height: 500px;"></div>
        </div>
    </div>
</div>
```





```
                </li>
            <?php
        }
    ?>
    <?php
        endforeach;
    ?>
</ul>

<div class="form-group padding-top">
    <a href=<?php echo base_url();
?>admin/dashboard/deleteTodoTask<?php echo $this->session-
userdata('user_session')->NO; ?>" class="btn btn-danger full-width">Delete
checked task</a>
</div>
</div>
</div>
</div>

<div class="modal inmodal" id="createTodoDashModal" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog modal-sm" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Add new todo</h4>
            </div>
            <div class="modal-body no-padding-bottom">
                <form role="form" id="formContactDash" method="post"
action=<?php echo base_url(); ?>admin/dashboard/insertToDo">
                    <div class="form-group">
                        <label>* Title</label>
                        <input type="text" class="form-control"
name="dashTodo_title_create" required/>
                    </div>
                    <div class="form-group">
                        <input type="submit" name="dashTodo_create"
class="btn btn-success full-width" value="Submit"/>
                    </div>
                </form>
            </div>
        </div>
    </div>
</div>

admin/files/dashboard_top.php
<div class="row">
    <div class="col-md-3 padding-top">
        <div class="widget style1 navy-bg no-margin no-border-radius">
            <div class="text-center">
                <span> Total sales </span>
                <h2 class="font-bold">₱ <?php echo
number_format($totalSales); ?></h2>
            </div>
        </div>
    </div>
</div>
```



```
<div class="col-md-3 padding-top">
    <div class="widget style1 lazur-bg no-margin no-border-radius">
        <div class="text-center">
            <span> Last year sales </span>
            <h2 class="font-bold">₱ <?php echo
number_format($totalSalesLastYear); ?></h2>
        </div>
    </div>
    <div class="col-md-3 padding-top">
        <div class="widget style1 yellow-bg no-margin no-border-
radius">
            <div class="text-center">
                <span> Total templates </span>
                <h2 class="font-bold"><?php echo
number_format($numberOfTemplates); ?></h2>
            </div>
        </div>
    </div>
    <div class="col-md-3 padding-top">
        <div class="widget style1 red-bg no-margin no-border-radius">
            <div class="text-center">
                <span> Site Visit </span>
                <h2 class="font-bold">592</h2>
            </div>
        </div>
    </div>
</div>

admin/files/event_left.php
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        List
        <span class="pull-right"><a data-toggle="modal" data-
target="#eventModal">Create</a></span>
    </div>
    <div class="ibox-content min-height" id="search">
        <div class="no-margins">
            <div class="row">
                <div class="col-md-12">
                    <h4><input type="text" class="form-control search"
placeholder="Search"/></h4>
                    <div class="table-responsive">
                        <table class="table table-striped text-center">
                            <?php if(!empty($get_all_events)) {?>
                                <tbody class="list">
                                    <?php foreach($get_all_events as $gaa)
:?:>
                                        <tr>
                                            <td class="title">
```



```
<a href=<?php echo  
base_url();?>admin/events/information/<?php echo $gaa->N0;?>><?php echo $gaa-  
>TITLE;?></a>  
                                </td>  
                            </tr>  
                        <?php endforeach; ?>  
                    </tbody>  
                <?php } ?>  
            </table>  
        </div>  
    </div>  
    </div>  
    </div>  
    </div>  
</div>  
  
<div class="modal inmodal" id="eventModal" tabindex="-1" role="dialog" aria-  
labelledby="myModalLabel">  
    <div class="modal-dialog" role="document">  
        <div class="modal-content animated pulse">  
            <div class="modal-header">  
                <h4 class="modal-title">Event - Create</h4>  
            </div>  
            <div class="modal-body no-padding-bottom">  
                <div class="form-group">  
                    <label>Title</label>  
                    <input type="text" class="form-control"  
id="event_title_create" maxlength="50" />  
                </div>  
                <div class="form-group">  
                    <label>Description</label>  
                    <textarea style="min-height: 150px;max-height:  
150px;max-width: 100%" id="event_description_create" class="form-  
control"></textarea>  
                </div>  
                <div class="form-group">  
                    <input type="button" class="btn btn-success full-width"  
id="event_create" value="Submit"/>  
                </div>  
            </div>  
        </div>  
    </div>  
  
admin/files/event_right.php  
<div class="ibox no-margin">  
    <div class="ibox-title no-border">  
        Preview  
    <?php  
        foreach ( $get_specific as $gs ) :  
    ?>  
        <span class="pull-right"><a data-toggle="modal" data-  
target="#modalDeleteEvent<?php echo $gs->N0;?>>Delete</a> | <a data-  
toggle="modal" data-target="#updateModal<?php echo $gs->N0;?>>Update</a></span>
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

262

```
<?php
    endforeach;
?>
</div>
<div class="ibox-content min-height no-padding-top">
<?php
    foreach ( $get_specific as $gs ) :
?>
    <div class="padding-top text-center">
        <h3 class="no-margin"><?php echo $gs->TITLE; ?></h3>
    </div>
    <div class="padding-top text-center" style="padding-left: 110px;
padding-right: 110px;">
        <div><?php echo $gs->DESCRIPTION; ?></div>
    </div>
<?php
    endforeach;
?>
</div>
</div>

<?php
    foreach ($get_specific as $gs) :
?>
    <div class="modal inmodal" id="modalDeleteEvent<?php echo $gs-
>NO;?>" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content animated pulse">
                <div class="modal-header">
                    <h4 class="modal-title">Are you sure, you want to
delete this event?</h4>
                </div>
                <div class="modal-body padding-bottom padding-top">
                    <div class="row">
                        <div class="col-md-6">
                            <button type="button" id="btn_cancenl_team"
data-dismiss="modal" class="btn btn-default btn-lg full-width">Cancel</button>
                        </div>
                        <div class="col-md-6">
                            <a href="<?php echo base_url();
?>admin/events/delete/<?php echo $gs->NO; ?>" type="button" id="btn_delete_team"
class="btn btn-danger btn-lg full-width">Delete</a>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
<?php
    endforeach;
?>

<?php
    foreach ($get_specific as $gs) :
?>
```



```
<div class="modal inmodal" id="updateModal<?php echo $gs->N0;?>"  
tabindex="-1" role="dialog" aria-labelledby="myModalLabel">  
    <div class="modal-dialog" role="document">  
        <div class="modal-content animated pulse">  
            <div class="modal-header">  
                <h4 class="modal-title">Event - Update</h4>  
            </div>  
            <div class="modal-body no-padding-bottom">  
                <form method="POST" enctype="multipart/form-data"  
action="<?php echo base_url();?>admin/events/update">  
                    <div class="form-group">  
                        <input type="file" name="image"  
accept="image/*" class="file hide" />  
                        <div class="input-group">  
                            <span class="input-group-addon"><i  
class="glyphicon glyphicon-picture"></i></span>  
                            <input type="text" class="form-control"  
value="<?php echo $gs->IMAGEURL; ?>" disabled placeholder="Upload Image">  
                            <span class="input-group-btn">  
                                <button class="browse btn btn-info"  
type="button"><i class="glyphicon glyphicon-search"></i> Browse</button>  
                            </span>  
                        </div>  
                    </div>  
                    <div class="form-group">  
                        <label>Title</label>  
                        <input type="text" class="form-control"  
required name="event_no_update" value="<?php echo $gs->N0; ?>" style="display:  
none;" />  
                        <input type="text" class="form-control"  
required name="event_title_update" maxlength="50" value="<?php echo $gs->TITLE;  
?>"/>  
                    </div>  
                    <div class="form-group">  
                        <label>Description</label>  
                        <textarea style="min-height: 150px;max-  
height: 150px;max-width: 100%" class="form-control" required  
name="event_description_update"><?php echo $gs->DESCRIPTION; ?></textarea>  
                    </div>  
                    <div class="form-group">  
                        <input type="submit" class="btn btn-success  
full-width" name="event_update" value="Update"/>  
                    </div>  
                </form>  
            </div>  
        </div>  
    </div>  
<?php  
    endforeach;  
?>  
  
admin/files/message_left.php  
<div class="ibox no-margin">  
    <div class="ibox-title no-border">
```



```
Inbox
<span class="pull-right"><a data-toggle="modal" data-
target="#createModal">Compose Message</a></span>
</div>
<div class="ibox-content min-height" id="search">
<div class="no-margins">
    <div class="row">
        <div class="col-md-12">
            <h4><input type="text" class="form-control search" placeholder="Search"/></h4>
            <div class="table-responsive">
                <table class="table table-striped text-center">
                    <?php if(!empty($get_all_inbox_spec_user)) {?>
                    <tbody class="list">
                        <?php foreach($get_all_inbox_spec_user
as $gaisu) :?>
                            <tr>
                                <td class="title">
                                    <a href="<?php echo
base_url();?>admin/message/content/<?php echo $gaisu->NO;?>"><?php echo $gaisu-
>SUBJECT;?></a>
                                </td>
                            </tr>
                        <?php endforeach; ?>
                    </tbody>
                    <?php } ?>
                </table>
            </div>
        </div>
    </div>
</div>
</div>

<div class="modal inmodal" id="createModal" tabindex="-1" role="dialog"
aria-labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Compose Message</h4>
            </div>
            <div class="modal-body no-padding-bottom">
                <div class="form-group">
                    <label>Email Address</label><small id="error_cm_email"
style="color:red;"></small>
                    <input type="text" class="form-control" id="cm_email" />
                </div>
                <div class="form-group">
                    <label>Subject</label><small id="error_cm_subject"
style="color:red;"></small>
                    <input type="text" class="form-control" id="cm_subject"
/>
                </div>
            </div>
        </div>
    </div>
</div>
```



```
<div class="form-group">
    <label>Message</label><small id="error_cm_message"
style="color:red;"></small>
    <textarea style="min-height: 150px;max-height:
150px;max-width: 100%" id="cm_message" class="form-control"></textarea>
</div>
<div class="form-group">
    <input type="button" class="btn btn-success full-width"
id="cm_create" value="Send message"/>
</div>
</div>
</div>
</div>

admin/files/message_right.php
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        Inbox
        <span class="pull-right"><a data-toggle="modal" data-
target="#createModal">Compose Message</a></span>
    </div>
    <div class="ibox-content min-height" id="search">
        <div class="no-margins">
            <div class="row">
                <div class="col-md-12">
                    <h4><input type="text" class="form-control search"
placeholder="Search"/></h4>
                    <div class="table-responsive">
                        <table class="table table-striped text-center">
                            <?php if(!empty($get_all_inbox_spec_user)) {?>
                            <tbody class="list">
                                <?php foreach($get_all_inbox_spec_user
as $gaisu) :?>
                                    <tr>
                                        <td class="title">
                                            <a href="<?php echo
base_url();?>admin/message/content/<?php echo $gaisu->NO;?>"><?php echo $gaisu-
>SUBJECT;?></a>
                                            </td>
                                        </tr>
                                    <?php endforeach; ?>
                                <?php } ?>
                            </tbody>
                        </table>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

266

```
<div class="modal inmodal" id="createModal" tabindex="-1" role="dialog"
aria-labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Compose Message</h4>
            </div>
            <div class="modal-body no-padding-bottom">
                <div class="form-group">
                    <label>Email Address</label><small id="error_cm_email"
style="color:red;"></small>
                    <input type="text" class="form-control" id="cm_email" />
                </div>
                <div class="form-group">
                    <label>Subject</label><small id="error_cm_subject"
style="color:red;"></small>
                    <input type="text" class="form-control" id="cm_subject"
/>
                </div>
                <div class="form-group">
                    <label>Message</label><small id="error_cm_message"
style="color:red;"></small>
                    <textarea style="min-height: 150px;max-height:
150px;max-width: 100%" id="cm_message" class="form-control"></textarea>
                </div>
                <div class="form-group">
                    <input type="button" class="btn btn-success full-width"
id="cm_create" value="Send message"/>
                </div>
            </div>
        </div>
    </div>
</div>

admin/files/paypal_left.php
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        Account List
        <span class="pull-right"><a data-toggle="modal" data-
target="#modalPayPal">Create</a></span>
    </div>
    <div class="ibox-content min-height">
        <input type="text" class="form-control" placeholder="Search an Email
address"/>
        <table class="table table-hover table-mail">
            <thead>
                <tr>
                    <th>Email Address</th>
                    <th>Status</th>
                </tr>
            </thead>
            <tbody class="list">
                <?php
                    if ( empty($get_all_paypal) ) {
                        echo "NO ACCOUNT YET!";
                
```



```
        } else {
            foreach ( $get_all_paypal as $gap ) :
                if ( $gap->STATUS == "enabled" ) {
                    ?
                    <tr>
                        <td class="mail-subject text-size-inbox
"><a href=<?php echo base_url(); ?>admin/paypal_configuration/information/<?php
echo $gap->NO;?>"><?php echo $gap->PAYPAL_EMAIL; ?></a></td>
                        <td><span class="label label-
primary">Enabled</span></td>
                    </tr>
                <?php      } else { ?>
                    <tr>
                        <td class="mail-subject text-size-inbox
"><a href=<?php echo base_url(); ?>admin/paypal_configuration/information/<?php
echo $gap->NO;?>"><?php echo $gap->PAYPAL_EMAIL; ?></a></td>
                        <td><span class="label label-
danger">Disabled</span></td>
                    </tr>
                <?php
            }
        endforeach;
    }
}
</tbody>
</table>
</div>
</div>

<div class="modal fade" id="modalPayPal" tabindex="-1" role="dialog">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h4 class="modal-title">Save new PayPal Account</h4>
            </div>
            <div class="modal-body">
                <div class="row">
                    <div class="col-md-3">
                        <center>
                            <img style="height:150px;" class="img-
responsive" src=<?php echo base_url(); ?>public/img/paypal.png" />
                        </center>
                    </div>
                    <div class="col-md-9">
                        <p style="text-align: justify;">PayPal Holdings,
                        Inc. is an American company operating a worldwide online payments system that
                        supports online money transfers and serves as an electronic alternative to
                        traditional paper methods like checks and money orders.</p>
                        <p>
                            Note: To enable this account. Please click the
                            email on the left side box then on the right side click enabled then save.
                        </p>
                        <br/>
                        <div id="error_message_paypal" class="text-bold"
style="color: red;"></div>
                </div>
            </div>
        </div>
    </div>
</div>
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

268

```
<label>Email Address</label>
<input type="email" class="form-control"
placeholder="example@example.com" id="txt_paypal_email"/>
<br/>
<button class="btn btn-primary pull-right full-width" type="submit" id="btn_paypal_save_new">Save new PayPal account!</button>
</div>
</div>

</div>
</div>
</div>
</div>

admin/files/paypal_right.php
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        Preview
        <?php
            foreach ( $get_specific as $gs ) :
        ?>
            <span class="pull-right"><a data-toggle="modal" data-target="#modalDeletePayPal<?php echo $gs->NO; ?>">Delete</a></span>
        <?php
            endforeach;
        ?>
    </div>
    <div class="ibox-content min-height">
        <div class="row">
            <div class="col-md-4">
                <center>
                    
                </center>
            </div>
            <div class="col-md-8">
                <p style="text-align: justify;">PayPal Holdings, Inc. is an American company operating a worldwide online payments system that supports online money transfers and serves as an electronic alternative to traditional paper methods like checks and money orders.</p>
                <br/>
                <label>Email Address</label>
                <?php
                    if ( empty($get_specific) ) {
                ?>
                    <input type="text" class="form-control"
placeholder="example@example.com" value="" />
                <?php
                    } else {
                        foreach ( $get_specific as $gs ) :
                ?>
                    <input type="text" class="form-control" value="<?php
echo $gs->NO; ?>" id="txt_paypal_no" style="display: none; />
                    <input type="text" class="form-control" value="<?php
echo $gs->PAYOUT_EMAIL; ?>" id="txt_paypal_email_upd"/>
```



```
<?php
    endforeach;
}
?>
<p>
    <div class="form-group">
        <select name="status" id="paypal_email_status"
class="form-control">
            <option value="enabled"
selected>Enabled</option>
            <option value="disabled">Disabled</option>
        </select>
    </div>
</p>
<br/>
    <button class="btn btn-primary pull-right" type="submit"
id="btn_update_paypal_account">Update an PayPal account!</button>
    </div>
</div>
</div>
<?php
    foreach ($get_specific as $gs) :
?>
    <div class="modal inmodal" id="modalDeletePayPal<?php echo $gs->NO;
?>" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content animated pulse">
                <div class="modal-header">
                    <h4 class="modal-title">Are you sure, you want to
delete this paypal account?</h4>
                </div>
                <div class="modal-body padding-bottom padding-top">
                    <div class="row">
                        <div class="col-md-6">
                            <button type="button" id="btn_cancel_paypal"
data-dismiss="modal" class="btn btn-default btn-lg full-width">Cancel</button>
                        </div>
                        <div class="col-md-6">
                            <a href="<?php echo base_url();
?>admin/paypal_configuration/delete/<?php echo $gs->NO; ?>" type="button"
id="btn_delete_paypal" class="btn btn-danger btn-lg full-width">Delete</a>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
<?php
    endforeach;
?>

admin/files/profile_left.php
<?php
    foreach ( $get_admin_specific as $gas ) :
```



```
?>
    <div class="ibox-content no-border">
        <center><img src=<?php echo base_url();
?>public/img/<?php echo $gas->IMAGEURL; ?>" class="img-responsive"
style="width:150px;height:150px;"/></center>
    </div>

    <hr class="margin-top no-margin"/>

    <div class="padding-top">
        <div class="ibox-content no-margin no-border">
            <div class="form-group">
                <label>Name</label>
                <div><?php echo $gas->FIRSTNAME.' '.$gas-
>LASTNAME; ?></div>
            </div>
            <div class="form-group">
                <label>Email Address</label>
                <div><?php echo $gas->EMAIL; ?></div>
            </div>
            <div class="form-group">
                <label>Username</label>
                <div><?php echo $gas->USERNAME; ?></div>
            </div>
            <div class="form-group">
                <label>Contact</label>
                <div><?php echo $gas->PHONENUMBER; ?></div>
            </div>
        </div>
    </div>

<?php
    endforeach;
?>
    <hr class="no-margin"/>
    <div class="padding-top">
        <input type="button" value="Change Profile Picture" data-
toggle="modal" data-target="#modalChangeProfilePicture" class="btn btn-default
full-width"/>
    </div>
    <div class="padding-top">
        <input type="button" value="Change Information" data-toggle="modal"
data-target="#modalChangePersonalInformation" class="btn btn-default full-
width"/>
    </div>
    <div class="padding-top">
        <input type="button" value="Change Password" data-toggle="modal"
data-target="#modalChangePassword" class="btn btn-default full-width"/>
    </div>
    <div class="padding-top">
        <input type="button" value="Change Location" data-toggle="modal" data-
target="#modalChangeLocation" class="btn btn-default full-width"/>
    </div>
```



```
<div class="modal inmodal" id="modalChangeLocation" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog modal-lg" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Change your location</h4>
            </div>
            <div class="modal-body padding-bottom padding-top no-padding-
bottom">
                <div class="ibox-content no-border">
                    <div id="map" class="google-map full-width"
style="height: 500px;"></div>
                </div>
                <div class="row">
                    <div class="col-md-6">
                        <div class="form-group">
                            <label>Latitude</label>
                            <input type="text" class="form-control"
id="txt_lat_prof" disabled />
                        </div>
                    </div>
                    <div class="col-md-6">
                        <div class="form-group">
                            <label>Longitude</label>
                            <input type="text" class="form-control"
id="txt_long_prof" disabled />
                        </div>
                    </div>
                </div>
                <div class="form-group">
                    <button class="btn btn-success full-width" type="submit"
id="btn_latlong_submit">Submit</button>
                </div>
            </div>
        </div>
    </div>
</div>

<div class="modal inmodal" id="modalChangeProfilePicture" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog modal-sm" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Change Profile Picture</h4>
            </div>
            <div class="modal-body padding-bottom padding-top no-padding-
bottom">
                <div class="form-group">
                    
                </div>
                <form method="POST" enctype="multipart/form-data"
action="<?php echo base_url(); ?>admin/profile/change_profile">
```



```
<div class="form-group">
    <input type="file" name="image" class="file hide"
required />
    <div class="input-group">
        <span class="input-group-addon"><i
class="glyphicon glyphicon-picture"></i></span>
        <input type="text" class="form-control" disabled
placeholder="Upload Image">
        <span class="input-group-btn">
            <button class="browse btn btn-info"
type="button"><i class="glyphicon glyphicon-search"></i> Browse</button>
        </span>
    </div>
    <div class="form-group">
        <button class="btn btn-success full-width"
type="submit" name="btn_update_image_profile">Change Picture</button>
    </div>
</form>

</div>
</div>
</div>
</div>

<div class="modal inmodal" id="myModalChangePersonalInformation" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Change Personal Information</h4>
            </div>
            <div class="modal-body padding-bottom padding-top no-padding-
bottom">
                <div class="row">
                    <div class="col-md-6">
                        <div class="form-group">
                            <label>First name</label>
                            <input type="text" class="form-control"
id="txt_fname_profile_change_admin" value=<?php echo $this->session-
>userdata('user_session')->FIRSTNAME; ?> />
                        </div>
                    </div>
                    <div class="col-md-6">
                        <div class="form-group">
                            <label>Last name</label>
                            <input type="text" class="form-control"
id="txt_lname_profile_change_admin" value=<?php echo $this->session-
>userdata('user_session')->LASTNAME; ?> />
                        </div>
                    </div>
                    <div class="col-md-12">
                        <div class="form-group">
                            <label>Email Address</label>
```



```
<input type="text" class="form-control"
id="txt_email_profile_change_admin" value="php echo $this-&gt;session-
&gt;userdata('user_session')-&gt;EMAIL; ?&gt;" /&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;div class="col-md-6"&gt;
&lt;div class="form-group"&gt;
&lt;label&gt;Username&lt;/label&gt;
&lt;input type="text" class="form-control"
id="txt_uname_profile_change_admin" value="<?php echo $this-&gt;session-
&gt;userdata('user_session')-&gt;USERNAME; ?&gt;" /&gt;
&lt;/div&gt;
&lt;div class="col-md-6"&gt;
&lt;div class="form-group"&gt;
&lt;label&gt;Contact&lt;/label&gt;
&lt;input type="text" class="form-control"
id="txt_contact_profile_change_admin" value="<?php echo $this-&gt;session-
&gt;userdata('user_session')-&gt;PHONENUMBER; ?&gt;" /&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;div class="form-group"&gt;
&lt;button class="btn btn-success full-width"
id="btn_submit_change_information_profile_admin"&gt;Submit&lt;/button&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;

&lt;div class="modal inmodal" id="modalChangePassword" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel"&gt;
&lt;div class="modal-dialog modal-sm" role="document"&gt;
&lt;div class="modal-content animated pulse"&gt;
&lt;div class="modal-header"&gt;
&lt;h4 class="modal-title"&gt;Change Password&lt;/h4&gt;
&lt;/div&gt;
&lt;div class="modal-body padding-bottom padding-top no-padding-
bottom"&gt;
&lt;div class="row"&gt;
&lt;div class="col-md-12"&gt;
&lt;div class="form-group"&gt;
&lt;label&gt;Current Password&lt;/label&gt;
&lt;input type="password" class="form-control"
id="txt_current_pword_admin" /&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;div class="col-md-12"&gt;
&lt;div class="form-group"&gt;
&lt;label&gt;Password&lt;/label&gt;
&lt;input type="password" class="form-control"
id="txt_pword_changeprofile_admin" disabled /&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;</pre
```



```
<div class="col-md-12">
    <div class="form-group">
        <label>Confirm Password</label>
        <input type="password" class="form-control"
id="txt_conpwd_changeprofile_admin" disabled />
    </div>
</div>
<div class="form-group">
    <button class="btn btn-success full-width"
id="btn_submit_change_password_profile_admin">Submit</button>
    </div>
</div>
</div>
</div>

admin/files/profile_right.php
<div class="ibox-content no-border no-margin padding-all no-padding-bottom">
    <div class="form-group no-margin">
        <textarea class="form-control" style="max-width: 100%;max-
height: 106px;min-height: 106px;" id="txt_post" placeholder="Write something on
your wall.."></textarea>
        <div class="padding-top">
            <input type="button" class="btn btn-success"
id="btn_post_profile" value="Post"/>
        </div>
    </div>
</div>

<div id="newPostAdmin"></div>
<?php
    foreach ( $get_all_post as $gap ) :
?>
    <div class="padding-top">
        <div class="ibox-content no-border">
            <div class="row">

                <?php
                    if ( $gap->NAME == $session_name ) {
?>
                        <span class="pull-right"
style="color:blue;padding-right: 15px;"><a>X</a></span>
                    <?php
                        }
?>
                    <div class="col-xs-1">
                        
                    </div>
                    <div class="text-bold " style="padding-
left: 75px;"><?php echo $gap->NAME; ?></div>
                    <div class="" style="padding-left:
75px;"><?php echo $gap->DATE; ?></div>

```



```
</div>
<hr class="no-margin margin-top"/>
<div class="padding-top" style="padding-left: 20px;padding-right: 20px;font-size: 17px;">
    <?php echo $gap->POSTDESCRIPTION; ?>
</div>
<input type="text" value="<?php echo $gap->NO; ?>" id="txt_no_prof_post" style="display:none;" />
<div class="padding-top">
    <textarea class="form-control" id="adminReplyPost<?php echo $gap->NO; ?>" style="max-width: 100%;max-height: 50px;min-height: 50px;" placeholder="Comment"></textarea>
</div>

<div id="newReplyPostNo<?php echo $gap->NO; ?>"></div>

<?php
    foreach ( $get_reply as $gr ) :
        if ( $gap->NO == $gr->NOREPLY ) {
?
            <div class="padding-top">
                <div class="ibox-content no-border" style="background-color: #F2F2F2;">
                    <div>
                        <div class="row">
                            <div class="col-xs-1">
                                
                            </div>
                        <div style="padding-left: 75px;"><span class="text-bold"><?php echo $gr->NAME; ?></span> | <span><?php echo $gr->DATE; ?></span></div>
                        <div style="padding-left: 75px;"><?php echo $gr->REPLY; ?></div>
                    </div>
                </div>
            </div>
        <?php
            }
        endforeach;
?
    </div>
<?php
endforeach;
?
```



```
?>

admin/files/report_sales.php
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        Sales Report
        <span class="pull-right"><a data-toggle="modal" data-
target="#createModal">This year</a></span>
    </div>
    <div class="ibox-content">
        <div id="ct-chart4" class="ct-perfect-fourth" style="min-width:
100%;min-height: auto;max-height: 400px;"></div>
    </div>
</div>

report_user.php
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        Number of users
        <span class="pull-right"><a data-toggle="modal" data-
target="#createModal">This year</a></span>
    </div>
    <div class="ibox-content">
        <div>
            <canvas id="lineChartUser" style="min-width: 100%;min-height:
auto;max-height: 400px;"></canvas>
        </div>
    </div>
</div>

admin/files/report_useractivity.php
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        User activity
        <span class="pull-right"><a data-toggle="modal" data-
target="#createModal">This year</a></span>
    </div>
    <div class="ibox-content">
        <div>
            <canvas id="lineChart" style="min-width: 100%;min-height:
auto;max-height: 400px;"></canvas>
        </div>
    </div>
</div>

admin/files/team_content.php
<div id="search">
    <div class="padding-top">
        <input type="text" class="form-control search"
placeholder="Search a name or contact or email address..." />
    </div>
    <div class="row">
        <div class="list">
            <?php
                if ( !empty($get_all_team) ) {

```



```
        foreach ( $get_all_team as $gat ) :
    ?>
        <div class="col-md-4 padding-top">
            <div class="contact-box
center-version">
                <a data-toggle="modal"
data-target="#modalUpdate<?php echo $gat->NO; ?>">
                    
                    <h3 class="m-b-xs
name"><strong><?php echo $gat->FIRSTNAME . " ". $gat->LASTNAME; ?></strong></h3>
                    <div class="text-center">
<?php echo $gat->CONTACT; ?> | <?php echo $gat->EMAILADDRESS; ?> </div>
                    <div class="contact"
style="display: none;"><?php echo $gat->CONTACT; ?></div>
                    <div class="email"
style="display: none;"><?php echo $gat->EMAILADDRESS; ?></div>
                    </a>
                <div class="contact-box-
footer">
                    <a data-toggle="modal"
data-target="#modalDeleteTeam<?php echo $gat->NO; ?>" class="btn btn-xs btn-
danger"><i class="glyphicon glyphicon-trash"></i> Delete</a>
                    </div>
                </div>
            </div>
        <?php
            endforeach;
        }
    ?>
        </div>
    </div>
    <?php
        foreach ($get_all_team as $gat) :
    ?>
        <div class="modal inmodal" id="modalDeleteTeam<?php echo $gat-
>NO; ?>" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
            <div class="modal-dialog" role="document">
                <div class="modal-content animated pulse">
                    <div class="modal-header">
                        <h4 class="modal-title">Are you sure, you want to
delete this as your team member?</h4>
                    </div>
                    <div class="modal-body padding-bottom padding-top">
                        <div class="row">
                            <div class="col-md-6">
                                <button type="button" id="btn_cancenl_team"
data-dismiss="modal" class="btn btn-default btn-lg full-width">Cancel</button>
                            </div>
                            <div class="col-md-6">
                                <a href="<?php echo base_url();
?>admin/team/delete/<?php echo $gat->NO; ?>" type="button" id="btn_delete_team"
class="btn btn-danger btn-lg full-width">Delete</a>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </?php

```



```
                </div>
            </div>
        </div>
    </div>
<?php
    endforeach;
?>

<?php
    foreach ($get_all_team as $gat) :
?>
<div class="modal inmodal" id="modalUpdate<?php echo $gat->NO;?>" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Update a member on your team</h4>
            </div>
            <div class="modal-body no-padding-bottom">

                <form method="POST" enctype="multipart/form-data"
action=<?php echo base_url();?>admin/team/update">
                    <div class="form-group">
                        <input type="file" name="image" accept="image/*"
class="file hide" />
                        <div class="input-group">
                            <span class="input-group-addon"><i
class="glyphicon glyphicon-picture"></i></span>
                            <input type="text" class="form-control"
value=<?php echo $gat->IMAGEURL; ?>" disabled placeholder="Upload Image">
                            <span class="input-group-btn">
                                <button class="browse btn btn-info"
type="button"><i class="glyphicon glyphicon-search"></i> Browse</button>
                            </span>
                        </div>
                    </div>
                    <div class="form-group">
                        <div class="row">
                            <input type="text" style="display: none;" value=<?php echo $gat->NO; ?>" name="txt_no" />
                            <div class="col-md-6">
                                <label>First Name</label>
                                <input type="text" class="form-control" value=<?php echo $gat->FIRSTNAME; ?>" name="txt_team_firstname_update"
pattern="[a-zA-Z_-]+([a-zA-Z_-]+)*$" title="Invalid format" required />
                            </div>
                            <div class="col-md-6">
                                <label>Last Name</label>
                                <input type="text" class="form-control" value=<?php echo $gat->LASTNAME; ?>" name="txt_team_lastname_update"
pattern="[a-zA-Z_-]+([a-zA-Z_-]+)*$" title="Invalid format" required />
                            </div>
                        </div>
                    </div>
                </form>
            </div>
        </div>
    </div>
</?php>
```



```
</div>
<div class="form-group">
    <label>Contact</label>
    <input type="text" class="form-control" value="<?php echo $gat->CONTACT; ?>" name="txt_team_contact_update" placeholder="09123456789" pattern="^([0-9]{1,15})$" title="11-15 numbers allowed." required />
        </div>
        <div class="form-group">
            <label>Email Address</label>
            <input type="text" class="form-control" value="<?php echo $gat->EMAILADDRESS; ?>" name="txt_team_email_update" pattern="([a-z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,3})$" title="Invalid email format" required />
                </div>
                <div class="form-group">
                    <div class="row">
                        <div class="col-md-6">
                            <label>Facebook URL</label>
                            <input type="text" class="form-control" value="<?php echo $gat->FACEBOOK; ?>" name="txt_team_fb_update"/>
                        </div>
                        <div class="col-md-6">
                            <label>Twitter URL</label>
                            <input type="text" class="form-control" value="<?php echo $gat->TWITTER; ?>" name="txt_team_twitter_update"/>
                        </div>
                    </div>
                </div>
                <div class="form-group">
                    <input type="submit" class="btn btn-success full-width" name="btn_team_update" value="Update"/>
                </div>
            </form>
        </div>
    </div>
</div>
<?php
    endforeach;
?>

admin/files/website_template_left.php
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        List
    </div>
    <div class="ibox-content min-height" id="search">
        <div class="no-margins">
            <div class="row">
                <div class="col-md-12">
                    <h4><input type="text" class="form-control search" placeholder="Search"/></h4>
                    <div class="table-responsive">
```





```
?>

admin/files/website_template_right.php
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        Preview
        <span class="pull-right">
            <a href="#" class="btn btn-link btn-sm no-padding" data-
toggle="modal" data-target="#createModal">Create</a>
        </span>
    </div>
    <div class="ibox-content min-height no-padding-bottom">
        <div class="no-margins">
            <div class="row">
                <?php
                    if ( ! empty ( $get_specific ) ) {
                        foreach ( $get_specific as $gs ) :
                ?>
                    <div class="padding-left-right">
                        <div class="form-group">
                            
                        </div>
                    <div class="row">
                        <div class="col-md-6">
                            <div class="form-group">
                                <label>Template Name</label>
                                <input type="text" class="form-
control" id="txt_no_wt" value="<?php echo $gs->NO; ?>" style="display: none;" />
                                <input type="text" class="form-
control" id="txt_name_wt" value="<?php echo $gs->TEMPLATENAME; ?>"/>
                            </div>
                        </div>
                        <div class="col-md-6">
                            <div class="form-group">
                                <label>Category</label>
                                <input type="text" class="form-
control" id="txt_category_wt" value="<?php echo $gs->TEMPLATECATEGORY; ?>"/>
                            </div>
                        </div>
                    <div class="form-group">
                        <label>Description</label>
                        <textarea style="max-height: 20%;min-
height: 20%; max-width: 100%;" id="txt_description_wt" class="form-
control"><?php echo $gs->DESCRIPTION; ?></textarea>
                    </div>
                <div class="row">
                    <div class="col-md-6">
                        <div class="form-group">
                            <label>Library & Framework
used</label>
```



```
        <input type="text" class="form-control" id="txt_library_wt" value=<?php echo $gs->LIBRARYUSE; ?>/>
            </div>
        </div>

        <div class="col-md-6">
            <div class="form-group">
                <label>Price</label>
                <input type="text" class="form-control" id="txt_price_wt" value=<?php echo $gs->PRICE; ?>/>
            </div>
        </div>
        <div class="row">
            <div class="col-md-6">
                <div class="form-group">
                    <button class="btn btn-info full-width" data-dismiss="modal" data-toggle="modal" data-target="#updateImageModal<?php echo $gs->NO;?>" type="button">Change website image</button>
                </div>
            </div>
            <div class="col-md-6">
                <div class="form-group">
                    <button class="btn btn-success full-width" type="button" id="btn_update_wt">Update website information</button>
                </div>
            </div>
        </div>
    <?php
        endforeach;
    }
    ?>
</div>
</div>
</div>
<?php
    foreach ($get_specific as $gao) :
?>
    <div class="modal inmodal" id="updateImageModal<?php echo $gao->NO;?>" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content animated pulse">
                <div class="modal-header">
                    <h4 class="modal-title"><?php echo 'Update website image of ' . $gao->OWNERTITLEWEBSITE; ?></h4>
                </div>
                <div class="modal-body padding-bottom padding-top">
                    <form method="POST" enctype="multipart/form-data" action=<?php echo base_url();?>admin/website_template/update_image/<?php echo $gao->NO;?>>>
```



```
<div class="form-group">
    <input type="file" name="image" class="file
hide" required />
    <div class="input-group">
        <span class="input-group-addon"><i
class="glyphicon glyphicon-picture"></i></span>
        <input type="text" class="form-control"
disabled placeholder="Upload Image">
        <span class="input-group-btn">
            <button class="browse btn btn-info"
type="button"><i class="glyphicon glyphicon-search"></i> Browse</button>
            </span>
        </div>
    </div>
    <div class="form-group">
        <button class="btn btn-success full-width"
type="submit" name="btn_update_image_wo">Update website image</button>
    </div>
</form>
</div>
</div>
</div>
<?php
    endforeach;
?>

<!-- Modal -->
<div class="modal inmodal" id="createModal" tabindex="-1" role="dialog"
aria-labelledby="modalCreate">
    <div class="modal-dialog" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <button type="button" class="close" data-dismiss="modal"
aria-label="Close"><span aria-hidden="true">&times;</span></button>
                <h4 class="modal-title" id="myModalLabel">Create new
template</h4>
            </div>
            <div class="modal-body no-padding-bottom">
                <div class="row">
                    <div class="col-md-6">
                        <div class="form-group">
                            <label>Template Name</label>
                            <input type="text" class="form-control"
id="txt_name_wt_create" />
                        </div>
                    </div>
                    <div class="col-md-6">
                        <div class="form-group">
                            <label>Category</label>
                            <input type="text" class="form-control"
id="txt_category_wt_create" />
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```



```
</div>
<div class="form-group">
    <label>Description</label>
    <textarea style="max-height: 20%;min-height: 20%; max-width: 100%;" id="txt_description_wt_create" class="form-control"></textarea>
</div>
<div class="row">
    <div class="col-md-6">
        <div class="form-group">
            <label>Library & Framework used</label>
            <input type="text" class="form-control" id="txt_library_wt_create" />
        </div>
    </div>

    <div class="col-md-6">
        <div class="form-group">
            <label>Price</label>
            <input type="text" class="form-control" id="txt_price_wt_create" />
        </div>
    </div>
</div>
<div class="form-group">
    <button class="btn btn-success full-width" type="button" id="btn_create_wt">Submit</button>
</div>
</div>
</div>
```

**agent/contact.php**

```
<div class="padding-top">
    <h3 class="no-margin text-bold" style="color: #0076BE;">Contact
        <span class="pull-right">
            <a class="btn-link" data-toggle="modal" data-target="#createContactDashModal">Create</a>
        </span>
    </h3>
</div>
<div class="padding-top">
    <hr class="no-margin"/>
</div>

<div class="modal inmodal" id="createContactDashModal" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog modal-sm" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Add new contact</h4>
            </div>
            <div class="modal-body no-padding-bottom">
```



```
<form role="form" id="formContactDash"
enctype="multipart/form-data" method="post" action="php echo base_url();
?&gt;agent/contact/insert"&gt;
    &lt;div class="form-group"&gt;
        &lt;label&gt;* Name&lt;/label&gt;
        &lt;input type="text" class="form-control"
name="contactDash_name_create" required/&gt;
    &lt;/div&gt;
    &lt;div class="form-group"&gt;
        &lt;label&gt;* Contact Number&lt;/label&gt;
        &lt;input type="text" class="form-control"
name="contactDash_contact_create" required/&gt;
    &lt;/div&gt;
    &lt;div class="form-group"&gt;
        &lt;label&gt;* Email Address&lt;/label&gt;
        &lt;input type="email" class="form-control"
name="contactDash_email_create" required/&gt;
    &lt;/div&gt;
    &lt;div class="form-group"&gt;
        &lt;label&gt;* Address&lt;/label&gt;
        &lt;input type="text" class="form-control"
name="contactDash_address_create" required/&gt;
    &lt;/div&gt;
    &lt;div class="form-group"&gt;
        &lt;input type="file" name="image" class="file hide" /&gt;
        &lt;label&gt;Image&lt;/label&gt;
        &lt;div class="input-group col-xs-12"&gt;
            &lt;span class="input-group-addon"&gt;&lt;i
class="glyphicon glyphicon-picture"&gt;&lt;/i&gt;&lt;/span&gt;
            &lt;input type="text" class="form-control input-lg"
disabled placeholder="Upload Image"&gt;
            &lt;span class="input-group-btn"&gt;
                &lt;button class="browse btn btn-info input-lg"
type="button"&gt;&lt;i class="glyphicon glyphicon-search"&gt;&lt;/i&gt; Browse&lt;/button&gt;
            &lt;/span&gt;
        &lt;/div&gt;
    &lt;/div&gt;
    &lt;div class="form-group"&gt;
        &lt;input type="submit" name="contactDash_create"
class="btn btn-success full-width" id="contactDash_create" value="Submit"/&gt;
    &lt;/div&gt;
&lt;/form&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;?php $this-&gt;load-&gt;view('agent/files/contact_content'); ?&gt;

agent/events.php
&lt;div class="padding-top"&gt;
    &lt;h3 class="no-margin text-bold" style="color: #0076BE;"&gt;Events&lt;/h3&gt;
&lt;/div&gt;
&lt;div class="padding-top"&gt;
    &lt;hr class="no-margin"/&gt;</pre
```



```
</div>
<div class="row">
    <div class="col-md-4 padding-top">
        <?php $this->load->view('agent/files/event_left'); ?>
    </div>
    <div class="col-md-8 padding-top">
        <?php $this->load->view('agent/files/event_right'); ?>
    </div>
</div>

agent/issue_tracker.php
<div class="padding-top">
    <h3 class="no-margin text-bold" style="color: #0076BE;">Issue
Tracker</h3>
</div>
<div class="padding-top">
    <hr class="no-margin"/>
</div>
<?php $this->load->view('agent/files/issue_tracker_content'); ?>

agent/message.php
<div class="padding-top">
    <h3 class="no-margin text-bold" style="color: #0076BE;">Message</h3>
</div>
<div class="padding-top">
    <hr class="no-margin"/>
</div>
<div class="row">
    <div class="col-md-4 padding-top">
        <?php $this->load->view('agent/files/message_left'); ?>
    </div>
    <div class="col-md-8 padding-top">
        <?php $this->load->view('agent/files/message_right'); ?>
    </div>
</div>

agent/notification.php
<div class="padding-top">
    <h3 class="no-margin text-bold" style="color:
#0076BE;">Notification</h3>
</div>
<div class="padding-top">
    <hr class="no-margin"/>
</div>
<div class="row">
    <?php
        if ( !empty($get_all_notification) ) {
            foreach ( $get_all_notification as $gan ) :
    ?>
            <div class="col-md-3 padding-top">
                <div class="ibox-content no-border"
style="height: 260px">
                    <center>
```



```
<img src=<?php echo  
base_url(); ?>public/img/<?php echo $gan->IMAGEURL; ?>" class="img-responsive  
img-circle" style="width:80px;height:80px;"/>  
    <div class="padding-top">  
        <span class="text-  
bold"><?php echo $gan->FIRSTNAME.' '. $gan->LASTNAME; ?></span> - <span><?php  
echo $gan->DATE; ?></span>  
    </div>  
    <hr/>  
    <div><?php echo $gan->CONTENT;  
?></div>  
        </center>  
    </div>  
    <div>  
        <?php  
            endforeach;  
        }  
        ?>  
    </div>  
  
agent/profile.php  
<div class="row">  
    <div class="col-md-3 padding-top">  
        <?php $this->load->view('agent/files/profile_left'); ?>  
    </div>  
    <div class="col-md-9 padding-top">  
        <?php $this->load->view('agent/files/profile_right'); ?>  
    </div>  
</div>  
  
agent/purchasedtemplate.php  
<div class="padding-top">  
    <h3 class="no-margin text-bold" style="color: #0076BE;">Website  
Template</h3>  
    </div>  
    <div class="padding-top">  
        <hr class="no-margin"/>  
    </div>  
  
<div class="row">  
    <?php  
        if ( !empty($get_all_rented_templates) ) {  
            foreach ( $get_all_rented_templates as $gart ) :  
        ?>  
            <div class="col-md-3 padding-top">  
                <div class="ibox-content product-box">  
                    <div>  
                        <img src=<?php echo base_url();  
?>public/img/template/<?php echo $gart->IMAGEURL; ?>" class="img-responsive" />  
                    </div>  
                    <div class="product-desc">  
                        <a href=<?php echo $gart->SITEURL; ?>"  
target=_blank" class="product-name" style="height:44px">  
                            <?php echo $gart->TEMPLATENAME; ?>  
                        </a>  
                    </div>  
                </div>  
            </div>  
        ?>
```



```
<div class="small m-t-xs" style="height: 30px">
    <?php echo $gart->LIBRARYUSE; ?>
</div>
<div class="m-t text-righ text-center">
    <a href="<?php echo $gart->SITEURL; ?>" target="_blank" class="btn btn-xs btn-outline btn-primary">View this site</i>
</a>
        </div>
    </div>
</div>
<?php
    endforeach;
}
?>
</div>

agent/websitetemplate.php
<div class="padding-top">
    <h3 class="no-margin text-bold" style="color: #0076BE;">Website Template</h3>
</div>
<div class="padding-top">
    <hr class="no-margin"/>
</div>

<div class="row">
    <div class="col-md-4 padding-top">
        <?php $this->load->view('agent/files/website_template_left'); ?>
    </div>
    <div class="col-md-8 padding-top">
        <?php $this->load->view('agent/files/website_template_right'); ?>
    </div>
</div>

agent/files/contact_content.php
<div id="search">
    <div class="padding-top">
        <input type="text" class="form-control search" placeholder="Search a name or contact or email address..." />
    </div>
    <div class="row">
        <div class="list">
            <?php
                if ( !empty($get_all_contact) ) {
                    foreach ( $get_all_contact as $gac ) :
?
                <div class="col-md-4 padding-top">
                    <div class="contact-box center-version">
                        <a data-toggle="modal" data-target="#modalUpdate<?php echo $gac->NO; ?>">
```



```

<strong><?php echo $gac->NAME; ?></strong></h3>
<?php echo $gac->ADDRESS; ?> -</div>
echo $gac->CONTACTNO; ?></div>
echo $gac->EMAILADDRESS; ?></div>
<div class="text-center">
<div class="contact"><?php
<div class="email"><?php
</a>
<div class="contact-box-
footer">
<a data-toggle="modal"
data-target="#modalDeleteContact<?php echo $gac->NO; ?>" class="btn btn-xs btn-
danger"><i class="glyphicon glyphicon-trash"></i> Delete</a>
</div>
</div>
</div>
<?php
        endforeach;
    }
?
</div>
</div>
</div>
<?php
    foreach ($get_all_contact as $gat) :
?>
<div class="modal inmodal" id="modalDeleteContact<?php echo $gat-
>NO; ?>" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog" role="document">
<div class="modal-content animated pulse">
<div class="modal-header">
<h4 class="modal-title">Are you sure, you want to
delete this as your team member?</h4>
</div>
<div class="modal-body padding-bottom padding-top">
<div class="row">
<div class="col-md-6">
<button type="button" id="btn_cancenl_team"
data-dismiss="modal" class="btn btn-default btn-lg full-width">Cancel</button>
</div>
<div class="col-md-6">
<a href="<?php echo base_url();
?>agent/contact/delete/<?php echo $gat->NO; ?>" type="button"
id="btn_delete_team" class="btn btn-danger btn-lg full-width">Delete</a>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
```



```
<?php
    endforeach;
?>

agent/files/event_left.php
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        List
        <span class="pull-right"><a data-toggle="modal" data-
target="#eventModal">Create</a></span>
    </div>
    <div class="ibox-content full-height" id="search">
        <div class="no-margins">
            <div class="row">
                <div class="col-md-12">
                    <h4><input type="text" class="form-control search" placeholder="Search"/></h4>
                    <div class="table-responsive">
                        <table class="table table-striped text-center">
                            <?php if(!empty($get_all_events)) {?>
                                <tbody class="list" id="event_left_list">
                                    <?php foreach($get_all_events as $gaa)
: ?>
                                    <tr>
                                        <td class="title">
                                            <a href="<?php echo
base_url();?>agent/events/information/<?php echo $gaa->N0;?>"><?php echo $gaa-
>TITLE;?></a>
                                            </td>
                                        </tr>
                                    <?php endforeach; ?>
                                </tbody>
                                <?php } ?>
                            </table>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

<div class="modal inmodal" id="eventModal" tabindex="-1" role="dialog" aria-
labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Event - Create</h4>
            </div>
            <div class="modal-body no-padding-bottom">
                <div class="form-group">
                    <label>Title</label>
                    <input type="text" class="form-control"
id="event_title_create" maxlength="50" />
                </div>
            </div>
        </div>
    </div>
</div>
```



```
</div>
<div class="form-group">
    <label>Description</label>
    <textarea style="min-height: 150px;max-height: 150px;max-width: 100%" id="event_description_create" class="form-control"></textarea>
</div>
<div class="form-group">
    <input type="button" class="btn btn-success full-width" id="event_create" value="Submit"/>
</div>
</div>
</div>
</div>

agent/files/event_right.php
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        List
        <span class="pull-right"><a data-toggle="modal" data-target="#eventModal">Create</a></span>
    </div>
    <div class="ibox-content full-height" id="search">
        <div class="no-margins">
            <div class="row">
                <div class="col-md-12">
                    <h4><input type="text" class="form-control search" placeholder="Search"/></h4>
                    <div class="table-responsive">
                        <table class="table table-striped text-center">
                            <?php if(!empty($get_all_events)) {?>
                                <tbody class="list" id="event_left_list">
                                    <?php foreach($get_all_events as $gaa) :?>
                                        <tr>
                                            <td class="title">
                                                <a href="<?php echo base_url();?>agent/events/information/<?php echo $gaa->N0;?>"><?php echo $gaa->TITLE;?></a>
                                            </td>
                                            <?php endforeach; ?>
                                        </tr>
                                    <?php } ?>
                                </tbody>
                            </table>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```



```
<div class="modal inmodal" id="eventModal" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Event - Create</h4>
            </div>
            <div class="modal-body no-padding-bottom">
                <div class="form-group">
                    <label>Title</label>
                    <input type="text" class="form-control" id="event_title_create" maxlength="50" />
                </div>
                <div class="form-group">
                    <label>Description</label>
                    <textarea style="min-height: 150px; max-height: 150px; max-width: 100%" id="event_description_create" class="form-control"></textarea>
                </div>
                <div class="form-group">
                    <input type="button" class="btn btn-success full-width" id="event_create" value="Submit"/>
                </div>
            </div>
        </div>
    </div>
</div>

agent/files/event_right.php
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        Preview
        <?php
            foreach ( $get_specific as $gs ) :
        ?>
            <span class="pull-right"><a data-toggle="modal" data-target="#modalDeleteEvent<?php echo $gs->NO;?>">Delete</a> | <a data-toggle="modal" data-target="#updateModal<?php echo $gs->NO;?>">Update</a></span>
        <?php
            endforeach;
        ?>
    </div>
    <div class="ibox-content full-height no-padding-top">
        <?php
            foreach ( $get_specific as $gs ) :
        ?>
            <div class="padding-top text-center">
                <h3 class="no-margin"><?php echo $gs->TITLE; ?></h3>
            </div>
            <div class="padding-top text-center" style="padding-left: 110px; padding-right: 110px;">
                <div><?php echo $gs->DESCRIPTION; ?></div>
            </div>
        <?php
            endforeach;
        ?>
    </div>
</div>
```



```
?>
</div>
</div>

<?php
    foreach ($get_specific as $gs) :
?>
    <div class="modal inmodal" id="modalDeleteEvent<?php echo $gs->N0;?>" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content animated pulse">
                <div class="modal-header">
                    <h4 class="modal-title">Are you sure, you want to
delete this event?</h4>
                </div>
                <div class="modal-body padding-bottom padding-top">
                    <div class="row">
                        <div class="col-md-6">
                            <button type="button" id="btn_cancenl_team"
data-dismiss="modal" class="btn btn-default btn-lg full-width">Cancel</button>
                        </div>
                        <div class="col-md-6">
                            <a href="php echo base_url();
?&gt;agent/events/delete/&lt;?php echo $gs-&gt;N0; ?&gt;" type="button" id="btn_delete_team"
class="btn btn-danger btn-lg full-width"&gt;Delete&lt;/a&gt;
                        &lt;/div&gt;
                    &lt;/div&gt;
                &lt;/div&gt;
            &lt;/div&gt;
        &lt;/div&gt;
    &lt;?php
        endforeach;
    ?&gt;

    &lt;?php
        foreach ($get_specific as $gs) :
?&gt;
        &lt;div class="modal inmodal" id="updateModal&lt;?php echo $gs-&gt;N0;?&gt;" tabindex="-1" role="dialog" aria-labelledby="myModalLabel"&gt;
            &lt;div class="modal-dialog" role="document"&gt;
                &lt;div class="modal-content animated pulse"&gt;
                    &lt;div class="modal-header"&gt;
                        &lt;h4 class="modal-title"&gt;Event - Update&lt;/h4&gt;
                    &lt;/div&gt;
                    &lt;div class="modal-body no-padding-bottom"&gt;
                        &lt;form method="POST" enctype="multipart/form-data"
action="<?php echo base_url(); ?&gt;agent/events/update"&gt;
                            &lt;div class="form-group"&gt;
                                &lt;input type="file" name="image"
accept="image/*" class="file hide" /&gt;
                                &lt;div class="input-group"&gt;
                                    &lt;span class="input-group-addon"&gt;&lt;i
class="glyphicon glyphicon-picture"&gt;&lt;/i&gt;&lt;/span&gt;</pre
```



```
        <input type="text" class="form-control"
value=<?php echo $gs->IMAGEURL; ?>" disabled placeholder="Upload Image">
        <span class="input-group-btn">
            <button class="browse btn btn-info"
type="button"><i class="glyphicon glyphicon-search"></i> Browse</button>
        </span>
    </div>
    </div>
    <div class="form-group">
        <label>Title</label>
        <input type="text" class="form-control"
required name="event_no_update" value=<?php echo $gs->NO; ?>" style="display:
none;" />
        <input type="text" class="form-control"
required name="event_title_update" maxlength="50" value=<?php echo $gs->TITLE;
?>"/>
    </div>
    <div class="form-group">
        <label>Description</label>
        <textarea style="min-height: 150px;max-
height: 150px;max-width: 100%" class="form-control" required
name="event_description_update"><?php echo $gs->DESCRIPTION; ?></textarea>
    </div>
    <div class="form-group">
        <input type="submit" class="btn btn-success
full-width" name="event_update" value="Update"/>
    </div>
</form>
</div>
</div>
</div>
</div>
<?php
    endforeach;
?>

agent/files/issue_tracker_content.php
<div class="padding-top">
    <div class="ibox no-margin" id="search">
        <div class="form-group">
            <input type="text" class="form-control search"
placeholder="Search..." />
        </div>
        <div class="ibox-content no-padding-top no-border full-height">
            <div class="table-responsive" style="height: 100%;">
                <table class="table table-hover" >
                    <thead>
                        <tr>
                            <th>STATUS</th>
                            <th>ISSUE NUMBER</th>
                            <th>NAME</th>
                            <th>DATE</th>
                            <th>COMMAND</th>
                        </tr>
                    </thead>
                    <tbody>
</div>
```



```
<tbody class="list">
    <?php
        // print_r($get_all_issue_tracker);
        foreach ( $get_all_issue_tracker as $gait ) :
    ?>
        <tr>
            <td class="status">
                <?php
                    if ( $gait->STATUS == '2' ) {
                ?>
                    <div class="padding-
top"><span class="label label-danger full-width no-border-
radius">Bug</span></div>
                    <?php
                        } else {
                    ?>
                    <div class="padding-
top"><span class="label label-primary full-width no-border-
radius">Fixed</span></div>
                    <?php
                        }
                    ?>
                </td>
                <td class="issue-info">
                    <div class="text-bold">ISSUE #<?php
echo $gait->NO." - ".$gait->TITLE; ?></div>
                    <small>
                        <?php echo substr($gait-
>DESCRIPTION, 0,74); ?>
                    </small>
                </td>
                <td class="name">
                    <?php echo $gait->FIRSTNAME . '
'. $gait->LASTNAME; ?>
                </td>
                <td class="date">
                    <?php echo $gait->DATEINSERT; ?>
                </td>
                <input type="text" style="display:
none;" id="replyNO<?php echo $gait->NO; ?>" value="<?php echo $gait->NO; ?>"/>
                <td class="text-center">
                    <a href="<?php echo base_url();
?>agent/issue_tracker/solved_issue/<?php echo $gait->NO; ?>" class="btn btn-
white btn-xs full-width"> Resolve</a>
                    <a data-toggle="modal"
id="replyID<?php echo $gait->NO; ?>" data-target="#replyIssueDashModal<?php echo
$gait->NO; ?>" class="btn btn-white btn-xs full-width"> Reply</a>
                </td>
            </tr>
        <?php
            endforeach;
        ?>
    </tbody>
</table>
</div>
```



```
</div>
</div>
</div>

<?php
    foreach ( $get_all_issue_tracker as $gait ) :
?>
    <div class="modal inmodal" id="replyIssueDashModal<?php echo $gait->NO; ?>" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content animated pulse">
                <div class="modal-header">
                    <h4 class="modal-title">ISSUE #<?php echo $gait->NO." - ".$gait->TITLE; ?></h4>
                </div>
                <div class="modal-body no-padding-bottom" >
                    <div class="text-center">
                        <div><?php echo $gait->DESCRIPTION; ?></div>
                    </div>
                    <div>
                        <div class="social-footer margin-top">
                            <div id="data-body-modal-issue-tracker<?php echo $gait->NO; ?>"></div>
                        <div class="social-comment">
                            <a href="" class="pull-left">
                                
                            </a>
                            <div class="media-body">
                                <textarea class="form-control" id="replyforIssueID<?php echo $gait->NO; ?>" placeholder="Write comment..." style="max-height: 20%;min-height: 20%;"></textarea>
                            </div>
                        </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
<?php
    endforeach;
?>

agent/files/message_left.php
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        Inbox
        <span class="pull-right"><a data-toggle="modal" data-target="#createModal">Compose Message</a></span>
    </div>
```



```
<div class="ibox-content full-height" id="search">
    <div class="no-margins">
        <div class="row">
            <div class="col-md-12">
                <h4><input type="text" class="form-control search" placeholder="Search"/></h4>
                <div class="table-responsive">

                    <table class="table table-striped text-center">
                        <?php if(!empty($get_all_inbox_spec_user)) {?>
                            <tbody class="list">

                                <?php foreach($get_all_inbox_spec_user
as $gaisu) :?>
                                    <tr>
                                        <td class="title">
                                            <a href="<?php echo
base_url();?>agent/message/content/<?php echo $gaisu->N0;?>"><?php echo $gaisu-
>SUBJECT;?></a>
                                            </td>
                                        </tr>
                                    <?php endforeach; ?>
                                <?php } ?>
                            </tbody>
                        </table>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

<div class="modal inmodal" id="createModal" tabindex="-1" role="dialog"
aria-labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Compose Message</h4>
            </div>
            <div class="modal-body no-padding-bottom">
                <div class="form-group">
                    <label>Email Address</label><small id="error_cm_email"
style="color:red;"></small>
                    <input type="text" class="form-control" id="cm_email" />
                </div>
                <div class="form-group">
                    <label>Subject</label><small id="error_cm_subject"
style="color:red;"></small>
                    <input type="text" class="form-control" id="cm_subject"
/>
                </div>
                <div class="form-group">
                    <label>Message</label><small id="error_cm_message"
style="color:red;"></small>
                </div>
            </div>
        </div>
    </div>
</div>
```



```
<textarea style="min-height: 150px;max-height: 150px;max-width: 100%" id="cm_message" class="form-control"></textarea>
</div>
<div class="form-group">
    <input type="button" class="btn btn-success full-width" id="cm_create" value="Send message"/>
</div>
</div>
</div>
</div>

agent/files/message_right.php
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        Inbox Message
    </div>
    <div class="ibox-content full-height">
        <div class="no-margins">
            <?php
                if ( !empty($get_specific_content) ) {
                    foreach ( $get_specific_content as $gsc ) :
                ?>
                    <div class="text-center">
                        <h3 class="text-bold no-
margin"><?php echo $gsc->SUBJECT; ?></h3>
                        <small><?php echo $gsc->DATE.' -
'. $gsc->TIME; ?></small>
                        <br />
                        <div class="padding-top-bottom">
                            <?php echo $gsc->CONTENT; ?>
                        </div>
                    </div>
                    <hr class="no-margin"/>
                ?>
                <?php
                    endforeach;
                }
            ?>
            <?php
                if ( !empty($get_all_reply_spec_content) ) {
                    foreach ( $get_all_reply_spec_content as $garsc ) :
                ?>
                    <?php
                        if ( $garsc->NOUSER != $this-
>session->userdata('user_session')->NO ){
                    ?>
                        <div class="padding-top"
style="text-align: left">
                            <div class="ibox-
content no-border no-margin" style="background-color: #F3F3F4;">
                                <div class="text-
bold"><?php echo $garsc->FIRSTNAME.' '. $garsc->LASTNAME; ?></div>

```



```
<div><?php echo  
$garsc->REPLY; ?></div>  
                                </div>  
                                </div>  
                                <?php  
                                } else {  
?>                                <div class="padding-top"  
style="text-align: right">  
                                <div class="ibox-  
content no-border no-margin" style="background-color: #0076BE;color:#FFFFFF;">  
                                <div class="text-  
bold"><?php echo $garsc->FIRSTNAME.' '. $garsc->LASTNAME; ?></div>  
                                <div><?php echo  
$garsc->REPLY; ?></div>  
                                </div>  
                                <?php  
                                }  
?>                                <?php  
                                endforeach;  
?>  
                                <?php  
                                if ( !empty($get_specific_content) ) {  
?>                                <div class="padding-top">  
                                <textarea class="form-control full-width"  
style="min-height: 15%;max-height: 15%;" id="messageReply" placeholder="Reply  
here ...."></textarea>  
                                </div>  
                                <?php  
                                }  
?>  
                                </div>  
                            </div>  
                        </div>  
  
agent/files/profile_left.php  
<?php  
    foreach ( $get_agent_specific as $gas ) :  
?>        <div class="ibox-content no-border">  
            <center></center>  
        </div>  
        <hr class="margin-top no-margin"/>  
        <div class="padding-top">  
            <div class="ibox-content no-margin no-border">
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

300

```
<div class="form-group">
    <label>Name</label>
    <div><?php echo $gas->FIRSTNAME.' '.$gas-
>LASTNAME; ?></div>
</div>
<div class="form-group">
    <label>Email Address</label>
    <div><?php echo $gas->EMAIL; ?></div>
</div>
<div class="form-group">
    <label>Username</label>
    <div><?php echo $gas->USERNAME; ?></div>
</div>
<div class="form-group">
    <label>Contact</label>
    <div><?php echo $gas->PHONENUMBER; ?></div>
</div>
</div>

<?php
    endforeach;
?>

<hr class="no-margin"/>
<div class="padding-top">
    <input type="button" value="Change Profile Picture" data-
    toggle="modal" data-target="#modalChangeProfilePicture" class="btn btn-default full-
    width"/>
    </div>
    <div class="padding-top">
        <input type="button" value="Change Information" data-toggle="modal"
    data-target="#modalChangePersonalInformation" class="btn btn-default full-
    width"/>
        </div>
        <div class="padding-top">
            <input type="button" value="Change Password" data-toggle="modal"
    data-target="#modalChangePassword" class="btn btn-default full-width"/>
        </div>
        <div class="padding-top">
            <input type="button" value="Change Location" data-toggle="modal" data-
    target="#modalChangeLocation" class="btn btn-default full-width"/>
        </div>

    <div class="modal inmodal" id="modalChangeLocation" tabindex="-1"
    role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog modal-lg" role="document">
            <div class="modal-content animated pulse">
                <div class="modal-header">
                    <h4 class="modal-title">Change your location</h4>
                </div>
                <div class="modal-body padding-bottom padding-top no-padding-
    bottom">
                    <div class="ibox-content no-border">
```



```
<div id="map" class="google-map full-width"
style="height: 500px;"></div>
</div>
<div class="row">
    <div class="col-md-6">
        <div class="form-group">
            <label>Latitude</label>
            <input type="text" class="form-control"
id="txt_lat_prof" disabled />
        </div>
    </div>
    <div class="col-md-6">
        <div class="form-group">
            <label>Longitude</label>
            <input type="text" class="form-control"
id="txt_long_prof" disabled />
        </div>
    </div>
</div>

<div class="form-group">
    <button class="btn btn-success full-width" type="submit"
id="btn_latlong_submit">Submit</button>
</div>
</div>
</div>
</div>
```

```
<div class="modal inmodal" id="modalChangeProfilePicture" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog modal-sm" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Change Profile Picture</h4>
            </div>
            <div class="modal-body padding-bottom padding-top no-padding-
bottom">
                <div class="form-group">
                    
                </div>
                <form method="POST" enctype="multipart/form-data"
action="<?php echo base_url();?>agent/profile/change_profile">
                    <div class="form-group">
                        <input type="file" name="image" class="file hide"
required />
                        <div class="input-group">
                            <span class="input-group-addon"><i
class="glyphicon glyphicon-picture"></i></span>
                            <input type="text" class="form-control" disabled
placeholder="Upload Image">
                            <span class="input-group-btn">
```



```
        <button class="browse btn btn-info"
type="button"><i class="glyphicon glyphicon-search"></i> Browse</button>
            </span>
        </div>
    </div>
    <div class="form-group">
        <button class="btn btn-success full-width"
type="submit" name="btn_update_image_profile">Change Picture</button>
    </div>
</form>

        </div>
    </div>
</div>
</div>

<div class="modal inmodal" id="myModalChangePersonalInformation" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
                <h4 class="modal-title">Change Personal Information</h4>
            </div>
            <div class="modal-body padding-bottom padding-top no-padding-
bottom">
                <div class="row">
                    <div class="col-md-6">
                        <div class="form-group">
                            <label>First name</label>
                            <input type="text" class="form-control"
id="txt_fname_profile_change_admin" value=<?php echo $this->session-
>userdata('user_session')->FIRSTNAME; ?>" />
                        </div>
                    </div>
                    <div class="col-md-6">
                        <div class="form-group">
                            <label>Last name</label>
                            <input type="text" class="form-control"
id="txt_lname_profile_change_admin" value=<?php echo $this->session-
>userdata('user_session')->LASTNAME; ?>" />
                        </div>
                    </div>
                    <div class="col-md-12">
                        <div class="form-group">
                            <label>Email Address</label>
                            <input type="text" class="form-control"
id="txt_email_profile_change_admin" value=<?php echo $this->session-
>userdata('user_session')->EMAIL; ?>" />
                        </div>
                    </div>
                    <div class="col-md-6">
                        <div class="form-group">
                            <label>Username</label>
```



```
<input type="text" class="form-control"
id="txt_uname_profile_change_admin" value="php echo $this-&gt;session-
&gt;userdata('user_session')-&gt;USERNAME; ?" />
</div>
</div>
<div class="col-md-6">
<div class="form-group">
<label>Contact</label>
<input type="text" class="form-control"
id="txt_contact_profile_change_admin" value="php echo $this-&gt;session-
&gt;userdata('user_session')-&gt;PHONENUMBER; ?" />
</div>
</div>
<div class="form-group">
<button class="btn btn-success full-width"
id="btn_submit_change_information_profile_admin">Submit</button>
</div>
</div>
</div>
</div>

<div class="modal inmodal" id="modalChangePassword" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
<div class="modal-dialog modal-sm" role="document">
<div class="modal-content animated pulse">
<div class="modal-header">
<h4 class="modal-title">Change Password</h4>
</div>
<div class="modal-body padding-bottom padding-top no-padding-
bottom">
<div class="row">
<div class="col-md-12">
<div class="form-group">
<label>Current Password</label>
<input type="password" class="form-control"
id="txt_current_pword_admin" />
</div>
<div class="col-md-12">
<div class="form-group">
<label>Password</label>
<input type="password" class="form-control"
id="txt_pword_changeprofile_admin" disabled />
</div>
<div class="col-md-12">
<div class="form-group">
<label>Confirm Password</label>
<input type="password" class="form-control"
id="txt_conpword_changeprofile_admin" disabled />
</div>
</div>
</div>

```



```
<div class="form-group">
    <button class="btn btn-success full-width"
id="btn_submit_change_password_profile_admin">Submit</button>
</div>
</div>
</div>
</div>

agent/files/profile_right.php
<div class="ibox-content no-border no-margin padding-all no-padding-bottom">
    <div class="form-group no-margin">
        <textarea class="form-control" style="max-width: 100%;max-height: 106px;min-height: 106px;" id="txt_post" placeholder="Write something on your wall.."></textarea>
        <div class="padding-top">
            <input type="button" class="btn btn-success"
id="btn_post_profile" value="Post"/>
        </div>
    </div>
</div>

<div id="newPostAdmin"></div>
<?php
    foreach ( $get_all_post as $gap ) :
?>
    <div class="padding-top">
        <div class="ibox-content no-border">
            <div class="row">
                <?php
                    if ( $gap->NAME == $session_name ) {
?>
                        <span class="pull-right"
style="color:blue;padding-right: 15px;"><a>X</a></span>
                    <?php
                        }
?>
                    <div class="col-xs-1">
                        
                    </div>
                    <div class="text-bold " style="padding-left: 75px;"><?php echo $gap->NAME; ?></div>
                    <div class="" style="padding-left: 75px;"><?php echo $gap->DATE; ?></div>
                </div>
                <hr class="no-margin margin-top"/>
                <div class="padding-top" style="padding-left: 20px;padding-right: 20px;font-size: 17px;">
                    <?php echo $gap->POSTDESCRIPTION; ?>
                </div>
                <input type="text" value="<?php echo $gap->NO;
?>" id="txt_no_prof_post" style="display:none;" />
            </div>
        </div>
    </div>
</div>
```



```
<div class="padding-top">
    <textarea class="form-control"
id="adminReplyPost<?php echo $gap->NO; ?>" style="max-width: 100%;max-height:
50px;min-height: 50px;" placeholder="Comment"></textarea>
</div>

<div id="newReplyPostNo<?php echo $gap->NO;
?>"></div>

<?php
    foreach ( $get_reply as $gr ) :
        if ( $gap->NO == $gr->NOREPLY ) {
?
        <div class="padding-top">
            <div class="ibox-
content no-border" style="background-color: #F2F2F2;">
                <div>
                    <div
class="row">
                        <div
class="col-xs-1">
                            
                        </div>
                    </div>
                <div
style="padding-left: 75px;"><span class="text-bold"><?php echo $gr->NAME;
?></span> | <span><?php echo $gr->DATE; ?></span></div>
                <div
style="padding-left: 75px;"><?php echo $gr->REPLY; ?></div>
            </div>
        </div>
    <?php
        endforeach;
?
    </div>
<?php
    endforeach;
?>

agent/files/website_template_left.php
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        List
    </div>
    <div class="ibox-content full-height" id="search">
```



```
<div class="no-margins">
    <div class="row">
        <div class="col-md-12">
            <h4><input type="text" class="form-control search"
placeholder="Search"/></h4>
            <div class="table-responsive">

                <table class="table table-striped text-center">
                    <?php if(!empty($get_all_templates)) {?>
                    <tbody class="list">
                        <?php foreach($get_all_templates as
$gat) :?>
                            <tr>
                                <td class="title">
                                    <a href="<?php echo
base_url();?>agent/templates/information/<?php echo $gat->NO;?>"><?php echo
$gat->TEMPLATENAME;?></a>
                                    <span class="pull-right"><a
data-toggle="modal" data-target="#deleteModal<?php echo $gat->NO;?>" class="fa
fa-trash" aria-hidden="true"></a></span>
                                </td>
                            </tr>
                        <?php endforeach; ?>
                    </tbody>
                <?php } ?>
            </table>
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<?php
    foreach ($get_all_templates as $gat) :
?>
    <div class="modal inmodal" id="deleteModal<?php echo $gat->NO;?>"
tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content animated pulse">
                <div class="modal-header">
                    <h4 class="modal-title">Are you sure, you want to
delete this account?</h4>
                </div>
                <div class="modal-body padding-bottom padding-top">
                    <div class="row">
                        <div class="col-md-6">
                            <button type="button" data-dismiss="modal"
class="btn btn-default btn-lg full-width">Cancel</button>
                        </div>
                        <div class="col-md-6">
                            <a href="<?php echo base_url();
?>agent/templates/delete/<?php echo $gat->NO; ?>" name="btn_delete_wt"
class="btn btn-danger btn-lg full-width">Delete</a>
                        </div>
                </div>
            </div>
        </div>
    </div>
```



```
                </div>
            </div>
        </div>
    </div>
<?php
    endforeach;
?>

agent/files/website_template_right.php
<div class="ibox no-margin">
    <div class="ibox-title no-border">
        Preview
        <span class="pull-right">
            <a href="#" class="btn btn-link btn-sm no-padding" data-
toggle="modal" data-target="#createModal">Create</a>
        </span>
    </div>
    <div class="ibox-content full-height no-padding-bottom">
        <div class="no-margins">
            <div class="row">
                <?php
                    if ( ! empty ( $get_specific ) ) {
                        foreach ( $get_specific as $gs ) :
                ?>
                    <div class="padding-left-right">
                        <div class="form-group">
                            
                        </div>
                        <div class="row">
                            <div class="col-md-6">
                                <div class="form-group">
                                    <label>Template Name</label>
                                    <input type="text" class="form-
control" id="txt_no_wt" value="<?php echo $gs->NO; ?>" style="display: none;" />
                                    <input type="text" class="form-
control" id="txt_name_wt" value="<?php echo $gs->TEMPLATENAME; ?>"/>
                                </div>
                            </div>
                            <div class="col-md-6">
                                <div class="form-group">
                                    <label>Category</label>
                                    <input type="text" class="form-
control" id="txt_category_wt" value="<?php echo $gs->TEMPLATECATEGORY; ?>"/>
                                </div>
                            </div>
                            <div class="form-group">
                                <label>Description</label>
                                <textarea style="max-height: 20%;min-
height: 20%; max-width: 100%;" id="txt_description_wt" class="form-
control"><?php echo $gs->DESCRIPTION; ?></textarea>
                            </div>
                        </div>
                    </div>
                </?php
            endforeach;
?>
```



```
</div>
<div class="row">
    <div class="col-md-6">
        <div class="form-group">
            <label>Library & Framework used</label>
            <input type="text" class="form-control" id="txt_library_wt" value=<?php echo $gs->LIBRARYUSE; ?>"/>
        </div>
    </div>

    <div class="col-md-6">
        <div class="form-group">
            <label>Price</label>
            <input type="text" class="form-control" id="txt_price_wt" value=<?php echo $gs->PRICE; ?>"/>
        </div>
    </div>
<div class="row">
    <div class="col-md-6">
        <div class="form-group">
            <button class="btn btn-info full-width" data-dismiss="modal" data-toggle="modal" data-target="#updateImageModal<?php echo $gs->NO;?>" type="button">Change website image</button>
        </div>
    </div>

    <div class="col-md-6">
        <div class="form-group">
            <button class="btn btn-success full-width" type="button" id="btn_update_wt">Update website information</button>
        </div>
    </div>
</div>
<?php
    foreach ($get_specific as $gao) :
?
}
</div>
</div>
</div>
<?php
    foreach ($get_specific as $gao) :
?
<div class="modal inmodal" id="updateImageModal<?php echo $gao->NO;?>" tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content animated pulse">
            <div class="modal-header">
```



```
<h4 class="modal-title"><?php echo 'Update website  
image of '. $gao->OWNERTITLEWEBSITE; ?></h4>  
</div>  
<div class="modal-body padding-bottom padding-top">  
    <form method="POST" enctype="multipart/form-data"  
    action=<?php echo base_url(); ?>agent/templates/update_image/<?php echo $gao->NO;?>">  
        <div class="form-group">  
            <input type="file" name="image" class="file  
            hide" required />  
            <div class="input-group">  
                <span class="input-group-addon"><i  
                class="glyphicon glyphicon-picture" style="color: #ccc;"></i></span>  
                <input type="text" class="form-control" style="background-color: #f0f0f0;"  
                disabled placeholder="Upload Image" />  
                <span class="input-group-btn">  
                    <button class="browse btn btn-info" type="button"><i  
                    class="glyphicon glyphicon-search" style="color: #ccc;"></i> Browse</button>  
                </span>  
            </div>  
        </div>  
        <div class="form-group">  
            <button class="btn btn-success full-width" type="submit" name="btn_update_image_wo">Update website image</button>  
        </div>  
    </form>  
    </div>  
    </div>  
<?php  
    endforeach;  
?>  
  
<!-- Modal -->  
<div class="modal inmodal" id="createModal" tabindex="-1" role="dialog"  
aria-labelledby="modalCreate">  
    <div class="modal-dialog" role="document">  
        <div class="modal-content animated pulse">  
            <div class="modal-header">  
                <button type="button" class="close" data-dismiss="modal"  
                aria-label="Close"><span aria-hidden="true" style="color: #ccc;">&times;                <h4 class="modal-title" id="myModalLabel">Create new  
                template</h4>  
            </div>  
            <div class="modal-body no-padding-bottom">  
                <div class="row">  
                    <div class="col-md-6">  
                        <div class="form-group">  
                            <label>Template Name</label>  
                            <input type="text" class="form-control" id="txt_name_wt_create" />  
                        </div>  
                    </div>  
                </div>  
            </div>  
        </div>  
    </div>
```



```
<div class="col-md-6">
    <div class="form-group">
        <label>Category</label>
        <input type="text" class="form-control"
id="txt_category_wt_create" />
    </div>
</div>
<div class="form-group">
    <label>Description</label>
    <textarea style="max-height: 20%;min-height: 20%; max-
width: 100%;" id="txt_description_wt_create" class="form-control"></textarea>
</div>
<div class="row">
    <div class="col-md-6">
        <div class="form-group">
            <label>Library & Framework used</label>
            <input type="text" class="form-control"
id="txt_library_wt_create" />
        </div>
    </div>

    <div class="col-md-6">
        <div class="form-group">
            <label>Price</label>
            <input type="text" class="form-control"
id="txt_price_wt_create" />
        </div>
    </div>
</div>
<div class="form-group">
    <button class="btn btn-success full-width" type="button"
id="btn_create_wt">Submit</button>
</div>
</div>
</div>
</div>
```

#### CONTROLLER FILES

##### Blog.php

```
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Blog extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Blog";
        $this->load->model('About_my_site_model');
        $this->load->model('Blog_model');
        $this->load->model('Blog_reply_model');
        $this->load->model('Notification_admin_model');
```



```
date_default_timezone_set("Asia/Manila");
$this->date = date("F d, Y");
$this->time = date("g:i A");
}

public function index()
{
    if ( $this->session->userdata('account_type') == "User" ||
$this->session->userdata('account_type') == "" ) {
        $details = array (
            'get_all_blog' => $this-
>Blog_model->get_all_blog(),
            'get_all_reply' => $this-
>Blog_reply_model->get_all_reply(),
            'date' => $this-
>date,
            'get_active' => $this-
>About_my_site_model->get_active()
        );
        $data['content'] = $this->load-
>view('user/blogcontent', $details, TRUE);
        $data['curpage'] = $this->curpage;
        $this->load->view('template', $data);
    } else if ( $this->session->userdata('account_type') ==
"Administrator" ) {
        redirect('/admin');
    } else if ( $this->session->userdata('account_type') == "Agent"
) {
        redirect('/agent');
    }
}

public function insert_reply()
{
    if ( !empty($this->session->userdata('user_session')) ) {
        $replyMessage= $this->input->post('replyMessage');
        $messageNo = $this->input-
>post('messageNo');

        $params = array(
            'NO' => '',
            'BLOGNO' => $messageNo,
            'NAME' => $this->session-
>userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME,
            'IMAGEURL' => $this->session-
>userdata('user_session')->IMAGEURL,
            'DATE' => $this->date,
            'TIME' => $this->time,
            'REPLY' => $replyMessage,
            'DELETION' => 0
        );
        $this->Blog_reply_model->insertReply($params);
    }
}
```



```
$params = array(
    'NO'          => '',
    'NOUSER'      => $this->session-
>userdata('user_session')->NO,
    'CONTENT'     => $this->session-
>userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME.' reply to a blog.',
    'DATE'         => $this->date,
    'TIME'         => $this->time,
    'DELETION'    => 0
);
$this->Notification_admin_model->create($params);
}
}
}

Events.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Events extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Events";
        $this->load->model('About_my_site_model');
        $this->load->model('Events_model');
        $this->load->model('Event_reply_model');
        $this->load->model('Notification_admin_model');

        date_default_timezone_set("Asia/Manila");
        $this->date = date("F d, Y");
        $this->time = date("g:i A");
    }

    public function index()
    {
        if ( $this->session->userdata('account_type') == "User" || 
        $this->session->userdata('account_type') == "" ) {
            $details = array (
                'get_all_events'           => $this-
>Events_model->get_all_events(),
                'get_all_reply'            =>
        $this->Event_reply_model->get_all_reply(),
                'date'                     =>
        $this->date,
                'get_active'               => $this-
>About_my_site_model->get_active()
            );
            $data['content'] = $this->load-
>view('user/eventscontent', $details, TRUE);
            $data['curpage'] = $this->curpage;
            $this->load->view('template', $data);
        }
    }
}
```



```
        } else if ( $this->session->userdata('account_type') == "Administrator" ) {
            redirect('/admin');
        } else if ( $this->session->userdata('account_type') == "Agent" )
        {
            redirect('/agent');
        }
    }

    public function insert_reply()
{
    if ( !empty($this->session->userdata('user_session')) ) {
        $replyMessage=      $this->input->post('replyMessage');
        $messageNo      =      $this->input-
>post('messageNo');

        $params = array(
            'NO'          => '',
            'EVENTNO'     => $messageNo,
            'NAME'         => $this->session-
>userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME,
            'IMAGEURL'    => $this->session-
>userdata('user_session')->IMAGEURL,
            'DATE'         => $this->date,
            'TIME'         => $this->time,
            'REPLY'        => $replyMessage,
            'DELETION'    => 0
        );
        $this->Event_reply_model->insertReply($params);

        $params = array(
            'NO'          => '',
            'NOUSER'      => $this->session-
>userdata('user_session')->NO,
            'CONTENT'     => $this->session-
>userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME.' reply to a event.',
            'DATE'         => $this->date,
            'TIME'         => $this->time,
            'DELETION'    => 0
        );
        $this->Notification_admin_model->create($params);
    }
}

Login.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Login extends CI_Controller {

    public function __construct()
{
```



```
parent::__construct();
$this->curpage = "Login";
$this->load->model('Notification_admin_model');
$this->load->model('Users_model');

date_default_timezone_set("Asia/Manila");
$this->date = date("F d, Y");
$this->time = date("g:i A");
}

public function index()
{
    $this->load->library('form_validation');
    $this->form_validation-
>set_rules('login_email','Email','required');
    $this->form_validation-
>set_rules('login_password','Password','required');

    if($this->form_validation->run() == FALSE){
        redirect('/');
    }else{
        $c_email = set_value('login_email');
        $c_password = set_value('login_password');
        $valid = $this->Users_model-
>check_email_password_login($c_email, md5($c_password));
        // print_r($valid->ACCOUNT_TYPE);
        $this->session->set_userdata('account_type', $valid-
>ACCOUNT_TYPE);
        if($valid != false){
            if ($_SESSION['account_type'] == "User") {
                $data = $this->session-
>set_userdata('user_session',$valid);

                $params = array(
                    'NO'          => '',
                    'NOUSER'      => $this->session-
>userdata('user_session')->NO,
                    'CONTENT'     => $this->session-
>userdata('user_session')->FIRSTNAME.' '. $this->session-
>userdata('user_session')->LASTNAME.' has been logged in.',
                    'DATE'         => $this->date,
                    'TIME'         => $this->time,
                    'DELETION'    => 0
                );
                $this->Notification_admin_model-
>create($params);

                // $this->session-
                >set_flashdata('success_message', 'This is my message');
                redirect('/');
            }else if ($_SESSION['account_type'] ==
"Administrator"){
                $data = $this->session-
>set_userdata('user_session',$valid);
            }
        }
    }
}
```



```
// $this->session-
>set_flashdata('success_message', 'This is my message');
    redirect('/admin');
} else if ($_SESSION['account_type'] == "Agent"){
    $data = $this->session-
>set_userdata('user_session',$valid);
    // $this->session-
>set_flashdata('success_message', 'This is my message');
    redirect('/agent');
}
} else{
    // $this->session->set_flashdata('error_message',
'This is my message');
    redirect('/');
}
}
}
}
}
}

Logout.php
```

```
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Logout extends CI_Controller
{

    public function __construct()
    {
        parent::__construct();
        $this->load->model('Users_model');
        $this->load->model('Notification_admin_model');

        date_default_timezone_set("Asia/Manila");
        $this->date = date("F d, Y");
        $this->time = date("g:i A");
    }

    public function index()
    {
        $params = array(
            'NO'          => '',
            'NOUSER'      => $this->session-
>userdata('user_session')->NO,
            'CONTENT'     => $this->session-
>userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME.' has been logged out.',
            'DATE'         => $this->date,
            'TIME'         => $this->time,
            'DELETION'    => 0
        );
        $this->Notification_admin_model->create($params);

        $this->session->sess_destroy();
        redirect('/');
    }
}
```



```
}

Profile.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Profile extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Profile";
        $this->load->model('About_my_site_model');
        $this->load->model('Blog_model');
        $this->load->model('Blog_reply_model');
        $this->load->model('Notification_admin_model');
        $this->load->model('Users_model');
        $this->load->model('Post_user_model');
        $this->load->model('Issue_tracker_model');
        $this->load->model('Issue_tracker_reply_model');

        $this->nouser = $this->session->userdata('user_session')->NO;
        date_default_timezone_set("Asia/Manila");
        $this->date = date("F d, Y");
        $this->time = date("g:i A");
    }

    public function index()
    {
        if ( $this->session->userdata('account_type') == "User" || $this->session->userdata('account_type') == "" ) {
            $details = array (
                'get_active'          => $this->About_my_site_model->get_active(),
                'get_user_specific'   => $this->Users_model->get_user_specific($this->nouser),
                'get_all_post'         => $this->Post_user_model->get_all_post(),
                'session_name'         => $this->session->userdata('user_session')->FIRSTNAME." ".$this->session->userdata('user_session')->LASTNAME,
                'session_image'        => $this->session->userdata('user_session')->IMAGEURL,
                'get_reply'             => $this->Post_user_model->get_all_reply(),
                'date'                 => $this->date,
                'curpage'              => $this->curpage
            );
            $data['content'] = $this->load->view('user/profile', $details, TRUE);
        }
    }
}
```



```
        $data['curpage'] = $this->curpage;
        $this->load->view('template', $data);
    } else if ( $this->session->userdata('account_type') ==
"Administrator" ) {
        redirect('/admin');
    } else if ( $this->session->userdata('account_type') == "Agent"
) {
        redirect('/agent');
    }
}

public function updateLocation()
{
    $txt_lat_prof= $this->input->post('txt_lat_prof');
    $txt_long_prof = $this->input->post('txt_long_prof');

    $params = array(
        'LATITUDE' => $txt_lat_prof,
        'LONGHITUDE' => $txt_long_prof
    );

    $this->Users_model->update($params, $this->nouser);
    $this->session->set_flashdata('success_message', 'Your location
is changed!');
}

public function create()
{
    $txt_post = $this->input->post('txt_post');

    $params = array(
        'NO' => '',
        'NAME' => $this->session-
>userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME,
        'IMAGEURL' => $this->session-
>userdata('user_session')->IMAGEURL,
        'POSTDESCRIPTION' => $txt_post,
        'DATE' => $this->date,
        'TIME' => $this->time,
        'DELETION' => 0
    );

    $ctr = $this->Post_user_model->get_rows();
    echo $ctr = $ctr + 1;
    $this->Post_user_model->create($params);
}

public function insert_reply()
{
    $replyMessage= $this->input->post('replyMessage');
    $messageNo = $this->input->post('messageNo');

    $params = array(
        'NO' => '',
        'MESSAGE' => $replyMessage,
        'MESSAGE_NO' => $messageNo
    );
}
```



```
        'NOREPLY'      => $messageNo,
        'NAME'         => $this->session-
>userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME,
        'IMAGEURL'    => $this->session-
>userdata('user_session')->IMAGEURL,
        'REPLY'        => $replyMessage,
        'DATE'         => $this->date,
        'TIME'         => $this->time,
        'DELETION'    => 0
    );
    $this->Post_user_model->insertReply($params);
}

public function delete($no)
{
    $params = array(
        'DELETION'    => 1
    );
    $this->Post_user_model->update($params, $no);
    redirect('/profile');
}

public function issue_tracker()
{
    if ( $this->session->userdata('account_type') == "User" ||
$this->session->userdata('account_type') == "" ) {
        $details = array (
            'get_active'          => $this-
>About_my_site_model->get_active(),
            'get_user_specific'   => $this-
>Users_model->get_user_specific($this->nouser),
            'get_all_post'        =>
        $this->Post_user_model->get_all_post(),
            'session_name'        =>
        $this->session->userdata('user_session')->FIRSTNAME." ".$this->session-
>userdata('user_session')->LASTNAME,
            'session_image'       =>
        $this->session->userdata('user_session')->IMAGEURL,
            'get_reply'           =>
        $this->Post_user_model->get_all_reply(),
            'date'                =>
        $this->date,
            'curpage'             =>
        'Issue Tracker',
            'get_all_issue_tracker' => $this-
>Issue_tracker_model->get_all_issue_tracker_by_user($this->nouser)
        );
        $data['content']      =      $this->load-
>view('user/profile', $details, TRUE);
        $data['curpage']       =      'Issue Tracker';
        $this->load->view('template', $data);
    }
}
```



```
        } else if ( $this->session->userdata('account_type') == "Administrator" ) {
            redirect('/admin');
        } else if ( $this->session->userdata('account_type') == "Agent" )
        {
            redirect('/agent');
        }
    }

    public function getReplyIssueTracker()
{
    $no = $this->input->post('no');
    $get_reply = $this->Issue_tracker_model->get_reply($no);
    // print_r($get_reply);
    foreach ( $get_reply as $gr ) :
        echo '
            <div class="social-comment">
                <a href="" class="pull-left">
                    
                </a>
                <div class="media-body">
                    <div class="text-bold">' . $gr->FIRSTNAME . ' ' . $gr->LASTNAME . '</div>
                    ' . $gr->REPLY .
                    <br>
                    <small class="text-muted">' . $gr->DATEREPLY . ' -
                    ' . $gr->TILEREPLY . '</small>
                </div>
            </div>
        ';
    endforeach;
}

public function solved_issue($no)
{
    $params = array(
        'STATUS'      =>      '1',
        'DATEINSERT'  =>      $this->date. ' ' . $this->time
    );
    $this->Issue_tracker_model->update($params,$no);
    redirect('/profile/issue_tracker');
}

public function insert_reply_it()
{
    $issueTrackerNo      = $this->input->post('issueTrackerNo');
    $issueTrackerReply   = $this->input->post('issueTrackerReply');

    $params = array(
        'NO'           => '',
        'ISSUETRACKERNO'  => $issueTrackerNo,
        'NOREPLYFROM'    => $this->nouser,
        'REPLY'          => $issueTrackerReply,
        'DATEREPLY'       => $this->date,
```



```
'TIMEREPLY'          => $this->time,
'DELETION'           => 0
);
// print_r($params);
$this->Issue_tracker_reply_model->insert_reply($params);

$params = array(
    'STATUS'           =>      '2',
    'DATEINSERT'       =>      $this->date.' '.$this->time
);
$this->Issue_tracker_model->update($params, $issueTrackerNo);
}

public function newIssueTracker()
{
    $txt_title_isu      = $this->input->post('txt_title_isu');
    $txt_desc_isu= $this->input->post('txt_desc_isu');

    $params = array (
        'NO'                => '',
        'NOUSER'            => $this->nouser,
        'TITLE'             => $txt_title_isu,
        'DESCRIPTION'=> $txt_desc_isu,
        'IMAGEURL'          => $this->session-
>userdata('user_session')->IMAGEURL,
        'STATUS'            => 2,
        'DATEINSERT'        => $this->date.' '.$this->time,
        'DELETION'          => 0
    );
    $this->Issue_tracker_model->insert($params);

    $this->session->set_flashdata('success_message', 'New issue
have been added!');
}

public function change_profile()
{
    if ( isset($_POST['btn_update_image_profile']) ) {
        $loc = $_SERVER['DOCUMENT_ROOT'].base_url()."public/img/";
        move_uploaded_file($_FILES['image']['tmp_name'], $loc .
$_FILES['image']['name']);

        $imageCTR = $_FILES['image']['name'];
        $params = array(
            'IMAGEURL'      =>      $imageCTR
        );
        $this->Users_model->update($params, $this->nouser);
        $this->session->set_flashdata('success_message',
'Profile picture successfully changed!');
    }
}
```



```
$params = array(
    'IMAGEURL'      =>     $imageCTR
);
$this->Post_user_model->update_using_name_post($params,
$this->session->userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME);

$this->Post_user_model-
>update_using_name_post_reply($params, $this->session->userdata('user_session')-
>FIRSTNAME.' '.$this->session->userdata('user_session')->LASTNAME);

$params = array(
    'NO'            => '',
    'NOUSER'        => $this->session-
>userdata('user_session')->NO,
    'CONTENT'       => $this->session-
>userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME.' change his/her profile picture.',
    'DATE'          => $this->date,
    'TIME'          => $this->time,
    'DELETION'      => 0
);
$this->Notification_admin_model->create($params);

$this->session->userdata('user_session')->IMAGEURL =
$imageCTR;

redirect('/profile');
} else {
    redirect('/');
}
}

public function changeInformation()
{
    $txt_fname_profile_change = $this->input-
>post('txt_fname_profile_change');
    $txt_lname_profile_change = $this->input-
>post('txt_lname_profile_change');
    $txt_email_profile_change = $this->input-
>post('txt_email_profile_change');
    $txt_uname_profile_change = $this->input-
>post('txt_uname_profile_change');
    $txt_contact_profile_change = $this->input-
>post('txt_contact_profile_change');

$params = array(
    'FIRSTNAME'      => $txt_fname_profile_change,
    'LASTNAME'        => $txt_lname_profile_change,
    'EMAIL'           => $txt_email_profile_change,
    'USERNAME'        => $txt_uname_profile_change,
    'PHONENUMBER'=> $txt_contact_profile_change
);
$this->Users_model->update($params, $this->nouser);
}
```



```
$params = array(
    'NAME' => $txt_fname_profile_change . " " .
$txt_lname_profile_change
);
$this->Post_user_model->update_using_name_post($params, $this-
>session->userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME);

$this->Post_user_model->update_using_name_post_reply($params,
$this->session->userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME);

$params = array(
    'NO' => '',
    'NOUSER' => $this->session-
>userdata('user_session')->NO,
    'CONTENT' => $this->session-
>userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME.' change his/her personal information.',
    'DATE' => $this->date,
    'TIME' => $this->time,
    'DELETION' => 0
);
$this->Notification_admin_model->create($params);

$this->session->userdata('user_session')->FIRSTNAME =
$txt_fname_profile_change;
$this->session->userdata('user_session')->LASTNAME =
$txt_lname_profile_change;
$this->session->userdata('user_session')->EMAIL =
$txt_email_profile_change;
$this->session->userdata('user_session')->USERNAME =
$txt_uname_profile_change;
$this->session->userdata('user_session')->PHONENUMBER =
$txt_contact_profile_change;

$this->session->set_flashdata('success_message', 'Personal
information successfully changed!');
}

public function check_pword()
{
    $txt_current_pword = $this->input->post('txt_current_pword');
    $result = $this->Users_model-
>check_password_using_no(md5($txt_current_pword), $this->nouser);

    if ( !empty($result) ){
        echo '1';
    }else{
        echo '0';
    }
}

public function changePassword()
{
```



```
$txt_pword_changeprofile = $this->input->post('txt_pword_changeprofile');

$params = array(
    'PASSWORD' => md5($txt_pword_changeprofile)
);

$this->Users_model->update($params, $this->nouser);
$this->session->userdata('user_session')->PASSWORD = md5($txt_pword_changeprofile);

$params = array(
    'NO' => '',
    'NOUSER' => $this->session->userdata('user_session')->NO,
    'CONTENT' => $this->session->userdata('user_session')->FIRSTNAME.' '.$this->session->userdata('user_session')->LASTNAME.' change his/her personal information.',
    'DATE' => $this->date,
    'TIME' => $this->time,
    'DELETION' => 0
);
$this->Notification_admin_model->create($params);

$this->session->set_flashdata('success_message', 'Password successfully changed!');
}
}

Signup.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Signup extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Signup";
        $this->load->model('About_my_site_model');
        $this->load->model('Users_model');

        date_default_timezone_set("Asia/Manila");
        $this->date = date("F d, Y");
        $this->time = date("g:i A");
    }

    public function index()
    {
        if ( empty($this->session->userdata('user_session')) ) {

            $arrayEmail = array();
            foreach ( $this->Users_model->get_all() as $ga ) :
                array_push($arrayEmail, $ga->EMAIL);
            endforeach;
        }
    }
}
```



```
$details = array (
    'curpage'           => $this->curpage,
    'get_active'         => $this-
>About_my_site_model->get_active(),
    'all_email'          =>
    json_encode($arrayEmail)
);

        $data['content'] = $this->load-
>view('signup.php', $details, TRUE);
        $this->load->view('template.php', $data);
    } else if ( $this->session->userdata('account_type') ==
"Administrator" ) {
        redirect('/admin');
    } else if ( $this->session->userdata('account_type') == "Agent"
) {
        redirect('/agent');
    }
}

public function create()
{
    $txt_firstname_signup = $this->input-
>post('txt_firstname_signup');
    $txt_lastname_signup = $this->input-
>post('txt_lastname_signup');
    $txt_username_signup = $this->input-
>post('txt_username_signup');
    $txt_contact_signup = $this->input-
>post('txt_contact_signup');
    $txt_email_signup = $this->input-
>post('txt_email_signup');
    $txt_pword_signup = $this->input-
>post('txt_pword_signup');
    $randomCode = $this->input-
>post('randomCode');

    $params = array(
        'NO'           => '',
        'FIRSTNAME'   => $txt_firstname_signup,
        'LASTNAME'    => $txt_lastname_signup,
        'USERNAME'    => $txt_username_signup,
        'PHONENUMBER' => $txt_contact_signup,
        'EMAIL'        => $txt_email_signup,
        'PASSWORD'    => md5($txt_pword_signup),
        'ACCOUNT_TYPE'=> 'User',
        'ACTIVATED'   => '0',
        'VERIFIED'    => 'NO',
        'VERIFICATIONCODE'=> $randomCode,
        'PERMISSION'  => '',
        'IMAGEURL'    => 'noimage.png',
        'DATE'         => $this->date,
        'TIME'         => $this->time,
        'DELETION'    => 0,
```



```
        'LATITUDE'           => '',
        'LONGHITUDE'         => '',
    );

    $this->Users_model->create($params);

    require_once('public/swiftmailer/lib/swift_required.php');
    // Create the Transport
    $transport =
Swift_SmtpTransport::newInstance('mx1.hostinger.ph', 2525)
    ->setUsername('jmaeprovider@jmaeprovider.xyz')
    ->setPassword('111517jmae')
    ;

    $mailer = Swift_Mailer::newInstance($transport);

    $message = Swift_Message::newInstance('JMAE SITE PROVIDER -
VERIFICATION CODE')
    ->setFrom(array('jmaeprovider@jmaeprovider.xyz' => 'JMAE
Provider'))
    ->setTo(array($txt_email_signup))
    ->setBody('This is your verification code: ' . $randomCode);

    ;

    $result = $mailer->send($message);
}

public function resend()
{
    $txt_email_vc= $this->input->post('txt_email_vc');
    $randomCode      = $this->input->post('randomCode');

    $params = array(
        'VERIFICATIONCODE' =>      $randomCode
    );
    $this->Users_model->update_verification_code($params,
$txt_email_vc);

    require_once('public/swiftmailer/lib/swift_required.php');
    // Create the Transport
    $transport =
Swift_SmtpTransport::newInstance('mx1.hostinger.ph', 2525)
    ->setUsername('jmaeprovider@jmaeprovider.xyz')
    ->setPassword('111517jmae')
    ;

    $mailer = Swift_Mailer::newInstance($transport);

    $message = Swift_Message::newInstance('JMAE SITE PROVIDER -
VERIFICATION CODE')
    ->setFrom(array('jmaeprovider@jmaeprovider.xyz' => 'JMAE
Provider'))
    ->setTo(array($txt_email_vc))
```



```
        ->setBody('This is your verification code: ' . $randomCode);

        ;

        $result = $mailer->send($message);
    }

    public function verify()
    {
        $txt_verificationcode_vc  = $this->input-
>post('txt_verificationcode_vc');
        $txt_email_vc              = $this->input-
>post('txt_email_vc');

        $row = $this->Users_model-
>check_verification_code($txt_email_vc, $txt_verificationcode_vc);

        if ( $row == 1 ) {
            $params = array(
                'VERIFIED'           =>      'YES',
                'VERIFICATIONCODE'  =>      ''
            );
            $this->Users_model->update_verification_code($params,
$txt_email_vc);
        }

        echo $row;
    }

    public function forgotpassword_send()
{
    $txt_email_fp= $this->input->post('txt_email_fp');
    $randomCode      = $this->input->post('randomCode');

    $row = $this->Users_model->check_email($txt_email_fp);

    if ( !empty($row) ) {
        $params = array(
            'VERIFIED'           =>      'YES',
            'VERIFICATIONCODE'  =>      $randomCode
        );
        $this->Users_model->update_verification_code($params,
$txt_email_fp);

        require_once('public/swiftmailer/lib/swift_required.php');
        // Create the Transport
        $transport =
Swift_SmtpTransport::newInstance('mx1.hostinger.ph', 2525)
        ->setUsername('jmaeprovider@jmaeprovider.xyz')
        ->setPassword('111517jmae')
        ;

        $mailer = Swift_Mailer::newInstance($transport);
    }
}
```



```
$message = Swift_Message::newInstance('JMAE SITE
PROVIDER - VERIFICATION CODE')
                ->setFrom(array('jmaeprovider@jmaeprovider.xyz' =>
'JMAE Provider'))
                ->setTo(array($txt_email_fp))
                ->setBody('This is your verification code: ' .
$randomCode);
                ;
$result = $mailer->send($message);

        $row = 1;
    } else {
        $row = 0;
    }

    echo $row;
}

public function verify_fp()
{
    $txt_verificationcode_fp = $this->input-
>post('txt_verificationcode_fp');
    $txt_email_fp = $this->input-
>post('txt_email_fp');

    $row = $this->Users_model-
>check_verification_code($txt_email_fp, $txt_verificationcode_fp);

    if ( $row == 1 ) {
        $params = array(
            'VERIFICATIONCODE' => '',
        );
        $this->Users_model->update_verification_code($params,
$txt_email_fp);
    }

    echo $row;
}

public function reset_password()
{
    $txt_pword_fp= $this->input->post('txt_pword_fp');
    $txt_email_fp= $this->input->post('txt_email_fp');

    $params = array(
        'PASSWORD' => md5($txt_pword_fp)
    );
    $this->Users_model->update_verification_code($params,
$txt_email_fp);

}

}
```



```
Template.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Template extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Home";
        $this->load->model('Templates_model');
        $this->load->model('About_my_site_model');
        $this->load->model('Paypal_configuration_model');
        $this->load->model('Templatesales_model');

        date_default_timezone_set("Asia/Manila");
        $this->date = date("F d, Y");
        $this->time = date("g:i A");
    }

    public function index()
    {
        if ( $this->session->userdata('account_type') == "User" || 
        $this->session->userdata('account_type') == "" ) {

            $paypal_enable = $this->Paypal_configuration_model-
>get_enable();
            foreach ($paypal_enable as $pe) {
                $paypal_email = $pe->PAYPAL_EMAIL;
            }

            $details = array (
                'get_all_available_templates'          =>
                $this->Templates_model->get_all_available_templates(),
                'get_all_rented_templates'           =>
                $this->Templates_model->get_all_rented_templates(),
                'get_active'                         =>
                $this->About_my_site_model->get_active(),
                'paypal_id'
            =>      $paypal_email
            );
        }

        $data['content'] = $this->load-
>view('user/homecontent', $details, TRUE);
        $data['curpage'] = $this->curpage;
        $this->load->view('template', $data);
    } else if ( $this->session->userdata('account_type') == 
"Administrator" ) {
        redirect('/admin');
    } else if ( $this->session->userdata('account_type') == "Agent"
) {
        redirect('/agent');
    }
}
}
```



```
public function success()
{
    parse_str($_GET['cm'], $_MYVAR);
    $params = array(
        'NO'                => '',
        'TEMPLATESNO'=> $_GET['item_number'],
        'FIRSTNAME'         => $this->session-
>userdata('user_session')->FIRSTNAME,
        'LASTNAME'          => $this->session-
>userdata('user_session')->LASTNAME,
        'EMAILADDRESS'       => $this->session-
>userdata('user_session')->EMAIL,
        'RENTTIME'           => $_MYVAR['period'],
        'PRICE'              => $_GET['amt'],
        'IMAGEURL'           => $this->session-
>userdata('user_session')->IMAGEURL,
        'DATE'               => $this->date,
        'TIME'               => $this->time,
        'DELETION'           => 0,
        'AGENTSEE'           => 0
    );
    $this->Templatesales_model->create($params);

    $params = array(
        'CURRENTOWNER'           => $this->session-
>userdata('user_session')->FIRSTNAME . ' ' . $this->session-
>userdata('user_session')->LASTNAME,
        'SITEURL'                =>
        $_MYVAR['subdomain'],
        'OWNERTITLEWEBSITE'      => $_GET['item_name'],
        'AVAILABILITY'           => 0
    );
    $this->Templates_model->update($params, $_GET['item_number']);

    $details = array (
        'item_name'            => $_GET['item_name'],
        'get_active'           =>
        $this->About_my_site_model->get_active(),
    );
    $data['content'] = $this->load->view('success',
$details, TRUE);
    $data['curpage'] = $this->curpage;
    $this->load->view('template', $data);
}
}

Templates.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Templates extends CI_Controller {
```



```
    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Templates";
        $this->load->model('About_my_site_model');
        $this->load->model('Templates_model');
    }

    public function index()
    {
        if ( $this->session->userdata('account_type') == "User" ||
        $this->session->userdata('account_type') == "" ) {
            $details = array (
                'get_all_available_templates'          =>
                $this->Templates_model->get_all_available_templates(),
                'get_active'                         =>
                $this->About_my_site_model->get_active()
            );

            $data['content'] = $this->load-
>view('user/templatescontent', $details, TRUE);
            $data['curpage'] = $this->curpage;
            $this->load->view('template', $data);
        } else if ( $this->session->userdata('account_type') ==
"Administrator" ) {
            redirect('/admin');
        } else if ( $this->session->userdata('account_type') == "Agent"
) {
            redirect('/agent');
        }
    }
}

Testimonial.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Testimonial extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Testimonial";
        $this->load->model('About_my_site_model');
        $this->load->model('Testimonial_model');
    }

    public function index()
    {
        if ( $this->session->userdata('account_type') == "User" ||
        $this->session->userdata('account_type') == "" ) {
            $details = array (
                'get_all_testimonial'          =>      $this-
>Testimonial_model->get_all_testimonial(),

```



```
        'get_active'                      => $this-
>About_my_site_model->get_active()
    );

        $data['content'] = $this->load-
>view('user/testimonialcontent', $details, TRUE);
        $data['curpage'] = $this->curpage;
        $this->load->view('template', $data);
    } else if ( $this->session->userdata('account_type') ==
"Administrator" ) {
        redirect('/admin');
    } else if ( $this->session->userdata('account_type') == "Agent"
) {
        redirect('/agent');
    }
}

admin/About_my_site.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class About_my_site extends CI_Controller {

    public function __construct()
{
    parent::__construct();
    $this->curpage = "About My Site";
    $this->load->model('About_my_site_model');
    $this->load->model('Users_model');

    $this->nouser = $this->session->userdata('user_session')->NO;
    date_default_timezone_set("Asia/Manila");
    $this->date = date("F d, Y");
    $this->time = date("g:i A");
}
}

public function index()
{
    $user_session = $this->session->userdata('user_session');

    if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Administrator" ) {
        $details = array (
            'get_admin_specific'          => $this-
>Users_model->get_admin_specific($user_session->NO),
            'get_all_aboutmysite'        => $this-
>About_my_site_model->get_all_aboutmysite(),
            'get_specific'               =>
        $this->About_my_site_model->get_latest()
        );
        $data['content'] = $this->load-
>view('admin/aboutmysite', $details, TRUE);
        $data['curpage'] = $this->curpage;
    }
}
```



```
        $this->load->view('template1', $data);
    } else {
        redirect('/');
    }
}

public function information($no)
{
    $user_session = $this->session->userdata('user_session');

    if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Administrator" ) {
        $details = array (
            'get_admin_specific'          =>      $this-
>Users_model->get_admin_specific($user_session->NO),
            'get_all_aboutmysite'         =>      $this-
>About_my_site_model->get_all_aboutmysite(),
            'get_specific'                =>
        $this->About_my_site_model->get_specific($no)
        );
        $data['content'] = $this->load-
>view('admin/aboutmysite', $details, TRUE);
        $data['curpage'] = $this->curpage;
        $this->load->view('template1', $data);
    } else {
        redirect('/');
    }
}

public function insert()
{
    $ams_title = $this->input-
>post('ams_title');
    $ams_description = $this->input-
>post('ams_description');

    if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Administrator" ) {

        $params = array(
            'NO'          => '',
            'NOUSER'      => $this->nouser,
            'TITLE'       => $ams_title,
            'DESCRIPTION'=> $ams_description,
            'DATE'        => $this->date,
            'IMAGEURL'   => '',
            'ACTIVE'      => '0',
            'DELETION'   => '0'
        );
        $this->session->set_flashdata('success_message', 'New
about my site added!');
        $this->About_my_site_model->insert($params);
    } else {

```



```
        redirect('/');
    }

    public function update()
    {
        $ams_no_update           = $this->input-
>post('ams_no_update');
        $ams_title_update         = $this->input-
>post('ams_title_update');
        $ams_description_update   = $this->input-
>post('ams_description_update');
        $ams_active_update        = $this->input-
>post('ams_active_update');

        if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Administrator" ) {

            if ( $ams_active_update == 'enabled' ) {
                $paramsAll = array(
                    'ACTIVE'          => 0
                );
                $this->About_my_site_model-
>updateAll($paramsAll);

                $params = array(
                    'NOUSER'          => $this->nouser,
                    'TITLE'           =>
$ams_title_update,
                    'DESCRIPTION'=>
$ams_description_update,
                    'ACTIVE'          => 1
                );
            } else {
                $params = array(
                    'NOUSER'          => $this->nouser,
                    'TITLE'           =>
$ams_title_update,
                    'DESCRIPTION'=>
$ams_description_update,
                    'ACTIVE'          => 0
                );
            }

            $this->session->set_flashdata('success_message',
'Updated the about my site!');
            $this->About_my_site_model->update($params,
$ams_no_update);
        } else {
            redirect('/');
        }
    }

    public function delete($no)
{
```



```
$params = array(
    'DELETION'      =>      '1'
);

deleted!');
        $this->session->set_flashdata('success_message', 'Item
        $this->About_my_site_model->update($params, $no);
        redirect('/admin/about_my_site');
    }
}

admin/Account.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Account extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Account";
        $this->load->model('Users_model');

        $this->nouser = $this->session->userdata('user_session')->NO;
        date_default_timezone_set("Asia/Manila");
        $this->date = date("F d, Y");
        $this->time = date("g:i A");
        $this->curMonth = date("F");
        $this->curYear = date("Y");
    }

    public function index()
    {
        $user_session = $this->session->userdata('user_session');

        if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
        "Administrator" ) {
            $details = array (
                'get_admin_specific'          =>      $this-
                >Users_model->get_admin_specific($user_session->NO),
                'get_all_user'               =>
                $this->Users_model->get_all_user(),
                'get_num_rows_all_user'       =>      $this-
                >Users_model->get_num_rows_all_user(),
                'get_num_rows_curmonth'       =>      $this-
                >Users_model->get_num_rows_curmonth($this->curMonth, $this->curYear)
            );
            $data['content'] = $this->load-
            >view('admin/account', $details, TRUE);
            $data['curpage'] = $this->curpage;
            $this->load->view('template1', $data);
        } else {
            redirect('/');
        }
    }
}
```



```
        }
    }

}

admin/Agent.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Agent extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Agent";
        $this->load->model('Users_model');

        $this->nouser = $this->session->userdata('user_session')->NO;
        date_default_timezone_set("Asia/Manila");
        $this->date = date("F d, Y");
        $this->time = date("g:i A");
    }

    public function index()
    {
        $user_session = $this->session->userdata('user_session');

        if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Administrator" ) {
            $details = array (
                'get_admin_specific'          => $this-
>Users_model->get_admin_specific($user_session->NO),
                'get_all_agent'              =>
$this->Users_model->get_all_agent(),
                'get_specific'               =>
$this->Users_model->get_latest_agent()
            );

            $data['content'] = $this->load-
>view('admin/agent', $details, TRUE);
            $data['curpage'] = $this->curpage;
            $this->load->view('template1', $data);
        } else {
            redirect('/');
        }
    }

    public function information($no)
    {
        $user_session = $this->session->userdata('user_session');

        if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Administrator" ) {
            $details = array (
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

336

```
        'get_admin_specific'          => $this-
>Users_model->get_admin_specific($user_session->NO),
        'get_all_agent'              =>
$this->Users_model->get_all_agent(),
        'get_specific'               =>
$this->Users_model->get_specific_agent($no)
);

        $data['content']      =     $this->load-
>view('admin/agent', $details, TRUE);
        $data['curpage']       =     $this->curpage;
        $this->load->view('template1', $data);
} else {
    redirect('/');
}
}

public function delete($no)
{
    $params = array (
        'DELETION'   =>    1
    );

    $this->Users_model->update($params, $no);

    $this->session->set_flashdata('success_message', 'Account
Deleted!');
    redirect('/admin/team');
}

public function create()
{
    $txt_fname_agent    = $this->input->post('txt_fname_agent');
    $txt_lname_agent    = $this->input->post('txt_lname_agent');
    $txt_uname_agent    = $this->input->post('txt_uname_agent');
    $txt_email_agent    = $this->input->post('txt_email_agent');
    $txt_password_agent = $this->input->post('txt_password_agent');

    $params = array(
        'NO'                  => '',
        'FIRSTNAME'           => $txt_fname_agent,
        'LASTNAME'             => $txt_lname_agent,
        'USERNAME'             => $txt_uname_agent,
        'PHONENUMBER'          => '',
        'EMAIL'                => $txt_email_agent,
        'PASSWORD'              =>
md5($txt_password_agent),
        'ACCOUNT_TYPE'          => 'Agent',
        'ACTIVATED'             => 1,
        'VERIFIED'              => 'YES',
        'VERIFICATIONCODE'     => '',
        'PERMISSION'             => 'Issue
Tracker|Profile|Contact|Message|Events|Notification|Template|Purchased
Template|Templates|User Management|Agent',
        'IMAGEURL'              => 'noimage.png',
    );
}
```



```
'DATE'                      => $this->date,
'TIME'                       => $this->time,
'DELETION'                   => 0
);

$this->Users_model->create($params);

$this->session->set_flashdata('success_message', 'New agent
account added!');
}

}

admin/Co_administrator.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Co_administrator extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Co-Administrator";
        $this->load->model('Users_model');
        $this->load->model('Permission_admin_model');

        $this->nouser = $this->session->userdata('user_session')->NO;
        date_default_timezone_set("Asia/Manila");
        $this->date = date("F d, Y");
        $this->time = date("g:i A");
    }

    public function index()
    {
        $user_session = $this->session->userdata('user_session');

        if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Administrator" ) {
            $details = array (
                'get_admin_specific'           => $this-
>Users_model->get_admin_specific($user_session->NO),
                'get_all_administrator'       => $this-
>Users_model->get_all_administrator(),
                'get_specific'                =>
$this->Users_model->get_latest_administrator(),
                'get_content'                 => $this-
>Permission_admin_model->get_all_permission()
            );

            $data['content']   =   $this->load-
>view('admin/coadministrator', $details, TRUE);
            $data['curpage']   =   $this->curpage;
            $this->load->view('template1', $data);
        } else {
            redirect('/');
        }
    }
}
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

338

```
        }
    }

    public function information($no)
    {
        $user_session = $this->session->userdata('user_session');

        if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Administrator" ) {
            $details = array (
                'get_admin_specific'          => $this-
>Users_model->get_admin_specific($user_session->NO),
                'get_all_administrator'       => $this-
>Users_model->get_all_administrator(),
                'get_specific'               =>
$this->Users_model->get_specific_administrator($no),
                'get_content'                => $this-
>Permission_admin_model->get_all_permission()
            );

            $data['content'] = $this->load-
>view('admin/coadministrator', $details, TRUE);
            $data['curpage'] = $this->curpage;
            $this->load->view('template1', $data);
        } else {
            redirect('/');
        }
    }

    public function delete($no)
    {
        $params = array (
            'DELETION' => 1
        );

        $this->Users_model->update($params, $no);

        $this->session->set_flashdata('success_message', 'Account
Deleted!');
        redirect('/admin/co_administrator');
    }

    public function update()
    {
        $permission = $this->input->post('txt_select_perm_coa');

        $new = "";

        foreach ($permission as $per) {
            $new .= $per;
        }

        $params = array (
            'PERMISSION' => rtrim($new, "|")
        );
    }
}
```



```
        $this->session->set_flashdata('success_message', 'Account
Updated!');
        $this->Users_model->update($params, $this->input-
>post('txt_update_coa_no'));
    }

    public function create()
    {
        $txt_create_coa_fname = $this->input-
>post('txt_create_coa_fname');
        $txt_create_coa_lname = $this->input-
>post('txt_create_coa_lname');
        $txt_create_coa_uname = $this->input-
>post('txt_create_coa_uname');
        $txt_create_coa_email = $this->input-
>post('txt_create_coa_email');
        $txt_create_coa_pword = $this->input-
>post('txt_create_coa_pword');

        $params = array(
            'NO' => '',
            'FIRSTNAME' => $txt_create_coa_fname,
            'LASTNAME' => $txt_create_coa_lname,
            'USERNAME' => $txt_create_coa_uname,
            'PHONENUMBER' => '',
            'EMAIL' =>
        $txt_create_coa_email,
            'PASSWORD' =>
        md5($txt_create_coa_pword),
            'ACCOUNT_TYPE' => 'Administrator',
            'ACTIVATED' => 1,
            'VERIFIED' => 'YES',
            'VERIFICATIONCODE' => '',
            'PERMISSION' => '',
            'IMAGEURL' => 'noimage.png',
            'DATE' => $this->date,
            'TIME' => $this->time,
            'DELETION' => 0
        );
        $this->Users_model->create($params);

        $this->session->set_flashdata('success_message', 'New co-
administrator account added!');
    }
}

admin/Contact.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Contact extends CI_Controller {

    public function __construct()
```



```
{  
    parent::__construct();  
    $this->curpage = "Contact";  
    $this->load->model('Contact_admin_model');  
    $this->load->model('Users_model');  
  
    $this->nouser = $this->session->userdata('user_session')->NO;  
    date_default_timezone_set("Asia/Manila");  
    $this->date = date("F d, Y");  
    $this->time = date("g:i A");  
}  
  
public function index()  
{  
    $user_session = $this->session->userdata('user_session');  
  
    if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==  
    "Administrator" ) {  
        $details = array (  
            'get_admin_specific'      =>      $this->  
            >Users_model->get_admin_specific($user_session->NO),  
            'get_all_contact'        =>      $this->  
            >Contact_admin_model->get_all_contact_for_specific_admin($this->nouser)  
        );  
  
        $data['content'] = $this->load->  
        >view('admin/contact', $details, TRUE);  
        $data['curpage'] = $this->curpage;  
        $this->load->view('template1', $data);  
    } else {  
        redirect('/');  
    }  
}  
  
public function insert()  
{  
    $loc = $_SERVER['DOCUMENT_ROOT'].base_url()."public/img/";  
  
    $contactDash_name_create =  
    $_POST['contactDash_name_create'];  
    $contactDash_contact_create =  
    $_POST['contactDash_contact_create'];  
    $contactDash_email_create =  
    $_POST['contactDash_email_create'];  
    $contactDash_address_create =  
    $_POST['contactDash_address_create'];  
  
    if ( isset($_POST['contactDash_create']) ) {  
        $image_name = addslashes($_FILES['image']['name']);  
        $ctr_imgname = 'noimage.png';  
        if ( !empty($image_name) ) {  
            $ctr_imgname = $image_name;  
            move_uploaded_file($_FILES['image']['tmp_name'], $loc .  
            $_FILES['image']['name']);  
    
```



```
        }

        $params = array(
            'NO'          =>      '',
            'NOUSER'      =>      $this->nouser,
            'NAME'        =>
            $contactDash_name_create,
            'CONTACTNO'   =>
            $contactDash_contact_create,
            'EMAILADDRESS' =>
            $contactDash_email_create,
            'ADDRESS'      =>
            $contactDash_address_create,
            'IMAGEURL'    =>      $ctr_imgnname,
            'DATE'         =>      $this->date,
            'TIME'         =>      $this->time,
            'DELETION'    =>      '0'
        );

        $this->Contact_admin_model->insert($params);
        $this->session->set_flashdata('success_message', 'New
contact added!');
        redirect('/admin/contact');
    } else {
        redirect('/admin/contact');
    }
}

public function delete($no)
{
    $params = array(
        'DELETION'    =>      1
    );

    $this->Contact_admin_model->update($params, $no);

    $this->session->set_flashdata('success_message', 'Account
Deleted!');
    redirect('/admin/contact');
}

admin/Dashboard.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Dashboard extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Dashboard";
        $this->load->model('Issue_tracker_model');
        $this->load->model('Issue_tracker_reply_model');
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

342

```
$this->load->model('Contact_admin_model');
$this->load->model('Todo_list_model');
$this->load->model('Templatesales_model');
$this->load->model('Templates_model');
$this->load->model('Users_model');
$this->load->model('Location_model');

$this->nouser = $this->session->userdata('user_session')->NO;
date_default_timezone_set("Asia/Manila");
$this->date = date("F d, Y");
$this->time = date("g:i A");
$this->year = date("Y");
}

public function index()
{
    $user_session = $this->session->userdata('user_session');

    $month = array ("January", "February", "March", "April", "May",
"June", "July", "August", "September", "October", "November", "December");

    $sales_for_year = array();

    for ( $ctr = 0; $ctr < sizeof($month); $ctr++ ) {
        $ctrPrice = 0;
        $monthArr = $this->Templatesales_model-
>get_monthly_sales_thisyear($month[$ctr],$this->year);
        foreach ( $monthArr as $ma ) {
            $ctrPrice += $ma->PRICE;
        }
        array_push($sales_for_year, $ctrPrice);
    }

    $rowSales = $this->Templatesales_model->get_all_sales_row();
    for ( $ctr = 0; $ctr < $rowSales; $ctr++ ) {
        $totalSales = 0;
        $fetchResult = $this->Templatesales_model-
>get_all_sales();
        foreach ($fetchResult as $fr) {
            $totalSales += $fr->PRICE;
        }
    }

    $rowLastYearSales = $this->Templatesales_model-
>get_last_year_sales_row($this->year - 1);
    for ( $ctr = 0; $ctr < $rowSales; $ctr++ ) {
        $totalSalesLastYear = 0;
        $fetchResult = $this->Templatesales_model-
>get_last_year_sales($this->year - 1);
        foreach ($fetchResult as $fr) {
            $totalSalesLastYear += $fr->PRICE;
        }
    }
}
```



```
        if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Administrator" ) {
            $details = array (
                'get_admin_specific'
            => $this->Users_model->get_admin_specific($user_session->NO),
                'get_all_contact_for_specific_admin' =>
            $this->Contact_admin_model-
>get_all_contact_for_specific_admin($user_session->NO),
                'get_all_todo_for_specific_admin' =>
            $this->Todo_list_model->get_all_todo_for_specific_admin($user_session->NO),
                'get_all_issue_tracker'
            => $this->Issue_tracker_model->get_all_issue_tracker(),
                'sales_for_year'
            => json_encode($sales_for_year),
                'totalSales'
            => $totalSales,
                'totalSalesLastYear'
            => $totalSalesLastYear,
                'numberOfTemplates'
            => $this->Templates_model->get_all_templates_row(),
                'all_user_latlong'
            => $this->Users_model->getAllLatLong()
                );
            $data['content'] = $this->load-
>view('admin/dashboard', $details, TRUE);
            $data['curpage'] = $this->curpage;
            $this->load->view('template1', $data);
        } else {
            redirect('/');
        }
    }

    public function insertContact()
{
    $loc = $_SERVER['DOCUMENT_ROOT'].base_url()."public/img/";

        $contactDash_name_create =
$_POST['contactDash_name_create'];
        $contactDash_contact_create =
$_POST['contactDash_contact_create'];
        $contactDash_email_create =
$_POST['contactDash_email_create'];
        $contactDash_address_create =
$_POST['contactDash_address_create'];

        if ( isset($_POST['contactDash_create']) ) {

            $image_name = addslashes($_FILES['image']['name']);
            $ctr_imgname = 'noimage.png';
            if ( !empty($image_name) ) {
                $ctr_imgname = $image_name;
                move_uploaded_file($_FILES['image']['tmp_name'], $loc .
$_FILES['image']['name']);
            }
        }
}
```



```
$params = array(
    'NO'                =>      '',
    'NOUSER'             =>      $this->nouser,
    'NAME'               =>
$contactDash_name_create,
    'CONTACTNO'          =>
$contactDash_contact_create,
    'EMAILADDRESS'        =>
$contactDash_email_create,
    'ADDRESS'             =>
$contactDash_address_create,
    'IMAGEURL'            =>      $ctr_imgname,
    'DATE'                =>      $this->date,
    'TIME'                =>      $this->time,
    'DELETION'            =>      '0'
);

$this->Contact_admin_model->insert($params);
redirect('/');

} else {
    redirect('/');
}
}

public function checked()
{
    $dashTodoNo = $this->input->post('dashTodoNo');

    $params = array(
        'LISTSTATUS' =>      '0',
        'DATE'           =>      $this->date,
        'TIME'           =>      $this->time
    );

    $this->Todo_list_model->update($params, $dashTodoNo);
}

public function notchecked()
{
    $dashTodoNo = $this->input->post('dashTodoNo');

    $params = array(
        'LISTSTATUS' =>      '1',
        'DATE'           =>      $this->date,
        'TIME'           =>      $this->time
    );

    $this->Todo_list_model->update($params, $dashTodoNo);
}

public function insertToDo()
{
    $dashTodo_title_create = $_POST['dashTodo_title_create'];
}
```



```
if ( isset($_POST['dashTodo_create']) ) {

    $numrows_todo = $this->Todo_list_model-
>get_numrows_todo_for_specific_admin($this->nouser);
    if ( $numrows_todo >= 7 ) {
        $this->session->set_flashdata('error_message',
'To-Do List reached the maximum limit!');
        redirect('/admin');
    } else {
        $params = array(
            'NO'                =>      '',
            'NOUSER'             =>      $this->nouser,
            'LISTNAME'           =>
$dashTodo_title_create,
            'LISTSTATUS'         =>      '0',
            'DATE'               =>      $this->date,
            'TIME'               =>      $this->time,
            'DELETION'           =>      '0'
        );
        $this->Todo_list_model->insert($params);
        redirect('/');
    }
}

public function deleteTodoTask($nouser)
{
    $params = array(
        'DATE'              =>      $this->date,
        'TIME'              =>      $this->time,
        'DELETION'           =>      '1'
    );
    $this->Todo_list_model->deleteAllCheckedTask($params, $nouser);
    redirect('/');
}

public function getReplyIssueTracker()
{
    $no = $this->input->post('no');
    $get_reply = $this->Issue_tracker_model->get_reply($no);

    foreach ( $get_reply as $gr ) :
        echo '
            <div class="social-comment">
                <a href="" class="pull-left">
                    
                </a>
                <div class="media-body">
                    <div class="text-bold">'.$gr->FIRSTNAME.' '. $gr-
>LASTNAME. '</div>
            </div>
        ';
    endforeach;
}
```



```
        '. $gr->REPLY.'
        <br>
        <small class="text-muted">' . $gr->DATEREPLY. ' -
        '. $gr->TILEREPLY. '</small>
            </div>
        </div>
        ';
    endforeach;
}

public function solved_issue($no)
{
    $params = array(
        'STATUS'      =>      '1',
        'DATEINSERT'  =>      $this->date. ' . $this->time
    );
    $this->Issue_tracker_model->update($params,$no);
    redirect('/');
}

public function insert_reply()
{
    $issueTrackerNo      = $this->input->post('issueTrackerNo');
    $issueTrackerReply   = $this->input->post('issueTrackerReply');

    $params = array(
        'NO'           => '',
        'ISSUETRACKERNO'  => $issueTrackerNo,
        'NOREPLYFROM'    => $this->nouser,
        'REPLY'          => $issueTrackerReply,
        'DATEREPLY'       => $this->date,
        'TILEREPLY'       => $this->time,
        'DELETION'        => 0
    );
    $this->Issue_tracker_reply_model->insert_reply($params);

    $params = array(
        'STATUS'      =>      '2',
        'DATEINSERT'  =>      $this->date. ' . $this->time
    );
    $this->Issue_tracker_model->update($params, $issueTrackerNo);
}
}

admin/Events.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Events extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Events";
    }
}
```



```
$this->load->model('Events_model');
$this->load->model('Users_model');

$this->nouser = $this->session->userdata('user_session')->NO;
date_default_timezone_set("Asia/Manila");
$this->date = date("F d, Y");
$this->time = date("g:i A");
}

public function index()
{
    $user_session = $this->session->userdata('user_session');

    if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Administrator" ) {
        $details = array (
            'get_admin_specific'                =>      $this-
>Users_model->get_admin_specific($user_session->NO),
            'get_all_events'                  =>      $this-
>Events_model->get_all_events(),
            'get_specific'                   =>
        $this->Events_model->get_latest()
        );

        $data['content'] = $this->load-
>view('admin/events', $details, TRUE);
        $data['curpage'] = $this->curpage;
        $this->load->view('template1', $data);
    } else {
        redirect('/');
    }
}

public function information($no)
{
    $user_session = $this->session->userdata('user_session');

    if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Administrator" ) {
        $details = array (
            'get_admin_specific'                =>      $this-
>Users_model->get_admin_specific($user_session->NO),
            'get_all_events'                  =>      $this-
>Events_model->get_all_events(),
            'get_specific'                   =>
        $this->Events_model->get_specific($no)
        );

        $data['content'] = $this->load-
>view('admin/events', $details, TRUE);
        $data['curpage'] = $this->curpage;
        $this->load->view('template1', $data);
    } else {
        redirect('/');
    }
}
```



```
}

public function insert()
{
    $event_title_create           = $this->input-
>post('event_title_create');
    $event_description_create = $this->input-
>post('event_description_create');

    if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Administrator" ) {

        $params = array(
            'NO'          => '',
            'NOUSER'      => $this->nouser,
            'TITLE'       =>
$event_title_create,
            'DESCRIPTION'=> $event_description_create,
            'DATE'         => $this->date,
            'IMAGEURL'    => '',
            'DELETION'    => '0'
        );

        $this->Events_model->insert($params);
    } else {
        redirect('/');
    }
}

public function update()
{
    if ( $_POST['event_update'] ) {
        $event_no_update           =
$_POST['event_no_update'];
        $event_title_update        =
$_POST['event_title_update'];
        $event_description_update = $_POST['event_description_update'];

        if ( $this->session->userdata('user_session')-
>ACCOUNT_TYPE == "Administrator" ) {
            if ( !empty($_FILES['image']['name']) ) {
                $loc =
$_SERVER['DOCUMENT_ROOT'].base_url()."public/img/";
                move_uploaded_file($_FILES['image']['tmp_name'],
$loc . $_FILES['image']['name']);
            }

            $params = array(
                'NOUSER'      => $this-
>nouser,
                'TITLE'       =>
$event_title_update,
                'DESCRIPTION'=>
$event_description_update,
            );
        }
    }
}
```



```
        'IMAGEURL'          =>
$_FILES["image"]["name"]
    );
} else {
    $params = array(
        'NOUSER'          =>      $this-
>nouser,
        'TITLE'           =>
$event_title_update,
        'DESCRIPTION'=>
$event_description_update,
        'IMAGEURL'         =>
'nimage.png'
    );
}

$this->session->set_flashdata('success_message',
'Event updated!');
$this->Events_model->update($params,
$event_no_update);
redirect('/admin/events');
} else {
    redirect('/admin/events');
}
} else {
    redirect('/admin/events');
}
}

public function delete($no)
{
    $params = array(
        'DELETION'          =>      '1'
    );

    $this->session->set_flashdata('success_message', 'Item
deleted!');
    $this->Events_model->update($params, $no);
    redirect('/admin/events');
}
}

admin/Message.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Message extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Message";
    }
}
```



```
$this->load->model('Inbox_model');
$this->load->model('Inbox_reply_model');
$this->load->model('Users_model');

$this->nouser = $this->session->userdata('user_session')->NO;
date_default_timezone_set("Asia/Manila");
$this->date = date("F d, Y");
$this->time = date("g:i A");
}

public function index()
{
    if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Administrator" ) {
        $details = array (
            'get_admin_specific' => $this-
>Users_model->get_admin_specific($this->nouser),
            'get_all_inbox_spec_user' => $this-
>Inbox_model->get_all_inbox_spec_user($this->nouser)
        );

        $data['content'] = $this->load-
>view('admin/message', $details, TRUE);
        $data['curpage'] = $this->curpage;
        $this->load->view('template1', $data);
    } else {
        redirect('/');
    }
}

public function content($noInbox)
{
    if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Administrator" ) {
        $details = array (
            'get_admin_specific' =>
$this->Users_model->get_admin_specific($this->nouser),
            'get_all_inbox_spec_user' => $this-
>Inbox_model->get_all_inbox_spec_user($this->nouser),
            'get_specific_content' =>
$this->Inbox_model->get_specific_content($noInbox),
            'get_all_reply_spec_content' => $this-
>Inbox_reply_model->get_all_reply_spec_content($noInbox)
        );

        $data['content'] = $this->load-
>view('admin/message', $details, TRUE);
        $data['curpage'] = $this->curpage;
        $this->load->view('template1', $data);
    } else {
        redirect('/');
    }
}
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

351

```
public function insert_reply()
{
    $replyMessage      =      $this->input->post('replyMessage');
    $messageNo         =      $this->input->post('messageNo');

    // print_r($messageNo);
    $params = array(
        'NO'              => '',
        'NOINBOX'         => $messageNo,
        'NOUSER'          => $this->nouser,
        'REPLY'           => $replyMessage,
        'DATE'            => $this->date,
        'TIME'            => $this->time,
        'DELETION'        => '0'
    );
    $this->Inbox_reply_model->insert($params);
}

public function new_message()
{
    $cm_email          = $this->input->post('email');
    $cm_subject        = $this->input->post('subject');
    $cm_message        = $this->input->post('message');

    $result = $this->Users_model->checkEmail($cm_email);

    $params = array(
        'NO'              => '',
        'USERFROM'        => $this->nouser,
        'USERTO'          => $result[0]->NO,
        'SUBJECT'         => $cm_subject,
        'CONTENT'         => $cm_message,
        'DATE'            => $this->date,
        'TIME'            => $this->time,
        'DELETION'        => '0'
    );
    $this->Inbox_model->new_message($params);
    // print_r($result[0]->NO);
}

public function checkEmail()
{
    $email = $this->input->post('email');

    $result = $this->Users_model->checkEmail($email);

    if ( empty($result) ) {
        echo '0';
    } else {
        echo '1';
    }
}
```



```
admin/Notification.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Notification extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Notification";
        $this->load->model('Notification_admin_model');
        $this->load->model('Users_model');
    }

    public function index()
    {
        $user_session = $this->session->userdata('user_session');

        if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
        "Administrator" ) {
            $details = array (
                'get_admin_specific'          => $this-
                >Users_model->get_admin_specific($user_session->NO),
                'get_all_notification'       => $this-
                >Notification_admin_model->get_all_notification()
            );

            $data['content'] = $this->load-
            >view('admin/notification', $details, TRUE);
            $data['curpage'] = $this->curpage;
            $this->load->view('template1', $data);
        } else {
            redirect('/');
        }
    }
}

admin/Paypal_configuration.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Paypal_configuration extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "PayPal Configuration";
        $this->load->model('Paypal_configuration_model');
        $this->load->model('Users_model');

        $this->nouser = $this->session->userdata('user_session')->NO;
        date_default_timezone_set("Asia/Manila");
        $this->date = date("F d, Y");
    }
}
```



```
        $this->time = date("g:i A");
    }

    public function index()
    {
        $user_session = $this->session->userdata('user_session');

        if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Administrator" ) {
            $details = array (
                'get_admin_specific' => $this-
>Users_model->get_admin_specific($user_session->NO),
                'get_all_paypal' => $this-
>Paypal_configuration_model->get_all_paypal(),
                'get_specific' =>
$this->Paypal_configuration_model->get_latest()
            );
        }

        $data['content'] = $this->load-
>view('admin/paypalconfiguration', $details, TRUE);
        $data['curpage'] = $this->curpage;
        $this->load->view('template1', $data);
    } else {
        redirect('/');
    }
}

public function information($no)
{
    $user_session = $this->session->userdata('user_session');

    if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Administrator" ) {
        $details = array (
            'get_admin_specific' => $this-
>Users_model->get_admin_specific($user_session->NO),
            'get_all_paypal' => $this-
>Paypal_configuration_model->get_all_paypal(),
            'get_specific' =>
$this->Paypal_configuration_model->get_specific($no)
        );
    }

    $data['content'] = $this->load-
>view('admin/paypalconfiguration', $details, TRUE);
    $data['curpage'] = $this->curpage;
    $this->load->view('template1', $data);
} else {
    redirect('/');
}
}

public function create()
{
    $params = array (
        'NO' => '',

```



## DIVINE MERCY COLLEGE FOUNDATION INC.

354

```
        'NOUSER'          => $this->nouser,
        'PAYPAL_EMAIL'    => $this->input-
>post('paypal_email'),
        'STATUS'          => 'disabled',
        'DELETION'         => 0
    );

    $this->session->set_flashdata('success_message', 'New PayPal
Account Added!');
    $this->Paypal_configuration_model->create($params);
}

public function update()
{
    $no = $this->input->post('txt_paypal_no');
    $email = $this->input->post('txt_paypal_email_upd');
    $status = $this->input->post('paypal_email_status');

    if ( $status == 'enabled' ) {
        $paramsDisableAll = array(
            'STATUS'          => 'disabled'
        );

        $this->Paypal_configuration_model-
>disableAll($paramsDisableAll);

        $params = array(
            'PAYPAL_EMAIL'    => $email,
            'STATUS'          => 'enabled'
        );
    }

    $this->Paypal_configuration_model->update($params, $no);
} else if ( $status == 'disabled' ) {
    $params = array(
        'PAYPAL_EMAIL'    => $email,
        'STATUS'          => 'disabled'
    );

    $this->session->set_flashdata('success_message', 'PayPal
Account updated!');
    $this->Paypal_configuration_model->update($params, $no);
}

public function delete($no)
{
    $params = array(
        'DELETION'        => 1
    );

    $this->session->set_flashdata('success_message', 'PayPal
account deleted!');
    $this->Paypal_configuration_model->update($params, $no);
    redirect('/admin/paypal_configuration');
```



```
        }

}

admin/Profile.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Profile extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Profile";
        $this->load->model('Users_model');
        $this->load->model('Post_admin_model');
        $this->load->model('About_my_site_model');
        $this->load->model('Blog_model');
        $this->load->model('Blog_reply_model');
        $this->load->model('Notification_admin_model');
        $this->load->model('Users_model');
        $this->load->model('Issue_tracker_model');
        $this->load->model('Issue_tracker_reply_model');
        $this->load->model('Location_model');

        $this->nouser = $this->session->userdata('user_session')->NO;
        date_default_timezone_set("Asia/Manila");
        $this->date = date("F d, Y");
        $this->time = date("g:i A");
    }

    public function index()
    {
        $user_session = $this->session->userdata('user_session');

        if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
        "Administrator" ) {
            $details = array (
                'get_admin_specific' => $this-
                >Users_model->get_admin_specific($user_session->NO),
                'get_all_post' =>
                $this->Post_admin_model->get_all_post(),
                'session_name' =>
                $this->session->userdata('user_session')->FIRSTNAME." ".$this->session-
                >userdata('user_session')->LASTNAME,
                'session_image' =>
                $this->session->userdata('user_session')->IMAGEURL,
                'get_reply' =>
                $this->Post_admin_model->get_all_reply(),
                'date' =>
                $this->date
            );
            $data['content'] = $this->load-
            >view('admin/profile', $details, TRUE);
            $data['curpage'] = $this->curpage;
        }
    }
}
```



```
        $this->load->view('template1', $data);
    } else {
        redirect('/');
    }
}

public function updateLocation()
{
    $txt_lat_prof= $this->input->post('txt_lat_prof');
    $txt_long_prof      = $this->input->post('txt_long_prof');

    $params = array(
        'LATITUDE'          => $txt_lat_prof,
        'LONGHITUDE'        => $txt_long_prof
    );

    $this->Users_model->update($params, $this->nouser);
    $this->session->set_flashdata('success_message', 'Your location
is changed!');
}

public function create()
{
    $txt_post = $this->input->post('txt_post');

    $params = array(
        'NO'                => '',
        'NAME'              => $this->session-
>userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME,
        'IMAGEURL'          => $this->session-
>userdata('user_session')->IMAGEURL,
        'POSTDESCRIPTION'   => $txt_post,
        'DATE'              => $this->date,
        'TIME'              => $this->time,
        'DELETION'          => 0
    );

    $ctr = $this->Post_admin_model->get_rows();
    echo $ctr = $ctr + 1;
    $this->Post_admin_model->create($params);
}

public function insert_reply()
{
    $replyMessage= $this->input->post('replyMessage');
    $messageNo      = $this->input->post('messageNo');

    $params = array(
        'NO'                => '',
        'NOREPLY'           => $messageNo,
        'NAME'              => $this->session-
>userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME,
```



```
'IMAGEURL'    => $this->session-
>userdata('user_session')->IMAGEURL,
'REPLY'        => $replyMessage,
'DATE'         => $this->date,
'TIME'         => $this->time,
'DELETION'     => 0
);

$this->Post_admin_model->insertReply($params);
}

public function change_profile()
{
    if ( isset($_POST['btn_update_image_profile']) ) {
        $loc = $_SERVER['DOCUMENT_ROOT'].base_url()."public/img/";
        move_uploaded_file($_FILES['image']['tmp_name'], $loc .
$_FILES['image']['name']);

        $imageCTR = $_FILES['image']['name'];
        $params = array(
            'IMAGEURL'    =>    $imageCTR
        );

        $this->Users_model->update($params, $this->nouser);
        $this->session->set_flashdata('success_message',
'Profile picture successfully changed!');

        $params = array(
            'NO'          => '',
            'NOUSER'      => $this->session-
>userdata('user_session')->NO,
            'CONTENT'     => $this->session-
>userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME.' change his/her profile picture.',
            'DATE'         => $this->date,
            'TIME'         => $this->time,
            'DELETION'     => 0
        );
        $this->Notification_admin_model->create($params);

        $this->session->userdata('user_session')->IMAGEURL =
$imageCTR;

        $params = array(
            'IMAGEURL'    =>    $imageCTR
        );
        $this->Post_admin_model->update_using_name_post($params,
$this->session->userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME);

        $this->Post_admin_model-
>update_using_name_post_reply($params, $this->session->userdata('user_session')-
>FIRSTNAME.' '.$this->session->userdata('user_session')->LASTNAME);

        redirect('/admin/profile');
    }
}
```



```
        } else {
            redirect('/');
        }
    }

    public function changeInformation()
    {
        $txt_fname_profile_change = $this->input-
>post('txt_fname_profile_change');
        $txt_lname_profile_change = $this->input-
>post('txt_lname_profile_change');
        $txt_email_profile_change = $this->input-
>post('txt_email_profile_change');
        $txt_uname_profile_change = $this->input-
>post('txt_uname_profile_change');
        $txt_contact_profile_change = $this->input-
>post('txt_contact_profile_change');

        $params = array(
            'FIRSTNAME'      => $txt_fname_profile_change,
            'LASTNAME'       => $txt_lname_profile_change,
            'EMAIL'          => $txt_email_profile_change,
            'USERNAME'        => $txt_uname_profile_change,
            'PHONENUMBER'=> $txt_contact_profile_change
        );
        $this->Users_model->update($params, $this->nouser);

        $params = array(
            'NAME' =>      $txt_fname_profile_change . " " .
$txt_lname_profile_change
        );
        $this->Post_admin_model->update_using_name_post($params, $this-
>session->userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME);

        $this->Post_admin_model->update_using_name_post_reply($params,
$this->session->userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME);

        $params = array(
            'NO'           => '',
            'NOUSER'        => $this->session-
>userdata('user_session')->NO,
            'CONTENT'       => $this->session-
>userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME.' change his/her personal information.',
            'DATE'          => $this->date,
            'TIME'          => $this->time,
            'DELETION'      => 0
        );
        $this->Notification_admin_model->create($params);

        $this->session->userdata('user_session')->FIRSTNAME =
$txt_fname_profile_change;
```



```
$this->session->userdata('user_session')->LASTNAME      =
$txt_lname_profile_change;
$this->session->userdata('user_session')->EMAIL        =
$txt_email_profile_change;
$this->session->userdata('user_session')->USERNAME      =
$txt_uname_profile_change;
$this->session->userdata('user_session')->PHONENUMBER   =
$txt_contact_profile_change;

$this->session->set_flashdata('success_message', 'Personal
information successfully changed!');
}

public function check_pword()
{
    $txt_current_pword = $this->input->post('txt_current_pword');
    $result = $this->Users_model-
>check_password_using_no(md5($txt_current_pword), $this->nouser);

    if ( !empty($result) ){
        echo '1';
    }else{
        echo '0';
    }
}

public function changePassword()
{
    $txt_pword_changeprofile = $this->input-
>post('txt_pword_changeprofile');

    $params = array(
        'PASSWORD'    => md5($txt_pword_changeprofile)
    );

    $this->Users_model->update($params, $this->nouser);
    $this->session->userdata('user_session')->PASSWORD      =
md5($txt_pword_changeprofile);

    $params = array(
        'NO'          => '',
        'NOUSER'      => $this->session-
>userdata('user_session')->NO,
        'CONTENT'     => $this->session-
>userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME.' change his/her personal information.',
        'DATE'         => $this->date,
        'TIME'         => $this->time,
        'DELETION'    => 0
    );
    $this->Notification_admin_model->create($params);

    $this->session->set_flashdata('success_message', 'Password
successfully changed!');
}
```



```
}

admin/Reports.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Reports extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Reports";
        $this->load->model('Users_model');
        $this->load->model('Templatesales_model');

        $this->nouser = $this->session->userdata('user_session')->NO;
        date_default_timezone_set("Asia/Manila");
        $this->date = date("F d, Y");
        $this->time = date("g:i A");
        $this->year = date("Y");
    }

    public function index()
    {
        $month = array ("January", "February", "March", "April", "May",
        "June", "July", "August", "September", "October", "November", "December");

        $usersPerMonth = array();
        $usersPerMonthPreviousYear = array();
        $salesReport = array();

        for ( $ctr = 0; $ctr < sizeof($month); $ctr++ ) {
            $fetchRow = 0;
            $fetchRow = $this->Users_model-
>get_all_users_per_month_row($month[$ctr], $this->year);
            array_push($usersPerMonth, $fetchRow);

            $fetchRow = 0;
            $fetchRow = $this->Users_model-
>get_all_users_per_month_row($month[$ctr], $this->year-1);
            array_push($usersPerMonthPreviousYear, $fetchRow);

            $ctrPrice = 0;
            $monthArr = $this->Templatesales_model-
>get_monthly_sales_thisyear($month[$ctr], $this->year);
            foreach ( $monthArr as $ma ) {
                $ctrPrice += $ma->PRICE;
            }
            array_push($salesReport, $ctrPrice);
        }
        // usersPerMonthPreviousYear
        $user_session = $this->session->userdata('user_session');

        if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
        "Administrator" ) {
```



```
        $details = array (
            'get_admin_specific'          => $this-
>Users_model->get_admin_specific($user_session->NO),
            'usersPerMonth'              =>
            json_encode($usersPerMonth),
            'usersPerMonthPreviousYear'   =>
            json_encode($usersPerMonthPreviousYear),
            'salesReport'                =>
            json_encode($salesReport)
        );

        $data['content']    =      $this->load-
>view('admin/reports', $details, TRUE);
        $data['curpage']     =      $this->curpage;
        $this->load->view('template1', $data);
    } else {
        redirect('/');
    }
}

admin/Team.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Team extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Team";
        $this->load->model('Team_model');
        $this->load->model('Users_model');
    }

    public function index()
    {
        $user_session = $this->session->userdata('user_session');

        if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Administrator" ) {
            $details = array (
                'get_admin_specific'          => $this-
>Users_model->get_admin_specific($user_session->NO),
                'get_all_team'                =>
                $this->Team_model->get_all_team()
            );

            $data['content']    =      $this->load-
>view('admin/team', $details, TRUE);
            $data['curpage']     =      $this->curpage;
            $this->load->view('template1', $data);

        } else {
    }
```



```
        redirect('/');
    }

    public function create()
    {
        if(isset($_POST['btn_team_create'])) {
            $txt_team_firstname =      $_POST['txt_team_firstname'];
            $txt_team_lastname =      $_POST['txt_team_lastname'];
            $txt_team_contact =      $_POST['txt_team_contact'];
            $txt_team_email =      =
            $_POST['txt_team_email'];
            $txt_team_fb =      $_POST['txt_team_fb'];
            $txt_team_twitter =      $_POST['txt_team_twitter'];

            if ( !empty($_FILES['image']['name']) ) {
                $loc =
$_SERVER['DOCUMENT_ROOT'].base_url()."public/img/";
                move_uploaded_file($_FILES['image']['tmp_name'], $loc .
$_FILES['image']['name']);

                $params = array(
                    'NO'          =>      '',
                    'FIRSTNAME'   =>      $txt_team_firstname,
                    'LASTNAME'    =>      $txt_team_lastname,
                    'CONTACT'     =>      $txt_team_contact,
                    'EMAILADDRESS'=>      $txt_team_email,
                    'FACEBOOK'    =>      $txt_team_fb,
                    'TWITTER'     =>      $txt_team_twitter,
                    'IMAGEURL'    =>
                    $_FILES["image"]["name"],
                    'DELETION'    =>      0
                );
            } else {
                $params = array(
                    'NO'          =>      '',
                    'FIRSTNAME'   =>      $txt_team_firstname,
                    'LASTNAME'    =>      $txt_team_lastname,
                    'CONTACT'     =>      $txt_team_contact,
                    'EMAILADDRESS'=>      $txt_team_email,
                    'FACEBOOK'    =>      $txt_team_fb,
                    'TWITTER'     =>      $txt_team_twitter,
                    'IMAGEURL'    =>      'noimage.png',
                    'DELETION'    =>      0
                );
            }

            $this->Team_model->create($params);
            $this->session->set_flashdata('success_message', 'New
team member added!');
            redirect('/admin/team');
        } else {
            $this->session->set_flashdata('error_message', 'Access
Denied!');
            redirect('/admin/team');
        }
    }
}
```



```
        }

    }

    public function delete($no)
    {
        $params = array (
            'DELETION'      => 1
        );
        $this->Team_model->update($params, $no);
        $this->session->set_flashdata('success_message', 'Member
deleted!');
        redirect('/admin/team');
    }

    public function update()
    {
        if ( isset($_POST['btn_team_update']) ) {
            $txt_no
            $txt_team_firstname_update=
            $_POST['txt_team_firstname_update'];
            $txt_team_lastname_update =
            $_POST['txt_team_lastname_update'];
            $txt_team_contact_update =
            $_POST['txt_team_contact_update'];
            $txt_team_email_update
            $txt_team_email_update =
            $_POST['txt_team_email_update'];
            $txt_team_fb_update
            $txt_team_fb_update =
            $_POST['txt_team_fb_update'];
            $txt_team_twitter_update =
            $_POST['txt_team_twitter_update'];
            $imageCTR = "";

            if ( !empty($_FILES['image']['name']) ) {
                $loc =
                $_SERVER['DOCUMENT_ROOT'].base_url()."public/img/";
                move_uploaded_file($_FILES['image']['tmp_name'], $loc .
                $_FILES['image']['name']);
                $imageCTR = $_FILES['image']['name'];

                $params = array(
                    'FIRSTNAME'      =>
                    $txt_team_firstname_update,
                    'LASTNAME'       =>
                    $txt_team_lastname_update,
                    'CONTACT'        =>
                    $txt_team_contact_update,
                    'EMAILADDRESS'   => $txt_team_email_update,
                    'FACEBOOK'       => $txt_team_fb_update,
                    'TWITTER'        =>
                    $txt_team_twitter_update,
                    'IMAGEURL'       => $imageCTR
                );
            } else {
                $params = array(
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

364

```
'FIRSTNAME'          =>
$txt_team_firstname_update, 'LASTNAME'          =>
$txt_team_lastname_update, 'CONTACT'           =>
$txt_team_contact_update,   'EMAILADDRESS'        => $txt_team_email_update,
                           'FACEBOOK'           => $txt_team_fb_update,
                           'TWITTER'            =>
$txt_team_twitter_update,
);
}

$this->Team_model->update($params, $txt_no);
$this->session->set_flashdata('success_message', 'New
team member added!');
redirect('/admin/team');
} else {
$this->session->set_flashdata('error_message', 'Access
Denied!');
redirect('/admin/team');
}

}

admin/Website_online.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Website_online extends CI_Controller {

    public function __construct()
{
    parent::__construct();
    $this->curpage = "Website Online";
    $this->load->model('Users_model');
    $this->load->model('Templates_model');
}

    public function index()
{
    $user_session = $this->session->userdata('user_session');

    if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Administrator" ) {
        $details = array (
            'get_admin_specific'          => $this-
>Users_model->get_admin_specific($user_session->NO),
            'get_all_online'              => $this-
>Templates_model->get_all_rented_templates()
        );
    }
}
```



```
$data['content'] = $this->load->view('admin/websiteonline', $details, TRUE);
$data['curpage'] = $this->curpage;
$this->load->view('template1', $data);
} else {
    redirect('/');
}
}

public function update()
{
    $txt_no_wo = $this->input->post('txt_no_wo');
    $txt_title_wo= $this->input->post('txt_title_wo');
    $txt_owner_wo= $this->input->post('txt_owner_wo');

    $params = array(
        'CURRENTOWNER' => $txt_owner_wo,
        'OWNERTITLEWEBSITE' => $txt_title_wo
    );

    $this->Templates_model->update($params, $txt_no_wo);
    $this->session->set_flashdata('success_message', 'Successfully
updated!');
}

public function update_image($no)
{
    if ( isset($_POST['btn_update_image_wo']) ) {
        $loc =
$_SERVER['DOCUMENT_ROOT'].base_url()."public/img/template/";
        move_uploaded_file($_FILES['image']['tmp_name'], $loc .
$_FILES['image']['name']);
        $imageCTR = $_FILES['image']['name'];
        $params = array(
            'IMAGEURL' => $imageCTR
        );

        $this->Templates_model->update($params, $no);
        $this->session->set_flashdata('success_message',
'Updated the website image!');
        redirect('/admin/Website_online');
    } else {
        redirect('/');
    }
}

admin/Website_template.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Website_template extends CI_Controller {

    public function __construct()
    {
```



```
parent::__construct();
$this->curpage = "Website Template";
$this->load->model('Users_model');
$this->load->model('Templates_model');

$this->nouser = $this->session->userdata('user_session')->NO;
date_default_timezone_set("Asia/Manila");
$this->date = date("F d, Y");
$this->time = date("g:i A");
}

public function index()
{
    $user_session = $this->session->userdata('user_session');

    if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Administrator" ) {
        $details = array (
            'get_admin_specific' => $this-
>Users_model->get_admin_specific($user_session->NO),
            'get_all_templates' => $this-
>Templates_model->get_all_templates(),
            'get_specific' =>
        $this->Templates_model->get_latest_templates()
        );

        $data['content'] = $this->load-
>view('admin/websitetemplate', $details, TRUE);
        $data['curpage'] = $this->curpage;
        $this->load->view('template1', $data);
    } else {
        redirect('/');
    }
}

public function information($no)
{
    $user_session = $this->session->userdata('user_session');

    if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Administrator" ) {
        $details = array (
            'get_admin_specific' => $this-
>Users_model->get_admin_specific($user_session->NO),
            'get_all_templates' => $this-
>Templates_model->get_all_templates(),
            'get_specific' =>
        $this->Templates_model->get_specific_templates($no)
        );

        $data['content'] = $this->load-
>view('admin/websitetemplate', $details, TRUE);
        $data['curpage'] = $this->curpage;
        $this->load->view('template1', $data);
    } else {

```



```
        redirect('/');
    }

    public function update()
    {
        $txt_no_wt           = $this->input-
>post('txt_no_wt');
        $txt_name_wt         = $this->input->post('txt_name_wt');
        $txt_category_wt     = $this->input-
>post('txt_category_wt');
        $txt_description_wt = $this->input-
>post('txt_description_wt');
        $txt_library_wt      = $this->input-
>post('txt_library_wt');
        $txt_price_wt        = $this->input->post('txt_price_wt');

        $params = array(
            'TEMPLATENAME'          => $txt_name_wt,
            'TEMPLATECATEGORY'      => $txt_category_wt,
            'DESCRIPTION'           => $txt_description_wt,
            'LIBRARYUSE'            => $txt_library_wt,
            'PRICE'                 => $txt_price_wt
        );

        $this->Templates_model->update($params, $txt_no_wt);
        $this->session->set_flashdata('success_message', 'Successfully
updated!');
    }

    public function update_image($no)
    {
        if ( isset($_POST['btn_update_image_wo']) ) {
            $loc =
$_SERVER['DOCUMENT_ROOT'].base_url()."public/img/template/";
            move_uploaded_file($_FILES['image']['tmp_name'], $loc .
$_FILES['image']['name']);
            $imageCTR = $_FILES['image']['name'];
            $params = array(
                'IMAGEURL'   => $imageCTR
            );

            $this->Templates_model->update($params, $no);
            $this->session->set_flashdata('success_message',
'Updated the website image!');
            redirect('/admin/website_template');
        } else {
            redirect('/');
        }
    }

    public function create()
    {
        $txt_name_wt_create       = $this->input-
>post('txt_name_wt_create');
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

368

```
$txt_category_wt_create      = $this->input-
>post('txt_category_wt_create');
    $txt_description_wt_create= $this->input-
>post('txt_description_wt_create');
        $txt_library_wt_create = $this->input-
>post('txt_library_wt_create');
            $txt_price_wt_create = $this->input-
>post('txt_price_wt_create');

$params = array (
    'NO'                      => '',
    'TEMPLATENAME'           => $txt_name_wt_create,
    'TEMPLATECATEGORY' => $txt_category_wt_create,
    'DESCRIPTION'             => $txt_description_wt_create,
    'LIBRARYUSE'              => $txt_library_wt_create,
    'PRICE'                   =>
$txt_price_wt_create,
    'CURRENTOWNER'           => '',
    'DATEUPLOADED'            => $this->date,
    'IMAGEURL'                => 'noimage.png',
    'SITEURL'                  => '',
    'OWNERTITLEWEBSITE' => '',
    'DELETION'                 => 0,
    'AVAILABILITY'             => 1,
    'AGENTSEE'                  => 0
);

$this->Templates_model->create($params);
$this->session->set_flashdata('success_message', 'New template
is added!');
}

public function delete($no)
{
    $params = array (
        'DELETION'    => 1
    );
    $this->Templates_model->update($params, $no);
    $this->session->set_flashdata('success_message', 'Template
deleted!');
    redirect('/admin/website_template');
}

agent/Contact.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Contact extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Contact";
    }
}
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

369

```
$this->load->model('Contact_admin_model');
$this->load->model('Users_model');

$this->nouser = $this->session->userdata('user_session')->NO;
date_default_timezone_set("Asia/Manila");
$this->date = date("F d, Y");
$this->time = date("g:i A");
}

public function index()
{
    $user_session = $this->session->userdata('user_session');

    if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Agent" ) {
        $details = array (
            'get_agent_specific'                =>      $this-
>Users_model->get_agent_specific($user_session->NO),
            'get_all_contact'                 =>      $this-
>Contact_admin_model->get_all_contact_for_specific_admin($this->nouser)
        );

        $data['content']     =      $this->load-
>view('agent/contact', $details, TRUE);
        $data['curpage']     =      $this->curpage;
        $this->load->view('template2', $data);
    } else {
        redirect('/');
    }
}

public function insert()
{
    $loc = $_SERVER['DOCUMENT_ROOT'].base_url()."public/img/";

    $contactDash_name_create      =
$_POST['contactDash_name_create'];
    $contactDash_contact_create    =
$_POST['contactDash_contact_create'];
    $contactDash_email_create     =
$_POST['contactDash_email_create'];
    $contactDash_address_create   =
$_POST['contactDash_address_create'];

    if ( isset($_POST['contactDash_create']) ) {

        $image_name = addslashes($_FILES['image']['name']);
        $ctr_imgname = 'noimage.png';
        if ( !empty($image_name) ) {
            $ctr_imgname = $image_name;
            move_uploaded_file($_FILES['image']['tmp_name'], $loc .
$_FILES['image']['name']);
        }

        $params = array(
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

370

```
        'NO'           =>      '',
        'NOUSER'        =>      $this->nouser,
        'NAME'          =>
$contactDash_name_create,
        'CONTACTNO'     =>
$contactDash_contact_create,
        'EMAILADDRESS'   =>
$contactDash_email_create,
        'ADDRESS'         =>
$contactDash_address_create,
        'IMAGEURL'       =>      $ctr_imgname,
        'DATE'           =>      $this->date,
        'TIME'           =>      $this->time,
        'DELETION'        =>      '0'
    );
    $this->Contact_admin_model->insert($params);
    $this->session->set_flashdata('success_message', 'New
contact added!');
    redirect('/agent/contact');
} else {
    redirect('/agent/contact');
}
}

public function delete($no)
{
    $params = array(
        'DELETION'      =>      1
    );
    $this->Contact_admin_model->update($params, $no);
    $this->session->set_flashdata('success_message', 'Account
Deleted!');
    redirect('/agent/contact');
}
}

agent/Events.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Events extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Events";
        $this->load->model('Events_model');
        $this->load->model('Users_model');

        $this->nouser = $this->session->userdata('user_session')->NO;
        date_default_timezone_set("Asia/Manila");
    }
}
```



```
$this->date = date("F d, Y");
$this->time = date("g:i A");
}

public function index()
{
    $user_session = $this->session->userdata('user_session');

    if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Agent" ) {
        $details = array (
            'get_agent_specific' => $this-
>Users_model->get_agent_specific($user_session->NO),
            'get_all_events' => $this-
>Events_model->get_all_events(),
            'get_specific' =>
$this->Events_model->get_latest()
        );

        $data['content'] = $this->load-
>view('agent/events', $details, TRUE);
        $data['curpage'] = $this->curpage;
        $this->load->view('template2', $data);
    } else {
        redirect('/');
    }
}

public function information($no)
{
    $user_session = $this->session->userdata('user_session');

    if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Agent" ) {
        $details = array (
            'get_agent_specific' => $this-
>Users_model->get_agent_specific($user_session->NO),
            'get_all_events' => $this-
>Events_model->get_all_events(),
            'get_specific' =>
$this->Events_model->get_specific($no)
        );

        $data['content'] = $this->load-
>view('agent/events', $details, TRUE);
        $data['curpage'] = $this->curpage;
        $this->load->view('template2', $data);
    } else {
        redirect('/');
    }
}

public function insert()
{
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

372

```
$event_title_create           = $this->input-
>post('event_title_create');
$event_description_create = $this->input-
>post('event_description_create');

if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Agent" ) {

    $params = array(
        'NO'          => '',
        'NOUSER'      => $this->nouser,
        'TITLE'       =>
$event_title_create,
        'DESCRIPTION'=> $event_description_create,
        'DATE'         => $this->date,
        'IMAGEURL'    => '',
        'DELETION'    => '0'
    );
    $this->Events_model->insert($params);
} else {
    redirect('/');
}
}

public function update()
{
    if ( $_POST['event_update'] ) {
        $event_no_update           =
$_POST['event_no_update'];
        $event_title_update        =
$_POST['event_title_update'];
        $event_description_update =
$_POST['event_description_update'];

        if ( $this->session->userdata('user_session')-
>ACCOUNT_TYPE == "Agent" ) {
            if ( !empty($_FILES['image']['name']) ) {
                $loc =
$_SERVER['DOCUMENT_ROOT'].base_url()."public/img/";
                move_uploaded_file($_FILES['image']['tmp_name'],
$loc . $_FILES['image']['name']);
                $params = array(
                    'NOUSER'      => $this-
>nouser,
                    'TITLE'       =>
$event_title_update,
                    'DESCRIPTION'=>
$event_description_update,
                    'IMAGEURL'    =>
$_FILES["image"]["name"]
                );
            } else {
                $params = array(

```



```
>nouser,                                'NOUSER'          => $this-
    $event_title_update,                  'TITLE'           =>
    $event_description_update,           'DESCRIPTION'=>
    'noimage.png'                      'IMAGEURL'        =>
);
}

$this->session->set_flashdata('success_message',
'Event updated!');
$this->Events_model->update($params,
$event_no_update);
redirect('/agent/events');
} else {
redirect('/agent/events');
}
} else {
redirect('/agent/events');
}
}

public function delete($no)
{
$params = array(
'DELETION'          =>      '1'
);

$this->session->set_flashdata('success_message', 'Item
deleted!');
$this->Events_model->update($params, $no);
redirect('/agent/events');
}

agent/Issue_tracker.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Issue_tracker extends CI_Controller {

    public function __construct()
{
    parent::__construct();
    $this->curpage = "Issue Tracker";
    $this->load->model('Users_model');
    $this->load->model('Issue_tracker_model');
    $this->load->model('Issue_tracker_reply_model');
    $this->load->model('Templatesales_model');
}
```



```
$this->nouser = $this->session->userdata('user_session')->NO;
date_default_timezone_set("Asia/Manila");
$this->date = date("F d, Y");
$this->time = date("g:i A");
}

public function index()
{
    $user_session = $this->session->userdata('user_session');

    if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Agent" ) {
        $details = array (
            'get_agent_specific' => $this-
>Users_model->get_agent_specific($user_session->NO),
            'get_all_issue_tracker' => $this-
>Issue_tracker_model->get_all_issue_tracker(),
            'getNotif' =>
        $this->Templatesales_model->get_all_agentsee()
        );
        $data['content'] = $this->load-
>view('agent/issue_tracker', $details, TRUE);
        $data['curpage'] = $this->curpage;
        $this->load->view('template2', $data);
    } else {
        redirect('/');
    }
}

public function getNotify()
{
    $row = $this->Templatesales_model->get_all_agentsee();
    foreach ( $row as $r ) {
        echo '<div class="feed-element">';
        echo '  <a data-toggle="modal" data-
target="modalNotify'.$r->NO.'" class="pull-left">';
        echo '    ';
        echo $r->FIRSTNAME.' '.$r->LASTNAME.' purchased a website';
        echo '    <br>';
        echo '    <small class="text-muted">'.$r->DATE.' '.$r-
>TIME.'</small>';
        echo '  </div>';
        echo '  </div>';
        echo '  <div class="modal inmodal" id="modalNotify'.$r->NO.'"'
tabindex="-1" role="dialog" aria-labelledby="myModalLabel">';
        echo '    <div class="modal-dialog" role="document">';
        echo '      <div class="modal-content animated pulse">';
        echo '        <div class="modal-header">';
        echo '          <h4 class="modal-title">Please setup
his/her template to web server and his/her domain.</h4>';
        echo '        </div>';
    }
}
```



```
echo '           <div class="modal-body padding-bottom
padding-top">';
echo '           <h1>'.$r->FIRSTNAME.' '.$r-
>LASTNAME.</h1>';
echo '           </div>';
echo '           </div>';
echo '           </div>';
echo '           </div>';
}
}

public function getReplyIssueTracker()
{
    $no = $this->input->post('no');
    $get_reply = $this->Issue_tracker_model->get_reply($no);

    foreach ( $get_reply as $gr ) :
        echo '
            <div class="social-comment">
                <a href="" class="pull-left">
                    
                </a>
                <div class="media-body">
                    <div class="text-bold">'.$gr->FIRSTNAME.' '.$gr-
>LASTNAME.</div>
                    '. $gr->REPLY.'
                    <br>
                    <small class="text-muted">'.$gr->DATEREPLY.' -
'. $gr->TIMEREPLY.'</small>
                </div>
            </div>
        ';
    endforeach;
}

public function solved_issue($no)
{
    $params = array(
        'STATUS'      =>      '1',
        'DATEINSERT'  =>      $this->date.' '.$this->time
    );
    $this->Issue_tracker_model->update($params,$no);
    redirect('/agent/issue_tracker');
}

public function insert_reply()
{
    $issueTrackerNo    = $this->input->post('issueTrackerNo');
    $issueTrackerReply = $this->input->post('issueTrackerReply');

    $params = array(
        'NO'           => '',
        'ISSUETRACKERNO'  => $issueTrackerNo,
        'NOREPLYFROM'   => $this->nouser,
    );
}
```



```
'REPLY'                      => $issueTrackerReply,
'DATEREPLY'                  => $this->date,
'TIMEREPLY'                  => $this->time,
'DELETION'                   => 0
);
$this->Issue_tracker_reply_model->insert_reply($params);

$params = array(
    'STATUS'          =>      '2',
    'DATEINSERT'     =>      $this->date.' '.$this->time
);
$this->Issue_tracker_model->update($params, $issueTrackerNo);
}

}

agent/Message.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Message extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Message";
        $this->load->model('Inbox_model');
        $this->load->model('Inbox_reply_model');
        $this->load->model('Users_model');

        $this->nouser = $this->session->userdata('user_session')->NO;
        date_default_timezone_set("Asia/Manila");
        $this->date = date("F d, Y");
        $this->time = date("g:i A");
    }

    public function index()
    {
        $user_session = $this->session->userdata('user_session');

        if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Agent" ) {
            $details = array (
                'get_agent_specific'           =>      $this-
>Users_model->get_agent_specific($user_session->NO),
                'get_all_inbox_spec_user' =>      $this-
>Inbox_model->get_all_inbox_spec_user($this->nouser)
            );
            $data['content'] = $this->load-
>view('agent/message', $details, TRUE);
            $data['curpage'] = $this->curpage;
            $this->load->view('template2', $data);
        } else {
    }
```



```
        redirect('/');
    }

    public function content($noInbox)
    {
        $user_session = $this->session->userdata('user_session');
        if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Agent" ) {
            $details = array (
                'get_agent_specific' =>
                $this->Users_model->get_agent_specific($this->nouser),
                'get_all_inbox_spec_user' => $this-
>Inbox_model->get_all_inbox_spec_user($this->nouser),
                'get_specific_content' =>
                $this->Inbox_model->get_specific_content($noInbox),
                'get_all_reply_spec_content' => $this-
>Inbox_reply_model->get_all_reply_spec_content($noInbox)
            );

            $data['content'] = $this->load-
>view('agent/message', $details, TRUE);
            $data['curpage'] = $this->curpage;
            $this->load->view('template2', $data);
        } else {
            redirect('/');
        }
    }

    public function insert_reply()
    {
        $replyMessage = $this->input->post('replyMessage');
        $messageNo = $this->input->post('messageNo');

        // print_r($messageNo);
        $params = array(
            'NO' => '',
            'NOINBOX' => $messageNo,
            'NOUSER' => $this->nouser,
            'REPLY' => $replyMessage,
            'DATE' => $this->date,
            'TIME' => $this->time,
            'DELETION' => '0'
        );
        $this->Inbox_reply_model->insert($params);
    }

    public function new_message()
    {
        $cm_email = $this->input->post('email');
        $cm_subject = $this->input->post('subject');
        $cm_message = $this->input->post('message');

        $result = $this->Users_model->checkEmail($cm_email);
    }
}
```



```
$params = array(
    'NO'                => '',
    'USERFROM'          => $this->nouser,
    'USERTO'            => $result[0]->NO,
    'SUBJECT'           => $cm_subject,
    'CONTENT'           => $cm_message,
    'DATE'              => $this->date,
    'TIME'              => $this->time,
    'DELETION'          => '0'
);

$this->Inbox_model->new_message($params);
// print_r($result[0]->NO);
}

public function checkEmail()
{
    $email = $this->input->post('email');

    $result = $this->Users_model->checkEmail($email);

    if ( empty($result) ) {
        echo '0';
    } else {
        echo '1';
    }
}

agent/Notification.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Notification extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Notification";
        $this->load->model('Notification_admin_model');
        $this->load->model('Users_model');

        $this->nouser = $this->session->userdata('user_session')->NO;
        date_default_timezone_set("Asia/Manila");
        $this->date = date("F d, Y");
        $this->time = date("g:i A");
    }

    public function index()
    {
        $user_session = $this->session->userdata('user_session');
```



```
        if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Agent" ) {
            $details = array (
                'get_agent_specific' => $this-
>Users_model->get_agent_specific($user_session->NO),
                'get_all_notification' => $this-
>Notification_admin_model->get_all_notification()
            );

            $data['content'] = $this->load-
>view('agent/notification', $details, TRUE);
            $data['curpage'] = $this->curpage;
            $this->load->view('template2', $data);
        } else {
            redirect('/');
        }
    }

}
```

```
agent/Profile.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Profile extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Profile";
        $this->load->model('Users_model');
        $this->load->model('Post_admin_model');
        $this->load->model('About_my_site_model');
        $this->load->model('Blog_model');
        $this->load->model('Blog_reply_model');
        $this->load->model('Notification_admin_model');
        $this->load->model('Users_model');
        $this->load->model('Issue_tracker_model');
        $this->load->model('Issue_tracker_reply_model');

        $this->nouser = $this->session->userdata('user_session')->NO;
        date_default_timezone_set("Asia/Manila");
        $this->date = date("F d, Y");
        $this->time = date("g:i A");
    }

    public function index()
    {
        $user_session = $this->session->userdata('user_session');

        if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Agent" ) {
```



```
        $details = array (
            'get_agent_specific'          => $this-
>Users_model->get_agent_specific($user_session->NO),
            'get_all_post'                =>
            $this->Post_admin_model->get_all_post(),
            'session_name'                =>
            $this->session->userdata('user_session')->FIRSTNAME." ".$this->session-
>userdata('user_session')->LASTNAME,
            'session_image'               =>
            $this->session->userdata('user_session')->IMAGEURL,
            'get_reply'                  =>
            $this->Post_admin_model->get_all_reply(),
            'date'                       =>
            $this->date
        );
        $data['content'] = $this->load-
>view('agent/profile', $details, TRUE);
        $data['curpage'] = $this->curpage;
        $this->load->view('template2', $data);
    } else {
        redirect('/');
    }
}

public function updateLocation()
{
    $txt_lat_prof= $this->input->post('txt_lat_prof');
    $txt_long_prof = $this->input->post('txt_long_prof');

    $params = array(
        'LATITUDE'           => $txt_lat_prof,
        'LONGHITUDE'         => $txt_long_prof
    );

    $this->Users_model->update($params, $this->nouser);
    $this->session->set_flashdata('success_message', 'Your location
is changed!');
}

public function create()
{
    $txt_post = $this->input->post('txt_post');

    $params = array(
        'NO'                 => '',
        'NAME'               => $this->session-
>userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME,
        'IMAGEURL'           => $this->session-
>userdata('user_session')->IMAGEURL,
        'POSTDESCRIPTION'   => $txt_post,
        'DATE'               => $this->date,
        'TIME'               => $this->time,
        'DELETION'           => 0
}
```



```
);

$ctr = $this->Post_admin_model->get_rows();
echo $ctr = $ctr + 1;
$this->Post_admin_model->create($params);
}

public function insert_reply()
{
    $replyMessage= $this->input->post('replyMessage');
    $messageNo      = $this->input->post('messageNo');

    $params = array(
        'NO'          => '',
        'NOREPLY'     => $messageNo,
        'NAME'         => $this->session-
>userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME,
        'IMAGEURL'    => $this->session-
>userdata('user_session')->IMAGEURL,
        'REPLY'        => $replyMessage,
        'DATE'         => $this->date,
        'TIME'         => $this->time,
        'DELETION'    => 0
    );
    $this->Post_admin_model->insertReply($params);
}

public function change_profile()
{
    if ( isset($_POST['btn_update_image_profile']) ) {
        $loc = $_SERVER['DOCUMENT_ROOT'].base_url()."public/img/";
        move_uploaded_file($_FILES['image']['tmp_name'], $loc .
$_FILES['image']['name']);
        $imageCTR = $_FILES['image']['name'];
        $params = array(
            'IMAGEURL'    => $imageCTR
        );
        $this->Users_model->update($params, $this->nouser);
        $this->session->set_flashdata('success_message',
        'Profile picture successfully changed!');
        $params = array(
            'NO'          => '',
            'NOUSER'      => $this->session-
>userdata('user_session')->NO,
            'CONTENT'     => $this->session-
>userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME.' change his/her profile picture.',
            'DATE'         => $this->date,
            'TIME'         => $this->time,
            'DELETION'    => 0
        );
    }
}
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

382

```
        );
        $this->Notification_admin_model->create($params);

        $this->session->userdata('user_session')->IMAGEURL =
$imageCTR;

        $params = array(
            'IMAGEURL'    =>      $imageCTR
        );
        $this->Post_admin_model->update_using_name_post($params,
$this->session->userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME);

        $this->Post_admin_model-
>update_using_name_post_reply($params, $this->session->userdata('user_session')-
>FIRSTNAME.' '.$this->session->userdata('user_session')->LASTNAME);

        redirect('/agent/profile');
    } else {
        redirect('/');
    }
}

public function changeInformation()
{
    $txt_fname_profile_change = $this->input-
>post('txt_fname_profile_change');
    $txt_lname_profile_change = $this->input-
>post('txt_lname_profile_change');
    $txt_email_profile_change = $this->input-
>post('txt_email_profile_change');
    $txt_uname_profile_change = $this->input-
>post('txt_uname_profile_change');
    $txt_contact_profile_change      = $this->input-
>post('txt_contact_profile_change');

    $params = array(
        'FIRSTNAME'      => $txt_fname_profile_change,
        'LASTNAME'       => $txt_lname_profile_change,
        'EMAIL'          => $txt_email_profile_change,
        'USERNAME'       => $txt_uname_profile_change,
        'PHONENUMBER'=> $txt_contact_profile_change
    );
    $this->Users_model->update($params, $this->nouser);

    $params = array(
        'NAME' =>      $txt_fname_profile_change . " " .
$txt_lname_profile_change
    );
    $this->Post_admin_model->update_using_name_post($params, $this-
>session->userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME);
```



```
$this->Post_admin_model->update_using_name_post_reply($params,
$this->session->userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME);

$params = array(
    'NO'          => '',
    'NOUSER'      => $this->session-
>userdata('user_session')->NO,
    'CONTENT'     => $this->session-
>userdata('user_session')->FIRSTNAME.' '.$this->session-
>userdata('user_session')->LASTNAME.' change his/her personal information.',
    'DATE'         => $this->date,
    'TIME'         => $this->time,
    'DELETION'    => 0
);
$this->Notification_admin_model->create($params);

$this->session->userdata('user_session')->FIRSTNAME =
$txt_fname_profile_change;
$this->session->userdata('user_session')->LASTNAME =
$txt_lname_profile_change;
$this->session->userdata('user_session')->EMAIL =
$txt_email_profile_change;
$this->session->userdata('user_session')->USERNAME =
$txt_uname_profile_change;
$this->session->userdata('user_session')->PHONENUMBER =
$txt_contact_profile_change;

$this->session->set_flashdata('success_message', 'Personal
information successfully changed!');
}

public function check_pword()
{
    $txt_current_pword = $this->input->post('txt_current_pword');
    $result = $this->Users_model-
>check_password_using_no(md5($txt_current_pword), $this->nouser);

    if ( !empty($result) ){
        echo '1';
    }else{
        echo '0';
    }
}

public function changePassword()
{
    $txt_pword_changeprofile = $this->input-
>post('txt_pword_changeprofile');

    $params = array(
        'PASSWORD'    => md5($txt_pword_changeprofile)
    );

    $this->Users_model->update($params, $this->nouser);
```



```
$this->session->userdata('user_session')->PASSWORD =  
md5($txt_pword_changeprofile);  
  
$params = array(  
    'NO'          => '',  
    'NOUSER'      => $this->session-  
>userdata('user_session')->NO,  
    'CONTENT'     => $this->session-  
>userdata('user_session')->FIRSTNAME.' '.$this->session-  
>userdata('user_session')->LASTNAME.' change his/her personal information.',  
    'DATE'         => $this->date,  
    'TIME'         => $this->time,  
    'DELETION'    => 0  
)  
$this->Notification_admin_model->create($params);  
  
$this->session->set_flashdata('success_message', 'Password  
successfully changed!');  
}  
}  
  
agent/Purchased_template.php  
<?php  
defined('BASEPATH') OR exit('No direct script access allowed');  
  
class Purchased_template extends CI_Controller {  
  
    public function __construct()  
    {  
        parent::__construct();  
        $this->curpage = "Purchased Template";  
        $this->load->model('Users_model');  
        $this->load->model('Templates_model');  
  
        $this->nouser = $this->session->userdata('user_session')->NO;  
        date_default_timezone_set("Asia/Manila");  
        $this->date = date("F d, Y");  
        $this->time = date("g:i A");  
    }  
  
    public function index()  
    {  
        $user_session = $this->session->userdata('user_session');  
  
        if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==  
        "Agent" ) {  
            $details = array (  
                'get_agent_specific'           =>      $this->  
                >Users_model->get_agent_specific($user_session->NO),  
                'get_all_rented_templates'    =>  
                $this->Templates_model->get_all_rented_templates()  
            );  
  
            $data['content'] = $this->load->  
            >view('agent/purchasedtemplate', $details, TRUE);  
        }  
    }  
}
```



```
        $data['curpage'] = $this->curpage;
        $this->load->view('template2', $data);
    } else {
        redirect('/');
    }
}

agent/Templates.php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class Templates extends CI_Controller {

    public function __construct()
    {
        parent::__construct();
        $this->curpage = "Templates";
        $this->load->model('Users_model');
        $this->load->model('Templates_model');

        $this->nouser = $this->session->userdata('user_session')->NO;
        date_default_timezone_set("Asia/Manila");
        $this->date = date("F d, Y");
        $this->time = date("g:i A");
    }

    public function index()
    {
        $user_session = $this->session->userdata('user_session');

        if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
        "Agent" ) {
            $details = array (
                'get_agent_specific' => $this-
                >Users_model->get_agent_specific($user_session->NO),
                'get_all_templates' => $this-
                >Templates_model->get_all_templates(),
                'get_specific' =>
                $this->Templates_model->get_latest_templates()
            );

            $data['content'] = $this->load-
            >view('agent/websitetemplate', $details, TRUE);
            $data['curpage'] = $this->curpage;
            $this->load->view('template2', $data);
        } else {
            redirect('/');
        }
    }

    public function information($no)
    {
        $user_session = $this->session->userdata('user_session');
```



```
        if ( $this->session->userdata('user_session')->ACCOUNT_TYPE ==
"Agent" ) {
            $details = array (
                'get_agent_specific'          => $this-
>Users_model->get_agent_specific($user_session->NO),
                'get_all_templates'           => $this-
>Templates_model->get_all_templates(),
                'get_specific'               =>
$this->Templates_model->get_specific_templates($no)
            );

            $data['content'] = $this->load-
>view('agent/websitetemplate', $details, TRUE);
            $data['curpage'] = $this->curpage;
            $this->load->view('template2', $data);
        } else {
            redirect('/');
        }
    }

    public function update()
    {
        $txt_no_wt = $this->input-
>post('txt_no_wt');
        $txt_name_wt = $this->input->post('txt_name_wt');
        $txt_category_wt = $this->input-
>post('txt_category_wt');
        $txt_description_wt = $this->input-
>post('txt_description_wt');
        $txt_library_wt = $this->input-
>post('txt_library_wt');
        $txt_price_wt = $this->input->post('txt_price_wt');

        $params = array(
            'TEMPLATENAME'      => $txt_name_wt,
            'TEMPLATECATEGORY' => $txt_category_wt,
            'DESCRIPTION'       => $txt_description_wt,
            'LIBRARYUSE'        => $txt_library_wt,
            'PRICE'             => $txt_price_wt
        );

        $this->Templates_model->update($params, $txt_no_wt);
        $this->session->set_flashdata('success_message', 'Successfully
updated!');
    }

    public function update_image($no)
    {
        if ( isset($_POST['btn_update_image_wo']) ) {
            $loc =
$_SERVER['DOCUMENT_ROOT'].base_url()."public/img/template/";
            move_uploaded_file($_FILES['image']['tmp_name'], $loc .
$_FILES['image']['name']);
            $imageCTR = $_FILES['image']['name'];
        }
    }
}
```



```
$params = array(
    'IMAGEURL' => $imageCTR
);

$this->Templates_model->update($params, $no);
$this->session->set_flashdata('success_message',
'Updated the website image!');
redirect('/agent/templates');
} else {
    redirect('/');
}
}

public function create()
{
    $txt_name_wt_create = $this->input-
>post('txt_name_wt_create');
    $txt_category_wt_create = $this->input-
>post('txt_category_wt_create');
    $txt_description_wt_create= $this->input-
>post('txt_description_wt_create');
    $txt_library_wt_create = $this->input-
>post('txt_library_wt_create');
    $txt_price_wt_create = $this->input-
>post('txt_price_wt_create');

    $params = array (
        'NO' => '',
        'TEMPLATENAME' => $txt_name_wt_create,
        'TEMPLATECATEGORY' => $txt_category_wt_create,
        'DESCRIPTION' => $txt_description_wt_create,
        'LIBRARYUSE' => $txt_library_wt_create,
        'PRICE' =>
$txt_price_wt_create,
        'CURRENTOWNER' => '',
        'DATEUPLOADED' => $this->date,
        'IMAGEURL' => 'noimage.png',
        'SITEURL' => '',
        'OWNERTITLEWEBSITE' => '',
        'DELETION' => 0,
        'AVAILABILITY' => 1,
        'AGENTSEE' => 0
    );
}

$this->Templates_model->create($params);
$this->session->set_flashdata('success_message', 'New template
is added!');
}

public function delete($no)
{
    $params = array (
        'DELETION' => 1
    );
    $this->Templates_model->update($params, $no);
```



```
        $this->session->set_flashdata('success_message', 'Template
deleted!');
        redirect('/agent/templates');
    }

}

MODEL FILES
About_my_site_model.php
<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class About_my_site_model extends CI_Model
{

    public $table            =      "about_my_site";
    public $dbno              =      "NO";
    public $deletion          =      "DELETION";
    public $active             =      "ACTIVE";

    function __construct()
    {
        parent::__construct();
    }

    public function get_all_aboutmysite()
    {
        $row = $this->db->where($this->deletion, "0")
                ->order_by($this->dbno, "DESC")
                ->get($this->table);

        return $row->result();
    }

    public function get_latest()
    {
        $row = $this->db->where($this->deletion, "0")
                ->order_by($this->dbno, "DESC")
                ->limit(1)
                ->get($this->table);

        return $row->result();
    }

    public function get_active()
    {
        $row = $this->db->where($this->deletion, "0")
                ->where($this->active, 1)
                ->get($this->table);

        return $row->result();
    }
}
```



```
public function get_specific($no)
{
    $row = $this->db->where($this->deletion, "0")
          ->where($this->dbno, $no)
          ->limit(1)
          ->get($this->table);

    return $row->result();
}

public function insert($params)
{
    $this->db->insert($this->table, $params);
}

public function updateAll($params)
{
    $this->db->where($this->active, 1)
          ->update($this->table, $params);
}

public function update($params, $no)
{
    $this->db->where($this->dbno, $no)
          ->update($this->table, $params);
}

public function delete($params, $no)
{
    $this->db->where($this->dbno, $no)
          ->update($this->table, $params);
}
```

**Blog\_model.php**

```
<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Blog_model extends CI_Model
{

    public $table      =      "blog";
    public $dbno       =      "NO";
    public $deletion   =      "DELETION";
    public $randcode   =      "RANDOMCODE";

    function __construct()
    {
        parent::__construct();
    }

    public function get_all_blog()
    {
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

390

```
$row = $this->db->where($this->deletion, "0")
        ->order_by($this->dbno, "DESC")
        ->get($this->table);
    return $row->result();
}

public function get_specific_blog($randomcode)
{
    $row = $this->db->where($this->deletion, "0")
        ->where($this->randcode,
$randomcode)
        ->limit(1)
        ->get($this->table);

    return $row->result();
}
}
Blog_reply_model.php
<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Blog_reply_model extends CI_Model
{

    public $table      =      "blog_reply";
    public $dbno       =      "NO";
    public $deletion   =      "DELETION";

    function __construct()
    {
        parent::__construct();
    }

    public function get_all_reply()
    {
        $row = $this->db->where($this->deletion, "0")
            ->order_by($this->dbno, "ASC")
            ->get($this->table);

        return $row->result();
    }

    public function insertReply($params)
    {
        $this->db->insert($this->table, $params);
    }
}

Contact_admin_model.php
<?php

if (!defined('BASEPATH'))
```



```
exit('No direct script access allowed');

class Contact_admin_model extends CI_Model
{
    public $table          =      "contact_admin";
    public $dbno            =      "NO";
    public $nouser          =      "NOUSER";
    public $deletion        =      "DELETION";

    function __construct()
    {
        parent::__construct();
    }

    public function get_all_contact_for_specific_admin($nouser)
    {
        $row = $this->db->where($this->deletion, "0")
              ->where($this->nouser, $nouser)
              ->order_by($this->dbno, "DESC")
              ->get($this->table);

        return $row->result();
    }

    public function insert($params)
    {
        $this->db->insert($this->table, $params);
    }

    public function update($params, $no)
    {
        $this->db->where($this->dbno, $no)
                  ->update($this->table, $params);
    }
}

Event_reply_model.php
<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Event_reply_model extends CI_Model
{
    public $table          =      "event_reply";
    public $dbno            =      "NO";
    public $deletion        =      "DELETION";

    function __construct()
    {
        parent::__construct();
    }
}
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

392

```
public function get_all_reply()
{
    $row = $this->db->where($this->deletion, "0")
          ->order_by($this->dbno, "ASC")
          ->get($this->table);

    return $row->result();
}

public function insertReply($params)
{
    $this->db->insert($this->table, $params);
}

Events_model.php
<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Events_model extends CI_Model
{

    public $table      =      "events";
    public $dbno       =      "NO";
    public $deletion   =      "DELETION";

    function __construct()
    {
        parent::__construct();
    }

    public function get_all_events()
    {
        $row = $this->db->where($this->deletion, "0")
              ->order_by($this->dbno, "DESC")
              ->get($this->table);

        return $row->result();
    }

    public function get_latest()
    {
        $row = $this->db->where($this->deletion, "0")
              ->order_by($this->dbno, "DESC")
              ->limit(1)
              ->get($this->table);

        return $row->result();
    }

    public function get_specific($no)
    {
```



```
$row = $this->db->where($this->deletion, "0")
    ->where($this->dbno, $no)
    ->limit(1)
    ->get($this->table);

        return $row->result();
    }

    public function insert($params)
    {
        $this->db->insert($this->table, $params);
    }

    public function update($params, $no)
    {
        $this->db->where($this->dbno, $no)
            ->update($this->table, $params);
    }

    public function delete($params, $no)
    {
        $this->db->where($this->dbno, $no)
            ->update($this->table, $params);
    }

}

Inbox_model.php
<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Inbox_model extends CI_Model
{

    public $table      =      "inbox";
    public $dbno       =      "NO";
    public $userto     =      "USERTO";
    public $userfrom   =      "USERFROM";
    public $deletion   =      "DELETION";

    function __construct()
    {
        parent::__construct();
    }

    public function get_all_inbox_spec_user($userto)
    {
        $row = $this->db->where($this->userto, $userto)
            ->or_where($this->userfrom, $userto)
            ->where($this->deletion, '0')
            ->order_by($this->dbno, 'DESC')
            ->get($this->table);
    }
}
```



```
        return $row->result();
    }

    public function get_specific_content($noInbox)
    {
        $row = $this->db->where($this->dbno, $noInbox)
            ->where($this->deletion, '0')
            ->limit(1)
            ->get($this->table);

        return $row->result();
    }

    public function new_message($params)
    {
        $this->db->insert($this->table, $params);
    }
}

Inbox_reply_model.php
<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Inbox_reply_model extends CI_Model
{

    public $table      =      "inbox_reply";
    public $dbno       =      "NO";
    public $noinbox   =      "NOINBOX";
    public $deletion   =      "DELETION";

    function __construct()
    {
        parent::__construct();
    }

    public function get_all_reply_spec_content($inboxNo)
    {
        $row = $this->db->where('inbox_reply.NOINBOX', $inboxNo)
            ->where('inbox_reply.DELETION', '0')
            ->join('user', 'inbox_reply.NOUSER =
user.NO')
            ->order_by('inbox_reply.NO', 'ASC')
            ->get($this->table);

        return $row->result();
    }

    public function insert($params)
    {
        $this->db->insert($this->table, $params);
    }
}
```



```
}
```

**Issue\_tracker\_model.php**

```
<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Issue_tracker_model extends CI_Model
{
    public $tableUser      =      "user";
    public $table          =      "issue_tracker";
    public $dbno           =      "NO";
    public $nouser         =      "NOUSER";
    public $deletion        =      "DELETION";

    function __construct()
    {
        parent::__construct();
    }

    public function get_all_issue_tracker()
    {
        $row = $this->db->where('user.DELETION', "0")
            ->join('issue_tracker', 'user.NO =
issue_tracker.NOUSER')
            ->order_by('issue_tracker.NO',
"DESC")
            ->get($this->tableUser);

        return $row->result();
    }

    public function get_reply($no)
    {
        $row = $this->db->join('issue_tracker_reply', 'issue_tracker.NO
= issue_tracker_reply.ISSUETRACKERNO')
            ->join('user', 'issue_tracker_reply.NOREPLYFROM = user.NO')
            ->where('issue_tracker_reply.DELETION', '0')
            ->where('issue_tracker_reply.ISSUETRACKERNO', $no)
            ->order_by('issue_tracker_reply.NO',
"ASC")
            ->get($this->table);

        return $row->result();
    }

    public function update($params, $no)
    {
        $this->db->where($this->dbno, $no)
            ->update($this->table, $params);
    }
}
```



```
public function get_all_issue_tracker_by_user($no)
{
    $row = $this->db->where('user.DELETION', "0")
          ->join('issue_tracker', 'user.NO =
issue_tracker.Nouser')
          ->where('issue_tracker.Nouser', $no)
          ->order_by('issue_tracker.NO',
"DESC")
          ->get($this->tableUser);

    return $row->result();
}

public function insert($params)
{
    $this->db->insert($this->table, $params);
}
}

Issue_tracker_reply_model.php
<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Issue_tracker_reply_model extends CI_Model
{
    public $table      =      "issue_tracker_reply";
    public $dbno       =      "NO";

    function __construct()
    {
        parent::__construct();
    }

    public function insert_reply($params)
    {
        $this->db->insert($this->table, $params);
    }
}

Location_model.php
<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Location_model extends CI_Model
{
    public $table      =      "location";
    public $nouser     =      "Nouser";
}
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

397

```
public $deletion      =      "DELETION";  
  
function __construct()  
{  
    parent::__construct();  
}  
  
public function all_user_latlong()  
{  
    $row = $this->db->join('user', 'location.Nouser = user.NO')  
          ->order_by('location.NO', "DESC")  
          ->get($this->table);  
  
    return $row->result();  
}  
  
public function update($params, $no)  
{  
    $this->db->where($this->nouser, $no)  
          ->update($this->table, $params);  
}  
  
public function insert($params)  
{  
    $this->db->insert($this->table, $params);  
}  
}
```

### Notification\_admin\_model.php

```
<?php  
  
if (!defined('BASEPATH'))  
    exit('No direct script access allowed');  
  
class Notification_admin_model extends CI_Model  
{  
  
    public $table      =      "notification_admin";  
    public $dbno       =       "NO";  
    public $deletion   =      "DELETION";  
  
    function __construct()  
{  
        parent::__construct();  
    }  
  
    public function get_all_notification()  
{  
        $row = $this->db->join('user', 'notification_admin.Nouser =  
user.NO')  
              -  
              >where('notification_admin.DELETION', "0")  
    }
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

398

```
"DESC")                                ->order_by('notification_admin.NO',
                                                ->get($this->table);

                                                return $row->result();
}

public function create($params)
{
    $this->db->insert($this->table, $params);
}
}

Paypal_configuration_model.php
<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Paypal_configuration_model extends CI_Model
{

    public $table            =      "paypal_configuration";
    public $dbno              =      "NO";
    public $deletion          =      "DELETION";
    public $status             =      "STATUS";

    function __construct()
    {
        parent::__construct();
    }

    public function get_all_paypal()
    {
        $row = $this->db->where('paypal_configuration.DELETION', "0")
              ->order_by('paypal_configuration.NO', 'DESC')
              ->get($this->table);

        return $row->result();
    }

    public function get_latest()
    {
        $row = $this->db->where('paypal_configuration.DELETION', "0")
              ->order_by('paypal_configuration.NO', 'DESC')
              ->limit(1)
              ->get($this->table);

        return $row->result();
    }

    public function get_specific($no)
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

399

```
{  
    $row = $this->db->where('paypal_configuration.DELETION', "0")  
          ->where('paypal_configuration.NO',  
$no)  
          ->limit(1)  
          ->get($this->table);  
  
    return $row->result();  
}  
  
public function insert()  
{  
    $this->db->insert($this->table, $params);  
}  
  
public function update($params, $no)  
{  
    $this->db->where($this->dbno, $no)  
          ->update($this->table, $params);  
}  
  
public function disableAll($params)  
{  
    $this->db->where($this->status, 'enabled')  
          ->update($this->table, $params);  
}  
  
public function create($params)  
{  
    $this->db->insert($this->table, $params);  
}  
  
public function get_enable()  
{  
    $row = $this->db->where($this->status, 'enabled')  
          ->limit(1)  
          ->get($this->table);  
  
    return $row->result();  
}  
}
```

### Permission\_admin\_model.php

```
<?php  
  
if (!defined('BASEPATH'))  
    exit('No direct script access allowed');  
  
class Permission_admin_model extends CI_Model  
{  
  
    public $table      =      "permission_admin";  
    public $dbno       =      "NO";  
    public $name        =      "NAME";  
    public $active      =      "ACTIVE";
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

400

```
function __construct()
{
    parent::__construct();
}

public function get_all_permission()
{
    $row = $this->db->where($this->active, "1")
        ->order_by($this->name, "ASC")
        ->get($this->table);

    return $row->result();
}

Post_admin_model.php
<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Post_admin_model extends CI_Model
{

    public $table            =      "post_admin";
    public $tableReply        =      "post_admin_reply";
    public $dbno              =      "NO";
    public $name              =      "NAME";
    public $deletion          =      "DELETION";

    function __construct()
    {
        parent::__construct();
    }

    public function get_all_post()
    {
        $row = $this->db->where($this->deletion, "0")
            ->order_by($this->dbno, "DESC")
            ->get($this->table);

        return $row->result();
    }

    public function get_all_reply()
    {
        $row = $this->db->where($this->deletion, "0")
            ->order_by($this->dbno, "DESC")
            ->get($this->tableReply);

        return $row->result();
    }

    public function create($params)
}
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

401

```
{  
    $this->db->insert($this->table, $params);  
}  
  
public function insertReply($params)  
{  
    $this->db->insert($this->tableReply, $params);  
}  
  
public function get_rows()  
{  
    $row = $this->db->order_by($this->dbno, 'DESC')  
          ->get($this->table);  
  
    return $row->num_rows();  
}  
  
public function update_using_name_post($params, $name)  
{  
    $this->db->where($this->name, $name)  
          ->update($this->table, $params);  
}  
  
public function update_using_name_reply($params, $name)  
{  
    $this->db->where($this->name, $name)  
          ->update($this->tableReply, $params);  
}  
}
```

### Post\_user\_model.php

```
<?php  
  
if (!defined('BASEPATH'))  
    exit('No direct script access allowed');  
  
class Post_user_model extends CI_Model  
{  
  
    public $table           =      "post_user";  
    public $tableReply      =      "post_user_reply";  
    public $dbno            =      "NO";  
    public $name             =      "NAME";  
    public $deletion         =      "DELETION";  
  
    function __construct()  
{  
        parent::__construct();  
    }  
  
    public function get_all_post()  
{  
        $row = $this->db->where($this->deletion, "0")  
              ->order_by($this->dbno, "DESC")  
              ->get($this->table);  
    }  
}
```



```
        return $row->result();
    }

    public function get_all_reply()
    {
        $row = $this->db->where($this->deletion, "0")
            ->order_by($this->dbno, "DESC")
            ->get($this->tableReply);

        return $row->result();
    }

    public function create($params)
    {
        $this->db->insert($this->table, $params);
    }

    public function insertReply($params)
    {
        $this->db->insert($this->tableReply, $params);
    }

    public function get_rows()
    {
        $row = $this->db->order_by($this->dbno, 'DESC')
            ->get($this->table);

        return $row->num_rows();
    }

    public function update_using_name_post($params, $name)
    {
        $this->db->where($this->name, $name)
            ->update($this->table, $params);
    }

    public function update_using_name_reply($params, $name)
    {
        $this->db->where($this->name, $name)
            ->update($this->tableReply, $params);
    }
}

Team_model.php
<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Team_model extends CI_Model
{
    public $table      =      "team";
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

403

```
public $lastname      =      "LASTNAME";
public $deletion      =      "DELETION";
public $dbno          =      "NO";

function __construct()
{
    parent::__construct();
}

public function get_all_team()
{
    $row = $this->db->where($this->deletion, "0")
        ->order_by($this->lastname, "ASC")
        ->get($this->table);

    return $row->result();
}

public function update($params, $no)
{
    $this->db->where($this->dbno, $no)
        ->update($this->table, $params);
}

public function create($params)
{
    $this->db->create($this->table, $params);
}

}
```

### Templates\_model.php

```
<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Templates_model extends CI_Model
{

    public $table      =      "templates";
    public $dbno       =      "NO";
    public $deletion   =      "DELETION";
    public $availability =      "AVAILABILITY";

    function __construct()
    {
        parent::__construct();
    }

    public function get_all_available_templates()
    {
        $row = $this->db->where($this->deletion, "0")
            ->where($this->availability, "1")
            ->order_by($this->dbno, "DESC")
    }
}
```



```
        ->get($this->table);

    return $row->result();
}

public function get_all_templates()
{
    $row = $this->db->where($this->deletion, "0")
        ->order_by($this->dbno, "ASC")
        ->get($this->table);

    return $row->result();
}

public function get_all_templates_row()
{
    $row = $this->db->where($this->deletion, "0")
        ->order_by($this->dbno, "ASC")
        ->get($this->table);

    return $row->num_rows();
}

public function get_latest_templates()
{
    $row = $this->db->where($this->deletion, "0")
        ->order_by($this->dbno, "DESC")
        ->limit(1)
        ->get($this->table);

    return $row->result();
}

public function get_specific_templates($no)
{
    $row = $this->db->where($this->deletion, "0")
        ->where($this->dbno, $no)
        ->limit(1)
        ->get($this->table);

    return $row->result();
}

public function get_all_rented_templates()
{
    $row = $this->db->where($this->deletion, "0")
        ->where($this->availability, "0")
        ->order_by($this->dbno, "ASC")
        ->get($this->table);

    return $row->result();
}

public function update($params, $no)
{
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

405

```
$this->db->where($this->dbno, $no)
->update($this->table, $params);
}

public function create($params)
{
    $this->db->insert($this->table, $params);
}

}

Templatesales_model.php
<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Templatesales_model extends CI_Model
{

    public $table          =      "templatesales";
    public $dbno            =      "NO";
    public $deletion        =      "DELETION";
    public $date             =      "DATE";
    public $agentsee        =      "AGENTSEE";

    function __construct()
    {
        parent::__construct();
    }

    public function get_monthly_sales_thisyear($month, $year)
    {
        $row = $this->db->where($this->deletion, "0")
              ->like($this->date, $month)
              ->like($this->date, $year)
              ->get($this->table);

        return $row->result();
    }

    public function get_all_sales()
    {
        $row = $this->db->where($this->deletion, "0")
              ->get($this->table);

        return $row->result();
    }

    public function get_all_agentsee()
    {
        $row = $this->db->where($this->deletion, "0")
              ->where($this->agentsee, "0")
              ->order_by($this->dbno, 'DESC')
              ->limit(15)
    }
}
```



```
        ->get($this->table);

        return $row->result();
    }

    public function get_all_sales_row()
    {
        $row = $this->db->where($this->deletion, "0")
            ->get($this->table);

        return $row->num_rows();
    }

    public function get_last_year_sales($year)
    {
        $row = $this->db->where($this->deletion, "0")
            ->like($this->date, $year)
            ->get($this->table);

        return $row->result();
    }

    public function get_last_year_sales_row($year)
    {
        $row = $this->db->where($this->deletion, "0")
            ->like($this->date, $year)
            ->get($this->table);

        return $row->num_rows();
    }

    public function create($params)
    {
        $this->db->insert($this->table, $params);
    }
}

Testimonial_model.php
<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Testimonial_model extends CI_Model
{
    public $table      =      "testimonial";
    public $dbno       =      "NO";
    public $deletion   =      "DELETION";

    function __construct()
    {
        parent::__construct();
    }

    public function get_all_testimonial()
```



```
{  
    $row = $this->db->where($this->deletion, "0")  
        ->order_by($this->dbno, "DESC")  
        ->get($this->table);  
  
    return $row->result();  
}  
  
}  
  
Todo_list_model.php  
<?php  
  
if (!defined('BASEPATH'))  
    exit('No direct script access allowed');  
  
class Todo_list_model extends CI_Model  
{  
  
    public $table = "todo_list";  
    public $dbno = "NO";  
    public $nouser = "NOUSER";  
    public $liststatus = "LISTSTATUS";  
    public $deletion = "DELETION";  
  
    function __construct()  
    {  
        parent::__construct();  
    }  
  
    public function get_all_todo_for_specific_admin($nouser)  
    {  
        $row = $this->db->where($this->deletion, "0")  
            ->where($this->nouser, $nouser)  
            ->limit(7)  
            ->order_by($this->dbno, "DESC")  
            ->get($this->table);  
  
        return $row->result();  
    }  
  
    public function insert($params)  
    {  
        $this->db->insert($this->table, $params);  
    }  
  
    public function update($params, $no)  
    {  
        $this->db->where($this->dbno, $no)  
            ->update($this->table, $params);  
    }  
  
    public function deleteAllCheckedTask($params, $nouser)  
    {  
        $this->db->where($this->nouser, $nouser)
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

408

```
->where($this->liststatus, '1')
->update($this->table,$params);
}

public function get_numrows_todo_for_specific_admin($nouser)
{
    $row = $this->db->where($this->deletion, "0")
        ->where($this->nouser, $nouser)
        ->order_by($this->dbno, "DESC")
        ->get($this->table);

    return $row->num_rows();
}
}

Users_model.php
<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Users_model extends CI_Model
{

    public $email           =      "EMAIL";
    public $password         =      "PASSWORD";
    public $deletion         =      "DELETION";
    public $lastname          =      "LASTNAME";
    public $firstname         =      "FIRSTNAME";
    public $account_type     =      "ACCOUNT_TYPE";
    public $verified          =      "VERIFIED";
    public $code              =      "VERIFICATIONCODE";
    public $date              =      "DATE";
    public $dbno              =      "NO";
    public $table             =      "user";

    function __construct()
    {
        parent::__construct();
    }

    function check_email_password_login($email, $password)
    {
        $row = $this->db->where($this->email, $email)
            ->where($this->password, $password)
            ->where($this->deletion, "0")
            ->where($this->verified, "YES")
            ->limit(1)
            ->get($this->table);

        return $row->row();
    }

    function get_admin_specific($no)
    {
        $row = $this->db->where($this->dbno, $no)
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

409

```
        ->where($this->account_type,
'Administrator')
        ->limit(1)
        ->get($this->table);

    return $row->result();
}

function get_agent_specific($no)
{
    $row = $this->db->where($this->dbno,$no)
        ->where($this->account_type,
'Agent')
        ->limit(1)
        ->get($this->table);

    return $row->result();
}

function get_user_specific($no)
{
    $row = $this->db->where($this->dbno,$no)
        ->where($this->account_type, 'User')
        ->limit(1)
        ->get($this->table);

    return $row->result();
}

function checkEmail($email)
{
    $row = $this->db->where($this->email,$email)
        ->limit(1)
        ->get($this->table);

    return $row->result();
}

function get_all_user()
{
    $row = $this->db->where($this->account_type, 'User')
        ->where($this->deletion, "0")
        ->where($this->verified, "YES")
        ->order_by($this->lastname, 'ASC')
        ->get($this->table);

    return $row->result();
}

function get_num_rows_all_user() {
    $row = $this->db->where($this->account_type, 'User')
        ->get($this->table);

    return $row->num_rows();
}
```



```
function get_num_rows_curmonth($current_month, $current_Year){  
    $row = $this->db->like($this->date, $current_month)  
        ->like($this->date, $current_Year)  
        ->where($this->account_type, 'User')  
        ->get($this->table);  
  
    return $row->num_rows();  
}  
  
function get_all_agent()  
{  
    $row = $this->db->where($this->account_type, 'Agent')  
        ->where($this->deletion, "0")  
        ->where($this->verified, "YES")  
        ->order_by($this->lastname, 'ASC')  
        ->get($this->table);  
  
    return $row->result();  
}  
  
function get_specific_agent($no)  
{  
    $row = $this->db->where($this->dbno, $no)  
        ->where($this->account_type,  
'Agent')  
        ->where($this->deletion, "0")  
        ->limit(1)  
        ->get($this->table);  
  
    return $row->result();  
}  
  
function get_latest_agent()  
{  
    $row = $this->db->where($this->account_type, 'Agent')  
        ->where($this->deletion, "0")  
        ->order_by($this->dbno, 'DESC')  
        ->limit(1)  
        ->get($this->table);  
  
    return $row->result();  
}  
  
function create($params)  
{  
    $this->db->insert($this->table, $params);  
}  
  
function update($params, $no)  
{  
    $this->db->where($this->dbno, $no)  
        ->update($this->table, $params);  
}
```



```
function get_all_administrator()
{
    $row = $this->db->where($this->account_type, 'Administrator')
        ->where($this->deletion, "0")
        ->where($this->verified, "YES")
        ->order_by($this->lastname, 'ASC')
        ->get($this->table);

    return $row->result();
}

function get_latest_administrator()
{
    $row = $this->db->where($this->account_type, 'Administrator')
        ->where($this->deletion, "0")
        ->order_by($this->dbno, 'DESC')
        ->limit(1)
        ->get($this->table);

    return $row->result();
}

function get_specific_administrator($no)
{
    $row = $this->db->where($this->dbno, $no)
        ->where($this->account_type,
'Administrator')
        ->where($this->deletion, "0")
        ->limit(1)
        ->get($this->table);

    return $row->result();
}

function get_all_users_per_month_row($month, $year)
{
    $row = $this->db->where($this->deletion, 0)
        ->where($this->verified, "YES")
        ->like($this->date, $month)
        ->like($this->date, $year)
        ->get($this->table);

    return $row->num_rows();
}

function get_all()
{
    $row = $this->db->get($this->table);
    return $row->result();
}

function check_verification_code($email, $code)
{
    $row = $this->db->where($this->code, $code)
        ->where($this->email, $email)
```



## DIVINE MERCY COLLEGE FOUNDATION INC.

412

```
        ->limit(1)
        ->get($this->table);

    return $row->num_rows();
}

function update_verification_code($params, $email)
{
    $this->db->where($this->email, $email)
        ->update($this->table, $params);
}

function check_email($email)
{
    $row = $this->db->where($this->email, $email)
        ->where($this->verified, "YES")
        ->where($this->deletion, "0")
        ->limit(1)
        ->get($this->table);
    return $row->result();
}

function check_password_using_no($pword, $no)
{
    $row = $this->db->where($this->password, $pword)
        ->where($this->dbno, $no)
        ->where($this->verified, "YES")
        ->where($this->deletion, "0")
        ->limit(1)
        ->get($this->table);
    return $row->result();
}

function getAllLatLong()
{
    $row = $this->db->where($this->verified, "YES")
        ->where($this->deletion, "0")
        ->get($this->table);
    return $row->result();
}
```



DIVINE MERCY COLLEGE FOUNDATION INC.

413

### Appendix I: Evaluation Form

Management System for Food E-Commerce with PayPal Integration and Database Algorithms



### Appendix J: Disclaimer

You understand and agree that your access of jmaeprovider.xyz is totally at your own particular risk and that our administrations are given "As Is" and "As Available". jmaeprovider.xyz does not make any express or inferred guarantees, supports or portrayals at all with regards to the operation of the jmaeprovider.xyz site, data, content, or products. This should incorporate, yet not be constrained to, inferred guarantees of merchantability and wellness for a specific reason and non-infringement, and guarantees that access to the administration will be continuous or error-free or that defects in the administration will be restored.

### Appendix K: Curriculum Vitae of Researchers

## JOHN MARK CASTOR ABRIL

*655 D. Guillermo St. Gagalangin Tondo, Manila*  
**09208317004**  
*johnmarkabril@gmail.com*  
*http://johnmarkabril.netai.net/*



### PERSONAL DETAILS

Management System for Food E-Commerce with PayPal Integration and Database Algorithms



## DIVINE MERCY COLLEGE FOUNDATION INC.

415

*Gender:* Male      *Status:* 19 years old  
*Date of Birth:* September 17, 1997      *Place of Birth:* Pangasinan City  
*Nationality:* Filipino      *Languages:* Filipino and English  
*Height:* 5' 5"      *Weight:* 100 lbs

### EDUCATION

**Bachelor of Science in Information Technology**      **2013 - 2017**

Divine Mercy College  
Foundation, Inc. 129 University  
Avenue, Caloocan City  
• *Graduating student*

**Secondary Education**      **2009 - 2013**

Florentino Torres High School  
Juan Luna St., Gagalangin.  
Tondo, Manila  
• *High School Diploma*

**2002 - 2009**

**Primary Education**  
Francisco Benitez Elementary  
School

### ACHIEVEMENTS

**Web Development: CCSS Exhibit**      **2<sup>nd</sup> Place**

Divine Mercy College Foundation, Inc.  
129 University Avenue, Caloocan City  
• *March 8, 2014*

**MoBot Race: CCSS Event**      **1<sup>st</sup> Place**

Divine Mercy College Foundation, Inc.  
129 University Avenue, Caloocan City  
• *March 5, 2016*

**Management System for Food E-Commerce with PayPal Integration and Database Algorithms**



## DIVINE MERCY COLLEGE FOUNDATION INC.

416

### WORK EXPERIMENT

#### **On the Job Training**

Fourth Shift Global Inc.

• *April 11, 2016 – May 30, 2016*

#### **Web Developer**

## FARRAH MAE GREGORIO

*Blk 30 Lot 20 Phs 3 f1 A2 Kaunlaran Village*

*Dagat-dagatan Caloocan City*

**09484410511**

*frrhmgrgrio@gmail.com*



### PERSONAL DETAILS

Management System for Food E-Commerce with PayPal Integration and Database Algorithms



## DIVINE MERCY COLLEGE FOUNDATION INC.

417

*Gender:* Female  
*Date of Birth:* October 11, 1996  
*Nationality:* Filipino  
*Height:* 4'9"

*Status:* Single  
*Place of Birth:* Roxas City  
*Languages:* English and Filipino  
*Weight:* 71 lbs

### EDUCATION

#### Bachelor of Science in Information Technology      2013 – Present

Divine Mercy College  
Foundation, Inc. 129 University  
Avenue, Caloocan City

- *Graduating*

#### Secondary Education      2009 – 2013

Florentino Torres High School  
Juan Luna St., Gagalangin.  
Tondo, Manila

- *High School Diploma*

2002 - 2009

#### Primary Education

Kaunlaran Elementary School  
Tamban Street, Barangay 20,  
Caloocan City

- *Elementary Diploma*

### ACHIEVEMENTS

Management System for Food E-Commerce with PayPal Integration and Database Algorithms



## DIVINE MERCY COLLEGE FOUNDATION INC.

418

---

### **MoBot Race: CCSS Event** **1<sup>st</sup> Place**

Divine Mercy College Foundation, Inc.  
129 University Avenue, Caloocan City  
• *March 5, 2016*

### **Programming Wizard: CCSS Event** **3<sup>rd</sup> Place**

Divine Mercy College Foundation, Inc.  
129 University Avenue, Caloocan City  
• *September 24, 2016*

---

## **WORK EXPERIMENT**

---

### **On the Job Training**

Fourth Shift Global Inc.

• *April 11, 2016 – May 30, 2016*

---

### **Web Developer**

Management System for Food E-Commerce with PayPal Integration and Database Algorithms