LINE_BOT簡報

組員:黃柏凱、陳識允、范喻成、張哲家

元智大學資工系

2018/6/22

設計理念

實作風行的LineBot，根據特定的語句，它會有不同的反 應，我們試著利用python來做出也能在Line上運行的機器人。



功能介紹

- 語意分析

功能介紹

- 語意分析
- 翻譯(中翻英、英翻中)

功能介紹

- 語意分析
- 翻譯(中翻英、英翻中)
- 查詢portal作業

功能介紹

- 語意分析
- 翻譯(中翻英、英翻中)
- 查詢portal作業
- 查詢最新電影

功能介紹

- 語意分析
- 翻譯(中翻英、英翻中)
- 查詢portal作業
- 查詢最新電影
- 最新科技新聞

功能介紹

- 語意分析
- 翻譯(中翻英、英翻中)
- 查詢portal作業
- 查詢最新電影
- 最新科技新聞
- 搜尋縣市天氣

功能介紹

- 語意分析
- 翻譯(中翻英、英翻中)
- 查詢portal作業
- 查詢最新電影
- 最新科技新聞
- 搜尋縣市天氣
- 搜尋youtube音樂

功能介紹

- 語意分析
- 翻譯(中翻英、英翻中)
- 查詢portal作業
- 查詢最新電影
- 最新科技新聞
- 搜尋縣市天氣
- 搜尋youtube音樂
- 傳送可愛的狗圖片

語意分析

```
def handle_message(event):
    message = ""
    cmd = ""
    argv = ""
    argv2 = ""
    text = event.message.text.strip()
    cmd = text.split()[0].lower()
    if len(text.split()) >= 2:
        argv = text.split()[1]
    if len(text.split()) == 3:
        argv2 = text.split()[2]
    print(cmd + ' ' + argv + ' ' + argv2)

    if cmd == "portal":
        if argv != "" and argv2 != "":
            content = portal(argv, argv2)
            message = TextSendMessage(text=content)
        else:
            message = TextSendMessage(text="請輸入帳號密碼")
    elif cmd == "help":
        content =
        "請一定要依照以下的格式輸入喔\n\nmovie\n最新電影\n\nnews\n最新科技新聞\n\n狗狗\n可愛的柯基~~\n\n
        天氣 所在的縣市(2個字)\n這2天的氣象\n\nyoutube 音樂名稱\n幫你找音樂\n\n翻譯
        想翻譯的字\n中翻英還是英翻中\n都是輕輕鬆鬆\n\nportal 帳號 密碼\n幫你查查作業"
        message = TextSendMessage(text=content)
```

翻譯

```
def translate(query, to_l="zh-TW", from_l="en"):
    typ = sys.getfilesystemencoding()
    C_agent = {
        'User-Agent': "Mozilla/5.0 (Linux; Android
        6.0; Nexus 5 Build/MRA58N)
        AppleWebKit/537.36 (KHTML, like Gecko)
        Chrome/67.0.3396.87 Mobile Safari/537.36"}
    flag = 'class="t0">'
    target_url = "
    http://translate.google.com/m?hl=%s&sl=%s&q=%s"
    % (to_l, from_l, query.replace(" ", "+"))
    request = urllib.request.Request(target_url,
    headers=C_agent)
    page = str(urllib.request.urlopen(request).read
    ().decode(typ))
    content = page[page.find(flag) + len(flag):]
    content = content.split("<")[0]
    return content
```

Portal

```
def portal(acc, pwd):
    try:
        content = ""
        chromedriver_path = "/app/.chromedriver/bin/chromedriver"
        chrome_bin = os.environ.get('GOOGLE_CHROME_BIN', None)
        opts = webdriver.ChromeOptions()
        opts.binary_location = chrome_bin
        opts.add_argument("--disable-gpu")
        opts.add_argument("--no-sandbox")
        opts.add_argument('--headless')

        driver = webdriver.Chrome(executable_path=chromedriver_path, chrome_options=opts)
        driver.implicitly_wait(20)
        driver.get("https://portalx.yzu.edu.tw/PortalSocialVB/Login.aspx")
        account = driver.find_element_by_id("Txt_UserID")
        account.send_keys(acc)
        password = driver.find_element_by_id("Txt_Password")
        password.send_keys(pwd)
        login = driver.find_element_by_id("ibnSubmit")
        login.click()
```

Portal cont.

```
    try:
        WebDriverWait(driver, 3).until(ec.alert_is_present())
        alert = driver.switch_to.alert
        return alert.text
    except TimeoutException:
        pass

    dtask = driver.find_element_by_id("divTasks")
    tasks = dtask.find_elements_by_tag_name("a")
    days = dtask.find_elements_by_tag_name("span")

    for index in range(len(tasks)):
        if index < len(days):
            content += tasks[index].text + "\n剩餘" + days[index].text + "\n"
        else:
            content += tasks[index].text
    return content
except Exception as e:
    return e
```

電影

```
def movie():
    target_url = 'https://movies.yahoo.com.tw/'
    print('Start parsing movies ...')
    rs = requests.session()
    res = rs.get(target_url, verify=True)
    res.encoding = 'utf-8'
    soup = BeautifulSoup(res.text, 'lxml')
    content = ""

    for index, data in enumerate(soup.select('div.tab-content ul.ranking_list_r a')):
        if index == 10:
            return content
        title = data.find('span').text
        link = data['href']
        content += '{}\n{}\n\n'.format(title, link)
    return content
```

新聞

```
def technews():
    target_url = 'https://technews.tw/'
    print('Start parsing technews ...')
    rs = requests.session()
    res = rs.get(target_url, verify=True)
    res.encoding = 'utf-8'
    soup = BeautifulSoup(res.text, 'html.parser')
    content = ""

    for index, data in enumerate(soup.select('article div h1.entry-title a')):
        if index == 12:
            return content
        title = data.text
        link = data['href']
        content += '{}\n{}\n\n'.format(title, link)
    return content
```

天氣

```
def weather(city):
    target_url = 'https://www.cwb.gov.tw/V7/forecast/taiwan/%s.htm' % city
    rs = requests.session()
    res = rs.get(target_url)
    res.encoding = 'utf-8'
    soup = BeautifulSoup(res.text, 'html.parser')
    header = ['溫度(攝氏) : ', '天氣狀況 : ', '舒適度 : ', '降雨機率(%) : ']
    timespan = []
    result = []
    content = ""
    for index, tdata in enumerate(soup.select('table.FcstBoxTable01 tbody tr th')):
        tdata = tdata.text
        timespan.append(tdata[:tdata.find(' ')] + '\n' + tdata[tdata.find(' ') + 1:])

    for index, wdata in enumerate(soup.select('table.FcstBoxTable01 tbody tr td')):
        if index % 4 == 1:
            title = wdata.find('img')
            title = title['alt']
        else:
            title = wdata.text
        result.append(header[index % 4] + title)

    for index, data in enumerate(result):
        if index % 4 == 0:
            content += '\n' + timespan[index // 4] + '\n'
        content += data + '\n'
    return content
```

YouTube

```
def youtube(target):
    target_url = '
    https://www.youtube.com/results?search_query=' + target
    rs = requests.session()
    res = rs.get(target_url, verify=True)
    res.encoding = 'utf-8'
    soup = BeautifulSoup(res.text, 'html.parser')

    seqs = ['https://www.youtube.com{}'.format(data.find(
    'a')['href']) for data in soup.select(
    '.yt-lockup-title')]
    content = '{}\n{}\n{}'.format(seqs[0], seqs[1], seqs[2])
    return content
```

圖片

```
def corgi():
    client = ImgurClient(client_id, client_secret)
    album = client.get_account_albums(album_id)
    images = client.get_album_images(album[0].id)
    index = random.randint(0, len(images) - 1)
    url = images[index].link
    return url
```



DEMO