CMP462: Natural Language Processing



Lecture 05: Sentiment Analysis

Mohamed Alaa El-Dien Aly
Computer Engineering Department
Cairo University
Spring 2013

Agenda

- What is sentiment analysis
- Feature Extraction
- Classification
- Lexicon extraction

Acknowledgment:

Most slides adapted from Chris Manning and Dan Jurafsky's NLP class on Coursera.



What is Sentiment Analysis?



Positive or negative movie review?



unbelievably disappointing



 Full of zany characters and richly applied satire, and some great plot twists



 this is the greatest screwball comedy ever filmed



 It was pathetic. The worst part about it was the boxing scenes.



Google Product Search



HP Officejet 6500A Plus e-All-in-One Color Ink-jet - Fax / copier / printer / scanner \$89 online, \$100 nearby ★★★★ 377 reviews

September 2010 - Printer - HP - Inkjet - Office - Copier - Color - Scanner - Fax - 250 she

Reviews

Summary - Based on 377 reviews

1 star	2	3	4 stars		5 stars		
What people	are	sayir	ng				
ease of use				"This was very easy to setup to four computers."			
value		"Appreciate good quality at a fair price."					
setup		"Overall pretty easy setup."					
customer ser	vice			"I DO like	honest tech support people."		
size		"Pretty Paper weight."					
mode				"Photos were fair on the high quality mode."			
colors "Full color prints came out with great quality.					prints came out with great quality."		




Bing Shopping

HP Officejet 6500A E710N Multifunction Printer

Product summary Find best price Customer reviews Specifications Related items









Twitter sentiment versus Gallup Poll of Consumer Confidence

Brendan O'Connor, Ramnath Balasubramanyan, Bryan R. Routledge, and Noah A. Smith. 2010. From Tweets to Polls: Linking Text Sentiment to Public Opinion Time Series. In ICWSM-2010





Dan Jurafsky




Twitter sentiment:

Johan Bollen, Huina Mao, Xiaojun Zeng. 2011.

Twitter mood predicts the stock market,


Journal of Computational Science 2:1, 1-8. 10.1016/j.jocs.2010.12.007.





Bollen et al. (2011)

- CALM predicts
 DJIA 3 days later
- At least one current hedge fund uses this algorithm



Computer Engineering, Cairo University




Target Sentiment on Twitter

Type in a word and we'll highlight the good and the bad

"united airlines" Search Save this search

- Twitter Sentiment App
- Alec Go, Richa Bhayani, Lei Huang. 2009.
 Twitter Sentiment Classification using Distant Supervision

Sentiment analysis for "united airlines"



jljacobson: OMG... Could @United airlines have worse customer service? W8g now 15 minutes on hold 4 questions about a flight 2DAY that need a human.

12345clumsy6789: I hate **United Airlines** Ceiling!!! Fukn impossible to get my conduit in this damn mess! ?

EMLandPRGbelgiu: EML/PRG fly with Q8 united airlines and 24seven to an exotic destination. http://t.co/Z9QloAjF
Posted 2 hours ago

CountAdam: FANTASTIC customer service from **United Airlines** at XNA today. Is tweet more, but cell phones off now!



Sentiment analysis has many other names

- Opinion extraction
- Opinion mining
- Sentiment mining
- Subjectivity analysis



Why sentiment analysis?

- Movie: is this review positive or negative?
- Products: what do people think about the new iPhone?
- Public sentiment: how is consumer confidence? Is despair increasing?
- Politics: what do people think about this candidate or issue?
- Prediction: predict election outcomes or market trends from sentiment



Scherer Typology of Affective States

- Emotion: brief organically synchronized ... evaluation of a major event
 - angry, sad, joyful, fearful, ashamed, proud, elated
- Mood: diffuse non-caused low-intensity long-duration change in subjective feeling
 - cheerful, gloomy, irritable, listless, depressed, buoyant
- Interpersonal stances: affective stance toward another person in a specific interaction
 - friendly, flirtatious, distant, cold, warm, supportive, contemptuous
- Attitudes: enduring, affectively colored beliefs, dispositions towards objects or persons
 - liking, loving, hating, valuing, desiring
- Personality traits: stable personality dispositions and typical behavior tendencies
 - nervous, anxious, reckless, morose, hostile, jealous



Scherer Typology of Affective States

- **Emotion**: brief organically synchronized ... evaluation of a major event
 - angry, sad, joyful, fearful, ashamed, proud, elated
- Mood: diffuse non-caused low-intensity long-duration change in subjective feeling
 - cheerful, gloomy, irritable, listless, depressed, buoyant
- Interpersonal stances: affective stance toward another person in a specific interaction
 - friendly, flirtatious, distant, cold, warm, supportive, contemptuous
- Attitudes: enduring, affectively colored beliefs, dispositions towards objects or persons
 - liking, loving, hating, valuing, desiring
- Personality traits: stable personality dispositions and typical behavior tendencies
 - nervous, anxious, reckless, morose, hostile, jealous



- Sentiment analysis is the detection of attitudes
 - "enduring, affectively colored beliefs, dispositions towards objects or persons"
 - Holder (source) of attitude
 - Target (aspect) of attitude
 - Type of attitude
 - From a set of types
 - Like, love, hate, value, desire, etc.
 - Or (more commonly) simple weighted polarity:
 - positive, negative, neutral, together with strength
 - Text containing the attitude
 - Sentence or entire document



- Simplest task:
 - Is the attitude of this text positive or negative?
- More complex:
 - Rank the attitude of this text from 1 to 5
- Advanced:
 - Detect the target, source, or complex attitude types



- Simplest task:
 - Is the attitude of this text positive or negative?
- More complex:
 - Rank the attitude of this text from 1 to 5
- Advanced:
 - Detect the target, source, or complex attitude types



A Baseline Algorithm



Sentiment Classification in Movie Reviews

Bo Pang, Lillian Lee, and Shivakumar Vaithyanathan. 2002. Thumbs up? Sentiment Classification using Machine Learning Techniques. EMNLP-2002, 79—86.

Bo Pang and Lillian Lee. 2004. A Sentimental Education: Sentiment Analysis Using Subjectivity Summarization Based on Minimum Cuts. ACL, 271-278

- Polarity detection:
 - Is an IMDB movie review positive or negative?
- Data: Polarity Data 2.0:
 - http://www.cs.cornell.edu/people/pabo/movie-review-data



IMDB data in the Pang and Lee database





when _star wars_ came out some twenty years ago , the image of traveling throughout the stars has become a commonplace image . [...]

when han solo goes light speed, the stars change to bright lines, going towards the viewer in lines that converge at an invisible point.

cool.

october sky offers a much simpler image—that of a single white dot , traveling horizontally across the night sky . [. . .]

"snake eyes" is the most aggravating kind of movie: the kind that shows so much potential then becomes unbelievably disappointing.

it's not just because this is a brian depalma film, and since he's a great director and one who's films are always greeted with at least some fanfare.

and it's not even because this was a film starring nicolas cage and since he gives a brauvara performance, this film is hardly worth his talents.



Baseline Algorithm (adapted from Pang and Lee)

- Tokenization
- Feature Extraction
- Classification using different classifiers
 - Naïve Bayes
 - MaxEnt
 - SVM



Sentiment Tokenization Issues

- Deal with HTML and XML markup
- Twitter mark-up (names, hash tags)
- Capitalization (preserve for words in all caps)
- Phone numbers, dates
- Emoticons
- Useful code:
 - Christopher Potts sentiment tokenizer
 - Brendan O'Connor twitter tokenizer

Potts emoticons

```
[<>]?
                             # optional hat/brow
[:;=8]
                             # eyes
[\-o\*\']?
                             # optional nose
[\)\]\(\[dDpP/\:\}\{@\|\\]
                             # mouth
                             #### reverse orientation
[\)\]\(\[dDpP/\:\]\(@\|\)\]
                             # mouth
[\-o\*\']?
                             # optional nose
[:;=8]
                             # eyes
[<>]?
                             # optional hat/brow
```



Extracting Features for Sentiment Classification

- How to handle negation
 - I didn't like this movievs
 - I really like this movie
 - Which words to use?
 - Only adjectives
 - All words
 - All words turns out to work better, at least on this data



Negation

Das, Sanjiv and Mike Chen. 2001. Yahoo! for Amazon: Extracting market sentiment from stock message boards. In Proceedings of the Asia Pacific Finance Association Annual Conference (APFA). Bo Pang, Lillian Lee, and Shivakumar Vaithyanathan. 2002. Thumbs up? Sentiment Classification using Machine Learning Techniques. EMNLP-2002, 79—86.

Add NOT_ to every word between negation and following punctuation:

didn't like this movie , but I



didn't NOT_like NOT_this NOT_movie but I



Reminder: Naïve Bayes

$$c_{NB} = \underset{c_{j} \in C}{\operatorname{argmax}} P(c_{j}) \prod_{i \in positions} P(w_{i} | c_{j})$$

$$\hat{P}(w \mid c) = \frac{count(w,c)+1}{count(c)+|V|}$$



Binarized (Boolean feature) Multinomial Naïve Bayes

• Intuition:

- For sentiment (and probably for other text classification domains)
- Word occurrence may matter more than word frequency
 - The occurrence of the word fantastic tells us a lot
 - The fact that it occurs 5 times may not tell us much more.
- Boolean Multinomial Naïve Bayes
 - Clips all the word counts in each document at 1



Boolean Multinomial Naïve Bayes: Learning

- From training corpus, extract Vocabulary
- Calculate $P(c_i)$ terms
 - For each c_j in C do
 $docs_j$ ← all docs with class = c_j
 - $P(c_j) \neg \frac{|docs_j|}{|total \# documents|}$

- Calculate $P(w_k \mid c_i)$ terms
 - $Text_j \leftarrow single doc containing all <math>docs_j$
 - For each word w_k in *Vocabulary* $n_k \leftarrow \text{# of occurrences of } w_k \text{ in } \textit{Text}_i$

$$P(w_k | c_j) \neg \frac{n_k + \alpha}{n + \alpha | Vocabulary |}$$



Boolean Multinomial Naïve Bayes: Learning

- From training corpus, extract *Vocabulary*
- Calculate $P(c_i)$ terms
 - For each c_i in C do $docs_i \leftarrow all docs with class = c_i$

$$P(c_j) \neg \frac{|docs_j|}{|total \# documents|} \bullet \text{Text}_j \leftarrow \text{single doc containing all } \bullet \text{For each word } w_k \text{ in } \textit{Vocabulary } n_k \leftarrow \# \text{ of occurrences of } w$$

- Calculate $P(w_k \mid c_i)$ terms
 - Remove duplicates in each doc:
 - For each word type w in doc_i
 - Retain only a single instance of w
 - Text_i ← single doc containing all docs_i
 - $n_{k} \leftarrow \#$ of occurrences of w_{k} in $Text_{i}$

$$P(w_k | c_j) \neg \frac{n_k + \alpha}{n + \alpha |Vocabulary|}$$



Boolean Multinomial Naïve Bayes on a test document *d*

- First remove all duplicate words from d
- Then compute NB using the same equation:

$$c_{NB} = \underset{c_j \in C}{\operatorname{argmax}} P(c_j) \prod_{i \in positions} P(w_i | c_j)$$



Normal vs. Boolean Multinomial NB

Normal	Doc	Words	Class
Training	1	Chinese Beijing Chinese	С
	2	Chinese Chinese Shanghai	С
	3	Chinese Macao	С
	4	Tokyo Japan Chinese	j
Test	5	Chinese Chinese Tokyo Japan	?


Boolean	Doc	Words	Class
Training	1	Chinese Beijing	С
	2	Chinese Shanghai	С
	3	Chinese Macao	С
	4	Tokyo Japan Chinese	j
Test	5	Chinese Tokyo Japan	?



Cross-Validation

- Break up data into 10 folds
 - (Equal positive and negative inside each fold?)
- For each fold
 - Choose the fold as a temporary test set
 - Train on 9 folds, compute performance on the test fold
- Report average performance of the 10 runs

Iteration





Other issues in Classification

MaxEnt and SVM tend to do better than Naïve Bayes



Problems: What makes reviews hard to classify?

- Subtlety (not clear enough):
 - Perfume review in *Perfumes: the Guide*:
 - "If you are reading this because it is your darling fragrance,
 please wear it at home exclusively, and tape the windows shut."
 - Dorothy Parker on Katherine Hepburn
 - "She runs the gamut of emotions from A to B"



Thwarted Expectations and Ordering Effects

- "This film should be brilliant. It sounds like a great plot, the
 actors are first grade, and the supporting cast is good as well,
 and Stallone is attempting to deliver a good performance.
 However, it can't hold up."
- Well as usual Keanu Reeves is nothing special, but surprisingly, the very talented Laurence Fishbourne is not so good either, I was surprised.



Sentiment Lexicons



The General Inquirer

Philip J. Stone, Dexter C Dunphy, Marshall S. Smith, Daniel M. Ogilvie. 1966. The General Inquirer: A Computer Approach to Content Analysis. MIT Press

- Home page: http://www.wjh.harvard.edu/~inquirer
- List of Categories: http://www.wjh.harvard.edu/~inquirer/homecat.htm
- Spreadsheet: http://www.wjh.harvard.edu/~inquirer/inquirerbasic.xls
- Categories:
 - Positiv (1915 words) and Negativ (2291 words)
 - Strong vs Weak, Active vs Passive, Overstated versus Understated
 - Pleasure, Pain, Virtue, Vice, Motivation, Cognitive Orientation, etc.
- Free for Research Use



LIWC (Linguistic Inquiry and Word Count)

Pennebaker, J.W., Booth, R.J., & Francis, M.E. (2007). Linguistic Inquiry and Word Count: LIWC 2007. Austin, TX

- Home page: http://www.liwc.net/
- 2300 words, >70 classes
- Affective Processes
 - negative emotion (bad, weird, hate, problem, tough)
 - positive emotion (*love, nice, sweet*)
- Cognitive Processes
 - Tentative (maybe, perhaps, guess), Inhibition (block, constraint)
- Pronouns, Negation (no, never), Quantifiers (few, many)
- \$30 or \$90 fee



MPQA Subjectivity Cues Lexicon

Theresa Wilson, Janyce Wiebe, and Paul Hoffmann (2005). Recognizing Contextual Polarity in Phrase-Level Sentiment Analysis. Proc. of HLT-EMNLP-2005.

Riloff and Wiebe (2003). Learning extraction patterns for subjective expressions. EMNLP-2003.

- Home page: http://www.cs.pitt.edu/mpqa/subj_lexicon.html
- 6885 words from 8221 lemmas
 - 2718 positive
 - 4912 negative
- Each word annotated for intensity (strong, weak)
- GNU GPL



Bing Liu Opinion Lexicon

Minqing Hu and Bing Liu. Mining and Summarizing Customer Reviews. ACM SIGKDD-2004.

- Bing Liu's Page on Opinion Mining
- http://www.cs.uic.edu/~liub/FBS/opinion-lexicon-English.rar
- 6786 words
 - 2006 positive
 - 4783 negative



SentiWordNet

Stefano Baccianella, Andrea Esuli, and Fabrizio Sebastiani. 2010 SENTIWORDNET 3.0: An Enhanced Lexical Resource for Sentiment Analysis and Opinion Mining. LREC-2010

- Home page: http://sentiwordnet.isti.cnr.it/
- All WordNet synsets automatically annotated for degrees of positivity, negativity, and neutrality/objectiveness
- [estimable(J,3)] "may be computed or estimated"

Pos 0 Neg 0 Obj 1

[estimable(J,1)] "deserving of respect or high regard"

Pos .75 Neg 0 Obj .25



Disagreements between polarity lexicons

Christopher Potts, <u>Sentiment Tutorial</u>, 2011

	Opinion Lexicon	General Inquirer	SentiWordNet	LIWC
MPQA	33/5402 (0.6%)	49/2867 (2%)	1127/4214 (27%)	12/363 (3%)
Opinion Lexicon		32/2411 (1%)	1004/3994 (25%)	9/403 (2%)
General Inquirer			520/2306 (23%)	1/204 (0.5%)
SentiWordNet				174/694 (25%)
LIWC				




Analyzing the polarity of each word in IMDB

Potts, Christopher. 2011. On the negativity of negation. SALT 20, 636-659.

- How likely is each word to appear in each sentiment class?
- Count("bad") in 1-star, 2-star, 3-star, etc.
- But can't use raw counts (more +ve reviews 122232);
- Instead, likelihood: $P(w|c) = \frac{f(w,c)}{\sum_{w \in c} f(w,c)}$
- Make them comparable between words
 - Scaled likelihood:

$$\frac{P(w|c)}{P(w)}$$




Counts of (bad, a) in IMDB



Analyzing the polarity of each word in IMDB

Potts, Christopher. 2011. On the negativity of negation. SALT 20, 636-659.





Other sentiment feature: Logical negation

Potts, Christopher. 2011. On the negativity of negation. SALT 20, 636-659.


- Is logical negation (*no, not*) associated with negative sentiment?
- Potts experiment:
 - Count negation (not, n't, no, never) in online reviews
 - Regress against the review rating



Potts 2011 Results: More negation in negative sentiment

IMDB (4,073,228 tokens)

Five-star reviews (846,444 tokens)





Sentiment Analysis

Learning Sentiment Lexicons



Semi-supervised learning of lexicons

- Use a small amount of information
 - A few labeled examples
 - A few hand-built patterns
- To bootstrap a lexicon



Hatzivassiloglou and McKeown intuition for identifying word polarity

Vasileios Hatzivassiloglou and Kathleen R. McKeown. 1997. Predicting the Semantic Orientation of Adjectives. ACL, 174–181

- Adjectives conjoined by "and" have same polarity
 - Fair and legitimate, corrupt and brutal
- Adjectives conjoined by "but" do not
 - fair but brutal



- Label seed set of 1336 adjectives (all >20 in 21 million word WSJ corpus)
 - 657 positive
 - adequate central clever famous intelligent remarkable reputed sensitive slender thriving...
 - 679 negative
 - contagious drunken ignorant lanky listless primitive strident troublesome unresolved unsuspecting...



Expand seed set to conjoined adjectives



Nice location in Porto and the front desk staff was nice and helpful ... www.tripadvisor.com/ShowUserReviews-g189180-d206904-r12068...

Mercure Porto Centro: Nice location in Porto and the front desk staff was nice and helpful - See traveler reviews, 77 candid photos, and great deals for Porto, ...

nice, helpful


If a girl was nice and classy, but had some vibrant purple dye in ...
answers.yahoo.com > Home > All Categories > Beauty & Style > Hair 4 answers - Sep 21

nice, classy

Question: Your personal opinion or what you think other people's opinions might ... Top answer: I think she would be cool and confident like katy perry:)




 Supervised classifier assigns "polarity similarity" to each word pair, resulting in graph:





Clustering for partitioning the graph into two





Output polarity lexicon

Positive

 bold decisive disturbing generous good honest important large mature patient peaceful positive proud sound stimulating straightforward strange talented vigorous witty...

Negative

 ambiguous cautious cynical evasive harmful hypocritical inefficient insecure irrational irresponsible minor outspoken pleasant reckless risky selfish tedious unsupported vulnerable wasteful...



Output polarity lexicon

Some mistakes ...

Positive

 bold decisive disturbing generous good honest important large mature patient peaceful positive proud sound stimulating straightforward strange talented vigorous witty...

Negative

 ambiguous cautious cynical evasive harmful hypocritical inefficient insecure irrational irresponsible minor outspoken pleasant reckless risky selfish tedious unsupported vulnerable wasteful...



Turney Algorithm

Turney (2002): Thumbs Up or Thumbs Down? Semantic Orientation Applied to Unsupervised Classification of Reviews

- 1. Extract a *phrasal lexicon* from reviews
- 2. Learn polarity of each phrase
- 3. Rate a review by the average polarity of its phrases



Extract two-word phrases with adjectives

First Word	Second Word	Third Word (not extracted)
JJ	NN or NNS	anything
RB, RBR, RBS	JJ	Not NN nor NNS
JJ	JJ	Not NN or NNS
NN or NNS	JJ	Nor NN nor NNS
RB, RBR, or RBS	VB, VBD, VBN, VBG	anything



How to measure polarity of a phrase?

- Positive phrases co-occur more with "excellent"
- Negative phrases co-occur more with "poor"
- But how to measure co-occurrence?



Pointwise Mutual Information

Mutual information between 2 random variables X and Y

$$I(X,Y) = \sum_{x} \sum_{y} P(x,y) \log_2 \frac{P(x,y)}{P(x)P(y)}$$

- Pointwise mutual information:
 - How much more do events x and y co-occur than if they were independent?

$$PMI(X,Y) = \log_2 \frac{P(x,y)}{P(x)P(y)}$$



Pointwise Mutual Information

• Pointwise mutual information:

– How much more do events x and y co-occur than if they were independent?

$$PMI(X,Y) = \log_2 \frac{P(x,y)}{P(x)P(y)}$$

• PMI between two words:

– How much more do two words co-occur than if they were independent?

$$PMI(word_1, word_2) = \log_2 \frac{P(word_1, word_2)}{P(word_1)P(word_2)}$$



How to Estimate Pointwise Mutual Information

- Query search engine (Altavista)
 - P(word) estimated by hits(word)/N
 - P(word1,word2) by hits(word1 NEAR word2)/N2

$$PMI(word_1, word_2) = \log_2 \frac{hits(word_1 \text{ NEAR } word_2)}{hits(word_1)hits(word_2)}$$



Does phrase appear more with "poor" or "excellent"?

Polarity(phrase) = PMI(phrase, "excellent") - PMI(phrase, "poor")

=
$$\log_2 \frac{\text{hits}(phrase NEAR "excellent")}{\text{hits}(phrase)\text{hits}("excellent")} - \log_2 \frac{\text{hits}(phrase NEAR "poor")}{\text{hits}(phrase)\text{hits}("poor")}$$

= log₂
$$\left(\frac{\text{hits}(phrase NEAR "excellent")hits}{\text{hits}(phrase NEAR "poor")hits}("excellent")\right)$$



Phrases from a thumbs-up review

Phrase	POS tags	Polarity
online service	JJ NN	2.8
online experience	JJ NN	2.3
direct deposit	JJ NN	1.3
local branch	JJ NN	0.42
•••		
low fees	JJ NNS	0.33
true service	JJ NN	-0.73
other bank	JJ NN	-0.85
inconveniently located	JJ NN	-1.5
Average		0.32



Phrases from a thumbs-down review

Phrase	POS tags	Polarity
direct deposits	JJ NNS	5.8
online web	JJ NN	1.9
very handy	RB JJ	1.4
virtual monopoly	JJ NN	-2.0
lesser evil	RBR JJ	-2.3
other problems	JJ NNS	-2.8
low funds	JJ NNS	-6.8
unethical practices	JJ NNS	-8.5
Average		-1.2



Results of Turney algorithm

- 410 reviews from Epinions
 - 170 (41%) negative
 - 240 (59%) positive
- Majority class baseline: 59%
- Turney algorithm: 74%
- Phrases rather than words
- Learns domain-specific information



Using WordNet to learn polarity

S.M. Kim and E. Hovy. 2004. Determining the sentiment of opinions. COLING 2004 M. Hu and B. Liu. Mining and summarizing customer reviews. In Proceedings of KDD, 2004

- WordNet: online thesaurus (covered in later lecture).
- Create positive ("good") and negative seed-words ("terrible")
- Find Synonyms and Antonyms
 - Positive Set: Add synonyms of positive words ("well") and antonyms of negative words
 - Negative Set: Add synonyms of negative words ("awful") and antonyms of positive words ("evil")
- Repeat, following chains of synonyms
- Filter



Summary on Learning Lexicons

• Advantages:

- Can be domain-specific
- Can be more robust (more words)

Intuition

- Start with a seed set of words ('good', 'poor')
- Find other words that have similar polarity:
 - Using "and" and "but"
 - Using words that occur nearby in the same document
 - Using WordNet synonyms and antonyms



Sentiment Analysis

Other Sentiment Tasks



Finding sentiment of a sentence

- Important for finding aspects or attributes
 - Target of sentiment

The food was great but the service was awful



Finding aspect/attribute/target of sentiment

M. Hu and B. Liu. 2004. Mining and summarizing customer reviews. In Proceedings of KDD. S. Blair-Goldensohn, K. Hannan, R. McDonald, T. Neylon, G. Reis, and J. Reynar. 2008. Building a Sentiment Summarizer for Local Service Reviews. WWW Workshop.

- Frequent phrases + rules
 - Find all highly frequent phrases across reviews ("fish tacos")
 - Filter by rules like "occurs right after sentiment word"
 - "...great fish tacos" means fish tacos a likely aspect

Casino	casino, buffet, pool, resort, beds
Children's Barber	haircut, job, experience, kids
Greek Restaurant	food, wine, service, appetizer, lamb
Department Store	selection, department, sales, shop, clothing



Finding aspect/attribute/target of sentiment

M. Hu and B. Liu. 2004. Mining and summarizing customer reviews. In Proceedings of KDD. S. Blair-Goldensohn, K. Hannan, R. McDonald, T. Neylon, G. Reis, and J. Reynar. 2008. Building a Sentiment Summarizer for Local Service Reviews. WWW Workshop.

- The aspect name may not be in the sentence
- For restaurants/hotels, aspects are wellunderstood
- Supervised classification
 - Hand-label a small corpus of restaurant review sentences with aspect
 - food, décor, service, value, NONE
 - Train a classifier to assign an aspect to asentence
 - "Given this sentence, is the aspect food, décor, service, value, or NONE"



Baseline methods assume classes have equal frequencies!

- If not balanced (common in the real world)
 - can't use accuracies as an evaluation
 - need to use F-scores
- Severe imbalancing also can degrade classifier performance
- Two common solutions:
 - Resampling in training
 - Random undersampling
 - Cost-sensitive learning
 - Penalize SVM more for misclassification of the rare thing



Summary on Sentiment

- Generally modeled as classification or regression task
 - predict a binary or ordinal label (rating 1-5)
- Features:
 - Negation is important
 - Using all words (in naïve bayes) works well for some tasks
 - Finding subsets of words may help in other tasks
 - Hand-built polarity lexicons
 - Use seeds and semi-supervised learning to induce lexicons



Scherer Typology of Affective States

- **Emotion**: brief organically synchronized ... evaluation of a major event
 - angry, sad, joyful, fearful, ashamed, proud, elated
- Mood: diffuse non-caused low-intensity long-duration change in subjective feeling
 - cheerful, gloomy, irritable, listless, depressed, buoyant
- Interpersonal stances: affective stance toward another person in a specific interaction
 - friendly, flirtatious, distant, cold, warm, supportive, contemptuous
- Attitudes: enduring, affectively colored beliefs, dispositions towards objects or persons
 - liking, loving, hating, valuing, desiring
- **Personality traits**: stable personality dispositions and typical behavior tendencies
 - nervous, anxious, reckless, morose, hostile, jealous



Computational work on other affective states

• Emotion:

- Detecting annoyed callers to dialogue system
- Detecting confused/frustrated versus confident students

• Mood:

Finding traumatized or depressed writers

Interpersonal stances:

Detection of flirtation or friendliness in conversations

Personality traits:

Detection of extroverts

Recap

- What is sentiment analysis
- Feature Extraction
- Classification
- Lexicon extraction