


Family Planning Dashboard - State Report

State: Ebonyi State


Month: May, 2015




Facility coverage summary,
May 2015



Facility training summary,
May 2015



Monthly consumption* in Ebonyi State, June 2014 – May 2015



*Implants and injectables are examples of popular long-acting and short-acting methods and have been selected here to show general consumption trends of family planning.

LGAs With Lowest Facility Coverage


% with FP-trained HWs	% with LARC-trained HWs	% providing FP	% providing LARC
Abakaliki (0%)	Ishielu (2.38%)	Ohaukwu (0%)	Ohaukwu (2.38%)
Afikpo North (0%)	Ohaukwu (2.67%)	Ishielu (0%)	Onicha (2.67%)
Afikpo South (0%)	Afikpo North (4.08%)	Onicha (0%)	Ishielu (4.08%)
Ebonyi (0%)	Onicha (4.65%)	Afikpo North (0%)	Afikpo South (4.65%)
Ezza North (0%)	Izzi (5.33%)	Ebonyi (0%)	Ezza North (5.33%)

 The black bars represent the national average for each indicator.


 The blue bars represent the five lowest performing states for each indicator.

 The orange bars represent the top performing state for each indicator.


Percent of facilities with an FP-trained health worker providing FP




Percent of facilities with a LARC-trained health worker providing LARC



Percent of FP facilities stocked out of FP commodities for 7 days



Percent of LARC facilities stocked out of Implants



ACTION ITEMS

- Direct trainings to LGAs with lowest percent of facilities with trained health workers.
- Follow up with and direct supervision or on-the-job training to facilities with trained health workers that are not providing services.
- Contact LGAs that are experiencing stock outs and send products to LGA stores when possible, or prepare products for pick up by LGA or facility staff.