#DT: Ø61322
#TM: Ø718
CR:
MD:
LNK:
EXT:
FN:

ØØ

$$\begin{tikzcd} P \arrow[loop left, "P"] \arrow[r, "P"] & R \end{tikzcd} \supset \begin{tikzcd} R \arrow[loop right, "P"] \arrow[d, "I.i_0"] \\ P \end{tikzcd}$$

THE GSP PRINCIPLE SEEMS EVIDENT IN THE MATRIX REPRESENTATIONS OF THE UNIONS OF SIMPLE CATEGORIES

THE INFERENCE APPLIED PRIOR TO UNION MAY ITSELF BE REPRESENTED AS A MORPHISM.

Ø1

$$\begin{tikzcd} P \arrow[loop left, "P"] \arrow[r, "P"] & V \end{tikzcd} \supset \begin{tikzcd} V \arrow[loop right, "P"] \arrow[d, "I.i_1"] \\ P \end{tikzcd}$$

Ø2

↱	P	R	V	$I.i_0$	$I.i_1$
P	**P**	**P**	**P**		
R	$I.i_0$	**P**	∅		
V	$I.i_1$	∅	P		
$I.i_0$					
$I.i_1$					

#THIS REPRESENTATION MAY BE INCORRECT ~~THE~~ BY ALLOWING P TO OPERATE DIRECTLY ON ITSELF AFTER WE'VE REDEFINED IT AS AN INTERPRETATION OF ONE OR MORE PRIMITIVES, WE INTRODUCE AN INTRICASY THAT REQUIRES AN INCREASE IN COMPLEXITY TO RESOLVE

Ø3

$$\begin{tikzcd} R \arrow[loop right, "P"] \arrow[d, "I.i_0"] \\ P \end{tikzcd} \quad \begin{tikzcd} V \arrow[loop right, "P"] \arrow[d, "I.i_1"] \\ P \end{tikzcd} \supset \begin{tikzcd} R \arrow[loop right, "P_R"] \arrow[d, "I.i_0"] \\ P \end{tikzcd} \quad \begin{tikzcd} V \arrow[loop right, "P_V"] \arrow[d, "I.i_1"] \\ P \end{tikzcd}$$

?

DF: 86 .o
TM:
CR:
MD:
NT:
N:
I wk:

∅∅

↱	f	N
f	f	f
N	∅	∅

→ [[f f][∅ ∅]]

∅1

	∅	1
∅	∅	∅
1	-1	-1

→ [[∅ ∅][-1 -1]]

∅2

↱	f	R	I_i
f			
R	I_i	f	
I_i			

→

	f	R	I_i
f	f	f	
R	I_i	f	
I_i			

→

	∅	1
∅	∅	∅
1	2	∅

RELATED TO GSP CONCEPT.

[[∅ ∅][2 ∅]]

SELF REPRESENTING ______ REQUIRE AN EXTERNAL ? # {HYP, INTERP}

∅∅∅1 (=([[∅ ∅][2 ∅]][∅ ∅]) [∅ ∅])

∅∅∅2 (=([[∅ ∅][2 ∅]][2 ∅]) [∅ 4])

∅∅3 (=([[∅ ∅][∅ 4]][∅ ∅]) [∅ ∅])

∅∅4 (=([[∅ ∅][∅ 4]][∅ 4]) [∅ 16])

DT: 061326
TM:
CR:
MD:
EXT:
FN:
LNK:

00.



01.



#PT: 061326
#TM:
#CR:
#MD:
#EXT:
#FN:
#LNK:

0000 (=(f x) x)

0001 (≠(f x) a)

0002 (:A a (≠ (f x) a))

0003 (⊆ () (:A a (≠ (f x) a)))

0004 (:= x f)

0005 {(= f a) (∩ f a)}

0100 $f \xrightarrow{f} 0003 =: F$

010100
$$\begin{tikzcd} F.f \arrow[r] & N \\ N \arrow[u] & \end{tikzcd}$$

010101
$$\begin{tikzcd} F.f \\ F.f \arrow[u] \end{tikzcd}$$

0102 # Polymorphism of f

010200 $N \xrightarrow{F.f} N$

010201 $F.f \xrightarrow{F.f} F.f$

010203 # SELF-INCLUSIVE POLYMORPHISM.

$$\begin{tikzcd} f \arrow[loop left, "f"] \arrow[r, "f"] & N \end{tikzcd} =: F$$

(∈ (f f) F.f)

(∈ (f ('(∈() N))) N)

#DT: Ø6 13 26
#TM: 13 14
#PWD:
#CR: Ø61326 13 14
#MD:
#LNK:
#EXT:
#FN:

ØØØØ (
ØØØ1 =
ØØØ2 >
ØØØ3 (==> . . .) # <INTRCTION>
ØØØ4 <INTERACTION> # I_0
ØØØ5 (:=ØØØ4 '(==> {<INTRCTION> <INTRCTN#>} {INTERCTN {INTERCTNT}}
ØØØ6 <SIG> # S_0
ØØØ7 <STATE> # S_1
ØØØ8

GRMR PRD RL + CATEGORY

$$\mathrm{SIG} \longrightarrow * \longrightarrow \mathrm{SIG}$$

$$\begin{tikzcd}
\mathrm{SIG} \arrow[r, "*"] \arrow[d, "len"'] & \mathrm{SIG} \\
N \arrow[ur, "*"'] &
\end{tikzcd}$$

ØØØ9 (:=ØØØ4 '(==> {<I_0>,<I_1>} {<I_0>,<I_1>} {<S_0> <S_1>} {<S_0> <S_1>})
ØØØA

#DT! 061326
#
#
#

ØØ (∈ () S_0)

Ø1 (

$$\begin{tikzcd} S_0 \arrow[r, "S_0 : x_0"] \arrow[d, "S_0 : x_1"'] & X_0 \quad \cancel{X} \\ x_1 & \end{tikzcd}$$

Ø2. (∈ x_n V)

$$S_0 \xrightarrow{\cancel{X}} X_n$$

Ø3

$$N \xrightarrow{f} x_n \; : S_0 \quad ?$$

HASH, DE-REFERENCE.

Ø4

$$N \underset{f}{\overset{f'}{\leftrightarrows}} x_n \; ; S_0$$

QM K. MORPHIC GRAPHS

Ø.

$$\begin{tikzcd} V_{\sim 0} \arrow[r] & +_0 \arrow[r] & V_{\sim 0} \\ & V_{\sim 0} \arrow[u] & \end{tikzcd} \qquad \begin{tikzcd} K_{\sim 0} \arrow[r] & \vdash^{\circ} \arrow[r] & K_{\sim 0} \\ & k_{\sim 0} \arrow[u] & \end{tikzcd}$$

$$\begin{tikzcd} & & K_{p\ \sim 0} \\ K_{\sim 0} \arrow[r] & G_0 \arrow[ur] \arrow[dr] & \\ & & K_{ENPS\ \sim 0} \end{tikzcd} \qquad K_p \longrightarrow C_0' \longrightarrow P$$

$$\begin{tikzcd} P \arrow[r] & \int \arrow[r] & K \\ & k \arrow[u] & \end{tikzcd} \qquad \begin{Bmatrix} (\in K V) \\ (\in K R) \\ (\in K C) \end{Bmatrix} ?$$

DF:
:
:
:
FORMULATION OF MORPHIC GRAPHS DESCRIBING DIRAC'S QUANTUM MECHANICS

$$(\in K()) (\in C()) \xrightarrow{*} K \times C$$
$$K, C \xrightarrow{*} K$$
} POLYMORPHISM OF *

ØØ $K \xrightarrow{*C} K \times C$ (∈ (∈ () * (∈ (A ('(∈ () K)) ('(∈ () C))) (* K C))))

Ø1 $C \xrightarrow{*K} K \times C$

Ø2 $K, C \xrightarrow{*} K$ ~~(∈ (K) ∈ * (~~ *K C* '∈ () C ∈' '∈ () K ∈' * '∈ (), C ∈'. '∈ (), K ∈' *

Ø3 $K \xrightarrow{(P_r K)_0} \{T F\}$

Ø4) $K \xrightarrow{(P_r K)_1}$ ~~RANGE~~ (⊆ () R)

Ø4.1) (⊃ (= (P_r K) T) (:= K (:f (∈ (f x) V)))) # ? HYP

Ø5 (⊃ (P_r K) (◊ (∫|x> d x)))
(⊃ (P_r K) (◊ (∫ (f x) (d_0 x))))
(⊃ (P_r K) (◊ ~~((∫ (f x) (f x)~~ (:A (:x (∫ (f x) (d_0 x)))))))

ØØ $A \longrightarrow B$

Ø1 $A \times B \longrightarrow C$

Ø2 $A \xrightarrow{\times B} A \times B$

Ø3 $B \xrightarrow{\times C} A \times B$

#DT:
:
:
:
DEBT/DEFICIT BASED

00. (==> (p|v) $\equiv_v$ λ B)

01 (>($\equiv_v$ v) (p ($\equiv_v$ v)))

02 (> (p($\equiv_v$ v)) (p v))

03 (> (p v) (p..v)))

04 (> (p...v)

05 ~~(PR(~~ (PRB B)

06 (> (+(- (PRB B) 1)) (+ (MX (c (p.. v))))))

THE CONDITION NECCESSITATE THE EXISTANCE OF THE PATHOGEN AND ANY PROCESS REQUIRED BY ITS FORMATION.
A PATHOGEN IS NOT THE ONLY MEANS OF MEETING THIS CONDITION, ~~IT IS THE MOST COMMON AND AN CAUSE~~
THERE ARE FASTER IMPLEMENTATIONS.

07 WITH WORK WE MAY APROXIMATE A NUCLEAR SOLUTION TO THE DEFICIT.