

DT: 072026

:

:

PROG 072026

0430 X
0500 X
0530 X
0600 X
0630 X
0700 X
0730 X
0800 X
0830 X
0900 X
0930 X
1000 CIA
1030 CIA
1100 SCAN
1130 SCAN
1200 ~~MT~~ CMP, MLOP
1230 ~~RR~~ CMP, MLOP
1300 CMP MLOP
1330 CMP, MLOP
1400 BREAK
1430 CMP CASES BHOL
1500 CMP CASES BHOL
1530 CMP CASES
1600 CMP CASES
1630 BREAK
1700 ~~PHYS~~ CMP PHYS
1730 CMP PHYS
1800 CMP PHYS
1830 CMP PHYS
1900 PRENT
1930 ~~BREAK~~ PROG
2000
2030
2100
2130
2200
2230
2300
2330
2400
2430
2500

2. # M TERR, (4(CMN CMPLX)M)

1. # C₂ FM IRC, TRM3

2. # DINNER

01. $(N, \langle \cdot, \cdot \rangle, \leq, \vdash) = (\Sigma, \langle \cdot, \cdot \rangle, \leq, \vdash)$ $\rightarrow N \vdash \vdash$ $((N, \langle \cdot, \cdot \rangle, \leq, \vdash))$


T

88 (N. 67) 17

21 $(N \circ \beta \sim (x, p)) \quad (q \in (M \cap \text{Cmplx}) \wedge (e \in F_0))$

$$(N, (x, y) \in N \times N \mid (x, y) \in N \times N)$$

23 (p. 4)



(11N d -71) 58d23 53d37 to

$(d(d, N) \geq 50$

96 $(\delta(\delta^0 N)) = \langle \rangle$

$$\{0, 1\}^N \neq \emptyset$$

08 (40332053 (P (2 (F, P) N.))

12 (E, P) (E, N. 1) 104 (30333033) 10

$$p \in (E(p), E(p))$$
$$D_2 \in D_2 \setminus \{c_1\} \quad (\sim (LE (4 (GMPK D_2))))$$
[illegible]

1. $\frac{1}{2} \log \frac{1}{2}$

[illegible]

DT: 072026

#

00 (P(x))

01 (P(<<>>Px))

02 (P(+(- (P(mP))))))

03 (ΣP23Σ~P33 (P(+ = P c) (<PΣ~P3))))

04 (P () (P c) (v

(~> P c)

(+> P c)

(P(Σ~P3 (Σx (Σx (>P Σ~P3))))))

)

)

05 (P(+(- (STRAT P))))

06 (> (v, (STRAT P)) (v, c))

07 (~~PRB~~ (~~OPP~~ (+> (OP P) P)))

08

~~Any free resp~~
(- P2~P3)

#DT: 072026

#

C2 # ADD TO CASE

00 (:E (:F (F (ΣF3 (E C2 N2))))

01 ((p|P) (P (N (G C2 N2))))

02 (F (ΣF3 (E ((p...C2) (q (↓ (C B B0))))))

03 ~~(F B0)~~ (→ ((p...C2) (q (↓ (C B B0)))) (:E (α (< (- (p...C2) (E (1 N2))

04 518

1) , #

05

(ΣPΣ3ΣNP33 (P [R0 (VR0 (V EJ TEM))]))

06 (ΣPΣ3ΣNP33 (P (V (COMPLC 05) (N (COMPLC 05)))) #0934

07 (

DT: 072026

#

A₂ # ADD TO CASES

09 (: E (F ~~LF~~ (> (P (A₂ C₂)) (+ ((MN CMPLX) F)))))

01

DT: 272026

#

(E P) $\xi + -3$
~~(m)~~

(m) $\xi + -3$ t

00	↓	-	N.	20937
01	↑	-	+	8937
03	↓	-	N.	0942
04	↓	-	N	0944
05	↓	-		1247

DT: 072026

:

:

loc record

00

0932

01

0933

02

0935 MSC

03

1053

} CTA

04

1105

01 Even M, Person used to command, will not succeed under
the conditions necessitated by

$$(\downarrow (\sum [i, 0] n (p | (m | M_i))) /$$

02 That is why either M_0 , or C , seem necessary. or S_p

03

$$1749 \quad (\downarrow (R_n(Oc'P))) \quad (P(x) (\downarrow x (= \text{EMP} \\ (\text{EMP CMPLX}) (N_0) \\ (\text{MX CMPLX}) (N_0) \\) \quad \neq$$

(((1(87-MH 0) ((24... 10... 0)) 2) x 7) x 7 8)