

Blended Ice Machine - Manitowoc BIC

Card No. **BI293**

Weekly Cleaning

Frequency

Weekly

Model

MANITOWOC Blend-In-Cup Machine MB-8-1

Estimated Time to Complete

90 minutes

Health & Safety Hazards



Sharp objects / surfaces



Chemicals



Slippery floors/tripping

Food Safety



Wash and dry hands **before** and **after** performing this task



Ensure nuts, bolts & screws are tight



Inspect equipment. Do not use if damaged


EQUIPMENT



KAY-5
Sanitizer
(x4)



Bio-Shield
Drain Cleaner



Solid-
Sense
APSC

SolidSense
Sanitizer



1
Dedicated cleaning
container for
SolidSense
APSC solution



2
Dedicated cleaning
container for
rinse water



3
Dedicated
cleaning container
for luke warm
water containing 2
packets of
Kay-5 Sanitizer



BIO-
SHIELD®
dispenser




SolidSense
Sanitizer
spray



Multi
Surface
& Glass
Cleaner
spray



Splash
shield



Sanitised red
border cloth



Red cleaning
cups (x2)



Blue cleaning
cups (x2)



Octopus
Cleaning
Manifold



Jet Spray Bottle*
Heavy Duty
Degreaser



Brushes




Ice Removal
Chute



1


All equipment should go through the 4 step cleaning method before use.

Prepare the dedicated cleaning system.
 Container 1 - SolidSense APSC
 Container 2 - Hot water
 Container 3 - Prepare 19 litres of luke warm water containing 2 packets of Kay-5 Sanitizer

2


Mesh Filter

Access the rear of the machine. Remove the upper and lower mesh filters. Spray off in the backroom sink and allow to air dry.

3**CREAM CANISTER DAILY CLEAN**

Complete this task for any open cream canisters.


Flip open the nozzle as shown and then rinse the nozzle with hot water at the backroom sink to remove all cream residue. Shake the can to remove excess water. Leave the nozzle open and return to the Blended Ice Machine

4


Temporarily store the cream canister(s) in the main refrigerated compartment.

5**CREAM CANISTER DOOR CLEAN**


Hold the main door closed with one knee and open the cream canister door (holding it on the left side). Pull the door forward to remove it. Clean door using 4 step cleaning method.

6


Carefully pull the cream door seal off. Clean seal using 4 step cleaning method and wipe the exposed area of the chiller door with a clean, sanitised red border cloth. To replace seal, push with one finger all the way around to fit it in the groove.

7


Replace drawer by locating the sprung hinge on the right hand side in its socket.

8


Press in the sprung hinge on the left hand side and push the drawer in to place.

9

On the menu screen, press the (clean washing hand icon). Then press the weekly cleaning icon.

10

Ensure you have all supplies listed, then press the down arrow to proceed.

11

Remove grate from centre dispensing area. Install splash shield in dispense area.


12

Remove product trays and cream canister from cabinet. Take product trays and cream canister to main chiller.

13**CLEAN REFRIGERATED CABINET**

(A) Remove the drip tray from the bottom of the refrigerated cabinet. Wash, rinse & sanitise.


(B) The Cabinet Door gasket should be removed and cleaned using the 4 step cleaning method.

**14**

Spray and wipe each BIB connector and main refrigerated area with Multi Surface & Glass Cleaner (A). Repeat these steps with SolidSense Sanitizer (B) - Do not wipe - allow to air dry.

15


Place cleaning octopus in dedicated cleaning container 1 (SolidSense APSC Solution).

16


Connect a hose to each product nozzle. The 4 long hoses attach at the top. The 4 shorter hoses attach at the bottom.

17


Press **green tick**. This will send the wash solution through each line (slot), displaying the progress on the screen.

18


When screen indicates, remove cleaning octopus from dedicated cleaning container 1.

19


Place cleaning octopus into dedicated cleaning container 2 (hot water). Press **Green tick**. Rinse solution runs through each line. Each slot will change from 'washed' to 'rinsed' when complete.

20**SANITIZING**


Once all slots read rinsed, remove cleaning octopus from dedicated cleaning container 2.

21

Place cleaning octopus in dedicated cleaning container 3 (Kay-5 Sanitizer solution). Press **green tick**. Sanitising solution runs through each line. Each slot will change from 'rinsed' to 'sanitising'.


22

The machine will pause for the sanitation hold time (90 seconds).

23


When screen indicates, disconnect the cleaning octopus hoses from the product nozzles. Press **green tick**. Air is pushed through each line blowing out any remaining liquid. The screen will read 'purging slot # (number)'.

24 Emptying the Ice Bin



Install ice removal chute in dispenser area. Remove syrup rail and store. Place empty bucket on floor under ice removal chute. Press the **green tick**.

25



After 4 Minutes


The machine will empty of ice. It is **important to assist ice down the chute to prevent it accumulating on the chute and backing up into the machine and causing internal damage.**

26



Dispose of ice in back room sink. Remove ice chute and set aside. Press the **green tick**.

27




The Bucket should be filled with 19 Litres of water and 2 x KAY 5 sachets.

28 Ice Maker Sanitising



Connect dedicated container 3 to the ice cleaning system as shown in step 9. Press the **green tick**, the ice maker sanitising process will start.


29



After 30 Minutes


Dispose of any remaining sanitiser in the middle back room sink.

30



Remove splash shield from centre dispensing area.

32 GRATE REMOVAL



Remove grate from left and right mixer stations. Remove centre grate.


33



DISPENSING AREA CLEANING


Spray and brush all blending chamber area surfaces with Multi Surface & Glass Cleaner. Thoroughly wipe down all surfaces of blending chamber with a clean red border cloth.

35



Thoroughly spray dispense area with Multi Surface & Glass Cleaner and wipe with a red border cloth.

36




Do not insert jet spray nozzle into the dispense Valves. Thoroughly spray each individual product dispense nozzle and dispense area with Heavy Duty Degreaser. Carefully wipe the dispense nozzles with a red border cloth.

37 MIXER DOOR REMOVAL




Slightly open mixer door. Pull at bottom of door. Tilt out and pull the door down and out. Repeat for other door.

38




Using Multi Surface cleaner, spray and brush thoroughly wipe down top of blender cap and blender arm. Lift spring loaded blender cap and wipe down top of blade housing and bottom of blender cap.

39




Thoroughly spray and brush blender assembly with Multi Surface cleaner. Repeat for other side. Ensures you clean behind blender caps with hard the hard to reach brush

40




Take all grates and doors to backroom sink. Wash and sanitise using 4 step cleaning. **Do not put in dishwasher.**

41



Reinstall left and right mixer grates. Reinstall dispensing area grate.

42



Reinstall left and right mixer doors

43 BLENDER WASH



Place each of the blue cups containing SolidSense APSC solution into the blender stations. Close the blender doors and press **Green tick**.


44



The blenders will lower into the wash solution and spin to clean. Washing will display on the screen


NB: DO NOT OPEN DOOR UNTIL PROMPTED TO REMOVE

45




Remove cup from each blender station and pour solution down the centre drain. The blending stations will rinse automatically.

46



Using SolidSense Sanitizer, spray and brush thoroughly wipe down top of blender cap and blender arm. Lift spring loaded blender cap and wipe down top of blade housing and bottom of blender cap.

47



Thoroughly spray blender assembly with SolidSense Sanitizer. Repeat for other side.


48

Place red cups containing SolidSense Sanitizer solution in both blender stations. Press **Green tick**.

49

The blenders will lower into the sanitiser solution and spin to clean. Sanitising will display on the screen.

NB: DO NOT OPEN DOOR UNTIL PROMPTED TO REMOVE

50

Remove cup from each blender station and pour sanitiser solution down the centre drain.

51

REINSTALL PRODUCT

Retrieve product trays from the main chiller. Reinstall each product tray into the correct product slot. Ensure all trays are aligned. Reinstall drip tray.

52

Bio-Shield
Drain Cleaner




BIO-SHIELD®
Dispenser


Collect drain cleaning chemicals and equipment and place in the middle of the back room sinks. Fill the Bio-Shield dispenser with 4 litres of hot water.

53

Quickly pour one packet of BIO-SHIELD® Beverage Tower Drain Cleaner into the dispenser. Immediately replace and tighten the cap. Close the pressure relief knob on the top of the dispenser by turning the knob clockwise. Shake the dispenser to dissolve the cleaner.

54


Carefully purge a small amount of solution from the dispenser into the back sink. This helps prevent "spluttering" of solution.

55


Lift or remove doors from both blending stations. Remove grates from both blending stations and centre dispensing area.

56



BioShield requires 'contact time' to work effectively (4 hours). Ensure all 4 lines of the chemical are used. This should be the final step to ensure the chemical is not rinsed away.

**57**


Carefully spray 1/3 of the solution down the dispensing area drain hole and then 1/3 into each of the 2 blending stations. Wipe any residual chemical away with a sanitised red border cloth.

**58**


Wipe drain areas with a sanitised red border cloth. Replace grates in both blending stations and centre dispensing area. Replace or close doors on both blending stations.

**59**


Open the pressure relief knob on the top of the BIO-SHIELD® dispenser by turning it anti-clockwise.

60

Remove the cap from the BIOSHIELD® dispenser.

61

Rinse the BIO-SHIELD® dispenser with warm water and return the dispenser to the proper storage area.

62


Risk of injury to persons - moving parts. Exposed sharp blade inside. Use caution when cleaning or servicing.



Ensure the blending blade warning stickers are readable and in a good condition. One should be located above each blending station (as pictured). Damaged warning stickers should be ordered and replaced immediately. They can be ordered from H&K.

63


Weekly clean completed (**Press green tick**) Unit will lock out for cleaning in 7 days.

64


Mesh Filter

Access the rear of the machine and replace mesh filters.

Note: The machine will operate without the filters in place, but failure to replace or clean the filters may result in a chargeable service call.

65

Remove items from syrup rail and store in a hygienic location close to the machine. Remove syrup rail and 4-step clean, before returning to the machine.

66

Empty and rinse dedicated cleaning containers, air dry and stack. Store cleaning equipment inside dedicated containers and store hygienically.