



REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
ENVIRONMENTAL MANAGEMENT BUREAU

Regional Office No. 1
DENR Bldg., Government Center, Sevilla, City of San Fernando,
La Union

MS. MELANIE E. VALENCERINA
Chief Executive Officer
VALENCERINA CAFE & RESTOBAR
Ramos St., West Poblacion, Lingayen
2401 Pangasinan

Dear **Ms. Valencerina:**

We are pleased to inform you the approval of "Permit to Operate" Air Pollution Installation of your firm. You are hereby advised, however, that said permit shall be released only to you or to your authorized representative **upon presentation of your authorization to claim the same and total payment of Two Thousand Five Hundred Pesos (₱2,500.00) as permit fee.**

Please take note that "**Permit Conditions**" must be strictly observed; otherwise, penalties shall be imposed on violations pursuant to the provisions of Republic Act 8749 otherwise known as The Philippine Clean Air Act of 1999. Be reminded that said permit may be filed at least thirty (30) days before its expiry date.

You are hereby advised to claim said Permit within **sixty (60) days** from receipt of the Notice otherwise it will be deemed cancelled. Check payments should be payable to **EMB-1 for the account of BUREAU OF TREASURY.**

For your guidance and strict compliance.

Very truly yours,


ENGR. MARIA DORICA NAZ-HIPE, CESE
Regional Director



PERMIT TO OPERATE AIR-NEW



POA-19J-01PA21-085

09:53:04 AM

fm: R. Nisperos

Protect the environment... Protect Life...

Tel. Nos. (072)-607-3057 / 700-2448; Fax No. (072)-700-2449; e-mail: embdenr1@yahoo.com

MS. MELANIE E. VALENCERINA
Chief Executive Officer
VALENCERINA CAFE & RESTOBAR
Ramos St., West Poblacion, Lingayen
2401 Pangasinan

Dear **Ms. Valencerina:**

We are pleased to inform you the approval of "Permit to Operate" Air Pollution Installation of your firm. You are hereby advised, however, that said permit shall be released only to you or to your authorized representative **upon presentation of your authorization to claim the same and total payment of Two Thousand Five Hundred Pesos (₱2,500.00) as permit fee.**

Please take note that **"Permit Conditions"** must be strictly observed; otherwise, penalties shall be imposed on violations pursuant to the provisions of Republic Act 8749 otherwise known as The Philippine Clean Air Act of 1999. Be reminded that said permit may be filed at least thirty (30) days before its expiry date.

You are hereby advised to claim said Permit within **sixty (60) days** from receipt of the Notice otherwise it will be deemed cancelled. Check payments should be payable to **EMB-1 for the account of BUREAU OF TREASURY.**

For your guidance and strict compliance.

Very truly yours,

ORIGINAL SIGNED
ENGR. MARIA DORICA NAZ-HIPE, CESE
Regional Director


POA-19J-01PA21-085
09:53:04 AM



REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
ENVIRONMENTAL MANAGEMENT BUREAU

Regional Office No. 1
DENR Bldg., Government Center, Sevilla, City of San Fernando,
La Union

Permit Number: POA- 19J-01PA21-085

Date Issued:

11 NOV 2019

Valid Until:

October 10, 2024

PERMIT TO OPERATE

AIR POLLUTION INSTALLATION (New)

Pursuant to Section I, Rule XIX of Department Administrative Order No. 2000-81, Series of 2000, known as the 'Implementing Rules and Regulations of the Philippine Clean Air Act of 1999 (RA 8749)', and Department Administrative Order Number 2004-26, PERMIT IS HEREBY GRANTED TO:

VALENCERINA CAFE & RESTOBAR

Ramos St., West Poblacion, Lingayen
Pangasinan

to operate the following:

One (1) unit 51 Hp FOTON 4JB1T Diesel Engine as prime mover of a Generator Set. xxx

Approved by:

ENGR. MARIA DORICA NAZ-HIPE, CESE
Regional Director

Recommended by:

ENGR. NICANOR C. ESTEBAN
Chief, Clearance and Permitting Division

Permit Conditions

1. The Managing Head or the Pollution Control Officer in-charge of the above facility shall keep record of its operations and shall furnish quarterly Self-Monitoring Report of the same to this Office within the first two weeks after the quarter.
2. This Permit shall be automatically suspended and penalty shall be imposed for non compliance with or violation of any provision of the Act, its Implementing Rules and Regulations, and/or permit conditions; false or inaccurate information in the application for permit that led to the issuance of the permit; false or inaccurate information in the monitoring data or in reports required by the Permit to Operate; refusal to allow lawful inspection conducted by the duly authorized personnel of the Bureau; non-payment of the appropriate fees; or other valid purposes.
3. This Permit must be posted in a conspicuous location near the facility and shall be adequately framed or otherwise protected against damage and submit proof of compliance thirty (30) days from date of issuance.
4. This permit is not transferrable, however, in case of transfer of ownership or control of the establishment and/or facilities, the transferee shall notify the Bureau within fifteen (15) working days of the fact of transfer of ownership or control.

Tax Identification Number 916-630-753-001

CNC No.: CNC-OL-R01-2019-10-01308

	Permit Fee	2,500.00	
2606707	Filing Fee	600.00	10/11/2019
2606707	PD 1856 Fee	10.00	10/11/2019

2606707 D S T

30.00 10/11/2019

Department of Environment and Natural Resources
ENVIRONMENTAL MANAGEMENT BUREAU R01
Clearance and Permitting Division
PERMIT TO OPERATE AIR-NEW



POA-19J-01PA21-085

09:53:04 AM

Protect the environment... Protect Life...

Tel. Nos. (072)-242-3057 / 700-2448; Fax No. (072)-700-2449; e-mail: embdenr1@yahoo.com

VALID ONLY IF AFFIXED WITH DRY SEAL

Permit Number: POA- 19J-01PA21-085
Date Issued: 11 NOV 2019
Valid Until: October 10, 2024

PERMIT TO OPERATE
AIR POLLUTION INSTALLATION (New)

Pursuant to Section I, Rule XIX of Department Administrative Order No. 2000-81, Series of 2000, known as the 'Implementing Rules and Regulations of the Philippine Clean Air Act of 1999 (RA 8749)', and Department Administrative Order Number 2004-26, PERMIT IS HEREBY GRANTED TO:

VALENCERINA CAFE & RESTOBAR
Ramos St., West Poblacion, Lingayen
Pangasinan

to operate the following:

One (1) unit 51 Hp FOTON 4JB1T Diesel Engine as prime mover of a Generator Set. xxx

Approved by:

ENGR. MARIA DORICA NAZ-HIPE, CESE
Regional Director

Recommended by:

ENGR. NICANOR C. ESTEBAN
Chief, Clearance and Permitting Division

Permit Conditions

1. The Managing Head or the Pollution Control Officer in-charge of the above facility shall keep record of its operations and shall furnish quarterly Self-Monitoring Report of the same to this Office within the first two weeks after the quarter.
2. This Permit shall be automatically suspended and penalty shall be imposed for non compliance with or violation of any provision of the Act, its Implementing Rules and Regulations, and/or permit conditions; false or inaccurate information in the application for permit that led to the issuance of the permit; false or inaccurate information in the monitoring data or in reports required by the Permit to Operate; refusal to allow lawful inspection conducted by the duly authorized personnel of the Bureau; non-payment of the appropriate fees; or other valid purposes.
3. This Permit must be posted in a conspicuous location near the facility and shall be adequately framed or otherwise protected against damage and submit proof of compliance thirty (30) days from date of issuance.
4. This permit is not transferrable, however, in case of transfer of ownership or control of the establishment and/or facilities, the transferee shall notify the Bureau within fifteen (15) working days of the fact of transfer of ownership or control.

Tax Identification Number 916-630-753-001

CNC No.: CNC-OL-R01-2019-10-01308

	Permit Fee	2,500.00	
2606707	Filing Fee	600.00	10/11/2019
2606707	PD 1856 Fee	10.00	10/11/2019

2606707 D S T

30.00 10/11/2019

