# stair asm body 11

body-0010 | QTY 1 IN TOP LH STRINGER · SPLICE REVIEW | INCHES | TOP / FRONT / BOTTOM SCALE 1:11

## 01 / TOP - FACE A




## 02 / FRONT - EDGE VIEW

## 03 / BOTTOM - FACE B




## 04 / SECTION A-A

X = 58-3/4" FROM END A

SECTION SCALE 1:10

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 119-3/16"

No internal holes in the broad face.

## DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.

# stair asm body 11

body-0010 / QTY 1 / TRUE FACE PLANE / PROFILE DETAIL 1 OF 3

## SLOPE EDGE 47089 / TRUE FACE / SCALE 2.937:1

A: U 56.1253" / V 33.8009"

B: U 57.9978" / V 30.844"

**57.7 DEG TO LOCAL U / EXACT LENGTH 3.500000"**

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

## SLOPE EDGE 30332 / TRUE FACE / SCALE 25.209:1




A: U 57.9978" / V 30.844"

B: U 58.3423" / V 31.0621"

**32.3 DEG TO LOCAL U / EXACT LENGTH 0.407704"**

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

## SLOPE EDGE 10190 / TRUE FACE / SCALE 0.543:1




A: U 107.3537" / V 47.0621"

B: U 117.486" / V 31.0621"

**57.7 DEG TO LOCAL U / EXACT LENGTH 18.938377"**

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

## SLOPE EDGE 4841 / TRUE FACE / SCALE 1.433:1




A: U 53.7022" / V 47.0621"

B: U 47.6423" / V 43.2246"

**32.3 DEG TO LOCAL U / EXACT LENGTH 7.172750"**

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

INCHES / FRACTIONS NEAREST 1/32 / ANGLES 0.1 DEG / NOT A MANUFACTURING TOLERANCE

Smaller included angles are between the two actual adjacent edges. Slope to U is the acute angle to the local length axis.

Retain the accompanying R01 views for drilling, thickness, sections and release limitations. DO NOT SCALE.

# stair asm body 11

body-0010 / QTY 1 / TRUE FACE PLANE / PROFILE DETAIL 2 OF 3

### SLOPE EDGE 46742 / TRUE FACE / SCALE 5.873:1

A: U 47.6423" / V 43.2246"

B: U 48.5786" / V 41.7461"

**57.7 DEG TO LOCAL U / EXACT LENGTH 1.750000"**

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

### SLOPE EDGE 80543 / TRUE FACE / SCALE 0.179:1




A: U 0" / V 10.983"

B: U 48.5786" / V 41.7461"

**32.3 DEG TO LOCAL U / EXACT LENGTH 57.500000"**

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

### SLOPE EDGE 22741 / TRUE FACE / SCALE 0.791:1

A: U 6.9551" / V 0"

B: U 0" / V 10.983"

**57.7 DEG TO LOCAL U / EXACT LENGTH 13.000010"**

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

### SLOPE EDGE 15364 / TRUE FACE / SCALE 0.179:1




A: U 55.5338" / V 30.7631"

B: U 6.9551" / V 0"

**32.3 DEG TO LOCAL U / EXACT LENGTH 57.500000"**

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

INCHES / FRACTIONS NEAREST 1/32 / ANGLES 0.1 DEG / NOT A MANUFACTURING TOLERANCE

Smaller included angles are between the two actual adjacent edges. Slope to U is the acute angle to the local length axis.

Retain the accompanying R01 views for drilling, thickness, sections and release limitations. DO NOT SCALE.

# stair asm body 11

body-0010 / QTY 1 / TRUE FACE PLANE / PROFILE DETAIL 3 OF 3

## SLOPE EDGE 75066 / TRUE FACE / SCALE 4.568:1

A: U 55.5338" / V 30.7631"

B: U 54.33" / V 32.664"

**57.7 DEG TO LOCAL U / EXACT LENGTH 2.250010"**

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

## SLOPE EDGE 19078 / TRUE FACE / SCALE 4.837:1




A: U 54.33" / V 32.664"

B: U 56.1253" / V 33.8009"

**32.3 DEG TO LOCAL U / EXACT LENGTH 2.125000"**

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

INCHES / FRACTIONS NEAREST 1/32 / ANGLES 0.1 DEG / NOT A MANUFACTURING TOLERANCE

Smaller included angles are between the two actual adjacent edges. Slope to U is the acute angle to the local length axis.

Retain the accompanying R01 views for drilling, thickness, sections and release limitations. DO NOT SCALE.