

ML DECK

3 bodies / 3 unique part types / installed source positions

ASSEMBLY / ISOMETRIC



ASSEMBLY / TOP



PART SCHEDULE

One sheet per unique geometry / quantity belongs to this bucket

ITEM / DRAWING	DESCRIPTION	QTY	MAX 3D SPAN
01 / 2606-B032-P01	stair asm body 190	1	97-25/32"
02 / 2606-B032-P02	stair asm body 191	1	89-5/8"
03 / 2606-B032-P03	stair asm body 192	1	84-1/4"

DRAWING REFERENCES

END A: length origin. EDGE C: marked transverse edge.

Each hole/slot includes size and two center-location dimensions.

Formed bodies retain their source radii and actual sections.


Material, finish and manufacturing tolerances require job release data.

REFERENCE ONLY entries have mesh spans; see each sheet limitation.

stair asm body 190

body-0189 | QTY 1 IN ML DECK | INCHES | TOP / FRONT / BOTTOM SCALE 1:15


01 / TOP - FACE A



02 / FRONT - EDGE VIEW



03 / BOTTOM - FACE B




04 / SECTION A-A

X = 38-7/32" FROM END A



SECTION SCALE 1:13

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 97-25/32"

No internal holes in the broad face.

DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.

stair asm body 191


body-0190 / QTY 1 / INCHES / FACE SCALE 1:9

01 / TOP - FACE A



02 / FRONT - EDGE VIEW

03 / BOTTOM - FACE B / FEATURE LOCATIONS




X CHAINS APPLY TO MATCHING COLUMNS ON THE INDICATED ROWS

04 / SECTION A-A

X = 55-11/16" FROM END A

1/4" PLATE / SECTION 1:10.975

05 / ISOMETRIC



FEATURE / DATUM NOTES


X from END A. Y from marked EDGE C. Dimensions locate feature centers.

Shared columns and equal pitches are consolidated; exceptions remain dimensioned.

stair asm body 192

body-0191 | QTY 1 IN ML DECK | INCHES | TOP / FRONT / BOTTOM SCALE 1:14


01 / TOP - FACE A



02 / FRONT - EDGE VIEW




03 / BOTTOM - FACE B




04 / SECTION A-A

X = 29-27/32" FROM END A



SECTION SCALE 1:13

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 84-1/4"

No internal holes in the broad face.

DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.