OG WEST

22 bodies / 5 unique part types / installed source positions

ASSEMBLY / ISOMETRIC



ASSEMBLY / TOP

PART SCHEDULE

One sheet per unique geometry / quantity belongs to this bucket

ITEM / DRAWING	DESCRIPTION	QTY	MAX 3D SPAN
01 / 2606-B067-P01	OG glass asm body 210	1	200-3/32"
02 / 2606-B067-P02	OG glass asm body 211	1	199-31/32"
03 / 2606-B067-P03	og mount plates knife plate - west	6	10-29/32"
04 / 2606-B067-P04	og mount plates knife plate - south	4	12-11/32"
05 / 2606-B067-P05	og mount plates weld tab	10	6-9/32"

DRAWING REFERENCES

END A: length origin. EDGE C: marked transverse edge.

Each hole/slot includes size and two center-location dimensions.

Formed bodies retain their source radii and actual sections.

Material, finish and manufacturing tolerances require job release data.

REFERENCE ONLY entries have mesh spans; see each sheet limitation.

OG glass asm body 210

body-0209 | QTY 1 IN OG WEST | INCHES | TOP / FRONT / BOTTOM SCALE 1:10

01 / TOP - FACE A



02 / FRONT - EDGE VIEW

03 / BOTTOM - FACE B

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.

04 / SECTION A-A

X = 99-31/32" FROM END A



SECTION SCALE 1:2

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 200-3/32"

No internal holes in the broad face.

DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.

OG glass asm body 211

body-0210 | QTY 1 IN OG WEST | INCHES | TOP / FRONT / BOTTOM SCALE 1:10

01 / TOP - FACE A

02 / FRONT - EDGE VIEW

03 / BOTTOM - FACE B

04 / SECTION A-A

X = 99-31/32" FROM END A

SECTION SCALE 1:1

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 199-31/32"

No internal holes in the broad face.

DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.

og mount plates knife plate - west

body-0211 | QTY 6 IN OG WEST | INCHES | TOP / FRONT / BOTTOM SCALE 1:2

01 / TOP - FACE A



02 / FRONT - EDGE VIEW

03 / BOTTOM - FACE B



04 / SECTION A-A

X = 4-3/8" FROM END A

SECTION SCALE 1:2

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 10-29/32"

No internal holes in the broad face.

DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.

og mount plates knife plate - west

body-0211 / QTY 6 / TRUE FACE PLANE / PROFILE DETAIL 1 OF 1



PROFILE DATUM

U = local length / END A

V = local transverse axis

MODEL-EXACT SLOPE CHECK

EDGE 86382

23.8 DEG TO U / 6.82037"

ALL OUTER STRAIGHT EDGES

Dimensioned at true face scale

PROFILE SCALE 1:1 / ADJACENT-EDGE INCLUDED ANGLES SHOWN AT SLOPE ENDS

INCHES / FRACTIONS NEAREST 1/32 / ANGLES 0.1 DEG / NOT A MANUFACTURING TOLERANCE

Smaller included angles are between the two actual adjacent edges. Slope to U is the acute angle to the local length axis.

Retain the accompanying R01 views for drilling, thickness, sections and release limitations. DO NOT SCALE.

og mount plates knife plate - south

body-0212 | QTY 4 IN OG WEST | INCHES | TOP / FRONT / BOTTOM SCALE 1:2

01 / TOP - FACE A



02 / FRONT - EDGE VIEW

03 / BOTTOM - FACE B



04 / SECTION A-A

X = 5-1/4" FROM END A

SECTION SCALE 1:2

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 12-11/32"

No internal holes in the broad face.

DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.

og mount plates knife plate - south

body-0212 / QTY 4 / TRUE FACE PLANE / PROFILE DETAIL 1 OF 1



PROFILE DATUM

U = local length / END A

V = local transverse axis

MODEL-EXACT SLOPE CHECK

EDGE 19414

19.0 DEG TO U / 8.45132"

ALL OUTER STRAIGHT EDGES

Dimensioned at true face scale

PROFILE SCALE 1:1 / ADJACENT-EDGE INCLUDED ANGLES SHOWN AT SLOPE ENDS

INCHES / FRACTIONS NEAREST 1/32 / ANGLES 0.1 DEG / NOT A MANUFACTURING TOLERANCE

Smaller included angles are between the two actual adjacent edges. Slope to U is the acute angle to the local length axis.

Retain the accompanying R01 views for drilling, thickness, sections and release limitations. DO NOT SCALE.

og mount plates weld tab

body-0216 | QTY 10 IN OG WEST | INCHES | TOP / FRONT / BOTTOM SCALE 1:1

01 / TOP - FACE A



02 / FRONT - EDGE VIEW

03 / BOTTOM - FACE B

04 / SECTION A-A

X = 2-3/4" FROM END A



SECTION SCALE 1:1

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 6-9/32"

No internal holes in the broad face.

DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.