
SHOE ML

11 bodies / 11 unique part types / installed source positions

ASSEMBLY / ISOMETRIC



ASSEMBLY / TOP



PART SCHEDULE

One sheet per unique geometry / quantity belongs to this bucket

ITEM / DRAWING	DESCRIPTION	QTY	MAX 3D SPAN
01 / 2605-B10-P01	base shoe stringer asm 5-6 BTM body 122	1	1-9/16"
02 / 2605-B10-P02	corner stringer TYP Downhill Interior VERT Wall	1	34-1/8"
03 / 2605-B10-P03	corner stringer TYP Downhill Exterior VERT Wall	1	32"
04 / 2605-B10-P04	corner stringer TYP Downhill HORZ Wall	1	30-3/16"
05 / 2605-B10-P05	corner stringer TYP Downhill BTM Wall	1	30-3/16"
06 / 2605-B10-P06	corner stringer TYP Downhill MNT Flange	1	30-1/32"
07 / 2605-B10-P07	corner stringer TYP Uphill Interior VERT Wall	1	34-1/8"
08 / 2605-B10-P08	corner stringer TYP Uphill Exterior VERT Wall	1	32"
09 / 2605-B10-P09	corner stringer TYP Uphill HORZ Wall	1	30-3/16"
10 / 2605-B10-P10	corner stringer TYP Uphill BTM Wall	1	30-3/16"
11 / 2605-B10-P11	corner stringer TYP Uphill MNT Flange	1	30-1/32"

DRAWING REFERENCES

END A: length origin. EDGE C: marked transverse edge.

Each hole/slot includes size and two center-location dimensions.


Formed bodies retain their source radii and actual sections.

Material, finish and manufacturing tolerances require job release data.


base shoe stringer asm 5-6 BTM body 122

body-0120 | QTY 1 IN SHOE ML | INCHES | TOP / FRONT / BOTTOM SCALE 1:1

01 / TOP - FACE A



02 / FRONT - EDGE VIEW



03 / BOTTOM - FACE B




04 / SECTION A-A

X = 3/4" FROM END A



SECTION SCALE 1:1

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 1-9/16"

No internal holes in the broad face.

DATUM / REVIEW

END A is the left material extent in both face views.


Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.


corner stringer TYP Downhill Interior VERT Wall

body-0364 | QTY 1 IN SHOE ML | INCHES | TOP / FRONT / BOTTOM SCALE 1:4


01 / TOP - FACE A



02 / FRONT - FORM PLAN



03 / BOTTOM - FACE B



F01 - X DIMENSIONS APPLY TO MATCHING COLUMNS


04 / SECTION A-A

CUT V = 7-1/16" FROM LOCAL DATUM



ACTUAL FORMED SECTION / 1:7

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

FORMED BODY / SOURCE ORTHOGRAPHICS

Feature offsets refer to the marked planar face.

Form depth is not material thickness.

Section follows actual source surfaces.

X: FROM END A / Y: FROM EDGE C

Dimensions are to feature centers.

Shared columns use one X chain.

Equal row spacing is counted once.

DATUM / REVIEW

END A is the left material extent in both face views.


EDGE C is marked on the bottom face view.

Fractions to 1/32; exact feature sizes/pitches as needed.


corner stringer TYP Downhill Exterior VERT Wall

body-0365 | QTY 1 IN SHOE ML | INCHES | TOP / FRONT / BOTTOM SCALE 1:4


01 / TOP - FACE A



02 / FRONT - FORM PLAN



03 / BOTTOM - FACE B




04 / SECTION A-A

CUT V = 7-1/16" FROM LOCAL DATUM



ACTUAL FORMED SECTION / 1:6

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

FORMED BODY / SOURCE ORTHOGRAPHICS

Feature offsets refer to the marked planar face.

Form depth is not material thickness.

Section follows actual source surfaces.

X: FROM END A / Y: FROM EDGE C

Dimensions are to feature centers.

Shared columns use one X chain.

Equal row spacing is counted once.

DATUM / REVIEW

END A is the left material extent in both face views.


EDGE C is marked on the bottom face view.

Fractions to 1/32; exact feature sizes/pitches as needed.

corner stringer TYP Downhill HORZ Wall

body-0366 | QTY 1 IN SHOE ML | INCHES | TOP / FRONT / BOTTOM SCALE 1:3


01 / TOP - FACE A



02 / FRONT - EDGE VIEW



03 / BOTTOM - FACE B




04 / SECTION A-A

X = 14-1/8" FROM END A



SECTION SCALE 1:3

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 30-3/16"

No internal holes in the broad face.

TAB CENTRES / END A

FIRST: 2-5/8"

2 SPACES @ 7" TYP

DATUM / REVIEW

END A is the left material extent in both face views.


Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.

corner stringer TYP Downhill BTM Wall

body-0367 | QTY 1 IN SHOE ML | INCHES | TOP / FRONT / BOTTOM SCALE 1:3


01 / TOP - FACE A



02 / FRONT - EDGE VIEW



03 / BOTTOM - FACE B




04 / SECTION A-A

X = 14-1/8" FROM END A



SECTION SCALE 1:3

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 30-3/16"

No internal holes in the broad face.

DATUM / REVIEW

END A is the left material extent in both face views.


Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.

corner stringer TYP Downhill MNT Flange

body-0368 | QTY 1 IN SHOE ML | INCHES | TOP / FRONT / BOTTOM SCALE 1:3


01 / TOP - FACE A



02 / FRONT - EDGE VIEW



03 / BOTTOM - FACE B




04 / SECTION A-A

X = 2-5/8" FROM END A



SECTION SCALE 1:2

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

X: FROM END A / Y: FROM EDGE C

Dimensions are to feature centers.

Shared columns use one X chain.

Equal row spacing is counted once.

NOTCH CENTRES / END A

FIRST: 2-5/8"

2 SPACES @ 7" TYP

SOLIDWORKS HOLE WIZARD SPECS

Exact part / active configuration matched to STEP.

Locations and quantities remain model-derived.

DATUM / REVIEW

END A is the left material extent in both face views.


EDGE C is marked on the bottom face view.

Fractions to 1/32; exact feature sizes/pitches as needed.


corner stringer TYP Uphill Interior VERT Wall

body-0369 | QTY 1 IN SHOE ML | INCHES | TOP / FRONT / BOTTOM SCALE 1:4


01 / TOP - FACE A



02 / FRONT - FORM PLAN



03 / BOTTOM - FACE B



F01 - X DIMENSIONS APPLY TO MATCHING COLUMNS


04 / SECTION A-A

CUT V = 7-1/16" FROM LOCAL DATUM



ACTUAL FORMED SECTION / 1:7

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

FORMED BODY / SOURCE ORTHOGRAPHICS

Feature offsets refer to the marked planar face.

Form depth is not material thickness.

Section follows actual source surfaces.

X: FROM END A / Y: FROM EDGE C

Dimensions are to feature centers.

Shared columns use one X chain.

Equal row spacing is counted once.

DATUM / REVIEW

END A is the left material extent in both face views.


EDGE C is marked on the bottom face view.

Fractions to 1/32; exact feature sizes/pitches as needed.


corner stringer TYP Uphill Exterior VERT Wall

body-0370 | QTY 1 IN SHOE ML | INCHES | TOP / FRONT / BOTTOM SCALE 1:4


01 / TOP - FACE A



02 / FRONT - FORM PLAN




03 / BOTTOM - FACE B




04 / SECTION A-A

CUT V = 7-1/16" FROM LOCAL DATUM



ACTUAL FORMED SECTION / 1:6

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

FORMED BODY / SOURCE ORTHOGRAPHICS

Feature offsets refer to the marked planar face.

Form depth is not material thickness.

Section follows actual source surfaces.

X: FROM END A / Y: FROM EDGE C

Dimensions are to feature centers.

Shared columns use one X chain.

Equal row spacing is counted once.

DATUM / REVIEW

END A is the left material extent in both face views.


EDGE C is marked on the bottom face view.

Fractions to 1/32; exact feature sizes/pitches as needed.

corner stringer TYP Uphill HORZ Wall

body-0371 | QTY 1 IN SHOE ML | INCHES | TOP / FRONT / BOTTOM SCALE 1:3


01 / TOP - FACE A



02 / FRONT - EDGE VIEW



03 / BOTTOM - FACE B




04 / SECTION A-A

X = 14-1/8" FROM END A



SECTION SCALE 1:3

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 30-3/16"

No internal holes in the broad face.

TAB CENTRES / END A

FIRST: 11-5/8"

2 SPACES @ 7" TYP

DATUM / REVIEW

END A is the left material extent in both face views.


Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.

corner stringer TYP Uphill BTM Wall

body-0372 | QTY 1 IN SHOE ML | INCHES | TOP / FRONT / BOTTOM SCALE 1:3

01 / TOP - FACE A



02 / FRONT - EDGE VIEW



03 / BOTTOM - FACE B




04 / SECTION A-A

X = 14-1/8" FROM END A



SECTION SCALE 1:3

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 30-3/16"

No internal holes in the broad face.

DATUM / REVIEW

END A is the left material extent in both face views.


Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.

corner stringer TYP Uphill MNT Flange

body-0373 | QTY 1 IN SHOE ML | INCHES | TOP / FRONT / BOTTOM SCALE 1:3


01 / TOP - FACE A



02 / FRONT - EDGE VIEW



03 / BOTTOM - FACE B




04 / SECTION A-A

X = 11-15/16" FROM END A



SECTION SCALE 1:2

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

X: FROM END A / Y: FROM EDGE C

Dimensions are to feature centers.

Shared columns use one X chain.

Equal row spacing is counted once.

NOTCH CENTRES / END A

FIRST: 11-15/16"

2 SPACES @ 7" TYP

SOLIDWORKS HOLE WIZARD SPECS

Exact part / active configuration matched to STEP.

Locations and quantities remain model-derived.

DATUM / REVIEW

END A is the left material extent in both face views.

EDGE C is marked on the bottom face view.

Fractions to 1/32; exact feature sizes/pitches as needed.