

HANGER EAST

10 bodies / 7 unique part types / installed source positions

ASSEMBLY / ISOMETRIC



ASSEMBLY / TOP



PART SCHEDULE

One sheet per unique geometry / quantity belongs to this bucket

ITEM / DRAWING	DESCRIPTION	QTY	MAX 3D SPAN
01 / 2606-B036-P01	hanger HSS EAST	1	68-1/16"
02 / 2606-B036-P02	hanger trimmed clip angle	1	8-25/32"
03 / 2606-B036-P03	hanger clip angle - with gusset	1	9-27/32"
04 / 2606-B036-P04	hanger conn to stringer CL knife plate	1	8-3/4"
05 / 2606-B036-P05	stiffener plates for hangers	4	11-11/32"
06 / 2606-B036-P06	cross bracing^26-0727 hanger asm btm gusset	1	8-25/32"
07 / 2606-B036-P07	cross bracing^26-0727 hanger asm top gusset	1	7-31/32"

DRAWING REFERENCES

END A: length origin. EDGE C: marked transverse edge.

Each hole/slot includes size and two center-location dimensions.

Formed bodies retain their source radii and actual sections.

Material, finish and manufacturing tolerances require job release data.

REFERENCE ONLY entries have mesh spans; see each sheet limitation.

CALIPER / 2606

HANGER EAST | PART DRAWING PREVIEW


2606-B036-P01

REVIEW 01 / 2026-10-19

hanger HSS EAST

body-0321 | QTY 1 IN HANGER EAST | INCHES | TOP / FRONT / BOTTOM SCALE 1:4

01 / TOP - FACE A



02 / FRONT - FORM PLAN



03 / BOTTOM - FACE B



GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


04 / SECTION A-A

CUT U = 31-7/8" FROM LOCAL DATUM



ACTUAL FORMED SECTION / 1:2

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

FORMED BODY / SOURCE ORTHOGRAPHICS

Feature offsets refer to the marked planar face.

Form depth is not material thickness.

Section follows actual source surfaces.

MAX BODY SPAN (TRUE 3D): 68-1/16"

No internal holes in the broad face.

DATUM / REVIEW

END A is the left material extent in both face views.


Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.


hanger trimmed clip angle

body-0322 | QTY 1 IN HANGER EAST | INCHES | TOP / FRONT / BOTTOM SCALE 1:2

01 / TOP - FACE A



02 / FRONT - FORM PLAN




03 / BOTTOM - FACE B



GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


04 / SECTION A-A

CUT V = 2-11/32" FROM LOCAL DATUM



ACTUAL FORMED SECTION / 1:2

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

FORMED BODY / SOURCE ORTHOGRAPHICS

Feature offsets refer to the marked planar face.

Form depth is not material thickness.

Section follows actual source surfaces.

MAX BODY SPAN (TRUE 3D): 8-25/32"

No internal holes in the broad face.

DATUM / REVIEW

END A is the left material extent in both face views.


Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.


hanger clip angle - with gusset

body-0323 | QTY 1 IN HANGER EAST | INCHES | TOP / FRONT / BOTTOM SCALE 1:3

01 / TOP - FACE A



02 / FRONT - FORM PLAN




03 / BOTTOM - FACE B



GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


04 / SECTION A-A

CUT V = 2-11/32" FROM LOCAL DATUM



ACTUAL FORMED SECTION / 1:3

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

FORMED BODY / SOURCE ORTHOGRAPHICS

Feature offsets refer to the marked planar face.

Form depth is not material thickness.

Section follows actual source surfaces.

MAX BODY SPAN (TRUE 3D): 9-27/32"

No internal holes in the broad face.

DATUM / REVIEW

END A is the left material extent in both face views.


Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.


hanger conn to stringer CL knife plate

body-0324 | QTY 1 IN HANGER EAST | INCHES | TOP / FRONT / BOTTOM SCALE 1:2

01 / TOP - FACE A




02 / FRONT - EDGE VIEW



03 / BOTTOM - FACE B


04 / SECTION A-A

X = 3-9/32" FROM END A



SECTION SCALE 1:2

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 8-3/4"

No internal holes in the broad face.

DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.

stiffener plates for hangers

body-0325 | QTY 4 IN HANGER EAST | INCHES | TOP / FRONT / BOTTOM SCALE 1:1

01 / TOP - FACE A



02 / FRONT - EDGE VIEW




03 / BOTTOM - FACE B




04 / SECTION A-A

X = 5-5/8" FROM END A



SECTION SCALE 1:1

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 11-11/32"

No internal holes in the broad face.

DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.

stiffener plates for hangers

body-0325 / QTY 4 / TRUE FACE PLANE / PROFILE DETAIL 1 OF 1

SLOPE EDGE 30718 / TRUE FACE / SCALE 3.938:1



A: U 11.0529" / V 2.6003"


B: U 11.2773" / V 0"

85.1 DEG TO LOCAL U / EXACT LENGTH 2.609939"

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

SLOPE EDGE 79297 / TRUE FACE / SCALE 20.758:1



A: U 10.6881" / V 2.935"


B: U 11.0529" / V 2.6003"

42.5 DEG TO LOCAL U / EXACT LENGTH 0.495123"

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

SLOPE EDGE 99305 / TRUE FACE / SCALE 20.758:1



A: U 0.2243" / V 2.6003"

B: U 0.5892" / V 2.935"

42.5 DEG TO LOCAL U / EXACT LENGTH 0.495123"

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

SLOPE EDGE 104604 / TRUE FACE / SCALE 3.938:1



A: U 0" / V 0"

B: U 0.2243" / V 2.6003"

85.1 DEG TO LOCAL U / EXACT LENGTH 2.609939"

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

INCHES / FRACTIONS NEAREST 1/32 / ANGLES 0.1 DEG / NOT A MANUFACTURING TOLERANCE


Smaller included angles are between the two actual adjacent edges. Slope to U is the acute angle to the local length axis.

Retain the accompanying R01 views for drilling, thickness, sections and release limitations. DO NOT SCALE.


cross bracing^26-0727 hanger asm btm gusset

body-0329 | QTY 1 IN HANGER EAST | INCHES | TOP / FRONT / BOTTOM SCALE 1:2


01 / TOP - FACE A



02 / FRONT - EDGE VIEW




03 / BOTTOM - FACE B



GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


04 / SECTION A-A

X = 2-1/2" FROM END A



SECTION SCALE 1:2

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

X: FROM END A / Y: FROM EDGE C

Dimensions are to feature centers.

Shared columns use one X chain.

Equal row spacing is counted once.

DATUM / REVIEW


END A is the left material extent in both face views.

EDGE C is marked on the bottom face view.

Fractions to 1/32; exact feature sizes/pitches as needed.

cross bracing^26-0727 hanger asm btm gusset

body-0329 / QTY 1 / TRUE FACE PLANE / PROFILE DETAIL 1 OF 1



PROFILE DATUM

U = local length / END A

V = local transverse axis

MODEL-EXACT SLOPE CHECK

EDGE 91869

66.9 DEG TO U / 4.50000"

ALL OUTER STRAIGHT EDGES

Dimensioned at true face scale

PROFILE SCALE 1:1 / ADJACENT-EDGE INCLUDED ANGLES SHOWN AT SLOPE ENDS

INCHES / FRACTIONS NEAREST 1/32 / ANGLES 0.1 DEG / NOT A MANUFACTURING TOLERANCE


Smaller included angles are between the two actual adjacent edges. Slope to U is the acute angle to the local length axis.

Retain the accompanying R01 views for drilling, thickness, sections and release limitations. DO NOT SCALE.

cross bracing^26-0727 hanger asm top gusset

body-0330 | QTY 1 IN HANGER EAST | INCHES | TOP / FRONT / BOTTOM SCALE 1:2


01 / TOP - FACE A



02 / FRONT - EDGE VIEW




03 / BOTTOM - FACE B




04 / SECTION A-A

X = 2-3/4" FROM END A



SECTION SCALE 1:2

05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

X: FROM END A / Y: FROM EDGE C

Dimensions are to feature centers.

Shared columns use one X chain.

Equal row spacing is counted once.

DATUM / REVIEW

END A is the left material extent in both face views.

EDGE C is marked on the bottom face view.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.

cross bracing^26-0727 hanger asm top gusset

body-0330 / QTY 1 / TRUE FACE PLANE / PROFILE DETAIL 1 OF 1

SLOPE EDGE 4339 / TRUE FACE / SCALE 19.380:1



A: U 5.625" / V 0.375"

B: U 5.25" / V 0"

45.0 DEG TO LOCAL U / EXACT LENGTH 0.530330"

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

SLOPE EDGE 30890 / TRUE FACE / SCALE 2.284:1



A: U 0" / V 3.8616"

B: U 4.1401" / V 5.625"

23.1 DEG TO LOCAL U / EXACT LENGTH 4.500000"

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

INCHES / FRACTIONS NEAREST 1/32 / ANGLES 0.1 DEG / NOT A MANUFACTURING TOLERANCE

Smaller included angles are between the two actual adjacent edges. Slope to U is the acute angle to the local length axis.

Retain the accompanying R01 views for drilling, thickness, sections and release limitations. DO NOT SCALE.