
# HANGER

31 bodies / 28 unique part types / installed source positions

## ASSEMBLY / ISOMETRIC



## ASSEMBLY / TOP



## PART SCHEDULE

One sheet per unique geometry / quantity belongs to this bucket

| ITEM / DRAWING | DESCRIPTION | QTY | MAX 3D SPAN |
|---|---|---|---|
| 01 / 2606-B035-P01 | hanger HSS | 1 | 68-1/16" |
| 02 / 2606-B035-P02 | hanger trimmed clip angle | 1 | 8-25/32" |
| 03 / 2606-B035-P03 | hanger clip angle - with gusset | 1 | 9-27/32" |
| 04 / 2606-B035-P04 | hanger conn to stringer CL knife plate | 1 | 8-3/4" |
| 05 / 2606-B035-P05 | stiffener plates for hangers | 4 | 11-11/32" |
| 06 / 2606-B035-P06 | cross bracing^26-0727 hanger asm center plate | 1 | 19-7/8" |
| 07 / 2606-B035-P07 | hanger asm body 300 | 1 | 4-31/32" |
| 08 / 2606-B035-P08 | hanger asm body 301 | 1 | 4-31/32" |
| 09 / 2606-B035-P09 | hanger asm body 302 | 1 | 79-11/16" |
| 10 / 2606-B035-P10 | hanger asm body 303 | 1 | 5-7/8" |
| 11 / 2606-B035-P11 | hanger asm body 304 | 1 | 5-7/8" |
| 12 / 2606-B035-P12 | hanger asm body 305 | 1 | 4-31/32" |
| 13 / 2606-B035-P13 | hanger asm body 306 | 1 | 4-31/32" |
| 14 / 2606-B035-P14 | hanger asm body 307 | 1 | 79-11/16" |
| 15 / 2606-B035-P15 | hanger asm body 308 | 1 | 5-7/8" |
| 16 / 2606-B035-P16 | hanger asm body 309 | 1 | 5-7/8" |
| 17 / 2606-B035-P17 | hanger asm body 310 | 1 | 4-31/32" |
| 18 / 2606-B035-P18 | hanger asm body 311 | 1 | 4-31/32" |
| 19 / 2606-B035-P19 | hanger asm body 312 | 1 | 79-11/16" |
| 20 / 2606-B035-P20 | hanger asm body 313 | 1 | 5-7/8" |
| 21 / 2606-B035-P21 | hanger asm body 314 | 1 | 5-7/8" |
| 22 / 2606-B035-P22 | hanger asm body 315 | 1 | 4-31/32" |
| 23 / 2606-B035-P23 | hanger asm body 316 | 1 | 4-31/32" |
| 24 / 2606-B035-P24 | hanger asm body 317 | 1 | 79-11/16" |
| 25 / 2606-B035-P25 | hanger asm body 318 | 1 | 5-7/8" |
| 26 / 2606-B035-P26 | hanger asm body 319 | 1 | 5-7/8" |
| 27 / 2606-B035-P27 | cross bracing^26-0727 hanger asm btm gusset | 1 | 8-25/32" |
| 28 / 2606-B035-P28 | cross bracing^26-0727 hanger asm top gusset | 1 | 7-31/32" |

## DRAWING REFERENCES

END A: length origin. EDGE C: marked transverse edge.

Each hole/slot includes size and two center-location dimensions.

Formed bodies retain their source radii and actual sections.

Material, finish and manufacturing tolerances require job release data.

REFERENCE ONLY entries have mesh spans; see each sheet limitation.

# CALIPER / 2606

HANGER | PART DRAWING PREVIEW


2606-B035-P01

REVIEW 01 / 2026-10-19

## hanger HSS

body-0290 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:4

### 01 / TOP - FACE A




### 02 / FRONT - FORM PLAN





### 03 / BOTTOM - FACE B




GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


### 04 / SECTION A-A

CUT U = 31-7/8" FROM LOCAL DATUM



ACTUAL FORMED SECTION / 1:2

### 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

### FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

**FORMED BODY / SOURCE ORTHOGRAPHICS**

Feature offsets refer to the marked planar face.

Form depth is not material thickness.

Section follows actual source surfaces.

MAX BODY SPAN (TRUE 3D): 68-1/16"

No internal holes in the broad face.

### DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.

**INCHES | ANGLES IN DEGREES | ANSI D 34 x 22 IN**


MODEL-DERIVED REVIEW PREVIEW - verify dimensions, material and tolerances before fabrication.

SOURCE: 26-0707_HPC stair installedJR.STEP


# hanger trimmed clip angle

body-0291 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:2

## 01 / TOP - FACE A




## 02 / FRONT - FORM PLAN





## 03 / BOTTOM - FACE B





## 04 / SECTION A-A

CUT V = 2-11/32" FROM LOCAL DATUM



ACTUAL FORMED SECTION / 1:2

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

**FORMED BODY / SOURCE ORTHOGRAPHICS**

Feature offsets refer to the marked planar face.

Form depth is not material thickness.

Section follows actual source surfaces.

MAX BODY SPAN (TRUE 3D): 8-25/32"

No internal holes in the broad face.

## DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


# hanger clip angle - with gusset

body-0292 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:3

## 01 / TOP - FACE A




## 02 / FRONT - FORM PLAN





## 03 / BOTTOM - FACE B




GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


## 04 / SECTION A-A

CUT V = 2-11/32" FROM LOCAL DATUM



ACTUAL FORMED SECTION / 1:3

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

**FORMED BODY / SOURCE ORTHOGRAPHICS**

Feature offsets refer to the marked planar face.

Form depth is not material thickness.

Section follows actual source surfaces.

MAX BODY SPAN (TRUE 3D): 9-27/32"

No internal holes in the broad face.

## DATUM / REVIEW

END A is the left material extent in both face views.


Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.


# hanger conn to stringer CL knife plate

body-0293 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:2


## 01 / TOP - FACE A




## 02 / FRONT - EDGE VIEW





## 03 / BOTTOM - FACE B





## 04 / SECTION A-A

X = 3-9/32" FROM END A




SECTION SCALE 1:2

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 8-3/4"

No internal holes in the broad face.

## DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.

# stiffener plates for hangers

body-0294 | QTY 4 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:1

## 01 / TOP - FACE A




## 02 / FRONT - EDGE VIEW





## 03 / BOTTOM - FACE B





## 04 / SECTION A-A

X = 5-5/8" FROM END A




SECTION SCALE 1:1

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 11-11/32"

No internal holes in the broad face.

## DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.

# stiffener plates for hangers

body-0294 / QTY 4 / TRUE FACE PLANE / PROFILE DETAIL 1 OF 1

## SLOPE EDGE 108749 / TRUE FACE / SCALE 3.938:1




A: U 11.0529" / V 0.3347"


B: U 11.2773" / V 2.935"

**85.1 DEG TO LOCAL U / EXACT LENGTH 2.609939"**

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

## SLOPE EDGE 94526 / TRUE FACE / SCALE 3.938:1




A: U 0" / V 2.935"


B: U 0.2243" / V 0.3347"

**85.1 DEG TO LOCAL U / EXACT LENGTH 2.609939"**

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

## SLOPE EDGE 71728 / TRUE FACE / SCALE 20.758:1




A: U 0.2243" / V 0.3347"

B: U 0.5892" / V 0"

**42.5 DEG TO LOCAL U / EXACT LENGTH 0.495123"**

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

## SLOPE EDGE 84849 / TRUE FACE / SCALE 20.758:1




A: U 10.6881" / V 0"

B: U 11.0529" / V 0.3347"

**42.5 DEG TO LOCAL U / EXACT LENGTH 0.495123"**

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

INCHES / FRACTIONS NEAREST 1/32 / ANGLES 0.1 DEG / NOT A MANUFACTURING TOLERANCE


Smaller included angles are between the two actual adjacent edges. Slope to U is the acute angle to the local length axis.

Retain the accompanying R01 views for drilling, thickness, sections and release limitations. DO NOT SCALE.

# cross bracing^26-0727 hanger asm center plate

body-0298 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:4


## 01 / TOP - FACE A




## 02 / FRONT - EDGE VIEW




## 03 / BOTTOM - FACE B





## 04 / SECTION A-A

X = 2-25/32" FROM END A




SECTION SCALE 1:3

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

**X: FROM END A / Y: FROM EDGE C**

Dimensions are to feature centers.

Shared columns use one X chain.

Equal row spacing is counted once.

## DATUM / REVIEW

END A is the left material extent in both face views.

EDGE C is marked on the bottom face view.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.

# cross bracing^26-0727 hanger asm center plate

body-0298 / QTY 1 / TRUE FACE PLANE / PROFILE DETAIL 1 OF 1

## SLOPE EDGE 98023 / TRUE FACE / SCALE 1.713:1




A: U 0" / V 7.4231"


B: U 2.3512" / V 12.9433"

**66.9 DEG TO LOCAL U / EXACT LENGTH 6.000000"**

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

## SLOPE EDGE 1718 / TRUE FACE / SCALE 1.713:1




A: U 0" / V 5.5201"


B: U 2.3512" / V 0"

**66.9 DEG TO LOCAL U / EXACT LENGTH 6.000000"**

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

## SLOPE EDGE 41704 / TRUE FACE / SCALE 1.713:1




A: U 19.7793" / V 5.5201"


B: U 17.4281" / V 0"

**66.9 DEG TO LOCAL U / EXACT LENGTH 6.000000"**

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

## SLOPE EDGE 88177 / TRUE FACE / SCALE 1.713:1




A: U 19.7793" / V 7.4231"

B: U 17.4281" / V 12.9433"

**66.9 DEG TO LOCAL U / EXACT LENGTH 6.000000"**

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

INCHES / FRACTIONS NEAREST 1/32 / ANGLES 0.1 DEG / NOT A MANUFACTURING TOLERANCE


Smaller included angles are between the two actual adjacent edges. Slope to U is the acute angle to the local length axis.

Retain the accompanying R01 views for drilling, thickness, sections and release limitations. DO NOT SCALE.

# hanger asm body 300

body-0299 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:1


## 01 / TOP - FACE A




## 02 / FRONT - EDGE VIEW





## 03 / BOTTOM - FACE B




GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


## 04 / SECTION A-A

X = 1-13/16" FROM END A




SECTION SCALE 1:1

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 4-31/32"

No internal holes in the broad face.

## DATUM / REVIEW

END A is the left material extent in both face views.


Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.


# hanger asm body 301

body-0300 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:1


## 01 / TOP - FACE A




## 02 / FRONT - EDGE VIEW





## 03 / BOTTOM - FACE B




GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


## 04 / SECTION A-A

X = 1-13/16" FROM END A




SECTION SCALE 1:1

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 4-31/32"

No internal holes in the broad face.

## DATUM / REVIEW

END A is the left material extent in both face views.


Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.

# hanger asm body 302

body-0301 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:4

## 01 / TOP - FACE A




## 02 / FRONT - FORM PLAN





## 03 / BOTTOM - FACE B





## 04 / SECTION A-A

CUT U = 37-3/8" FROM LOCAL DATUM



ACTUAL FORMED SECTION / 1:2

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

**FORMED BODY / SOURCE ORTHOGRAPHICS**

Feature offsets refer to the marked planar face.

Form depth is not material thickness.

Section follows actual source surfaces.

MAX BODY SPAN (TRUE 3D): 79-11/16"

No internal holes in the broad face.

## DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.

# hanger asm body 303

body-0302 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:1


## 01 / TOP - FACE A




## 02 / FRONT - EDGE VIEW





## 03 / BOTTOM - FACE B




GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


## 04 / SECTION A-A

X = 2-3/4" FROM END A




SECTION SCALE 1:1

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

**X: FROM END A / Y: FROM EDGE C**

Dimensions are to feature centers.

Shared columns use one X chain.

Equal row spacing is counted once.

## DATUM / REVIEW

END A is the left material extent in both face views.


EDGE C is marked on the bottom face view.

Fractions to 1/32; exact feature sizes/pitches as needed.


# hanger asm body 304

body-0303 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:1

## 01 / TOP - FACE A





## 02 / FRONT - EDGE VIEW




## 03 / BOTTOM - FACE B


## 04 / SECTION A-A

X = 1-3/4" FROM END A




SECTION SCALE 1:1

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

**X: FROM END A / Y: FROM EDGE C**

Dimensions are to feature centers.

Shared columns use one X chain.

Equal row spacing is counted once.

## DATUM / REVIEW

END A is the left material extent in both face views.

EDGE C is marked on the bottom face view.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.

# hanger asm body 305

body-0304 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:1


## 01 / TOP - FACE A




## 02 / FRONT - EDGE VIEW





## 03 / BOTTOM - FACE B





## 04 / SECTION A-A

X = 1-13/16" FROM END A




SECTION SCALE 1:1

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 4-31/32"

No internal holes in the broad face.

## DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


# hanger asm body 306

body-0305 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:1


## 01 / TOP - FACE A




## 02 / FRONT - EDGE VIEW





## 03 / BOTTOM - FACE B





## 04 / SECTION A-A

X = 1-13/16" FROM END A




SECTION SCALE 1:1

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 4-31/32"

No internal holes in the broad face.

## DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.

# hanger asm body 307

body-0306 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:4

## 01 / TOP - FACE A




## 02 / FRONT - FORM PLAN





## 03 / BOTTOM - FACE B





## 04 / SECTION A-A

CUT U = 37-3/8" FROM LOCAL DATUM



ACTUAL FORMED SECTION / 1:2

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

**FORMED BODY / SOURCE ORTHOGRAPHICS**

Feature offsets refer to the marked planar face.

Form depth is not material thickness.

Section follows actual source surfaces.

MAX BODY SPAN (TRUE 3D): 79-11/16"

No internal holes in the broad face.

## DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


# hanger asm body 308

body-0307 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:1

## 01 / TOP - FACE A





## 02 / FRONT - EDGE VIEW




## 03 / BOTTOM - FACE B


## 04 / SECTION A-A

X = 2-3/4" FROM END A




SECTION SCALE 1:1

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

**X: FROM END A / Y: FROM EDGE C**

Dimensions are to feature centers.

Shared columns use one X chain.

Equal row spacing is counted once.

## DATUM / REVIEW

END A is the left material extent in both face views.

EDGE C is marked on the bottom face view.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


# hanger asm body 309

body-0308 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:1

## 01 / TOP - FACE A




## 02 / FRONT - EDGE VIEW





## 03 / BOTTOM - FACE B





## 04 / SECTION A-A

X = 1-3/4" FROM END A




SECTION SCALE 1:1

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

**X: FROM END A / Y: FROM EDGE C**

Dimensions are to feature centers.

Shared columns use one X chain.

Equal row spacing is counted once.

## DATUM / REVIEW

END A is the left material extent in both face views.

EDGE C is marked on the bottom face view.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.

# hanger asm body 310

body-0309 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:1


## 01 / TOP - FACE A




## 02 / FRONT - EDGE VIEW





## 03 / BOTTOM - FACE B





## 04 / SECTION A-A

X = 1-13/16" FROM END A




SECTION SCALE 1:1

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 4-31/32"

No internal holes in the broad face.

## DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


# hanger asm body 311

body-0310 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:1


## 01 / TOP - FACE A




## 02 / FRONT - EDGE VIEW





## 03 / BOTTOM - FACE B




GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


## 04 / SECTION A-A

X = 1-13/16" FROM END A




SECTION SCALE 1:1

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 4-31/32"

No internal holes in the broad face.

## DATUM / REVIEW

END A is the left material extent in both face views.


Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.

# hanger asm body 312

body-0311 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:4

## 01 / TOP - FACE A




## 02 / FRONT - FORM PLAN





## 03 / BOTTOM - FACE B





## 04 / SECTION A-A

CUT U = 37-3/8" FROM LOCAL DATUM



ACTUAL FORMED SECTION / 1:2

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

**FORMED BODY / SOURCE ORTHOGRAPHICS**

Feature offsets refer to the marked planar face.

Form depth is not material thickness.

Section follows actual source surfaces.

MAX BODY SPAN (TRUE 3D): 79-11/16"

No internal holes in the broad face.

## DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


# hanger asm body 313

body-0312 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:1

## 01 / TOP - FACE A




## 02 / FRONT - EDGE VIEW





## 03 / BOTTOM - FACE B





## 04 / SECTION A-A

X = 1-3/4" FROM END A




SECTION SCALE 1:1

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

**X: FROM END A / Y: FROM EDGE C**

Dimensions are to feature centers.

Shared columns use one X chain.

Equal row spacing is counted once.

## DATUM / REVIEW

END A is the left material extent in both face views.

EDGE C is marked on the bottom face view.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


# hanger asm body 314

body-0313 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:1

## 01 / TOP - FACE A




## 02 / FRONT - EDGE VIEW





## 03 / BOTTOM - FACE B





## 04 / SECTION A-A

X = 2-3/4" FROM END A




SECTION SCALE 1:1

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

**X: FROM END A / Y: FROM EDGE C**

Dimensions are to feature centers.

Shared columns use one X chain.

Equal row spacing is counted once.

## DATUM / REVIEW

END A is the left material extent in both face views.

EDGE C is marked on the bottom face view.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.

# hanger asm body 315

body-0314 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:1


## 01 / TOP - FACE A




## 02 / FRONT - EDGE VIEW





## 03 / BOTTOM - FACE B





## 04 / SECTION A-A

X = 1-13/16" FROM END A




SECTION SCALE 1:1

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 4-31/32"

No internal holes in the broad face.

## DATUM / REVIEW

END A is the left material extent in both face views.

Profile views retain the source geometry.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


# hanger asm body 316

body-0315 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:1


## 01 / TOP - FACE A




## 02 / FRONT - EDGE VIEW





## 03 / BOTTOM - FACE B




GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


## 04 / SECTION A-A

X = 1-13/16" FROM END A




SECTION SCALE 1:1

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

MAX BODY SPAN (TRUE 3D): 4-31/32"

No internal holes in the broad face.

## DATUM / REVIEW

END A is the left material extent in both face views.


Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.

# hanger asm body 317

body-0316 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:4

## 01 / TOP - FACE A




## 02 / FRONT - FORM PLAN





## 03 / BOTTOM - FACE B




GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


## 04 / SECTION A-A

CUT U = 37-3/8" FROM LOCAL DATUM



ACTUAL FORMED SECTION / 1:2

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

**FORMED BODY / SOURCE ORTHOGRAPHICS**

Feature offsets refer to the marked planar face.

Form depth is not material thickness.

Section follows actual source surfaces.

MAX BODY SPAN (TRUE 3D): 79-11/16"

No internal holes in the broad face.

## DATUM / REVIEW

END A is the left material extent in both face views.


Profile views retain the source geometry.

Fractions to 1/32; exact feature sizes/pitches as needed.


# hanger asm body 318

body-0317 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:1

## 01 / TOP - FACE A





## 02 / FRONT - EDGE VIEW




## 03 / BOTTOM - FACE B


## 04 / SECTION A-A

X = 1-3/4" FROM END A




SECTION SCALE 1:1

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

**X: FROM END A / Y: FROM EDGE C**

Dimensions are to feature centers.

Shared columns use one X chain.

Equal row spacing is counted once.

## DATUM / REVIEW

END A is the left material extent in both face views.

EDGE C is marked on the bottom face view.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.

# hanger asm body 319

body-0318 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:1


## 01 / TOP - FACE A




## 02 / FRONT - EDGE VIEW





## 03 / BOTTOM - FACE B




GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


## 04 / SECTION A-A

X = 2-3/4" FROM END A




SECTION SCALE 1:1

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

**X: FROM END A / Y: FROM EDGE C**

Dimensions are to feature centers.

Shared columns use one X chain.

Equal row spacing is counted once.

## DATUM / REVIEW

END A is the left material extent in both face views.


EDGE C is marked on the bottom face view.

Fractions to 1/32; exact feature sizes/pitches as needed.

# cross bracing^26-0727 hanger asm btm gusset

body-0319 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:2


## 01 / TOP - FACE A




## 02 / FRONT - EDGE VIEW





## 03 / BOTTOM - FACE B




GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.


## 04 / SECTION A-A

X = 4-1/4" FROM END A




SECTION SCALE 1:2

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

**X: FROM END A / Y: FROM EDGE C**

Dimensions are to feature centers.

Shared columns use one X chain.

Equal row spacing is counted once.

## DATUM / REVIEW


END A is the left material extent in both face views.

EDGE C is marked on the bottom face view.

Fractions to 1/32; exact feature sizes/pitches as needed.

# cross bracing^26-0727 hanger asm btm gusset

body-0319 / QTY 1 / TRUE FACE PLANE / PROFILE DETAIL 1 OF 1




## PROFILE DATUM

U = local length / END A

V = local transverse axis

## MODEL-EXACT SLOPE CHECK

**EDGE 13998**

66.9 DEG TO U / 4.50000"

## ALL OUTER STRAIGHT EDGES

Dimensioned at true face scale

**PROFILE SCALE 1:1 / ADJACENT-EDGE INCLUDED ANGLES SHOWN AT SLOPE ENDS**

INCHES / FRACTIONS NEAREST 1/32 / ANGLES 0.1 DEG / NOT A MANUFACTURING TOLERANCE


Smaller included angles are between the two actual adjacent edges. Slope to U is the acute angle to the local length axis.

Retain the accompanying R01 views for drilling, thickness, sections and release limitations. DO NOT SCALE.

# cross bracing^26-0727 hanger asm top gusset

body-0320 | QTY 1 IN HANGER | INCHES | TOP / FRONT / BOTTOM SCALE 1:2


## 01 / TOP - FACE A




## 02 / FRONT - EDGE VIEW





## 03 / BOTTOM - FACE B





## 04 / SECTION A-A

X = 2-3/4" FROM END A




SECTION SCALE 1:2

## 05 / ISOMETRIC



ISOMETRIC REFERENCE / NTS

## FEATURE / DATUM NOTES

HOLES / SLOTS LOCATED ON FACE B

**X: FROM END A / Y: FROM EDGE C**

Dimensions are to feature centers.

Shared columns use one X chain.

Equal row spacing is counted once.

## DATUM / REVIEW

END A is the left material extent in both face views.

EDGE C is marked on the bottom face view.


Fractions to 1/32; exact feature sizes/pitches as needed.

GEOMETRY REVIEW: spline chord error <0.00001 in where recorded; no native thread specifications supplied.

# cross bracing^26-0727 hanger asm top gusset

body-0320 / QTY 1 / TRUE FACE PLANE / PROFILE DETAIL 1 OF 1

## SLOPE EDGE 58068 / TRUE FACE / SCALE 2.284:1




A: U 0" / V 1.7634"


B: U 4.1401" / V 0"

**23.1 DEG TO LOCAL U / EXACT LENGTH 4.500000"**

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

## SLOPE EDGE 94007 / TRUE FACE / SCALE 19.380:1




A: U 5.625" / V 5.25"

B: U 5.25" / V 5.625"

**45.0 DEG TO LOCAL U / EXACT LENGTH 0.530330"**

Adjacent edges truncated for clarity; smaller included angles measured in the true face plane.

A/B are this detail edge endpoints; U/V retain the original part frame origin.

INCHES / FRACTIONS NEAREST 1/32 / ANGLES 0.1 DEG / NOT A MANUFACTURING TOLERANCE

Smaller included angles are between the two actual adjacent edges. Slope to U is the acute angle to the local length axis.

Retain the accompanying R01 views for drilling, thickness, sections and release limitations. DO NOT SCALE.