


PRUEBAS DE SCRUMBOARD-SEBASTIAN


AUTH (Login de usuario)

<http://localhost:3002/api/auth/login>



BOARD (Asignando tarea)

<http://localhost:3002/api/board/saveTask>



Local

9 DBS

12 COLLECTIONS

☆ FAVORITE

HOST

127.0.0.1:27017

CLUSTER

Standalone

EDITION

MongoDB 5.0.1 Community

Q Filter your data

all databases

config

db-tienda-donde-pepita

dbGameStore

dbscrumboard

dbsebastiantbaquirascrumboard

boards

roles

users

dbsebastiantbaquirascrumboard

Documents

DOCUMENTS 1

TOTAL SIZE 163B

AVG. SIZE 163B

INDEXES 1

TOTAL SIZE 36.0KB

AVG. SIZE 36.0KB

Documents

Aggregations

Schema

Explain Plan

Indexes

Validation

1 FILTER

{ field: 'value' }

OPTIONS

FIND

RESET

↺

⋮

ADD DATA

VIEW

Table

JSON

Grid

Displaying documents 1 - 1 of 1

◀ ▶ ↺ ↻ REFRESH

```

{
  "_id": ObjectId("611b61d983ab04cfc03e0dc"),
  "userId": ObjectId("611433884fa926290290812"),
  "name": "Crear dise\u00f1o",
  "description": "Descargar Bootstrap en el proyecto",
  "taskStatus": "to-do",
  "date": "2021-08-17T16:38:53.181+00:00",
  "__v": 0
}

```


LOGIN DE USUARIO

The screenshot shows the Postman interface with a POST request to `http://localhost:3002/api/auth/login`. The request body is JSON: `{\"email\": \"Johnsebas94@gmail.com\", \"password\": \"abcd\"}`. The response status is 200 OK, and the response body is a JSON object containing a `jwtToken`.


ASIGNAR TAREA BOARD

<http://localhost:3002/api/board/saveTask>


NO TOKEN




TOKEN VALIDO (Registro de la tarea)



TOKEN INVÁLIDO




Tarea en MongoDB



LISTAR USUARIOS

NO TOKEN



TOKEN VALIDO (Listar usuarios)

GET <http://localhost:3002/api/user/listUser/> Send

Params **Authorization** Headers (7) Body Pre-request Script Tests Settings Cookies

Type Bearer T...

The authorization header will be automatically generated when you send the request. [Learn more about authorization](#)

Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. [Learn more about variables](#)

Token `eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ...`

Status: 200 OK Time: 25 ms Size: 2.22 KB Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "user": [
3     {
4       "_id": "611432c94fa492629029d80e",
5       "name": "Sebastian",
6       "email": "Johnsebass94@gmail.com",
7       "password": "$2b$10$0775tFw5mdajw84GzHJcquqqjonqxs1lV8Esq0ZJCyGCLHQsgwPIe",
8       "dbStatus": true,
9       "date": "2021-08-11T20:27:53.191Z",
10      "__v": 0
11    },
12  ]
13 }
```

TOKEN INVALIDO

GET <http://localhost:3002/api/user/listUser/> Send

Params **Authorization** Headers (7) Body Pre-request Script Tests Settings Cookies

Type Bearer T...

The authorization header will be automatically generated when you send the request. [Learn more about authorization](#)

Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. [Learn more about variables](#)

Token `eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ...`

Status: 400 Bad Request Time: 7 ms Size: 304 B Save Response

Pretty Raw Preview Visualize HTML

```
1 Authorization denied: Invalid token
```