



# Backend Tibaquira Team Board

## Registrando Roles

<http://localhost:3002/api/role/register-Role>




Validando cuando un rol ya existe



## Listando roles


<http://localhost:3002/api/role/list-Role>



## Actualizando descripción de algún rol

<http://localhost:3002/api/role/update-Role>

Sin validación de algún usuario con login




En base de datos MongoDB




## Login de usuario


<http://localhost:3002/api/user/login>



Cuando se ingresa correo o contraseña equivocada




Cambio de rol para primer usuario para que sea administrador



Ya con usuario 1 como administrador se pueden ejecutar las tareas

## Listar usuarios


<http://localhost:3002/api/user/list-Users>



## Actualizar usuarios

<http://localhost:3002/api/user/update-User>

Sin tener el login



Con token valido

The screenshot shows a REST client interface with a PUT request to `http://localhost:3002/api/user/update-User`. The request body is a JSON object with the following fields:

```
1 {
2   "_id": "6124428b82d4665da0ebfff1",
3   "name": "Nicolas Pintor",
4   "email": "Nico11@gmail.com",
5   "password": "5678",
6   "roleId": "61241312427792361408473b"
7 }
```

The response is shown in the 'Body' tab, displaying a JSON object with the following fields:

```
2 {
3   "user": {
4     "_id": "6124428b82d4665da0ebfff1",
5     "name": "Nicolas",
6     "email": "Nico11@gmail.com",
7     "password": "$2b$10$tPiQxnz7WCuyHWMdTeDLZuYvbTl09HxYj712b8CcYAr8rL1dQk7A6",
8     "roleId": "612412e44277923614084738",
9     "dbStatus": true,
10    "date": "2021-08-24T00:51:23.403Z",
11    "__v": 0
12  }
13 }
```

The status is 200 OK, Time: 157 ms, Size: 523 B.

## Eliminar usuario y/o admin Delete user

<http://localhost:3002/api/user/delete-User>


The screenshot shows a REST client interface with a PUT request to `http://localhost:3002/api/user/delete-User`. The request body is a JSON object with the following fields:

```
1 {
2   "_id": "612442d382d4665da0ebfff5",
3   "dbStatus": false
4 }
```

The response is shown in the 'Body' tab, displaying a JSON object with the following fields:


```
1 {
2   "user": {
3     "_id": "612442d382d4665da0ebfff5",
4     "name": "Gabriel Orjuela",
5     "email": "Gabo98@gmail.com",
6     "password": "$2b$10$9.m/sd7cPh9bMrIdV.pyM0t3Zz8gmQuGqk0aoYRD0JAY1rEjYlyic",
7     "roleId": "612412e44277923614084738",
8     "dbStatus": true,
9     "date": "2021-08-24T00:52:35.257Z",
10    "__v": 0
11  }
12 }
```

The status is 200 OK, Time: 15 ms, Size: 532 B.



## Registro de usuarios con rol de admin


<http://localhost:3002/api/user/register-Admin>




## Creación de tareas en Board

<http://localhost:3002/api/board/save-Task>

Cuando el usuario no está login




Cuando el usuario inicio sesión





## Listar tareas en Board


<http://localhost:3002/api/board/list-Task>




## Actualizar estado de la tarea

<http://localhost:3002/api/board/update-Task>

Cuando el usuario no tiene permisos




Cuando el usuario esta login




## Eliminar tarea

<http://localhost:3002/api/board/delete-Task>

Cuando el ID de la tarea no se encuentra



Eliminar la tarea con el ID correcto



## Insertar Imágenes en Board

<http://localhost:3002/api/board/save-TaskImg>

Con archivo

The screenshot shows a REST client interface with a POST request to `http://localhost:3002/api/board/save-TaskImg`. The request body is set to `form-data`. The form fields are:

Key	Value	Description
<input checked="" type="checkbox"/> name	Imagen 1	
<input checked="" type="checkbox"/> description	Bakend Image	
<input checked="" type="checkbox"/> Image	back-end.jpg	

The response is shown in the 'Body' tab, displaying a JSON object:

```
1  {
2    "result": {
3      "_id": "612462a1847ee45e14bb35a6",
4      "userId": "6124419d82d4665da0ebffec",
5      "name": "Imagen 1",
6      "description": "Bakend Image",
7      "taskStatus": "to-do",
8      "imageUrl": "http://localhost:3002/uploads/1629774497.jpg",
9      "date": "2021-08-24T03:08:17.079Z",
10    }
11  }
```

Status: 200 OK, Time: 42 ms, Size: 517 B.

Sin archivo

The screenshot shows a REST client interface with a POST request to `http://localhost:3002/api/board/save-TaskImg`. The request body is set to `form-data`. The form fields are:

Key	Value	Description
<input checked="" type="checkbox"/> name	"Prueba sin imagen"	
<input checked="" type="checkbox"/> description	"Tarea sin imagen"	
<input checked="" type="checkbox"/> Image	Select Files	

The response is shown in the 'Body' tab, displaying a JSON object:

```
1  {
2    "result": {
3      "_id": "612463d0847ee45e14bb35a9",
4      "userId": "6124419d82d4665da0ebffec",
5      "name": "\"Prueba sin imagen\"",
6      "description": "\"Tarea sin imagen\"",
7      "taskStatus": "to-do",
8      "imageUrl": "",
9      "date": "2021-08-24T03:13:20.716Z",
10    }
11  }
```

Status: 200 OK, Time: 24 ms, Size: 494 B.