

Nama : John Tri Putra Sihombing

NIM : 201401050


Kelas : Kom B

Lab : PW 3

Tampilan Project UTS Web



YouTubeChannel contentProject UTS PW 3(31) WhatsAppPW3_Tugas1Soal UTS PW3.pdUTS PW 3

127.0.0.1:5500/landing-page/index.html




UTS PW 3

Pusing belajar? Yuk Main Game dan Quiz Dulu :)


There is even a  light and  dark theme.

Quiz Pemrograman

Game Suwit

Made With  By: John Sihombing.


Type here to search



8:59 AM 24-May-21

YouTubeChannel contentProject UTS PW 3(31) WhatsAppPW3_Tugas1Soal UTS PW3.pdUTS PW 3

127.0.0.1:5500/landing-page/dark.html



UTS PW 3

Pusing belajar? Yuk Main Game dan Quiz Dulu :)


There is even a  light and  dark theme.

Quiz Pemrograman

Game Suwit



Made With  By: John Sihombing.

Type here to search





8:59 AM 24-May-21

Tampilan Kodingan Halaman Utama (index.html)



Tampilan CSS (light.css)



File Edit Selection View Go Run Terminal Helplight.css - UTS PW 3 - Visual Studio Code

index.html landing-page dark.html # style.css ...css # light.css x # dark.css index.html quiz # style.css quiz JS questions.js JS script.js suwrtjw

landing-page > css > # light.css > .container

```
74
75 /* Code
76 ----- */
77 code {
78   padding: .2rem .5rem;
79   margin: 0 .2rem;
80   font-size: 90%;
81   white-space: nowrap;
82   background: #F1F1F1;
83   border: 1px solid #E1E1E1;
84   border-radius: 4px; }
85 pre > code {
86   display: block;
87   padding: 1rem 1.5rem;
88   white-space: pre; }
89
90 /* Spacing
91 ----- */
92 button,
93 .button {
94   margin-bottom: 1rem; }
95 input,
96 textarea,
97 select,
98 fieldset {
99   margin-bottom: 1.5rem; }
100 pre,
101 blockquote,
102 dl,
103 figure,
104 p,
105 ol {
106   margin-bottom: 2.5rem; }
```

Ln 10, Col 18 Spaces: 2 UTF-8 LF CSS Go Live 8:35 AM 24-May-21

Type here to search

File Edit Selection View Go Run Terminal Helplight.css - UTS PW 3 - Visual Studio Code



index.html landing-page dark.html # style.css ...css # light.css x # dark.css index.html quiz # style.css quiz JS questions.js JS script.js suwrtjw

landing-page > css > # light.css > .container



```
108
109 /* Utilities
110 ----- */
111 .u-full-width {
112   width: 100%;
113   box-sizing: border-box; }
114 .u-max-full-width {
115   max-width: 100%;
116   box-sizing: border-box; }
117 .u-pull-right {
118   float: right; }
119 .u-pull-left {
120   float: left; }
121
122 /* Misc
123 ----- */
124
125 hr {
126   margin-top: 3rem;
127   margin-bottom: 3.5rem;
128   border-width: 0;
129   border-top: 1px solid #E1E1E1; }
130
131
```


Ln 10, Col 18 Spaces: 2 UTF-8 LF CSS Go Live 8:35 AM 24-May-21

Type here to search




Tampilan Web Quiz





Tampilkan Kodingan Quiz (index.html)



FileEditSelectionViewGoRunTerminalHelpindex.html - UTS PW 3 - Visual Studio Code

index.html landing-pageindex.html# style.css ...css# light.css# dark.cssindex.html quiz ×# style.css quizJS questions.jsJS script.js suwrtjw▶□...

quiz > index.html > html > body

323334353637383940414243444546474849505152535455565758596061626364

```
<!-- Quiz Box -->
<div class="quiz_box">
  <header>
    <div class="title">Quiz PW 3</div>
    <div class="timer">
      <div class="time_left_txt">Time Left</div>
      <div class="timer_sec">15</div>
    </div>
    <div class="time_line"></div>
  </header>
  <section>
    <div class="que_text">
      <!-- Here I've inserted question from JavaScript -->
    </div>
    <div class="option_list">
      <!-- Here I've inserted options from JavaScript -->
    </div>
  </section>

  <!-- footer of Quiz Box -->
  <footer>
    <div class="total_que">
      <!-- Question Count Number from JavaScript -->
    </div>
    <button class="next_btn">Next</button>
  </footer>
</div>

<!-- Result Box -->
<div class="result_box">
  <div class="icon">
    <i class="fas fa-crown"></i>
  </div>
  <div class="complete_text">You've completed the Quiz!</div>
  <div class="score_text">
    <!-- Score Result from JavaScript -->
  </div>
  <div class="buttons">
    <button class="restart">Replay Quiz</button>
    <button class="quit">Quit Quiz</button>
  </div>
</div>

<!-- Inside this JavaScript file I've inserted Questions and Options only -->
<script src="js/questions.js"></script>

<!-- Inside this JavaScript file I've coded all Quiz Codes -->
<script src="js/script.js"></script>
</body>
</html>
```

Ln 32, Col 1Spaces: 4UTF-8CRLFHTMLPort: 550010:37 AM24-May-21

FileEditSelectionViewGoRunTerminalHelpindex.html - UTS PW 3 - Visual Studio Code

index.html landing-pageindex.html# style.css ...css# light.css# dark.cssindex.html quiz ×# style.css quizJS questions.jsJS script.js suwrtjw▶□...

quiz > index.html > html > body

60616263646566676869707172737475767778798081828384

```
<!-- Result Box -->
<div class="result_box">
  <div class="icon">
    <i class="fas fa-crown"></i>
  </div>
  <div class="complete_text">You've completed the Quiz!</div>
  <div class="score_text">
    <!-- Score Result from JavaScript -->
  </div>
  <div class="buttons">
    <button class="restart">Replay Quiz</button>
    <button class="quit">Quit Quiz</button>
  </div>
</div>

<!-- Inside this JavaScript file I've inserted Questions and Options only -->
<script src="js/questions.js"></script>

<!-- Inside this JavaScript file I've coded all Quiz Codes -->
<script src="js/script.js"></script>
</body>
</html>
```

Ln 32, Col 1Spaces: 4UTF-8CRLFHTMLPort: 550010:37 AM24-May-21

Kodingan Web Quiz (question.js)

```
File Edit Selection View Go Run Terminal Help
questions.js - UTS PW 3 - Visual Studio Code
style.css ...css # light.css # dark.css index.html quiz # style.css quiz JS questions.js x JS script.js suwitjawa JS script.js ...js index.html suwitjawa
quiz > js > JS questions.js > [0] questions
1 // Array untuk pertanyaan dan jawaban
2 let questions = [
3
4     numb: 1,
5     question: "Kepanjangan HTML adalah",
6     answer: "Hyper Text Markup Language",
7     options: [
8         "Hyper Text Preprocessor",
9         "Hyper Text Markup Language",
10        "Hyper Text Multiple Language",
11        "Hyper Tool Multi Language"
12    ]
13 },
14 {
15     numb: 2,
16     question: "Berikut ini adalah jenis atau tipe dari web developer yaitu,kecuali",
17     answer: "Mid-End Developer",
18     options: [
19         "Front-End developer",
20         "Back-nd developer",
21         "Mid-End Developer",
22         "Fullstack Developer"
23     ]
24 },
25 {
26     numb: 3,
27     question: "Perintah untuk membuat baris baru pada HTML adalah...",
28     answer: "br",
29     options: [
30         "br",
31         "en",
32         "ln",
33         "eo"
```

```
File Edit Selection View Go Run Terminal Help
questions.js - UTS PW 3 - Visual Studio Code
style.css ...css # light.css # dark.css index.html quiz # style.css quiz JS questions.js x JS script.js suwitjawa JS script.js ...js index.html suwitjawa
quiz > js > JS questions.js > [0] questions
31     "en",
32     "ln",
33     "sp"
34 ]
35 },
36 {
37     numb: 4,
38     question: "Apa kepanjangan WWW ...?",
39     answer: "World Wide Web",
40     options: [
41         "World Wide Web",
42         "World Wide Web",
43         "Wide World Web",
44         "Wide Web World"
45     ]
46 },
47 {
48     numb: 5,
49     question: "Urutan langkah-langkah logis untuk menyelesaikan masalah yang disusun secara sistematis disebut ?",
50     answer: "Algoritma",
51     options: [
52         "Variabel",
53         "Flowchart",
54         "Algoritma",
55         "Tipe Data"
56     ]
57 },
58 ];
```

Kodingan Web Quiz (script.js)

```
File Edit Selection View Go Run Terminal Help
scriptjs - UTS PW 3 - Visual Studio Code
style.css ...css # light.css # dark.css index.html quiz # style.css quiz JS questions.js JS scriptjs suwitiwawa JS scriptjs ...js X index.html suwitiwawa
quiz > js > JS scriptjs > ...
1 //selecting all required elements
2 const start_btn = document.querySelector(".start_btn button");
3 const info_box = document.querySelector(".info_box");
4 const exit_btn = info_box.querySelector(".buttons .quit");
5 const continue_btn = info_box.querySelector(".buttons .restart");
6 const quiz_box = document.querySelector(".quiz_box");
7 const result_box = document.querySelector(".result_box");
8 const option_list = document.querySelector(".option_list");
9 const time_line = document.querySelector("header .time_line");
10 const timeText = document.querySelector(".timer .time_left_txt");
11 const timeCount = document.querySelector(".timer .timer_sec");
12
13 // if startQuiz button clicked
14 start_btn.onclick = () => {
15 |   info_box.classList.add("activeInfo"); //show info box
16 | }
17
18 // if exitQuiz button clicked
19 exit_btn.onclick = () => {
20 |   info_box.classList.remove("activeInfo"); //hide info box
21 | }
22
23 // if continueQuiz button clicked
24 continue_btn.onclick = () => {
25 |   info_box.classList.remove("activeInfo"); //hide info box
26 |   quiz_box.classList.add("activeQuiz"); //show quiz box
27 |   showQuestions(0); //calling showQuestions function
28 |   queCounter(1); //passing 1 parameter to queCounter
29 |   startTimer(15); //calling startTimer function
30 |   startTimerLine(0); //calling startTimerLine function
31 | }
32
33 let timeValue = 15;
```

```
File Edit Selection View Go Run Terminal Help
scriptjs - UTS PW 3 - Visual Studio Code
style.css ...css # light.css # dark.css index.html quiz # style.css quiz JS questions.js JS scriptjs suwitiwawa JS scriptjs ...js X index.html suwitiwawa
quiz > js > JS scriptjs > ...
32
33 let timeValue = 15;
34 let que_count = 0;
35 let que_numb = 1;
36 let userScore = 0;
37 let counter;
38 let counterLine;
39 let widthValue = 0;
40
41 const restart_quiz = result_box.querySelector(".buttons .restart");
42 const quit_quiz = result_box.querySelector(".buttons .quit");
43
44 // if restartQuiz button clicked
45 restart_quiz.onclick = () => {
46 |   quiz_box.classList.add("activeQuiz"); //show quiz box
47 |   result_box.classList.remove("activeResult"); //hide result box
48 |   timeValue = 15;
49 |   que_count = 0;
50 |   que_numb = 1;
51 |   userScore = 0;
52 |   widthValue = 0;
53 |   showQuestions(que_count); //calling showQuestions function
54 |   queCounter(que_numb); //passing que_numb value to queCounter
55 |   clearInterval(counter); //clear counter
56 |   clearInterval(counterLine); //clear counterLine
57 |   startTimer(timeValue); //calling startTimer function
58 |   startTimerLine(widthValue); //calling startTimerLine function
59 |   timeText.textContent = "Time Left"; //change the text of timeText to Time Left
60 |   next_btn.classList.remove("show"); //hide the next button
61 | }
62
63 // if quitQuiz button clicked
64 quit_quiz.onclick = () => {
```

FileEditSelectionViewGoRunTerminalHelpscriptjs - UTS PW 3 - Visual Studio Code

style.css ...css# light.css# dark.cssindex.html quiz# style.css quizJS questions.jsJS scriptjs suwitiJawaJS scriptjs ...jsindex.html suwitiJawa

quiz > js > JS scriptjs > ...
62
63 // if quitQuiz button clicked
64 quit_quiz.onclick = () => {
65 window.location.reload(); //reload the current window
66 }
67
68 const next_btn = document.querySelector("footer .next_btn");
69 const bottom_ques_counter = document.querySelector("footer .total_que");
70
71 // if Next Que button clicked
72 next_btn.onclick = () => {
73 if (que_count < questions.length - 1) { //if question count is less than total question length
74 que_count++; //increment the que_count value
75 que_numb++; //increment the que_numb value
76 showQuestions(que_count); //calling showQuestions function
77 queCounter(que_numb); //passing que_numb value to queCounter
78 clearInterval(counter); //clear counter
79 clearInterval(counterLine); //clear counterLine
80 startTimer(timeValue); //calling startTimer function
81 startTimerLine(widthValue); //calling startTimerLine function
82 timeText.textContent = "Time Left"; //change the timeText to Time Left
83 next_btn.classList.remove("show"); //hide the next button
84 } else {
85 clearInterval(counter); //clear counter
86 clearInterval(counterLine); //clear counterLine
87 showResult(); //calling showResult function
88 }
89 }
90
91 // getting questions and options from array
92 function showQuestions(index) {
93 const que_text = document.querySelector(".que_text");
94

Ln 167, Col 1 Spaces: 4 UTF-8 CRLF JavaScript Port: 5500 10:41 AM 24-May-21

FileEditSelectionViewGoRunTerminalHelpscriptjs - UTS PW 3 - Visual Studio Code

style.css ...css# light.css# dark.cssindex.html quiz# style.css quizJS questions.jsJS scriptjs suwitiJawaJS scriptjs ...jsindex.html suwitiJawa

quiz > js > JS scriptjs > ...
90
91 // getting questions and options from array
92 function showQuestions(index) {
93 const que_text = document.querySelector(".que_text");
94
95 //creating a new span and div tag for question and option and passing the value using array index
96 let que_tag = '' + questions[index].numb + ". " + questions[index].question + '';
97 let option_tag = '<div class="option">' + questions[index].options[0] + '</div>' +
98 '<div class="option">' + questions[index].options[1] + '</div>' +
99 '<div class="option">' + questions[index].options[2] + '</div>' +
100 '<div class="option">' + questions[index].options[3] + '</div>';
101 que_text.innerHTML = que_tag; //adding new span tag inside que_tag
102 option_list.innerHTML = option_tag; //adding new div tag inside option_tag
103
104 const option = option_list.querySelectorAll(".option");
105
106 // set onclick attribute to all available options
107 for (i = 0; i < option.length; i++) {
108 option[i].setAttribute("onclick", "optionSelected(this)");
109 }
110 }
111 // creating the new div tags which for icons
112 let tickIconTag = '<div class="icon tick"><i class="fas fa-check"></i></div>';
113 let crossIconTag = '<div class="icon cross"><i class="fas fa-times"></i></div>';
114
115 //if user clicked on option
116 function optionSelected(answer) {
117 clearInterval(counter); //clear counter
118 clearInterval(counterLine); //clear counterLine
119 let userAns = answer.textContent; //getting user selected option
120 let correcAns = questions[que_count].answer; //getting correct answer from array
121 const allOptions = option_list.children.length; //getting all option items
122

Ln 167, Col 1 Spaces: 4 UTF-8 CRLF JavaScript Port: 5500 10:41 AM 24-May-21

File Edit Selection View Go Run Terminal Help

scriptjs - UTS PW 3 - Visual Studio Code

style.css ...css # light.css # dark.css index.html quiz # style.css quiz JS questions.js JS scriptjs suwitjawa JS scriptjs ...js X index.html suwitjawa

quiz > js > JS scriptjs > ...

```
123 if (userAns == correcAns) { //if user selected option is equal to array's correct answer
124   userScore += 1; //upgrading score value with 1
125   answer.classList.add("correct"); //adding green color to correct selected option
126   answer.insertAdjacentHTML("beforeend", tickIconTag); //adding tick icon to correct selected option
127   console.log("Correct Answer");
128   console.log("Your correct answers = " + userScore);
129 } else {
130   answer.classList.add("incorrect"); //adding red color to correct selected option
131   answer.insertAdjacentHTML("beforeend", crossIconTag); //adding cross icon to correct selected option
132   console.log("Wrong Answer");
133 }
134 for (i = 0; i < allOptions; i++) {
135   if (option_list.children[i].textContent == correcAns) { //if there is an option which is matched to an array answer
136     option_list.children[i].setAttribute("class", "option correct"); //adding green color to matched option
137     option_list.children[i].insertAdjacentHTML("beforeend", tickIconTag); //adding tick icon to matched option
138     console.log("Auto selected correct answer.");
139   }
140 }
141 }
142 for (i = 0; i < allOptions; i++) {
143   option_list.children[i].classList.add("disabled"); //once user select an option then disabled all options
144 }
145 next_btn.classList.add("show"); //show the next button if user selected any option
146 }
147
148 function showResult() {
149   info_box.classList.remove("activeInfo"); //hide info box
150   quiz_box.classList.remove("activeQuiz"); //hide quiz box
151   result_box.classList.add("activeResult"); //show result box
152   const scoreText = result_box.querySelector(".score_text");
153   if (userScore > 3) { // If user scored more than 3
154     //creating a new span tag and passing the user score number and total question number
```

Ln 167, Col 1 Spaces: 4 UTF-8 CRLF JavaScript Port: 5500 10:41 AM 24-May-21

File Edit Selection View Go Run Terminal Help

scriptjs - UTS PW 3 - Visual Studio Code

style.css ...css # light.css # dark.css index.html quiz # style.css quiz JS questions.js JS scriptjs suwitjawa JS scriptjs ...js X index.html suwitjawa

quiz > js > JS scriptjs > ...

```
157 }
158 else if (userScore > 1) { // if user scored more than 1
159   let scoreTag = '<span>and nice 😊, You got <p>' + userScore + '</p> out of <p>' + questions.length + '</p></span>';
160   scoreText.innerHTML = scoreTag;
161 }
162 else { // if user scored less than 1
163   let scoreTag = '<span>and sorry 😞, You got only <p>' + userScore + '</p> out of <p>' + questions.length + '</p></span>';
164   scoreText.innerHTML = scoreTag;
165 }
166 }
167
168 function startTimer(time) {
169   counter = setInterval(timer, 1000);
170   function timer() {
171     timeCount.textContent = time; //changing the value of timeCount with time value
172     time--; //decrement the time value
173     if (time < 9) { //if timer is less than 9
174       let addZero = timeCount.textContent;
175       timeCount.textContent = "0" + addZero; //add a 0 before time value
176     }
177     if (time < 0) { //if timer is less than 0
178       clearInterval(counter); //clear counter
179       timeText.textContent = "Time Off"; //change the time text to time off
180       const allOptions = option_list.children.length; //getting all option items
181       let correcAns = questions[que_count].answer; //getting correct answer from array
182       for (i = 0; i < allOptions; i++) {
183         if (option_list.children[i].textContent == correcAns) { //if there is an option which is matched to an array answer
184           option_list.children[i].setAttribute("class", "option correct"); //adding green color to matched option
185           option_list.children[i].insertAdjacentHTML("beforeend", tickIconTag); //adding tick icon to matched option
186           console.log("Time Off: Auto selected correct answer.");
187         }
188       }
189       for (i = 0; i < allOptions; i++) {
```

Ln 167, Col 1 Spaces: 4 UTF-8 CRLF JavaScript Port: 5500 10:41 AM 24-May-21

FileEditSelectionViewGoRunTerminalHelp

scriptjs - UTS PW 3 - Visual Studio Code

style.css...css# light.css# dark.cssindex.html quiz# style.css quizJS questions.jsJS scriptjs sunwijawaJS scriptjs ...jsindex.html sunwijawa

quiz > js > JS scriptjs > ...
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212

```
        console.log("Time off. Auto selected correct answer. ");  
    }  
    for (i = 0; i < allOptions; i++) {  
        option_list.children[i].classList.add("disabled"); //once user select an option then disabled all options  
    }  
    next_btn.classList.add("show"); //show the next button if user selected any option  
}  
}  
  
function startTimerLine(time) {  
    counterLine = setInterval(timer, 29);  
    function timer() {  
        time += 1; //upgrading time value with 1  
        time_line.style.width = time + "px"; //increasing width of time_line with px by time value  
        if (time > 549) { //if time value is greater than 549  
            clearInterval(counterLine); //clear counterLine  
        }  
    }  
}  
  
function queCounter(index) {  
    //creating a new span tag and passing the question number and total question  
    let totalQueCounTag = '<span><p>' + index + '</p> of <p>' + questions.length + '</p> Questions</span>';  
    bottom_ques_counter.innerHTML = totalQueCounTag; //adding new span tag inside bottom_ques_counter  
}
```

Ln 167, Col 1 Spaces: 4 UTF-8 CRLF JavaScript Port: 5500

Type here to search

10:41 AM
24-May-21

Tampilan Kodingan Web Quiz(style.css)

```
File Edit Selection View Go Run Terminal Help
style.css UTS PW 3 - Visual Studio Code
style.css ...css # light.css # dark.css index.html quiz # style.css quiz JS questions.js JS script.js suwitjawa JS script.js ...js index.html suwitjawa
quiz > # style.css > ...
1 /* importing google fonts */
2 @import url('https://fonts.googleapis.com/css2?family=Poppins:wght@200;300;400;500;600;700&display=swap');
3
4 {
5     margin: 0;
6     padding: 0;
7     box-sizing: border-box;
8     font-family: 'Poppins', sans-serif;
9 }
10
11 body{
12     background: #007bff;
13 }
14
15 ::selection{
16     color: #fff;
17     background: #007bff;
18 }
19
20 a{
21     text-decoration: none;
22     display: inline-block;
23     cursor: pointer;
24 }
25
26 .start_btn,
27 .info_box,
28 .quiz_box,
29 .result_box{
30     position: absolute;
31     top: 50%;
32     left: 50%;
33     transform: translate(-50%, -50%);
34     box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2);
35 }
```

```
File Edit Selection View Go Run Terminal Help
style.css UTS PW 3 - Visual Studio Code
style.css ...css # light.css # dark.css index.html quiz # style.css quiz JS questions.js JS script.js suwitjawa JS script.js ...js index.html suwitjawa
quiz > # style.css > ...
35 }
36 .index1{
37     text-align: center;
38     position: absolute;
39     top: 35%;
40     left: 50%;
41     transform: translate(-50%, -50%);
42     box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2),
43                 0 6px 20px 0 rgba(0, 0, 0, 0.19);
44 }
45 .info_box.activeInfo,
46 .quiz_box.activeQuiz,
47 .result_box.activeResult{
48     opacity: 1;
49     z-index: 5;
50     pointer-events: auto;
51     transform: translate(-50%, -50%) scale(1);
52 }
53
54 .start_btn button{
55     font-size: 25px;
56     font-weight: 500;
57     color: #007bff;
58     padding: 15px 30px;
59     outline: none;
60     border: none;
61     border-radius: 5px;
62     background: #fff;
63     cursor: pointer;
64 }
65
66 .info_box{
67     width: 540px;
```

FileEditSelectionViewGoRunTerminalHelp

style.css - UTS PW 3 - Visual Studio Code

style.css...css#light.css#dark.cssindex.html quiz# style.css quizXJS questions.jsJS script.js suwitjawaJS script.js ...jsindex.html suwitjawa

quiz > # style.css > ...
239 color: #721c24;
240 background: #f8d7da;
241 border: 1px solid #f5c6cb;
242 }
243
244 section .option_list .option.disabled{
245 pointer-events: none;
246 }
247
248 section .option_list .option .icon{
249 height: 26px;
250 width: 26px;
251 border: 2px solid transparent;
252 border-radius: 50%;
253 text-align: center;
254 font-size: 13px;
255 pointer-events: none;
256 transition: all 0.3s ease;
257 line-height: 24px;
258 }
259 .option_list .option .icon.tick{
260 color: #23903c;
261 border-color: #23903c;
262 background: #d4edda;
263 }
264
265 .option_list .option .icon.cross{
266 color: #a42834;
267 background: #f8d7da;
268 border-color: #a42834;
269 }
270
271 footer

Ln 13, Col 1Spaces: 4UTF-8CRLF CSSPort: 5500

Type here to search

FileEditSelectionViewGoRunTerminalHelp


style.css - UTS PW 3 - Visual Studio Code

style.css...css#light.css#dark.cssindex.html quiz# style.css quizXJS questions.jsJS script.js suwitjawaJS script.js ...jsindex.html suwitjawa


quiz > # style.css > ...
293
294 footer button{
295 height: 40px;
296 padding: 0 13px;
297 font-size: 18px;
298 font-weight: 400;
299 cursor: pointer;
300 border: none;
301 outline: none;
302 color: #fff;
303 border-radius: 5px;
304 background: #007bff;
305 border: 1px solid #007bff;
306 line-height: 10px;
307 opacity: 0;
308 pointer-events: none;
309 transform: scale(0.95);
310 transition: all 0.3s ease;
311 }
312
313 footer button:hover{
314 background: #0263ca;
315 }
316
317 footer button.show{
318 opacity: 1;
319 pointer-events: auto;
320 transform: scale(1);
321 }
322
323 .result_box{
324 background: #fff;

Ln 13, Col 1Spaces: 4UTF-8CRLF CSSPort: 5500


Type here to search




Tampilan Web Game Suwit(index.html)




Tampilan Kodingan Web Game Suwit(index.html)





Tampilan Kodingan Web Game Suwit(script.js)



FileEditSelectionViewGoRunTerminalHelp

scriptjs - UTS PW 3 - Visual Studio Code

style.css...css# light.css# dark.cssindex.html quiz# style.css quizJS questions.jsJS scriptjs suwitjawaJS scriptjs ...jsindex.html suwitjawa

suwitjawa > JS scriptjs > ...

```
32     }
33     imgComp.setAttribute('src', 'img/' + gambar[i++] + '.png');
34     if (i == gambar.length) {
35         i = 0;
36     }
37 }, 100)
38 }
39
40 const areaPlayer = document.querySelectorAll('li img');
41 areaPlayer.forEach(function (pOptions) {
42     pOptions.addEventListener("click", function () {
43         const pilComp = getPilihanKomputer();
44         const pilPlayer = pOptions.className;
45         const hasil = getHasil(pilComp, pilPlayer);
46
47         putar();
48         infoSkor(hasil);
49
50         setTimeout(function () {
51             const imgComp = document.querySelector('.img-komputer');
52             imgComp.setAttribute('src', 'img/${pilComp}.png');
53
54             const infoHasil = document.querySelector('.info');
55             infoHasil.innerHTML = hasil;
56
57             const skorKomputer = document.querySelector('.skor-komputer');
58             skorKomputer.innerHTML = 'SKOR : ' + komputerSkor;
59
60             const skorPlayer = document.querySelector('.skor-player');
61             skorPlayer.innerHTML = 'SKOR : ' + playerSkor;
62         }, 1000);
63     });
64 });
```

Ln 7, Col 1Tab Size: 4UTF-8CRLFJavaScriptPort: 550010:58 AM24-May-21

FileEditSelectionViewGoRunTerminalHelp

scriptjs - UTS PW 3 - Visual Studio Code



style.css...css# light.css# dark.cssindex.html quiz# style.css quizJS questions.jsJS scriptjs suwitjawaJS scriptjs ...jsindex.html suwitjawa

suwitjawa > JS scriptjs > ...

```
40 const areaPlayer = document.querySelectorAll('li img');
41 areaPlayer.forEach(function (pOptions) {
42     pOptions.addEventListener("click", function () {
43         const pilComp = getPilihanKomputer();
44         const pilPlayer = pOptions.className;
45         const hasil = getHasil(pilComp, pilPlayer);
46
47         putar();
48         infoSkor(hasil);
49
50         setTimeout(function () {
51             const imgComp = document.querySelector('.img-komputer');
52             imgComp.setAttribute('src', 'img/${pilComp}.png');
53
54             const infoHasil = document.querySelector('.info');
55             infoHasil.innerHTML = hasil;
56
57             const skorKomputer = document.querySelector('.skor-komputer');
58             skorKomputer.innerHTML = 'SKOR : ' + komputerSkor;
59
60             const skorPlayer = document.querySelector('.skor-player');
61             skorPlayer.innerHTML = 'SKOR : ' + playerSkor;
62         }, 1000);
63     });
64 });
65
66 $(document).ready(function () {
67     $('#tombol').click(function () {
68         $('#modal-box').show(1000);
69     })
70 })
```

Ln 7, Col 1Tab Size: 4UTF-8CRLFJavaScriptPort: 550010:58 AM24-May-21

Tampilan Kodingan Web Game Suwit(style.css)



FileEditSelectionViewGoRunTerminalHelp

• style.css - UTS PW 3 - Visual Studio Code

CloseIcon

css...css# light.css# dark.cssindex.html quiz# style.css suwitjawaJS questions.jsJS script.js suwitjawaJS script.js ...jsindex.html suwitjawa

suwitjawa> # style.css > ...

71

a{

72

text-decoration: none;

73

display: inline-block;

74

}

75

.container {

76

width: 600px;

77

margin: auto;

78

padding: 20px;

79

position: relative;

80

}

81

82

.area-komputer {

83

width: 560px;

84

height: 250px;

85

margin: 5px auto;

86

background-color: ■rgb(255, 255, 255);

87

position: relative;

88

padding-top: 40px;

89

box-sizing: border-box;

90

border-radius: 40px 40px 0 0;

91

}

92

93

.area-player {

94

width: 560px;

95

height: 250px;

96

margin: 5px auto;

97

background-color:■rgb(251, 253, 255);

98

position: relative;

99

border-radius: 0 0 40px 40px;

100

}

101

102

.info {

103

width: 150px;

Ln 36, Col 1

Spaces: 4

UTF-8

CRLF

CSS

Port: 5500

11:15 AM

24-May-21

FileEditSelectionViewGoRunTerminalHelp

• style.css - UTS PW 3 - Visual Studio Code

CloseIcon

css...css# light.css# dark.cssindex.html quiz# style.css suwitjawaJS questions.jsJS script.js suwitjawaJS script.js ...jsindex.html suwitjawa

suwitjawa> # style.css > ...

102

.info {

103

width: 150px;

104

height: 60px;

105

border: 5px solid ■rgb(253, 72, 51);

106

position: absolute;

107

left: 50%;

108

margin-left: -75px;

109

top: 50%;

110

margin-top: -30px;

111

background-color: ■white;

112

border-radius: 30px;

113

z-index: 1;

114

text-align: center;

115

line-height: 60px;

116

color: ■#fd2a62;

117

font-size: 26px;

118

text-shadow: 1px 1px 1px □rgba(0,0,0,.3);

119

}

120

121

.skor-komputer{

122

width: 120px;

123

height: 40px;

124

border: 5px solid ■rgb(255, 94, 77);

125

position: absolute;

126

left: 20%;

127

margin-left: -75px;

128

top: 12%;

129

margin-top: -30px;

130

background-color: ■white;

131

border-radius: 30px;

132

z-index: 1;

133

text-align: center;

134

line-height: 40px;

Ln 36, Col 1

Spaces: 4

UTF-8

CRLF

CSS

Port: 5500

11:16 AM

24-May-21

