

VEDIT PLUS

INDEX

A

A, 102, 165, 221, 251
Abandoning file (See Quitting), 56
Abort function (See <CTRL-C> and [CANCEL]), 65
Adding new text (See Entering new text), 47
Addition (numeric), 277
<ALT> key (IBM PC), 75
ANSI standard terminals, 302
Append to edit buffer (See also Concatenating files), 101, 221
Append to text register, 62, 153, 214, 266
Assembly language programming, 143, 158, 248
Attributes (See Screen attributes), 288
Auto-buffering, 31, 146, 161, 164, 169, 252, 309
Auto-execution, 130, 265
Auto-Indent mode, 77, 252, 309
Auto-read, 161, 164, 221
Auto-startup, 130, 314
Auto-write, 161
Automatic file searching, 131

B

B, 222
[BACK TAB], 41, 344
[BACKSPACE], 21, 51, 345
BACKSPACE key, 119
Backup of file (See also .BAK file), 30, 237
Backward disk buffering, 163, 165, 252
Backward searching, 68, 139, 224
".BAK" file, 30, 164, 166, 241, 256
Bank select, 297
Bit 8 characters, 152, 249
[BLOCK], 51, 61, 62, 63, 87, 93, 349
Branching (See Jump commands), 208
"*BREAK*", 103, 119, 335
Breakpoints, 219

C

C, 222
C programming, 77, 88
Calculator (See On-line calculator), 99
[CANCEL], 64, 65, 67, 70, 71, 346
Cancel search operation, 67
"CANNOT FIND", 177, 183
"CANNOT OPEN TWO", 237, 238, 256
CASE structure, 207
Changing disks, 238

Characters (numeric value), 99, 185, 187
Clear window (See Erase window), 281
Close files (See also Save text on disk), 241
Color (of window), 138, 280
Column number - display (See Line and column display), 342
Command arguments, 199
Command escape character (See <ESC> key), 118, 313
Command line, 118
Command line - editing, 119
Command macros, 105, 173, 174, 204, 215
Command macros - as keystroke macros, 105, 107
Command macros - auto-execution, 130
Command macros - debugging (See Trace mode), 218
Command macros - executing, 106, 217, 230, 265, 270, 276
Command macros - loading, 184, 269, 271
Command mode, 22, 98, 118
Command mode menu (macro), 115, 131, 217
Command mode prompt, 22, 98, 118, 148, 265
Command mode window, 96, 290
Command repeating (See Iteration loop), 177
Command syntax, 120
Comments (Assembly language), 143
Comments in macros, 183, 265
COMPARE.VDM file, 112
Comparing text (See also Matching text), 156
Concatenating files, 101
Concatenating lines, 50
Conditional conversion character, 158, 249, 307
Conditional expression, 208
Continuation character, 43, 312
Continuation line, 43, 81
Control characters - numeric value, 99, 185
Control characters - in text, 75, 76, 154, 227, 244, 267
Control characters - typing, 39, 118, 119, 302
CONTROL key, 302
Convert lower to upper case (See Lower and upper case), 158
Copying/Moving text, 61, 63, 93, 113, 135, 266
Correcting mistakes (See [UNDO]), 52
CP/M User Number, 128, 129, 132
Creating a new file, 37, 237
Creating windows, 94, 97, 137, 289
CRT terminal versions, 297
Current drive (".\$R\$" file), 163
Current drive/directory, 128, 255, 314
Current edit buffer, 133
Cursor, 19, 37, 248
[CURSOR DOWN], 41, 344
[CURSOR LEFT], 41, 344
[CURSOR RIGHT], 41, 344
[CURSOR UP], 41, 344
Cursor blink rate, 248, 306

Cursor character, 319
Cursor movement, 40, 41, 45, 48, 157
Cursor position, 22, 83, 98, 233, 308
Cursor position (in window), 282
Cursor type, 248, 306
Customizing (See Installation), 295
Cut and paste (See also Text registers), 61

D

D, 200, 223
[DEFINE], 86, 87, 347
[DEL NEXT WORD], 51, 345
[DEL PREVIOUS WORD], 51, 345
[DELETE], 21, 51, 345
Deleting block of text, 50, 51, 62
Deleting files, 127, 245
Deleting lines, 50, 65
Deleting text, 20, 50, 159, 223, 228
Deleting windows, 94, 288
Delimiters (text), 119, 147, 253, 310
Directory display, 60, 127, 182, 239
Disk buffering (See Auto-buffering), 161
Disk full error (recovery), 104, 127, 163, 164, 165
Disk space - freeing, 127, 245
Disk space - using, 163
Displaying files (See also EL command), 100, 246
Displaying text, 181, 232, 287
Displaying text registers, 153, 267, 275
Duplicating lines (macro), 174

E

EA, 126, 236
EB, 37, 126, 164, 181, 237
EC, 167, 170, 238, 251
ED, 127, 128, 182, 239
EE, 133, 169, 240
EF, 102, 104, 241
EG, 100, 187, 242
EH, 122, 243
EI, 75, 244
EJ, 199, 245
EK, 127, 245
EL, 100, 187, 246
EM, 202, 246, 253
EN, 103, 169, 247
EP, 79, 160, 197, 248
EQ, 125, 135, 250

- ER, 37, 101, 102, 181, 251
- ES, 147, 183, 197, 252
- ET, 150, 254
- EU, 128, 255
- EV, 255
- EW, 37, 101, 102, 104, 181, 256
- EX, 24, 135, 257
- EY, 125, 126, 164, 258
- EZ, 125, 259
- Edit buffer, 30, 134, 233
- Edit buffer - auto-buffering, 161, 162
- Edit buffer - exiting, 90
- Edit buffer - in window, 94
- Edit buffer - macros, 215
- Edit buffer - multiple, 89, 240
- Edit buffer - name), 154, 187
- Edit functions, 39
- Edit pointer, 121
- Edit pointer - moving after insert, 252
- Edit pointer - moving by character, 222
- Edit pointer - moving by jumping, 199, 222, 235, 245
- Edit pointer - moving by line, 229
- Edit pointer - moving by matching, 202, 203
- Edit pointer - moving by searching, 200, 224
- Edit pointer - position, 98, 121, 199, 233
- Edit pointer - position in iteration loops, 179
- Edit pointer - position (.p), 188
- Edit session, 30, 236
- Editing a new file, 58, 126, 237, 258
- Editing multiple files (See Multiple file editing), 168
- Editing text registers, 89
- Emptying a text register, 62, 64, 103, 267
- "END OF EDIT BUFFER REACHED", 183, 229
- End of file, 235
- End of file (.ef), 187, 210
- End of file padding, 253, 310
- End of line, 159, 222
- End of line - display, 312
- Entering command mode (See also Exiting visual mode), 22, 96
- Entering new text, 20, 47, 49
- Entering visual mode, 22, 98, 233
- [ERASE EOL], 51, 346
- [ERASE LINE], 51, 346
- Erase window, 281
- Error flag (.er), 183, 187, 202
- Error messages, 335
- <ESC> key, 22, 36, 118, 147, 176, 178
- Escape sequences, 39, 75, 159, 302, 321
- Examining (See Displaying), 246
- Exiting VEDIT PLUS, 55, 90, 108, 125, 135, 257
- Exiting visual mode, 22, 98, 347

Expand tab (See Tab expansion), 48
Expanding control characters, 267, 275
Explicit delimiter (See Delimiters), 147
Expressions (numeric), 188, 190, 196

F

F, 147, 183, 202, 224, 252
FALSE (logical value), 191
[FILE], 90, 91, 348
File comparison (command), 156
File comparison (macro), 112
File locking, 170
File operations, 53
File "Page", 162, 315
File searching, 131, 314
Filename, 30, 154, 214
Filename - displaying, 181, 251, 256, 342
Filename - extension, 30
Files - large (long), 31, 37, 54, 102, 146, 162, 164
[FIND], 67, 70, 346
Flow control (structures), 204
"Forever" (or "all"), 177
Form-feed character, 73, 182, 262, 306
[FORMAT PARAGRAPH], 81, 83, 347
Formatting paragraphs, 83, 85, 249, 283
Forward disk buffering, 162, 164, 252
Free memory (See Memory space), 163
Full disk (See Disk full error), 104, 165
"FULL" message, 61, 62, 64, 103, 161, 233, 342
Full screen editing, 26
Function keys, 302, 321

G

Global operations, 146, 164, 253, 310
Global replace, 68, 231
[GOTO], 45, 46, 162, 348
Graphics characters, 75, 76, 159, 244, 279, 308

H

H, 122, 226
Hard disk, 17, 309
[HELP], 348
Help (See also H command), 21, 23, 122, 226, 243
Help files, 17, 123, 314
High bit characters (See Bit 8 characters), 159

Horizontal column value (.x), 189
Horizontal scroll increment, 249, 308
Horizontal scroll margin, 43, 249, 308
Horizontal scrolling, 43
Hot keys, 86, 304

I

I, 147, 178, 227
IBM 3101 terminal, 321
IBM Personal Computer /XT /AT, 17, 18, 159
IF-THEN structure, 205
IF-THEN-ELSE structure, 205
Ignore search errors (See Suppress error handling), 183
[INDENT], 77, 79, 82, 347
Indent increment, 77, 248, 307
Indent margin, 77
Indent position, 248
Indenting text (See also [INDENT]), 77, 79, 252
Initialize window, 288
Initializing terminals, 154, 267
Input and output (macros), 212, 213, 274, 277, 278
Input file, 30, 126
Input file - filename, 181
Input file - opening, 251
Input file - reading, 162, 221
[INSERT], 47, 88, 345
"INSERT" message, 47, 342
Insert mode, 20, 47, 88, 312
Inserting control characters, 76, 148, 244, 308
Inserting files (See also EG command), 100, 242
Inserting lines, 47
Inserting new text (See Entering new text), 47
Inserting spaces, 48, 78
Inserting text, 20, 148, 182, 184, 227, 244, 269, 284
Inserting a text register, 61, 63, 252, 268, 309
INSTALL.EXE file, 296
INSTALL.INI file, 296
Installation, 131, 295
Integers, 185
Internal values, 187
Intertec terminal, 300
INTMOD.EXE file, 296
"INVALID EDIT BUFFER OPERATION", 134, 266, 267
Invoking VEDIT PLUS, 19, 37, 38, 58, 126, 130
Iteration brackets, 118, 313
Iteration count, 177
Iteration loop, 118, 177, 204

J

JL, 209, 260
JM, 209, 210, 260
JN, 209, 260
JO, 209, 260
JP, 208, 209, 260
Jump commands, 199, 204, 208, 210, 245, 260
Justifying paragraphs, 83, 85, 253, 311

K

K, 199, 228
Keyboard characters, 39, 75, 158, 244, 253, 311
Keyboard layout, 25, 36, 39, 86, 284, 285, 301, 321
Keystroke macros, 86, 87, 105, 107, 301, 322
Killing files (See Deleting files), 245

L

L, 178, 183, 229
Labels, 208
Large files (See Files - large), 31
Left margin, 77, 82, 83, 306
Line and column display, 342
Line number value (.y), 189
Line numbering, 196
[LINE TOGGLE], 41, 344
Literal character (See also <CTRL-Q> or [NEXT CHAR LITERAL]), 148
Load keyboard layout, 285
Loading files (See Reading files), 251
Loading text registers, 153, 184, 269, 271, 276
Logged-in drive (See Current drive), 128
Logical operators, 190, 193
Long lines, 43
Lower and upper case - conversion, 158, 248, 307
Lower and upper case - convert text, 88
Lower and upper case - escape sequence, 302
Lower and upper case - reversing, 159, 253, 310
Lower and upper case - searching, 69, 224, 253, 309

M

M, 174, 216, 219, 230
[MACRO], 105, 106, 174, 347
"MACRO ERROR IN r", 215, 230, 266
Macros (See Command macros), 173
Mainframe computers, 149, 254

- Margins (See Left and Right margin), 77
- Markers (See Text markers), 45
- Match parentheses, 88, 285
- Matching (number of characters), 188, 201, 202
- Matching (text), 202, 246, 272
- Maximum file size (See Files - large), 163
- Memory management, 168
- Memory mapped versions, 297
- Memory space - free, 169, 233, 276, 315
- Memory space - free (.f), 188
- Memory space - freeing, 64, 103, 163, 165, 234, 240, 247
- Memory space - full, 119
- Memory space - full (See also FULL and *BREAK*), 62
- Memory space - saving, 216, 267
- MENU.VDM file, 115
- Merging files, 100, 101
- [MISC], 88, 350
- Modifiers (command), 146
- Moving text (See Copying/Moving text), 61
- MS-DOS Commands, 261, 262
- MS-DOS directories (See Pathnames), 128
- Multi-Tasking Operating Systems, 170
- Multiple commands, 120
- Multiple drives, 37, 101, 163, 166
- Multiple file editing, 89, 91, 133, 168, 240
- Multiple screen lines (See Continuation line), 43

N

- N, 230
- "Nearly full", 162, 165
- NEC APC, 159
- Nested (loops, structures), 177, 206
- "NEW FILE", 19, 37, 237, 340
- NEWCRT.DOC file, 296
- [NEXT CHAR LITERAL], 75, 76, 148, 346
- [NEXT LINE], 41, 344
- [NEXT PARAGRAPH], 42, 345
- [NEXT WORD], 42, 345
- "NO DIR SPACE", 104, 127, 165
- "NO DISK SPACE", 104, 127, 165, 257
- "NO OUTPUT FILE", 135, 224, 234, 241, 257, 258
- Notation, 118, 186
- Numeric constants, 185
- Numeric registers (variables), 186
- Numeric registers - as text register name, 198
- Numerical accuracy, 192
- Numerical operators, 190, 191

O

OC, 261
Offset paragraph, 84
On-line calculator, 22, 99, 196
On-line help (See Help), 21
Opening a file, 30, 237, 251, 256
Operands, 190
Operator precedence, 190, 195
Operators, 190
OS, 262
Output file, 30, 162, 163, 188
Output file - closing, 241
Output file - filename, 181
Output file - opening, 126, 237, 256
Output file - reading, 163, 221
Output file - writing, 161, 234
Over-writing text, 20, 39, 47, 49, 227, 244
Overstrike mode, 20, 47, 88

P

PE, 262
PP, 263
PR, 111, 151, 264
[PAGE DOWN], 46, 316, 345
Page eject, 72, 262
Page movement, 46, 316
[PAGE UP], 46, 316, 345
Paragraphs (See also Formatting paragraphs), 47, 80, 83
Parameters - accessing, 122, 197
Parameters - setting, 130, 150, 248, 252, 263, 306, 309
Parentheses - matching (See Match parentheses), 88
Parentheses - numeric, 190, 195
Pathname, 30, 128
Pattern matching, 141, 142, 144, 313
Pattern set (pattern matching), 144
[PREVIOUS PARAGRAPH], 42, 345
[PREVIOUS WORD], 42, 345
[PRINT], 72, 74, 349
Print Formatter, 32, 80, 84, 111, 254
Print parameters, 151, 263, 305
PRINT.EXC file, 111, 131
Printer control characters, 75
Printer margin, 72
Printing text, 23, 72, 74, 111, 151, 154, 182, 264, 286
Printing text registers, 154, 273
Processor speed, 314
Programmable function keys, 130, 154, 267
Prompting from macros, 213

Q

Q, 186, 186
Quitting edit session, 90, 108, 125, 135, 250, 259
Quitting VEDIT PLUS, 56

R

R*, 184, 265
RA, 217, 265
RC, 153, 199, 266
RD, 154, 267
RE, 153, 216, 267
RG, 153, 268
RI, 184, 269
RJ, 216, 270
RL, 131, 132, 153, 271
RM, 156, 203, 272
RP, 154, 273
RQ, 213, 274
RS, 153, 275
RT, 153, 275
RU, 154, 276
RX, 131, 276
Re-routing console output, 181, 284, 286
Reading files, 30, 238, 251, 271
Registers (See Text registers), 153
Relational operators, 190, 193
Remainder from division, 188, 192
[REPEAT], 65, 66, 68, 70, 86, 346
Repeat value, 65
REPEAT-UNTIL structure, 205
Repeated commands (See Iteration loop), 177
Repeating functions - (See [REPEAT]), 65
[REPLACE], 67, 71, 346
Replace text (See Search and Replace), 67
RETURN key, 36, 47, 118, 159
Return value (.rv), 188, 197, 202, 203, 239, 246
"REV FILE OPEN", 167, 238
Reverse lower/upper case (See Lower and upper case), 159
Reverse search (See Backward searching), 68
Right margin, 81, 249, 307
Root directory, 132, 314

S

S, 147, 178, 183, 231, 253
Save keyboard layout, 284
Save text and continue, 59, 236

Save text on disk, 30, 236, 241, 257, 258
Saving text registers, 153, 275
Screen address, 319
Screen attributes, 138, 188, 280, 288, 317
Screen delay, 121
Screen display - stopping/starting, 121
Screen display - updating, 65, 157
Screen line length, 81, 316
Screen size, 316
[SCREEN TOGGLE], 42, 345
[SCROLL DOWN], 44, 344
[SCROLL LEFT], 44, 344
[SCROLL RIGHT], 44, 344
[SCROLL UP], 44, 344
Scrolling of screen (See Horizontal scrolling), 43
Search (ing), 67, 70, 139, 144, 200, 224, 230
Search and Replace, 67, 71, 140, 175, 180, 231
Search error, 177, 183, 253
Search error (.es), 188, 224, 231
Search for <ESC>, 147, 148
Search options, 68, 146
Search string, 67, 139, 144, 147
Selective replace, 68, 71
Separator (pattern matching), 142
".SET" file, 298
Set numeric value, 278
Signon message, 313
SORT.VDM macro file, 114
Splitting files, 102
Splitting lines, 21, 47, 50
Status line, 19, 37, 312, 316
Status line - attribute, 318
Stop character (See also <CTRL-S>), 121
String variables, 144
Strings - See Text Strings or Search Strings, 147
Strip comments, 143
Strip high bit (See also Bit 8 characters), 152, 286
Subdirectory (See also Pathname), 17, 30
Substitute (See Search and Replace), 231
Suppress error handling (See also Search errors), 183, 253, 310
Suppressing <CR>, 181, 186, 251, 256, 279, 279
Switch - setting (See also Parameters - setting), 252
Switching windows, 94, 290

T

T, 178, 199, 232
[TAB CHARACTER] (See also Tab character), 47, 346
Tab character (key), 47, 78, 118, 252
Tab character - display, 312

- [TAB CURSOR], 41, 48, 344
- Tab expansion, 48, 78, 252, 309
- Tab positions, 47, 48, 78, 188, 254
- Tab positions - setting, 150, 254, 311
- Teletype terminals, 304, 316
- Temporary disk file (See "\$R\$" file), 163
- Text delimiters (See Delimiters), 119
- Text markers, 45, 46
- Text markers (.vm), 188
- "TEXT" message, 61, 276, 343, 349
- Text registers, 61, 103, 144, 153, 154, 173, 203, 230, 266, 268
- Text registers - displaying (See Displaying text registers), 153
- Text registers - emptying (See Emptying a text register), 64
- Text registers - inserting (See Inserting a text register), 61
- Text registers - loading (See Loading text registers), 271
- Text registers - naming, 198
- Text registers - saving (See Saving text registers), 275
- Text registers - size, 276
- Text strings, 119, 147, 227
- Trace mode, 219
- TRS-80 Model I, 158
- TRUE (logical value), 191
- Type numeric value, 279
- Typing text (See Displaying text), 181

U

- U, 233, 276
- "UNABLE TO ENTER VISUAL MODE", 233
- [UNDENT], 77, 79, 82, 347
- [UNDO], 50, 52, 346
- Unjustifying paragraphs, 84
- Upper and lower case (See Lower and upper case), 158
- [USER], 79, 81, 83, 350

V

- V, 22, 98, 233
- V-PRINT Document Formatter, 13, 32
- V-SPELL Spelling Corrector, 13
- "\VEDIT" directory, 17, 132
- VEDIT.INI file (See also Auto-startup), 17, 130, 131
- Version number, 255
- Video board initialization, 320
- [VISUAL ESCAPE], 22, 98, 180, 233, 347
- [VISUAL EXIT], 98, 180, 233, 347
- Visual mode, 26, 37, 98, 174, 180, 233
- Visual mode - auto-buffering, 161, 162, 309
- Visual mode - customizing, 311

W

W, 102, 165, 234
Wildcard characters, 127, 142, 239
[WINDOW], 89, 91, 94, 97, 350
Window commands, 137, 288, 289, 290
Windows, 90, 94
Windows - creating, 137
Windows - size, 189
Word count, 196
Word processing, 32, 77, 80, 254
Word wrap, 81, 82, 83, 249, 307
WordStar files, 152
Write error (.ew), 188
Write errors (See Disk full error), 165
Writing files (See also Saving text on disk), 234, 256

X

XA, 186, 277
XK, 213, 277
XQ, 213, 278
XS, 186, 278
XT, 186, 279

Y

YD, 181, 279
YEA, 138, 280, 317
YEC, 212, 281
YEH, 212, 282
YEL, 212, 281
YES, 212, 281
YEV, 212, 282
YF, 283
YI, 182, 196, 284
YK, 284
YL, 285
YM, 285
YP, 181, 286
YS, 152, 286
YT, 181, 212, 287
YWB, 137, 289
YWD, 137, 288
YWI, 137, 288
YWL, 137, 289
YWR, 137, 289
YWS, 137, 290
YWT, 137, 289

YWZ, 137, 290

Z

Z, 235

[ZIP], 41, 344

Zoom window, 94, 290

Z80-8086.VDM file (Z80 to 8086 translator), 116

1 END message, 61, 343, 349

".\$\$\$" file, 127, 241, 256

".\$\$R\$" file, 127, 163, 165, 167

!, 184, 208

#, 177, 185, 198

\$, 118

' (quote), 99

"-" prompt, 119

/, 147

: (colon) command modifier, 183, 253

; (comment character), 158

; ("erJL" command abbreviation), 209

<<, 119

?? Trace command, 218

@ (edit buffer), 133

@ command modifier, 147, 253

[and], 118, 177, 313

^ (caret), 75, 99

_ (underscore) command modifier, 146, 253

⏏, 141, 313

<CR> and <LF>, 118, 149, 159

<CTRL-C>, 24, 64

<CTRL-H>, 119, 148

<CTRL-N>, 69

<CTRL-Q>, 69, 120, 148, 227

<CTRL-S>, 100, 121, 123, 275

<CTRL-U>, 119, 148

<CTRL-V>, 124

<CTRL-X>, 119

<CTRL-Z>, 75